







Slipper chair 119041 / 119041-MT

Overall dimensions	25.5"w x 26"d x 29.75"h	Weight	47 lbs.
Seat dimensions	23"w x 19.5"d x 18"h	Cubic feet	16
Seat to top of back	13.5"	СОМ	2.25 yds. (whole unit)

1.25 (seat and inside back)1.5 (outer shell)

Arm height from floor 27.75"
Arm height from seat 10.25"
Leg height 1.5"

45 sq. ft. (whole unit) 25 (seat and inside back) 30 (outer shell)



Standard features	Optional features
 Fully upholstered molded structural foam Seat webbing Glides 	 Polyester pull Black, Grey, Navy or Tan Leather pull Beige, Black, Brown, Grey, Navy or Rust

COL

Runoff straight left/corner/runoff straight right 119045-SCS / 119045-SCS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	213 lbs.
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92
Seat to top of back	12.5"	СОМ	7.25 yds. (whole unit) 4.5 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)
Leg height	12"	COL	145 sq. ft. (whole unit) 90 (seat and seat sides) 45 (inside back) 45 (outside back)



Runoff angled left/corner/runoff straight right 119045-ACS / 119045-ACS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	212 lbs.
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92
Seat to top of back	12.5"	СОМ	7 yds. (whole unit) 4.25 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)
Leg height	12"	COL	140 sq. ft. (whole unit) 85 (seat and seat sides) 45 (inside back) 45 (outside back)



Runoff straight left/corner/runoff angled right 119045-SCA / 119045-SCA-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	212 lbs.
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92
Seat to top of back	12.5"	СОМ	7 yds. (whole unit) 4.25 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)
Leg height	12"	COL	140 sq. ft. (whole unit) 85 (seat and seat sides) 45 (inside back) 45 (outside back)



Runoff angled left/corner/runoff angled right 119045-ACA / 119045-ACA-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	211 lbs.
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92
Seat to top of back	12.5"	СОМ	7 yds. (whole unit) 4 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)
Leg height	12"	COL	140 sq. ft. (whole unit) 80 (seat and seat sides) 45 (inside back) 45 (outside back)



ofs.com imagine a place® 800.521.5381 Spec sheet





Corner long right/runoff straight right 119045-RS / 119045-RS-MT

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	171 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	СОМ	6 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	120 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)



Corner long right/runoff angled right $\,$ 119045-RA / 119045-RA-MT $\,$

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	170 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	СОМ	5.75 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	115 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)



Runoff straight left/corner long left $\,$ 119045-SL / 119045-SL-MT

Overall dimensions	97.5"w x 29.25"d x 30.5"h	Weight	171 lbs.
Seat dimensions	90.5"w x 22.25"d x 19"h	Cubic feet	70
Seat to top of back	12"	СОМ	6 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	120 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)



Runoff angled left/corner long left 119045-AL / 119045-AL-MT

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	170lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	СОМ	5.75 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	115 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)
	Seat dimensions Seat to top of back	Seat dimensions 90.5"w x 22"d x 19"h Seat to top of back 12.5"	Seat dimensions 90.5"w x 22"d x 19"h Cubic feet Seat to top of back 12.5" COM



Runoff straight left/corner long left/runoff straight right 119045-SLS / 119045-SLS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	245 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 100 (seat and seat sides) 50 (inside back) 45 (outside back)	



Runoff angled left/corner long left/runoff straight right 119045-ALS / 119045-ALS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)
Leg height	12"	COL	165 sq. ft. (whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)



Spec sheet imagine a place® 800.521.5381 2 of 7 ofs.com





Runoff straight left/corner long left/runoff angled right 119045-SLA / 119045-SLA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)	

$\textbf{Runoff angled left/corner long left/runoff angled right} \ \ 119045\text{-}ALA \ / \ 119045\text{-}ALA\text{-}MT$

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	243 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 90 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff straight left/corner long right/runoff straight right 119045-SRS / 119045-SRS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	245 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 100 (seat and seat sides) 50 (inside back) 45 (outside back)	

$\textbf{Runoff angled left/corner long right/runoff straight right } 119045-ARS \ / \ 119045-ARS-MT$

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff straight left/corner long right/runoff angled right 119045-SRA / 119045-SRA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.75 yds. (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 95 yds. (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff angled left/corner long right/runoff angled right 119045-ARA / 119045-ARA-MT

Runoff angled left/corner	long right/runoff angled right 11904	45-ARA / 119045-A	ARA-MI	
Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	243 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	8.25 yds. (whole unit) 4.5 yds. (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 yds. (whole unit) 90 yds. (seat and seat sides) 50 (inside back) 45 (outside back)	

Spec sheet 3 of 7



ofs.com









Standard features	Optional features
 Fully upholstered molded structural foam Seat webbing Sinuous spring in seat Standard wood finish on Ash Standard and studio paints on Beech 	Tray - modular leg models only - all standard and studio powder coats

$\textbf{Runoff angled left/corner/runoff straight right} \ \ 119145\text{-SCS} \ / \ 119145\text{-SCS-MT}$

Overall dimensions	77.75"w x 77.75"d x 30.5"h	Weight	297 lbs.	
Seat dimensions	48.5"w+48.5"w x 22.25"d x 19"h	Cubic feet	92	
Seat to top of back	12"	СОМ	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff angled left/corner/runoff straight right 119145-ACS / 119145-ACS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	296 lbs.	
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	СОМ	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff straight left/corner/runoff angled right 119145-SCA / 119145-SCA-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	296 lbs.	
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	СОМ	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff angled left/corner/runoff angled right 119145-ACA / 119145-ACA-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	295 lbs.	
Seat dimensions	48.5"w+48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	СОМ	10.75 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	215 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Corner long right/runoff straight right $\,$ 119145-RS / 119145-RS-MT $\,$

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	237 lbs.	
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70	
Seat to top of back	12.5"	СОМ	8.75 yds. (whole unit) 5.5 (seat and seat sides) 3.5 (inside back) 3 (outside back)	
Leg height	1.5"	COL	175 sq. ft. (whole unit) 110 (seat and seat sides) 70 (inside back) 60 (outside back)	

ofs.com imagine a place® 800.521.5381 Spec sheet 4 of 7








Corner long right/runoff angled right 119145-RA / 119145-RA-MT

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	236 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	СОМ	8.5 yds. (whole unit) 5.25 (seat and seat sides) 3.5 (inside back) 3 (outside back)
Leg height	1.5"	COL	170 sq. ft. (whole unit)



Runoff straight left/corner long left 119145-SL / 119145-SL-MT

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	237 lbs.	
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70	
Seat to top of back	12.5"	СОМ	8.75 yds. (whole unit) 5.5 (seat and seat sides) 3.5 (inside back) 3 (outside back)	
Leg height	1.5"	COL	175 sq. ft. (whole unit) 110 (seat and seat sides) 70 (inside back) 60 (outside back)	

105 (seat and seat sides) 70 (inside back) 60 (outside back)

Runoff angled left/corner long left 119145-AL / 119145-AL-MT

Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	236 lbs.	
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70	
Seat to top of back	12.5"	СОМ	8.5 yds. (whole unit) 5.25 (seat and seat sides) 3.5 (inside back) 3 (outside back)	
Leg height	1.5"	COL	170 sq. ft. (whole unit) 105 (seat and seat sides) 70 (inside back) 60 (outside back)	




Runoff straight left/corner long left/runoff straight right 119145-SLS / 119145-SLS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	341 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8.25 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 165 (seat and seat sides) 90 (inside back) 75 (outside back)	



Runoff angled left/corner long left/runoff straight right 119145-ALS / 119145-ALS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	



Runoff straight left/corner long left/runoff angled right 119145-SLA / 119145-SLA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Spec sheet 800.521.5381 ofs.com imagine a place® 5 of 7







Runoff angled left/corner long left/runoff angled right 119145-ALA / 119145-ALA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	339 lbs.	
Seat dimensions	68.25"w+48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff straight left/corner long right/runoff straight right 119145-SRS / 119145-SRS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	341 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8.25 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 165 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff angled left/corner long right/runoff straight right 119145-ARS / 119145-ARS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff straight left/corner long right/runoff angled right 119145-SRA / 119145-SRA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff angled left/corner long right/runoff angled right 119145-ARA / 119145-ARA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	339 lbs.	
		•		
Seat dimensions	48.5"w+68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	СОМ	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Standard features

- Fully upholstered molded structural foam
- · Seat webbing
- Sinuous spring in seat

Spec sheet 800.521.5381 ofs.com imagine a place® 6 of 7









60" Bench 119049

Overall dimensions 60"w x 22.5"d x 19"h Weight 67 lbs. Seat dimensions 60"w x 22.5"d x 19"h **Cubic feet** 24.25 сом 2 yds. (whole unit) Leg height 12"

90" Bench 119040

Overall dimensions	90"w x 22.5"d x 19"h	Weight	103 lbs.	
Seat dimensions	90"w x 22.5"d x 19"h	Cubic feet	35.25	
Leg height	12"	СОМ	2.75 yds. (whole unit)	To To To

Standard features	Optional features
 Fully upholstered molded structural foam Seat webbing Sinuous spring in seat Fabric is ran railroad only no leather Standard wood finish on Ash Standard and studio paints on Beech 	Tray modular leg models only all standard and studio powder coats

Standard textile & finish selection

https://ofs.com/resources/textiles https://ofs.com/resources/finishes

Frame construction - modular lounge units

Shelving

Seat • Equally spaced sinuous springs are covered with a polypropylene cover material

Back · Polypropylene cover material

Arms • Upholstered arm assemblies are made of plywood

Upholstery • All fabric and leather pieces are cut with automated cutters that utilize precise patterns

Assembly · The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels,

• Metal storage shelf offered in all standard and studio powder coats

- left

- right

Models 119045-RS, 119045-RA, 119045-SL, 119045-AL (& MT) - a tray can only be selected on one side, left or right. When a tray is selected for one side, the other other side must have no selection.

Spec sheet ofs.com imagine a place® 800.521.5381 7 of 7