

# High back mesh stool 3619M

Seat to top of back

Back width

Back width

Overall dimensions 27.5"w x 27.5"d x 44/51.5"h (CHC) Weight 49.5 lbs. (armless) (CHC) 53.5 lbs. (CR13) (arms) (CHC)

27.5"w x 27.5"d x 47.75/58"h (BHC)

Cubic feet

54 lbs. (CR20) (arms) (CHC) 50.5 lbs. (armless) (BHC) 53.25 lbs. (CR13) (arms) (BHC)

55 lbs. (CR20) (arms) (BHC)

12.75

Seat dimensions 20.25"w x 19"d x 20.75/28.25"h (CHC)

20.25"w x 19"d x 24.25/34.25"h (BHC)

23.25" сом 1 vd. 19 25" COL 20 sa. ft.

Top of arm to floor 29.5/40.75" (CR13) 30/38" (CR20) (CHC)

33/47" (CR13) 34/44" (CR20) (BHC)

Top of arm to seat 7/11" (CR13) 8" (CR20)



## High back elastomer stool 3619E

Overall dimensions 27.5"w x 27.5"d x 44/51.5"h (CHC) Weight 51.5 lbs. (armless) (CHC)

27.5"w x 27.5"d x 47.75/58"h (BHC) 55.5 lbs. (CR13) (arms) (CHC) 55.75 lbs. (CR20) (arms)

(CHC)

52.5 lbs. (armless) (BHC) 56.5 lbs. (CR13) (arms) (BHC) 56.75 lbs. (CR20) (arms)

(BHC)

Seat dimensions 20.25"w x 19"d x 20.75/28.25"h (CHC) **Cubic feet** 12.75

20.25"w x 19"d x 24.25/34.25"h (BHC) Seat to top of back 23.25" COM 1 yd. COL 20 sq. ft.

Top of arm to floor 29.5/40.75" (CR13) 30/38" (CR20) (CHC) 33/47" (CR13) 34/44" (CR20) (BHC)

7/11" (CR13) 8" (CR20) Top of arm to seat



# High back fully upholstered stool 3619

51.5 lbs. (armless) (CHC) Overall dimensions 27.5"w x 27.5"d x 44/51.5"h (CHC) Weight 55.5 lbs. (CR13) (arms) (CHC) 27.5"w x 27.5"d x 47.75/58"h (BHC)

56 lbs. (CR20) (arms) (CHC) 52.5 lbs. (armless) (BHC) 56.5 lbs. (CR13) (arms) (BHC) 57 lbs. (CR20) (arms) (BHC)


Seat dimensions 20.25"w x 19"d x 20.75/28.25"h (CHC) Cubic feet 12.75

20.25"w x 19"d x 24.25/34.25"h (BHC)

Seat to top of back 23.25" COM 1.25 yds. 25 sq. ft. Back width 19.25" COL Top of arm to floor 29.5/40.75" (CR13) 30/38" (CR20) (CHC)

33/47" (CR13) 34/44" (CR20) (BHC)

Top of arm to seat 7/11" (CR13) 8" (CR20)



# High back impression stool 3619T

Seat to top of back

Overall dimensions 27.5"w x 27.5"d x 44/51.5"h (CHC) Weight 50.5 lbs. (armless) (CHC) 54.5 lbs. (CR13) (arms) (CHC) 27.5"w x 27.5"d x 47.75/58"h (BHC) 55 lbs. (CR20) (arms) (CHC)

51.5 lbs. (armless) (BHC) 55.5 lbs. (CR13) (arms) (BHC) 56 lbs. (CR20) (arms) (BHC)

Seat dimensions 20.25"w x 19"d x 20.75/28.25"h (CHC) Cubic feet 12.75

> 20.25"w x 19"d x 24.25/34.25"h (BHC) 23.25" COM 1 yd.

Back width COL 20 sq. ft. 29.5/40.75" (CR13) 30/38" (CR20) (CHC) Top of arm to floor

33/47" (CR13) 34/44" (CR20) (BHC)

7/11" (CR13) 8" (CR20) Top of arm to seat



ofs.com imagine a place® 800.521.5381 Spec sheet 1 of 6



Standard features	Options available
<ul> <li>Armless</li> <li>High back</li> <li>Tailored seat</li> <li>Body balance control</li> <li>Upholstered seat with molded seat foam</li> <li>20" foot ring</li> <li>Hard wheel casters</li> </ul>	Mesh, Elastomer, Impression or Upholstered back Carbon, Graphite or Chalk frame Arms: - 4D pivoting arms - Polished aluminum cantilever arms  2 Cylinder heights: CHC - Counter height (8") or BHC - Bar height (10") Adjustable lumbar support: Carbon, Graphite or Chalk (matches frame choice) Sit-to-stand cylinder: - STS1 G10 (7") 16.75/23.75 range with B17 base and 17/24" with B18 base - STS3 G15 (8") 18.5/26.5 range with B17 base and 19/27" with B18 base - STS4 G16 (9") 19.5/28.5" range with B17 base and 20/29" with B18 base  Seven mesh colors: Blue, Deep Blue, Grey, Pitch, Platinum, Poppy, or Snow  Eight elastomer colors: Clay, Sage, Oat, Deep Blue, Pitch, Platinum or Snow Two impression colors: Pitch or Platinum Nylon base: Carbon, Graphite, or Chalk (matches frame choice) Polished aluminum base Soft wheel casters or glides Fully assembled

#### Standard textile selection

https://ofs.com/resources/textiles

#### Frame construction

Seat • 5/8" One-piece, multi-core hardwood plywood

Fitted with riveted "T" nuts fixed on both sides of plywood

Back • Polypropylene and nylon: Black, Graphite and Chalk

Mesh: 40% elastomer, 60% polyester

• Elastomer: Thermoplastic polyurethane

 Impression: Inner foam laminated with polyester fabric on both sides, a line design is pressed into material

Upholstery

• Mesh back is 100% high tenacity polyester breathable material

• All fabrics meet CAL tech bulletin 117-2013

Arms • 4D pivoting arms

• Fixed cantilever aluminum arms

Lumbar support

• Adjustable lumbar support: Black, Graphite or Chalk (dependent on frame color choice)

• Height from seat = 5.25"/8.25", Range = 3"

Controls

• R3 - body balance: Weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment

Base

• Nylon: solid injection-molded and glass-reinforced nylon resin - Black, Graphite or Chalk

Polished aluminum: Manufactured of die-casting process

• All Bases pass the ANSI/BIFMA strength standards

Cylinder

 Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria

Casters

• 60 mm diameter large pivot barrels

Assembly

• Self-locking, hardened steel, hex/socket/phillips head bolts

 Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

#### Foam

Seat • 3D Molded foam

- 40 IFD
- 2 lb. Density
- CAL TB 117-2013 Conformant

Back • Polyurethane and nylon

ofs.comimagine a place\*800.521.5381Spec sheet2 of 6



# Mesh back stool - counter height 3711M

Overall dimensions	22.5"w x 25"d x 39.5"h	Weight	31 lbs. (armless) 32.25 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 24.5"h	Cubic feet	17	
Seat to top of back	13.25"	СОМ	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	32.75"			
Top of arm to seat	7.5"			

## Fully upholstered stool - counter height 3711

Overall dimensions	22.5"w x 25"d x 39.5"h	Weight	31.5 lbs. (armless) 32.75 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 24.5"h	Cubic feet	17	
Seat to top of back	13.25"	COM	1.75 yds.	
Back width	19.75"	COL	35 sq. ft.	
Top of arm to floor	32.75"			
Top of arm to seat	7.5"			

#### Impression back stool - counter height 3711T

Overall dimensions	22.5"w x 25"d x 39.5"h	Weight	31.25 lbs. (armless) 32.5 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 24.5"h	Cubic feet	17	
Seat to top of back	13.25"	COM	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	32.75"			
Top of arm to seat	7.5"			U U U

# Mesh back stool - bar height 3713M

Overall dimensions	22.5"w x 25.5"d x 44.5"h	Weight	32.25 lbs. (armless) 33.5 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 29.5"h	Cubic feet	22.5	
Seat to top of back	13.25"	СОМ	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	37.75"			
Top of arm to seat	7.5"			U U U

# Fully upholstered stool - bar height 3713

Overall dimensions	22.5"w x 25.5"d x 44.5"h	Weight	32.75 lbs. (armless) 34 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 29.5"h	Cubic feet	22.5	
Seat to top of back	13.25"	COM	1.75 yds.	
Back width	19.75"	COL	35 sq. ft.	
Top of arm to floor	37.75"			
Top of arm to seat	7.5"			U U U

# Impression back stool - bar height 3713T

Overall dimensions	22.5"w x 25.5"d x 44.5"h	Weight	33.5 lbs. (armless) 33.75 lbs. (arms)	
Seat dimensions	19.25"w x 18"d x 29.5"h	Cubic feet	22.5	
Seat to top of back	13.25"	СОМ	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	37.75"			
Top of arm to seat	7.5"			U U U

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 3 of 6



Standard features	Options available
<ul> <li>Armless</li> <li>Bar or Counter height</li> <li>Upholstered seat with molded seat foam</li> <li>Nylon glides</li> </ul>	Mesh, Impression or Upholstered back     Black or Silver frame     Fixed arms (black only)     Seven mesh colors: Blue, Deep Blue, Grey, Pitch, Platinum, Poppy, or Snow     Two impression colors: Pitch or Platinum     Felt tip glides

#### Standard textile selection

https://ofs.com/resources/textiles

#### Frame construction

Seat Polypropylene Back · Polypropylene and nylon • Mesh: constructed of polyester, polyamid and elasthan fiber content Upholstery · Two part plastic back with upholstery clips • All fabrics meet CAL Tech Bulletin 117-2013 Arms • Fixed arms (black only) Frame Rated up to 300 lbs. • 7/8" Diameter 14 gage steel tubing · Silver and black wall saver Glides Nylon glides • 1/8" high by 3/8" diameter base with a 1/2" stem • Self-locking, hardened steel, hex/socket/phillips head bolts Assembly • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to • "NYLOK" fasteners semi-permanently secure all hardware seat & back Back • Constructed of three layers: inner foam laminated with polyester fabric on both sides

#### Impression material

• A line design is pressed into the material • Color options: Pitch (TPI) and Platinum (TPM) • CAL TB 117-2013 Conformant Foam

Seat

- 3D Molded foam
- 2.5 Density
- CAL TB 117-2013 Conformant

imagine a place® 4 of 6 ofs.com 800.521.5381 Spec sheet





## Plastic back stool - counter height 38111 (single) 38112 (double)

Overall dimensions	22"w x 23.5"d x 38.75"h	Weight	21 lbs.	
Seat dimensions	17.75"w x 17.75"d x 24.25"h (plastic) 18.5"w x 18"d x 25"h (upholstered)	Cubic feet	17	
Seat to top of back	12.75"	COM	1 yd.	
Back width	18"	COL	20 sq. ft.	
Top of arm to floor	32"			
Top of arm to seat	7.5"			

## Plastic back stool - bar height 38131 (single) 38132 (double)

(	Overall dimensions	22"w x 23.5"d x 43.75"h	Weight	21.75 lbs.		
:	Seat dimensions	17.75"w x 17.75"d x 29.25"h (plastic) 18.5"w x 18"d x 30"h (upholstered)	Cubic feet	17		
:	Seat to top of back	12.75"	COM	1 yd.		/ \
- 1	Back width	18"	COL	20 sq. ft.		
	Top of arm to floor	37"				
	Top of arm to seat	7.5"		I	J U	L

Standard features	Options available
<ul> <li>Armless</li> <li>Molded plastic back</li> <li>Chrome wall saver frame</li> <li>Counter height or Bar height</li> <li>Stacks two high</li> </ul>	Plastic or Upholstered seat with molded seat foam Five plastic colors: Deep Blue, Pitch, Platinum or Snow Clear nylon glides

#### Standard textile selection

https://ofs.com/resources/textiles

## Frame construction

Seat • Polypropylene

Back • Polypropylene

Upholstery • All fabrics meet CAL Tech Bulletin 117-2013

Frame • Rated up to 300 lbs.

• .441" Diameter steel rod and .157" steel plate

Chrome wall saver

Glides • Nylon glides

Assembly • Self-locking, hardened steel, hex/socket/phillips head bolts

Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to
 with ration.

"NYLOK" fasteners semi-permanently secure all hardware seat & back

#### Foam

Seat • 1" 3D Molded foam

• 5.14 Density

• 58 IFD

• CAL TB 117-2013 Conformant

**ofs.com imagine a place\* 800.521.5381** Spec sheet 5 of 6



## Plastic back light task stool - counter/bar height 3815

Overall dimensions 27.5"w x 27.5"d x 32.75/40.25"h (CHC) Weight 34 lbs. (armless) 35 lbs. (arms) (CHC) 27.5"w x 27.5"d x 43.75/56.25"h (BHC) 37.25 lbs. (armless) 38.25 lbs. (arms)

(BHC)

Seat dimensions 17.75"w x 17.5"d x 18/25.5"h (CHC plastic) Cubic feet 12.75

> 18.5"w x 17.75"d x 18.75/26.25"h (CHC upholstered) 17.75"w x 17.5"d x 21.75/31.75"h (BHC plastic)

18.5"w x 17.75"d x 22.5/32.5"h (BHC upholstered)

Seat to top of back 22.75" COM 1.25 yds. Back width 18" COL 25 sq. ft.

Top of arm to floor 26.25/33.75" (CHC), 30/40.25" (BHC)

Top of arm to seat

Standard features	Options available
<ul> <li>Armless</li> <li>Molded plastic back</li> <li>Basic task control</li> <li>Black nylon base</li> <li>20" foot ring</li> <li>Hard wheel casters</li> </ul>	Graphite or Chrome frame Fixed arms (arm colors match plastic back) Plastic or Upholstered seat with molded seat foam Cylinder heights: CHC - Counter height (8") or BHC - Bar height (10") Five plastic colors: Deep Blue, Pitch, Platinum or Snow Polished aluminum base Soft wheel casters or glides Fully assembled

#### Standard textile selection

#### https://ofs.com/resources/textiles

### Frame construction

 Polypropylene Seat

Back

Upholstery · All fabrics meet CAL Tech Bulletin 117-2013

Polypropylene

Arms • Fixed arms with polypropylene arm caps

Frame • Rated up to 300 lbs.

.441" diameter steel rod and .157" steel plate

· Chrome wall saver

Controls • T4 - basic task: Seat height adjustment

Base · Nylon: Solid injection-molded and glass-reinforced nylon resin black

· Polished aluminum: Manufactured of die-casting process

· All bases pass the ANSI/BIFMA strength standards

Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA Cylinder

intensive use performance standards; including cyclic bending resistance criteria

Glides

Casters · Nylon twin wheel casters are manufactured of injection-molded engineer grade nylon

60 mm diameter large pivot barrels

Assembly • Self-locking, hardened steel, hex/socket/phillips head bolts

Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to

vibration

"NYLOK" fasteners semi-permanently secure all hardware seat & back

# Foam

• 1" 3D Molded foam

- · 5.14 Density
- 58 IFD
- · CAL TB 117-2013 Conformant

imagine a place® ofs.com 800.521.5381 Spec sheet 6 of 6

