


Double booth armless with low back surround 82B42F-L / 82B42U-L


Outside dimensions	104" w x 56.5" d x 54.75" h	Weight	318 lbs.
Seat dimensions	52" w x 20.75" d x 18.75" h	Cubic feet	112
Seat to top of back	16.5"	COM	10.5, 7.5 & 3.25 yds. (82B42F-L) 11.5, 7.5 & 3.25 yds. (82B42U-L)
Surround height from floor	29.5"		
Surround height from seat	10.25"	COL	210, N/A & N/A sq. ft. (82B42F-L) 230, N/A & N/A sq. ft. (82B42U-L)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Armless Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Leather cap for surround Top sold separately


Double booth armless with partial surround 82B42F-H / 82B42U-H

Outside dimensions	102.5" w x 58.5" d x 68.75" h	Weight	432 lbs.
Seat dimensions	52 (2)" w x 20" d x 18.5" h	Cubic feet	282
Seat to top of back	16.5"	COM	10.5, 13 & 4 yds. (82B42F-H) 11.5, 13 & 4 yds. (82B42U-H)
Leg height	10"	COL	210, N/A & N/A sq. ft. (82B42F-H) 230, N/A & N/A sq. ft. (82B42U-H)



Double booth armless with full surround 82B42F-F / 82B42U-F


Outside dimensions	102.5" w x 58.5" d x 68.75" h	Weight	450 lbs.
Seat dimensions	52 (2)" w x 20" d x 18.5" h	Cubic feet	282
Seat to top of back	16.5"	COM	10.5, 14 & 4 yds. (82B42F-F) 11.5, 14 & 4 yds. (82B42U-F)
Leg height	10"	COL	210, N/A & N/A sq. ft. (82B42F-F) 230, N/A & N/A sq. ft. (82B42U-F)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Armless Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Leather cap for surround Top sold separately

Double booth with arms and low back surround 82B42F-LA / 82B42U-LA


Outside dimensions	104" w x 68.5" d x 54.75" h	Weight	378 lbs.
Seat dimensions	52" w x 20.75" d x 18.75" h	Cubic feet	144
Seat to top of back	16.5"	COM	13, 8 & 3.25 yds. (82B42F-LA) 13.5, 8 & 3.25 yds. (82B42U-LA)
Arm height from floor	26.25"		
Arm height from seat	7.5	COL	260, N/A & N/A sq. ft. (82B42F-LA) 270, N/A & N/A sq. ft. (82B42U-LA)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Arms Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) Upholstered arm top or finished arm cap Optional power (in arm) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Leather cap for surround Top sold separately


Double booth with arms and partial surround 82B42F-HA / 82B42U-HA

Outside dimensions	102.5"w x 70.5"d x 68.75"h	Weight	542 lbs.
Seat dimensions	52 (2)"w x 20"d x 18.5"h	Cubic feet	338
Seat to top of back	16.5"	COM	13, 14 & 4 yds. (82B42F-HA)
Top of arm to seat	6.75"		13.5, 14 & 4 yds. (82B42U-HA)
Top of arm to floor	25.25"	COL	260, N/A & N/A sq. ft. (82B42F-HA)
Leg height	10"		270, N/A & N/A sq. ft. (82B42U-HA)



Double booth with arms and full surround 82B42F-FA / 82B42U-FA


Outside dimensions	102.5"w x 70.5"d x 68.75"h	Weight	558 lbs.
Seat dimensions	52 (2)"w x 20"d x 18.5"h	Cubic feet	338
Seat to top of back	16.5"	COM	13, 15.5 & 4 yds. (82B42F-FA)
Top of arm to seat	6.75"		13.5, 15.5 & 4 yds. (82B42U-FA)
Top of arm to floor	25.25"	COL	260, N/A & N/A sq. ft. (82B42F-FA)
Leg height	10"		270, N/A & N/A sq. ft. (82B42U-FA)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat With arms Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) Leg finish Optional power (in arms) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Top sold separately

Triple booth armless with low back surround 82B43F-L / 82B43U-L


Outside dimensions	104"w x 82.5"d x 54.75"h	Weight	390 lbs.
Seat dimensions	78.5"w x 20.75"d x 18.75"h	Cubic feet	170
Seat to top of back	16.5"	COM	15.5, 8.5 & 3.25 yds. (82B43F-L)
Surround height from floor	29.5"		17, 8.5 & 3.25 yds. (82B43U-L)
Surround height from seat	10.25"	COL	310, N/A & N/A sq. ft. (82B43F-L)
			340, N/A & N/A sq. ft. (82B43U-L)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Armless Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Leather cap for surround Top sold separately


Triple booth armless with partial surround 82B43F-H / 82B43U-H

Outside dimensions	102.5" w x 84.75" d x 68.75" h	Weight	478 lbs.
Seat dimensions	78.5 (2)" w x 20" d x 18.5" h	Cubic feet	402
Seat to top of back	16.5"	COM	15.5, 14.25 & 4 yds. (82B43F-H) 17, 14.25 & 4 yds. (82B43U-H)
Leg height	10"	COL	310, N/A & N/A sq. ft. (82B43F-H) 340, N/A & N/A sq. ft. (82B43U-H)



Triple booth armless with full surround 82B43F-F / 82B43U-F


Outside dimensions	102.5" w x 84.75" d x 68.75" h	Weight	504 lbs.
Seat dimensions	78.5 (2)" w x 20" d x 18.5" h	Cubic feet	402
Seat to top of back	16.5"	COM	15.5, 15.75 & 4 yds. (82B43F-F)
Leg height	10"	COL	17, 15.75 & 4 yds. (82B43U-F) 310, N/A & N/A sq. ft. (82B43F-F) 340, N/A & N/A sq. ft. (82B43U-F)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Armless Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) Leg finish Media wall wire manager Media wall power color Top sold separately Accommodates 32" and smaller flat-screen TV's TV panel mounts to media wall

Triple booth with arms and low back surround 82B43F-LA / 82B43U-LA


Outside dimensions	104" w x 94.5" d x 54.75" h	Weight	450 lbs.
Seat dimensions	78.5" w x 20.75" d x 18.75" h	Cubic feet	190
Seat to top of back	16.5"	COM	18, 9 & 3.25 yds. (82B43F-LA) 19, 9 & 3.25 yds. (82B43U-LA)
Arm height from floor	26.25"	COL	360, N/A & N/A sq. ft. (82B43F-LA) 380, N/A & N/A sq. ft. (82B43U-LA)



Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat Arms Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) Upholstered arm top or finished arm cap Optional power (in arm) TV panel mounts to media wall Accommodates 32" and smaller flat-screen TV's Media wall wire manager Media wall power color Leather cap for surround Top sold separately


Triple booth with arms and partial surround 82B43F-HA / 82B43U-HA

Outside dimensions	102.5" w x 96.5" d x 68.75" h	Weight	640 lbs.
Seat dimensions	78.5 (2)" w x 20" d x 18.5" h	Cubic feet	454
Seat to top of back	16.5"	COM	18, 15.25 & 4 yds. (82B43F-HA)
Top of arm to seat	6.75"		19, 15.25 & 4 yds. (82B43U-HA)
Top of arm to floor	25.25"	COL	360, N/A & N/A sq. ft. (82B43F-HA)
Leg height	10"		380, N/A & N/A sq. ft. (82B43U-HA)



Triple booth with arms and full surround 82B43F-FA / 82B43U-FA


Outside dimensions	102.5" w x 96.5" d x 68.75" h	Weight	666 lbs.
Seat dimensions	78.5 (2)" w x 20" d x 18.5" h	Cubic feet	454
Seat to top of back	16.5"	COM	18, 17.25 & 4 yds. (82B43F-FA)
Top of arm to seat	6.75"		19, 17.25 & 4 yds. (82B43U-FA)
Top of arm to floor	25.25"	COL	360, N/A & N/A sq. ft. (82B43F-FA)
Leg height	10"		380, N/A & N/A sq. ft. (82B43U-FA)




Standard features	Options available
<ul style="list-style-type: none"> Steel tube frame Sinuous springs in seat With arms Molded plywood surround 	<ul style="list-style-type: none"> Trim rail material (solid ash or fabric - will match cushion fabric) Leg finish (cast aluminum or solid ash) Optional Power (in arms) TV panel mounts to media wall Media wall wire manager Media wall power color Top sold separately Accommodates 32" and smaller flat-screen TV's

Top and base 82T48

Outside dimensions	48" w x 29.5" d x 27.5" h	Cubic feet	5
--------------------	---------------------------	------------	---



Top and base 82T54

Outside dimensions	54" w x 29.5" d x 27.5" h	Cubic feet	5	
--------------------	---------------------------	------------	---	---

Top and base 82T72

Outside dimensions	72" w x 29.5" d x 27.5" h	Cubic feet	6	
--------------------	---------------------------	------------	---	---

Standard features	Options available
<ul style="list-style-type: none"> Top and Base 	<ul style="list-style-type: none"> Top finish - veneer, HPL or solid surface Base finish - veneer Optional wire manager cutout

Standard textile & finish selection

<https://ofs.com/resources/textiles>
<https://ofs.com/resources/finishes>

Frame construction

Seat	<ul style="list-style-type: none"> Steel frame with equally spaced sinuous springs topped with a fiber deck pad and covered with moisture resistant medical fabric
Back & Surround Screen	<ul style="list-style-type: none"> The surround screens are molded upholstery grade plywood covered with foam and fabric and a moisture resistant medical fabric under the upholstered back cushions Upholstered back cushions are attached to the screens
Upholstery	<ul style="list-style-type: none"> All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Arms	<ul style="list-style-type: none"> Plywood assembly
Assembly	<ul style="list-style-type: none"> The joints are assembled using mortise and tenon or notched and slotted construction, glue and/or corner blocks, dowels, screws or staples

Foam

Seat	<ul style="list-style-type: none"> 6" premium grade foam 30 lb. compression 2.2 density .75 oz. fiber overlay
Back	<ul style="list-style-type: none"> 6" premium grade foam 30 lb. compression 1.8 density .75 oz. fiber overlay