

## Adler building blocks

---





## Table of contents

Overview	3
Height adjustable	4
Worksurfaces	5-6
Supports	7-8
Worksurface modesty panels	9
Pedestals	10-16
Swivel bench	17
Mobile pedestals	18
Wallmount storage	19-21
Media panels	22-24
Worksurface cabinets	25-26
Highback organizers	27-28
Towers/laterals/bookcases	29-37
Work tools	38

## Overview

### General notes

- See **Adler planning guide** for information on how to build up desks, bridges, returns, and credenzas
- Planning guide also includes information on support components

### Pedestal/door glides and hinges

- Drawers feature soft close glides. **Note:** Not available on lateral files
- All hinged doors feature soft close hinges

### Locking

- Non locking is standard. Optional locking is available for the following items, unless noted otherwise:
  - Pedestal drawers and doors
  - Highback and wallmount hinged doors

### Metal rail detail

- Adler pedestals feature a horizontal metal accent rail above doors and drawers
- **Note:** When a contrasting finish is not desired, we recommend using the following laminate and powder coat combinations:

### • Solid laminate:

- Black: onyx powder coat
- Frosty white: bone powder coat
- Grey: luster grey powder coat
- Pure White: polar powder coat
- Slate Grey: oiled bronze powder coat

### • Woodgrain laminate:

- Blonde: gold powder coat
- Burnished: oiled bronze powder coat
- Char: onyx powder coat
- Chestnut: latte powder coat
- Desert: latte powder coat
- Drift: warm grey powder coat
- Finn: stone powder coat
- Kodiak: latte powder coat
- Linen: latte, stone powder coat
- Loft: warm grey powder coat
- Ochre: stone powder coat
- Peak: stone powder coat
- Pecan: oiled bronze powder coat
- Root: oiled bronze, rust powder coat
- Saddle: oiled bronze powder coat
- Sienna: rust powder coat
- Steel: oiled bronze powder coat
- Timber: latte powder coat
- Twig: latte powder coat

**Pedestal lock**



**Metal rail detail**



## Height adjustable Cantilever desk

### General notes

- Overall widths: 60"w, 66"w, 72"w
- Overall depths: 30"d, 36"d
- **Note:** Actual surface size is 2" less than overall widths and depths
- Base cabinet depth: 24"d
- Worksurface standard with metal trough wire manager and PS-77 power
- Height adjustable paddle switch standard
- 75 lb. max rating
- See **Adler planning guide** information on wire management

### Options

- Worksurface shapes: Four rounded corners (RD4C) or two rounded outside corners (RD2C).
- **Note:** For RD2C option, corners along wall will be squared
- Surface available as TFL, HPL, or solid surface
- Optional grommets for main surface in any combination of left, center, and right
- Specify partial height **modesty panel** separately



AL-T30HACDL shown



Four rounded corners (RD4C)



Two rounded corners (RD2C)

## Worksurfaces Rectangle

### General

- Height: 1" h

### Long grain worksurfaces

- 23" d / 24" d worksurface widths: 18" w - 96" w, in 6" increments
- 30" d / 36" d worksurface widths: 60" w - 84" w, in 6" increments

### Short grain worksurfaces

- Widths: 18" w - 54" w, in 6" increments
- Depths: 23" d, 24" d

### Options

- Grommets available in any combination of left, center, and right for all worksurface shapes

### Long grain



AL-T24LRWS shown

### Short grain



AL-T24SRWS shown

## Worksurfaces Soft rectangle

### General

- Height: 1" h
- 24" d worksurface widths: 48" w - 96" w, in 6" increments
- 30" d / 36" d worksurface widths: 60" w - 84" w, in 6" increments
- Handed left or right
- Long grain only

### Options

- Grommets available in any combination of left, center, and right



AL-T24LSRWSR right hand shown

## Worksurfaces Overlay

### General

- Depth: 24"d
- Overall height: 7"h
- 6"h vertical riser support handed left or right
- Riser support is 23"d. Gap can be filled in with a **pedestal filler panel** or **static back panel**

### Long grain worksurfaces

- Widths: 24"w-96"w, in 6" increments



Left hand shown  
AL-T24LRWSOL (long grain)  
AL-T24SRWSOL (short grain)



Right hand shown  
AL-T24LRWSOR (long grain)  
AL-T24SRWSOR (short grain)

### Short grain worksurfaces

- Widths: 24"w-54"w, in 6" increments

### Options

- Grommets available in any combination of left, center, and right

## Supports Legs | main supports

### General

- Models available to use with 24"d, 30"d, and 36"d worksurfaces

### O leg

- Metal leg with rounded corners

### H leg

- Round solid beech legs with metal stretcher

### Wing end assembly

- Left and right models available
- Vertical grain direction

### End panel

- End panel also available in 23"d. Use on a 24"d worksurface when a back panel or support panel is specified
- End panels can be specified at desk or low height. **Note:** Low height depths available as 23"d or 24"d only
- Angle brackets included for support. Use one bracket for 24"d surface, two brackets for 30"d and 36"d worksurfaces
- Vertical grain direction

### O leg



AL-M24OL shown

### H leg



AL-W24HL shown

### Wing assembly



AL-T24WAR shown

### End panel



AL-T24DEP (desk height)  
AL-T24LEP (low height)



## Supports Intermediate supports

### Support panel

- Widths: 12"w, 18"w
- 12"w support panel available as desk or low height. 18"w for desk height only
- Used to create an L support at a corner with an end panel, back panel junction, or another support panel

### Support base

- Width: 12"w
- Depths: 12"d, 18"d
- Top wire management notch at back of the support
- Used to support worksurfaces at a seam, or a wider surface at the center. **Note:** Not to be used with back panel

### Filler panel

- Width: 5"w
- Low and desk height models available
- Used to close in the end gap behind a pedestal when a back panel is not used

### Riser support

- For use with 24"d, 30"d, and 36"d worksurfaces
- Used to support high to low runoff worksurfaces

### Static back panel

- Widths: 18"w-96"w in 6" increments
- Low and desk height models available
- Optional wire access slot. **Note:** Minimum back panel width to specify wire access slot is 24"w
- Use as a desk full height modesty, or secondary surfaces to enclose the back

### Fold down back panel

- Desk height only
- Widths from 12"w-94"w in 1" increments
- Features top fold down panel for wall access
- Models 12"w-48"w feature one fold down door
- Models 49"w and wider feature two fold down doors and a center cantilever support

### Support panel



AL-T24DSP (desk height)  
AL-T24LSP (low height)

### Support base



AL-T24DSB (desk height)  
AL-T24LSB (low height)

### Filler panel




AL-TDFP (desk height)  
AL-TLFP (low height)

### T riser



AL-T24TR shown

### Static back panels



AL-TDSBP (desk height)  
AL-TLSBP (low height)



Optional wire access (V8)

### Fold down back panels



AL-TDFDBPB shown



AL-TDFDBPC shown



## Worksurface accessories Modesty panels

### General

- Widths: 30"w-78"w in 1" increments
- Height: 12"h
- Available as TFL or frosted acrylic. Horizontal grain for woodgrain TFL modesty
- Modesty mounting brackets included

### Options

- Square or curved corners for bottom of modesty panel
- Round corner locations: left corner (RLCR), right corner (RRCR), or both corners (RBCR)

### TFL



AL-TPMD shown

### Frosted acrylic



AL-APMD shown

### Corner options



Square corner (X9)



Left corner (RLCR)



Right corner (RRCR)



Both corners (RBCR)

## Pedestals Overview

### General

- All doors and drawers feature soft close hinges and drawer glides
- Desk and low height pedestals require a worksurface, specified separately
- Desk and low height pedestals feature unfinished backs, use with a **static back panel** or **filler panel** to close in gap
- Bench height pedestals standard with top and finished back
- **Note:** Desk and low height pedestals cannot be freestanding
- See Adler planning guide for specifying information and filing capacity

### Options

- Integrated or Aero pull
- When Aero pull is specified, 18" w fronts feature 7" w pull and 24" w fronts and wider feature a 14" w pull
- Optional felt liner for box drawers

Integrated pull



Aero pull



Felt drawer liner



## Pedestals Desk height | drawer pedestals

### General notes

- Creates a worksurface height of 29.8" h
- Refer to **pedestal overview** page for additional specifying information

### Options

- No lock standard (NL). Optional locking
- Optional felt liner in box drawer(s)

### Box/box/file

- Widths: 18" w, 24" w, 30" w, 36" w
- Depths: 23" d, 29" d, 35" d
- **Note:** 29" d and 35" d only available as 18" w

### File/file

- Widths: 18" w, 24" w, 30" w, 36" w
- Depths: 23" d, 29" d, 35" d
- **Note:** 29" d and 35" d only available as 18" w

### Power tray/box/file

- Widths: 24" w, 30" w, 36" w
- Depth: 24" d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV). **Note:** One power cord per power module
- Power module includes one outlet and one USB-A/USB-C port
- **Note:** The power tray pedestal does not require an additional worksurface or back

### Box/box/file



AL-T23DBBF  
shown at 18" w

### File/file



AL-T23DFF  
shown at 18" w

### Power tray/box/file



AL-T24DPTBF  
shown at 24" w



Power tray top  
Left and right power shown (PLR)

## Pedestals Desk height | storage pedestals

### General notes

- Creates a worksurface height of 29.8" h
- Refer to **pedestal overview** page for additional specifying information

### Options

- No lock standard (NL). Optional locking for hinged door and printer pullout pedestals

### Open shelving

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 23" d
- One adjustable shelf

### Hinged door

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 23" d
- One adjustable shelf
- 18" w features single door, hinged left or right
- 24" w, 30" w, and 36" w features double door

### Printer pullout

- Width: 18" w, 24" w
- Depth: 23" d
- Handed left or right

### Printer pullout continued

- Available interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 15.75" h
  - 24" w: 21" w x 19.6875" d x 15.75" h
- Three outlet power supply and grommet included in drawer back. Note: If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

### Trash pullout

- Width: 18" w, 24" w
- Depth: 23" d
- Rectangle trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Bag cubby

- Width: 12" w
- Depth: 23" d
- Side opening with floor storage and maple wood hanging knob

### Open shelving




AL-T23DOS  
shown at 18" w

### Hinged door



AL-T23DHDR  
single door



AL-T23DHD double door  
shown at 24" w

### Printer pullout



AL-T23DPPR  
shown at 18" w

### Trash pullout



AL-T23DTP  
shown at 18" w



AL-T23DTP  
shown at 24" w

### Bag cubby



AL-T1223DBC

## Pedestals Low height | drawer pedestals

### General notes

- Creates a worksurface height of 22.75"h
- Refer to **pedestal overview** page for additional specifying information

### Options

- No lock standard (NL). Optional locking

### Box/file

- Widths: 18"w, 24"w, 30"w, 36"w
- Depth: 23"d
- Optional felt liner in box drawer

### Power tray/file

- Widths: 24"w, 30"w, 36"w
- Depth: 24"d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV)
- Power module includes one outlet, and one USB-A/USB-C port

### Box/file



AL-T23LBF  
shown at 18"w

### Power tray/file



AL-T24LPTF  
shown at 24"w



Power tray top  
Left and right power shown (PLR)

## Pedestals Low height | storage pedestals

### General notes

- Creates a worksurface height of 22.75"h
- Depth: 23"d
- Refer to **pedestal overview** page for additional specifying information

### Options

- No lock standard (NL). Optional locking for hinged door and printer pedestals

### Open shelving

- Widths: 18"w, 24"w, 30"w, 36"w
- One adjustable shelf

### Hinged door

- Widths: 18"w, 24"w, 30"w, 36"w
- One adjustable shelf
- 18"w features single door, hinged left or right
- 24"w, 30"w, and 36"w features double door

### Trash pullout

- Widths: 18"w, 24"w
- One round trash can included

### Printer pullout


- Widths: 18"w, 24"w
- Handed left or right
- Available interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 10.75"h
  - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. **Note:** If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

### Open shelving



AL-T23LOS  
shown at 18"w

### Hinged door



Single door  
AL-T23LHDR shown



Double door  
AL-T23LHD shown at 24"w

### Trash pullout



AL-T23LTP  
shown at 18"w

### Printer pullout



AL-T23LPPR  
shown at 18"w

## Pedestals Corner pedestals

### Corner pedestal general notes

- Use with **open pedestal for corner** to create a corner at a worksurface junction
- Widths:
  - 42" w (18" w pedestal)
  - 48" w (24" w pedestal)
  - 54" w (30" w pedestal)
  - 60" w (36" w pedestal)
- Depth: 23" d
- **Note:** Trash and printer pullout configurations available on 42" w and 48" w models only
- Pedestal location handed left or right
- Refer to **pedestal overview** page for additional specifying information

### Low height corner pedestals

- Creates a worksurface height of 22.75" h

### Desk height corner pedestals

- Creates a worksurface height of 29.8" h

### Options

- Felt drawer liner available in top box drawer when C5Z or C5A pedestal is specified
- No lock standard (NL). Optional locking for drawer, door, and printer pedestals

### Low height



Box/file  
AL-T23LCSL-B shown at 42" w



Open shelf  
AL-T23LCSL-S shown at 42" w



Trash pullout  
AL-T23LCSL-T shown at 42" w



Printer pullout  
AL-T23LCSL-P shown at 42" w

### Desk height



Box/box/file  
AL-T23DCSL-B shown at 42" w



File/file  
AL-T23DCSL-F shown at 42" w



Open shelf  
AL-T23DCSL-S shown at 42" w



Trash pullout  
AL-T23DCSL-T shown at 42" w



Printer pullout  
AL-T23DCSL-P shown at 42" w

## Pedestals Open pedestal for corner

- Widths: 18.75" w, 24.75" w, 30.75" w, 36.75" w
- Desk or low height
- Use with corner pedestals to create a corner at a worksurface junction



AL-T23DCOS (desk height)  
AL-L23DCOS (low height)



## Floor storage Bench height pedestals

### General notes

- Creates a 15.75" h worksurface height
- Widths: 24" w, 30" w, 36" w
- Depth: 24" d
- Adjustable shelf for open and hinged door models
- Refer to **pedestal overview** page for additional specifying information

### Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for drawer and door pedestals
- Can be used with **floor storage cushions**, specified separately

### Box drawers




AL-T24SB-B  
shown at 24" w

### File drawer



AL-T24SB-F  
shown at 24" w

### Open shelf



AL-T24SB-S  
shown at 24" w

### Hinged doors



AL-T24SB-D  
shown at 24" w

## Floor storage Cushions

- Use over bench or low height storage
- Widths: 24" w, 30" w, 36" w, 48" w, 60" w, 72" w
- Depths:
  - 24" d (no media panels)
  - 23" d (use with media panels)
- Height: 1.5" h
- Field installed
- Attaches to storage with dual lock strip

### Full depth



AL-T30SC shown

### Media panel depth



AL-T30SCMP shown

## Floor storage Swivel bench

### General notes

- Bench height pedestals with cushioned swivel bench
- Widths: 54"w, 66"w
- Depth: 24"d
- Overall height: 19.72"h
- 54"w features two 24"w sections, 66"w features two 30"w sections
- 20"d HPL swivel bench with 1.5" thick fixed cushion top
- Swivel bench has 275 lb. max rating
- 30"w cushion on 54"w unit, 42"w cushion on 66"w unit
- Casters are locking and standard in black
- Finished back standard

### General notes continued

- Adjustable shelf in each section for open and hinged door models
- **Note:** 2" of clear space is required at end of bench for swivel bench to be operational
- Refer to **pedestal overview** page for additional specifying information

### Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for file drawers and hinged door models only

### Box drawers



AL-T5424SBR-B shown

### File drawers



AL-T5424SBR-F shown

### Open shelving



AL-T5424SBR-S shown

### Hinged doors



AL-T5424SBR-D shown

## Mobile pedestals

### General notes

- Width: 18" w
- Depth: 20.75" d
- Recessed casters

### Options

- No locking standard. Optional locking on file drawers only
- Optional felt liner in box drawers

### Finished top

- Height: 25.5" h
- Finished laminate top
- Box/file drawers

### Cushion top


- Height: 18.75" h
- Available as two box drawers or file drawer

### Finished top



Box/file drawers  
AL-T18MPBF

### Cushion top



Two box drawers  
AL-T16MBFFC



File drawer  
AL-T16MBFFC

## Wallmount Hinged door organizer

### General notes

- Can be used with **partial height media panels**
- Widths: 24"w-96"w in 6" increments
- Depth: 15"d
- Height: 18.5"h
- 24"w-42"w features one section
- 48"w-84"w features two sections
- 90"w-96"w features three sections
- Two hinged doors per section
- Soft close hinges standard

### Options

- Door standard as TFL with integrated or Aero pull
- Optional frosted acrylic and back painted glass doors. Touch latch included on acrylic and glass doors
- No locking standard. Optional locking for TFL doors only
- Optional integrated LED tasklight (TSKL)



AL-THDO4 shown at 72"w



integrated pull (AS)



Aero pull



Task light (TSKL)

## Wallmount Sliding door organizer

### General notes

- Can be used with **partial height media panels**
- Widths: 30"w-96"w in 6" increments
- Depth: 14.125"d
- Height: 18.5"h
- Two sections per width
- 30"w-72"w models feature single sliding door per section (two doors total)
- 78"w-96"w models feature double sliding doors per section (four doors total)

### General notes continued

- Doors available as TFL only with integrated sliding door pull
- Soft close track standard

### Options


- Optional integrated LED tasklight (TSKL)




AL-TSDO2  
72"w shown



AL-TSDO4  
84"w shown



Sliding door pull



Task light (TSKL)

## Wallmount Open organizer | wall shelf

### General notes

- Can be used with **partial height media panels**
- Widths: 24"w-60"w in 6" increments
- Depths: 14.125"d
- Height: 18.5"h
- Wallmount hardware included

### Options

- Optional integrated LED tasklight (TSKL)

### Open shelf

- 24"w-42"w features one opening
- 48"w-60"w features two openings

### Cantilever shelf

- TFL shelf corners can be square, or with a 4" radius at one or both ends
- Optional painted shelf with beveled edge
- Vertical grain on back, long grain on shelf

### Open shelf



AL-TOSO2 shown at 60"w

### Cantilever shelf




AL-TCS shown at 60"w

### Cantilever shelf options



TFL, square corner (X9)



TFL, left round corner (RLCR)



TFL, right round corner (RRCR)



TFL, both round corner (RBCR)



Painted, beveled shelf



Task light (TSKL)

## Wallmount Media panels | full height

### General notes

- For use above worksurfaces when no wallmounted storage is specified
- Widths: 24"w-60"w
- Heights:
  - 56.2813"h (for bench height pedestals)
  - 49.25"h (for low height pedestals)
  - 42.1875"h (for desk height pedestals)
- Mounts directly to the wall, mounting hardware included
- **Note:** TFL and upholstered panels have optional shelf. See **full height shelf** section

### TFL

- Vertical grain back panel

### Upholstered

- Upholstered models are tackable
- **Note:** Upholstered wall panel with shelf option is not tackable
- **Note:** Fabric panels wider than 42"w will be two pieces

### Markerboard

- HPL laminate dry erase markerboard

### Bench height



30"w shown  
AL-T56BWP (TFL)  
AL-U56BWP (fabric)  
AL-MB56BWP (markerboard)

### Low height



30"w shown  
AL-T49LWP (TFL)  
AL-U49LWP (fabric)  
AL-MB49LWP (markerboard)

### Desk height



30"w shown  
AL-T42DWP (TFL)  
AL-U42DWP (fabric)  
AL-MB42DWP (markerboard)

### Optional shelf



For full height wall panels only




## Wallmount Media panels | full height | shelf options

- Available on full height TFL and upholstered media panels only
- Shelf standard as TFL with square edge
- Optional painted shelf with beveled edge
- **Note:** Optional shelf not available on upholstered panels wider than 42"
- TFL shelf corners can be square or with 4" radius at one or both ends
- Painted shelf is standard with front beveled edge
- Optional integrated LED tasklight on shelf (TSKL)
- Shelf weight limit is 5 lbs. maximum per linear foot



Square corner (X9)



Left round corner (RLCR)



Right round corner (RRCR)



Both round corner (RBCR)



Painted, beveled shelf



Task light (TSKL)

## Wallmount Media panels | partial height

### General notes

- For use above worksurfaces when wallmounted storage is specified
- Widths: 24"w - 60"w
- Heights:
  - 37.7813"h (for bench height pedestals)
  - 30.75"h (for low height pedestals)
  - 23.6875"h (for desk height pedestals)
- Mounts directly to the wall, mounting hardware included

### Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable)
- **Note:** Upholstered panels wider than 42"w will be two pieces

### Bench height



30"w shown  
 AL-T37BWP (TFL)  
 AL-U37BWP (fabric)  
 AL-MB37BWP (markerboard)

### Low height



30"w shown  
 AL-T30LWP (TFL)  
 AL-U30LWP (fabric)  
 AL-MB30LWP (markerboard)

### Desk height



30"w shown  
 AL-T23DWP (TFL)  
 AL-U23DWP (fabric)  
 AL-MB23DWP (markerboard)

## Worksurface storage Cabinets | open shelving

### General notes

- Heights:
  - 42" h (for desk height pedestals)
  - 49" h (for low height pedestals)
- 42" h features one adjustable shelf
- 49" h features two adjustable shelves
- Standard with finished back

### Open cabinet

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 14.125" d
- Standard with finished back

### Door/open cabinet

- Widths: 24" w, 30" w, 36" w
- Depth: 15" d
- Door hinged left or right. Soft close hinges
- Door section standard with two coat hooks (R7), optional shelving (R8)
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

### Open cabinet



Desk height (24" w shown)  
AL-TDOSC



Low height (24" w shown)  
AL-TLOSC

### Door/open cabinet



Desk height (24" w shown)  
AL-TDDSCOL



Low height (24" w shown)  
AL-TLDSCOL

### Door interior options



Interior hook (R7)  
standard



Interior shelves (R8)

## Worksurface storage Cabinets | hinged door

### General notes

- Heights: 42" h (desk height), 49" h (low height)
- 42" h has one adjustable shelf
- 49" h has two adjustable shelves

### Single door cabinet

- Width: 18" w, 24" w
- Depth: 15" d
- Hinged right or left door

### Double door cabinet

- Width: 30" w, 36" w
- Depth: 15" d

### Options

- Single hinged door cabinets standard with coat hooks (R7). Optional shelving available (R8)
- Double door hinged door cabinets standard with coat rod
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

### Single door



Desk height (24" w shown)  
AL-TDDSCR



Low height (24" w shown)  
AL-TLDSCR

### Double door



Desk height (30" w shown)  
AL-TDDSC



Low height (30" w shown)  
AL-TLDSC

### Door interior options



Interior hook (R7) standard  
for 18" w-24" w



Interior coat rod (R7) standard  
for 30" w-36" w



Interior shelves (R8)

## Worksurface storage Highback organizers | open and hinged doors

### General notes

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Height: 42.1875"h
- Depth: 15"h
- Two sections per model

### Hinged door

- Two hinged doors per section
- Door standard as TFL
- TFL door pulls: Integrated bottom pull or Aero pull
- Optional frosted acrylic and back painted glass doors with touch latch

### Options

- Optional locking for hinged TFL doors only
- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

### Open shelf



AL-THOOS2 shown at 60"w

### Hinged door



AL-THOHD4 shown at 60"w with Aero pull

### Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

### Task light



(TSKL)

## Worksurface storage Highback organizers | sliding doors

### General notes

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Height: 42.1875"h
- Depth: 15"h
- Two sections per model
- 60"w-72"w models feature single sliding door per section (two doors total)
- 78"w-84"w models feature double sliding doors per section (four doors total)
- Doors available as TFL only with integrated sliding door pull

### Options

- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

### Sliding door



AL-THOSD4 shown at 60"w



AL-THOSD4 shown at 84"w



Sliding door pull

### Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

### Task light



(TSKL)

## Towers Overview

### General

- Towers are available as full door, pedestal with upper storage (wth or without side hinged wardrobe), and slide out wardrobe
- Depth: All towers are 24"d
- Heights: All towers are 72"h

### Hinged doors

- All TFL doors can be specified with no pull (AS), or metal Aero pull. Touch latch standard when no pull (AS) is specified
- **Note:** All towers on following pages are shown with Aero pull to show pull placement
- No pull standard on frosted acrylic or back painted glass doors. Touch latch door standard on these door fronts
- Soft close hinge on all doors

### Pedestals

- See **pedestal overview** page for more information on pull details for tower pedestals
- Towers with pedestals are available with low or desk height pedestal storage

### Locking

- Optional locking on TFL hinged doors only
- Locking available for box, file, and printer pedestal drawers only

### Tower types



Full door



Pedestal



Hinged wardrobe



Slide out wardrobe



Slide out wardrobe detail



## Towers Full door

### General note

- Width: 18"w
- Door hinged left or right

### Options

- See **tower overview** page for more information
- Interior available as wardrobe (R7) or shelving (R8)

- Wardrobe (R7) features hanging bar and fixed bottom shelf
- Shelving (R8) features two fixed and three adjustable shelves



AL-T24WSDR shown  
R7 hanging bar (standard)



AL-T24WSDR shown  
R8 hanging bar

## Towers Low height pedestal

### General

- Widths: 18"w, 24"w
- Top section: half or full door with shelving
- Bottom section: low height pedestal
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/file

- Optional felt liner in box drawer

### Trash pullout

- Round trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Printer pullout

- Interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 10.75"h
  - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Half door



Box/file  
AL-T24LPTHDR-B shown



Printer  
AL-T24LPTHDR-P shown



Trash  
AL-T24LPTHDR-T shown

### Full door



Box/file  
AL-T24LPTFDR-B shown



Printer  
AL-T24LPTFDR-P shown



Trash  
AL-T24LPTFDR-T shown

## Towers Desk height pedestal

### General

- Widths: 18"w, 24"w
- Top section: half or full door with shelving
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/box/file

- Optional felt liner in box drawer

### Printer pullout

- Interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 15.75"h
  - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Half door



Box/box/file  
AL-T24DPTHDR-B shown



File/file  
AL-T24DPTHDR-F shown



Printer  
AL-T24DPTHDR-P shown



Trash  
AL-T24DPTHDR-T shown

### Full door



Box/box/file  
AL-T24DPTFDR-B shown



File/file  
AL-T24DPTFDR-F shown



Printer  
AL-T24DPTFDR-P shown



Trash  
AL-T24DPTFDR-T shown

## Towers Low height pedestal | hinged side wardrobe

### General

- Widths: 30"w, 36"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right

### Options

- See **tower overview** page for more information

### Box/file

- Optional felt liner in box drawer

### Trash pullout

- Round trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Printer pullout

- Available interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 10.75"h
  - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Half door



Box/file  
AL-T24LWPTHDR-B shown



Printer  
AL-T24LWPTHDR-P shown



Trash  
AL-T24LWPTHDR-T shown

### Full door



Box/file  
AL-T24LWPTFDR-B shown



Printer  
AL-T24LWPTFDR-P shown



Trash  
AL-T24LWPTFDR-T shown

## Towers Desk height pedestal | hinged side wardrobe

### General

- Widths: 30"w, 36"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/box/file

- Optional felt liner in box drawer

### Printer pullout

- Interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 15.75"h
  - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Half door



Box/box/file  
AL-T24DWPTHDR-B shown



File/file  
AL-T24DWPTHDR-F shown



Printer  
AL-T24DWPTHDR-P shown



Trash  
AL-T24DWPTHDR-T shown

### Full door



Box/box/file  
AL-T24DWPTHDR-B shown



File/file  
AL-T24DWPTHDR-F shown



Printer  
AL-T24DWPTHDR-P shown



Trash  
AL-T24DWPTHDR-T shown

## Towers Low height pedestal | slide out wardrobe

### General

- Width: 24"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- See **tower overview** page for more information

### Box/file

- Optional felt liner in box drawer

### Trash pullout

- Round trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Printer pullout

- Interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 10.75"h
  - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Half door



Box/file  
AL-T24LWPTSHDR-B shown



Printer  
AL-T24LWPTSHDR-P shown



Trash  
AL-T24LWPTSHDR-T shown

### Full door



Box/file  
AL-T24LWPTSFDR-B shown



Printer  
AL-T24LWPTSFDR-P shown



Trash  
AL-T24LWPTSFDR-T shown



## Towers Desk height pedestal | slide out wardrobe

### General

- Width: 24" w
- Depth: 24" d
- Height: 72" h
- Top section: half or full door with shelving
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- Slide put wardrobe features maple wood hanging knob
- See **tower overview** page for more information

### Printer pullout

- Available interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 15.75" h
  - 24" w: 21" w x 19.6875" d x 15.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Box/box/file

- Optional felt liner in box drawer

### Half door



Box/box/file  
AL-T24DWPTSHDR-B shown



File/file  
AL-T24DWPTSHDR-F shown



Printer  
AL-T24DWPTSHDR-P shown



Trash  
AL-T24DWPTSHDR-T shown

### Full door



Box/box/file  
AL-T24DWPTSFDR-B shown



File/file  
AL-T24DWPTSFDR-F shown



Printer  
AL-T24DWPTSFDR-P shown



Trash  
AL-T24DWPTSFDR-T shown



## Bookcases

### Standard bookcase

- Widths: 30"w, 36"w
- Depth: 14"d
- Heights:
  - 29"h one adjustable shelf
  - 72"h (three adjustable, one stationary shelf)

### Open side bookcase

- Widths: 18"w, 24"w
- Depth: 24"d
- Height: 72"h
- All fixed shelves

### Standard bookcase



AL-T29BC shown 30"w



AL-T72BC shown at 30"w



AL-T24STOL shown at 18"w

## Laterals


### General

- Depth: 24"d
- Widths: 24"w, 30"w, 36"w
- Heights:
  - 29"h (two drawer)
  - 42"h (three drawer)
  - 54"h (four drawer)


- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application

### Options

- No locking standard. Optional locking



AL-T24LF2 shown at 24"w



AL-T24LF3 shown at 24"w



AL-T24LF4 shown at 24"w

## Work tools

### Monitor arms

- Single or double monitor arms
- Available in silver, black, or white
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs.


### Storage add ons

- DA19-1 pencil tray to be used in box drawers of 18"w pedestals only
- Pencil drawer - black molded plastic, flush mount

### Misc items

- CPU Holder - mounts to underside of surface


### Storage add ons



Single arm  
MA-5

Double arm  
MA-5D


### Storage add ons



Pencil tray  
DA19-1

Pencil drawer  
PD-1

### Misc items



CPU holder  
CPUH-1