

Obeya

Finish selection

https://ofs.com/resources/finishes

· Flat cut veneers are Oak and Walnut

Veneer

- Quartered cut veneers are Oak, Walnut, Desert and Oslo
- · Studio veneers: only offered on run-off tops are Salvaged Linen and Salvaged Root
- · All veneers have a super matte clear finish

Laminate

- OFS woodgrain laminates: Loft, Peak, Finn, Drift, Timber, Twig, Chestnut, Saddle (studio) and Char (studio)
- · OFS standard solid laminates: Black, Frosty White, Grey, Pure White and Slate Grey

Paint • All standard and studio paints

Powder coat • All standard and studio powder coats

Construction

Connection

Beam to post connection is done with bolts, steel mounting plates and insert nuts No wood screw connections, units can be disassembled and reassembled as needed Adjustable levelers

Posts

Pressed maple plywood skinned with veneer and glued to solid hardwood lumber rails

- · Veneer or HPL face and back with exposed maple plywood edge and solid wood core
- · Oak veneer gets oak lumber core
- · Walnut veneer gets walnut lumber core
- HPL woodgrain and solid finishes gets beech lumber core. Note: Saddle HPL will receive
 walnut lumber core
- · Hollow core allows wire management through post
- Corner post

Creates a 90 degree connection

- 3-way post
 - Creates a 3 way connection at 90 and 180 degrees
- 4-way post

Creates a 4 way connection at 90 degree increments

Beam Extruded aluminum with steel mount plates

- · Open and framed wall kits
- · Full wall rail kits
- Split wall rail kits
- Table wall rail kits
- · Center roof beam kits
- Bench/perch wall rail kits

Beam cladding

Particleboard core with veneer or HPL faces with plywood edge veneer

Roofs

Attaches to beam extrusions

- Baffle roof panel design
- Veneer PBD core with veneer faces with matching EVN
- HPL PBD core with HPL faces with matching 1mm PP
- PET pressed polyethylene terephthalate
- Metal frame: aluminum inner support rail with steel outer sleeve spacers powder coated with steel attachment plates

Framed panels

MDF with veneer skins for outer frame for all infill types, butt-joint connection

- Machined slat wall panel machined plywood core with veneer or HPL skin
- Metal infill wall panel: 1 1/2" x 1/2" steel frame welded to metal infill skin and powder coated Wire Mesh - 10ga wire with 3" square grid pattern

Performance metal - 1/2" diameter holes with 9/16" staggered offset

· Split infill wall panel

Veneer - PBD core with veneer faces HPL - PBD core with HPL faces Acrylic - 1/4" clear or frosted acrylic PET - pressed polyethylene terephthalate

· Acoustic infill wall panel

Face and back panels covered with a layer of sound reducing acoustic material then wrapped in choice of fabric

Inner wall cavity filled with denim batt material

Full wall panels

- Veneer PBD core with veneer faces and 2mm EVN
- HPL PBD core with HPL faces with 2mm matching edge banding
- Fabric MDF core with fabric face
- Cork PBD core with 1/4" cork face with 2mm black edge banding
- Markerboard PBD core with white markerboard HPL face with 2mm FW2 edge banding

ofs.com imagine a place* 800.521.5381 Spec sheet 1 of 8









Split wall panels	Veneer - PBD core with veneer faces and 2mm EVN
	 HPL - PBD core with HPL faces with 2mm matching edge banding
	Fabric - MDF core with fabric face
	Cork - PBD core with 1/4" cork face with 2mm black edge banding Markerboard, PBD core with white markerboard HDL face and with 2mm FW2 edge banding.
	Markerboard - PBD core with white markerboard HPL face and with 2mm FW2 edge banding
Lights	
	Anodized light bars available in four colors
	Dimmable LED's
	Motion sensor for auto off Self neutral wireless with far manual on /off dimension
	 Self powered wireless switch for manual on/off, dimming Kits are synced so all lights with unit work on same switch
Clara-	Nits are syneed so an lights with drift work of saline switch
Glass	
	Anodized aluminum extrusions, hardware and powder coated steel thresholds available in Satisfy White and Oilad Brazza
	Satin, White and Oiled Bronze • 1/2" Thick clear glass panels
	Full wall and door wall options
	Ladder pull and lever latch options on the door
Coat hook	
	Solid lumber available in ASH or WAL
Bag knob	
	Solid lumber available in ASH or WAL
	Determined by post finish
Curtains	
	Clidian faldian gustain, hange fuere steel tweet years and into become twice well
	 Sliding folding curtain - hangs from steel track recessed into beam trim rail Fabrics are restricted to the following list:
	Kvadrat Mi Casa - 131, 421, 431 and 451
	Kvadrat Punkto - 0100, 0110, 0250, 0280, 0540, 0870, 0940
	Kvadrat Twister - 6698-001, 6698-002, 6698-013
	Maharam Prose - Candle, Carnation, Flight, Icing, Scenic, Twinkle
	Maharam Dormer - Bone, Trawler
	Maharam Phase - Dynasty, Empire, Fog, Kettle, North, Origin
	Maharam Wane - Albatross, Smoke
	Snowsound Boucle
	Snowsound Color
	Snowsound Melange
Power	
	Post power sleeve - allows power receptacles in face of a post corner
	4 trac power - 4 wire two circuit system
	Full wall panel duplex receptacle power options
Worksurfaces	
	Veneer, HPL and solid surface
	• 1" Thick
	3 ply construction
	Flat knife edge profile user edges
	Wedge
	Sweep
	Rectangular
	Run-off
	Table wall worksurface (rectangular) Delta
	T shape
	S shape
	Island
	Supported wedge
	Supported rectangle
DI .	
Planters	

ofs.com imagine a place® 800.521.5381 Spec sheet 2 of 8

Tennon and groove constructionPlanter liners not available for planter box





Bench cushion

Frame construction Fully upholstered

• Seat - construction grade plywood

- Upholstery all fabric pieces are cut with automatic cutters that utilize precise patterns
- Assembly mounted with steel brackets and screws

Foam

- 1.75" Premium grade foam
- 50 lb. Compression
- 2.3 lb. Density

Tablet

- Post available in all standard and studio powder coats
- Tablet available in all standard Obeya veneers and HPLs
- OB-84BC will have one tablet when option is selected
- OB-126BC will have two tablets when option is selected
- · Solid lumber available in ASH or WAL

Perch cushion

Frame

construction

Fully upholstered

- Seat molded plywood and construction grade plywood
- Upholstery all fabric pieces are cut with automatic cutters that utilize precise patterns
- Assembly secured with wooden panel

Foam

- 1.5" Premium grade foam
- 50 lb. Compression
- · 2.3 lb. Density

ofs.com imagine a place® 800.521.5381 Spec sheet 3 of 8



Straight stand alone OB88-21ST-S

 $\begin{tabular}{lll} \textbf{Module dimensions} & 22.5" \end{tabular} & 22.5" \end{tabular} \end{tabular} & 36.5" \end{tabular} \end{tabular} \end{tabular} & 25" \end{tabular} \end{tabular} \times 37.5" \end{tabular} \end{tabular} \end{tabular} \times 37.5" \end{tabular} \end{tabular} \times 37.5" \end{tabular} \end{tabular} \times 37.5" \end{tabular}$


Weight module/with panel127/150 lbs.Cubic feet module/with panel22.2/25 cu. ft.COM back panel1.75 yards



Straight stand alone OB88-30ST-S

Module dimensions
Dimensions with back panel
Seat dimensions
In-back

31.5"w x 36.5"d x 36"h 33.5"w x 39.5"d x 43.5"h 29.75"w x 18.5"d x 18"h Weight module/with panel Cubic feet module/with panel COM back panel 136/169 lbs. 30.3/34.3 cu. ft. 2.25 yards




Straight stand alone OB88-42ST-S

Module dimensions
Dimensions with back panel
Seat dimensions
In-back

44"w x 36.5"d x 36"h 46"w x 37.5"d x 43.5"h 41.75"w x 18.5"d x 18"h 18" Weight module/with panel
Cubic feet module/with panel
COM back panel


161/214 lbs. 39.75/47 cu. ft. 2.75 yards



Standard features	Optional features	
 Molded plywood seat Right and left modular end panel with exposed plywood edge 	Upholstered back panelSeat finish: super matte veneer, or HPLEnd panel finish: Super matte veneer, or HPL	

Straight left ganging OB88-21ST-L


Module dimensions21.75"w x 36.5"d x 36"hWeight module/with panel95/118 lbs.Dimensions with back panel23"w x 37.5"d x 43.5"hCubic feet module/with panel21.5/25 cu. ft.Seat dimensions20.75"w x 18.5"d x 18"hCOM back panel1.75 yardsIn-back18"



Straight left ganging OB88-30ST-L

Module dimensions 30.75" w :
Dimensions with back panel 32" w x 3"
Seat dimensions 29.75" w :
In-back 18"

30.75"w x 36.5"d x 36"h 32"w x 37.5"d x 43.5"h 29.75"w x 18.5"d x 18"h 18" Weight module/with panel Cubic feet module/with panel COM back panel 118/127 lbs. 29.6/34.3 cu. ft. 2.25 yards



ofs.comimagine a place*800.521.5381Spec sheet4 of 8



Straight left ganging OB88-42ST-L

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$


Weight module/with panel 135/185 lbs.

Cubic feet module/with 39/46.6 cu. ft. panel

COM back panel 2.75 yards

 Seat dimensions
 41.75"w x 18.5"d x 18"h


 In-back
 18"



Standard features	Optional features	
 Molded plywood seat Left facing modular end panel with exposed plywood edge Right facing ganging frame 	 Upholstered left handed back panel Seat finish: super matte veneer, or HPL End panel finish: Super matte veneer, or HPL 	


Straight center ganging OB88-21ST-C

Module dimensions $21"w \times 36.5"d \times 36"h$ Weight module/with panel68/91 lbs.Dimensions with back panel $21"w \times 37.5"d \times 43.5"h$ Cubic feet module/with panel21/24.4 cu. ft.Seat dimensions $20.75"w \times 18.5"d \times 18"h$ COM back panel1.5 yardsIn-back18"




Straight center ganging OB88-30ST-C

Module dimensions $30\text{"w} \times 36.5\text{"d} \times 36\text{"h}$ Weight module/with panel92/125 lbs.Dimensions with back panel $30\text{"w} \times 37.5\text{"d} \times 43.5\text{"h}$ Cubic feet module/with panel29/33.8 cu. ft.Seat dimensions $29.75\text{"w} \times 18.5\text{"d} \times 18\text{"h}$ COM back panel2 yardsIn-back18"



Straight center ganging OB88-42ST-C

Module dimensions42"w x 36.5"d x 36"hWeight module/with panel110/157 lbs.Dimensions with back panel42"w x 37.5"d x 43.5"hCubic feet module/with panel35.25/46.3 cu. ft.Seat dimensions41.75"w x 18.5"d x 18"hCOM back panel2.75 yardsIn-back18"



Standard features	Optional features
Molded plywood seatLeft and right facing ganging frame	Upholstered back panel Seat finish: super matte veneer, or HPL End panel finish: Super matte veneer, or HPL


ofs.com imagine a place* **800.521.5381** Spec sheet 5 of 8



Straight right ganging OB88-21ST-R

Module dimensions 21
Dimensions with back panel 23
Seat dimensions 20
In-back 18


21.75"w x 36.5"d x 36"h 23"w x 37.5"d x 43.5"h 20.75"w x 18.5"d x 18"h 18" Weight module/with panel Cubic feet module/with panel COM back panel 95/118 lbs. 21.5/25 cu. ft. 1.75 yards



Straight right ganging OB88-30ST-R

Module dimensions
Dimensions with back panel
Seat dimensions
In-back

30.75"w x 36.5"d x 36"h 32"w x 37.5"d x 43.5"h 29.75"w x 18.5"d x 18"h 18" Weight module/with panel Cubic feet module/with panel COM back panel 118/127 lbs. 29.6/34.3 cu. ft. 2.25 yards




Straight right ganging OB88-42ST-R

Module dimensions
Dimensions with back panel
Seat dimensions
In-back

42.75"w x 36.5"d x 36"h 44"w x 37.5"d x 43.5"h 41.75"w x 18.5"d x 18"h 18" Weight module/with panel Cubic feet module/with panel COM back panel


135/185 lbs. 39/46.6 cu. ft. 2.75 yards



Standard features	Optional features
 Molded plywood seat Right facing modular end panel with exposed plywood edge Left facing ganging frame 	 Upholstered back panel Seat finish: super matte veneer, or HPL End panel finish: Super matte veneer, or HPL

Corner stand alone OB88-90IW-S

Module dimensions	31"w x 38.5"d x 36"h	Weight module - with 1 panel - with 2 panels	410 lbs. 481 lbs. 549.5 lbs.
Dimensions with back panel	69.5"w x 67.5"d x 43"h	Cubic feet module - with 1 panel - with 2 panels	115.8 cu. ft. 121.6 cu. ft. 127.5 cu. ft.
Seat dimensions	68.5"w x 18.5"d x 18"h	COM per back panel	4 yards
In-back	18"		





Corner left ganging OB88-90IW-L

Module dimensions	31"w x 38.5"d x 36"h	Weight module - with 1 panel - with 2 panels	525.5 lbs. 457 lbs. 386 lbs.
Dimensions with back panel	69.5"w x 39.5"d x 43"h	Cubic feet module - with 1 panel - with 2 panels	114 cu. ft. 120 cu. ft. 125.5 cu. ft.
Seat dimensions	68.5"w x 18.5"d x 18"h	COM per back panel	4 yards
In-back	18"		





ofs.comimagine a place*800.521.5381Spec sheet6 of 8



Corner center ganging OB88-90IW-C

Module dimensions	67.5"w x 67.5"d x 36"h	Weight module - with 1 panel - with 2 panels	362 lbs. 431 lbs. 499.5 lbs.	
Dimensions with back panel	67.5"w x 67.5"d x 43"h	Cubic feet module - with 1 panel - with 2 panels	112.1 cu. ft. 117.7 cu. ft. 123.5 cu. ft.	
Seat dimensions	68.5"w x 18.5"d x 18"h	COM per back panel	3.75 yards	
In-back	18"			



Corner right ganging OB88-90IW-R

Module dimensions	31"w x 38.5"d x 36"h	Weight module - with 1 panel - with 2 panels	386 lbs. 457 lbs. 525.5 lbs.	
Dimensions with back panel	69.5"w x 39.5"d x 43"h	Cubic feet module - with 1 panel - with 2 panels	114 cu. ft. 120 cu. ft. 125.5 cu. ft.	
Seat dimensions	68.5"w x 18.5"d x 18"h	COM per back panel	4 yards	
In-back	18"			

Standard features	Optional features
 Molded plywood seat 90° inside wedge Left ganging: Left facing modular end panel with exposed plywood edge, right facing ganging frame Center ganging: Left and right ganging frame Right ganging: Right facing modular end panel with exposed plywood edge, left facing ganging frame 	Upholstered back panel Planter cutout in corner with planter platform Planter liner Seat finish: super matte veneer, or HPL End panel finish: Super matte veneer, or HPL

ofs.com imagine a place* 800.521.5381 Spec sheet 7 of 8



Select textile / finish selection

https://ofs.com/resources/finishes

· Quartered cut veneers are Oak, Walnut, Desert and Oslo Veneer

All veneers have a super matte clear finish

Laminate

· OFS woodgrain laminates: Blonde, Burnished, Desert, Kodiak, Linen, Ochre, Pecan, Root, Sienna, Steel, Loft, Peak, Finn, Drift, Timber, Twig, Chestnut, Saddle (studio) and Char (studio)

• OFS standard solid laminates: Black, Frosty White, Grey, Pure White and Slate Grey

Paint

· All standard and studio paints

Powder coat

Assembly

Hydra infill

• All standard and studio powder coats

Frame construction

Seat · Molded plywood seat

End panel · Modular end panel with exposed plywood edge

Glides · Adjustable glides are included for leveling

· The corners and joints are notched and slotted and reinforced with glue and/or corner blocks, staples

Hydra frame • MDF with veneer skins for outer frame, mortise and tenon connections

• Metal infill wall panel: 1 1/2" x 1/2" steel frame welded to metal infill skin and powder coated

• Wire Mesh - 10ga wire with 3" square grid pattern

• Performance metal - 1/2" diameter holes with 9/16" staggered offset

· Grill infill: MDF with veneer skins for outer frame for all infill types, butt-joint connection

· PBD core with veneer or HPL faces

• Slat infill: MDF with veneer skins for outer frame for all infi ll types, butt-joint connection

· Machined plywood core with veneer or HPL skin

Back panel

- 3/4" thick particle board upholstered back panels for straight units
- · Models available with privacy colonnades

Planter liners

Planter liner · Plastic liner with self watering sub-irrigation set

Seat pad

- PET base
- Upholstered top cushion

ofs.com imagine a place® 800.521.5381 Spec sheet 8 of 8