

QuickShip Impulse building blocks

---





## Table of contents

Height adjustable - metal base desks	3
Built up - desk shell	3
Built up - desks	4
Built up - peninsula tables	5
Built up - returns and bridges	6
Built up - credenzas	7
Storage - highback organizers	8
Storage - wallmount organizers	9
Storage - lateral files/bookcases	10
Storage - towers	11
Modular - 22"d worksurface/ pedestals	12
Modular - mobile pedestals/worksurface supports	13
Lighting, work accessories, wire management	14
Power supplies	15

## Height adjustable Metal base

- Surface sizes: 30x48, 30x60, 30x66, 30x72
- Long grain direction
- Offset column leg, flat base foot with glide
- Optional partial modesty attaches to underside of worksurface. Available in veneer or paint
- Optional grommets: left, right, or left and right



User side, no modesty  
Q-5-\_\_30HAD-3



Approach side with partial modesty




Plan view  
optional left and right grommets

### Details



Leg detail



Offset leg

## Built Up Shell desk

- 30x72
- Optional grommet: right, left, or right and left
- Optional center drawer, see accessories section

### Shell desk



Desk Shell  
Q-5-7230SHEL2



Plan view desk  
optional left and right grommets



## Built up Desks

### General notes

- Full panel modesty standard, optional breakfront modesty for full pedestal desks
- Full panel features 3" recessed modesty panel
- Lock cores for pedestal desks located inside the kneespace area
- Optional grommets: left, right, or left and right
- Optional center drawer, see accessories section

### Single pedestal desk

- 30x66, 30x72, or 36x72
- Handed left or right

### 3/4 double pedestal desk

- 30x66, with 28.125" w kneespace
- Two file drawers, two box drawers

### Double pedestal desk

- 30x60, 30x66, 30x72 or 36x72
- 60" w has 28.125" w kneespace
- 66" w has 34.125" w kneespace
- 72" w has 40.125" w kneespace

### User Side



Double pedestal desk  
Q-5-\_\_30FDP2 for 30"d  
Q-5-7236FDP2 for 36"d



Single pedestal desk  
Q-5-\_\_30F(L/R)PD2 for 30"d  
Q-5-7236F(L/R)PD2 for 36"d



3/4 double pedestal desk  
Q-5-6630DP2

### Approach



### Optional Breakfront



### Grommets



Plan view  
optional left and right grommets



## Built up Peninsula Tables

### General

- Handed left or right
- Optional center drawer, see accessories section
- Optional grommet along end panel depth, on user side of the modesty
- **Note:** Cannot be used as freestanding unit

### Bullet

- Depths: 30"d or 36"d
- Widths: 66"w or 72"w

### Post bases

- Metal cylinder, 4" dia (standard)
- Veneer cylinder, 4" dia
- Veneer square, 4"

### Modesty panels

- Wood partial (standard)
- Painted partial

### Surface shapes

approach side shown  
standard post and modesty



Bullet  
Q-5-\_\_ 30EBT(L/R) for 30"d  
Q-5-\_\_ 36EBT(L/R) for 36"d

### Grommet locations

left hand shown



Bullet with standard grommet

### Post bases



Metal cylinder  
standard

Veneer cylinder

Veneer square

### Modesty panel

optional options



Painted partial modesty

## Built up Returns and bridges

### General notes

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- **Note:** Bridge must be connected on both sides and return must be connected on open end. Cannot be standalone units

### Bridge

- 22x42 or 22x48
- Straight top on user side. Cannot be used with cockpit desks
- Hinged modesty with latches standard

### Return

- 22x42 or 22x48, handed left or right
- Full back panel standard
- Lock cores for pedestal located inside the kneespace area

### Return



Q-5-224\_F(L/R)PR2

### Bridge



Q-5-224\_BR2

### Bridge/return options



Plan view  
Center grommet standard. optional left and right grommets



## Built up Credenzas

### Single pedestal general notes

- Unfinished back standard, optional finished back
- Single pedestal credenzas: Center grommet standard. Additional grommets can be specified in any combination of left, right and center

### File/file, single pedestal

- 22x72
- Two file drawers
- Handed left or right

### Lateral file, single pedestal

- 22x72
- Two 30" w lateral file drawers
- Handed left or right

### Lateral file, storage credenza

- 22x60
- Four lateral file drawers
- Anti tilt mechanism

### Buffet, storage credenza

- 20x71
- Two drawers, four doors. Adjustable shelf behind each set of doors

### Single pedestal credenza



File/file  
Q-5-7222FCR(L/R)2



Lateral file  
Q-5-7222FCR(L/R)L2

### Options



Plan view  
Center grommet standard. optional left and right grommets

### Storage credenza



Double lateral  
Q-5-6022CLF2



Buffet  
Q-5-7036BCC2

## Storage Highback organizer

### Highback organizer

- Hinged doors
- Single high (42.5" h)
- Widths: 60" w, 66" w, 72" w
- Depth: 15" d with doors
- Widths 60-72" w feature four hinged doors
- Unfinished back standard, optional finished back
- 24" clearance from worksurface top to bottom of cabinet
- Optional task light, see lighting section
- Wire management grommet on upper back panel, centered

### Tackboards

- Available as all tackboard, or tackboard/white markerboard/tackboard combination

### Door styles

- Door options: wood (standard) or painted
- Optional locking on wood or painted doors

### Highback organizer



Q-5-\_\_42HD4-2

### Tackboard



Q-FT1089 for 60" w organizers  
Q-FT1088 for 66" w organizers  
Q-FT1087 for 72" w organizers

### Tackboard/MB/tackboard



Specify as option within highback organizer model number

### Grommet



Standard in upper back panel

### Door options



Wood standard



Painted

## Storage Wallmount organizer

### General

- Single high (18.5"h)
- Wood doors standard, additional door front styles available
- Optional wallmount tackboard available
- Locking available for wood and painted doors
- Optional task light, see lighting section

### Hinged door organizer

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Widths 30-42"w feature two hinged doors, 48"w three hinged doors, 54"-72"w four hinged doors

### Tackboard

- For use with wallmount organizers only
- **Note:** Cannot be used as stand alone or mounted directly to the wall
- Models:
  - Q-FT2076 30"w
  - Q-FT2075 36"w
  - Q-FT2074 42"w
  - Q-FT2073 48"w
  - Q-FT2071 60"w
  - Q-FT2070 66"w
  - Q-FT2069 72"w

### Door styles

- wood panel (standard) or painted

### Hinged door organizers



Q-5-\_\_19HDW2-2 for 30"w-42"w  
 Q-5-4819HDW3-2 for 48"w  
 Q-5-\_\_19HDW4-2 for 60"w-72"w

### Tackboard



### Door styles



Wood panel standard



Painted

## Storage Lateral files/bookcases

### Lateral files

- Depth: 22" d
- Widths: 30", 36" w. **Note:** 4 drawer lateral available as 36" w only
- Heights: 30" h (2 drawer) and 57.75" h (4 drawer)
- Unfinished back standard, optional finished back
- Anti tilt mechanism included

### Bookcase

- Widths: 30" w, 36" w
- Depth: 14" d
- Height: 72.5" h
- Two stationary and three adjustable shelves
- Unfinished back standard, optional finished back

### Bookcase organizer

- Mounts on worksurface
- Widths: 30" w, 36" w
- Depth: 14" d
- 42.5" h: one stationary and one adjustable shelf
- Unfinished back standard, optional finished back

### Lateral files



2 Drawer lateral  
Q-5-3\_22LF2-2



4 Drawer lateral  
Q-5-3\_58LF2-2

### Bookcase organizer



Q-5-3\_43BC3

### Bookcase



Q-5-3\_72BC2

## Storage Towers

### General

- Unfinished back standard, optional finished back

### Closed door/lateral file

- Widths: 30" w, 36" w
- One stationary and two adjustable shelves
- Door options: wood panel (standard) or painted

### Wardrobe cabinet

- Door handed left or right
- Full length storage with hanging bar
- One stationary and one adjustable shelf

### Storage wardrobe cabinet

- Two hinged doors
- Left side:
  - One stationary and one adjustable shelf
- Right side:
  - Wardrobe with metal coat rod
  - One stationary and one adjustable shelf

### Closed door/lateral file



Q-5-3\_72SCL

### Door styles



Wood door standard



Painted door

### Wardrobe cabinet



Q-5-1672(L/R)SW

### Storage wardrobe cabinet



Q-5-3672SW

## Modular 22"d worksurface

- Use as return and credenza worksurfaces, long or short grain
- Long grain widths: 60"w, 66"w, 72"w
- Short grain widths: 42"w, 48"w
- Depth: 22"d
- Maximum unsupported worksurface span is 48"w
- Maximum unsupported worksurface span when using back panel is 72"w
- Optional grommet: Any combination of right, left and center locations



Plan view short grain optional left, right and center grommet  
Q-22\_MCT2



Plan view short grain optional left, right and center grommet  
Q-\_22MCT2

## Modular Pedestals

### Drawer pedestals general

- Use with modular worksurfaces
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units

### Box/box/file and file/file

- Width: 15.625"w
- Depth: 20.75"d

### Lateral file

- Widths: 30"w, 36"w
- Depth: 20.75"d

### Door cabinet

- Hinged door
- Widths: 30"w, 36"w
- Depth: 20.75"d for hinged door
- One stationary and one adjustable shelf

### Box/box/file



Q-5-1621MBFC

### File/file



Q-5-1621MFFC

### Lateral file



Q-5-3\_21MFC

### Door cabinet



Q-5-3\_21MFC



## Modular Mobile pedestals

### Mobile pedestal, finished top

- 15.625"w x 20.75"d x 25.375"h
- Box and file drawer
- Finished top
- Exposed casters



Finished top  
Q-5-1621MP2



Cushion top  
Q-5-1621MPC

### Mobile pedestal, cushion top

- 15.625"w x 20.75"d x 20.9375"h
- Tray and file drawer
- Seat cushion
- Recessed casters

## Modular Worksurface supports

- End panels: Must use with back panel or support panel
- Support panel: Used to create L support, use with end panel or back panel
- Filler panel: Used to fill surface overhang gap behind modular pedestal when back panel is not used
- Back panel, pedestal: 16"w, use to finish pedestal backs
- Back panel, static: 16"w, 30"w, 36"w, 60"w, 66"w, 72"w. Use 16"w to finish 15.625"w pedestal backs. Vertical grain. Optional finished back, optional wire access slot
- Worksurface straightener: Used when a span of unsupported worksurface is greater than 48"w. Available widths: 48"w, 54"w, 60"w and 66"w. Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces
- Mounting block: Used with Q-PD-1 pencil drawer when worksurface straighteners are used. Four per package, black



End panel  
Q-5-2922MEP2



Support panel  
Q-5-2812SP




Filler panel  
Q-5-2903BFP2



Back panel, static  
Q-5-29\_\_MCB2



Worksurface straightener  
Q-SPTR \_\_



Mounting block  
Q-TFBLK

## Lighting

- For wallmount and highback organizers only
- Fluorescent (Q-TL-1 and Q-TL-6):
  - Q-TL-1 cannot be used with 30" or 36" w organizers
  - Q-TL-6 use with organizers 72" w and wider
  - On/off switch
- LED Energy Efficient 5200K (Q-TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K (Q-TL-27, Q-TL-28, Q-TL-30): Black alloy frame, touch and hold dimming



Fluorescent  
Q-TL-1, Q-TL-6




LED  
Q-TL-16



LED  
Q-TL-27, Q-TL-28, Q-TL-30

## Work accessories

- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface.
  - Q-OCD: Use with single, double pedestal desks or peninsula tops with no modesty
  - Q-OCD1: Use with peninsula tops with a modesty



Pencil drawer  
Q-PD-1



Center drawer  
Q-OCD/Q-OCD1

## Wire management

- Q-WM-V4 Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Plastic wire manager: Use under surface. widths include 12" w, 24" w, 36" w, 48" w, 60" w, 72" w. Can be field cut
- Wire basket manager: Use under surface. Widths include 18" w, 33" w, 57" w, 69" w
- Q-WM-HA height adjustable wire manager commonly used in stand alone height adjustable table applications
- Q-WM-HA2 and Q-WM-HA3 height adjustable wire manager commonly used in table to table connections. HA2 is black/silver combination, HA3 is silver/silver combination



Velcro wire manager  
Q-WM-V4



Plastic wire manager  
Q-WM-\_\_



Wire basket manager  
Q-WBT-\_\_H



Height adjustable  
table desk manager  
Q-WM-HA




Height adjustable  
table to table manager  
Q-WM-HA\_

## Power supplies

- Requires factory cutout
- Recesses into worksurface
- Q-PS-68: One outlet, two USB charging ports, 9' cord, silver or black
- Q-PS-69: Two outlets, two USB charging ports, 9' cord, silver or black
- Q-PS-70: Two outlets, two USB charging ports, one data jack, 9' cord, silver or black
- Q-PS-99: Two outlets, two USB charging ports, one data jack, one HDMI coupler, 9' cord, anodized aluminum
- Q-PS-78: Two outlets, two USB charging ports, one data jack, 6' cord, anodized aluminum
- Q-PS-80: One touch open and close, two outlets, one HDMI port, one USB charging port, 12' cord, silver or black
- Q-PS-81: Three 110v outlets each side, one HDMI port, one VGA port, RJ-5 voice jack, RJ-45 data jack, two USB charging port, 10' cord, silver or black


### Recessed



Q-PS-68




Q-PS-69




Q-PS-70




Q-PS-99



Q-PS-78



Q-PS-80



Q-PS-81