

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

### BASE OPTIONS FOR ROUND AND SQUARE TOPS



Note: All round and square conference tops require additional weight in the base when using cylinder bases to prevent the table from tipping over. OFS provides instruction sheets and clear 6ml bags with base. Customer must provide dry sand for the additional weight.

24" tops - require 1 base













30" tops - require 1 base



MCB-17 (Round only)







36" tops - require 1 base or 2 sets



CC-M18CB







MCB-28 (Round only)



CC-W18CB

L2C2 (set of 2) (Square only)









CC-W18TC

42" tops - require 1 base or 2 sets



CC-M20CB CC-W20CB



CC-W23SB



MCB-28 (Round only)





(Round only)



CC-M20TC CC-W20TC



48" tops - require 1 base or 2 sets



CC-M20CB CC-W20CB



CC-W23SB)



(Round only)



ASX38





54", 59.5" and 60" tops - require 1 base or 2 sets



CC-M24CB CC-W24CB



CC-W27SB



ASX48B







For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

#### BASE OPTIONS FOR OVAL TOPS



Note: b/base denotes distance between bases

60"W  $\,$  x 30"D tops - require 2 bases or sets (1 base required when ordering ASK4218)





72"W x 36"D tops - require 2 bases or sets (1 base required when ordering ASK4218)





#### BASE OPTIONS FOR RECTANGULAR AND RACETRACK TOPS



Note: b/base denotes distance between bases

72"W x 36"D tops - require 2 bases or sets (1 base required when ordering ASK4218 and CC-6226LB) \*Note: MCB-23 and ASK4218 not available with Glass Top



CC-M18HC CC-W18HC 26" b/bases



\*MCB-23 13" b/bases

CC-M21PB CC-W21PB 37.25" b/bases



\*ASK4218 22" b/bases

CC-M21PBW CC-W21PBW 37.25" b/bases



CC-32MTB3 36.5" b/bases



CC-M21TPB CC-W21TPB 27" b/bases



CC-32MTB4 37" b/bases



CC-30WTBE 28" b/bases



12" b/bases

84"W x 42"D tops - require 2 bases or sets (1 base required when ordering ASK5923 and CC-7426LB) \*Note: MCB-23 and ASK5923 not available with Glass Top



CC-M21EB

CC-W21FB

33.25" b/bases

CC-M24HC CC-W24HC 26.5" b/bases



CC-M24EB \*MCB-23 CC-W24EB 17" b/bases 37.25" b/bases



CC-M24PB CC-W24PB 41.25" b/bases



\*ASK5923 34" b/bases



CC-M24PBW CC-W24PBW 41.25" b/bases



CC-32MTB3 40.5" b/bases



CC-M24TPB CC-W24TPB 31" b/bases



41" b/bases

CC-30WTBE 32" b/bases



CC-7426LB 18" b/bases



# Intermix\* Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS						
	Note: b/base denotes distance between bases					
96"W x 42"D tops - require 2 bases or sets (1 base required when ordering ASK7123, ASK7123B) *Note: MCB-23, ASK7123, and ASK7123B not available with Glass Top						
CC-M24HC CC-W24HC 31.5" b/bases	CC-M25VB CC-W25VB 29" b/bases	CC-M24PB CC-W24PB 45" b/bases	CC-M24PBW CC-W24PBW 45" b/bases	CC-M24TPB CC-W24TPB 35" b/bases	CC-M24EB CC-W24EB 41.25" b/bases	CC-30WTBE 36" b/bases
*MCB-23 21" b/bases	*ASK7123 46" b/bases	*ASK7123B 46" b/bases	CC-32MTB3 44.5" b/bases	CC-32MTB4 45" b/bases	CC-8026LB 18" b/bases	



For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

### BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS



Note: b/base denotes distance between bases

120"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M8027TPBK, CC-W8027TPBK,, or ASK9826) \*Note:MCB-28 and ASK9826 not available with Glass Top



CC-M24HC (2 qty.) + CC-M24PB or CC-M24PBW CC-W24HC (2 qty.) + CC-W24PB or CC-W24PBW 26.75" b/bases



CC-M25VB (2 qty.) + CC-M24PB or CC-M24PBW CC-W25VB (2 qty.) + CC-W24PB or CC-W24PBW



CC-M24PB CC-M24PBW CC-W24PB CC-W24PBW 33.5" b/bases 33.5" b/bases



CC-M24TPB CC-W24TPB 25.5" b/bases



CC-M24FB CC-W24EB 29.5" b/bases



6" b/bases



25.5" b/bases

CC-M8027TPBK CC-W8027TPBK



\*ASK9826 34" b/bases 62" b/bases



CC-35MTB3 (2 qty.) + CC-35MTB3C 33" b/bases



CC-35MTB4 33" b/bases



CC-30WTBE (2 qty) + CC-30WTBC 25" b/bases

144"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M10427TPBK, CC-W10427TPBK, or ASK12226) \*Note:MCB-28, ASX38, TSX38, ASK12226 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M24HC (2 qty.) + CC-M24PB or CC-M24PBW CC-W24HC (2 qty.) + CC-W24PB or CC-W24PBW 38.75" b/bases



CC-M25VB (2 qty.) + CC-M24PB or CC-M24PBW CC-W25VB (2 qty.) + CC-W24PB or CC-W24PBW 37.5" b/bases



CC-M24PB CC-W24PB 45.75" b/bases



CC-M24PBW CC-W24PBW 45.75" b/bases



CC-M24TPB CC-W24TPB 37.5" b/bases



CC-M24EB CC-W24EB 41.5" b/bases



\*MCB-28 18" b/bases



\*ASX38 14.5" b/bases



\*TSX38 14.5" b/bases



46" b/bases



CC-30WTBE (2 qty) + CC-30WTBC 37" b/bases



CC-M10427TPBK CC-W10427TPBK 84.5" b/bases



CC-35MTB3 (2 qty.) + CC-35MTB3C 45" b/bases

CC-35MTB4 45" b/bases



For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

#### BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS



Note: b/base denotes distance between bases

168"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M12827TPBK, CC-W12827TPBK or ASK13426) \*Note: MCB-28, ASX38, TSX38, ASK13426 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M20CB CC-W20CB 32.25" b/bases



CC-M24HC (2 qty.) + CC-M24PB or CC-M24PBW CC-W24HC (2 qty.) +

CC-W24PB or

CC-W24PBW

50.75" b/bases





29.25" b/bases



CC-W25VB (2 qty.) + CC-W24PB or CC-W24PBW 49.5" b/bases



CC-M24PB CC-W24PB 57.75" b/bases



CC-M24PRW CC-W24PBW 57.75" b/bases



CC-M24TPB CC-W24TPR 49.5" b/bases



CC-M24EB CC-W24FB 53.5" b/bases



\*MCB-28 30" b/bases



CC-35MTB3 (2 atv.) + CC-35MTB3C



CC-35MTB4 57" b/bases 57" b/bases



CC-30WTBE (2 qty) + CC-30WTBC 49" b/bases




\*ASX38 26.5" b/bases



\*TSX38 26.5" b/bases



CC-M12827TPBK CC-W12827TPBK





192"W x 48"D tops - require 3 or 4 bases or sets (1 base required when ordering CC-M15227TPBK, CC-W15227TPBK, or ASK17026)

\*Note:MCB-28, ASX38, TSX38, ASK17026 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M20CB (3 qty.) CC-W20CB (3 qty.) 44.25" b/bases



CC-M24HC (2 atv.) + CC-M24PB (2 qty.) or CC-M24PBW (2 qty.) CC-W24HC (2 qty.) + CC-W24PB (2 qty.) or CC-W24PBW (2 qty.) 41.25" b/bases



CC-W23SB (3 atv.) 37.75" b/bases



34" b/bases 108.5" b/bases

CC-M25VB (2 qty.) + CC-M24PB (2 qty.) or CC-M24PBW (2 qty.) CC-W25VB (2 qty.) + CC-W24PB (2 qty.) or CC-W24PBW (2 qty.) 38.625" b/bases



CC-M24PB (4 atv.) CC-W24PB (4 qty.) 46" b/bases



CC-M24PBW (4 qty.) CC-W24PBW (4 qty.) 46" b/bases



CC-M24TPB (4 qty.) CC-W24TPB (4 qty.) 38.375" b/bases



CC-M24EB (4 qty.) CC-W24EB (4 qty.) 41.75" b/bases



\*MCB-28 (3 qty.) 42" b/bases



CC-35MTB3 (2 qty.) + CC-35MTB3C (2 qty.)



CC-35MTB4 (4 qty.) 45" b/bases 45.188" b/bases



CC-30WTBE (2 qty) + CC-30WTBC (2 qty) 37" b/bases



\*ASX38 (3 qty.) 38.75" b/bases



\*TSX38 (3 qty.) 38.75" b/bases



CC-M15227TPBK CC-W15227TPBK 132.5" b/bases



\*ASK17026 48" b/bases



For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

### BASE OPTIONS FOR TAPERED TOPS



Note: b/base denotes distance between bases

72"W x 36"D (28" narrow edge) tops - require 2 bases or sets \*Note: MCB-17 and MCB-23 not available with Glass Top

CC-M18HC

CC-M22VB CC-W18HC CC-W22VB 26" b/bases

24.5" b/bases

\*MCB-17 + \*MCB-23

CC-M21PB CC-W21PB 37.25" b/bases

CC-32MTB3

36.5" b/bases

CC-M21PBW CC-W21PBW 37.25" b/bases

CC-M21TPB CC-W21TPB 27" b/bases

CC-32MTB4

37" b/bases

84"W x 42"D (28" narrow edge) tops - require 2 bases or sets \*Note: MCB-17 and MCB-23 not available with Glass Top

CC-M21EB

CC-W21EB

33.25" b/bases

CC-M18HC + CC-M24HC CC-W18HC + CC-W24HC 34" b/bases

CC-M25VB

CC-M22VB + CC-W22VB + CC-W25VB 30.75" b/bases

20" b/bases

CC-M21PB + CC-M24PB CC-W21PB + CC-W24PB 41.25" b/bases

CC-M21PBW + CC-M24PBW CC-W21PBW + CC-W24PBW 41.25" b/bases

CC-M21TPB +

CC-M24TPB CC-W21TPB + CC-W24TPB 31" b/bases

CC-M21EB +

CC-M24EB CC-W21EB + CC-W24EB 37.25" b/bases \*MCB-17 + \*MCB-23

CC-32MTB3 40.5" b/bases CC-32MTB4 41" b/bases

96"W x 48"D (34" narrow edge) tops - require 2 bases or sets \*Note: MCB-23 and MCB-28 not available with Glass Top

CC-M18HC + CC-M24HC CC-W18HC + CC-W24HC 38" b/bases

CC-M22VB + CC-M25VB CC-W22VB + CC-W25VB 34.75" b/bases

CC-M21PB + CC-M24PB CC-W21PB + CC-W24PB 42.25" b/bases

CC-M21PBW + CC-M24PBW CC-W21PBW + CC-W24PBW

45.25" b/bases

CC-M21TPB + CC-M24TPB CC-W21TPB + CC-W24TPB 39" b/bases

CC-M21EB + CC-M24EB CC-W21EB + CC-W24EB 41.25" b/bases

\*MCB-23 + \*MCB-28 24" b/bases


CC-35MTB3 + CC-32MTB3 44.5" b/bases

CC-35MTB4 (1 qty.) + CC-32MTB4 (1 qty.) 45" b/bases



For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

### BASE OPTIONS FOR TAPERED TOPS



Note: b/base denotes distance between bases

120"W x 48"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M8033TPBK or CC-W8033TPBK) \*Note: MCB-23 and MCB-28 not available with Glass Top



CC-M18HC + CC-M24HC + CC-M24PB or CC-M24PBW CC-W18HC + CC-W24HC + CC-W24PB or CC-W24PBW 29.5" b/bases



CC-M22VB + CC-M25VB + CC-M24PB or CC-M24PBW CC-W22VB + CC-W25VB + CC-W24PB or CC-W24PBW 25.5" b/bases



CC-M21PB + CC-M24PB (2 qty.) CC-W21PB + CC-W24PB (2 qty.) 33.5" b/bases



CC-M21PBW + CC-M24PBW (2 qty.) CC-W21PBW + CC-W24PBW (2 qty.) 33.5" b/bases



CC-M21TPB + CC-M24TPB (2 qty.) CC-W21TPB + CC-W24TPB (2 qty.) 25.5" b/bases



CC-M21EB + CC-M24EB (2 qty.) CC-W21EB + CC-W24EB (2 qty.) 29.5" b/bases




\*MCB-23 (2 qty.) + \*MCB-28 11" b/bases MCB-23 (2 qty.) 8.5" b/bases MCB-23 & MCB-28



CC-M8033TPBK CC-W8033TPBK 60.5" b/bases



B3 + CC-35MTB3





CC-35MTB4 (2 qty.) + CC-32MTB4 (1 qty.) 33" b/bases

144"W x 60"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M10433TPBK or CC-W10433TPBK)



CC-M21TPB + CC-M24TPB + CC-M30TPB CC-W21TPB + CC-W24TPB + CC-W30TPB 37.5" b/bases



CC-M10433TPBK CC-W10433TPBK 84.5" b/bases



CC-M21EB + CC-M24EB (2 qty.) CC-W21EB + CC-W24EB (2 qty.) 9.5" b/bases



CC-35MTB3 + CC-35MTB3C + CC-32MTB3 45" b/bases



CC-35MTB4 (2 qty.) + CC-32MTB4 (1 qty.) 45" b/bases



For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

### BASE OPTIONS FOR TAPERED TOPS



Note: b/base denotes distance between bases

168"W x 60"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M12833TPBK or CC-W12833TPBK)



CC-M18CB + CC-M20CB + CC-M24CB 
CC-W18CB + CC-W20CB + CC-W24CB

34.25" b/bases (1st & 2nd bases) 24.25" b/bases (2nd & 3rd bases)



CC-W19SB + CC-W23SB + CC-W27SB 34" b/bases (1st & 2nd bases) 22" b/bases (2nd & 3rd bases)



CC-M21TPB + CC-M24TPB + CC-M30TPB CC-W21TPB + CC-W24TPB + CC-W30TPB 49.5" b/bases



CC-M21EB + CC-M24EB (2 qty.) CC-W21EB + CC-W24EB (2 qty.) 51.5" b/bases



CC-M12833TPBK CC-W12833TPBK 108.5" b/bases



CC-35MTB4 (2 qty.) CC-32MTB4 (1 qty.) 57" b/bases



57" b/bases

CC-35MTB3 + CC-35MTB3C + CC-32MTB3

192"W x 60"D (34" narrow edge) tops - require 3 or 4 bases or sets (1 base required when ordering CC-M15233TPBK or CC-W15233TPBK,)



CC-M18CB + CC-M20CB +
CC-W24CB
CC-W18CB + CC-W20CB +
CC-W24CB
46.25" b/bases (1st & 2nd bases)
36.25" b/bases (2nd & 3rd bases)



CC-W19SB + CC-W23SB + CC-W27SB 43.25" b/bases (1st & 2nd bases) 28.75" b/bases (2nd & 3rd bases)



CC-M2ITPB +
CC-M24TPB (2 qty.) +
CC-M30TPB
CC-W2ITPB +
CC-W24TPB (2 qty.) +
CC-W30TPB
38.375" b/bases



CC-M21EB + CC-M24EB (3 qty.) CC-W21EB + CC-W24EB (3 qty.) 41.75" b/bases



CC-M15233TPBK CC-W15233TPBK 132.5" b/bases



CC-35MTB4 (3 qty.) CC-32MTB4 (1 qty.) 45" b/bases



CC-35MTB3 + CC-35MTB3C (2 qty.) + CC-32MTB3 45.188" b/bases