







**Mid back - fully upholstered** 3507 - SWT2 (swivel tilt control)

<b>Overall dimensions</b>	26"w x 26"d x 36/41.25"h	<b>Weight</b>	47.5 lbs. (armless) 51.5 lbs. (CR13) (arms) 53.75 lbs. (CR20) (arms)	 
<b>Seat dimensions</b>	19.5"w x 17.5"d x 16/21"h	<b>Cubic feet</b>	14.5 (chair) 13 (KND) carton 17 (FLA) carton	
<b>Seat to top of back</b>	20"	<b>COM</b>	1.75 yds.	
<b>Back width</b>	19.5"	<b>COL</b>	35 sq. ft.	
<b>Top of arm to floor</b>	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			



**Mid back - fully upholstered** 3507 - BDB3 (body balance control)

<b>Overall dimensions</b>	26"w x 26"d x 36.5/41.75"h	<b>Weight</b>	52.75 lbs. (armless) 56.75 lbs. (CR13) (arms) 59 lbs. (CR20) (arms)	 
<b>Seat dimensions</b>	19.5"w x 17.5"d x 16.5/21.5"h	<b>Cubic feet</b>	14.5 (chair) 13 (KND) carton 17 (FLA) carton	
<b>Seat to top of back</b>	20"	<b>COM</b>	1.75 yds.	
<b>Back width</b>	19.5"	<b>COL</b>	35 sq. ft.	
<b>Top of arm to floor</b>	26/35" (CR13) 26.25/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			

**High back - fully upholstered** 3510 - SWT2 (swivel tilt control)


<b>Overall dimensions</b>	26"w x 26"d x 41.25/47.25"h	<b>Weight</b>	49.5 lbs. (armless) 53.5 lbs. (CR13) (arms) 55.5 lbs. (CR20) (arms)	 
<b>Seat dimensions</b>	20.5"w x 18.5"d x 16/21"h	<b>Cubic feet</b>	16.25 (chair) 15 (KND) carton 18.75 (FLA) carton	
<b>Seat to top of back</b>	24"	<b>COM</b>	2 yds.	
<b>Back width</b>	20.5"	<b>COL</b>	40 sq. ft.	
<b>Top of arm to floor</b>	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			

**High back - fully upholstered** 3510 - BDB3 (body balance control)


<b>Overall dimensions</b>	26"w x 26"d x 40.5/46"h	<b>Weight</b>	56.75 lbs. (armless) 60.75 lbs. (CR13) (arms) 62.75 lbs. (CR20) (arms)	 
<b>Seat dimensions</b>	20.5"w x 18.5"d x 16.5/21.5"h	<b>Cubic feet</b>	16.25 (chair) 15 (KND) carton 18.75 (FLA) carton	
<b>Seat to top of back</b>	24"	<b>COM</b>	2 yds.	
<b>Back width</b>	20.5"	<b>COL</b>	40 sq. ft.	
<b>Top of arm to floor</b>	26/35" (CR13) 26.25/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
<ul style="list-style-type: none"> <li>Fully upholstered</li> <li>Armless</li> <li>Molded back and seat foam</li> <li>Swivel tilt control</li> <li>Black nylon base</li> <li>Hard wheel casters</li> <li>Knocked down chair in carton</li> </ul>	<ul style="list-style-type: none"> <li>Mid or high back</li> <li>Two arms: <ul style="list-style-type: none"> <li>4D pivot arms</li> <li>Cantilever arms in standard and studio powder coats or polished aluminum</li> </ul> </li> <li>Body balance control</li> <li>Internal back height adjustment (BDB3 only)</li> <li>Seat slider (BDB3 only)</li> <li>Base finish in standard and studio powder coats or polished aluminum</li> <li>Soft wheel casters or glides</li> <li>Fully assembled chair in carton</li> </ul>

**Executive back - fully upholstered 3515 - SWT2 (swivel tilt control)**

<b>Overall dimensions</b>	26"w x 26"d x 45.75/50.75"h	<b>Weight</b>	52 lbs. (armless) 56 lbs. (CR13) (arms) 58 lbs. (CR20) (arms)	
<b>Seat dimensions</b>	20.5"w x 18.5"d x 16/21"h	<b>Cubic feet</b>	18.75 (chair) 18.5 (KND) carton 25.5 (FLA) carton	
<b>Seat to top of back</b>	30"	<b>COM</b>	2 yds.	
<b>Back width</b>	20.5"	<b>COL</b>	40 sq. ft.	
<b>Top of arm to floor</b>	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			

**Executive back - fully upholstered 3515 - BDB3 (body balance control)**

<b>Overall dimensions</b>	26"w x 26"d x 46.25/51.25"h	<b>Weight</b>	56.5 lbs. (armless) 60.5 lbs. (CR13) (arms) 62.5 lbs. (CR20) (arms)	
<b>Seat dimensions</b>	20.5"w x 18.5"d x 16.5/21.5"h	<b>Cubic feet</b>	18.75 (chair) 18.5 (KND) carton 25.5 (FLA) carton	
<b>Seat to top of back</b>	30"	<b>COM</b>	2 yds.	
<b>Back width</b>	20.5"	<b>COL</b>	40 sq. ft.	
<b>Top of arm to floor</b>	26/35" (CR13) 26.25/31.75" (CR20)			
<b>Top of arm to seat</b>	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
<ul style="list-style-type: none"> <li>Executive back</li> <li>Fully upholstered</li> <li>Armless</li> <li>Molded back and seat foam</li> <li>Swivel tilt control</li> <li>Black nylon base</li> <li>Hard wheel casters</li> <li>Knocked down chair in carton</li> </ul>	<ul style="list-style-type: none"> <li>Two arms: <ul style="list-style-type: none"> <li>4D pivot arms</li> <li>Cantilever arms in standard and studio powder coats or polished aluminum</li> </ul> </li> <li>Body balance control</li> <li>Seat slider (BDB3 only)</li> <li>Base finish in standard and studio powder coats or polished aluminum</li> <li>Soft wheel casters or glides</li> <li>Fully assembled chair in carton</li> </ul>

## Standard textile selection

<https://ofs.com/resources/textiles>

## Frame construction

Seat	<ul style="list-style-type: none"> <li>• <math>\frac{5}{8}</math>" One-piece, multi-core hardwood plywood</li> <li>• Fitted with riveted "T" nuts</li> </ul>
Back	<ul style="list-style-type: none"> <li>• Durable steel structure</li> <li>• BH1 Range: 2"</li> </ul>
Upholstery	<ul style="list-style-type: none"> <li>• CAL TB 117-2013 Conformant</li> </ul>
(arms)	<ul style="list-style-type: none"> <li>• 4D pivot arms</li> <li>• Cantilever arms in standard and studio powder coats or polished aluminum</li> </ul>
Controls	<ul style="list-style-type: none"> <li>• SWT2 – Swivel tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment</li> <li>• BDB3 – Body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment - optional SS3 Seat Slider</li> </ul>
Seat slider	<ul style="list-style-type: none"> <li>• Range: 2.5"</li> </ul>
Base	<ul style="list-style-type: none"> <li>• Nylon: Solid injection-molded and glass-reinforced nylon resin</li> <li>• Polished aluminum: Manufactured of die-casting process</li> <li>• All bases pass the ANSI/BIFMA strength standards</li> </ul>
Cylinder	<ul style="list-style-type: none"> <li>• Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; Including cyclic bending resistance criteria</li> </ul>
Casters	<ul style="list-style-type: none"> <li>• Twin wheel casters manufactured of injection-molded engineer grade nylon</li> <li>• 60 mm diameter large pivot barrels</li> </ul>
Assembly	<ul style="list-style-type: none"> <li>• Self-locking, hardened steel, slotted/phillips head bolts</li> <li>• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration</li> </ul>

## Foam

Seat/Back	<ul style="list-style-type: none"> <li>• 3D Molded foam</li> <li>• 1.9 lb. Density</li> <li>• CAL TB 117-2013 Conformant</li> <li>• .40 IFD</li> </ul>
-----------	--