

Slate building blocks





Table of contents

Notes - Slate overview	3-5
Height adjustable - overview table desk	6
Height adjustable - work table	7
Built up - peninsula work tables	8-9
Built up - work tables	10-11
Built up - double pedestal desk	12
Built up - 12" w single pedestal desks	13-15
Built up - 15" w single pedestal desks	16-18
Built up - low height cabinet overlay desk	19
Built up - returns	20
Built up - bridges	21
Built up - credenzas desk height	22-25
Built up - credenzas low height	26-28
Worksurface storage - highback organizers accessories	29-31
Worksurface storage - worksurface cabinets	32
Freestanding storage - bookcases	33
Freestanding storage - lateral files	34
Freestanding storage - mobile pedestals	35
Freestanding storage - towers	35-37
Wallmount storage - organizers accessories	38-41
Wallmount panels - partial height full height	42-48
Modular - overlay runoff desks	49-51
Modular - cabinet tops	52
Modular - low height pedestals	53-55
Modular - desk height pedestals	56-58
Modular - lateral files	59
Modular - support	60-61
Lighting	62
Power supplies	63
Work accessories	64

Notes Slate overview | materials | options

Materials

- Veneer will always be horizontal grain direction in quartered veneer, unless noted otherwise
- Vertical grain direction on overlay end panels
- Overlays and flush front doors are available as contrasting or matching veneer finish. White paint (WHT) also available as option for overlay
- **Note:** Oslo and Desert are not available as veneer options on Slate

Construction

- Overlay top features mitered top and end panel
- Square edge profile on user and approach sides for non overlay desks and modular cabinet tops
- Overall desk height with overlay: 30.5”h
- Overall desk height with no overlay: 29.5”h
- Hinged doors feature touch latch closure

Locking

- No lock standard. Optional locking for all storage

Grommets

- Not offered on workwall storage or cabinet tops
- Grommets are available as black or satin


Ganging

- Ganging is required for wall mount models with shelving

Installation

- **Note:** When planning a Slate wall system, please ensure the walls are flat across the face. If there is movement in the walls, the panels/shelves will not line up properly

Grain direction



Overlay detail




Non contrasting overlay




Contrasting overlay (shown in WHT White)

Edge details




Square edge




Mitered corner on overlay desks only

Desk heights



Overlay height




Standard height




Notes Slate overview | workwall heights

- 68.75" h or 80.75" h overall heights. **Note:** Overlay detail on overheads and towers will add 1" to overall height
- **Note:** Workwall lower storage components must be specified to use with wallmount panels and partial panels. Not required for full height panels

68.75" overall height (69.75" h with overlay)



80.75" overall height (81.75" h with overlay)



Notes Slate overview | drawer pedestals

General

- All top box drawers have option to specify tech drawer for device charging
- Drawers support letter or legal filing

12" w desk pedestals

- 12" w pedestals feature an integrated side pull (-1 models)
- Full front conceals box and file drawers
- Interior available as box/box/file (C5A) or tech drawer/box/file (C5C)

15" w desk pedestals

- 15" w pedestals feature an integrated center pull (-2 models)
- Upper drawer front conceals two box drawers
- Bottom file drawer
- Interior available as box/box/file (C5A), tech drawer/box/file (C5C), or file/file (C5B)

Modular desk height pedestals


- Full front interior options:
 - Box/box/file (C5A)
 - Tech drawer/box/file (C5C)
 - Trash pullout, left (C5D) or right (C5DR)
 - Tech cabinet, left (C5E) or right (C5ER)
- Split front interior options (bottom file drawer)
 - Box/box/file (C5A)
 - File/file (C5B)
 - Tech drawer/box/file (C5C)

Modular low height pedestals


- Full front interior options:
 - Box/file (C5Z)
 - Tech drawer/file (C4Z)
 - Trash pullout, left (C5D) or right (C5DR)
 - Tech cabinet, left (C5E) or right (C5ER)
- Split front interior options (bottom file drawer)
 - Box/file (C5Z)
 - Tech drawer/file (C4Z)

Desk height pedestals


Full front



Box/box/file (C5A) shown
Tech drawer/box/file (C5C)




Trash, left (C5D) shown




Tech cabinet, left (C5E) shown

Split front




Box/box/file (C5A) shown
Tech drawer/box/file (C5C)




File/file (C5B) shown

Low height pedestals


Full front



Box/file (C5Z) shown
Tech drawer/file (C4Z)




Trash, left (C5D) shown



Tech cabinet, left (C5E) shown

Split front



Box/file (C5Z)
Tech drawer/file (C4Z)



Height adjustable Overview


- Height adjustable desks are available with classic button control or paddle switch
- Three programmable heights
- Electronic height adjustable range: 30.5"-46"h
- Table maximum weight allowance: 100 lbs
- Full enclosures for height adjustable mechanisms
- Cord length is 10'6"

Classic button control



C4T

Paddle switch



PDSW

Full enclosures



Height adjustable Table desk

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5"h (features overlay detail)
- Panel bases with full modesty panel

Options

- No grommet standard. Optional grommets: left, right, or both locations

User side




CA-A7230DHA shown

Optional grommets



Left and right grommets locations shown

Approach side



Height adjustable Work table | overlay top | wall access

General notes

- Sizes: 30x61, 30x67, 30x73, 36x73, 36x79, 36x85
- Height: 30.5”h (features overlay detail)
- Connect to return with fold down back panel or modular support
- Access panel and cabinet have unfinished backs. **Note:** Must be placed against a finished wall

Options

- Worksurface models available as full width or be notched for workwall applications
- Finished panel base handed left or right from user side
- Access panel or cabinet opposite finished panel base
- Access panel has removable interior panel
- Access cabinet has hinged door

Wall access work table

- Work table top runs full width over access panel
- No grommet standard. Optional grommet along surface depth on wall access panel side. Location varies between wall access panel and cabinet base

Workwall work table

- Workwall table to be used in wall panel applications
- Surface width recesses over panel base, creates a pencil edge with a 1.375” wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Wall access work table



Wall access panel
CA-A7230WKHAR-2 shown



Access panel grommet location
Shown on right handed desk



Wall access cabinet
CA-A7230WCHAR-2 shown



Access cabinet grommet location
Shown on right handed desk

Workwall work table




Workwall access panel
CA-AB7230WKHAR-2



Workwall access cabinet
CA-AB7230WCHAR-2

Workwall detail



Wall panel recesses behind surface

Built up Peninsula work table | post base

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78, 36x84
- Height: 29.25" h
- Rectangular or arc end top
- Partial height modesty
- Post base with aluminum trim handed left or right from user side

Options

- End panel versions include finished back, wall access, or workwall. Wall access and workwall models are unfinished backs. **Note:** Must be placed against a finished wall
- No grommet standard. Optional grommet along surface depth over finished end panel side for finished and wall access models

Finished end panel

- Use with built up bridge or return components

Wall access panel

- Work table top runs full width over access end panel
- Hinged door access panel on user side

Workwall access panel

- Workwall desk to be used in wall panel applications
- Surface width recesses over access end panel, creates a pencil edge with a 1.375" wire drop with brush guard
- Hinged door access panel on user side
- **Note:** Wall panel recesses behind surface

Rectangular top



CA-7230WPWBL shown (finished end panel)
CA-7230WKBL (wall access end panel)
CA-B7230WKBL (workwall)

Arc end top



CA-7230WPWABL shown (finished end panel)
CA-7230WKABL (wall access end panel)
CA-B7230WKABL (workwall)

Optional grommet



Shown on right handed desk


Wall access end panel



Workwall end panel



Workwall detail



Wall panel recesses behind surface

Built up Peninsula work table | flush top | finished end panel

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78, 36x84
- Height: 29.25" h (no overlay detail)
- Partial modesty panel
- Use with built up modular bridge, or return
- 15" w pedestal handed left or right on user side
- Integrated center pull on pedestal

Options

- No lock standard. Optional locking
- No grommet standard. Optional grommet centered on worksurface depth along panel side
- Pedestal standard as box/box/file (C5A). Optional file/file (C5B) or tech drawer/box/file (C5C)



CA-7230WPWPR-2 shown

Optional grommets



Shown on right handed desk

Built up Table desk | overlay top | finished end panel

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- Panel bases
- Partial height modesty

Options

- No grommet standard. Optional grommets: Left, right, or both locations



CA-A7230TD shown (user side)

Optional grommets



Left and right locations shown

Built up Work table | overlay top | access panel

General notes

- Sizes: 30x61, 30x67, 30x73, 36x73, 36x79, 36x86
- Height: 30.5”h (features overlay detail)
- Partial height modesty panel
- Hinged door access panel with unfinished back opposite panel base. **Note:** Must be placed against a finished wall
- Panel base handed left or right from user side

Wall access panel

- Work table top runs full width over access panel
- No grommet standard. Optional grommet along surface depth on wall access panel side

Workwall access panel

- Workwall table to be used in wall panel applications
- Surface width recesses over access panel, creates a pencil edge with a 1.375” wire drop and brush guard
- **Note:** Wall panel recesses behind surface

Wall access panel



CA-A7230WKR shown (user side)
CA-AB7230WKR (workwall)

Wall access panel optional grommet




Shown on right handed desk

Workwall access panel



Workwall detail



Wall panel recesses behind surface

Built up Work table | overlay top | access cabinet

General notes

- Sizes: 30x61, 30x67, 30x73, 36x73, 36x79, 36x86
- Height: 30.5”h (features overlay detail)
- Panel base handed left or right from user side
- Partial height modesty panel
- Hinged door access cabinet with adjustable shelf and unfinished back opposite panel base. **Note:** Must be placed against a finished wall

Wall access cabinet

- Work table top runs full width over access panel
- No grommet standard. Optional grommet along surface depth on wall access panel side

Workwall access cabinet

- Workwall table to be used in wall panel applications
- Surface width recesses over cabinet base, creates a pencil edge with a 1.375” wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Wall access cabinet



CA-A7230WCR shown (user side)
CA-AB7230WCR (workwall)



Approach side

Full width optional grommet




Shown on right handed desk

Workwall access cabinet



Workwall detail



Wall panel recesses behind surface

Built up Double pedestal desk | overlay top

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5”h (features overlay detail)
- Full height modesty panel

Options

- 12”w or 15”w pedestals
- No lock standard. Optional locking
- No grommet standard. Optional grommets left, right, or both locations

12”w pedestal

- Integrated side pull
- Pedestals standard as box/box/file (C5A).
Optional tech drawer/box/file (C5C) for each pedestal

15”w pedestal

- Integrated center pull
- Pedestals standard as box/box/file (C5A).
Optional file/file (C5B) or tech drawer/box/file (C5C) for each pedestal

12”w pedestal



CA-A7230DP-1 shown

15”w pedestal



CA-A7230DP-2 shown

Approach side



Optional grommets



Left and right locations shown

Built up Single 12" w pedestal desks | overlay top | finished end panel

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- 12" w pedestal handed left or right from user side
- Integrated side pull
- Finished end panel, no wall access
- Full width surface
- Partial modesty
- Use with bridge or return

Options

- Pedestal(s) standard as box/box/file (C5A).
Optional tech drawer/box/file (C5C) for each pedestal
- No grommet standard. Optional grommet entered along surface depth left, right, or both locations
- No lock standard. Optional locking



CA-A7230TDRPD-1 shown (user side)



Optional grommets (left and right locations shown)

Built up Single 12" w pedestal desks | overlay top | wall access

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- 12" w pedestal handed left or right from user side
- Integrated side pull

Options

- End panel versions include wall access or workwall. Wall access and workwall models are unfinished backs. **Note:** Must be placed against a finished wall
- Pedestal(s) standard as box/box/file (C5A). Optional tech drawer/box/file (C5C) for each pedestal
- No lock standard. Optional locking

Wall access end panel

- Work table top runs full width over access end panel
- No grommet standard. Optional grommet along surface depth on wall access panel side

Workwall end panel

- Workwall desk to be used in wall panel applications
- Surface width recesses over access end panel, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Full modesty



CA-A7230FWKRP-1 full width shown (user side)
CA-AB7230FWKRP-1 (workwall)



Approach side

Full width optional grommet




Shown on right handed desk

Workwall wall panel



Workwall detail



Wall panel recesses behind surface

Built up Single 12" w pedestal desks | overlay top | access cabinet

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- 12" w pedestal handed left or right from user side
- Integrated side pull
- Hinged door access cabinet with adjustable shelf and unfinished back opposite panel base, must be placed against a finished wall

Options

- Pedestal standard as box/box/file (C5A). Optional tech drawer/box/file (C5C)
- No lock standard. Optional locking

Wall access cabinet

- Worksurface runs full width to wall
- No grommet standard. Optional grommet along surface depth on wall access panel side

Workwall access cabinet

- Workwall table to be used in wall panel applications
- Surface width recesses over panel base, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Wall access cabinet



CA-A7230FWCRP-1 shown (user side)
CA-AB7230FWCRP-1 (workwall)



Approach side

Wall access optional grommet




Shown on right handed desk

Workwall access cabinet



Workwall detail



Wall panel recesses behind surface

Built up Single 15" w pedestal desks | overlay top | finished end panel

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- 15" w pedestal handed left or right from user side
- Integrated center pull
- Finished panels at both ends

Options

- Pedestal(s) standard as box/box/file (C5A).
Optional file/file (C5B) or tech drawer/box/file (C5C) for each pedestal
- No lock standard. Optional locking

Finished end panel

- Full width surface
- No grommet standard. Optional grommet left, right, or both locations

Full modesty (for highback organizer)

- For use with highback organizers
- **Note:** Full height modesty top is inset over support panel end to allow highback organizer to span the panel and attaching U or L component(s)
- Use full height modesty desk with bridge or return
- No grommet standard. Optional grommet

Finished end panel



CA-A7230TDRPD-2 shown (user side)



Optional grommets (left and right locations shown)

For use with highback



CA-A7230RPD-2 shown (user side)



Optional grommet (shown on right handed desk)

Built up Single 15" w pedestal desks | overlay top | access panel

General notes

- Sizes: 30x60, 30x66, 30x72, 36x72, 36x78
- Height: 30.5" h (features overlay detail)
- Full height modesty panel
- 15" w pedestal handed left or right from user side
- Integrated center pull
- Hinged door access panel with unfinished back opposite pedestal. **Note:** Must be placed against finished wall

Options

- Pedestal(s) standard as box/box/file (C5A).
Optional file/file (C5B) or tech drawer/box/file (C5C) for each pedestal
- No lock standard. Optional locking

Wall access end panel

- Work table top runs full width to wall
- Optional grommet along surface depth on wall access panel side

Workwall end panel

- Workwall table to be used in wall panel applications
- Surface width recesses over panel base, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface



CA-A7230FWKRP-2 shown (user side)
CA-AB7230FWKRP-2 (workwall)



Approach side

Full width optional grommet




Shown on right handed desk

Workwall end panel



Workwall detail



Wall panel recesses behind surface

Built up Single 15" w pedestal desks | overlay top | access cabinet

General notes

- Sizes: 30x67, 30x73, 36x73, 36x79, 36x85
- Height: 30.5" h (features overlay detail)
- Full height modesty panel
- 15" w pedestal handed left or right from user side
- Integrated center pull
- Hinged door access cabinet with adjustable shelf and unfinished back opposite panel base. **Note:** Must be placed against finished wall

Options

- Pedestal standard as box/box/file (C5A). Optional file/file (C5B) or tech drawer/box/file (C5C)
- No lock standard. Optional locking

Wall access cabinet

- Work table top runs full width to wall
- Optional grommet along surface depth on wall access cabinet side

Workwall access cabinet

- Workwall table to be used in wall panel applications
- Surface width recesses over access cabinet, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Wall access cabinet



CA-A7230FWCRP-2 shown (user side)
CA-AB7230FWCRP-2 (workwall)



Approach side shown

Full width optional grommet




Shown on right handed desk

Workwall access cabinet



Workwall detail



Wall panel recesses behind surface

Built up Low height cabinet desks | overlay top

General notes

- Sizes: 30x67, 30x73, 36x73, 36x79, 36x85
- Height: 30.5" h (features overlay detail)
- Partial height modesty panel
- 1.5H hinged door access cabinet with unfinished back. **Note:** Must be placed against a finished wall
- Panel base or 12" w pedestal opposite access cabinet, handed left or right from user side

Options

- Optional grommet along surface depth for full width and workwall worksurfaces
- Integrated side pull on 12" w pedestal. Standard as box/box/file (C5A), optional tech drawer/box/file (C5C)
- Tech spacer between surface and low cabinet, optional tech drawer. For tech spacer only, optional power cutout or grommet over access cabinet
- No lock standard on pedestal desk. Optional locking

Wall access desk

- Work table top runs full width over access cabinet

Workwall access desk

- Workwall table to be used in wall panel applications
- Surface width recesses over access cabinet, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface

Panel base



CA-A7230LWCR shown (standard surface width)
CA-AB7230LWCR (workwall)
User side shown

12" w pedestal



CA-A7230LWCRP-1 shown (standard surface width)
CA-AB7230LWCRP-1 (workwall)
User side shown

Optional grommet




Shown on right handed desk

Workwall desk



Workwall detail



Wall panel recesses behind surface

Built up Returns

General notes

- 24"d x 29.25"h
- Not for use with workwall panels
- Short grain direction on top
- Flush drawer front with integrated center pull
- Pedestal handed left or right from user side

Options

- Finished (LX) or fold down (FZ) back panel standard
- 18"w pedestals available as box/box/file (C5A) or file/file (C5B) standard. Optional tech drawer/box/file (C5C)
- No lock standard. Optional locking
- No grommet standard. Optional grommet in any combination of left, right, and center locations

18"w pedestal

- Widths: 42"w, 48"w, 54"w, 60"w, 66"w, 72"w
- Return with single pedestal

Lateral file

- Widths: 54"w, 60"w, 66"w, 72"w, 78"w
- Return with single lateral file
- 30"w lateral file on 54"w and 60"w returns
- 36"w lateral file on 66"w, 72"w, 78"w returns

Lateral and pedestal

- Widths: 72"w, 78"w
- Return with 148"w pedestal and 30"w lateral file

18"w pedestal



CA-2448RPR-2 shown with FZ fold down back panel

Lateral file




CA-2454RPRL-2 shown with FZ fold down back panel

Lateral and pedestal



CA-2472RPRLP-2 shown with FZ fold down back panel

Fold down panel detail



FZ back option

Optional grommets



Left, right, and center locations shown

Built up Bridges

General notes

- 24"d
- Not for use with workwall panels
- Short grain direction on top

Options

- No grommet standard. Optional grommet in any combination of left, right, and center locations
- Finished (LX) or fold down (FZ) back panel standard

Bridge top

- Widths: 42"w, 48"w
- Height: 1.25"h (29.25"h desk height)
- Note: Surface can be unsupported up to 48"w. Kneespace support required for bridge surface wider than 48"

Bridge top with back panel

- Widths: 42"w, 48"w
- Height: 29.25"h

Extended bridge

- Widths: 66"w, 72"w, 78"w, 84"w
- Height: 29.25"h
- End panel handed left or right from user side
- Commonly used with perpendicular low height credenzas

Bridge top



CA-2448BRT shown with modular support

Bridge top with back panel




CA-2448BR shown with LX finished back panel

Extended bridge



CA-2472RPRS shown with FZ fold down back panel

Fold down panel detail



FZ back option

Optional grommets



Left, right, and center locations shown

Built up Credenzas | shell | kneespace

General notes

- 24.75"d x 29.25"h
- Not for use with workwall panels
- Long grain direction on top

Options

- No grommet standard. Optional grommet in any combination of left, right, and center locations
- Finished (LX) or fold down (FZ) back panel standard

Shell credenza

- Widths: 72"w, 90"w, 108"w
- Height: 1.25"h

Kneespace credenza

- Widths: 60"w, 66"w, 72"w
- 18"w pedestal interior options: box/box/file (C5A) or file/file (C5B) standard. Option for tech drawer/box/file (C5C)
- Flush drawer front with integrated center pull
- No lock standard. Optional locking

Shell credenza




CA-7224SHEL shown with FZ fold down back panel

Kneespace credenza



CA-7224CR-2 shown with FZ fold down back panel

Fold down panel detail



FZ back option

Optional grommets



Left, right, and center locations shown

Built up Credenzas | pedestal

General notes

- 24.75"d x 29.25"h
- Not for use with workwall panels
- Long grain direction on top
- Flush drawer front with integrated center pull
- Pedestal(s) handed left or right from user side

Options

- No grommet standard. Optional grommet in any combination of left, right, and center locations
- Finished (LX) or fold down (FZ) back panel standard
- 18" w pedestal interior options: Box/box/file (C5A) or file/file (C5B) standard. Option for tech drawer/box/file (C5C)
- No lock standard. Optional locking

Pedestal credenza

- Widths: 66"w, 72"w, 78"w, 90"w, 108"w
- 66"-90"w features one pedestal, 108"w features two pedestals

Lateral credenza

- Widths: 60"w, 66"w, 72"w, 90"w, 108"w
- 30"w lateral file on 60"w and 66"w credenzas
- 36"w lateral file on 72"w, 90"w and 108"w credenzas

Lateral and pedestal

- Widths: 72"w, 90"w, 108"w
- Single pedestal is 18"w
- 30"w lateral file on 72"w credenza
- 36"w lateral file on 90"w and 108"w credenzas

Pedestal credenza



CA-7224CRR-2 shown with FZ fold down back panel



CA-10824CRR-2 shown with FZ fold down back panel

Lateral credenza




CA-7224CRRL-2 shown with FZ fold down back panel

Lateral/pedestal credenza



CA-7224CRRC-2 shown with FZ fold down back panel

Fold down panel detail



FZ back option

Optional grommets



Left, right, and center locations shown



Built up Credenzas | lateral file

General notes

- Available as flush front, or overlay top and front
- 18" w doors at each end. Adjustable shelf behind door
- Integrated center pull

Options

- No lock standard. Optional locking
- Unfinished (LW) back standard. Optional finished back (LX) for non workwall models

Flush front credenza

- Height: 29.25" h
- Depth: 24.75" d
- Widths: 66" w, 72" w

Overlay credenza

- Height: 30.5" h
- Depth: 25.5" d
- Widths: 60" w, 72" w, 90" w, 108" w
- 60" w and 72" w feature four drawers total
- 90" w and 108" w feature six drawers total
- Overlay credenza has models for full depth, or workwall applications
- Workwall models for use with wall panels only. Wall panel recesses behind worksurface

Flush front credenza



CA-7224CLF4-2 shown (full depth only)

Overlay credenza




CA-A7225CLF4 shown (full depth)
CA-AB7225CLF4 workwall



CA-A9025CLF6 shown (full depth)
CA-AB9025CLF6 workwall

Workwall detail



Wall panel recesses behind surface

Built up Credenzas | lateral/door

General notes

- Available as flush front, or overlay top and front
- 18" w doors at each end. Adjustable shelf behind door
- Integrated center pull

Options

- No lock standard. Optional locking
- Unfinished (LW) back standard. Optional finished back (LX) for non workwall models

Flush front credenza

- Height: 29.25" h
- Depth: 24.75" d
- Widths: 66" w, 72" w
- Full depth credenza

Overlay credenza

- Height: 30.5" h
- Depth: 25.5" d
- Widths: 60" w, 72" w, 90" w, 108" w
- 90" w and 108" w feature six drawers total
- Overlay credenza has models for full depth, or workwall applications
- Workwall models for use with wall panels only. Wall panels recess behind worksurface

Flush front credenza



CA-7224CLFC2-2 shown (full depth only)

Overlay credenza




CA-A7225CLFC2 shown (full depth)
CA-AB7225CLFC2 (workwall)



CA-A9025CLFC4 shown (full depth)
CA-AB9025CLFC4 (workwall)

Workwall detail



Wall panel recesses behind surface



Built up Credenza | low height | doors

- Widths: 78"w, 96"w
- Depth: 16"d
- Height: 23.25"h
- 1.5H credenza, no overlay
- From user side: Left or right 24"w open storage with adjustable shelf
- 18"w doors feature adjustable shelf behind each door. 78"w features three doors, 96"w features four doors
- Flush door with integrated top pull
- Optional seat cushion
- **Note:** Not for use with wall mount panels

Lateral file credenza



CA-7816SCHL-1 shown



CA-9616SCHL-1 shown

Built up Low height credenza cushion

- Widths: 36"w, 54"w
- Depth: 15.25"d
- Height: 1.5"h
- Use with 16"d low height credenza
- **Note:** Fabric for CA-5416SC must be railroaded



CA-3616SC shown on 78"w credenza



CA-5416SC shown on 78"w credenza

Built up Low height console

- Widths: 66"w, 72"w, 78"w
- Depth: 17.75"d
- Height: 23.25"h
- 1.5H credenza, no overlay
- Handed left or right from user side: Open shelves with three metal dividers in end section
- Hinged cabinet doors with adjustable shelf opposite end. Flush doors with integrated top pull
- Optional cutout over cabinet end for wire management when used with tech drawer
- Use with runoff worksurfaces with tech spacer or tech drawer
- **Note:** Not for use with wall mount panels



CA-7218LCONL-1 shown (left hand)

Built up Credenza | low height | box/lateral file corner dock

General notes

- 1.5H overlay double box/file lateral file, integrated center pull
- Widths: 72"w, 90"w
- Depth: 25.5"d
- Height: 24.5"h
- 18"w docking panel handed left or right
- **Note:** Use with console only

Options

- Available as full depth surface, or for use with workwall
- No lock standard. Optional locking

Full depth

- Unfinished back standard (LW), optional finished back (LX)


Workwall

- Workwall table to be used in wall panel applications
- Surface width recesses over panel base, creates a pencil edge with a 1.375" wire drop with brush guard
- **Note:** Wall panel recesses behind surface



CA-A7825RCDFSBF shown (full depth)
CA-AB7825RCDFSBF (workwall)

Workwall detail



Wall panel recesses behind surface

Built up Credenza | low height | box/lateral

General notes

- 1.5H box/file lateral file with overlay
- Widths: 30"w, 36"w, 60"w, 72"w, 90"w, 108"w
- Depth: 25.5"d
- Height: 24.5"h
- 30"w/36"w feature single box/lateral
- 60"w/72"w feature double box/lateral
- 90"w/108"w feature triple box/lateral

Options

- Available as full depth surface or for use with workwall applications
- Workwall models for use with wall panels only. Wall panel recesses behind worksurface
- Unfinished (LW) back standard. Optional finished back (LX) for non workwall models
- No lock standard. Optional locking

Single box/lateral



CA-A3025FSBF shown (full depth)
CA-AB3025FSBF (workwall)

Double box/lateral




CA-A6025FSBF shown (full depth)
CA-AB6025FSBF (workwall)

Triple box/lateral



CA-A9025FSBF shown (full depth)
CA-AB9025FSBF (workwall)

Workwall detail



Wall panel recesses behind surface

Worksurface storage Highback organizer

General notes

- Flush front, or overlay top and doors
- Depth: 15"d. **Note:** Overlay highback organizers also available as 18.75"d for legal depth
- Widths: 60"w-108"w in 6" increments
- 60"w-84"w organizers feature four doors
- 90"w-108"w organizers feature six doors
- Bottom of cabinet is flush mounted to bottom of doors; no visible fasteners
- Unfinished back

Options

- Optional back painted glass doors on flushed hinged door models
- **Highback organizer inserts** specified separately

1H organizer

- Flushed hinged doors: 39.5"h (18.5"h doors)
- Overlay hinged doors: 40.5"h (19.5"h doors)
- 21"h clearance under doors

1.5H organizer

- Flushed hinged doors: 51.5"h (24.5"h doors)
- Overlay hinged doors: 52.5"h (25.5"h doors)
- 27"h clearance under doors
- One adjustable shelf behind each door, supports binder storage above shelf and paper management below

2H organizer

- Flushed hinged doors: 51.5"h (30.5"h doors)
- Overlay hinged doors: 52.5"h (31.5"h doors)
- 21"h clearance under doors
- One adjustable shelf behind each door, supports binder storage in each section

1H organizer



Flush front
CA-6040HD19 shown



Overlay doors
CA-A6041HD19 shown (standard depth)
CA-A601841HD19 (legal depth)

1.5H organizer



Flush front
CA-6052HD25 shown



Overlay doors
CA-A6053HD25 shown (standard depth)
CA-A601853HD25 (legal depth)

2H organizer



Flush front
CA-6052HD31 shown



Overlay doors
CA-A6053HD31 shown (standard depth)
CA-A601853HD31 (legal depth)

Worksurface storage Highback organizer inserts

- Tackboard or magnetic glass board inserts
- Use with 60”w-108”w highback organizers
- Inserts for 102”w and 108”w organizers are two pieces
- Use 19”h panel for 1H and 2H organizers
- Use 25”h panel for 1.5H organizers
- Mounting hardware (z-clips) included
- Glass panel is sized to create clearance of:
 - 0.75” top, 1.25” bottom, and 0.625” side for overlay highback organizers
 - 0.75” top, 1.25” bottom, 1.0625” and side for flush front highback organizers
- Specify rare earth magnets MGT-1 for use with glassboard insert



CA-6019HFT shown (1H and 2H)
CA-6025HFT (1.5H)



CA-6019HGB shown (1H and 2H)
CA-6025HGB (1.5H)

Worksurface storage Highback organizer | ender shelf

General notes

- For use with highback organizers only. **Note:** End panel side must attach to side of highback organizer
- Widths: 18" w, 24" w, 30" w, 36" w
- Depths: 14.25" d (standard) or 17.25" d (legal depth)
- From user side, left or right facing open end

Options

- Models available with single shelf or with double shelf. Double shelf for 1.5H and 2H models only

1H ender shelf

- Height: 39.5" h
- 21" h clearance under shelf
- No double shelf option
- For use beside 1H highback organizer

1.5H ender shelf

- Height: 51.5" h
- 27" h clearance under lower shelf
- When upper shelf model is specified, 8.625" clearance between shelves
- For use beside 1.5H highback organizer

2H ender shelf

- Height: 51.5" h
- 21" h clearance under lower shelf
- When second upper shelf model is specified, 13.625" clearance between shelves
- For use beside 2H highback organizer

Single shelf models



CA-3040LS19-1 shown with 1H highback organizer

1H ender shelf



CA-3040LS19-1 shown (standard)
CA-301840LS19-1 (legal depth)

1.5H ender shelf



CA-3052LS25-1 shown (standard)
CA-301852LS25-1 (legal depth)

2H ender shelf



CA-3052LS31-1 shown (standard)
CA-301852LS31-1 (legal depth)

Double shelf models



CA-3052LS25-2 shown with 1.5H highback organizer with overlay

1.5H ender shelf



CA-3052LS25-2 shown (standard)
CA-301852LS25-2 (legal depth)

2H ender shelf



CA-3052LS31-2 shown (standard)
CA-301852LS31-2 (legal depth)

Worksurface storage Worksurface cabinets

General notes

- Depths: 15”d (standard) or 18”d (legal depth)
- Hinged door(s) with touch latch
- Single door cabinets hinged left or right
- Unfinished back

Storage cabinets

- Heights: 39.5”h (1H applications) or 51.5”h (1.5H or 2H applications)
- Widths: 18”w and 24”w (single door). 30”w and 36”w (double door)
- Two adjustable shelves. One fixed shelf in 39.5”h cabinets, two fixed shelves in 51.5”h cabinets
- Optional back painted glass doors


Wardrobe cabinets

- Height: 51.5”h (1.5H or 2H applications)
- Widths: 18”w and 24”w (single door) or 36”w (double door)
- Coat hooks on each side for 18”w cabinets, hang rail in 24”w and 36”w
- Bottom box drawer
- Mirror attached to back of each door

Storage cabinets




18”w and 24”w
CA-1840WSCL shown (standard)
CA-181840WSCL (legal)



18”w and 24”w interior



30”w and 36”w
CA-3040WSC shown (standard)
CA-301840WSC (legal)




30”w and 36”w interior

Wardrobe cabinets




18”w and 24”w
CA-1852WWCL shown (standard)
CA-181852WWCL (legal)



18”w and 24”w interior



30”w and 36”w
CA-3652WWC shown (standard)
CA-361852WWC (legal)



30”w and 36”w interior

Freestanding storage Bookcases | standard

- Widths: 30"w, 36"w
- Heights: 29.25"h, 68.75"h, 80.75"h
- Depth: 14.25"d
- Unfinished back
- 29.25"h: One fixed shelf, one adjustable shelf
- 68.75"h: Two fixed shelves, three adjustable shelves
- 80.75"h: Two fixed shelves, four adjustable shelves



29.25"h
CA-3030BC shown



68.75"h
CA-3069BC shown



80.75"h
CA-3081BC shown

Freestanding storage Bookcases | workwall

- Widths: 30"w, 36"w
- Heights: 68.75"h, 80.75"h
- Depth: 14.25"d
- Two fixed shelves
- Two adjustable shelves
- BC19: Use with 4.5H (68.75") workwall and 1H wallmount organizer
- BC25: Use with 5.H (80.75") workwall and 1.5H wallmount organizer
- BC31: Use with 5.5H (80.75") workwall and 2H wallmount organizer



1H (68.75"h)
CA-B3069BC19 shown



2H (80.75"h)
CA-B3081BC25 shown



1.H (80.75"h)
CA-B3081BC31 shown

Freestanding storage Lateral files | flush front

General notes

- Widths: 30" w, 36" w
- Height: 29.25" h
- Depth: 24.75" d
- Integrated center pull
- **Note:** For taller lateral files with flush front, see **modular lateral section**

Options

- No lock standard. Optional locking
- Unfinished back standard. Optional finished back



CA-A3025CLF2 shown
CA-AB3025CLF2 workwall

Freestanding storage Lateral files | overlay

General notes

- Widths: 30" w, 36" w
- Height: 30.5" h, 45.75" h, 59.25" h
- Depth: 25.5" d
- Integrated center pull
- Two drawer overlay credenza available as full depth, or for workwall applications. Workwall models used with wallmount panels only, wall panel recesses behind worksurface

Options

- Unfinished back (LW) standard. Optional finished back (LX) for non workwall models
- No lock standard. Optional locking



CA-A3025CLF2 shown
CA-AB3025CLF2 workwall




CA-A3045LF3 shown



CA-A3045LF4 shown

Workwall detail



Wall panel recesses behind surface for two drawer laterals only

Freestanding storage Mobile pedestal

General notes

- Widths: 15" w x 20" d x 20.31" h
- One box and one file drawer
- Finished top

Options

- No lock standard. Optional locking
- Optional seat cushion (specified separately)

Mobile pedestal



CA-1520MP

Cushion




CA-1520SC

Freestanding storage Towers | full door


- Heights: 68.75" h, 80.75" h
- Widths: 12" w, 18" w
- Depths: 18" d, 24.75" d
- Hinged door with touch latch. Hinged left or right from user side
- Unfinished back
- 18" d wardrobe features two coat hooks, 24.75" d features hanging bar. Both include top fixed shelf
- Shelving interior (R8) available on 80.75" h only, features three adjustable and two fixed shelves




CA-181869RSW shown



18" d coat hook interior



24" d hanging bar interior



80.75" h shelving interior (R8)

Freestanding storage Towers | file drawers

General notes

- Hinged door(s) with touch latch. Single doors hinged left or right
- Integrated center pull on drawers
- Unfinished back
- 68.75" h features two adjustable shelves, 80.75" h features three adjustable shelves

Options

- No lock standard. Optional locking for file drawers

Storage cabinet/wardrobe with file/file

- Width: 18" w
- Depth: 24.75" d
- Heights: 68.75" h and 80.75" h
- Upper split cabinet with shelving and hanging bar, shelving will be opposite door hinge
- Flush front tower with two file drawers


Storage cabinet with file/file

- Width: 18" w
- Depth: 24.75" d
- Heights: 68.75" h and 80.75" h
- Flush front tower with two file drawers

Storage cabinet with file/file



CA-182469RSCD-2 shown



Storage cabinet interior

Storage cabinet/wardrobe with file/file



CA-182469RSWD-2 shown



Storage cabinet/wardrobe interior

Freestanding storage Towers | lateral drawers

General notes

- Width: 30" w, 36" w
- Depth: 25.5" d
- Heights: 69.75" h and 81.75"
- Overlay top, door and drawer fronts
- 69.75" h features two adjustable shelves, 81.75" h features three adjustable shelves

- Two hinged door(s) with touch latch
- Integrated center pull on lateral file drawers
- Unfinished back


Options

- No lock standard. Optional locking for file drawers

Storage cabinet/wardrobe with lateral



CA-3070SCL shown



Storage cabinet interior

Wallmount storage Organizer | 1H storage

General notes

- 15"d x 18.5"h
- Wallmount brackets included
- 1H cabinet and shelf supports binder storage

Flush hinged door organizer

- Flush hinged doors
- Widths: 30"w-108"w in 6" increments
- Bottom of cabinet is flush mounted to bottom of doors; no visible fasteners
- Optional back painted glass doors

Overlay hinged door organizer

- Overlay hinged doors
- Widths: 30"w-108"w in 6" increments
- Bottom of cabinet is flush mounted to bottom of doors; no visible fasteners

Open shelf organizer

- Widths: 30"w-72"w in 6" increments
- One cantilevered fixed shelf
- 17.3125" clearance above top shelf
- Shelf maximum weight 25 lbs per foot
- Alignment dowels required when ganging to another shelf unit. Specify ganging based on cabinet location: left (C6D), center (C6F), right (C6E), or not ganged (X9)

Flush hinged door



CA-3619HDW shown

Overlay hinged door



CA-3620HDW shown

Open shelf



CA-3619HWO shown



Wallmount storage Organizer | 1.5H storage

General notes

- Wallmount brackets included
- Door organizer cabinets are flush mounted to bottom of doors, no visible fasteners
- For organizers with shelves: alignment dowels required when ganging to another organizer. Specify ganging based on cabinet location: left (C6D), center (C6F), right (C6E), or none (X9)

Flush hinged door organizer

- 15"d x 18.5"h
- Widths: 30"w-108"w in 6" increments
- One adjustable shelf per section. Supports 1H binder storage above and paper management below
- Optional back painted glass doors

Overlay hinged door organizer

- 15.75"d x 19.5"h
- Widths: 30"w-108"w in 6" increments
- One adjustable shelf per section. Supports 1H binder storage above and paper management below

Overlay hinged door organizer with shelf

- 15.75"d x 19.5"h
- Widths: 30"w-108"w in 6" increments
- 16.5" tall overlay cabinet with 7.8125" open shelf clearance below
- Bottom of cabinet and shelf align with 1.5H wallmount open shelf organizer
- Shelf maximum weight 25 lbs per foot

Open shelf organizer

- 14.25"d x 18.5"h
- Widths: 30"w-72"w in 6" increments
- Two cantilevered fixed shelves, 7.8125" clearance between shelves. 14.3125" clearance above top shelf
- 17.3125" clearance above top shelf
- Shelf maximum weight 25 lbs per foot
- Shelves align with 1.5H wallmount organizer, and 1.5H wallmount organizer with open shelf
- **Note:** LED light option for bottom shelf only

Flush hinged door



Hinged door
CA-3625HDW shown

Overlay hinged door



Overlay hinged door
CA-3620HDW shown

Overlay hinged door with shelf



Hinged door
CA-A3626HDWO shown

Open shelf



Open shelf
CA-3625HWO shown



Wallmount storage Organizer | 2H storage

General notes

- Wallmount brackets included
- Door organizer cabinet bottoms are flush mounted to bottom of doors; no visible fasteners
- For organizers with shelves: alignment dowels required when ganging to another organizer. Specify ganging based on cabinet location: left (C6D), center (C6F), right (C6E), or none (X9)

Flush hinged door organizer

- 15"d x 30.5"h
- Widths: 30"w-108"w in 6" increments
- One adjustable shelf per section. Supports 2H binder storage
- Optional back painted glass doors

Overlay hinged door organizer

- 15.75"d x 31.5"h
- Widths: 30"w-108"w in 6" increments
- One adjustable shelf per section. Supports 2H binder storage

Overlay hinged door organizer with open shelf

- 15.75"d x 31.5"h
- Widths: 30"w-108"w in 6" increments
- One adjustable shelf per section. Supports 1H binder storage above and below
- Shelf maximum weight 25 lbs per foot

Open shelf organizer

- 14.25"d x 30.5"h
- Widths: 30"w-72"w in 6" increments
- Two cantilevered fixed shelves
- 14.3125" clearance above top shelf. 13.8125" clearance between shelves
- Shelves align with 2H wallmount organizer and 2H wallmount organizer with open shelf
- Shelf maximum weight 25 lbs per foot, per shelf

Flush hinged door



CA-3631HDW shown

Overlay hinged door



CA-A3632HDW shown

Overlay hinged door with shelf



CA-A3632HDWO shown

Open shelf



CA-3631HWO shown

Wallmount storage Organizer panels

General notes

- Widths: 30"w-108"w in 6" increments
- Use between workwall components and wallmount organizers
- Veneer, tackboard, or magnetic glassboard
- Magnetic glassboard available as back painted white (standard), or satin etch white. Use with MGT-1 rare Earth magnets
- Wall attachment brackets included
- Wall panel fits behind workwall modular cabinet top or workwall credenza

1.5H panels

- Height: 22.19"h
- Use with worksurface height casegoods and 1H wallmount for 4.5H (68.75"h) workwall

- Use with low height casegoods and 1.5H wallmount for 4.5H (68.75"h) workwall
- Use with worksurface height casegoods and 2H wallmount for 5.5H (80.75"h) workwall

2H panels

- Height: 22.19"h
- Use with worksurface height casegoods and 1H wallmount for 4.5H (68.75"h) workwall
- Use with low height casegoods and 1.5H wallmount for 4.5H (68.75"h) workwall
- Use with worksurface height casegoods and 2H wallmount for 5.5H (80.75"h) workwall

1.5H panel



Veneer panel
CA-6021WP shown



Tackboard
CA-6021FT shown



Glassboard
CA-6021GB shown

2H panel



Veneer panel
CA-6027WP shown



Tackboard
CA-6027FT shown



Glassboard
CA-6027GB shown

Wallmount panels Partial height panel | no shelf

General notes

- Widths: 18" w, 24" w, 30" w, 36" w, 54" w, 60" w, 72" w
- Depth: 1.19" d
- Use with workwall components to achieve workwall height
- Wall panel fits behind workwall modular cabinet top or workwall credenza
- Veneer only
- Wall attachment brackets included

2.5H panels

- Height: 40.69" h
- Use with worksurface height casegoods to achieve 4.5H (68.75" h) workwall

3H panels

- Height: 46.69" h
- Use with low height casegoods to achieve 4.5H (68.75" h) workwall

3.5H panels

- Height: 52.69" h
- Use with worksurface height casegoods to achieve 5.5H (80.75" h) workwall

4H panels

- Height: 58.69" h
- Use with low height casegoods to achieve 5.5H (80.75" h) workwall

2.5H panel



CA-3040WP shown

3H panel



CA-3046WP shown

3.5H panel



CA-3052WP shown

4H panel



CA-3058WP shown

Wallmount panels Partial height panel | 1H shelf

General notes

- Widths: 18"w, 24"w, 36"w, 54"w
- Depth: 14.25"d
- Veneer wall panel with cantilevered fixed shelf
- Shelf aligns with bottom of 1H wallmount organizer (18.5" from top)
- Wall attachment brackets included
- Maximum shelf weight is 25 lbs per foot
- Use with workwall components to achieve workwall height
- Wall panel fits behind workwall modular cabinet top or workwall credenza
- **Note:** Alignment dowels required when ganging to another shelf unit. Specify ganged (C6W) to receive these

Options

- Handed left or right shelf location. Shelf is inset 2" from end of wall panel

2.5H panel with 1H shelf

- Height: 40.69"h
- Use with worksurface height casegoods to achieve 4.5H (68.75"h) workwall

3H panel with 1H shelf

- Height: 46.69"h
- Use with low height casegoods to achieve 4.5H (68.75"h) workwall

2.5H panel



CA-2440LPS19 shown (left hand)

3H panel



CA-2446LPS19 shown (left hand)

Wallmount panels Partial height panel | 1.5H shelf

General notes

- Widths: 18"w, 24"w, 36"w, 54"w
- Depth: 14.25"d
- Veneer wall panel with cantilevered fixed shelf
- Shelf aligns with bottom of 1.5H wallmount organizer (24.5" from top)
- Wall attachment brackets included
- Wall panel fits behind workwall modular cabinet top or workwall credenza
- Maximum shelf weight is 25 lbs per foot
- Use with workwall components to achieve workwall height
- **Note:** Alignment dowels required when ganging to another shelf unit. Specify ganged (C6W) to receive these

Options

- Handed left or right shelf location. Shelf is inset 2" from end of wall panel
- Optional upper intermediate shelf (C6J) provides 7.8125" clearance between shelves

3H panel with 1.5H shelf

- Height: 46.69"h
- Use with low height casegoods to achieve 4.5H (68.75"h) workwall

3.5H panel with 1.5H shelf

- Height: 52.69"h
- Use with worksurface height casegoods to achieve 5.5H (80.75"h) workwall

3H panel with 1.5H shelf



CA-2446LPS25 shown (left hand)



With intermediate shelf (C6J)

3.5H panel with 1.5H shelf



CA-2452LPS25 shown (left hand)



With intermediate shelf (C6J)

Wallmount panels Partial height panel | 2H shelf

General notes

- Widths: 18"w, 24"w, 36"w, 54"w
- Depth: 14.25"d
- Veneer wall panel with cantilevered fixed shelf. Shelf aligns with bottom of 1.5H wallmount organizer (30.5" from top)
- Wall attachment brackets included
- Wall panel fits behind workwall modular cabinet top or workwall credenza
- Maximum shelf weight is 25 lbs per foot
- Use with workwall components to achieve workwall height
- **Note:** Alignment dowels required when ganging to another shelf unit. Specify ganged (C6W) to receive these

Options

- Handed left or right shelf location. Shelf is inset 2" from end of wall panel
- Upper intermediate shelf (C6J). Provides 13.8125" clearance between shelves

3.5H panel with 2H shelf

- Height: 52.69"h
- Use with worksurface height casegoods to achieve 5.H (80.75"h) workwall

4H panel with 2H shelf

- Height: 58.69"h
- Use with low height casegoods to achieve 5.5H (80.75"h) workwall

3.5H panel with 2H shelf



CA-2452LPS31 shown (left hand)



With intermediate shelf (C6J)

4H panel with 2H shelf



CA-2458LPS31 shown (left hand)



With intermediate shelf (C6J)

Wallmount panels Partial height corner panel

General notes

- 24" w x 24" d
- Use corner panel when turning a corner to stay on planning module
- Wall attachment brackets included
- Wall panel fits behind workwall modular cabinet top or workwall credenza
- Use with workwall components to achieve workwall height
- Ships KD

1.5H panel

- Height: 22.19" h
- For 4.5H (68.75") workwall, use between worksurface height casegoods and 1H wallmount
- For 5.5H (80.75") workwall, use with worksurface height casegoods and 2H wallmount

2H panel

- Height: 28.19" h
- For 5.5H (80.75") workwall, use between worksurface height casegoods and 1.5H wallmount
- For 5.5H (80.75") workwall, use with low height casegoods and 2H wallmount

2.5H panel

- Height: 40.69" h
- Use with worksurface height casegoods to achieve 4.5H (68.75") workwall

3H panel

- Height: 46.69" h
- Use with low height casegoods to achieve 4.5H (68.75") workwall

3.5H panel

- Height: 52.69" h
- Use with worksurface height casegoods to achieve 5.5H (80.75") workwall

4H panel

- Height: 58.69" h
- Use with low height casegoods to achieve 5.5H (80.75") workwall

1.5H panel



CA-242421WP

2H panel



CA-242427WP

2.5H panel



CA-242440WP

3H panel



CA-242446WP

3.5H panel



CA-242452WP

4H panel



CA-242458WP

Wallmount panels Full height panel | 4.5H workwall

General notes

- Widths: 18"w, 30"w
- Height: 68.25"h (for 68.75"h workwall)
- Depth: 1.19"d (with shelves depth is 14.25"d)
- Wall attachment brackets included
- For wall panels with shelves:
 - Full height wall panel with cantilevered fixed shelf/shelves used at the end of workwall
 - From user side: handed left or right shelf location, shelf is inset 2" from end of wall panel
 - Maximum weight per shelf is 25 lbs per foot
 - Alignment dowels required when ganging to another shelf unit (C6W)

Full panel

- Wall panel with no shelving

1H shelf

- Aligns with bottom of 1H wallmount organizer, 18.5" from the top

1.5H shelf

- Aligns with bottom of 1.5H wallmount organizer, 24.5" from the top
- Optional intermediate shelf (C6J) aligns with 1.5H wallmount organizer with shelf and provides 7.8125" clearance between shelves

Full panel



CA-1869P full panel shown with low storage, 1H wallmount

1H shelf



CA-1869LPS19 full panel shown with low storage, 1H wallmount

2H shelf



CA-1869LPS25 shown shown with low storage, 2H wallmount



Intermediate shelf (C6J)

Wallmount panels Full height panel | 5.5H workwall

General notes

- Widths: 18"w, 30"w
- Height: 80.25"h (for 80.75"h workwall)
- Depth: 1.19"d (with shelves depth is 14.25"d)
- Wall attachment brackets included
- For wall panels with shelves:
 - Full height wall panel with cantilevered fixed shelf/shelves used at the end of workwall
 - From user side: handed left or right shelf location, shelf is inset 2" from end of wall panel
 - Maximum weight per shelf is 25 lbs per foot
 - Alignment dowels required when ganging to another shelf unit (C6W)

Full panel

- Wall panel with no shelving

1.5H shelf

- Aligns with bottom of 1.5H wallmount organizer, 24.5" from the top
- Optional intermediate shelf (C6J) aligns with 1.5H wallmount organizer with shelf and provides 7.8125" clearance between shelves

2H shelf

- Aligns with bottom of 2H wallmount organizer, 30.5" from the top
- Optional intermediate shelf (C6J) aligns with 1.5H wallmount organizer with shelf and provides 13.8125" clearance between shelves

Full panel



CA-1881P shown with worksurface storage, 2H wallmount

1.5H shelf



CA-1881LPS25 shown with worksurface storage, 1.5H wallmount



Intermediate shelf (C6J)

2H shelf



CA-1881LPS31 shown with worksurface storage, 2H wallmount



Intermediate shelf (C6J)

Modular Overlay runoff desk | post base | panel base

General notes

- Widths: 30x60, 30x66, 30x72, 36x72, 36x78, 36x84
- Height: 30.5"h (overlay height)
- Use with worksurface height (29.5") storage and supports

Options

- Optional grommet centered along surface depth, opposite support base
- **Note:** If grommet is specified in overlay runoff desk, then an additional grommet will need to be field installed in worksurface height top

Post base

- Post base with aluminum trim detail
- Rectangular or arc end top
- Ships knocked down
- Non handed

Panel base

- Rectangular top
- Mitered top with end panel base
- Panel base on users left or right

Post base



Rectangular top
CA-A7230WB shown



Arc top
CA-A7230WAB shown

Panel base



CA-A7230WL shown (left hand)

Optional grommet



Right hand shown

Modular Overlay runoff desk | pedestal

General notes

- Widths: 30x60, 30x66, 30x72, 36x72, 36x78, 36x84
- Height: 30.5"h (overlay height)
- Use with worksurface height (29.5") storage and supports
- Pedestal handed left or right

Options

- Optional grommet centered along surface depth, opposite support base
- **Note:** If grommet is specified in overlay runoff desk, then an additional grommet will need to be field installed in worksurface height top
- No lock standard. Optional locking

12"w pedestal

- Pedestal features full drawer front with hidden box drawers
- Integrated side pull
- Pedestal interior available as box/box/file (C5A) as standard. Optional tech drawer/box/file (C5C) interior

15"w pedestal

- Pedestal features top drawer front with hidden box drawers
- Integrated center pull
- Pedestal interior available as box/box/file (C5A) or file/file (C5B) as standard. Optional tech drawer/box/file (C5C) interior

12"w pedestal



CA-A7230WLP-1 shown (left hand)

15"w pedestal



CA-A7230WLP-2 shown (left hand)

Optional grommet



Right hand shown

Modular Tech spacer

General notes

- Width: 14.75" w
- Depths:
 - 26.75" d (for 30" d worksurfaces)
 - 32.75" d (for 36" d worksurfaces)
- Height: 6" h
- Handed left or right from user side


- Tech spacer (C5N) used between runoff desks, and 1.5 low height credenzas without overlay. Credenzas can be built up, or modular components

Options


- Optional tech drawer (C5P) with integrated side pull. Supports charging of devices 9.375" x 12.75"



CA-30TDSL shown



C5N tech spacer



C5P tech drawer

Modular Overlay console runoff desk

General notes

- Widths: 30x78, 30x84, 30x90, 36x78, 36x84, 36x90
- Height: 7.25" h (30.5" total height with supports)
- Use to bridge worksurface height tops to low height console without overlay
- **Note:** Must be used with low height console under tech spacer side
- Tech spacer (C5N) handed left or right

Options

- Optional tech drawer (C5P) with integrated side pull. Supports charging of devices 9.375" x 12.75"
- Grommets available right, left, or right and left
- **Note:** If grommet is specified in overlay runoff desk, then an additional grommet will need to be field installed in worksurface height top



CA-A7830RWSL shown



Optional grommets (left and right locations shown)

Modular Cabinet top

General notes

- Height: 1.19" h
- Long or short grain direction
- **Note:** For surfaces with wire drop, wall panels recess below cabinet top

Full depth

- Widths: 30"-108" w in 6" increments
- Depth: 24" d
- Optional grommets in any combination of left, right, and center locations
- **Note:** Not for use with wall panels

Wire drop, back

- Widths: 18"-108" w in 6" increments
- Depth: 21.31" d
- Includes pencil edge and 1.375" wire drop at surface back
- **Note:** Use with wall panels along back only

Wire drop, end

- Widths: 27.31"-105.31" w in 6" increments
- Depth: 24" d
- Handed left or right
- Includes pencil edge and 1.375" wire drop at surface end
- **Note:** Use with wall panels along the end only

Wire drop, back and end

- Widths: 27.31"-105.31" w in 6" increments
- Depth: 21.31" d
- Handed left or right
- Includes pencil edge and 1.375" wire drop at surface back and end
- **Note:** Use with wall panels along back and end

Full depth




CA-6024MCT shown (long grain)

Optional grommets



Left, right, and center locations shown

Workwall detail



Wall panel recess behind surface

Wire drop, back



CA-B6021MCTB shown (long grain)

Wire drop, end



CA-B5724MCTR shown (long grain)

Wire drop, back and end



CA-B5721MCTBR shown (long grain)

Modular Low height pedestal | drawer | top pull

General notes

- 24.75"d x 23.25"h
- Low height pedestal, 1.5H
- Integrated top pull. Top pull features full drawer front with hidden box drawers
- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- No lock standard. Optional locking

Box/File

- Width: 18"w
- Box/file (C5Z) interior standard. Optional: tech drawer/file (C4Z), trash pullout, left side (C5D), trash pullout, right side (C5DR), tech cabinet, left side (C5E), tech cabinet, right side (C5ER)

Corner take-off pedestal

- Width: 18"w
- 15"w pedestal handed left or right
- 3" corner filler allows clearance for drawer fronts
- Box/file (C5Z) standard. Optional tech drawer/file (C4Z)

Corner dock

- Width: 42"w
- 15"w pedestal handed left or right
- Connects to low height modular corner take-off or low height overlay credenza at corner
- Box/file (C5Z) standard. Optional tech drawer/file (C4Z)

Box/file



CA-1824MCL-1 shown

Corner take-off




CA-1824RMCL-1 shown


Corner dock




CA-4224RMCDPL-1 shown



Box/file interior (C5Z)
Tech drawer/file interior (C4Z)



Trash interior, left (C5D)



Tech cabinet interior, left (C5E)

Modular Low height pedestal | drawer | center pull

General notes

- 24.75" d x 23.25" h
- Low height pedestal, 1.5H
- Integrated center pull
- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- Box/file (C5Z) interior standard. Optional tech drawer/file pedestal (C4Z)
- No lock standard. Optional locking

Box/file

- Width: 18" w

Corner take-off pedestal

- Width: 18" w
- 15" w pedestal handed left or right
- 3" corner filler allows clearance for drawer fronts when placed next to perpendicular storage

Corner dock

- Width: 42" w
- 15" w pedestal handed left or right
- Connects to low height modular corner take-off or low height overlay credenza at corner

Box/file



Box/file
CA-1824MCL-2 shown

Corner take-off




Corner take-off pedestal
CA-1824RMCP-2 shown

Corner dock



Corner dock
CA-4224RMCDPL-2 shown

Pedestal interior options



Box/file interior (C5Z)
Tech drawer/file interior (C4Z)

Modular Low height pedestal | cabinet

General notes

- Low height pedestal, 1.5H
- 23.25”h x 24.75”d
- Widths: 18”w, 30”w, or 36”w
- 18”w features single door, hinged left or right
- 30”w and 36”w features double door
- Integrated top pull
- One adjustable shelf

- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- No lock standard. Optional locking



Single door
CA-1824RMDCL-1 shown



Double door
CA-3024MDCL-1 shown

Modular Worksurface height pedestal | drawer | top pull

General notes

- 29.25" h x 24.75" d
- Worksurface height pedestal, 2H
- Integrated top pull. Top pull features full drawer front with hidden box/box/file drawers
- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- No lock standard. Optional locking

Box/box/file

- Width: 18" w
- Box/box/file (C5A) interior standard. Optional: tech drawer/box/file (C5C), trash pullout, left side (C5D), trash pullout, right side (C5DR), tech cabinet, left side (C5E), tech cabinet, right side (C5ER)

Corner take-off pedestal

- Width: 18" w
- 15" w pedestal handed left or right
- 3" corner filler allows clearance for drawer fronts
- Box/box/file (C5A) standard. Optional tech drawer/box/file (C5C)

Corner dock

- Width: 42" w
- 15" w pedestal handed left or right
- Connects to low height modular corner take-off or low height overlay credenza at corner
- Box/box/file (C5A) standard. Optional tech drawer/box/file (C5C)

Box/file



CA-1824MC-1 shown

Corner take off




CA-1824RMCP-1 shown

Corner dock




CA-4224RMCDPR-1 shown


Pedestal interior options



Box/box/file interior (C5A)
Tech drawer/box/file interior (C5C)



Trash interior, left (C5D)



Tech cabinet interior, left (C5E)

Modular Worksurface height pedestal | drawer | center pull

General notes

- 24.75"d x 29.25"h
- Worksurface height pedestal, 2H
- Integrated center pull
- Top file drawer front features hidden box drawers
- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- Box/box/file (C5A) or file/file (C5B) interior standard. Optional tech drawer/box/file pedestal (C5C)
- No lock standard. Optional locking

Box/box/File

- Width: 18"w

Corner take-off pedestal

- Width: 18"w
- 15"w pedestal handed left or right
- 3" corner filler allows clearance for drawer fronts when placed next to perpendicular storage

Corner dock

- Width: 42"w
- 15"w pedestal handed left or right
- Connects to desk height modular corner take-off, or desk height overlay credenza, at corner

Box/file



CA-1824MC-2 shown

Corner take off




CA-1824MCPR-2 shown

Corner dock




CA-4224RMCDPR-2 shown

Pedestal interior options



Box/box/file interior (C5A)
Tech drawer/box/file interior (C5C)



File/file interior (C5B)

Modular Desk height pedestal | cabinet

General notes

- Desk height pedestal, 2H
- 29.25”h x 24.75”d
- Widths: 18”w, 30”w, or 36”w
- 18”w features single door, hinged left or right
- 30”w and 36”w feature double door
- Integrated top pull

- One adjustable shelf
- Unfinished back
- Specify modular cabinet top separately
- **Note:** Not a freestanding unit

Options

- No lock, optional locking

Single door



CA-1824RMDC-1 shown

Double door



CA-3024MDC-1 shown

Modular Lateral files

General notes

- Widths: 30" w or 36" w
- Heights: 29.25" h, 42.97" h, 56.75" h
- Depth: 24.75" d
- Integrated center pull
- Specify **full depth modular cabinet top** separately
- **Note:** When placing multiple lateral files next to each, specify cabinet top to span entire width

Options

- Unfinished back (LW) standard. Optional finished back (LX)
- No lock standard. Optional locking



2 Drawer
CA-3024MFC-2 shown



3 Drawer
CA-3043MLF3-2 shown



4 Drawer
CA-3057MLF4-2 shown

Modular Kneespace support

General notes

- Height: 28.06”h
- Used with desk height surfaces and storage
- Hinged door(s) support with wall access
- Unfinished back
- Specify **modular cabinet top** separately
- **Note:** Maximum unsupported worksurface span is 48”w

Panel

- Widths: 18”w, 30”w, 36”w, 42”w, 48”w, 54”w, 60”w, 66”w, 72”w
- One to four hinged doors. 54”w and larger include center support cantilever

Corner

- Widths: 18”w or 24”w
- 18”w is handed left or right
- Use with modular kneespace panels to turn corner

End panel

- Widths: 18”w, 24”w, 30”w, or 36”w
- Depth: 24”d
- 18”w and 24”w feature one hinged door
- 30”w and 36”w feature two hinged doors
- Finished end panel is handed left or right
- Use with modular kneespace panels to create an end of run

Panel



Single door
CA-1828MK shown



Double door
CA-3028MK shown



Double door
CA-4228MK shown



Double door
CA-6028MK shown

Corner



18”w corner
CA-182428CMKR shown



24”w corner
CA-242428CMK

End panel



Double door
CA-1824MKRE shown




Double door
CA-3024MKRE shown

Modular Corner cabinet support


- Height: 28.06”h
- Widths: 66”w and 72”w
- Depth: 24”d
- Used with desk height surfaces and storage
- Specify **modular cabinet top** separately
- Tech cabinet pullout (C5E) standard. Optional trash pullout (C5D)
- Pullout cabinet is handed left or right
- Wall access ends bored for wire pass through
- Unfinished back



CA-6624MCCR shown



Tech cabinet interior standard (C5E)



Trash pull out interior (C5D)

Lighting

Ella

- 19" or 26" tall
- Surface mount, table mount, or surface mount w/ USB. **Note:** Surface mount requires a 3.5" diameter hole and mounts to a surface that is .935" to 1.185" thick
- Frosted acrylic diffuser
- Powder coated aluminum/steel
- Brightness dimming
- 11' cord
- Automatic shutoff after 10 hours
- Optional 2-amp USB-A charging ports (surface mount only)

Tilly

- 6" diameter table top base or clamp mount. **Note:** Clamps to worksurfaces 0.5"-1.25" thick
- Single or double arm
- Powder coated aluminum
- Brightness dimming
- 3' silver cord and 9' black 18 WATT wall transformer
- Automatic shutoff after 10 hours
- Optional USB

JoJo

- Pendant lamp
- Powder coated aluminum shade
- Opal glass diffuser
- 10' cord, hardwired
- Full range dimming with wireless control

Ella



Tilly



JoJo



Power supplies

Max

- Free place power to any surface
- Solid ash housing, four cord finishes
- 10' woven cord with leather strap. 45° grounded flat plug for flush wall mounting
- 15Amp 125Volt 1875Watt
- Three grounded power outlets
- Desktop, wall, or vertical mount

Mya

- Free place power to any surface
- Solid ash housing, four cord finishes
- Powder coated steel base
- 10' woven cord with leather strap. 45° grounded flat plug for flush wall mounting
- 15Amp 125Volt 1875Watt
- Three grounded power outlets

Misc power

- PS-77: (6) outlet surge protector, 10' power cord
- PS-100: (1) Outlet, (1) USB-A charging port, (1) USB-C charging port, 9' braided power cord
- WC-2: Wireless charging, single or multi unit, field installed

Max



Power strip
PS-3AC

Mya



Power strip with base
PS-3ACS

Misc power



Undersurface
PS-77



Set on power
PS-100



Set on power
WC-2

Work accessories

Coop

- 13.5" w x 9.5" d x 7.5" h
- Powder coated aluminum
- Solid white oak handle
- Divided storage compartments

Skid

- 3.5" w x 8.5" d x 3" h
- Powder coated steel base and pencil cup
- Integrated solid white oak tray

Prio

- Nesting storage vessels. 3 piece set in two finish palettes: Neutral and Earth
- 2.5" w x 2.5" d
- Heights: 3", 4.13" and 5.25" h all included
- Powder coated aluminum and thermoplastic
- Removable rubber bottoms for water resistance and easy cleaning

Porter

- Formed aluminum planter
- Width: 15"
- Heights: 17" h, 25" h, and 35" h
- Depths: 15" d and 30" d
- Height adjustable inner-tray accepts standard liners
- Ships flat packed
- No tools necessary for assembly
- Plastic liner included

Duke

- 1.75" w x 1.5" d x 3.25" h
- Solid ash
- Metal stud and plastic wall anchor for mounting

Coop



LCA-DC1

Skid



LCA-DT01

Prio



LCA-NSV1
Earth shown

Porter



LCA-PL15_____

Duke



LCA-WH1