



Amtico Active Lines Collection

Mannington
COMMERCIAL



Cover: Shift - Zoom ALS301, Shift - Zoom Green ALS305, Shift - Zoom Blue ALS303
Above: Bend - Pop ALB401, Bend - Pop Red ALB404





Grid - Flash ALG101, Grid - Flash Teal ALG102
Edge Effects® (Wall Base) - Flair Pearl 137



Forge New Paths

Inspired by dynamic paths of travel, Active Lines helps you bring a sense of flow to busy spaces with an easy-to-customize flooring solution. Create inspiring, purposeful designs with a flexible interplay of grids and linear patterns, layered in neutral tones and customizable digitally printed accent colors.

As part of the Amtico Collection, Active Lines also offers unique layout options for striking shapes and pattern play. To explore the potential of this made-in-the-USA solution for your spaces, visit our design tools online.

...

Features

- 4 Styles
- 2 Sizes
- 40 mil Wear Layer
- 4 Neutral Base Colors
- 6 Optional Accent Colors
- 112 Style and Color Combinations
- Custom Digitally Printed Accent Colors Available
- Carbon Offset 105% (Cradle to Gate (A1-A3); 5072kg CO₂e/yd²)
- Limited 25-Year Commercial Warranties
- Quantum Guard Elite® Technology
- Made in the USA


Ready. Set. Go.

The Active Lines Collection helps you create the right floor for your space in three easy steps.

- Step 01:** Pick a style and size
- Step 02:** Pick a neutral base color
- Step 03:** Pick an accent color (optional)

Active Lines makes it simple to customize your flooring, delivering design flexibility with 112 possible combinations of styles, base colors and accent colors, all of which can be mixed or used independently for a completely tailored floor. Because the accent colors are digitally printed, you can also create a fully custom accent color that perfectly matches a

project's branding or palette. Best of all, your unique design will remain stunning even under heavy traffic, as Active Lines is engineered for maximum durability and ease of cleaning thanks to Quantum Guard Elite® and a 40 mil wear layer.



Create Your Design Now

Head to our website to play with the style and color choices in Active Lines, as well as its unique layout options. Our Visualizer enables you to upload an image of your space and try out all the design possibilities, helping you quickly craft your solution.




View Active Lines Online





Crisscross - Zoom ALC301, **Grid** - Zing ALG201, **Shift** - Zing Blue ALS203 in Polygon Key Laying Pattern.
Grid - Zing ALG201; **Edge Effects®** (Wall Base) - Lunar Jackaloupe 190

Crafted to Coordinate



- 1. Active Lines, Shift, Zoom Blue
- 2. Teles, Dew Drop
- 3. Swell, Colorcast, Port
- 4. Active Lines, Bend, Zoom Charcoal
- 5. No Reservations Xpress, Abstract, Vivacious
- 6. Googie, Multiplexer, Cycloplane
- 7. Active Lines, Crisscross, Pop Blue



1. Self Assembly, Stockinette, Rib
2. Active Lines, Bend, Flash Green
3. Active Lines, Bend Flash
4. The Divergent Collection, Estuary, Meadowlark
5. BioSpec Armor, Frostwork
6. Active Lines, Grid, Zing
7. Active Lines, Crisscross, Flash Green


Signature Laying Patterns

Explore our extended range of exclusive laying patterns, crafted to reflect the refined beauty of our Amtico Signature products. With more than 25 Signature Layouts to choose from, you can personalize them with your own choice of colors. You can also use our Visualizer Tool to easily craft your own designs.



Polygon Key Signature Layout

Confident, dramatic and memorable, the large-scale polygon and key tiles in this pattern make for strong, impressive spaces.



Pattern Code:

Polygon Key AR0D8501.3

Created with:

- A. Crisscross, Zoom ALC301
- B. Grid, Zing ALG201
- C. Shift, Zing Blue ALS203



View Signature Laying
Patterns Online



Design Solutions


Whether you're looking for design support from the start of a project or in the final phase, Mannington's Design Solutions team can help. Our team of designers is here to support you, our customers, through every step of the design process, from concept to installation.

Your Vision Realized

Our team of designers with diverse backgrounds in interior design, graphic design and textile design will work with you to provide solutions, knowledge and options to simplify the design process and bring your vision to life.

Deliverables

- > Product Palettes
- > 2D and 3D Renderings
- > Composites
- > Configurations
- > Finished Plans
- > Rendered Floor Plan
- > Estimates
- > Installation Diagrams
- > Revit Files
- > Construction Documents





Edge Effects Wallbase Collection

An architectural accent, creating the elegant effect of a milled wood base without the expensive installation, indentations, scuffs, and abrasions. Requires no nailing, priming, or painting. Co-extruded thermoplastic rubber (type tp) engineered for flexible application to walls, corners, and columns.

36 Accord Colors

Plus 401 White, 137 Pearl, 157 Nougat, and 168 Bluish White

17 Styles

In a smooth, matte finish for a flawless look in any room.

7 Profile Heights

Style-dependent, in four thicknesses.

Sustainability

- > FloorScore
- > mindful MATERIALS
- > HPD

Warranty

- > Limited 5-Year Commercial



Cetera EECET



Illusion EEILL



Etched EEETC

All styles are viewable online.



View Edge Effects Online



QUANTUM GUARD®
elite


Success Is in Our Science

Introducing an advancement in our proven Quantum Guard technology: Quantum Guard Elite. This patent pending technology provides the ultimate solution for all aspects of LVT performance.


- Highest scratch resistance in the industry
- Engineered for best-in-class dimensional stability
- Superior impact resistance
- Cuts cleanly for highest quality installation
- Easy no-polish maintenance significantly reduces overall life cycle cost and total cost of ownership
- Advanced stain resistance

Outperforms in Scratch Resistance

Quantum Guard Elite




Leading Competitor



With a patent-pending two-part wear layer and aluminum oxide infused top coat, Quantum Guard Elite offers superior scratch resistance vs. the leading competitor.


Complete Multi-Layered Protection

Quantum Guard Elite combines a hard wear layer and a flexible wear layer for superior durability with the added protection of our proprietary aluminum oxide technology.




Best-in-Class Dimensional Stability

Quantum Guard Elite



Leading Competitor



LVT with Quantum Guard Elite is fully engineered to offer the perfect balance of hardness and flexibility, which helps prevent product failures in commercial environments. Products exposed to 80 °C for six hours.

Warranted to Work

Products with Quantum Guard Elite feature our Limited Quantum Guard Elite Wear Warranty and Limited Commercial Warranty.

Beautifully Made in North America

Crafted by the Industry Leader in LVT

At Mannington Commercial, we manufacture the vast majority of our LVT right here in North America, including Active Lines. By controlling the process from start to finish, from design to material sourcing to delivery, we are able to bring you hard surface flooring products that are optimized to fit your needs.

Better Quality, Better Service

- Product is holistically designed and engineered from the ground up
- Superior quality control in manufacturing
- More innovative visuals and unique patterns with Signature Layouts
- Low custom minimums
- Shorter lead times for a perfectly customized floor, fast

Big Picture Benefits

- High-quality manufacturing jobs that sustain American communities
- Drastically reduced carbon footprint of domestic vs. international transport
- Adherence to practices ensuring workers' safety and environmental preservation
- Dedication to leading the industry in responsible, high-quality manufacturing





Custom Color Options

In addition to the quality and logistical benefits of domestic manufacturing, Active Lines also delivers greater design flexibility, thanks to our innovative digital print technology. We can digitally print accent colors in any hue to match your desired aesthetic. With digital printing, you can explore more dynamic color options and incredibly robust customization possibilities.

View the Customization page to choose the perfect custom accent color for your Active Lines floor, with a low 500-square-foot minimum.



**Active Lines
Custom Color**

Amtico Active Lines Collection | Availability

Style Name	Color Name	Color Code	Price Point	Surface Finish - Ceramic	Quantum Guard Elite®	18" x 18" (457 x 457 mm)	6" x 36" (152 x 915 mm)	Stripping Options	Amtico Custom Design	Amtico & Choice Laying Patterns	Borders & Motifs
BEND											
Bend	Flash	ALB101	S	•	•	•	•	•	•	•	•
Bend	Zing	ALB201	S	•	•	•	•	•	•	•	•
Bend	Zoom	ALB301	S	•	•	•	•	•	•	•	•
Bend	Pop	ALB401	S	•	•	•	•	•	•	•	•
Bend	Flash Teal	ALB102	S	•	•	•	•	•	•	•	•
Bend	Flash Blue	ALB103	S	•	•	•	•	•	•	•	•
Bend	Flash Red	ALB104	S	•	•	•	•	•	•	•	•
Bend	Flash Green	ALB105	S	•	•	•	•	•	•	•	•
Bend	Flash Purple	ALB106	S	•	•	•	•	•	•	•	•
Bend	Flash Charcoal	ALB107	S	•	•	•	•	•	•	•	•
Bend	Zing Teal	ALB202	S	•	•	•	•	•	•	•	•
Bend	Zing Blue	ALB203	S	•	•	•	•	•	•	•	•
Bend	Zing Red	ALB204	S	•	•	•	•	•	•	•	•
Bend	Zing Green	ALB205	S	•	•	•	•	•	•	•	•
Bend	Zing Purple	ALB206	S	•	•	•	•	•	•	•	•
Bend	Zing Charcoal	ALB207	S	•	•	•	•	•	•	•	•
Bend	Zoom Teal	ALB302	S	•	•	•	•	•	•	•	•
Bend	Zoom Blue	ALB303	S	•	•	•	•	•	•	•	•
Bend	Zoom Red	ALB304	S	•	•	•	•	•	•	•	•
Bend	Zoom Green	ALB305	S	•	•	•	•	•	•	•	•
Bend	Zoom Purple	ALB306	S	•	•	•	•	•	•	•	•
Bend	Zoom Charcoal	ALB307	S	•	•	•	•	•	•	•	•
Bend	Pop Teal	ALB402	S	•	•	•	•	•	•	•	•
Bend	Pop Blue	ALB403	S	•	•	•	•	•	•	•	•
Bend	Pop Red	ALB404	S	•	•	•	•	•	•	•	•
Bend	Pop Green	ALB405	S	•	•	•	•	•	•	•	•
Bend	Pop Purple	ALB406	S	•	•	•	•	•	•	•	•
Bend	Pop Charcoal	ALB407	S	•	•	•	•	•	•	•	•
CRISSCROSS											
Crisscross	Flash	ALC101	S	•	•	•	•	•	•	•	•
Crisscross	Zing	ALC201	S	•	•	•	•	•	•	•	•
Crisscross	Zoom	ALC301	S	•	•	•	•	•	•	•	•
Crisscross	Pop	ALC401	S	•	•	•	•	•	•	•	•
Crisscross	Flash Teal	ALC102	S	•	•	•	•	•	•	•	•
Crisscross	Flash Blue	ALC103	S	•	•	•	•	•	•	•	•
Crisscross	Flash Red	ALC104	S	•	•	•	•	•	•	•	•
Crisscross	Flash Green	ALC105	S	•	•	•	•	•	•	•	•
Crisscross	Flash Purple	ALC106	S	•	•	•	•	•	•	•	•
Crisscross	Flash Charcoal	ALC107	S	•	•	•	•	•	•	•	•
Crisscross	Zing Teal	ALC202	S	•	•	•	•	•	•	•	•
Crisscross	Zing Blue	ALC203	S	•	•	•	•	•	•	•	•
Crisscross	Zing Red	ALC204	S	•	•	•	•	•	•	•	•
Crisscross	Zing Green	ALC205	S	•	•	•	•	•	•	•	•
Crisscross	Zing Purple	ALC206	S	•	•	•	•	•	•	•	•
Crisscross	Zing Charcoal	ALC207	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Teal	ALC302	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Blue	ALC303	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Red	ALC304	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Green	ALC305	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Purple	ALC306	S	•	•	•	•	•	•	•	•
Crisscross	Zoom Charcoal	ALC307	S	•	•	•	•	•	•	•	•
Crisscross	Pop Teal	ALC402	S	•	•	•	•	•	•	•	•
Crisscross	Pop Blue	ALC403	S	•	•	•	•	•	•	•	•
Crisscross	Pop Red	ALC404	S	•	•	•	•	•	•	•	•
Crisscross	Pop Green	ALC405	S	•	•	•	•	•	•	•	•
Crisscross	Pop Purple	ALC406	S	•	•	•	•	•	•	•	•
Crisscross	Pop Charcoal	ALC407	S	•	•	•	•	•	•	•	•

Price Point Guide: S - Standard and Standard Xtra

Amtico Active Lines Collection | Availability

Style Name	Color Name	Color Code	Price Point	Surface Finish - Ceramic	Quantum Guard Elite®	18" x 18" (457 x 457 mm)	6" x 36" (152 x 915 mm)	Stripping Options	Amtico Custom Design	Amtico & Choice Laying Patterns	Borders & Motifs
GRID											
Grid	Flash	ALG101	S	*	*	*	*	*	*	*	*
Grid	Zing	ALG201	S	*	*	*	*	*	*	*	*
Grid	Zoom	ALG301	S	*	*	*	*	*	*	*	*
Grid	Pop	ALG401	S	*	*	*	*	*	*	*	*
Grid	Flash Teal	ALG 102	S	*	*	*	*	*	*	*	*
Grid	Flash Blue	ALG103	S	*	*	*	*	*	*	*	*
Grid	Flash Red	ALG104	S	*	*	*	*	*	*	*	*
Grid	Flash Green	ALG105	S	*	*	*	*	*	*	*	*
Grid	Flash Purple	ALG106	S	*	*	*	*	*	*	*	*
Grid	Flash Charcoal	ALG107	S	*	*	*	*	*	*	*	*
Grid	Zing Teal	ALG202	S	*	*	*	*	*	*	*	*
Grid	Zing Blue	ALG203	S	*	*	*	*	*	*	*	*
Grid	Zing Red	ALG204	S	*	*	*	*	*	*	*	*
Grid	Zing Green	ALG205	S	*	*	*	*	*	*	*	*
Grid	Zing Purple	ALG206	S	*	*	*	*	*	*	*	*
Grid	Zing Charcoal	ALG207	S	*	*	*	*	*	*	*	*
Grid	Zoom Teal	ALG302	S	*	*	*	*	*	*	*	*
Grid	Zoom Blue	ALG303	S	*	*	*	*	*	*	*	*
Grid	Zoom Red	ALG304	S	*	*	*	*	*	*	*	*
Grid	Zoom Green	ALG305	S	*	*	*	*	*	*	*	*
Grid	Zoom Purple	ALG306	S	*	*	*	*	*	*	*	*
Grid	Zoom Charcoal	ALG307	S	*	*	*	*	*	*	*	*
Grid	Pop Teal	ALG402	S	*	*	*	*	*	*	*	*
Grid	Pop Blue	ALG403	S	*	*	*	*	*	*	*	*
Grid	Pop Red	ALG404	S	*	*	*	*	*	*	*	*
Grid	Pop Green	ALG405	S	*	*	*	*	*	*	*	*
Grid	Pop Purple	ALG406	S	*	*	*	*	*	*	*	*
Grid	Pop Charcoal	ALG407	S	*	*	*	*	*	*	*	*
SHIFT											
Shift	Flash	ALS101	S	*	*	*	*	*	*	*	*
Shift	Zing	ALS201	S	*	*	*	*	*	*	*	*
Shift	Zoom	ALS301	S	*	*	*	*	*	*	*	*
Shift	Pop	ALS401	S	*	*	*	*	*	*	*	*
Shift	Flash Teal	ALS102	S	*	*	*	*	*	*	*	*
Shift	Flash Blue	ALS103	S	*	*	*	*	*	*	*	*
Shift	Flash Red	ALS104	S	*	*	*	*	*	*	*	*
Shift	Flash Green	ALS105	S	*	*	*	*	*	*	*	*
Shift	Flash Purple	ALS106	S	*	*	*	*	*	*	*	*
Shift	Flash Charcoal	ALS107	S	*	*	*	*	*	*	*	*
Shift	Zing Teal	ALS202	S	*	*	*	*	*	*	*	*
Shift	Zing Blue	ALS203	S	*	*	*	*	*	*	*	*
Shift	Zing Red	ALS204	S	*	*	*	*	*	*	*	*
Shift	Zing Green	ALS205	S	*	*	*	*	*	*	*	*
Shift	Zing Purple	ALS206	S	*	*	*	*	*	*	*	*
Shift	Zing Charcoal	ALS207	S	*	*	*	*	*	*	*	*
Shift	Zoom Teal	ALS302	S	*	*	*	*	*	*	*	*
Shift	Zoom Blue	ALS303	S	*	*	*	*	*	*	*	*
Shift	Zoom Red	ALS304	S	*	*	*	*	*	*	*	*
Shift	Zoom Green	ALS305	S	*	*	*	*	*	*	*	*
Shift	Zoom Purple	ALS306	S	*	*	*	*	*	*	*	*
Shift	Zoom Charcoal	ALS307	S	*	*	*	*	*	*	*	*
Shift	Pop Teal	ALS402	S	*	*	*	*	*	*	*	*
Shift	Pop Blue	ALS403	S	*	*	*	*	*	*	*	*
Shift	Pop Red	ALS404	S	*	*	*	*	*	*	*	*
Shift	Pop Green	ALS405	S	*	*	*	*	*	*	*	*
Shift	Pop Purple	ALS406	S	*	*	*	*	*	*	*	*
Shift	Pop Charcoal	ALS407	S	*	*	*	*	*	*	*	*

Price Point Guide: S - Standard and Standard Xtra

Defeat Damp Spaces

Your job just got easier. With our comprehensive moisture solutions for LVT, you can defeat the most extreme high moisture conditions.

Best Solutions for:
Any Slab Condition
NO Moisture Testing Required – NO RH limit, NO Testing*

Adhesive
Amtico RP-18
* Conditions No hydrostatic pressure No standing water or visible water stains Slab is at least 45 days old

Best Solutions for:
Slabs with Intact Vapor Barrier (Class B or better)
Quick pH Testing Required**

Adhesive	pH
Amtico Pressure Sensitive.....	12
Amtico RP-18.....	None
QuickStix® with Moisture Resistant Primer**	12

**** Conditions**
Intact Class B or better vapor barrier | No hydrostatic pressure | No standing water or visible water stains | Slab is at least 45 days old

Best Solutions for:
Unknown Slab Conditions
Moisture Testing Required

Adhesive	RH%	MVER	pH
Amtico Pressure Sensitive.....	95.....	10	12
Amtico 373	90	8	10
Amtico RP-18.....	None	None	None
XpressStep® LVT & Sheet.....	98	10	12
QuickStix® with Premium Universal Primer (with IVB).....	99	18.....	12
QuickStix® with Premium Universal Primer (No IVB).....	95.....	10	12

IVB = Intact Vapor Barrier

Active Lines Collection

Style	Bend, Crisscross, Grid, Shift
Construction	Luxury Vinyl Tile Non-ortho Phthalate
Classification	ASTM F1700 Class III, Type B
Total Thickness	0.098" (2.5 mm)
Wear Layer Thickness	40 mil (1 mm)
Wear Layer	Quantum Guard Elite®
Edge Treatment	Micro-bevel or Unbeveled
Sizes	6" x 36" (152 x 915 mm), 18" x 18" (457 x 457 mm)
Colors	112
Packaging Adhesive	6" x 36" - 30 pcs, 45 ft ² (4.181 m ²), 30.06 lbs (13.63 kg) 18" x 18" - 20 pcs, 45 ft ² (4.181 m ²), 33.3 lbs (15.1 kg) Packaging may differ for QuickStix® Porous & Non-porous Substrates: V-88 Full Spread MoistureLoc Full Spread, One Component V-95 Full Spread, 2-Part Epoxy XpressStep for LVT & Sheet Vinyl Full Coverage Spray
QuickStix®	Note: Must use V-95, MoistureLoc, or XpressStep adhesive under hospital beds and heavy rolling load areas. In more abusive conditions such as areas subject to dragging force, direct sunlight or where topical moisture would be a concern, only V-95 or MoistureLoc should be used.
Installation Method	Available with QuickStix® pre-applied adhesive, reducing time and labor required to install the flooring. QuickStix® floors can be used immediately after installation, even in extreme moisture areas. All arrows in the same direction. Planks should have end joints offset by at least 6" and staggered to create a random appearance.
Testing	
HUD/FHA	Passes
Flexibility (ASTM F137)	Passes - 1" Mandrel - No Crack/Break
Dimensional Stability (ASTM F2199)	Passes - Max 0.020 in/in ft
Squareness (ASTM F2055)	Passes - Max 0.010"
Static Load (ASTM F970 mod.)	Passes - 2,000 PSI; Residual Indent ≤ 0.005"
Residual Indentation (ASTM F1914)	Passes - ≤ 8% Avg / 10% Single Value
Flooring Radiant Panel (ASTM E648)	Passes - Class 1; ≥ 0.45 watts/cm ²
Smoke Density (ASTM E662)	Passes - ≤ 450
Slip Resistance (ASTM C1028)	Passes - ≥ 0.5 Leather; 0.6 Rubber
Resistance to Light (ASTM F1515)	Passes
Chemical Resistance (ASTM F925)	Passes
Resistance to Heat (ASTM F1514)	Passes
Environmental Data	
Rapidly Renewable Content	Contains 2% rapidly renewable resource content
Indoor Air Quality	FloorScore Certified; CDPH v1.2-2017
Product Declarations	Third Party Verified EPD, HPD
Carbon Offset LEED	105% Cradle to Gate (A1 - A3), visit website for more information May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials Building Product Disclosure & Optimization - Material Ingredients; IEQc2 - Low Emitting Materials Visit mindfulmaterials.com for current transparency information
mindful MATERIALS Manufacturing	
Warranty	Madison, GA (USA) - ISO 14001 EMS & ISO 9001 QMS Registered, +Vantage Vinyl Verified Silver
	Limited 25-Year Commercial Warranty Limited 25-Year Quantum Guard Elite® Wear Warranty