

Straight chair | stand-alone unit glides 982-SS-G

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Weight	42 lbs.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.

Straight chair | stand-alone unit glides 982-SS-G-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Front	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	42 lbs.
		Cubic Feet	16.75 ft.

Standard Features	Options Available
• Armless, stand-alone lounge chair • Cannot be ganged to other units • Fully upholstered • Sinuous springs in seat • Black, concealed glides	Power supply: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black

Straight chair | modular unit glides 982-SM-G

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Weight	42 lbs.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.

Straight chair | modular unit glides 982-SM-G-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Front	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	42 lbs.
		Cubic Feet	16.75 ft.

Standard Features	Options Available
• Armless, ganging lounge chair • Fully upholstered • Sinuous springs in seat • Black, concealed glides	Power supply: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black

60° Inside corner chair glides 982-60I-G

Single textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54"	2.5 yds.
Seat Dimensions	26"w x 20.5"d x 18"h	Weight	44 lbs.
Seat to Top of Back	14"	Cubic Feet	22 ft.

60° Inside corner chair glides 982-60I-G-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54" - Seat, Inside Back, and Front	1.75 yds.
Seat Dimensions	26"w x 20.5"d x 18"h	COM 54" - Outside Back	1.25 yds.
Seat to Top of Back	14"	Weight	44 lbs.
		Cubic Feet	22 ft.

60° Outside corner chair glides 982-60O-G

Single textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54"	2.25 yds.
Seat Dimensions	32"w x 20.5"d x 18"h	Weight	39 lbs.
Seat to Top of Back	14"	Cubic Feet	22 ft.

60° Outside corner chair glides 982-60O-G-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	32"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	39 lbs.
		Cubic Feet	22 ft.

90° Inside corner chair glides 982-90I-G

Single textiles

Overall Dimensions	51"w x 29.5"d x 30"h	COM 54"	3.5 yds.
Seat Dimensions	36"w x 20.5"d x 18"h	Weight	55 lbs.
Seat to Top of Back	14"	Cubic Feet	29 ft.

90° Inside corner chair glides 982-90I-G-MT

Multiple textiles

Overall Dimensions	51"w x 29.5"d x 30"h	COM 54" - Seat, Inside Back, and Front	2.25 yds.
Seat Dimensions	36"w x 20.5"d x 18"h	COM 54" - Outside Back	2 yds.
Seat to Top of Back	14"	Weight	55 lbs.
		Cubic Feet	29 ft.

90° Outside corner chair glides 982-90O-G

Single textiles

Overall Dimensions	51"w x 29.5"d x 30"h	COM 54"	3 yds.
Seat Dimensions	45"w x 20.5"d x 18"h	Weight	54 lbs.
Seat to Top of Back	14"	Cubic Feet	29 ft.

90° Outside corner chair glides 982-90O-G-MT

Multiple textiles

Overall Dimensions	51"w x 29.5"d x 30"h	COM 54" - Seat, Inside Back, and Front	2.75 yds.
Seat Dimensions	45"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	54 lbs.
		Cubic Feet	29 ft.

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat 60° and 90° wedge units offer flexibility for creating various layouts - Black, concealed glides	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

Left-facing end unit glides 982-EL-G

Single textiles

Overall Dimensions	30.75" w x 26.75" d x 30" h	COM 54"	2.75 yds.
Seat Dimensions	25.5" w x 20.5" d x 18" h	Weight	51 lbs.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	30"		
Top of Arm to Seat	12"		

Left-facing end unit glides 982-EL-G-MT

Multiple textiles

Overall Dimensions	30.75" w x 26.75" d x 30" h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	25.5" w x 20.5" d x 18" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Weight	51 lbs.
Top of Arm to Floor	30"	Cubic Feet	19.5 ft.
Top of Arm to Seat	12"		

Right-facing end unit glides 982-ER-G

Single textiles

Overall Dimensions	30.75" w x 26.75" d x 30" h	COM 54"	2.75 yds.
Seat Dimensions	25.5" w x 20.5" d x 18" h	Weight	51 lbs.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	30"		
Top of Arm to Seat	12"		

Right-facing end unit glides 982-ER-G-MT

Multiple textiles

Overall Dimensions	30.75" w x 26.75" d x 30" h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	25.5" w x 20.5" d x 18" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Weight	51 lbs.
Top of Arm to Floor	30"	Cubic Feet	19.5 ft.
Top of Arm to Seat	12"		

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

Café table unit glides 982-T-G

Single textiles

Overall Dimensions	24" w x 38.75" d x 30" h	COM 54"	1.75 yds.
Top Diameter	24" w	Weight	53 lbs.
Top Thickness	1"	Cubic Feet	11.5 ft.
Top of Table to Floor	28.25" h		
Top of Table to Seat	9.25"		

Café table unit glides 982-T-G-MT

Multiple textiles

Overall Dimensions	24" w x 38.75" d x 30" h	COM 54" - Seat, Inside Back, and Front	1.5 yds.
Top Dimensions	24" w x 18" h	COM 54" - Outside Back	1 yds.
Top Thickness	1"	Weight	53 lbs.
Top of Table to Floor	28.25" h	Cubic Feet	11.5 ft.
Top of Table to Seat	9.25"		

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides	- Square edge top options — TFL, HPL, or solid surface - Knife edge top options — HPL with plywood edge, veneer with plywood edge, or solid surface
	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

Stand-alone straight chair plinth base 982-SS-P

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Weight	58 lbs.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.

Stand-alone straight chair plinth base 982-SS-P-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	58 lbs.
		Cubic Feet	16.75 ft.

Modular straight chair plinth base 982-SM-P

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Weight	58 lbs.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.

Modular straight chair plinth base 982-SM-P-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	58 lbs.
		Cubic Feet	16.75 ft.

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base	Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

60° Inside corner chair plinth base 982-60I-P

Single textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54"	2.5 yds.
Seat Dimensions	26"w x 20.5"d x 19.25"h	Weight	60 lbs.
Seat to Top of Back	14"	Cubic Feet	22 ft.

60° Inside corner chair plinth base 982-60I-P-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	1.75 yds.
Seat Dimensions	26"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1.25 yds.
Seat to Top of Back	14"	Weight	60 lbs.
		Cubic Feet	22 ft.

60° Outside corner chair plinth base 982-60O-P

Single textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54"	2.25 yds.
Seat Dimensions	32"w x 20.5"d x 19.25"h	Weight	54 lbs.
Seat to Top of Back	14"	Cubic Feet	22 ft.

60° Outside corner chair plinth base 982-60O-P-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	32"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	54 lbs.
		Cubic Feet	22 ft.

90° Inside corner chair plinth base 982-90I-P

Single textiles

Overall Dimensions	51"w x 29.5"d x 31.25"h	COM 54"	3.5 yds.
Seat Dimensions	36"w x 20.5"d x 19.25"h	Weight	76 lbs.
Seat to Top of Back	14"	Cubic Feet	29 ft.

90° Inside corner chair plinth base 982-90I-P-MT

Multiple textiles

Overall Dimensions	51"w x 29.5"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	2.25 yds.
Seat Dimensions	36"w x 20.5"d x 19.25"h	COM 54" - Outside Back	2 yds.
Seat to Top of Back	14"	Weight	76 lbs.
		Cubic Feet	29 ft.

90° Outside corner chair plinth base 982-90O-P

Single textiles

Overall Dimensions	51"w x 29.5"d x 31.25"h	COM 54"	3 yds.
Seat Dimensions	45"w x 20.5"d x 19.25"h	Weight	73 lbs.
Seat to Top of Back	14"	Cubic Feet	29 ft.

90° Outside corner chair plinth base 982-90O-P-MT

Multiple textiles

Overall Dimensions	51"w x 29.5"d x 31.25"h	COM 54" - Seat, Inside Back, and Front	2.75 yds.
Seat Dimensions	45"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Weight	73 lbs.
		Cubic Feet	29 ft.

Standard Features	Options Available
- Fully upholstered - Sinuuous springs in seat 60° and 90° wedge units offer flexibility for creating various layouts - Surrounding plinth base	Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

Left-facing end unit plinth base 982-EL-P

Single textiles

Overall Dimensions	30.75" w x 26.75" d x 31.25" h	COM 54"	2.75 yds.
Seat Dimensions	25.5" w x 20.5" d x 19.25" h	Weight	68 lbs.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	31.25"		
Top of Arm to Seat	12"		

Left-facing end unit plinth base 982-EL-P-MT

Multiple textiles

Overall Dimensions	30.75" w x 26.75" d x 31.25" h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	25.5" w x 20.5" d x 19.25" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Weight	68 lbs.
Top of Arm to Floor	31.25"	Cubic Feet	19.5 ft.
Top of Arm to Seat	12"		

Right-facing end unit plinth base 982-ER-P

Single textiles

Overall Dimensions	30.75" w x 26.75" d x 31.25" h	COM 54"	2.75 yds.
Seat Dimensions	25.5" w x 20.5" d x 19.25" h	Weight	68 lbs.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	31.25"		
Top of Arm to Seat	12"		

Right-facing end unit plinth base 982-ER-P-MT

Multiple textiles

Overall Dimensions	30.75" w x 26.75" d x 31.25" h	COM 54" - Seat, Inside Back, and Front	2 yds.
Seat Dimensions	25.5" w x 20.5" d x 19.25" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Weight	68 lbs.
Top of Arm to Floor	31.25"	Cubic Feet	19.5 ft.
Top of Arm to Seat	12"		

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base	Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black

Café table unit plinth base 982-T-P

Single textiles

Overall Dimensions	24" w x 38.75" d x 30" h	COM 54"	1.75 yds.
Top Dimensions	24" w x 19.25" h	Weight	53 lbs.
Top Thickness	1"	Cubic Feet	11.5 ft.
Top of Table to Floor	27" h		
Top of Table to Seat	9.25"		

Café table unit plinth base 982-T-P-MT

Multiple textiles

Overall Dimensions	24" w x 38.75" d x 30" h	COM 54" - Seat, Inside Back, and Front	1.5 yds.
Top Dimensions	24" w x 19.25" h	COM 54" - Outside Back	1 yds.
Top Thickness	1"	Weight	53 lbs.
Top of Table to Floor	27" h	Cubic Feet	11.5 ft.
Top of Table to Seat	9.25"		

Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base	- Square edge top options — TFL, HPL, or solid surface - Knife edge top options — HPL with plywood edge, veneer with plywood edge, or solid surface - Plinth base is available in any of our standard, studio, or super matte powder coats

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|------------|---|
| Seat | • Equally spaced sinuous springs are covered with a polypropylene cover material |
| Back | • Polypropylene cover material |
| Frame | • Hardwood and plywood assembly has foam and upholstery applied |
| Upholstery | • All fabric and leather pieces are cut with automated cutters that utilize precise patterns |
| Assembly | • The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws, or staples |

Foam

- | | |
|--------------|--|
| Seat Core | <ul style="list-style-type: none"> • 3.5" Thick foam • 40 lb. Compression • 2.2 Density |
| Seat Overlay | <ul style="list-style-type: none"> • .5" Thick foam • 35 lb. Compression • 1.8 Density |
| Back Core | <ul style="list-style-type: none"> • 1" Thick foam • 35 lb. Compression • 1.8 Density |
| Back Overlay | <ul style="list-style-type: none"> • .5" Thick foam • 35 lb. Compression • 1.8 Density |

Electrical

- Single circuit configuration of up to 8 power supplies with a standard 15 amp plug
- Max 50' total in length of cords (infeed + jumpers + power supplies)
- Single circuit power
- 15 amp power in-feed with 6' cord
- Over current protection
- Up to 8 power supplies
- UL recognized