



Patient chair stationary back 1478

Single textiles

Overall Dimensions	25" w x 26.5" d x 46.5" h	COM 54"	2.25 yds.	
Seat Dimensions	21" w x 20" d x 18" h	Weight	55 lbs.	
Seat to Top of Back	28.5"	Cubic Feet	24	
Top of Arm to Floor	25.5"			
Exposed Metal	Luster Grey			

Patient chair stationary back 1478-MT


Multiple textiles

Overall Dimensions	25" w x 26.5" d x 46.5" h	COM 54" - Seat	1 yd	
Seat Dimensions	21" w x 20" d x 18" h	COM 54" - Back	1.75 yds.	
Seat to Top of Back	28.5"	Weight	55 lbs.	
Top of Arm to Floor	25.5"	Cubic Feet	24	
Exposed Metal	Luster Grey			

Standard Features	Options Available
<ul style="list-style-type: none"> • Stationary back • Upholstered seat and back • Clean-thru design • Wall-saver design • Tight cushion • Luster Grey powder coat on all exposed metal • Black poly arm caps • Non-marring adjustable glides 	<ul style="list-style-type: none"> • Wood, poly, or solid surface arm caps


Patient chair motion back 1488-MOTION

Single textiles

Overall Dimensions	25" w x 27.5" d x 46.5" h	COM 54"	2.25 yds.	
Seat Dimensions	21" w x 20" d x 18" h	Weight	65 lbs.	
Seat to Top of Back	28.5"	Cubic Feet	24	
Top of Arm to Floor	25.5"			
Exposed Metal	Luster Grey			

Patient chair motion back 1488-MOTION-MT

Multiple textiles

Overall Dimensions	25" w x 27.5" d x 46.5" h	COM 54" - Seat	1 yd	
Seat Dimensions	21" w x 20" d x 18" h	COM 54" - Back	1.75 yds.	
Seat to Top of Back	28.5"	Weight	65 lbs.	
Top of Arm to Floor	25.5"	Cubic Feet	24	
Exposed Metal	Luster Grey			

Standard Features	Options Available
<ul style="list-style-type: none"> • Motion back • Upholstered seat and back • Clean-thru design • Wall-saver design • Tight cushion • Luster Grey powder coat on all exposed metal • Black poly arm caps • Non-marring adjustable glides 	<ul style="list-style-type: none"> • Wood, poly, or solid surface arm caps

Easy access chair 1474

Single textiles

Overall Dimensions	25"w x 26.5"d x 40.5"h	COM 54"	1.25 yds.
Seat Dimensions	21"w x 20"d x 23.75"h	Weight	60 lbs.
Seat to Top of Back	15.25"	Cubic Feet	24
Top of Arm to Floor	25.5"		
Exposed Metal	Luster Grey		



Easy access chair 1474-MT

Multiple textiles

Overall Dimensions	25"w x 26.5"d x 40.5"h	COM 54" - Seat	1 yd
Seat Dimensions	21"w x 20"d x 23.75"h	COM 54" - Back	1 yds.
Seat to Top of Back	15.25"	Weight	60 lbs.
Top of Arm to Floor	25.5"	Cubic Feet	24



Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered Seat and Back Clean-thru Design Wall-Saver Design Tight Cushion Luster Grey Powder Coat on all Exposed Metal Black Poly Arm Caps Non-Marring Adjustable Glides Polyurethane Coated Steel Foot Rest (specify color) 	<ul style="list-style-type: none"> Poly, wood, or solid surface arm caps

Patient Ottoman 1479

Overall Dimensions	18"w x 18.75"d x 13.5"h	COM 54"	0.75 yds.
Exposed Metal	Luster Grey	Weight	12 lbs.
		Cubic Feet	6

Standard Features
<ul style="list-style-type: none"> Slanted Upholstered Top Luster Grey Powder Coat on all Exposed Metal Tight Cushion Non-Marring Adjustable Glides

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|----------|---|
| Seat | • Plywood seat EZ frame construction |
| Back | • Contoured plywood shape 11-ply |
| Arms | • 1" 16 gauge C1018 steel posts
• 3/4" x 1/2" 12 gauge C1018 rails |
| Assembly | • All welded joints are full penetration mig/tig welds
• All bolted connections are 1/4" 20 grade 5 hardware |

Foam

- | | |
|-----------|--|
| Seat/Back | • All foam is premium grade CAL 117 certified fire retardant |
|-----------|--|

Suspension

- LEXUS webbing
- Polypropylene/latex/rubber
- 2430 propex (applied to backs)
- 100% polypropylene
- Latex coating is paranol acrylic 763
- Applied with 5/16 stainless steel staples