



Lounge chair upholstered arms 689-1

Overall Dimensions	29"w x 29"d x 32"h	COM 54"	4.5 yds.
Seat Dimensions	22"w x 20"d x 17.5"h	Weight	50 lbs.
Seat to Top of Back	14.5"	Cubic Feet	16
Top of Arm to Floor	26"		




Loveseat upholstered arms 689-2

Overall Dimensions	51"w x 29"d x 32"h	COM 54"	6.5 yds.
Seat Dimensions	44"w x 20"d x 17.5"h	Weight	70 lbs.
Seat to Top of Back	14.5"	Cubic Feet	27
Top of Arm to Floor	26"		



Sofa upholstered arms 689-3


Overall Dimensions	73"w x 29"d x 32"h	COM 54"	8.25 yds.
Seat Dimensions	66"w x 20"d x 17.5"h	Weight	90 lbs.
Seat to Top of Back	14.5"	Cubic Feet	39
Top of Arm to Floor	26"		



Standard Features	Options Available
- Fully upholstered frame - Spring seat construction - Clean-thru design - Classic brushed aluminum leg - Non-marring adjustable glides	- Hairpin leg (brushed aluminum or powder-coated) - Chrome sled base (wall-saver design) - Wood arm caps - Solid surface arm caps
	Tablet: 3/16" Metal top overlaid with specified veneer - Powder-coated tablet post - Post is 3/4" diameter with two 1/2" post offset - Left and/or right-side facing
	Power: - Left and/or right-facing power is available in black, white, or silver - One 15 AMP outlet, one USB-A port, and one USB-C port 10' Power cord


Lounge chair wood trim 689-1WT

Overall Dimensions	29"w x 29"d x 32"h	COM 54"	4.25 yds.
Seat Dimensions	22"w x 20"d x 17.5"h	Weight	50 lbs.
Seat to Top of Back	14.5"	Cubic Feet	16
Top of Arm to Floor	26"		




Loveseat wood trim 689-2WT

Overall Dimensions	51"w x 29"d x 32"h	COM 54"	6.25 yds.
Seat Dimensions	44"w x 20"d x 17.5"h	Weight	70 lbs.
Seat to Top of Back	14.5"	Cubic Feet	27
Top of Arm to Floor	26"		



Sofa wood trim 689-3WT


Overall Dimensions	73"w x 29"d x 32"h	COM 54"	8 yds.
Seat Dimensions	66"w x 20"d x 17.5"h	Weight	90 lbs.
Seat to Top of Back	14.5"	Cubic Feet	39
Top of Arm to Floor	26"		



Standard Features	Options Available
- Fully upholstered frame with hardwood trim detail on arm panels - Spring seat construction - Clean-thru design - Classic brushed aluminum leg - Non-marring adjustable glides	- Hairpin leg (brushed aluminum or powder-coated) - Chrome sled base (wall-saver design) - Wood arm caps - Solid surface arm caps
	Tablet: 3/16" Metal top overlaid with specified veneer - Powder-coated tablet post - Post is 3/4" diameter with two 1/2" post offset - Left and/or right-side facing
	Power: - Left and/or right-facing power is available in black, white, or silver - One 15 AMP outlet, one USB-A port, and one USB-C port 10' Power cord


Lounge chair wood surround 689-1PB

Overall Dimensions	28.5"w x 29"d x 32"h	COM 54"	3 yds.
Seat Dimensions	22"w x 20"d x 17.5"h	Weight	55 lbs.
Seat to Top of Back	14.5"	Cubic Feet	16
Top of Arm to Floor	26"		




Loveseat wood surround 689-2PB

Overall Dimensions	50.5"w x 29"d x 32"h	COM 54"	4.75 yds.
Seat Dimensions	44"w x 20"d x 17.5"h	Weight	75 lbs.
Seat to Top of Back	14.5"	Cubic Feet	27
Top of Arm to Floor	26"		



Sofa wood surround 689-3PB

Overall Dimensions	72.5"w x 29"d x 32"h	COM 54"	6.5 yds.
Seat Dimensions	66"w x 20"d x 17.5"h	Weight	95 lbs.
Seat to Top of Back	14.5"	Cubic Feet	39
Top of Arm to Floor	26"		



Standard Features	Options Available
- Fully upholstered with 3/4" thick plywood shell faced with quartered veneer - Spring seat construction - Clean-thru design - Classic brushed aluminum leg - Non-marring adjustable glides	- Hairpin leg (brushed aluminum or powder-coated) - Chrome sled base (wall-saver design) - Wood arm caps - Solid surface arm caps
	Tablet: 3/16" Metal top overlaid with specified veneer - Powder-coated tablet post - Post is 3/4" diameter with two 1/2" post offset - Left and/or right-side facing
	Power: - Left and/or right-facing power is available in black, white, or silver - One 15 AMP outlet, one USB-A port, and one USB-C port 10' Power cord

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|---------------------|---|
| Seat, Back and Arms | • All rails are made up of 4/4 kiln dried WHAD Maple |
| Exposed Wood | • Parts are made up of 6/4 kiln dried European beech |
| Seatboard | • Plywood seat 21 3/4" x 20 5/16" x 3/4" |
| Backboard | • 21 3/4" x 17 5/8" x 3/4" plywood |
| Assembly | • Joints on units are assembled using glue, dowels and narrow crown staples |

Foam

- | | |
|------|--|
| Seat | <ul style="list-style-type: none"> • Bonded glue seat: 5" thick, 2.5 lb density, 25 compression • Front seat rail: 1.5 lb density, 45 compression • Arms: 1.5 lb density, 45 compression • Back panel: 1.5 lb density, 45 compression |
| Back | <ul style="list-style-type: none"> • All foam is premium grade and fire retardant • Bonded glue front back: 1.8 lb density , 20 compression • Bonded glue rear back: 1.8 lb density, 20 compression • False in back: 1.5 lb density, 45 compression • Outside back: 1.5 density, 45 compression |