

**Mesh back guest chair** 37011M (single) 37013M (three)

<b>Overall dimensions</b>	20.25"w x 24"d x 33"h	<b>Weight</b>	19.5 lbs. (armless) 20.5 lbs. (arms)	
<b>Seat dimensions</b>	19.25"w x 18"d x 17.5"h	<b>Cubic feet</b>	16.75	
<b>Seat to top of back</b>	13.25"	<b>COM</b>	1 yd. (37011M) 2 yds. (37013M)	
<b>Back width</b>	19.75"	<b>COL</b>	20 sq. ft. (37011M) 40 sq. ft. (37013M)	
<b>Top of arm to floor</b>	26.25"			
<b>Top of arm to seat</b>	7.5"			

**Upholstered back guest chair** 37011 (single) 37013 (three)

<b>Overall dimensions</b>	20.25"w x 24"d x 33"h	<b>Weight</b>	20 lbs. (armless) 21 lbs. (arms)	
<b>Seat dimensions</b>	19.25"w x 18"d x 17.5"h	<b>Cubic feet</b>	16.75	
<b>Seat to top of back</b>	13.25"	<b>COM</b>	1.75 yds. (37011) 3.5 yds. (37013)	
<b>Back width</b>	19.75"	<b>COL</b>	35 sq. ft. (37011) 70 sq. ft. (37013)	
<b>Top of arm to floor</b>	26.25"			
<b>Top of arm to seat</b>	7.5"			

**Impression back guest chair** 37011T (single) 37013T (three)

<b>Overall dimensions</b>	20.25"w x 24"d x 33"h	<b>Weight</b>	19.75 lbs. (armless) 20.75 lbs. (arms)	
<b>Seat dimensions</b>	19.25"w x 18"d x 17.5"h	<b>Cubic feet</b>	16.75	
<b>Seat to top of back</b>	13.25"	<b>COM</b>	1 yd. (37011T) 2 yds. (37013T)	
<b>Back width</b>	19.75"	<b>COL</b>	20 sq. ft. (37011T) 40 sq. ft. (37013T)	
<b>Top of arm to floor</b>	26.25"			
<b>Top of arm to seat</b>	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Armless</li> <li>• Upholstered seat with molded seat foam</li> <li>• Stacks 4 on the floor (with glides)</li> <li>• Nylon glides</li> </ul>	<ul style="list-style-type: none"> <li>• Fixed arms</li> <li>• Black or Silver wall saver frame</li> <li>• Mesh, Impression or Upholstered back</li> <li>• Seven mesh colors: Deep Blue, Grey, Pitch, Platinum, Poppy, Snow or Storm</li> <li>• Two impression back colors: Pitch or Platinum</li> <li>• Ganging device (2 pair per set)</li> <li>• Hard or soft wheel casters</li> <li>• Dolly: Stacks 5 high (arms or armless)</li> </ul>



---

**Standard textile selection**

---

<https://ofs.com/resources/textiles>

---

**Frame construction**

---

- |            |  |
|------------|--|
| Seat       | • Polypropylene  |
| Back       | • Polypropylene and nylon  |
| Upholstery | • Mesh: Constructed of 40% elastomer, 60% polyester<br>• Two part plastic back with upholstery clips<br>• All fabrics meet CAL Tech Bulletin 117-2013  |
| Arms       | • Fixed arms (black only)  |
| Frame      | • Rated up to 300 lbs.<br>• 7/8" diameter 14 gage steel tubing<br>• Silver and black wall saver  |
| Glides     | • Nylon glides<br>• 2 1/2" high by 3/8" diameter base with a 1 3/4" stem   |
| Casters    | • Twin wheel casters: Injection-molded nylon<br>• 50 mm diameter large pivot barrels   |
| Assembly   | • Self-locking, hardened steel, hex/socket/phillips head bolts<br>• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration<br>• "NYLOK" fasteners semi-permanently secure all hardware seat & back |

---

**Impression material**

---

- |      |   |
|------|---|
| Back | • Constructed of three layers: Inner foam laminated with polyester fabric on both sides<br>• A line design is pressed into the material<br>• Color options: Pitch (TPI), and Platinum (TPM)<br>• CAL TB 117-2013 Conformant |
|------|---|

---

**Foam**

---

- |      |   |
|------|---|
| Seat | • 3D Molded foam<br>• 2.5 Density<br>• CAL TB 117-2013 Conformant |
|------|---|

**Plastic back stacker guest chair** 38011 (single) 38014 (four)

<b>Overall dimensions</b>	20.5"w x 22.5"d x 32.75"h (armless) 20.5"w x 22.5"d x 32.75"h (w/ arms)	<b>Weight</b>	18 lbs. (armless) 21 lbs. (arms)	
<b>Seat dimensions</b>	17.75"w x 17.75"d x 18.25"h (plastic) 18.5"w x 18"d x 19"h (upholstered)	<b>Cubic feet</b>	17.25	
<b>Seat to top of back</b>	12.75"	<b>COM</b>	1 yd. (38011) 2 yds. (38014)	
<b>Back width</b>	18"	<b>COL</b>	20 sq. ft. (38011) 40 sq. ft. (38014)	
<b>Top of arm to floor</b>	26"			
<b>Top of arm to seat</b>	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Armless</li> <li>• Molded plastic back</li> <li>• Stacks 4 on the floor</li> <li>• Upholstered seat with molded seat foam</li> </ul>	<ul style="list-style-type: none"> <li>• Fixed arms (color matches back)</li> <li>• Chrome or Graphite wall saver frame</li> <li>• Plastic seat or upholstered seat with molded seat foam</li> <li>• Five plastic colors: Deep Blue, Pitch, Platinum or Snow</li> <li>• Clear nylon glides (4 per set)</li> <li>• Ganging device (1 pair per set)</li> <li>• Dolly <ul style="list-style-type: none"> <li>- Stacks 25 high (armless, all plastic)</li> <li>- Stacks 20 high (with arm, all plastic)</li> <li>- Stacks 10 high (with arm/armless, upholstered seat)</li> </ul> </li> </ul>

**Standard textile selection**
<https://ofs.com/resources/textiles>
**Frame construction**

Seat	<ul style="list-style-type: none"> <li>• Polypropylene</li> </ul>
Back	<ul style="list-style-type: none"> <li>• Polypropylene</li> </ul>
Upholstery	<ul style="list-style-type: none"> <li>• All fabrics meet CAL Tech Bulletin 117-2013</li> </ul>
Arms	<ul style="list-style-type: none"> <li>• Fixed arms with polypropylene arm caps</li> </ul>
Frame	<ul style="list-style-type: none"> <li>• Rated up to 300 lbs.</li> <li>• .441" Diameter steel rod and .157" steel plate</li> <li>• Chrome and Graphite wall saver</li> </ul>
Glides	<ul style="list-style-type: none"> <li>• Clear nylon glides</li> </ul>
Assembly	<ul style="list-style-type: none"> <li>• Self-locking, hardened steel, hex/socket/phillips head bolts</li> <li>• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration</li> <li>• "NYLOK" fasteners semi-permanently secure all hardware seat &amp; back</li> </ul>

**Foam**

Seat	<ul style="list-style-type: none"> <li>• 1" 3D Molded foam</li> <li>• 5.14 Density</li> <li>• 58 IFD</li> <li>• CAL TB 117-2013 Conformant</li> </ul>
------	---