



TFL cafe height table

KT2-M4422KTF

Overall dimensions 42"w x 22"d x 25"h

Weight 83 lbs. Cubic feet 17

KT2-M4822KTF

Overall dimensions 48"w x 22"d x 25"h

Weight 95 lbs.
Cubic feet 19

KT2-M4224KTF

Overall dimensions $42"w \times 24"d \times 25"h$

Weight 91 lbs.

Cubic feet 18

KT2-M4824KTF

Overall dimensions 48"w x 24"d x 25"h

Weight 104 lbs. Cubic feet 20

KT2-M4230KTF

Overall dimensions $42"w \times 30"d \times 25"h$


Weight 113 lbs. Cubic feet 22

KT2-M4830KTF

Overall dimensions 48"w x 30"d x 25"h

Weight 129 lbs. Cubic feet 25

Standard features	Options available
Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Power cutout No cutout or center



ofs.com imagine a place* 800.521.5381 Spec sheet 1 of 20









TFL cafe height table

KT2-M5422KTF

Overall dimensions 54"w x 22"d x 25"h

Weight 106 lbs. Cubic feet 21

KT2-M6022KTF

60"w x 22"d x 25"h Overall dimensions

Weight 118 lbs. **Cubic feet** 21

KT2-M5424KTF

Overall dimensions 54"w x 24"d x 25"h

Weight 116 lbs. Cubic feet 23

KT2-M6024KTF

Overall dimensions 60"w x 24"d x 25"h

Weight 129 lbs. Cubic feet 25

KT2-M5430KTF

Overall dimensions 54"w x 30"d x 25"h

Weight 144 lbs. 28 Cubic feet

KT2-M6030KTF

60"w x 30"d x 25"h Overall dimensions

161 lbs. Weight **Cubic feet** 31

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Power cutout No cutout, one end, left and right ends or center

imagine a place® 800.521.5381 ofs.com Spec sheet 2 of 20





TFL desk height table

KT2-M6024KT

Overall dimensions 60"w x 24"d x 29"h

149 lbs. Weight Cubic feet 28

KT2-M7224KT

Overall dimensions 72"w x 24"d x 29"h

164 lbs. Weight Cubic feet 33

KT2-M6030KT

Overall dimensions 60"w x 30"d x 29"h

Weight 181 lbs. Cubic feet 34

KT2-M7230KT

Overall dimensions 72"w x 30"d x 29"h

Weight 199 lbs. Cubic feet 41

KT2-M6036KT

Overall dimensions 60"w x 36"d x 29"h

213 lbs. Weight Cubic feet 41

KT2-M7236KT

72"w x 36"d x 29"h Overall dimensions

Weight 232 lbs. Cubic feet 48

KT2-M6042KT

Overall dimensions 60"w x 42"d x 29"h


Weight 244 lbs. Cubic feet 47

KT2-M7242KT

Overall dimensions 72"w x 42"d x 29"h

267 lbs. Weight Cubic feet 56

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	 Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Power cutout No cutout, one end, left and right ends or center



ofs.com imagine a place® 800.521.5381 Spec sheet 3 of 20



TFL desk height table

KT2-M8424KT (4" support beam)

Overall dimensions 84"w x 24"d x 29"h

Weight 178 lbs. Cubic feet 24

KT2-M9624KT (4" support beam)

Overall dimensions 96"w x 24"d x 29"h

Weight 194 lbs.
Cubic feet 26

KT2-M8430KT (4" support beam)

Overall dimensions 84"w x 30"d x 29"h

Weight 215 lbs. Cubic feet 29

KT2-M9630KT (4" support beam)

Overall dimensions 96"w x 30"d x 29"h

Weight 232 lbs.
Cubic feet 31

KT2-M8436KT (4" support beam)

Overall dimensions 84"w x 36"d x 29"h

Weight 252 lbs. Cubic feet 34

KT2-M9636KT (4" support beam)

Overall dimensions 96"w x 36"d x 29"h

Weight 272 lbs.
Cubic feet 36

KT2-M8442KT (4" support beam)

Overall dimensions 84"w x 42"d x 29"h


Weight 288 lbs.
Cubic feet 39

KT2-M9642KT (4" support beam)

Overall dimensions $96"w \times 42"d \times 29"h$

Weight 311 lbs. Cubic feet 41

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Power cutout No cutout, one end, left and right ends or center



ofs.com imagine a place* **800.521.5381** Spec sheet 4 of 20



TFL counter height table

KT2-M6024KTC

Overall dimensions 60"w x 24"d x 36"h

Weight 164 lbs. Cubic feet 34

KT2-M7224KTC

Overall dimensions $72"w \times 24"d \times 41"h$

Weight 311 lbs. Cubic feet 41

KT2-6030KTC

Overall dimensions 60"w x 30"d x 36"h

Weight 201 lbs. Cubic feet 42

KT2-M7230KTC

Overall dimensions 72"w x 30"d x 41"h

Weight 221 lbs. Cubic feet 50

KT2-M6036KTC

Overall dimensions $60"w \times 36"d \times 36"h$

Weight 238 lbs. Cubic feet 50

KT2-M7236KTC

Overall dimensions 72"w x 36"d x 36"h

Weight 257 lbs.

Cubic feet 60

KT2-M6042KTC

Overall dimensions 60"w x 42"d x 36"h


Weight 273 lbs.
Cubic feet 57

KT2-M7242KTC

Overall dimensions 72"w x 42"d x 36"h

Weight 296 lbs.
Cubic feet 67

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Shelf option Power cutout No cutout, one end, left and right ends or center



ofs.com imagine a place* **800.521.5381** Spec sheet 5 of 20



TFL counter height tables

KT2-M8424KTC

Overall dimensions 84"w x 24"d x 36"h

Weight 193 lbs. Cubic feet 28

KT2-M9624KTC

Overall dimensions 96"w x 24"d x 36"h

Weight 209 lbs. Cubic feet 29

KT2-M8430KTC

Overall dimensions 84"w x 30"d x 36"h

Weight 235 lbs.

Cubic feet 33

KT2-M9630KTC

Overall dimensions 96"w x 30"d x 36"h

Weight 252 lbs. Cubic feet 35

KT2-M8436KTC

Overall dimensions 84"w x 36"d x 36"h

Weight 277 lbs. Cubic feet 39

KT2-M9636KTC

Overall dimensions 96"w x 36"d x 36"h

Weight 297 lbs. Cubic feet 41

KT2-M8442KTC

Overall dimensions $84"w \times 42"d \times 36"h$

Weight 317 lbs.


Cubic feet 45

KT2M9642KTC

Overall dimensions 96"w x 42"d x 36"h

Weight 340 lbs. Cubic feet 56

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Shelf option Power cutout No cutout, one end, left and right ends or center



ofs.comimagine a place*800.521.5381Spec sheet6 of 20



TFL standing height tables

KT2-M6024KTH

Overall dimensions 60"w x 24"d x 42"h

Weight 179 lbs. Cubic feet 40

KT2-M7224KTH

Overall dimensions 72"w x 24"d x 42"h

Weight 194 lbs. Cubic feet 47

KT2-M6030KTH

Overall dimensions $60"w \times 30"d \times 42"h$

Weight 220 lbs.
Cubic feet 49

KT2-M7230KTH

Overall dimensions 72"w x 30"d x 42"h

Weight 238 lbs. Cubic feet 58

KT2-M6036KTH

Overall dimensions 60"w x 36"d x 42"h

Weight 262 lbs. Cubic feet 58

KT2-M7236KTH

Overall dimensions $72"w \times 36"d \times 42"h$

Weight 281 lbs. Cubic feet 69

KT2-M6042KTH

Overall dimensions 60"w x 42"d x 42"h

Weight 301 lbs.


Cubic feet 67

KT2-M7242KTH

Overall dimensions 72"w x 42"d x 42"h

Weight 324 lbs.
Cubic feet 80

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Shelf option Power cutout No cutout, one end, left and right ends or center



ofs.com imagine a place* **800.521.5381** Spec sheet 7 of 20



TFL standing height tables

KT2M8424KTH

Overall dimensions 84"w x 24"d x 42"h

Weight 208 lbs. Cubic feet 31

KT2-M9624KTH

Overall dimensions $96\text{"w} \times 24\text{"d} \times 42\text{"h}$

Weight 224 lbs.
Cubic feet 32

KT2-M8430KTH

Overall dimensions 84"w x 30"d x 42"h

Weight 254 lbs. Cubic feet 42

KT2-M9630KTH

Overall dimensions 84"w x 24"d x 42"h

Weight 271 lbs.

Cubic feet 44

KT2-M8436KTH

Overall dimensions 84"w x 36"d x 42"h

Weight 301 lbs.
Cubic feet 49

KT2-M9636KTH

Overall dimensions $96\text{"w} \times 36\text{"d} \times 42\text{"h}$

Weight 321 lbs.

Cubic feet 52

KT2-M8442KTH

Overall dimensions 84"w x 42"d x 42"h

Weight 345 lbs. Cubic feet 57


KT2-M9642KTH

Overall dimensions 96"w x 42"d x 42"h

Weight 368 lbs.

Cubic feet 62

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	 Finish TFL woodgrain laminate: quartered or flat cut TFL solid color laminate Shelf option Power cutout No cutout, one end, left and right ends or center



ofs.com imagine a place® 800.521.5381 Spec sheet 8 of 20



Veneer cafe height tables

KT2-W4222KTF

Overall dimensions 42"w x 22"d x 25"h

Weight 83 lbs. Cubic feet 17

KT2-W4822KTF

Overall dimensions $48"w \times 22"d \times 25"h$

Weight 95 lbs. Cubic feet 19

KT2-W4224KTF

Overall dimensions 42"w x 24"d x 25"h

Weight 91 lbs.
Cubic feet 18

KT2-W4824KTF

Overall dimensions 48"w x 24"d x 25"h

Weight 104 lbs.

Cubic feet 20

KT2-W4230KTF

Overall dimensions $42"w \times 30"d \times 25"h$

Weight 113 lbs. Cubic feet 22

KT2-W4830KTF

Overall dimensions $48"w \times 30"d \times 25"h$

Weight 129 lbs. Cubic feet 25

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout or center

ofs.com imagine a place* **800.521.5381** Spec sheet 9 of 20



Veneer cafe height tables

KT2-W5422KTF

Overall dimensions $54\text{"w} \times 22\text{"d} \times 25\text{"h}$

Weight 106 lbs. Cubic feet 21

KT2-W6022KTF

Overall dimensions 60"w x 22"d x 25"h

Weight 118 lbs. Cubic feet 23

KT2-W5424KTF

Overall dimensions 54"w x 24"d x 25"h

Weight 116 lbs. Cubic feet 23

KT2-W6024KTF

Overall dimensions $60"w \times 24"d \times 25"h$

Weight 129 lbs. Cubic feet 25

KT2-W5430KTF

Overall dimensions 54"w x 30"d x 25"h


Weight 144 lbs. Cubic feet 28

KT2-W6030KTF

Overall dimensions 60"w x 30"d x 25"h

Weight 161 lbs.
Cubic feet 31

Cable rece 31		
Standard features	Options available	
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Power cutout No cutout, one end, left and right or center	



ofs.com imagine a place* **800.521.5381** Spec sheet 10 of 20



Veneer desk height tables

KT2-W6024KT

Overall dimensions 60"w x 24"d x 29"h

Weight 161 lbs. Cubic feet 28

KT2-W7224KT

Overall dimensions $72"w \times 24"d \times 29"h$

Weight 172 lbs. Cubic feet 33

KT2-W6030KT

Overall dimensions 60"w x 30"d x 29"h

Weight 174 lbs. Cubic feet 34

KT2-W7230KT

Overall dimensions $72"w \times 30"d \times 29"h$

Weight 192 lbs.
Cubic feet 41

KT2-W6036KT

Overall dimensions 60"w x 36"d x 29"h

Weight 221 lbs.
Cubic feet 41

KT2-W7236KT

Overall dimensions 72"w x 36"d x 29"h

Weight 236 lbs.

Cubic feet 418

KT2-W6042KT

Overall dimensions $60"w \times 42"d \times 29"h$


Weight 251 lbs. Cubic feet 47

KT2-W7242KT

Overall dimensions 72"w x 42"d x 29"h

Weight 269 lbs. Cubic feet 56

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout, one end, left and right or center



ofs.com imagine a place® 800.521.5381 Spec sheet 11 of 20



Veneer desk height tables

KT2-W8424KT (4" support beam)

Overall dimensions 84"w x 24"d x 29"h

Weight 185 lbs.
Cubic feet 24

KT2-W9624KT (4" support beam)

Overall dimensions $96\text{"w} \times 24\text{"d} \times 29\text{"h}$

Weight 201 lbs.
Cubic feet 26

KT2-W8430KT (4" support beam)

Overall dimensions 84"w x 30"d x 29"h

Weight 221 lbs. Cubic feet 29

KT2-W9630KT (4" support beam)

Overall dimensions 96"w x 30"d x 29"h

Weight 239 lbs. Cubic feet 31

KT2-W8436KT (4" support beam)

Overall dimensions 84"w x 36"d x 29"h

Weight 255 lbs.
Cubic feet 34

KT2-W9636KT (4" support beam)

Overall dimensions $96\text{"w} \times 36\text{"d} \times 29\text{"h}$

Weight 275 lbs. Cubic feet 36

KT2-W8442KT (4" support beam)

Overall dimensions $84"w \times 42"d \times 29"h$


Weight 291 lbs.
Cubic feet 39

KT2-W9642KT (4" support beam)

Overall dimensions $96"w \times 42"d \times 29"h$

Weight 313 lbs. Cubic feet 41

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout, one end, left and right or center



ofs.com imagine a place* **800.521.5381** Spec sheet 12 of 20



Veneer desk height tables

KT2-W12024KT - 2 pieces

Overall dimensions 102"w x 24"d x 29"h

Weight 233 lbs. Cubic feet 33

KT2-W12030KT - 2 pieces

Overall dimensions 120"w x 30"d x 29"h

Weight 275 lbs. Cubic feet 38

KT2-W12036KT - 2 pieces


Overall dimensions 120"w x 36"d x 29"h

Weight 315 lbs. Cubic feet 43

KT2-W12042KT - 2 pieces

Overall dimensions 120"w x 42"d x 29"h

Weight 357 lbs.
Cubic feet 48



Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish - Veneer: quartered or flat cut - Studio veneer: quartered or planked Power cutout - No cutout, one end, left and right or two cutouts

ofs.com imagine a place* 800.521.5381 Spec sheet 13 of 20







Veneer counter height tables

KT2-W6024KTC

Overall dimensions 60"w x 24"d x 36"h

Weight 171 lbs. Cubic feet 34

KT2-W7224KTC

72"w x 24"d x 36"h Overall dimensions

Weight 182 lbs. **Cubic feet** 41

KT2-W6030KTC

Overall dimensions 60"w x 30"d x 36"h

Weight 184 lbs. Cubic feet 42

KT2-W7230KTC

Overall dimensions 72"w x 30"d x 36"h

Weight 202 lbs. Cubic feet 50

KT2-W6036KTC

Overall dimensions 60"w x 36"d x 36"h

Weight 231 lbs. 50 Cubic feet

KT2-W7236KTC

72"w x 36"d x 36"h Overall dimensions

Weight 246 lbs. **Cubic feet** 60

KT2-W6042KTC

Overall dimensions 60"w x 42"d x 36"h


271 lbs. Weight Cubic feet 57

KT2-W7242KTC

Overall dimensions 72"w x 42"d x 36"h

289 lbs. Weight Cubic feet 67

Standard features	Options available
Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Shelf option Power cutout No cutout, one end, left and right or center



14 of 20 ofs.com imagine a place® 800.521.5381 Spec sheet



Veneer counter height tables

KT2-W8424KTC

Overall dimensions 84"w x 24"d x 36"h

Weight 195 lbs. Cubic feet 28

KT2-W9624KTC

Overall dimensions $96\text{"w} \times 24\text{"d} \times 36\text{"h}$

Weight 211 lbs. Cubic feet 29

KT2-W8430KTC

Overall dimensions 84"w x 30"d x 36"h

Weight 231 lbs. Cubic feet 33

KT2-W9630KTC

Overall dimensions $96\text{"w} \times 30\text{"d} \times 36\text{"h}$

Weight 249 lbs. Cubic feet 35

KT2-W8436KTC

Overall dimensions 84"w x 36"d x 36"h

Weight 265 lbs. Cubic feet 39

KT2-W9636KTC

Overall dimensions 96"w x 36"d x 36"h

Weight 285 lbs.
Cubic feet 41

KT2-W8442KTC

Overall dimensions $84"w \times 42"d \times 36"h$


Weight 311 lbs. Cubic feet 45

KT2-W9642KTC

Overall dimensions 96"w x 42"d x 36"h

Weight 333 lbs. Cubic feet 56

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	 Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout, one end, left and right or center



ofs.com imagine a place* **800.521.5381** Spec sheet 15 of 20





Veneer counter height tables

KT2-W12024KTC - 2 piece

Overall dimensions 120"w x 24"d x 36"h

Weight 227 lbs. Cubic feet 42

KT2-W12030KTC - 2 piece

Overall dimensions $120"w \times 30"d \times 36"h$

Weight 267 lbs.
Cubic feet 49

KT2-W12036KTC - 2 piece


Overall dimensions 120"w x 36"d x 36"h

Weight 353 lbs.
Cubic feet 56

KT2-W12042KTC - 2 piece

Overall dimensions 120"w x 42"d x 36"h

Weight 399 lbs. Cubic feet 64



Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish - Veneer: quartered or flat cut - Studio veneer: quartered or planked Shelf option Power cutout - No cutout, one end, left and right or two cutouts

ofs.com imagine a place* **800.521.5381** Spec sheet 16 of 20







Veneer standing height tables

KT2-W6024KTH

Overall dimensions 60"w x 24"d x 42"h

Weight 189 lbs. Cubic feet 40

KT2W7224KTH

Overall dimensions 72"w x 24"d x 42"h

Weight 200 lbs. Cubic feet 47

KT2-W6030KTH

Overall dimensions 60"w x 30"d x 42"h

Weight 206 lbs. Cubic feet

KT2-W7230KTH

Overall dimensions 72"w x 30"d x 42"h

Weight 224 lbs. Cubic feet 58

KT2-W6036KTH

60"w x 36"d x 42"h Overall dimensions

259 lbs. Weight **Cubic feet** 58

KT2-W7236KTH

Overall dimensions 72"w x 36"d x 42"h

Weight 274 lbs. Cubic feet 69

KT2-W6042KTH

Overall dimensions 60"w x 42"d x 42"h

293 lbs. Weight Cubic feet 67


KT2-W7242KTH

72"w x 42"d x 42"h Overall dimensions

Weight 311 lbs. Cubic feet 80

Standard features	Options available
Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Shelf option Power cutout No cutout, one end, left and right or center

ofs.com imagine a place® 800.521.5381 Spec sheet 17 of 20







Veneer standing height tables

KT2-W8424KTH

Overall dimensions 84"w x 24"d x 42"h

Weight 213 lbs. Cubic feet 31

KT2-W9624KTH

Overall dimensions 96"w x 24"d x 42"h

Weight 229 lbs. Cubic feet 32

KT2-W8430KTH

Overall dimensions 84"w x 30"d x 42"h

253 lbs. Weight **Cubic feet** 42

KT2-W9630KTH

Overall dimensions 96"w x 30"d x 42"h

Weight 271 lbs **Cubic feet** 44

KT2-W8436KTH

84"w x 36"d x 42"h Overall dimensions

Weight 293 lbs. **Cubic feet** 49

KT2-W9636KTH

96"w x 36"d x 42"h Overall dimensions

Weight 313 lbs. Cubic feet 52

KT2-W8442KTH

84"w x 42"d x 42"h Overall dimensions

Weight 333 lbs. Cubic feet 57

KT2-W9642KTH

Overall dimensions 96"w x 42"d x 42"h

Weight 355 lbs. Cubic feet 62

Standard features	Options available
 Top 2" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option 5" support beam Ships KD 	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout, one end, left and right or center

18 of 20 ofs.com imagine a place® 800.521.5381 Spec sheet



Veneer standing height tables

KT2-W12024KTH - 2 pieces

Overall dimensions 120"w x 24"d x 42"h

Weight 261 lbs. Cubic feet 46

KT2-W12030KTH - 2 pieces

Overall dimensions 120"w x 30"d x 42"h

Weight 307 lbs. Cubic feet 52


KT2-W12036KTH - 2 pieces

Overall dimensions 120"w x 36"d x 42"h

Weight 353 lbs. Cubic feet 60

KT2-W12O42KTH - 2 pieces

Overall dimensions 120"w x 42"d x 42"h



· Shelf option

· Power cutout

- No cutout, one end, left and right or two cutouts

Veneer adjustable height tables

power cutout option

• 5" support beam

· Wire management channel in end panels when ordered with

KT-W6036KTHA

• Ships KD

Overall dimensions 60"w x 36"d x 30-42"h

Weight 283 lbs. Weight 102

KT-W7236KTHA

Overall dimensions 72"w x 36"d x 30-42"h

Weight 307 lbs. 119 Weight

KT-W8436KTHA

Overall dimensions 84"w x 36"d x 30-42"h

Weight 333 lbs. Cubic feet 127

KT-W9636KTHA

Overall dimensions 96"w x 36"d x 30-42"h

Weight 365 lbs. Cubic feet 152

KT-W6042KTHA

Overall dimensions 60"w x 42"d x 30-42"h

Weight 298 lbs. Cubic feet 116

KT-W7242KTHA

Overall dimensions 72"w x 42"d x 30-42"h

Weight 322 lbs. Cubic feet 135

ofs.com 19 of 20 imagine a place® 800.521.5381 Spec sheet



KT-W8442KTHA


Overall dimensions 84"w x 42"d x 30-42"h

Weight 348 lbs.
Cubic feet 154

KT-W9642KTHA

Overall dimensions 96"w x 42"d x 30-42"h

Weight 380 lbs.
Cubic feet 190



Standard features	Options available
 Top 3.125" thickness Mitered construction Wire management channel in end panels when ordered with power cutout option Ships KD 	Finish Veneer: quartered or flat cut Studio veneer: quartered or planked Power cutout No cutout, one end, left and right or center Control panel Classic or paddle switch

Standard finish selection

http://ofs.com/resources/finishes

Veneer • Solid edge glued to Walnut or Oak with super matte finish

Frame construction

• 5/8" square steel tubing legs with 3/16"t x 7/8" steel cross bands (powder coated)

- Two panels that are machined and glued together to create one thick panel
 - Veneer panels are 2" thick
- TFL panels are 2" thick
- Hard-wood, finger jointed, L-shaped legs are embedded inside bases that connect to the tops

Top • Tops are a build up consisting of a single panel

- 2" thick on veneer tables
- 2" thick on TFL tables
- 2" thick veneer edges
- 2" thick TFL edges
- 60" & 72" long tables use steel support rails
- 84", 96" & 120" long tables have a support beam that rungs from end to end
- · Mitered at end panels
- TFL tables have 1/4" flat edges on end panels and at top

Cable management/power

- Bases have a top to bottom cable channel that runs through the interior of the bases
- Cable channel measures 5 x 1 3/4'
- Power supplies located in center of table or 7.5" off the end
- Tables 84" and longer use support beam as a channel for cable manangement to the bases
- 60" & 74" tables have cutouts in bottom covers where power supply is located

 Lights and with power antique will require use of wire management ashless.
 - Units ordered with power option will require use of wire management cables
 - Wire management ordered separately

Shelf

- $2 \frac{1}{2}$ " tall shelf divided into three equal sections
 - Four on the 120" table
- Shelf depths range from 13 5/8" to 6" depending on width of table
- Shelf option available on 36" and 42" tall tables only

Carton/packaging

- Veneer models Prior to shipping, product is placed on a carton and covered with cardboard
- TFL models Prior to shipping, product is packaged flat with protective edge covering and banded to a skid
- Levelers are installed in bases when shipped
- Ships KD

ofs.com imagine a place* **800.521.5381** Spec sheet 20 of 20