



High back counter stool with arms and Nylon base 86057

Overall dimensions	26.75"w x 25"d x 43.75/51.25"h	Weight	33.6 lbs.
Seat dimensions	19.75"w x 17.5"d x 22.5/30"h	Cubic feet	22
Seat to top of back	22"		
Back width	19"		
Top of arm to floor	32/39.5"		
Top of arm to seat	8.5"		




High back counter stool with arms and Polished Aluminum base 86057

Overall dimensions	26.75"w x 25"d x 43.25/50.75"h	Weight	35.6 lbs.
Seat dimensions	19.75"w x 17.5"d x 22.25/29.75"h	Cubic feet	22
Seat to top of back	22"		
Back width	19"		
Top of arm to floor	31.5/39"		
Top of arm to seat	8.5"		




High back bar stool with arms and Nylon base 86057

Overall dimensions	26.75"w x 25"d x 47.5/57.5"h	Weight	34.6 lbs.
Seat dimensions	19.75"w x 17.5"d x 26/36"h	Cubic feet	22
Seat to top of back	22"		
Back width	19"		
Top of arm to floor	35.75/45.75"		
Top of arm to seat	8.5"		



High back bar stool with arms and Polished Aluminum base 86057

Overall dimensions	26.75"w x 25"d x 47/57"h	Weight	36.6 lbs.
Seat dimensions	19.75"w x 17.5"d x 25.5/35.5"h	Cubic feet	22
Seat to top of back	22"		
Back width	19"		
Top of arm to floor	35.25/45.25"		
Top of arm to seat	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> Fixed loop arm One-piece mesh seat and back Body balance control Hard wheel casters Nylon base 20" foot ring ANSI/BIFMA X5.1 Conformant CAL TB 117-2013 Conformant 	<ul style="list-style-type: none"> Four mesh colors: Dove, Granite, Ocean, Raven Carbon, Chalk or Graphite frame Carbon, Chalk or Graphite nylon base Polished aluminum base 8" CHC or 10" BHC cylinder Soft wheel casters Glides Fully assembled chair in carton



Frame construction

Shell	<ul style="list-style-type: none">• Injection-molded, glass-reinforced nylon resin
Upholstery	<ul style="list-style-type: none">• Mesh: Woven polyester yarn and polyelastomer monofilament• All mesh colors conform to CAL tech bulletin 117-2013
Control	<ul style="list-style-type: none">• Body balance: Weight activated, adjusts to user's body weight• Rated up to 300 lbs. on all mechanisms
Base	<ul style="list-style-type: none">• Nylon: Solid injection-molded and glass-reinforced nylon resin• Polished aluminum: Manufactured of die cast aluminum• All bases pass the ANSI/BIFMA strength and durability standards
Cylinder	<ul style="list-style-type: none">• Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria• 8" (CHC) counter height stool cylinder• 10" (BHC) bar height stool cylinder
Casters	<ul style="list-style-type: none">• Twin wheel casters manufactured of injection-molded engineer grade nylon• 60 mm diameter large pivot barrels
Assembly	<ul style="list-style-type: none">• Self-locking, hardened steel, slotted/Phillips head bolts• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration