



# LOCAL MEASURE

Introducing Local Measure, a refreshed resilient collection that embodies the art of refined living through the seamless fusion of tradition and modernity. Crafted with care in the USA, each piece draws inspiration from timeless design traditions while embracing a fresh, contemporary approach. Available at various price points, these designs meet foot traffic demands and budgetary requirements, making them perfect for both high-end renovations and practical updates.



### MADE IN AMERICA

As a domestically-made product, Local Measure promises you peace-of-mind with increased reliability and shipment speeds.



### MOISTURE MANAGEMENT

Don't let moisture get in the way of a perfect install. Milliken offers cost effective fully warrantied solutions that do NOT require moisture testing.



#### **ACOUSTICS**

Milliken acoustic underlayment is the perfect solution for flooring professionals seeking a quiet and comfortable floor.



### MADE-TO-ORDER INVENTORY PROGRAM

Designing with Local Measure means your project will never be held up or delayed by unexpected lead times. As a USA-made product, styles ship quickly and efficiently.



# PROGUARD™ & PROGUARD MAX™

Select between our polyurethane coatings for best in class scratch and stain resistance.



# COMMERCIAL WARRANTY OPTIONS

ProGuard™ coatings are backed by 10 or 15 Year Warranties. ProGuard Max™ is backed by a 22 Year Warranty.







Designed with modern interiors in mind, this pattern captures the rich textures and organic beauty of natural stone providing both elegance and functionality.





### RETREAT

Bring a touch of timeless sophistication to any space with parquet flooring that seamlessly blends with various aesthetics, creating a statement that is both bold and enduring.

### WILDERNESS

Inspired by the natural warmth and charm of hardwood, Wilderness creates a sophisticated and inviting aesthetic.




Wilderness in Allspice WIL121. Random Ashlar.



Proudly produced in the USA, Local Measure combines sophisticated aesthetics with faster delivery. As a domestically-made product, Local Measure promises you peace-of-mind with increased reliability and shipment speeds.







Suitable for a range of environments—from multifamily residences to higher education and retail spaces—Local Measure adapts effortlessly. With flexible installation options, including striking herringbone patterns, it's easy to tailor the flooring to the needs of any space. The result is a durable, resilient flooring solution option that is budget-friendly and designer approved.






SELECT YOUR

PATTERN

SELECT YOUR COLOR

### WILDERNESS





3
SELECT YOUR
PLATFORM

PLATFORM		WEAR	
THICKNESS	WEAR LAYER	WARRANTY:	FINISH:
2.5mm	22 mil	15 Year	ProGuard™
5.0mm	22 mil	22 Year	ProGuard Max™

2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details. 2

SELECT YOUR COLOR

### VISTA

### RETREAT







Lemongrass RET286

















SELECT YOUR PLATFORM

PLATFORM		WEAR	
THICKNESS	WEAR LAYER	WARRANTY:	FINISH:
2.5mm 5.0mm	22 mil 22 mil	15 Year 22 Year	ProGuard™ ProGuard Max™
2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.			

PLATFORM		WEAR	
THICKNESS	WEAR LAYER	WARRANTY:	FINISH:
2.5mm 5.0mm	22 mil 22 mil	15 Year 22 Year	ProGuard™ ProGuard Max™
2.0mm with 12 mil wear layer is available as made to order.  Ask your sales rep for details.			

### **FLEX***F*O*RM*<sup>™</sup> 2.5MM



OVERALL THICKNESS 2.5mm (0.098")
WEAR LAYER THICKNESS 2.5mm (0.098")

## 1 PROGUARD™ REINFORCED POLYURETHANE COATING

Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for additional finishes or harsh chemical treatments.

#### 2 WEAR LAYER

Heavy commercial grade transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.

#### 3 PRINTED LAYER

State of the art printing technology providing authentic visuals and designs.


#### 4 HIGH PERFORMANCE CORE LAYER

Ensures excellent durability, stability and long term performance.

#### 5 BACKING LAYER

Engineered balance layer provides stability and durability of the product.

### FLEXFORM<sup>TM</sup> 5.0MM



OVERALL THICKNESS 5.0mm (0.197")
WEAR LAYER THICKNESS 5.0mm (0.197")

# PROGUARD MAX™ REINFORCED POLYURETHANE COATING

Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for additional finishes or harsh chemical treatments.

#### 2 WEAR LAYER

Heavy commercial grade 0.55mm transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.

#### 3 PRINTED LAYER

State of the art printing technology providing authentic visuals and designs.

#### 4 INTEGRAL SOUND ABSORPTION LAYER

Provides improved acoustical performance and supports comfort underfoot.

#### 5 GLASS FIBER LAYER

Supports dimensional stability.

#### **6** HIGH PERFORMANCE CORE LAYER

Ensures excellent durability, stability and long term performance.

#### 7 BACKING LAYER

Engineered balance layer provides stability and durability of the product.

2.5mm (22 mil)


5.0mm (22 mil)

	ADDITIONAL INFORMATION	
Recommended Use	Healthcare, Assisted Living, Hospitals, Corporate, Education and Retail for High Traffic Commercial	Healthcare, Assisted Living, Hospitals, Corporate, Education, Retail and Hospitality for High Traffic Commercial
Attributes	Mid-cost for high traffic sensitive budgets (\$\$)	Higher-cost for high traffic and modular with carpet tile height - transitionless (\$\$\$)
Acoustics	Underlayment needed for increased acoustic performance for multi-family buildings	Integral Sound Absorption Layer

2.0mm with 12 mil wear layer is available as made to order. Ask your sales rep for details.

#### SHADE VARIATION GUIDE

Just as texture and physical appearance will vary in samples of wood, beautiful variations of shade are found in this unique LVT product. The shade variation guide reflects our LVT styles ranging from low, to moderate, to high. Low shade variation features soft and subtle gradations. Moderate shade variation contains a more distinguishable variety of hue. And high shade variation models the highest level of contrast. **LOCAL MEASURE** has **LOW** to **MODERATE** shade variation.







14



Customer Concierge 800.824.2246 | millikenfloors.com

### **LOCAL MEASURE**

### Wilderness / Retreat / Vista

FLEXFORM™ LVT

Construction

High Performance Luxury Vinyl Tile

**Finish** 

2.5mm: ProGuard™ 5.0mm: ProGuard MAX™

**Wear Layer Thickness** 22 mil (0.55 mm)

**Overall Thickness** 2.5mm (0.098") 5.0mm (0.197")

Nominal Sizes Wilderness: 6" x 48" (152 x 1,235 mm) Retreat: 18" x 18" (457 x 457 mm) Vista: 12" x 24" (305 x 610 mm)

**Edge Profile** Square

Installation

Glue Down

**Warranties** 2.5mm: 15 Year **Limited Commercial** 

5.0mm: 22 Year **Limited Commercial** 

Recommended Installation Method(s)

Planks:







Tiles:





Pieces Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	18	10
Retreat (18" x 18")	16	10
Vista (12" x 24")	18	10

Weight Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	30.9 lbs (14.0 kg)	35.3 lbs (16.0 kg)
Retreat (18" x 18")	29.5 lbs (13.4 kg)	39.0 lbs (17.7 kg)
Vista (12" x 24")	29.3 lbs (13.3 kg)	35.1 lbs (15.9 kg)

Quantity Per Box	2.5mm	5.0mm
Wilderness (6" x 48")	36 ft² (3.35 m²)	22 ft² (1.86 m²)
Retreat (18" x 18")	36 ft² (3.35 m²)	22.5 ft <sup>2</sup> (2.09 m <sup>2</sup> )
Vista (12" x 24")	36 ft² (3.35 m²)	22 ft² (1.86 m²)

2.0mm with a 12 mil wear layer is available as made to order. Ask your sales rep for details.

#### SUSTAINABLE FEATURES

 $\begin{tabular}{ll} \textbf{Milliken LVT} is durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed \end{tabular}$ performance and enduring aesthetics.



2710037732









#### **SHOWN ON THE COVER**

(Front) Wilderness in Fawn WIL251. Random Ashlar. (Back) Wilderness in Casia WIL206. Herringbone.

Images in this brochure are approximate for color and pattern scale. Please use actual samples to make your final selections.