

CHANGE AGENT

Milliken™

# CHANGE AGENT

It may seem the broad concepts of science and magic live on opposite ends of the spectrum. Science strives to understand and explain, while magic relies on the mystical possibilities of the unknown. Yet the goal of each is much more similar than one may initially think. They both share a desire to achieve complete transformation.

Introducing Change Agent, a new modular carpet collection influenced by the process of metal encountering a catalyst and being driven to radically change. Examine evolving perspectives with two patterns, Magnetic Field and Brushed Metal, offered in a selection of 16 affected colors. Whether it be science, magic, or a bit of both, Change Agent modular carpet expresses the beauty found within extensive transformation.

A CATALYST OF  
TRANSFORMATION





50CM X 100CM

25CM X 100CM

**BRUSHED METAL**



50CM X 100CM

25CM X 100CM

**MAGNETIC FIELD**

Offered in two sizes, 50cm x 100cm planks as well as 25cm x 100cm planks, Brushed Metal and Magnetic Field both profoundly express the possibilities found in transformation. Displaying polished, unidirectional movement, **Brushed Metal** intrigues with a gradient of alternating tones in softened, yet distinctive forms. Intricate and a bit more granular, **Magnetic Field** expresses multi-directional movement with coarsely detailed accents.



EXAMINE EVOLVING PERSPECTIVES











12 Brushed Metal in Neutralize BRU83-45 and Oxidize BRU5. 25cm x 100cm planks. Vertical ashlar and Herringbone.



Brushed Metal in Neutralize BRU83-45 and Oxidize BRU5. 25cm x 100cm planks. Herringbone. 13







**SPECIFICALLY DESIGNED** to complement one another, the complete Change Agent collection offers styles in both modular carpet and LVT categories. Seamlessly mix, match and pair together to create one gorgeously continuous floorscape.

COLOR LINE IN BRUSHED METAL



BRU212  
ELEMENT



BRU5  
OXIDIZE



BRU152  
FALLOUT



BRU131-25  
FORMULA



BRU39  
DISTILL



BRU69  
KINETIC



BRU238-199-108  
ALKALI



BRU243-260  
SALINE



BRU83-45  
NEUTRALIZE



BRU67  
THERMAL



BRU181-38  
CATALYZE



BRU199  
ACTIVATE



BRU45  
COMBUST



BRU152-79  
IODIZE



BRU107-131  
STEEL



BRU119-264  
ACID


COLOR LINE IN MAGNETIC FIELD



MAG212  
ELEMENT



MAG5  
OXIDIZE



MAG152  
FALLOUT



MAG131-25  
FORMULA



MAG39  
DISTILL



MAG69  
KINETIC



MAG238-199-108  
ALKALI



MAG243-260  
SALINE



MAG83-45  
NEUTRALIZE



MAG67  
THERMAL




MAG181-38  
CATALYZE




MAG199  
ACTIVATE



MAG45  
COMBUST



MAG152-79  
IODIZE



MAG107-131  
STEEL



MAG119-264  
ACID

# STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, and resilient flooring. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.



## WARRANTY

Our products are backed by lifetime commercial warranties that ensure quality and give peace of mind.



## SUSTAINABILITY

Milliken carpet, LVT, and entrance flooring tiles are carbon neutral everywhere in the world. As part of our M/PACT™ carbon neutral program, great care is taken when selecting materials, our carpet materials are Red List Free and PVC Free.



## MOISTURE MANAGEMENT

Milliken modular carpet is a moisture mitigation solution all by itself. Our carpet's WellBAC® open-cell backing allows the floor to breathe and moisture to evaporate, unlike hardback products.



## STAINSMART®

StainSmart provides lifetime resistance for your carpet against penetrating stains and soil.



## WELLBAC® CUSHION

WellBAC® cushion provides superior underfoot comfort while improving the carpet's durability and offering ergonomic, acoustic and environmental benefits.



## TRACTIONBACK®

Our bio-based, high-friction coating keeps carpet tiles securely in-place without additional adhesives, eliminating the need to prime or seal the floor, thereby reducing installation time and costs.

# CHANGE AGENT

## Brushed Metal / Magnetic Field

**Construction**  
Tufted,  
Textured Loop

**Tile Size**  
25 cm x 1 m (9.85" x 39.4")  
50 cm x 1 m (19.8" x 39.4")

**Yarn Type**  
Milliken-Certified  
WearOn® Nylon

**Stain Resist / Soil Release**  
StainSmart®

**Finished Pile Height**  
0.13" (3.3 mm)

**Finished Pile Thickness**  
0.08" (2.03 mm)

**Average Density**  
6,541

**Standard Backing**  
PVC-Free WellBAC®  
Comfort Cushion  
Available with TractionBack®

**Texture Appearance**  
**Retention Rating (TARR)**  
Severe Traffic End-Use  
Applications

**Recommended Installation**  
**Method(s)**



ALL PLANK  
METHODS

### SUSTAINABLE FEATURES

**Change Agent** is manufactured with WellBAC® Comfort cushion backing, and is certified NSF-140 Gold with 39.3% pre-consumer recycled content by total product weight. **Change Agent** is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



### M/PACT™ CARBON NEUTRAL PRODUCT

M/PACT carbon neutral products offset the raw materials and manufacturing carbon footprint\* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. When you choose M/PACT products, you can be sure your choice is carbon neutral.

### TRACTIONBACK®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

### SHOWN ON THE COVER

(Front) Magnetic Field in Formula MAG131-25, Saline MAG243-260, and Activate MAG199. (Back) Magnetic Field in Thermal MAG67 and Brushed Metal in Kinetic BRU69.

Scan to explore the collection story.



Milliken™

\* As calculated and verified scope A1-3 GWP through a ISO14025/ISO14040 compliant LCA and published in third party EPDs.

Images in this brochure and architect folder are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.