



# M | Backlit 18" x 36" product specifications



COLLECTION Material Paradox

STYLE NUMBER 10469

PRODUCT TYPE Plank

CONSTRUCTION Multi-Level Pattern Loop

FIBER TYPE EcoSolution Q100® Nylon
DYE METHOD 100% Solution Dyed
PRIMARY BACKING Non-Woven Synthetic

**SECONDARY BACKING** EcoWorx® Tile **PROTECTIVE** 

**TREATMENTS** SSP® Shaw Soil Protection

**PRODUCT** Yes

**GSA APPROVED** 

	US Units	Metric Units
PRODUCT SIZE	18 inches x 36 inches	45.72 cm x 91.44 cm
AREA PER BOX	45 ft²	4.18 m²
PIECES PER BOX	10	
GAUGE	1/12 inches	47.24 per 10 cm
STITCHES	10 per inches	39.37 per 10 cm
FINISHED PILE THICKNESS	0.141 inches	3.58 mm
AVERAGE DENSITY	6128 oz/yd³	0.23 g/cm³
KILOTEX		13.11
TOTAL THICKNESS	0.286 inches	7.26 mm
TUFTED YARN WEIGHT	24 oz/yd²	813.74 g/m²

# Performance Testing

PILL TEST Pass

RADIANT PANEL Class I

NBS SMOKE Less than 450

ELECTROSTATIC PROPENSITY Less than 3.5 kv

CRI GREENLABEL PLUS GLP9968

ADA COMPLIANCE C0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.

TRANS**FORM SPACE** 







### Installation Methods

















Basketweave Herringbone

Boxed In

Brick Half Basketweave Monolithic

Ashlar

Stagger

Installation Guidelines Maintenance Guidelines

# **Environmental Specifications**

RECYCLABILITY100% recyclableEMBODIED CARBON (CRADLE TO GATE)3.83 Kg CO2/M²LIFE-CYCLE CARBON EMISSIONSCarbon Neutral

This product is carbon neutral through the purchase of verified offsets, and is manufactured in a carbon neutral facility.

### Materials

Ingredients

**DOES NOT CONTAIN** does not contain PVC, phthalates or PBD/PBDE

**Recycled Content** 

TOTAL RECYCLED CONTENT (BY WEIGHT) 59%
PRE-CONSUMER 59%
POST-CONSUMER 0%
COUNTRY OF ORIGIN (MANUFACTURER) USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

# Third Party Certifications

CRADLE TO CRADLE CERTIFIED® Silver Level (Version 4.0)
HEALTH PRODUCT DECLARATION (HPD) 1,000 ppm Disclosure

**ENVIRONMENTAL PRODUCT DECLARATION** 3rd Party Certified in Accordance with ISO14044, ISO14025 &

(EPD) EN15804

**DECLARE**LBC Compliant

NSF 140 Gold
CRI GREEN LABEL PLUS (GLP) GLP9968

**ENVIRONMENTAL GUARANTEE**The products in this collection are In The Loop – they are fully

recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shawmanufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

100% Recyclable

USGBC LEED contributes
BUILDING RESEARCH ESTABLISHMENT certified

PATCRAFT.COM / @PATCRAFTFLOORS FILIPLE 1.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company

PRODUCT PACKAGING

TRANS**FORM SPACE** 





# M | Backlit 18" x 36"

# Available Colorways













INCANDESCENT 00100

HINT 00150

AMBIENT 00290

SPECTRUM 00490

LUMEN 00500

REFLECT 00530









UPLIGHT 00550

CHROMA 00700

REFRACT 00790





Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.