



M | Color Block product specifications



COLLECTION Mid Century Pop **STYLE NUMBER** 10382

PRODUCT TYPE Tile

CONSTRUCTION Multi-Level Pattern Loop
FIBER TYPE EcoSolution Q100® Nylon
DYE METHOD 100% Solution Dyed
PRIMARY BACKING Non-Woven Synthetic

SECONDARY BACKING EcoWorx® Tile

PROTECTIVE TREATMENTS

REATMENTS SSP® Shaw Soil Protection

GSA APPROVED PRODUCT

Yes

Metric Units PRODUCT SIZE 24 inches x 24 inches 60.96 cm x 60.96 cm AREA PER BOX 48 ft² 4.46 m² PIECES PER BOX 12 **GAUGE** 1/10 inches 39.37 per 10 cm **STITCHES** 10.33 per inches 40.68 per 10 cm FINISHED PILE THICKNESS 0.099 inches 2.51 mm **AVERAGE DENSITY** 5818 oz/yd3 0.22 g/cm³ KILOTEX 9.11 TOTAL THICKNESS 0.224 inches 5.69 mm TUFTED YARN WEIGHT 16 oz/yd^2 542.49 g/m²

Performance Testing

PILL TEST Pass
RADIANT PANEL Class I

NBS SMOKELess than 450ELECTROSTATIC PROPENSITYLess than 3.5 kv

CRI GREENLABEL PLUS GLP9968

ADA COMPLIANCE > 0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.

TRANS**FORM SPACE**





M | Color Block

Installation Methods











Ouarter Turn Random

Monolithic

Brick

Δshlar

Installation Guidelines

Maintenance Guidelines

EMBODIED CARBON (CRADLE TO GATE) LIFE-CYCLE CARBON EMISSIONS

3.67 Kg CO₂/M² Carbon Neutral

Materials

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT) 56% PRE-CONSUMER 56% POST-CONSUMER 0% **COUNTRY OF ORIGIN (MANUFACTURER)** USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED® Silver Level (Version 4.0) **HEALTH PRODUCT DECLARATION (HPD)** 1,000 ppm Disclosure

ENVIRONMENTAL PRODUCT DECLARATION 3rd Party Certified in Accordance with ISO14044, ISO14025 &

(EPD) EN15804

DECLARE LBC Compliant

NSF 140 Gold CRI GREEN LABEL PLUS (GLP) **GLP9968**

ENVIRONMENTAL GUARANTEE The products in this collection are In The Loop - they are fully

recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shawmanufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING 100% Recyclable



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company







M | Color Block

Available Colorways













CENTURY 00320

SATELLITE 00520

ATOMIC 00590

RETRO 00650

DOO WOP 00770