

M | Color Variance

PRODUCT SPECIFICATIONS



COLLECTION	Organic Interruption Saturate
STYLE NUMBER	10663
PRODUCT TYPE	Plank
CONSTRUCTION	Multi-Level Pattern Loop
FIBER TYPE	Solution Q Extreme® Nylon
DYE METHOD	100% Solution Dyed
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	EcoWorx® Tile

PRODUCT SIZE

AREA PER BOX

PIECES PER BOX

GAUGE

STITCHES

FINISHED PILE THICKNESS

AVERAGE DENSITY

TOTAL THICKNESS

TUFTED YARN WEIGHT

US Units

18 inches x 36 inches

45 ft²

10

1/10 inches

11.33 per inches

0.103 inches

5942 oz/yd³

0.22 inches

17 oz/yd²

Metric Units

45.72 cm x 91.44 cm

4.18 m²

39.37 per 10 cm

44.62 per 10 cm

2.62 mm

0.22 g/cm³

5.59 mm

576.40 g/m²

Performance Testing

PILL TEST

Pass

RADIANT PANEL

Class I

NBS SMOKE

Less than 450

ELECTROSTATIC PROPENSITY

Less than 3.5 kv

CRI GREENLABEL PLUS

GLP9968

ADA COMPLIANCE

>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.


Warranty

Lifetime Commercial Limited

Please visit [patcraft.com](https://www.patcraft.com) for the most current warranty information.

M | Color Variance

Installation Methods



Basketweave Herringbone Boxed In Brick Half Basketweave Monolithic Ashlar Stagger

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Materials

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT)	37%
PRE-CONSUMER	37%
POST-CONSUMER	0%
COUNTRY OF ORIGIN (MANUFACTURER)	USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED®

Silver Level (Version 3.1)

HEALTH PRODUCT DECLARATION (HPD)

1,000 ppm Disclosure

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

DECLARE

LBC Compliant

NSF 140

Gold

CRI GREEN LABEL PLUS (GLP)

GLP9968

ENVIRONMENTAL GUARANTEE

The products in this collection are In The Loop – they are fully recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shaw-manufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING


100% Recyclable




Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.

M | Color Variance

Available Colorways



SUNBEAM 00250



MOSS 00350



LICHEN 00390



LAGOON 00430




SPRING-HARBOR
00440



CONCRETE-RIVER
ROCK 00480




INDIGO 00490



COBBLESTONE-BARK
00525




SLATE-COBBLESTONE
00530



SLATE-CONCRETE
00560




CONCRETE-ASPHALT
00580



RUST 00680



GARNET 00800



BRICK 00890



VIOLET 00900