



# Easy On The Eyes product specifications



COLLECTIONSee It To Believe ItSTYLE NUMBER10227

**PRODUCT TYPE** Tile

CONSTRUCTION Multi-Level Pattern Loop
FIBER TYPE EcoSolution Q100® Nylon
DYE METHOD 100% Solution Dyed
PRIMARY BACKING Non-Woven Synthetic

**SECONDARY BACKING** EcoWorx® Tile

PROTECTIVE TREATMENTS

**MENTS** SSP® Shaw Soil Protection

GSA APPROVED PRODUCT

Yes

PRODUCT SIZE AREA PER BOX PIECES PER BOX GAUGE

STITCHES
FINISHED PILE THICKNESS

AVERAGE DENSITY KILOTEX

TOTAL THICKNESS
TUFTED YARN WEIGHT
MERGEABLE DYE LOT

**US Units**24 inches x 24 inches

48 ft<sup>2</sup>

1/10 inches 10.5 per inches 0.113 inches 5735 oz/yd<sup>3</sup>

0.256 inches 18 oz/yd<sup>2</sup> Yes **Metric Units** 

60.96 cm x 60.96 cm

 $4.46 \, \text{m}^2$ 

39.37 per 10 cm 41.34 per 10 cm 2.87 mm 0.21 g/cm<sup>3</sup>

9.23 6.50 mm 610.30 g/m²

### **Performance Testing**

PILL TEST
RADIANT PANEL
NBS SMOKE

ELECTROSTATIC PROPENSITY

CRI GREENLABEL PLUS
ADA COMPLIANCE

Pass Class I

Less than 450 Less than 3.5 kv

GLP9968

>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

### Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company







# M | Easy On The Eyes

### Installation Methods











Quarter Turn Random

Monolithic

Brick

Ashlar

Installation Guidelines Maintenance Guidelines

### **Environmental Specifications**

RECYCLABILITY 100% recyclable **EMBODIED CARBON (CRADLE TO GATE)** 3.71 Kg CO<sub>2</sub>/M<sup>2</sup> LIFE-CYCLE CARBON EMISSIONS Carbon Neutral

#### Materials

**Ingredients** 

(EPD)

**DOES NOT CONTAIN** does not contain PVC, phthalates or PBD/PBDE

**Recycled Content** 

TOTAL RECYCLED CONTENT (BY WEIGHT) 57% PRE-CONSUMER 57% **POST-CONSUMER** 0% **COUNTRY OF ORIGIN (MANUFACTURER)** USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

### Third Party Certifications

**CRADLE TO CRADLE CERTIFIED®** Silver Level (Version 4.0) **HEALTH PRODUCT DECLARATION (HPD)** 1,000 ppm Disclosure

**ENVIRONMENTAL PRODUCT DECLARATION** 3rd Party Certified in Accordance with ISO14044, ISO14025 &

EN15804

**DECLARE LBC** Compliant

**NSF 140** Gold **CRI GREEN LABEL PLUS (GLP)** GI P9968

**ENVIRONMENTAL GUARANTEE** The products in this collection are In The Loop – they are fully

recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shawmanufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING 100% Recyclable **USGBC LEED** contributes

**BUILDING RESEARCH ESTABLISHMENT** certified GOOD ENVIRONMENTAL CHOICE AUSTRALIA certified

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company

TRANS**FORM SPACE** 





## M | Easy On The Eyes

## Available Colorways













OPEN SESAME 00108

ABRACADABRA 00110

VOILA 00305

HOCUS-POCUS 00306

TA-DA 00311

ALAKAZAM 00412









STARRING 00530

SHAZAM 00608

PRESTO-CHANGO







Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.