

M | Harmonious

PRODUCT SPECIFICATIONS



COLLECTION	Inspired Connection
STYLE NUMBER	10562
PRODUCT TYPE	Plank
CONSTRUCTION	Multi-Level Pattern Cut/Loop
FIBER TYPE	EcoSolution Q100® Nylon
DYE METHOD	100% Solution Dyed
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	EcoWorx® Tile
GSA APPROVED PRODUCT	Yes

PRODUCT SIZE	US Units	Metric Units
AREA PER BOX	18 inches x 36 inches	45.72 cm x 91.44 cm
PIECES PER BOX	45 ft ²	4.18 m ²
GAUGE	10	
STITCHES	1/10 inches	39.37 per 10 cm
FINISHED PILE THICKNESS	8 per inches	31.50 per 10 cm
AVERAGE DENSITY	0.174 inches	4.42 mm
KILOTEX	5793 oz/yd ³	0.21 g/cm ³
TOTAL THICKNESS		7.36
TUFTED YARN WEIGHT	0.33 inches	8.38 mm
	28 oz/yd ²	949.36 g/m ²

Performance Testing


PILL TEST	Pass
RADIANT PANEL	Class I
NBS SMOKE	Less than 450
ELECTROSTATIC PROPENSITY	Less than 3.5 kv
CRI GREENLABEL PLUS	GLP9968
ADA COMPLIANCE	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.



M | Harmonious

Installation Methods



Basketweave



Herringbone



Boxed In



Brick




Half Basketweave



Monolithic



Ashlar



Stagger

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Environmental Specifications

RECYCLABILITY

100% recyclable

EMBODIED CARBON (CRADLE TO GATE)

3.91 Kg CO₂/M²

LIFE-CYCLE CARBON EMISSIONS

Carbon Neutral

Materials

Ingredients

DOES NOT CONTAIN

does not contain PVC, phthalates or PBD/PBDE

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT)

61%

PRE-CONSUMER

61%

POST-CONSUMER

0%

COUNTRY OF ORIGIN (MANUFACTURER)

USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED®

[Silver Level \(Version 4.0\)](#)

HEALTH PRODUCT DECLARATION (HPD)

[1,000 ppm Disclosure](#)

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

[3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804](#)

DECLARE

[LBC Compliant](#)

NSF 140

[Gold](#)

CRI GREEN LABEL PLUS (GLP)

[GLP9968](#)

ENVIRONMENTAL GUARANTEE

The products in this collection are In The Loop – they are fully recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shaw-manufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING

100% Recyclable

USGBC LEED

contributes

BUILDING RESEARCH ESTABLISHMENT

certified

GOOD ENVIRONMENTAL CHOICE AUSTRALIA

certified

M | Harmonious

Available Colorways



NOTEWORTHY 00110



THOUGHTFUL 00125



ORGANIC 00145



MOTIVATE 00310




CONTEMPLATE 00330



SENTIMENT 00400



ASPIRE 00450




PURPOSE 00500



KINDRED 00530



AFFINITY 00550



FORTIFY 00590



TRANSFORM 00705



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.