

## M | Sculpted 18X36 PRODUCT SPECIFICATIONS



<b>COLLECTION</b>	Amplified Nature
<b>STYLE NUMBER</b>	10643
<b>PRODUCT TYPE</b>	Plank
<b>CONSTRUCTION</b>	Multi-Level Pattern Loop
<b>FIBER TYPE</b>	EcoSolution Q100® Nylon
<b>DYE METHOD</b>	100% Solution Dyed
<b>PRIMARY BACKING</b>	Non-Woven Synthetic
<b>SECONDARY BACKING</b>	EcoWorx® Tile

<b>PRODUCT SIZE</b>
<b>AREA PER BOX</b>
<b>PIECES PER BOX</b>
<b>GAUGE</b>
<b>STITCHES</b>
<b>FINISHED PILE THICKNESS</b>
<b>AVERAGE DENSITY</b>
<b>KILOTEX</b>
<b>TOTAL THICKNESS</b>
<b>TUFTED YARN WEIGHT</b>

<b>US Units</b>
18 inches x 36 inches
45 ft <sup>2</sup>
10
1/12 inches
9.67 per inches
0.111 inches
6486 oz/yd <sup>3</sup>
0.251 inches
20 oz/yd <sup>2</sup>

<b>Metric Units</b>
45.72 cm x 91.44 cm
4.18 m <sup>2</sup>
47.24 per 10 cm
38.06 per 10 cm
2.82 mm
0.24 g/cm <sup>3</sup>
10.8
6.38 mm
678.12 g/m <sup>2</sup>

### Performance Testing


<b>PILL TEST</b>	Pass
<b>RADIANT PANEL</b>	Class I
<b>NBS SMOKE</b>	Less than 450
<b>ELECTROSTATIC PROPENSITY</b>	Less than 3.5 kv
<b>CRI GREENLABEL PLUS</b>	GLP9968
<b>ADA COMPLIANCE</b>	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

### Warranty

Lifetime Commercial Limited

Please visit [patcraft.com](http://patcraft.com) for the most current warranty information.



# M | Sculpted 18X36

## Installation Methods



Basketweave



Herringbone



Boxed In



Brick




Half Basketweave



Monolithic



Ashlar



Stagger

[Installation Guidelines](#)

[Maintenance Guidelines](#)

**EMBODIED CARBON (CRADLE TO GATE)**

3.75 Kg CO<sub>2</sub>/M<sup>2</sup>

**LIFE-CYCLE CARBON EMISSIONS**

Carbon Neutral

## Materials

### Recycled Content

**TOTAL RECYCLED CONTENT (BY WEIGHT)**

57%

**PRE-CONSUMER**

57%

**POST-CONSUMER**

0%

**COUNTRY OF ORIGIN (MANUFACTURER)**

USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email [info@patcraft.com](mailto:info@patcraft.com).

## Third Party Certifications

**CRADLE TO CRADLE CERTIFIED®**

Silver Level (Version 4.0)

**HEALTH PRODUCT DECLARATION (HPD)**

1,000 ppm Disclosure

**ENVIRONMENTAL PRODUCT DECLARATION (EPD)**

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

**DECLARE**

LBC Compliant

**NSF 140**

Gold

**CRI GREEN LABEL PLUS (GLP)**

GLP9968

**ENVIRONMENTAL GUARANTEE**


The products in this collection are In The Loop – they are fully recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shaw-manufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

**PRODUCT PACKAGING**

100% Recyclable



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit [patcraft.com/testing](http://patcraft.com/testing) for more information.



# M | Sculpted 18X36

## Available Colorways



AMBER 00110



POPLAR 00145



RIDGE 00200



ALPINE 00300



CYPRESS 00395



ALGAE 00400



ADRIATIC 00425



TIDE 00450



MOONLIGHT 00490



TERRACOTTA 00650



SILT 00700



SNAPDRAGON 00850