

M | Socrates II

PRODUCT SPECIFICATIONS



COLLECTION	Socrates II
STYLE NUMBER	10126
PRODUCT TYPE	Tile
CONSTRUCTION	Textured Loop
FIBER TYPE	EcoSolution Q® Nylon
DYE METHOD	100% Solution Dyed
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	EcoWorx® Tile
PROTECTIVE TREATMENTS	SSP® Shaw Soil Protection
GSA APPROVED PRODUCT	Yes

	US Units	Metric Units
PRODUCT SIZE	24 inches x 24 inches	60.96 cm x 60.96 cm
AREA PER BOX	48 ft ²	4.46 m ²
PIECES PER BOX	12	
GAUGE	1/8 inches	31.50 per 10 cm
STITCHES	8.17 per inches	32.15 per 10 cm
FINISHED PILE THICKNESS	0.159 inches	4.04 mm
AVERAGE DENSITY	5887 oz/yd ³	0.22 g/cm ³
KILOTEX		12.88
TOTAL THICKNESS	0.314 inches	7.98 mm
TUFTED YARN WEIGHT	26 oz/yd ²	881.55 g/m ²

Performance Testing

PILL TEST	Pass
RADIANT PANEL	Class I
NBS SMOKE	Less than 450
ELECTROSTATIC PROPENSITY	Less than 3.5 kv
CRI GREENLABEL PLUS	GLP9968
ADA COMPLIANCE	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

Lifetime Commercial Limited

Please visit [patcraft.com](https://www.patcraft.com) for the most current warranty information.

M | Socrates II

Installation Methods



Quarter Turn

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Environmental Specifications

RECYCLABILITY 100% recyclable

Materials

Ingredients

DOES NOT CONTAIN does not contain PVC, phthalates or PBD/PBDE

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT) 33%

PRE-CONSUMER 33%

POST-CONSUMER 0%

COUNTRY OF ORIGIN (MANUFACTURER) USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED®

Silver Level (Version 4.0)

HEALTH PRODUCT DECLARATION (HPD)

1,000 ppm Disclosure

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

DECLARE

LBC Compliant

NSF 140

Gold

CRI GREEN LABEL PLUS (GLP)

GLP9968

ENVIRONMENTAL GUARANTEE

The products in this collection are In The Loop – they are fully recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shaw-manufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING

100% Recyclable

USGBC LEED

contributes

BUILDING RESEARCH ESTABLISHMENT

certified

GOOD ENVIRONMENTAL CHOICE AUSTRALIA

certified

M | Socrates II

Available Colorways



SOREL 00105



SEARLE 00108



HUME 00110




LOCKE 00111



DESCARTES 00112




BERKELEY 00114



CROCE 00314




STRAUSS 00324




AUGUSTINE 00401




CONFUCIUS 00416



REID 00417



BACON 00418



SCHWEITZER 00425



GROSSO 00507




GELLNER 00509



THALES 00511




EPICURUS 00515




BALTASAR 00521




SCHILLER 00522




SARTRE 00523



LEWIS 00706



FISKE 00819



MARX 00922



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.