



M Unfold PRODUCT SPECIFICATIONS

COLLECTIONGel PrintSTYLE NUMBER10609PRODUCT TYPEPlank

CONSTRUCTIONMulti-Level Pattern LoopFIBER TYPEEcoSolution Q100® NylonDYE METHOD100% Solution DyedPRIMARY BACKINGNon-Woven Synthetic

SECONDARY BACKING EcoWorx® Tile

US Units Metric Units

PRODUCT SIZE 18 inches x 36 inches 45.72 cm x 91.44 cm

AREA PER BOX 45 ft² 4.18 m²

PIECES PER BOX 10

 GAUGE
 1/10 inches
 39.37 per 10 cm

 STITCHES
 7.83 per inches
 30.84 per 10 cm

FINISHED PILE THICKNESS0.094 inches2.39 mmAVERAGE DENSITY 9191 oz/yd^3 0.34 g/cm^3

KILOTEX 7.04

 TOTAL THICKNESS
 0.283 inches
 7.19 mm

 TUFTED YARN WEIGHT
 24 oz/yd²
 813.74 g/m²

Performance Testing

PILL TEST Pass
RADIANT PANEL Class |

NBS SMOKELess than 450ELECTROSTATIC PROPENSITYLess than 3.5 kv

CRI GREENLABEL PLUS GLP9968

ADA COMPLIANCE >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.

Installation Methods

















Basketweave Herringbone

Boxed In

Brick

Half Basketweave Monolithic

Ashlar

Stagger

Installation Guidelines
Maintenance Guidelines

Environmental Specifications

RECYCLABILITY 100% recyclable

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company

TRANS**FORM SPACE**







EMBODIED CARBON (CRADLE TO GATE)3.83 Kg CO₂/M² **LIFE-CYCLE CARBON EMISSIONS**Carbon Neutral

Materials

Ingredients

DOES NOT CONTAIN does not contain PVC, phthalates or PBD/PBDE

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT) 59%
PRE-CONSUMER 59%
POST-CONSUMER 0%
COUNTRY OF ORIGIN (MANUFACTURER) USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED® Silver Level (Version 4.0)

HEALTH PRODUCT DECLARATION (HPD) 1,000 ppm Disclosure

ENVIRONMENTAL PRODUCT DECLARATION 3rd Party Certified in Accordance with ISO14044, ISO14025 &

(EPD) EN15804

DECLARELBC Compliant

NSF 140 Gold
CRI GREEN LABEL PLUS (GLP) GLP9968

ENVIRONMENTAL GUARANTEEThe products in this collection are In The Loop – they are fully

recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shawmanufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING

USGBC LEED

BUILDING RESEARCH ESTABLISHMENT

GOOD ENVIRONMENTAL CHOICE AUSTRALIA

certified

certified





Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.







M | Unfold

Available Colorways



















ASH GREY 00550

COAL 00570