

M | Unfold

PRODUCT SPECIFICATIONS

COLLECTION	Gel Print
STYLE NUMBER	10609
PRODUCT TYPE	Plank
CONSTRUCTION	Multi-Level Pattern Loop
FIBER TYPE	EcoSolution Q100® Nylon
DYE METHOD	100% Solution Dyed
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	EcoWorx® Tile

	US Units	Metric Units
PRODUCT SIZE	18 inches x 36 inches	45.72 cm x 91.44 cm
AREA PER BOX	45 ft ²	4.18 m ²
PIECES PER BOX	10	
GAUGE	1/10 inches	39.37 per 10 cm
STITCHES	7.83 per inches	30.84 per 10 cm
FINISHED PILE THICKNESS	0.094 inches	2.39 mm
AVERAGE DENSITY	9191 oz/yd ³	0.34 g/cm ³
KILOTEX		7.04
TOTAL THICKNESS	0.283 inches	7.19 mm
TUFTED YARN WEIGHT	24 oz/yd ²	813.74 g/m ²

Performance Testing

PILL TEST	Pass
RADIANT PANEL	Class I
NBS SMOKE	Less than 450
ELECTROSTATIC PROPENSITY	Less than 3.5 kv
CRI GREENLABEL PLUS	GLP9968
ADA COMPLIANCE	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes


Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

[Lifetime Commercial Limited](#)

Please visit patcraft.com for the most current warranty information.

Installation Methods



Basketweave Herringbone Boxed In Brick Half Basketweave Monolithic Ashlar Stagger

[Installation Guidelines](#)

[Maintenance Guidelines](#)


Environmental Specifications

RECYCLABILITY	100% recyclable
----------------------	-----------------

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company

TRANSFORMSPACE



M | Unfold

EMBODIED CARBON (CRADLE TO GATE)
LIFE-CYCLE CARBON EMISSIONS

3.83 Kg CO₂/M²
Carbon Neutral

Materials

Ingredients

DOES NOT CONTAIN

does not contain PVC, phthalates or PBD/PBDE

Recycled Content

TOTAL RECYCLED CONTENT (BY WEIGHT)

59%

PRE-CONSUMER

59%

POST-CONSUMER

0%

COUNTRY OF ORIGIN (MANUFACTURER)

USA

Meets or exceeds all local and national regulations in country of manufacture. Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@patcraft.com.

Third Party Certifications

CRADLE TO CRADLE CERTIFIED®

Silver Level (Version 4.0)

HEALTH PRODUCT DECLARATION (HPD)

1,000 ppm Disclosure

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

DECLARE

LBC Compliant

NSF 140

Gold

CRI GREEN LABEL PLUS (GLP)

GLP9968

ENVIRONMENTAL GUARANTEE

The products in this collection are In The Loop – they are fully recyclable through our re[TURN]® Reclamation Program. We will facilitate the pick-up and free return of a minimum of 100 SY of EcoWorx®, 500 SY of ReWorx™ products or 5,000 SF of Shaw-manufactured resilient products to be recycled. Participating in re[TURN]® lowers carbon emissions of these products by reducing virgin materials needed for making new products.

PRODUCT PACKAGING

100% Recyclable

USGBC LEED

contributes

BUILDING RESEARCH ESTABLISHMENT


certified

GOOD ENVIRONMENTAL CHOICE AUSTRALIA

certified



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.



M | Unfold


Available Colorways




GINGER 00100




JADE 00300




OPALITE 00400



DUSK 00495



STONE 00500




PASTEL GREIGE 00530



ASH GREY 00550



COAL 00570



SMOLDER 00590



DESERT ROSE 00800