BACK

Allsteel®

Systems, Casegoods, & Space Division

Price & Specification Guide 2025

Prices Effective June 1, 2025

PDF updated June 25, 2025

All content marked in red signifies an update to the previous version of this price guide published on June 1, 2025.

BACK

Limited Lifetime Warranty

Our unwavering commitment to our customers compels us to care, and our dedication to quality is just one of the ways we show our customers how much they mean to us.

We recognize that keeping up with the pace of change requires having products that work as hard as the people who use them. That's why each of our products is rigorously tested and certified to meet the highest industry standards.

In the unlikely event that any Allsteel product or component covered by the Allsteel Warranty should fail under normal workplace use because of defective material or workmanship, Allsteel promises to fix it. Because taking care of *people* is how Allsteel takes care of business.

For information on Allsteel's warranty coverage, visit AllsteelOffice.com.

Government Support – GovernmentSupport@hniworkplacefurnishings.com
Product, Parts, Non-Warranty Parts Orders – ProductSupport@hniworkplacefurnishings.com
Quick Ship Orders – QuickShip@hniworkplacefurnishings.com
Order Status – OrderStatus@hniworkplacefurnishings.com
General Inquiries – GeneralSupport@hniworkplacefurnishings.com

Table of Contents

Specification and Price List

Effective June 1, 2025

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature Fulfillment at 1-866-255-7833.
- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?
Please call us at: **888-ALLSTEEL**
888-255-7833

Warranty ..... Inside Front Cover
Table of Contents 3-5.1
New, Revised, and Discontinued Products 6
COM and Specials Policies 7-9
Programs 10-11
Upholstery and Finishes 14-25

PANEL SYSTEMS

MONOLITHIC PANELS

FIT™

Finishes 28
Panel Fabrics 29
Laminate and Paint Matching 30
Overview of Components 31
Working with Fit™ Panels 32-35
Working with Gallery-to-Gallery Panels 36-37
Specifying Power & Electrical for Fit™ Panels 38
Working with Storage & Worksurface Connectors 39-41
Working with Fit™ Components 42-43
Fit™ 30", 35", 42", 50", 57½" Panels 44-48
Fit™ 30", 35", 42", 50", and 57½" for Use with Glass 49-53
Panel Systems Gallery Glass 54-56
Panel Connectors & Rails 57-58
Working with Accessories 59-63
Fit™ Countertops 64
Working with Electrical & Data. 65-72
Electrical Components 73-75

OPTIMIZE™

Finishes 78
Typicals Overview 79
Introduction and Overview 80-81
Working with Panels, Connectors, and Sliding Doors 82-85
Panels & Connectors 86-92
Working with Electrical & Data 93-101
Electrical & Data Components 102-104

FRAME & TILE PANELS

TERRACE® SYSTEM

Finishes 106
Typicals Overview 107
Introduction to Terrace® 108
Working with Frames and Connectors 109-113
Approach™ and Involve® Laminate Wood Storage 114-115
Working with Sliding Doors 116
Working with Tiles 117-123
Working with Veneer 124
Terrace® Frames, Connectors, and Tiles 125-150
Working with Electrical & Data 151-165

STRIDE® SYSTEM

Finishes 168
Introduction 169
Statement of Line 170-171
Overview of Frames 172
Working with Frames, Sliding Doors, Connectors, and Tiles 173-192
Panel Frames and Kits 193-208
Tiles and Connectors 209-230
Acoustic Inserts 231
Working with Electrical and Data 232-246

SHARED COMPONENTS

OPTIMIZE™

Overview of Worksurfaces 247
Working with Worksurfaces and Supports 248-253
Laminate Worksurfaces 254-260
9120 Worksurfaces 261-262
Worksurface Supports 263
Working with Overhead Storage 264-267
Overheads, Shelves, and Mounting Kits 268-269
Hutches, Tackboards, and Accessories 270-271
Working with Cadence® Freestanding Desking 272-280
Cadence® Freestanding Desk Components and Modesty Panels 281-282

TERRACE®

Overview of Flat Edge and Veneer Worksurfaces 283
Working with Worksurfaces and Supports 284-289
Working with Cadence® Freestanding Desking 290-298
Laminate Worksurfaces 299-306
9120 Worksurfaces 307-308
Veneer Worksurfaces 309
Worksurface Supports 310
Cadence® Freestanding Desk Components & Modesty Panels 311-312
Working with Overheads, Shelves, and Hutches 313-316
Overhead Cabinets, Shelves, and Up-mount Kits 317-318
Hutches, Tackboards, and Accessories 319

STRIDE®

Worksurfaces
Working with Worksurfaces and Supports 320-330
Laminate Worksurfaces… 331-337
9120 Worksurfaces 338-339
Veneer Worksurfaces 340
Worksurface Supports 341-344

Wood Storage
Statement of Line 345
Features and Dimensions 346-347
Filing Capacities 348
Working with Wood Storage 349-367
Credenzas and Credenza Accessories 368-369
4-Wire Electrical Components 370
Stride Accessories 371
Overhead Cabinets and Horizontal Storage 372-374
Working with Metal Overheads 375-377
Metal Overheads 378-379

© 2025, Allsteel Inc. Allsteel is a registered trademark.

BACK

Table of Contents

Specification and Price List

Effective June 1, 2025

BENCHING

MURAL

Finishes 382-385
Introduction to Mural 386
Statement of Line 387
Overview 388
Planning Guidelines 389-392
Working with Electrical & Data 393-397
Fence
Frame, Tiles and Connectors 398-400
Integrated Height-Adjustable Tables
Worksurfaces and Bases 401-403
Wire and Cable Management 404-405
Privacy
Screen Frames 406
Screens 407-413
No-Screen Kits 414
Accessories 415
Freestanding Screen 416
Accessories
Electrical 415-419

FURTHER™

Finishes 422
Typicals 423-424
Introduction to Further™ 425-426
Statement of Line 427-428
Planning Guidelines 429-437
Working with Worksurfaces and Supports 438-445
Worksurfaces and Supports 446-455
Working with Electrical and Data 456-468
Electrical and Data Components 469-472
Working with Collaborative Hub 473
Collaborative Hub Components 474
Working with Screens 475-476
Fabric Screens and Modesty Panels 477-478
Glass Screens 479
User Movable and Lateral Screens 480
Working with Stride® Benching Screens 481
Stride® Lateral Divider Screens 482
Further™ Adaptive Metal Screens 484-485
Further™ Adaptive Tackboard Accessories 485-486
Working with Storage 487-488
Horizontal and Beam-Mounted Storage Stanchion 489
Pedestals and Credenzas 490
Storage Towers 491
Adaptive Typicals 492
Adaptive Statement of Line 493
Working with Adaptive Worksurfaces and Supports 494-505
Working with Adaptive Electrical and Data 506-510
Working with Screens, Storage, and Extensions 511

ALTITUDE®

Paint Finishes, Laminates, Eased Edge 514
Power Rail Specifications 515-520
Power Rail and Supports 521-522
Power Rail Pole and Wire Management 523
Power Rail Screens 524
HAT to Panel Brackets 525
Worksurface Mounted Rail and Accessories 526

GALLERY PANELS

Finishes and Panel Fabrics 528-529
Laminate and Paint Matching 530
Basic Characteristics and Dimensions 531-533
Working with Integrated Glass 534-535
Optimize™ System End Panels 536-538
Stride and Terrace - End Panel (Dual-Sided) 538.1
Stride and Terrace - End Panel (Single-Sided) 538.2
Stride and Terrace - Mid Panel 538.3
Gallery-to-Gallery Panels 539
Gallery Panels 539.1
Basic Characteristics 539.2
Dimensions 539.3
Working with Integrated Glass 539.4
Further - End Panel (Dual-Sided) 539.5
Further - End Panel (Single-Sided) 539.6
Benching 539.7
Mural — Planning Guidelines 539.8
Storage and Worksurface Connectors 539.9
Accessories - Tackboards 539.10
Freestanding Screens 540-541
Storage and Worksurface Connectors 542
Working with Accessories 543-545
Gallery Panels HAT Brackets 546
Gallery-to-Gallery Panels 30", 35", 42", 50", and 57½" Applications 547-551
Gallery-to Gallery Panels 30", 35", 42", 50", and 57½" for use with Glass 552-556
22", 30", 35", 42", 50", and 57½" Applications 556.1-561
30", 35", 42", 50", and 57½" for use with Glass 562-566
Radius Gallery Panels 22", 30", 35", 42½", 50", and 57½" Applications 566.1-566.12
Radius L Gallery-to-Gallery Panels 30", 35", 42½", 50", and 57½" Applications 566.13-566.22
Radius T Gallery-to-Gallery Panels 30", 35", 42½", 50", and 57½" Applications 566.23-566.27
Radius T Gallery-to-Gallery Panels: Non-Symmetrical Applications 566.28-566.29
Radius Split Gallery-to-Split 22", 30", 35", 42½", 50", and 57½" Applications 566.30-566.35
Optimize™ Connector Kits 567
Further™ Connector Kits 568-569
Stride® Connector Kits 570
Terrace® Connector Kits 571
Panel Systems Gallery Glass 572-574
Accessories 575-577

ALTITUDE®

Paint Finishes, Laminates, Eased Edge 580
Fabrics 581
Working with Height-Adjustable Tables 582-589
Screens and Power Module 590
Metal Screens 591-592
Power Rail Specifications 593-599
Working with Electrical and Data 600-604
HAT to Panel Brackets 605-606
Working with Organization Rail & Accessories & Screens 607
Altitude Height-Adjustable Tops, Bases, & Accessories 608-616
Altitude – A6 608-609
Worksurfaces for Height-Adjustable Bases 610-612
Cable Management 613-616
Power Rail – Electrical Components 617-619
Metal Screens and Tackboard Accessories 620-621

SPACE DIVISION

A8 SCREENS

Screen Kits 622

DAYBOOK™

Finishes 624-625
Introduction/Overview 626
Statement of Line 627
Specification Details 628-629

Table of Contents

Frames 630
Laminate, Metal, and Slotted Inserts 631-633
Fabric Inserts 634
Glass Inserts 635
Shelves & Bookcases 636
Planters 637
Work Tools 638

FURTHER™ TABLE MOUNTED
Working with Screens 639-640
Fabric Screens and Modesty Panels 641-642
Glass Screens 643
User Movable Screens 644
Adaptive Metal and Benching Screens 645-650

UNIVERSAL SCREENS
Finishes and Upholstery 652-653
Specification Details 654-657
Fabric Screens
Beam Mounted Screens 658
Elevated Screens 659
Above/Below Screens 660
Lateral Screens 661-663
Adjustable HAT Screens 664
Modesty Screens 665
Sit-on-Surface Screens 666
Glass Screens
Beam Mounted Screens 667
Elevated Screens 668
Above/Below Screens 669
Lateral Screens 670-671
Side Screens 672
Modesty Screens 673
Acrylic Screens
Beam Mounted Screens 674
Elevated Screens 675
Above/Below Screens 676
Lateral Screens 677-678
Side Screens 679
Modesty Screens 680
Sit-on-Surface Screens 681
Laminate Screens
Beam Mounted Screens 682
Elevated Screens 683
Above/Below Screens 684
Lateral Screens 685-686
Side Screens 687
Modesty Screens 688
Metal Organizers 689

CASEGOODS

APPROACH™
Introduction 691-692
Statement of Line and Typicals 693-702
Grain Direction, Features, and Dimensions 703-714
Locks and File Capacity 715-716
Finishes 717
Laminate Storage Brackets 718
Approach™ and Involve® Laminate Wood Storage 719-720
Storage Open Plan Supports 721-722
Working with Approach 723-745
Desks 746-748
Pedestals 749-750
Credenzas 751-761
Storage Back Panels 762
Lateral Files 763
Bookcases 764
False Peds / Wall Access Panels / Bridges 765
Table Tops 766
Worksurfaces and Supports 767-770
Modesty Panels — Laminate 771
Towers and Wardrobes 772-781
Overheads and Stack on Storage 782-785
Tackboards & Writable Boards 786-787
Counterweights & Accessories 788
Altitude® Height-Adjustable 789-792
Collaborative Table Surface-Mounted Power Modules 796

INVOLVE®
Finishes 798
Overview 799-800
Working with Involve® 801-820
Pedestals, Credenzas, and Bookcases 821-828
Soft Seating 829-833
Storage Towers 834-838
Stacking Storage 839
Overheads, Shelves, Stanchions, Hutches, and Tackboards 840-845
Worksurfaces — Primary and EZ View 846
Worksurface Supports 847-848
Screens 849-851

LAMINATE STORAGE

AWARE®
Credenzas 853-854

FURTHER™
Finishes 856
Statement of Line 857
Working with Storage 858-859
Pedestals and Credenzas 860
Storage Towers 861

METAL STORAGE

ALIGN™ METAL STORAGE
Statement of Line 862-863
Finishes 866-867
Working with Align™ Metal Storage 868-870
Dimensions and File/Load Capacities 871-873
Metal Pedestal Specifications 874-875
Credenzas and Accessories 876-877
Metal Credenzas with Panel Frames 878
Lateral/Personal/Laminate Top Specifications 879
Tower and Locker Specifications 880-882
Support, Mobile, and Freestanding Pedestals 883-886
Pedestal Tops and Accessories 887
22"H Credenzas and Pedestals 888-897
Open Shelf & HAT Credenzas 898
Wire Management and Accessories 899-902
28"H Laterals, Personal Files, and Bookcases 903
Metal Towers 904-915
Lockers, Wardrobes, and Accessories 916-926
Digital Lock Keys and Accessories 927
Storage Islands 928-938

ESSENTIALS™ METAL
Finishes 940
Working with Essentials Metal Storage 941-946
Metal Pedestals and Accessories 947-949
Metal Lateral Files 950
Metal Combination Files 951
Metal Storage Cabinets 952
Metal Bookcases 953

Table of Contents

RADII™ STORAGE
- Finishes 956
- Digital Lock Specifications 957
- Pedestal Functionality with Work Tools 958
- Freestanding and Mobile Pedestals 959-962
- Pedestal Functionality with Work Tools 963
- Undermount, L-Cube, and Work Tools 964-966
- Caddy 967
- Digital Lock Keys and Accessories 968

ACCESSORIES
- Working with Pivot Monitor Arms 970-973

EXTENSIONS™
- Introduction 974
- Working with Ergonomic Accessories 975-976
- Working with Organization Tools 977-988
- Working with Illumination 989-992
- Power/Data Modules and Wire Management 993-997

APPENDIX
- Locking Specification/Easy Lock 998-1000
- Touch-Up Paint 1001
- Fabric Grades G-J and Upholstery Grades 9-23 1002-1007

Systems, Casegoods, & Space Division

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative. For more information visit: https://www.allsteeloffice.com/insights/sustainability/product-certifications.

NEW FINISHES

Studio Paints
- Ochre — P093
- Sienna — P092
- Cove — P096
- Harbor — P097
- Sage — P095
- Dune — P094

Stratawood Beigewood Maple SE878
Stratawood Field Elm Maple SE599
Stratawood Belair Maple SE934
Stratawood Florence Walnut ST579
Natural Florence Walnut NT579
Quarter Florence Walnut QT579
Belair LWBA
Field Elm laminate LWFE

NEW TEXTILES

Livi with Supreen
Oxford with Supreen
Rush
Noble — Aegean, Amethyst, Aster, Blossom, Bluebell, Chamomile, Conifer, Cottage, Darkness, Desert Sand, Dewfall, Dusted Sage, Flax, Harmony, Ice Caves, Icicle, Inky, Iris, Monarch, Pitch, Queen Bee, Sandcastle, Sedona, Sunbeam, Voyager, Windy Day.
Vast — Vineyard, Garden, Grasslands, Bay, Open Air, Atmosphere, Ocean, Mountain Range, Highway, Tundra, Beach, Desert, Countryside

NEW EXTENSIONS

AJTRGH24
AJTRGH36
APWRMOD — Desktop Power Mod, Rectangular
AUPWRMOD- Undermount Power Mod, Rectangular
ABPWRMOD — Bezel Mount Power Mod
ARNDPWRMOD — Desktop Power Mod, Round
AURNDPWRMOD — Undermount Power Mod, Round
AABPWRMOD — Desktop/Undermount Combo Power Mod
AHATPWRMOD — HAT Desktop/Undermount Combo Power Mod
AHATPWRMOD2S — Telescoping Wire Chase 2S HAT Solution
AHATPWRMOD3S — Telescoping Wire Chase 3S HAT Solution
AHATPWRMODF — Fabric Elastic HAT Wire Chase HAT Solution
ACPWRMOD — Desktop Power Mod, 2 Receptacle 2 Data
APWR4TAP — Undermount Power Mod, 4 Outlets, 10' Cord
APWRPCK — Desktop Power Puck — White & Silver
APWRSTRP — Wood Power Strip
ALEGCHASE26 — O-Leg Wire Chase 25.8"L
AWRSTRIP — Wire Management Strips — Black Only
AWIRECLT — Metal Wire Cleat
AMPCHASE — Panel Mount Wire Chase
AFDTRGH20 — Flip-Down Wire Trough, 20"W — Black Only
AFDTRGH32 — Flip-Down Wire Trough, 32"W — Black Only
APWRTRGH17 — Cable Management Trough 17"W — Black Only
APWRTRGH36 — Cable Management Trough 36"W — Black Only
APWRMODEST36 — Power Modesty, 36"W
APWRMODEST48 — Power Modesty, 48"W

DISCONTINUED FABRICS

Mica — 12/31/2024
Dotty — 12/31/2024
Hamilton — 12/31/2024
Inertia — 12/31/2024
Optic — 6/30/2024
Taylor — 6/30/2024

DISCONTINUED PRODUCTS

Hinged Wire Management Troughs for under Worksurfaces — UN924HT, UN936HT, UN948HT — 6/30/2024

DISCONTINUED PAINT

Parchment P93 — 12/31/2024
Bungalow P7C — 12/31/2024

Systems, Casegoods, & Space Division

COM Policy

COM Program

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel's standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under "Allsteel to Supply (ATS)." If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under "Dealer to Supply (DTS)". **ATS is the preferred method for all COM fabrics.** With ATS, Company will provide acknowledgment based upon planned date of receipt of COM fabric and manage the entire process. DTS is allowed if Company does not have access to the supplier. **DTS may cause order delays and is strongly discouraged.** Find out more about Allsteel's COM process by emailing our COM Department at **allsteelcomteam@allsteeloffice.com**.

Allsteel to Supply (ATS):

1. Select the fabric you wish to use and check the COM Search on our Website at: AllsteelOffice.com/Design Resources/ Textiles & Finishes/COM Search or COM Search quick link. You will need to have the COM supplier's name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code.

   If your fabric is not listed as approved, you will need to select the "Request COM Test" link on the COM Search website. If your fabric is not listed as approved, you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

   In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

Dealer to Supply (DTS):

1. Select the fabric you wish to use and check the COM Search on our Website at: AllsteelOffice.com/Design Resources/ Textiles & Finishes/COM Search or COM Search quick link. Or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.

   You will need to have the COM supplier's name, fabric pattern name, and color name for this inquiry.
2. If your fabric is not listed as approved, you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.
4. Make sure to use a "Dealer to Supply" COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All "Dealer to Supply" orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All "Dealer to Supply" fabric must be sent on a fabric roll. Estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

   HNI Textile Distribution Center
   COM Production Yardage — PO Number
   Docks 20-22
   301 Mulberry Avenue
   Muscatine, IA 52761

Information that MUST be included in the packing slip attached to the DTS fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling or fabric yardage that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 4 weeks. After 4 weeks Allsteel will dispose of the fabric. There are no exceptions to this policy.

Specific to DTS orders - The customer should send only the amount needed for the order. Excess yardage, or yardage not attached to an order will be disposed of at Allsteel's discretion.

Any canceled orders are subject to cancellation charges up to the full value of the Allsteel product canceled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

Additional Policy Information:

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation when the issue is found.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then canceled prior to shipment are subject to cancellation costs up to the full value of the product canceled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on our Website or by calling Allsteel Customer Support.

All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).



Fire Retardant

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

For more information, please contact Allsteel Customer Support.

YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS

Fabric Width	Plain Fabric	2"– 14" Repeat	15"– 19" Repeat	20"– 27" Repeat	28"– 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%

Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

Special Paint & Stain Policy

Allsteel at its own discretion may modify its standard products with non-standard paint and stain colors to meet specific needs. Dealer is required to submit a special paint or stain request via the COM Search on our Website. A sample of the non-standard paint or stain color desired will be required for matching. Pricing, lead time, and order information will be provided at the time of approval.

- For each new requested stain or paint, there will be a $500 net fee to cover supplier costs to match the special item.
- For existing, previously-approved stains or paints, there is no $500 matching fee, however, there is a sample chip fee of $175 net for stains and $100 net for paints.
- Samples, preferably at least 3" x 5" chips, of the exact color desired should be sent to the Allsteel Tailored Products Group. Paint matches require (3) sample chips and stain matches require (3) sample chips. Please mail these sample chips to the address below and reference the Special Item Request Number from Tailored Solutions.

  Allsteel Inc.
  Attn: COM Team
  200 Oak St.
  Muscatine, IA 52761

- Allsteel will color match the sample and send control samples to the address provided in the request. Dealer will review Allsteel's color match and approve by signing the back of the sample chip. Send the signed sample back to the Allsteel Tailored Products Group.
- Special paints will be assigned a paint price grade.
- Orders will not be accepted until Allsteel receives the Dealer's written approval on the color match.
- Extended lead times will apply on orders containing special paints or stains.
- Due to manufacturing techniques, materials, and quality issues, some exclusions will apply and some matches may be declined.

Important Notes

- Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and cannot be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.
- Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of existing product. Even with this maturation process the additional product will not be an exact match.

Special Laminate Policy

The Company at its own discretion may modify its standard products with non-standard laminates to meet specific needs. Contact the Allsteel Tailored Products Group for pre-approved Wilsonart, Formica, Nevamar and Pionite laminates and pricing for special laminates. When requesting a special laminate please supply manufacturer, along with name and pattern number of laminate.

- Extended lead times will apply on orders containing special laminates.
- Due to manufacturing techniques, materials, and quality issues, some product exclusions will apply and some requests may be declined.

Veneer Care Instructions

Veneer worksurfaces feature the Gunlocke® finishing system. The finishing system is a process that begins with the application of stains, which promote exceptional depth and clarity. Next the worksurface receives a specialized coating that provides exceptional durability and chemical resistance. The remaining surfaces receive a top coat. These finishing processes ensure depth, clarity, color consistency and durability throughout the product.

Caring for your veneer finish:

- General maintenance procedures entail wiping clean the entire surface with a clean, water dampened soft cloth once per week (be sure to wipe with the grain)
- Murphy's® Oil Soap may be used as a general purpose type cleaner with warm water to clean tops.
- The finish may also be polished with Guardsman® Furniture Polish (contains no waxes or silicones) to provide renewed luster.
- Be sure to wipe up all spills immediately. Do not allow spills to dry.

Wood owes its inherent beauty to variations in color, grain and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. Allsteel does not guarantee the exact matching of grain, pattern and color.

Allsteel Open Line Laminate Program

The Open Line Laminate (OLL) program makes it even easier for a customer to tailor their Allsteel product for a custom look. Select Allsteel furniture products accommodate hundreds of graded-in high-pressure laminates (HPL) from the leading laminate manufacturers' open lines.

Laminates that are currently available in the program can be viewed in specification tools.

Requests to add laminates to the standard specials program can be submitted through the CET Specials Integration tool as well as Community.

Matching edge options are not available offered for laminates in the OLL program. When selecting a laminate please select an edge option from the Allsteel standard offering. If a matching edge is required a modification request can be submitted through the CET Specials Integration tool as well as Community.

Due to manufacturing techniques, materials, quality issues of varying laminates, and minimum order quantities some product exclusions will apply, and some requests may be declined.

Extended lead times may apply on orders containing special laminates.

Contact the Tailored Products Group for questions or additional information regarding pre-approved laminates and pricing.

Allsteel
Phone: 888-255-7833 Option 4.2
Email: ASITPG@allsteeloffice.com

For edge band recommendations from the Allsteel standard offering, please email the HNI Workplace Colors, Materials and Finishes team at allsteelfinishes@allsteeloffice.com.

Allsteel edge samples can be ordered through the Allsteel literature Website, https://www.AllsteelOffice.com.

For laminate samples, please contact the manufacturer directly:

Wilsonart
https://www.wilsonart.com/
1-800-433-3222

Formica
https://www.formica.com/en-us/
1-800-FORMICA (367-6422)

Nevamar and Pionite
https://www.panolam.com
877-726-6526

Everyday Advantage®

New terms and conditions for EDA:

1. Orders must clearly state “Everyday Advantage Order” and include the appropriate Everyday Advantage contract number:
   - Everyday Advantage Std-0125, Everyday Advantage Canada-0127
2. Everyday Advantage orders are not eligible for bid pricing.
3. Program discounting includes the complete Optimize, Further, and Terrace systems lines, private office solution, Approach and Involve storage. This program also includes Acuity, Access, Evo, Inspire, Lyric, Mimeo, Nimble, Quip, Relate, Seek, and Svelte, seating. Altitude, Aware, and Structure tables are also available, along with Align pedestals, lockers and metal storage and Essentials pedestals, and Radii storage lines. In addition, Extensions ergonomic accessories and lighting are part of the standard offering. All other product not called out is available for order on the contract but will receive standard discounting of 55%–65%.
4. All textiles and finishes except for veneer and some wood finishes are available, depending on quantity and selection, and may have extended lead times.
5. Everyday Advantage orders are not limited to a minimum or maximum.
6. All orders ship based on standard lead times. Large-quantity orders of like products may be subject to longer lead times.
7. Standard freight terms apply.
8. If driver assistance is needed, standard driver assist charges will be added at time of order entry.

Allsteel Inc. reserves the right to amend or terminate this program at anytime with 30 days written notice. Allsteel is not liable for service delays caused by force majeure (circumstances beyond Allsteel's control).

Upholstery Selections for Storage by Model/Series

Upholstery colors and codes for standard fabrics are listed on page 13.

		Banquette/Seat Cushions	Radii Ped Topper	Align, Essentials, Involve Ped Topper
GRADE 1				
Apex	**APX**	•	•	•
Centurion	**CU**	◆	•	◆
Contourett	**UR**	◆	•	•
Dapper	**DAPR**	◆	•	◆
Ensemble	**ENSB**	•	•	•
GRADE 2				
Appoint Seating	**PNS**	◆	•	◆
Blume	**BLME**	•	•	•
Clyde	**CLYD**	•	•	•
Rush	**RUSH**	◆	•	•
Denim Wash	**DMNW**	•	•	•
Spin Seating	**SPNN**	◆	•	•
GRADE 3				
Purl	**PURL**	◆	•	•
Quill	**QUL**	◆	•	•
GRADE 6				
Arris	**ARR**	•		

[S]Seat Only

• Available upholstery option

◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, $ varies by series)

Upholstery

Standard Upholstery Options

Refer to page 12 for current upholstery availability by model/series.

GRADE 1

APEX

Basalt	APX25
Beet	APX12
Blackberry	APX20
Chive	APX05
Iris	APX03
Kiwi	APX06
Lemonade	APX08
Navy	APX13
Papaya	APX09
Pumice	APX23
Rain	APX19
Resort	APX15
Royal	APX14
Tiki	APX29
Tomato	APX11

***CENTURION B, C, F, O, S, T**

Apricot	CU47
Bark	CU25
Black	CU10
Espresso	CU49
Fog	CU03
Frost	CU22
Goldenrod	CU27
Indigo	CU06
Iris	CU50
Iron Ore	CU19
Jade	CU83
Marsala	CU63
Morel	CU24
Navy	CU98
Peacock	CU97
Pear	CU84
Ruby	CU67
Sapphire	CU09

CONTOURETT

Baltic	UR94
Beach	UR23
Black	UR10
Bordeaux	UR63
Buff	UR22
Cloud	UR18
Coffee Bean	UR49
Crater	UR51
Flame	UR62
Graphite	UR19
Iron	UR20
Luggage	UR26
Marine	UR92
Navy	UR95
Nimbus	UR93
Ocean	UR96
Pumpkin	UR42
Quarry	UR24
Red	UR64
Safari	UR27
Sage	UR82
Steel	UR21
Storm	UR17
Taupe	UR28
Trunk	UR50

GRADE 1 – continued

DAPPER B^{w}, F^{w}, S^{w}, T^{w}

Ash	DAPR20
Breeze	DAPR06
Canvas	DAPR25
Charcoal	DAPR01
Clover	DAPR22
Currant	DAPR00
Fawn	DAPR35
Fern	DAPR85
Gerbera	DAPR16
Grape	DAPR33
Jewel	DAPR08
Marigold	DAPR65
Onyx	DAPR10
Orchid	DAPR90
Parrot	DAPR59
Poppy	DAPR19
Sapphire	DAPR07
Scarlet	DAPR45
Sepia	DAPR30
Slate	DAPR15
Sky	DAPR44
Sorbet	DAPR55
Spring	DAPR80
Terracotta	DAPR13
Titanium	DAPR17
Varsity	DAPR09
Zest	DAPR70

ENSEMBLE

Aquamarine	ENSB30
Ash	ENSB39
Greige	ENSB36
Harbor	ENSB34
Navy	ENSB35
Oat	ENSB37
Pear	ENSB33
Sand	ENSB38
Scarlet	ENSB32
Slate	ENSB31
Stone	ENSB40

GRADE 2

APPOINT SEATING

Blackberry	PNS012
Bronze	PNS002
Carbon	PNS008
Cherry	PNS010
Espresso	PNS003
Framboise	PNS011
Jet	PNS007
Lawn	PNS005
Mandarin	PNS009
Morel	PNS001
Platinum	PNS004
Turquoise	PNS006

BLUME

Chalk	BLME03
Char	BLME00
Coin	BLME02
Driftwood	BLME05
Emerald City	BLME07
Fir	BLME09
Harvest	BLME04
Haze	BLME08
Hyacinth	BLME14
Jasper	BLME13
Merlot	BLME10
Moonstone	BLME01
Opal	BLME06
Scarlet	BLME11
Slate	BLME12

GRADE 2 – continued

CLYDE

Antique	CLYD04
Artifact	CLYD01
Blacksmith	CLYD10
Claret	CLYD13
Craftsman	CLYD08
Crate	CLYD12
Fossil	CLYD02
Heirloom	CLYD05
Iron	CLYD11
Linen	CLYD14
Relic	CLYD06
Seasoned	CLYD03
Trestle	CLYD07

DENIM WASH

Aged Indigo	DMNW05
Amethyst	DMNW06
Cerulean	DMNW04
Earthy	DMNW10
Forest Green	DMNW03
Golden	DMNW02
Grey Fox	DMNW09
Obsidian	DMNW12
Sand	DMNW08
Steel Grey	DMNW11
Terracotta	DMNW01
Violet Shades	DMNW07

RUSH

Anchor	RUSH07
Basil	RUSH16
Blueberry	RUSH10
Flamingo	RUSH21
Greenery	RUSH15
Greyhound	RUSH06
Marina	RUSH13
Merlot	RUSH19
Midnight	RUSH11
Mint	RUSH09
Mulberry	RUSH18
Pumice	RUSH01
Punch	RUSH20
Sage	RUSH14
Salsa	RUSH24
Sand	RUSH05
Seal	RUSH08
Soot	RUSH02
Stout	RUSH03
Sunshine	RUSH23
Tapestry	RUSH04
Tiger	RUSH22
Vintage	RUSH17
Wave	RUSH12

SPIN SEATING

Alabaster	SPNN02
Cavern	SPNN03
Cobblestone	SPNN04
Ember	SPNN06
Flame	SPNN07
Heron	SPNN13
Oat	SPNN01
Ocean	SPNN12
Plum	SPNN15
Pool	SPNN11
Raven	SPNN10
Rhubarb	SPNN14
Tropic	SPNN08
Willow	SPNN05

GRADE 3

PURL

Alpaca	PURL08
Braid	PURL10
Deep	PURL12
Graze	PURL05
Loom	PURL06
Needle	PURL07
Pasture	PURL02
Ranch	PURL04
Shuttle	PURL09
Skein	PURL01
Thistle	PURL11
Yearling	PURL03

QUILL

Aviary	QUL03
Feather	QUL02
Fountain	QUL06
Ink	QUL05
Metal	QUL04
Reed	QUL08
Scroll	QUL01
Well	QUL07

GRADE 6

ARRIS

Artisan	ARR01
Baroque	ARR07
Noble	ARR02
Rattan	ARR05
Rich	ARR04
Tapestry	ARR03
Weft	ARR06

Multi-use fabrics are noted with the following designators:
B – Tackboards
C – Concensys®
F – Further™
O – Optimize™
S – Stride®
T – Terrace®
^{w} limited to 48"W or less
* Not available on 72"W.

Systems, Casegoods, & Space Division

Panel Fabrics

GRADE A

APPOINT PANEL

Artichoke	APN911
Blackberry	APN932
Bronze	APN922
Carbon	APN928
Chai	APN912
Cherry	APN930
Dark Pewter	APN917
Dune	APN915
Espresso	APN923
Framboise	APN931
Frost	APN934
Jet	APN927
Lawn	APN925
Mandarin	APN929
Morel	APN909
Nimbus	APN916
Platinum	APN924
Turquoise	APN926

BINARY †

Blush	BNRY12
Coal	BNRY06
Cream	BNRY01
Denim	BNRY08
Diamond	BNRY03
Graphite	BNRY05
Juniper	BNRY10
Lagoon	BNRY07
Lavendar	BNRY11
Mineral	BNRY04
Reef	BNRY09
Sand Dollar	BNRY02

***CENTURION[w]**

Apricot	CU47
Bark	CU25
Black	CU10
Espresso	CU49
Fog	CU03
Frost	CU22
Goldenrod	CU27
Indigo	CU06
Iris	CU50
Iron Ore	CU19
Jade	CU83
Marsala	CU63
Morel	CU24
Navy	CU98
Peacock	CU97
Pear	CU84
Ruby	CU67
Sapphire	CU09

ETCH*

Axis	ECH913
Blend	ECH914
Cast	ECH912
Highlight	ECH910
Midtone	ECH911
Outline	ECH908
Shade	ECH909
Tonal	ECH916
Vanish	ECH915

***LANDSCAPE**

Cornsilk	LN15
Drift	LN05
Khaki	LN20
Sheen	LN10
Slate	LN35
Umber	LN25
Urban	LN30

GRADE A – continued

***LUCY**

Aspen	LC932
Cornsilk	LC930
Dusk	LC922
Fawn	LC933
Graphite	LC934
Mist	LC920
Neutra	LC924
Pewter	LC935
Snowdrop	LC928

NOBLE

Aegean	NBLE18
Amethyst	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom	NBLE21
Bluebell	NBLE22
Bordeaux	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile	NBLE23
Clementine	NBLE04
Conifer	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Desert Sand	NBLE27
Dewfall	NBLE28
Dusted Sage	NBLE29
Flax	NBLE30
Grass	NBLE07
Gunmetal	NBLE15
Harmony	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle	NBLE33
Inky	NBLE34
Iris	NBLE35
Jade	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager	NBLE42
Windy Day	NBLE43

***REFLECTIONS**

Galvanized	REF929
Ice	REF920
Loggia	REF921
Mistral	REF928
Moonstone	REF923
Pewter	REF922
Stainless	REF924
Vanilla	REF925
Winter	REF927

GRADE A – continued

***REFUGE**

Artesian	RFG996
Dune	RFG992
Eclipse	RFG990
Frost †	RFG993
Glacier †	RFG991
Mineral	RFG998
Tidal	RFG994

***VAST**

Vineyard	VST01
Garden	VST02
Grasslands	VST03
Bay	VST04
Open Air	VST05
Atmosphere	VST06
Ocean	VST07
Mountain Range	VST08
Highway	VST09
Tundra	VST10
Beach	VST11
Desert	VST12
Country Side	VST13

GRADE B

***COAST † ♣**

Channel	COA914
Dune	COA903
Headlands	COA910
Marsh	COA902
Pebble	COA912
Pier	COA913
Shoal	COA901
Silt	COA906
Tide	COA908

***DISPERSE †**

Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
Emerald City	DISP08
Gold Rush	DISP02
Igloo	DISP11
Ink	DISP06
Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
Reservoir	DISP01
Rose	DISP04
Spring	DISP05
Steel	DISP16
Taupe	DISP14

***SPIN PANEL**

Alabaster	SPIN02
Cavern	SPIN03
Cobblestone	SPIN04
Ember	SPIN06
Flame	SPIN07
Heron	SPIN13
Oat	SPIN01
Ocean	SPIN12
Plum	SPIN15
Pool	SPIN11
Raven	SPIN10
Rhubarb	SPIN14
Tropic	SPIN08
Willow	SPIN05

GRADE B – continued

TEMPEST

Dragonfly	TP930
Frost	TP915
Full Stream	TP980
Gold Rush	TP910
Slate	TP945
Tumbleweed	TP970
Wind Chill	TP940
Zebra	TP935

***TERRAIN**

Bay	TRRN05
Bayou	TRRN35
Canyon	TRRN30
Cliff	TRRN45
Crest	TRRN25
Delta	TRRN10
Plateau	TRRN15
Ridge	TRRN20
Valley	TRRN40

[w] Limited to products 48"W or less.
† Panel fabric is not available on Concensys®.
◆ Panel fabric is not available on Involve®.
▼ Panel fabric is not available on Further™.
♣ Panel fabric is not available on Optimize®.
* Not available on 72"W.

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating & Tables Price List.

GRADE A

APPOINT PANEL
Artichoke APN911
Blackberry APN932
Bronze APN922
Carbon APN928
Chai APN912
Cherry APN930
Dark Pewter APN917
Dune APN915
Espresso APN923
Frost APN934
Framboise APN931
Jet APN927
Lawn APN925
Mandarin APN929
Morel APN909
Nimbus APN916
Platinum APN924
Turquoise APN926

BINARY †
Blush BNRY12
Coal BNRY06
Cream BNRY01
Denim BNRY08
Diamond BNRY03
Graphite BNRY05
Juniper BNRY10
Lagoon BNRY07
Lavender BNRY11
Mineral BNRY04
Reef BNRY09
Sand Dollar BNRY02

CENTURION[w]
Apricot CU47
Bark CU25
Black CU10
Espresso CU49
Fog CU03
Frost CU22
Goldenrod CU27
Indigo CU06
Iris CU50
Iron Ore CU19
Jade CU83
Marsala CU63
Morel CU24
Navy CU98
Peacock CU97
Pear CU84
Ruby CU67
Sapphire CU09

ETCH
Axis ECH913
Blend ECH914
Cast ECH912
Highlight ECH910
Midtone ECH911
Outline ECH908
Shade ECH909
Tonal ECH916
Vanish ECH915

LANDSCAPE
Cornsilk LN15
Drift LN05
Khaki LN20
Sheen LN10
Slate LN35
Umber LN25
Urban LN30

GRADE A – continued

LUCY
Aspen LC932
Cornsilk LC930
Dusk LC922
Fawn LC933
Graphite LC934
Mist LC920
Neutra LC924
Pewter LC935
Snowdrop LC928

NOBLE
Aspen NBLE14
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Clementine NBLE04
Dawn NBLE13
Grass NBLE07
Gunmetal NBLE15
Harvest NBLE12
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Pacific NBLE08
Rainforest NBLE05
Regal NBLE11
Stormy NBLE16

REFLECTIONS
Galvanized REF929
Ice REF920
Loggia REF921
Mistral REF928
Moonstone REF923
Pewter REF922
Stainless REF924
Vanilla REF925
Winter REF927

REFUGE
Artesian RFG996
Dune RFG992
Eclipse RFG990
Frost † RFG993
Glacier † RFG991
Hemp RFG997
Mineral RFG998
Sandbar RFG995
Tidal RFG994

SARTO ▼
Ash SRT988
Fog SRT914
Lemongrass SRT949
Mist SRT945
Mushroom SRT976
Oyster SRT918
Reef SRT964
Sesame SRT993
Shale SRT952

GRADE B

COAST † ♣
Channel COA914
Dune COA903
Headlands COA910
Marsh COA902
Pebble COA912
Pier COA913
Shoal COA901
Silt COA906
Tide COA908

DISPERSE †
Autumn DISP03
Branch DISP10
Coffee Bean DISP13
Dusk DISP09
Emerald City DISP08
Gold Rush DISP02
Igloo DISP11
Ink DISP06
Mist DISP12
Oatmeal DISP15
Prince DISP07
Reservoir DISP01
Rose DISP04
Spring DISP05
Steel DISP16
Taupe DISP14

SPIN PANEL
Alabaster SPIN02
Cavern SPIN03
Cobblestone SPIN04
Ember SPIN06
Flame SPIN07
Heron SPIN13
Oat SPIN01
Ocean SPIN12
Plum SPIN15
Pool SPIN11
Raven SPIN10
Rhubarb SPIN14
Tropic SPIN08
Willow SPIN05

TEMPEST
Dragonfly TP930
Frost TP915
Full Stream TP980
Gold Rush TP910
Slate TP945
Tumbleweed TP970
Wind Chill TP940
Zebra TP935

TERRAIN
Bay TRRN05
Bayou TRRN35
Canyon TRRN30
Cliff TRRN45
Crest TRRN25
Delta TRRN10
Plateau TRRN15
Ridge TRRN20
Valley TRRN40

[w] Limited to 48"W or less
▼ Panel fabric is not available on Further.
♣ Panel fabric is not available on Optimize®.
† Panel fabric is not available on Concensys®.
◆ Panel fabric is not available on Involve.
* Not available on 72"W

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating & Tables Price List.

GRADE A

APPOINT PANEL
Artichoke APN911
Blackberry APN932
Bronze APN922
Carbon APN928
Chai APN912
Cherry APN930
Dark Pewter APN917
Dune APN915
Espresso APN923
Frost APN934
Framboise APN931
Jet APN927
Lawn APN925
Mandarin APN929
Morel APN909
Nimbus APN916
Platinum APN924
Turquoise APN926

*BINARY †
Blush BNRY12
Coal BNRY06
Cream BNRY01
Denim BNRY08
Diamond BNRY03
Graphite BNRY05
Juniper BNRY10
Lagoon BNRY07
Lavender BNRY11
Mineral BNRY04
Reef BNRY09
Sand Dollar BNRY02

CENTURION[w]
Apricot CU47
Bark CU25
Black CU10
Espresso CU49
Fog CU03
Frost CU22
Goldenrod CU27
Indigo CU06
Iris CU50
Iron Ore CU19
Jade CU83
Marsala CU63
Morel CU24
Navy CU98
Peacock CU97
Pear CU84
Ruby CU67
Sapphire CU09

ETCH
Axis ECH913
Blend ECH914
Cast ECH912
Highlight ECH910
Midtone ECH911
Outline ECH908
Shade ECH909
Tonal ECH916
Vanish ECH915

LANDSCAPE
Cornsilk LN15
Drift LN05
Khaki LN20
Sheen LN10
Slate LN35
Umber LN25
Urban LN30

GRADE A – continued

LUCY
Aspen LC932
Cornsilk LC930
Dusk LC922
Fawn LC933
Graphite LC934
Mist LC920
Neutra LC924
Pewter LC935
Snowdrop LC928

NOBLE
Aegean NBLE18
Amethyst NBLE19
Aspen NBLE14
Aster NBLE20
Blossom NBLE21
Bluebell NBLE22
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Chamomile NBLE23
Clementine NBLE04
Conifer NBLE24
Cottage NBLE25
Darkness NBLE26
Dawn NBLE13
Denim NBLE09
Desert Sand NBLE27
Dewfall NBLE28
Dusted Sage NBLE29
Flax NBLE30
Grass NBLE07
Gunmetal NBLE15
Harmony NBLE31
Harvest NBLE12
Ice Caves NBLE32
Icicle NBLE33
Inky NBLE34
Iris NBLE35
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Monarch NBLE36
Pacific NBLE08
Pitch NBLE37
Queen Bee NBLE38
Rainforest NBLE05
Regal NBLE11
Sandcastle NBLE39
Sedona NBLE40
Stormy NBLE16
Sunbeam NBLE41
Voyager NBLE42
Windy Day NBLE43

REFLECTIONS
Galvanized REF929
Ice REF920
Loggia REF921
Mistral REF928
Moonstone REF923
Pewter REF922
Stainless REF924
Vanilla REF925
Winter REF927

GRADE A – continued

REFUGE
Artesian RFG996
Dune RFG992
Eclipse RFG990
Frost † RFG993
Glacier † RFG991
Mineral RFG998
Tidal RFG994

VAST
Vineyard VST01
Garden VST02
Grasslands VST03
Bay VST04
Open Air VST05
Atmosphere VST06
Ocean VST07
Mountain Range VST08
Highway VST09
Tundra VST10
Beach VST11
Desert VST12
Country Side VST13

GRADE B

COAST † ♣
Channel COA914
Dune COA903
Headlands COA910
Marsh COA902
Pebble COA912
Pier COA913
Shoal COA901
Silt COA906
Tide COA908

DISPERSE †
Autumn DISP03
Branch DISP10
Coffee Bean DISP13
Dusk DISP09
Emerald City DISP08
Gold Rush DISP02
Igloo DISP11
Ink DISP06
Mist DISP12
Oatmeal DISP15
Prince DISP07
Reservoir DISP01
Rose DISP04
Spring DISP05
Steel DISP16
Taupe DISP14

SPIN PANEL
Alabaster SPIN02
Cavern SPIN03
Cobblestone SPIN04
Ember SPIN06
Flame SPIN07
Heron SPIN13
Oat SPIN01
Ocean SPIN12
Plum SPIN15
Pool SPIN11
Raven SPIN10
Rhubarb SPIN14
Tropic SPIN08
Willow SPIN05

TEMPEST
Dragonfly TP930
Frost TP915
Full Stream TP980
Gold Rush TP910
Slate TP945
Tumbleweed TP970
Wind Chill TP940
Zebra TP935

GRADE B – continued

TERRAIN
Bay TRRN05
Bayou TRRN35
Canyon TRRN30
Cliff TRRN45
Crest TRRN25
Delta TRRN10
Plateau TRRN15
Ridge TRRN20
Valley TRRN40

[w] Limited to 48"W or less
▼ Panel fabric is not available on Further.
♣ Panel fabric is not available on Optimize.
† Panel fabric is not available on Concensys.
* Not available on 72"W

Notes

Finishes

Paint Name	Paint Code	Grade	Touch Ups	Pivot Monitor Arms	Pivot G5A Monitor Arms	Concensys	Optimize	Extensions	Metal Center Drawers	Power Pole	Cable Management Tray	Altitude A6 Table Bases	Altitude A8 Table Bases and Utility Bay
Black	P27	1	•			•	•	•	•	•	•		
Black	P71	1	•									•	•
Black	BLK	1		•									
Brownstone	P7D	1	•			•	•	•	•	•	•		
Carbon	P4Q	1	•										
Charblack	CBK	1	•								•		
Charblack Metallic*	P80	1	•										
Cinder	P7Q	1	•				•	•	•		•		
Designer White	WHT	1											
Designer White	PJW	1	•			•	•	•	•	•	•		•
Flint	P02	1	•			•	•	•	•	•	•		
Fog	FOG	1											
Fossil	P28	1	•			•	•	•	•		•		
Loft	P7B	1	•			•	•	•	•	•	•		
Muslin	P4J	1	•			•	•	•	•	•	•		
Nickel	P8L	1										•	
Pebble	P8R	1	•				•	•	•		•		
Pewter	P8D	1	•				•	•	•		•		
Platinum Metallic Texture	P6H	1											
Putty	PJS	1											
Salt	P8C	1	•				•	•	•		•		
Shadow	P4K	1											
Textured Brownstone	P7J	1	•										
Textured Designer White	PK7	1	•										
Textured Flint	P7A	1	•										
Textured Loft	P7L	1	•										
Textured Muslin	P7M	1	•										
Textured Pebble	P8Y	1	•										
Textured Salt	P8Z	1	•										
Textured Titanium	P8V	1	•										
Titanium	P8T / T	1	•				•	•	•		•		
White	PD8	1										•	
Anodized Silver	PR0	2	•										
Champagne Metallic	PR5	2	•			•	•	•	•		•		
Designer White High Gloss 65	P8W	2	•										
Graphite Metallic Texture	P85	2	•										
Gunmetal Metallic	PR3	2	•			•	•	•	•		•		
Matte Gold	P8G	2											
Night Bronze	P8B	2	•					•					
Platinum Metallic	PR2	2	•			•	•	•	•		•		
Pyrite	PJE	2	•					•					
Silver	PR6	2	•				•	•			•		•
Silver Generic	SVR	2		•	•								
Silver Texture	PR8	2	•										
Solar Black	P8X	2	•				•	•					
Atom	P8S	3	•				•	•					
Blossom	P8K	3	•				•	•					
Bullseye	PJF	3	•				•	•					
Ember	P8P	3	•				•	•					
Ion	P8N	3	•				•	•					
Iris	P8J	3	•				•	•					
Krypton	P8F	3	•				•	•					
Regatta	P8M	3	•				•	•					
Markerboard White	MKP	6											

Finishes

Paint Name	Paint Code	Grade	Altitude A8 Grommets and Power Rails	Altitude Metal Screens	Gallery Panels Connectors	Hands Free Pulls	Universal Screens
Black	P27	1					
Black	P71	1	•	•	•		•
Black	BLK	1					
Brownstone	P7D	1	•	•	•		•
Carbon	P4Q	1					
Charblack	CBK	1					
Charblack Metallic*	P80	1					
Cinder	P7Q	1	•	•	•		•
Designer White	WHT	1					
Designer White	PJW	1	•	•	•		•
Flint	P02	1	•	•	•		•
Fog	FOG	1					
Fossil	P28	1	•	•	•		•
Loft	P7B	1	•	•	•		•
Muslin	P4J	1	•	•	•		•
Nickel	P8L	1					
Pebble	P8R	1	•	•	•		•
Pewter	P8D	1	•	•	•		•
Platinum Metallic Texture	P6H	1					
Putty	PJS	1					
Salt	P8C	1	•	•	•		•
Shadow	P4K	1					
Textured Brownstone	P7J	1					
Textured Designer White	PK7	1					
Textured Flint	P7A	1					
Textured Loft	P7L	1					
Textured Muslin	P7M	1					
Textured Pebble	P8Y	1					
Textured Salt	P8Z	1					
Textured Titanium	P8V	1				•	
Titanium	P8T / T	1	•	•	•		•
White	PD8	1					
Anodized Silver	PR0	2					
Champagne Metallic	PR5	2	•	•	•		•
Designer White High Gloss 65	P8W	2					
Graphite Metallic Texture	P85	2					
Gunmetal Metallic	PR3	2			•		•
Matte Gold	P8G	2					
Night Bronze	P8B	2	•	•	•		
Platinum Metallic	PR2	2			•		
Pyrite	PJE	2	•	•	•		
Silver	PR6	2	•	•	•		•
Silver Generic	SVR	2					
Silver Texture	PR8	2					
Solar Black	P8X	2	•	•	•		•
Atom	P8S	3	•	•	•		•
Blossom	P8K	3	•	•	•		•
Bullseye	PJF	3	•	•	•		•
Ember	P8P	3	•	•	•		•
Ion	P8N	3	•	•	•		•
Iris	P8J	3	•	•	•		•
Krypton	P8F	3	•	•	•		•
Regatta	P8M	3	•	•	•		•
Markerboard White	MKP	6		•			•

Finishes

Pattern Name	Code	Grade	System Laminate Doors	Systems Worksurfaces	Terrace Doors	Terrace Laminate Tiles	Stride Laminate Door	Stride Laminate Tiles	Gallery Panels	Daybook	Altitude
Ash	LT3B	1	•	•	•	•	•	•			•
Handspun Pearl	LAHP	1	•	•	•	•	•	•	•		•
Handspun Dove	LAHD	1	•	•	•	•	•	•	•		•
Handspun Slate	LAHS	1	•	•	•	•	•	•	•		•
Handspun Chestnut	LAHC	1	•	•	•	•	•	•	•		•
Silver Mesh	LT8D	1	•	•	•	•	•	•			•
Black	P	1	•	•	•	•	•	•	•	•	•
Brownstone	LM13	1	•	•	•	•	•	•	•		•
Designer White 15051	LDW1	1	•	•	•	•	•	•	•	•	•
Flint	LM16	1	•	•	•	•	•	•	•	•	•
Fossil Shale	LEH1	1	•	•	•	•	•	•	•		•
Loft	LM11	1	•	•	•	•	•	•	•	•	•
Muslin	LM15	1	•	•	•	•	•	•	•		•
Titanium	LTI1	1	•	•	•	•	•	•	•		•
Belair	LWBA	1	•	•	•	•	•	•	•		•
Bourbon Cherry	H	1	•	•	•	•	•	•	•	•	•
Field Elm	LWFE	1	•	•	•	•	•	•	•	•	•
Florence Walnut	LFW1	1	•	•	•	•	•	•	•	•	•
Kingswood Walnut	LKI1	1	•	•	•	•	•	•	•	•	•
Natural Maple	LWD	1	•	•	•	•	•	•	•	•	•
NeoWalnut	LNU1	1	•	•	•	•	•	•	•	•	•
Pinnacle	PINC	1	•	•	•	•	•	•	•	•	•
Shaker Cherry	LW7C	1	•	•	•	•	•	•	•	•	•
Beigewood	LWBE	2	•	•	•	•	•	•	•	•	•
Fawn Cypress	LFC1	2	•	•	•	•	•	•	•	•	•
Lowell Ash	LLA1	2	•	•	•	•	•	•	•	•	•
Mangalore Mango	LMM1	2	•	•	•	•	•	•	•		•
Natural Recon	LNR1	2	•	•	•	•	•	•	•	•	•
Phantom Charcoal	LPC1	2	•	•	•	•	•	•	•		•
Phantom Ecru	LPE1	2	•	•	•	•	•	•	•	•	•
Portico Teak	LPT1	2	•	•	•	•	•	•	•	•	•
Skyline Walnut	LSW1	2	•	•	•	•	•	•	•	•	•
Veranda Teak	LVT1	2	•	•	•	•	•	•	•	•	•
Natural Walnut	LWNW	3	•	•	•	•	•	•	•		•
Open Line Laminate Program	N/A	Varies		•		•		•	•		•

Finishes

Paint Name	Paint Code	Grade	Terrace	Terrace Footed Panels	Stride	Stride Storage	Stride Footed Panels	Stride Sit to Stand	Stride PR6 Only	Stride Hardware (Pulls, Feet, & Trim)
Black	P27	1	•	•	•	•	•	•		
Black	P71	1								
Black	BLK	1								
Brownstone	P7D	1	•	•	•	•	•			
Carbon	P4Q	1								
Charblack	CBK	1								
Charblack Metallic*	P80	1								
Cinder	P7Q	1	•	•	•	•	•			
Designer White	WHT	1								
Designer White	PJW	1	•	•	•	•	•	•		
Flint	P02	1	•	•	•	•	•			
Fog	FOG	1								
Fossil	P28	1	•	•	•	•	•			
Loft	P7B	1	•	•	•	•	•			
Muslin	P4J	1	•	•	•	•	•			
Nickel	P8L	1								
Pebble	P8R	1	•	•	•	•	•			
Pewter	P8D	1	•	•	•	•	•			
Platinum Metallic Texture	P6H	1								
Putty	PJS	1								
Salt	P8C	1	•	•	•	•	•			
Shadow	P4K	1								
Textured Brownstone	P7J	1								
Textured Designer White	PK7	1								
Textured Flint	P7A	1								
Textured Loft	P7L	1								
Textured Muslin	P7M	1								
Textured Pebble	P8Y	1								
Textured Salt	P8Z	1								
Textured Titanium	P8V	1								
Titanium	P8T / T	1	•	•	•	•	•			
White	PD8	1								
Anodized Silver	PR0	2								
Champagne Metallic	PR5	2	•	•	•	•	•			
Designer White High Gloss 65	P8W	2								
Graphite Metallic Texture	P85	2								
Gunmetal Metallic	PR3	2	•	•	•	•	•			
Matte Gold	P8G	2								
Night Bronze	P8B	2								
Platinum Metallic	PR2	2	•	•	•	•	•			
Pyrite	PJE	2								
Silver	PR6	2	•	•	•	•	•	•	•	•
Silver Generic	SVR	2								
Silver Texture	PR8	2								
Solar Black	P8X	2	•	•	•	•	•			
Atom	P8S	3	•		•	•				
Blossom	P8K	3	•		•	•				
Bullseye	PJF	3	•		•	•				
Ember	P8P	3	•		•	•				
Ion	P8N	3	•		•	•				
Iris	P8J	3	•		•	•				
Krypton	P8F	3	•		•	•				
Regatta	P8M	3	•		•	•				
Markerboard White	MKP	6				•				

Finishes

Veneer Type	Stain Name	Code	Grade	System Worksurfaces
FSC Stratawood Cherry	Cinnamon Cherry	FSCSC260	2	•
FSC Stratawood Cherry	Lowell Ash	FSCSC394	2	•
FSC Stratawood Cherry	Clear Cherry	FSCSC700	2	•
FSC Stratawood Cherry	Light Cherry	FSCSC701	2	•
FSC Stratawood Cherry	Shaker Cherry	FSCSC774	2	•
FSC Stratawood Cherry	Burnished Cherry	FSCSC777	2	•
FSC Stratawood Maple	Field Elm	FSCSE599	2	•
FSC Stratawood Maple	Clear Maple	FSCSE800	2	•
FSC Stratawood Maple	Harvest Maple	FSCSE856	2	•
FSC Stratawood Maple	Beigewood	FSCSE878	2	•
FSC Stratawood Maple	Phantom Ecru	FSCSE912	2	•
FSC Stratawood Maple	Belair	FSCSE934	2	•
FSC Stratawood Rift Oak	Clear Oak	FSCSF300	2	•
FSC Stratawood Rift Oak	Dark Rift Oak	FSCSF331	2	•
FSC Stratawood Walnut	Florence Walnut	FSCST579	2	•
FSC Stratawood Walnut	Light Walnut	FSCST601	2	•
FSC Stratawood Walnut	Skyline Walnut	FSCST625	2	•
FSC Stratawood Walnut	Pinnacle Walnut	FSCST679	2	•
FSC Stratawood Walnut	Sumatra Walnut	FSCST693	2	•
FSC Natural Cherry	Cinnamon Cherry	FSCNC260	2	•
FSC Natural Cherry	Lowell Ash	FSCNC394	2	•
FSC Natural Cherry	Medium Red Cherry	FSCNC512	2	•
FSC Natural Cherry	Clear Cherry	FSCNC700	2	•
FSC Natural Cherry	Light Cherry	FSCNC701	2	•
FSC Natural Cherry	Shaker Cherry	FSCNC774	2	•
FSC Natural Cherry	Burnished Cherry	FSCNC777	2	•
FSC Natural Maple	Natural Maple-Clear	FSCNE800	2	•
FSC Natural Maple	Harvest Maple	FSCNE856	2	•
FSC Natural Walnut	Ebony Walnut	FSCNT509	2	•
FSC Natural Walnut	Florence Walnut	FSCNT579	2	•
FSC Natural Walnut	Light Walnut	FSCNT601	2	•
FSC Natural Walnut	Skyline Walnut	FSCNT625	2	•
FSC Natural Walnut	Nutmeg Walnut	FSCNT629	2	•
FSC Natural Walnut	Pinnacle Walnut	FSCNT679	2	•
FSC Natural Walnut	Sumatra Walnut	FSCNT693	2	•
FSC Natural Rift Cut Oak	Fawn Cypress	FSCRF108	3	•
FSC Natural Rift Cut Oak	Light Rift Oak	FSCRF301	3	•
FSC Natural Rift Cut Oak	Dark Rift Oak	FSCRF331	3	•
FSC Natural Rift Oak	Phantom Ecru	FSCRF912	3	•
Natural Cherry	Cinnamon Cherry	NC260	2	•
Natural Cherry	Lowell Cherry	NC394	2	•
Natural Cherry	Medium Red Cherry	NC512	2	•
Natural Cherry	Light Cherry	NC701	2	•
Natural Cherry	Shaker Cherry	NC774	2	•
Natural Cherry	Burnished Cherry	NC777	2	•
Natural Maple	Natural Maple-Clear	NE800	2	•
Natural Maple	Harvest Maple	NE856	2	•
Natural Rift Cut Oak	Fawn Cypress	RF108	3	•
Natural Rift Cut Oak	Light Rift Oak	RF301	3	•
Natural Rift Cut Oak	Dark Rift Oak	RF331	3	•
Natural Rift Cut Oak	Natural Recon	RF896	3	•
Natural Rift Cut Oak	Phantom Ecru	RF912	3	•
Natural Walnut	Ebony Walnut	NT509	2	•
Natural Walnut	Florence Walnut	NT579	2	•
Natural Walnut	Light Walnut	NT601	2	•
Natural Walnut	Skyline Walnut	NT625	2	•
Natural Walnut	Nutmeg Walnut	NT629	2	•
Natural Walnut	Pinnacle Walnut	NT679	2	•
Natural Walnut	Sumatra Walnut	NT693	2	•

Finishes

Veneer Type	Stain Name	Code	Grade	System Worksurfaces
Stratawood Cherry	Cinnamon Cherry	SC260	2	•
Stratawood Cherry	Lowell Ash	SC394	2	•
Stratawood Cherry	Clear Cherry	SC700	2	•
Stratawood Cherry	Light Cherry	SC701	2	•
Stratawood Cherry	Shaker Cherry	SC774	2	•
Stratawood Cherry	Burnished Cherry	SC777	2	•
Stratawood Maple	Field Elm	SE599	2	•
Stratawood Maple	Clear Maple	SE800	2	•
Stratawood Maple	Harvest Maple	SE856	2	•
Stratawood Maple	Beigewood	SE878	2	•
Stratawood Maple	Phantom Ecru	SE912	2	•
Stratawood Maple	Belair	SE934	2	•
Stratawood Silver Oak	Clear	SB100	2	•
Stratawood Silver Oak	Portico Teak	SB150	2	•
Stratawood Rift Oak	Clear Oak	SF300	2	•
Stratawood Rift Oak	Dark Rift Oak	SF331	2	•
Stratawood Walnut	Florence Walnut	ST579	2	•
Stratawood Walnut	Light Walnut	ST601	2	•
Stratawood Walnut	Skyline Walnut	ST625	2	•
Stratawood Walnut	Pinnacle Walnut	ST679	2	•
Stratawood Walnut	Sumatra Walnut	ST693	2	•

Finishes

Veneer Type	Stain Name	Code	Grade	Stride Tiles	Stride Trim	Stride Natural Tile Sets	System Worksurfaces	Terrace Tiles
FSC Stratawood Cherry	Cinnamon Cherry	FSCSC260	2	•	•		•	
FSC Stratawood Cherry	Lowell Ash	FSCSC394	2	•	•		•	
FSC Stratawood Cherry	Clear Cherry	FSCSC700	2	•	•		•	
FSC Stratawood Cherry	Light Cherry	FSCSC701	2	•	•		•	•
FSC Stratawood Cherry	Shaker Cherry	FSCSC774	2	•	•		•	
FSC Stratawood Cherry	Burnished Cherry	FSCSC777	2	•	•		•	•
FSC Stratawood Maple	Field Elm	FSCSE599	2	•	•		•	
FSC Stratawood Maple	Clear Maple	FSCSE800	2	•			•	•
FSC Stratawood Maple	Harvest Maple	FSCSE856	2	•	•		•	
FSC Stratawood Maple	Beigewood	FSCSE878	2	•	•		•	
FSC Stratawood Maple	Phantom Ecru	FSCSE912	2	•	•		•	
FSC Stratawood Maple	Belair	FSCSE934	2	•	•		•	
FSC Stratawood Rift Oak	Clear Oak	FSCSF300	2	•	•		•	•
FSC Stratawood Rift Oak	Dark Rift Oak	FSCSF331	2	•	•		•	•
FSC Stratawood Walnut	Florence Walnut	FSCST579	2	•	•		•	
FSC Stratawood Walnut	Light Walnut	FSCST601	2	•	•		•	•
FSC Stratawood Walnut	Skyline Walnut	FSCST625	2	•	•		•	
FSC Stratawood Walnut	Pinnacle Walnut	FSCST679	2	•	•		•	
FSC Stratawood Walnut	Sumatra Walnut	FSCST693	2	•	•		•	
FSC Natural Cherry	Cinnamon Cherry	FSCNC260	2	•	•	•	•	
FSC Natural Cherry	Lowell Ash	FSCNC394	2	•	•	•	•	
FSC Natural Cherry	Medium Red Cherry	FSCNC512	2	•	•	•	•	
FSC Natural Cherry	Clear Cherry	FSCNC700	2	•	•	•	•	
FSC Natural Cherry	Light Cherry	FSCNC701	2	•	•	•	•	
FSC Natural Cherry	Shaker Cherry	FSCNC774	2	•	•	•	•	
FSC Natural Cherry	Burnished Cherry	FSCNC777	2	•	•	•	•	
FSC Natural Maple	Clear Maple	FSCNE800	2	•		•	•	
FSC Natural Maple	Harvest Maple	FSCNE856	2	•	•	•	•	
FSC Natural Walnut	Ebony Walnut	FSCNT509	2	•	•	•	•	
FSC Natural Walnut	Florence Walnut	FSCNT579	2	•	•	•	•	
FSC Natural Walnut	Light Walnut	FSCNT601	2	•	•	•	•	
FSC Natural Walnut	Skyline Walnut	FSCNT625	2	•	•	•	•	
FSC Natural Walnut	Nutmeg Walnut	FSCNT629	2	•	•	•	•	
FSC Natural Walnut	Pinnacle Walnut	FSCNT679	2	•	•	•	•	
FSC Natural Walnut	Sumatra Walnut	FSCNT693	2	•	•	•	•	
FSC Natural Rift Oak	Fawn Cypress	FSCRF108	3	•	•		•	
FSC Natural Rift Oak	Light Rift Oak	FSCRF301	3	•	•		•	
FSC Rift Oak	Dark Rift Oak	FSCRF331	3	•	•	•	•	
FSC Natural Rift Oak	Phantom Ecru	FSCRF912	3	•	•		•	
Natural Cherry	Cinnamon Cherry	NC260	2	•	•		•	
Natural Cherry	Lowell Cherry	NC394	2	•	•	•	•	
Natural Cherry	Medium Red Cherry	NC512	2	•	•	•	•	
Natural Cherry	Light Cherry	NC701	2	•	•	•	•	
Natural Cherry	Shaker Cherry	NC774	2	•	•	•	•	
Natural Cherry	Burnished Cherry	NC777	2	•	•	•	•	
Natural Maple	Clear Maple	NE800	2	•		•	•	
Natural Maple	Harvest Maple	NE856	2	•	•	•	•	
Natural Rift Cut Oak	Fawn Cypress	RF108	3	•	•		•	
Natural Rift Cut Oak	Light Rift Oak	RF301	3	•	•		•	
Natural Rift Cut Oak	Dark Rift Oak	RF331	2	•	•	•	•	
Natural Rift Cut Oak	Phantom Ecru	RF912	3	•	•		•	
Natural Walnut	Ebony Walnut	NT509	2	•	•	•	•	
Natural Walnut	Florence Walnut	NT579	2	•	•	•	•	
Natural Walnut	Light Walnut	NT601	2	•	•	•	•	
Natural Walnut	Skyline Walnut	NT625	2	•	•	•	•	
Natural Walnut	Nutmeg Walnut	NT629	2	•	•	•	•	
Natural Walnut	Pinnacle Walnut	NT679	2	•	•	•	•	
Natural Walnut	Sumatra Walnut	NT693	2	•	•	•	•	

Finishes

Veneer Type	Stain Name	Code	Grade	Stride Tiles	Stride Trim	Stride Natural Tile Sets	System Worksurfaces	Terrace Tiles
Stratawood Cherry	Stratawood Cherry	SC260	2	•	•		•	
Stratawood Cherry	Lowell Ash	SC394	2	•	•		•	
Stratawood Cherry	Clear Cherry	SC700	2	•	•		•	
Stratawood Cherry	Light Cherry	SC701	2	•	•		•	•
Stratawood Cherry	Shaker Cherry	SC774	2	•	•		•	
Stratawood Cherry	Burnished Cherry	SC777	2	•	•		•	•
Stratawood Maple	Field Elm	SE599	2	•	•		•	
Stratawood Maple	Clear Maple	SE800	2	•			•	•
Stratawood Maple	Harvest Maple	SE856	2	•	•		•	
Stratawood Maple	Beigewood	SE878	2	•	•		•	
Stratawood Maple	Phantom Ecru	SE912	2	•	•		•	
Stratawood Maple	Belair	SE934	2	•	•		•	
Stratawood Silver Oak	Clear	SB100	2	•	•		•	•
Stratawood Silver Oak	Portico Teak	SB150	2	•	•		•	
Stratawood Rift Oak	Clear Oak	SF300	2	•	•		•	•
Stratawood Rift Oak	Dark Rift Oak	SF331	2	•	•		•	•
Stratawood Walnut	Florence Walnut	ST579	2	•	•		•	
Stratawood Walnut	Light Walnut	ST601	2	•	•		•	•
Stratawood Walnut	Skyline Walnut	ST625	2	•	•		•	
Stratawood Walnut	Pinnacle Walnut	ST679	2	•	•		•	
Stratawood Walnut	Sumatra Walnut	ST693	2	•	•		•	

Notes

Fit™ Monolithic Panel System

Finishes 28
Panel Fabrics 29
Laminate and Paint Matching 30
Overview of Components 31
Working with Fit™ Panels 32-35
Working with Gallery-to-Gallery Panels 36-37
Specifying Power & Electrical for Fit™ Panels 38
Working with Storage & Worksurface Connectors 39-41
Working with Fit™ Components 42-43
Fit™ 30", 35", 42", 50", 57½" Panels 44-48
Fit™ 30", 35", 42", 50", and 57½" for Use with Glass 49-53
Panel Systems Gallery Glass 54-56
Panel Connectors & Rails 57-58
Working with Accessories 59-63
Fit™ Countertops 64
Working with Electrical & Data. 65-72
Electrical Components 73-75

Fit™ Monolithic Panel System

Laminates and Paint Finishes

PAINT FINISHES

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Matte Gold P8G
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Silver Texture PR8
Solar Black P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

LAMINATES

GRADE L1

SOLID COLOR

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Plyband ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

Forest Stewardship Council (FSC) is a non-profit organization devoted to encouraging the responsible management of the world's forests. FSC sets high standards that ensure forestry is practiced in an environmentally responsible, socially beneficial, and economically viable way. Allsteel received its FSC Chain of Custody certification in 2010 and can offer FSC Certified products. Select wood-based products can be ordered as FSC certified, either by choosing the FSC option or selecting an FSC laminate or veneer finish at the time of order. For more information, please contact Customer Support at 888-255-7833. (FSC Trademark license code: FSC-CO14704.)

NOTE: Refer to individual product pages for upcharges.

Fit™ Monolithic Panel System

Panel Fabrics

GRADE A

APPOINT PANEL
100% Polyester
Artichoke APN911
Blackberry APN932
Bronze APN922
Carbon APN928
Chai APN912
Cherry APN930
Dark Pewter APN917
Dune APN915
Espresso APN923
Framboise APN931
Frost APN934
Jet APN927
Lawn APN925
Mandarin APN929
Morel APN909
Nimbus APN916
Platinum APN924
Turquoise APN926

BINARY †
Blush BNRY12
Coal BNRY06
Cream BNRY01
Denim BNRY08
Diamond BNRY03
Graphite BNRY05
Juniper BNRY10
Lagoon BNRY07
Lavendar BNRY11
Mineral BNRY04
Reef BNRY09
Sand Dollar BNRY02

CENTURION[W]
(Nanotex™ Stain-Resistant finish)
Apricot CU47
Bark CU25
Black CU10
Espresso CU49
Fog CU03
Frost CU22
Goldenrod CU27
Indigo CU06
Iris CU50
Iron Ore CU19
Jade CU83
Marsala CU63
Morel CU24
Navy CU98
Peacock CU97
Pear CU84
Ruby CU67
Sapphire CU09

ETCH
100% Polyester
Axis ECH913
Blend ECH914
Cast ECH912
Highlight ECH910
Midtone ECH911
Outline ECH908
Shade ECH909
Tonal ECH916
Vanish ECH915

GRADE A – continued

EXCHANGE
100% Polyester
Iron EXG916
Nickel EXG914
Pistachio EXG910
Root EXG913
Rupee EXG903
Shadow EXG911
Silver EXG915
Sisal EXG917
Stone EXG912

LANDSCAPE
100% Polyester
Cornsilk LN15
Drift LN05
Khaki LN20
Sheen LN10
Slate LN35
Umber LN25
Urban LN30

LUCY
100% Recycled Polyester
Aspen LC932
Cornsilk LC930
Dusk LC922
Fawn LC933
Graphite LC934
Mist LC920
Neutra LC924
Pewter LC935
Snowdrop LC928

NOBLE
Aegean NBLE18
Amethyst NBLE19
Aspen NBLE14
Aster NBLE20
Blossom NBLE21
Bluebell NBLE22
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Chamomile NBLE23
Clementine NBLE04
Conifer NBLE24
Cottage NBLE25
Darkness NBLE26
Dawn NBLE13
Denim NBLE09
Desert Sand NBLE27
Dewfall NBLE28
Dusted Sage NBLE29
Flax NBLE30
Grass NBLE07
Gunmetal NBLE15
Harmony NBLE31
Harvest NBLE12
Ice Caves NBLE32
Icicle NBLE33
Inky NBLE34
Iris NBLE35
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Monarch NBLE36
Pacific NBLE08
Pitch NBLE37
Queen Bee NBLE38
Rainforest NBLE05
Regal NBLE11
Sandcastle NBLE39
Sedona NBLE40
Stormy NBLE16
Sunbeam NBLE41
Voyager NBLE42
Windy Day NBLE43

GRADE A – continued

REFLECTIONS
100% Recycled Polyester
Galvanized REF929
Ice REF920
Loggia REF921
Mistral REF928
Moonstone REF923
Pewter REF922
Stainless REF924
Vanilla REF925
Winter REF927

REFUGE
64% Recycled Polyester
36% Polyester
Artesian RFG996
Dune RFG992
Eclipse RFG990
Frost † RFG993
Glacier † RFG991
Mineral RFG998
Tidal RFG994

SARTO ▼
100% Polyester (45% Recycled)
Ash SRT988
Fog SRT914
Lemongrass SRT949
Mist SRT945
Mushroom SRT976
Oyster SRT918
Reef SRT964
Sesame SRT993
Shale SRT952

VAST
Vineyard VST01
Garden VST02
Grasslands VST03
Bay VST04
Open Air VST05
Atmosphere VST06
Ocean VST07
Mountain Range VST08
Highway VST09
Tundra VST10
Beach VST11
Desert VST12
Country Side VST13

GRADE B

COAST † ♣
100% Antimony-Free Polyester
Channel COA914
Dune COA903
Headlands COA910
Marsh COA902
Pebble COA912
Pier COA913
Shoal COA901
Silt COA906
Tide COA908

GRADE B – continued

DISPERSE †*
100% Polyester
Autumn DISP03
Branch DISP10
Coffee Bean DISP13
Dusk DISP09
Emerald City DISP08
Gold Rush DISP02
Igloo DISP11
Ink DISP06
Mist DISP12
Oatmeal DISP15
Prince DISP07
Reservoir DISP01
Rose DISP04
Spring DISP05
Steel DISP16
Taupe DISP14

SPIN PANEL
46% Recycled Polyester,
56% Polyester
Alabaster SPIN02
Cavern SPIN03
Cobblestone SPIN04
Ember SPIN06
Flame SPIN07
Heron SPIN13
Oat SPIN01
Ocean SPIN12
Plum SPIN15
Pool SPIN11
Raven SPIN10
Rhubarb SPIN14
Tropic SPIN08
Willow SPIN05

TEMPEST
100% Recycled Polyester
Dragonfly TP930
Frost TP915
Full Stream TP980
Gold Rush TP910
Slate TP945
Tumbleweed TP970
Wind Chill TP940
Zebra TP935

TERRAIN
52% Recycled Polyester,
48% Polyester
Bay TRRN05
Bayou TRRN35
Canyon TRRN30
Cliff TRRN45
Crest TRRN25
Delta TRRN10
Plateau TRRN15
Ridge TRRN20
Valley TRRN40

[W] Limited to product 48"W or less.
▼ Panel fabric is not available on Further.
♣ Panel fabric is not available on Optimize®.
† Panel fabric is not available on Concensys®.
◆ Panel fabric is not available on Involve.
* Not available on 72"W.


Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating & Tables Price List.

Paint Recommendations for Gallery-to-Gallery Cover


Laminate	Code	Recommended Paint
Brownstone	LM13	Brownstone
Bungalow	LM12	Bungalow
Designer White 15051	LDW1	Designer White
Flint	LM16	Flint
Fossil Shale	LEH1	Fossil
Loft	LM11	Loft
Muslin	LM15	Muslin
Titanium	LTI1	Titanium
Florence Walnut	LFW1	Cinder, Brownstone, Flint
Kingswood Walnut	LKI1	Fossil, Flint, Loft
Natural Maple	LWD	Muslin
NeoWalnut	LNU1	Cinder
Shaker Cherry	LW7C	Black, Cinder
Beigewood	LWBE	Muslin, Loft, Fossil
Fawn Cypress	LFC1	Cinder, Brownstone, Flint
Lowell Ash	LLA1	Cinder
Mangalore Mango	LMM1	Cinder
Natural Recon	LNR1	Cinder, Brownstone
Phantom Charcoal	LPC1	Flint, Salt, Cinder
Phantom Ecru	LPE1	Flint, Brownstone, Muslin
Portico Teak	LPT1	Fossil, Brownstone, Pewter
Skyline Walnut	LSW1	Cinder, Flint, Fossil
Veranda Teak	LVT1	Fossil, Brownstone, Pewter
Natural Walnut	LWNW	Cinder

Panels & Components

PANELS:




Fit Panel




Fit Panel for use with Glass


PANEL CONNECTORS:




L- Connector



Straight In-Line




Split End




Single End


INTEGRATED GLASS:



RAILS:




Spine Rail




Return Rail


RAIL CONNECTORS:




End Cap




Straight In-Line



Straight Corner




L-Connector




Infeed L-Connector



Floor Infeed Cover




Hardwire Infeed Cover




Infeed Straight Connector


OTHER FIT COMPONENTS:




Worksurface Mounting Bracket Kit



Installation Template




Power Pole



Floating Shelves




Wall Start




Countertop Brackets

Building Horizontally with Fit Panels

Method 1—Opposing Returns



Method 2—Single-Sided Returns



Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:

Method 1 — Opposing returns

- A parent run must be a minimum of 60" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run.
- Dual-sided return panels must be a minimum of 60" combined width.
- Return panels must not be any more than 30" lower than the height of the parent panel run.
- Panel height measurement includes integrated glass, if used.

Method 2 — Single-sided returns

- A parent run must be a minimum of 60” and a maximum of 144” between return panels.
- A parent run less than or equal to 84”W must have a minimum of two return panels totaling 60” in combined width For every 7½” drop in panel height, 6” must be added to the minimum combined return length.
- A parent run greater than 84”W must have a minimum of two return panels totaling 84” in combined width.
- Return panels must not be any more than 30” lower than the maximum height of the parent panel run.
- Panel height measurement includes integrated glass, if used.

Panels for Use with Glass

- Panels match construction of non-glass panels but have a routed top edge.
- Glass mounts directly into the panel route via a gasket.
- Single end panel routing is inset by ½" from each end of the panel and requires glass to be the same as the panel width, see image.
- Spine, Mid, and Split End panel routing is inset around 1½" from each end of the panel, exact distance will vary with panel type. These panel types require glass to be 3" shorter than the panel width.
- Glass is available in 3 colors: Clear, Frosted, and Smoked.
- Glass height is available in 7½"H, 13"H, and 15"H.
- Glass is available on all panel widths.
- Specify glass models separately from panel models.
- Glass Panels at 30"W and under are not UL listed.

Panel Construction


- Made of 1⅛" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS.
- Available in woodgrain or solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Grain matching is not available.
- Fit Panels offer 2½" leveling capability.
- Available with and without the integrated glass option. Panels for use with glass offer a routed top edge.
- Glass is specified separately.
- Fit Panels for use with glass have separate model numbers.
- Laminate on Fit Panels is not grain matched.

Panel Dimensions


- Depth: 1⅛"
- Nominal widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"**, and 84"** (actual width dimension will vary based on panel type, see Panel Specification page for details)
- Heights*: 30", 35", 42½", 50", 57½"
- Glass Heights: 7½", 13", 15"
- Leveling Glides: 2½" Range

*with levelers fully retracted

**Panels 78"W and wider require the use of a stiffener shelf or tube



Standard Single Panel with Glass



Single End Panel with Glass

Specifying Fit Panels – Full Model Logic

Panels 18", 24", 30", and 36"W are available in the following configurations:

- Mid Wing, No Power Below Worksurface – 'MDWPW'
- Mid Wing, No Power Below HAT – 'MDWPH'


Panels 42", 48", 50", and 54"W are available in the following configurations:


- Mid Wing, No Power Below Worksurface – 'MDWPW'
- Mid Wing, No Power Below HAT – 'MDWPH'
- Left-Hand Split End, No Power – 'LPEPN'
- Right-Hand Split End, No Power – 'RPEPN'

Panels 60"W, 66"W, 72"W, 78"W, 84"W are available in the following configurations:

- Left-Hand Single-Sided End, Single-Side Power Below WS – 'LSESW'
- Left-Hand Single-Sided End, Single-Side Power Below HAT – 'LSESH'
- Right-Hand Single-Sided End, Single-Side Power Below WS – 'RSESW'
- Right-Hand Single-Sided End, Single-Side Power Below HAT – 'RSESH'
- Left-Hand Split End, Single-Side Power Below WS – 'LPESW'
- Left-Hand Split End, Single-Side Power Below HAT – 'LPESH'
- Left-Hand Split End, No Power – 'LPEPN'
- Right-Hand Split End, Single-Side Power Below WS – 'RPESW'
- Right-Hand Split End, Single-Side Power Below HAT – 'RPESH'
- Right-Hand Split End, No Power – 'RPEPN'
- Left-Hand End Spine, Single-Sided Power Below WS – 'LESSW'
- Left-Hand End Spine, Single-Sided Power Below HAT – 'LESSH'
- Left-Hand End Spine, Dual-Sided Power Below WS – 'LESDW'
- Left-Hand End Spine, Dual-Sided Power Below HAT – 'LESDH'
- Right-Hand End Spine, Single-Sided Power Below WS – 'RESSW'
- Right-Hand End Spine, Single-Sided Power Below HAT – 'RESSH'
- Right-Hand End Spine, Dual-Sided Power Below WS – 'RESDW'
- Right-Hand End Spine, Dual-Sided Power Below HAT – 'RESDH'
- Mid Spine, Single-Sided Power Below WS – 'MSPSW'
- Mid Spine, Single-Sided Power Below HAT – 'MSPSH'
- Mid Spine, Dual-Sided Power Below WS – 'MSPDW'
- Mid Spine, Dual-Sided Power Below HAT – 'MSPDH'
- Single Spine, Single-Sided Power Below WS – 'SGSSW'
- Single Spine, Single-Sided Power Below HAT – 'SGSSH'
- Single Spine, Dual-Sided Power Below WS – 'SGSDW'
- Single Spine, Dual-Sided Power Below HAT – 'SGSDH'
- Mid Wing, Right-Hand Single-Sided Power Below WS – 'MDWRW'
- Mid Wing, Right-Hand Single-Sided Power Below HAT – 'MDWRH'
- Mid Wing, Left-Hand Single-Sided Power Below WS – 'MDWLW'
- Mid Wing, Left-Hand Single-Sided Power Below HAT – 'MDWLH'
- Mid Wing, Dual-Sided Power Below WS – 'MDWDW'
- Mid Wing, Dual-Sided Power Below HAT – 'MDWDH'
- Mid Wing, No Power Below WS – 'MDWPW'
- Mid Wing, No Power Below HAT – 'MDWPH'

Panel Type			Hand	Power Height	Panel Width					
					18"-36"		42"-54"		60"-84"	
					Single Sided	Dual Sided	Single Sided	Dual Sided	Single Sided	Dual Sided
1	End Spine	Power	Left	Below Wks	-	-	-	-	LESSW	LESDW
				Below HAT	-	-	-	-	LESSH	LESDH
			Right	Below Wks	-	-	-	-	RESSW	RESDW
				Below HAT	-	-	-	-	RESSH	RESDH
2	Mid Spine	Power	None	Below Wks	-	-	-	-	MSPSW	MSPDW
				Below HAT	-	-	-	-	MSPSH	MSPDH
3	Single Spine	Power	None	Below Wks	-	-	-	-	SGSSW	SGSDW
				Below HAT	-	-	-	-	SGSSH	SGSDH
4	Split End	Power	Left	Below Wks	-	-	-	-	LPESW	-
				Below HAT	-	-	-	-	LPESH	-
			Right	Below Wks	-	-	-	-	RPESW	-
				Below HAT	-	-	-	-	RPESH	-
		No Power	Left	Same	-	-	LPEPN	-	LPEPN	-
					-	-		-		-
			Right	Same	-	-	RPEPN	-	RPEPN	-
					-	-		-		-
5	Single-Sided End	Power	Left	Below Wks	-	-	-	-	LSESW	-
				Below HAT	-	-	-	-	LSESH	-
			Right	Below Wks	-	-	-	-	RSESW	-
				Below HAT	-	-	-	-	RSESH	-
		No Power	Left	Same	GLxxyyL	-	GLxxyyL	-	GLxxyyL Max 78"	-
						-		-		-
			Right	Same	GLxxyyR	-	GLxxyyR	-	GLxxyyR Max 78"	-
						-		-		-
6	Mid Wing	Power	Left	Below Wks	-	-	-	-	MDWLW	MDWDW
				Below HAT	-	-	-	-	MDWLH	MDWDH
			Right	Below Wks	-	-	-	-	MDWRW	MDWDW
				Below HAT	-	-	-	-	MDWRH	MDWDH
		No Power	None	Below Wks	-	MDWPW	-	MDWPW	-	MDWPW
				Below HAT	-	MDWPH	-	MDWPH	-	MDWPH







Specifying Fit Panels

- When specifying Fit Panels, the base model indicates the height and modular width needed. Model logic is 'GSYS' then 'height' then 'width.' (e.g., a 50"H by 72"W panel would be GSYS5072)
- The first dot option indicates the panel type (where the panel is located within the typical) and power options. (e.g., GSYS5072.MSPDW (Mid Spine, Power Below Worksurface, Wall))
- When a Single-sided End panel is ordered, a separate connector must be specified (GPLTBK) with any Allsteel standard paint color.
- When Split End panels are ordered, a separate connector must be specified (GSYSCONSE) with any Allsteel standard paint color.
- Due to the lack of connectors spacing out the panels, the true width of Fit panels must accommodate panel overlap. To allow for modular interior worksurface dimensions, the option codes must indicate how much overlap is needed, which is done by specifying 'panel type' explained below.
- Spine panels must be the tallest panels in the run. No variable height along the spine panel run is allowed.

Panel Type Options are below:	True Panel Widths (ex: 72"W)	Glass Widths
Mid Wing = "MDW"	Exact width (72")	3" Undersized
Left Hand Split End = "LPE"	1/2 panel width overlap (72.56"W)	3" Undersized
Right Hand Split End = "RPE"	1/2 panel width overlap (72.56"W)	3" Undersized
Left Hand Single-Sided End = "LSE"	1 panel width overlap (73.125" W)	Same width as panel
Right Hand Single-Sided End = "RSE"	1 panel width overlap (73.125" W)	Same width as panel
Right Hand End Spine = "RES"	1/2 panel width overlap (72.56"W)	3" Undersized
Left Hand End Spine = "LES"	1/2 panel width overlap (72.56"W)	3" Undersized
Mid Spine = "MSP"	1 panel width overlap (73.125" W)	3" Undersized
Single Spine = "SGS"	Exact width (72")	3" Undersized





Panels & Components


Fit™ — Working with Gallery-to-Gallery Panels


- For Non-Powered End Panels (Single or Dual-Sided), Gallery-to-Gallery 'L' or 'T' Models should be used. Gray panels indicate Gallery-to-Gallery.
- GTEMP model is required for connecting Gallery-to-Gallery Panels to Fit panels.

Note: 24"W, 27"W, and 30"W T Gallery-to-Gallery panels with 4 rounded corners of any height are not to be specified in freestanding applications as they do not pass all stability tests due to their limited width.

SIZING DIFFERENCES IN SINGLE SPINES VS. RIGHT HAND/LEFT HAND END SPINES


- Left-Hand and Right-Hand End Spines are .56" wider than Single Spines (SGS) to accommodate exact dimensions inside a workstation area when, for example, a Mid-Wing is added to create separation between workstations in a longer parent run.
- If adding a Mid-Wing to a Parent Run, utilize Left-Hand and Right-Hand Panels for exact dimensions inside of workstations. The shorter Straight Corner Rail Connector, GSYSRSC (requires qty. 2, 1-packs), must be used to close gaps between the power rail and Mid Wing. If not utilizing a Mid Wing in Left-Hand/Right-Hand End Spines, the longer Straight In-Line Connector, GSYSRSL (requires qty. 1, 2-pack) must be used to close gap in power rail across Parent Run.
- If not adding Mid-Wing to any side of a Parent Run, exact width Single Spines are recommended to maintain exact dimensions inside work station area(s). The shorter Straight Corner Rail Connector, GSYSRSC (requires qty. 2, 1-packs) must be used to close gap in power rail across Parent Run.






1. GThhww (Gallery-to-Gallery T Panel)
2. GSYShhww.LESDW (Left Hand End Spine)
3. GSYShhww.RESDW (Right hand End Spine)

- Gallery-to-Gallery Panels can also be connected to Fit Wing or End panels as an additional return. Gray panels indicate Gallery-to-Gallery.
- GTEMP model is required for connecting Gallery-to-Gallery Panels to Fit panels.



1. GSYShhww.RPESW (Right Hand Split End)
2. GSYShhww.LPESW (Left Hand Split End)
3. GLhhwwL (Left Hand Gallery-2-Gallery L)
4. GLhhwwR (Right Hand Gallery-2-Gallery L)
5. GThhww (Gallery-2-Gallery T)
6. GSYShhww.LESDW (Left Hand End Spine)
7. GSYShhww.RESDW (Right Hand End Spine)
8. GSYShhww.MDWDW (Mid Wing)



1. GLhhwwL (Left Hand Gallery-2-Gallery L)
2. GLhhwwR (Right Hand Gallery-2-Gallery L)
3. GSYShhww.LESSW (Left Hand End Spine)
4. GSYShhww.MDWDW (Mid Wing)
5. GSYShhww.RESSW (Right Hand End Spine)
6. GThhww (Gallery-2-Gallery T)

WHEN TO USE "SGS" MODELS



Traditional 4-station benching with fixed surfaces



Reception style station

Gallery-to-Gallery Panels (page 539)

- Gallery-to-Gallery Panels connect to Fit panels and are available in L-, T-, and Nonsymmetrical T- configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (GTEMP) is required. The recommendation is 1 template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels cap over Fit panels and are oversized by 1⅛" to maintain true interior dimensions.
- Gallery-to-Gallery Panels must be of equal or lower height than the Fit panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is required, please reach out to TPG for a custom solution.
- Panel construction is the same as Fit panels.
- Can be specified with matching or contrasting edge.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery Panel widths are available in 3" increments from 18"W to 30"W and in 6" increments from 30"W to 78"W.
- Gallery-to-Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery-to-Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover at the base and a hidden top connection.
- If Fit Panel L- connectors are preferred at Gallery-to-Gallery attachments for aesthetic reasons, they may be added.
- L- and Nonsymmetrical T- panels are handed.
- Additional support is required after every 60" in panel width (i.e., return panel, storage or worksurface tie-in, panel bracket, or foot).
- Nonsymmetrical T- panels are specified in the format GTyyxxzz. Substitute yy as panel height, xx and LH nominal length, and zz and RH nominal length.

Power & Electrical Components

Specifying Fit Panels
Following the 'Panel Type', the option code includes a power specification.


Power options for Spine Panels are below:
- Single-Sided Power Below Worksurface = "SW"
- Single-Sided Power Below HAT = "SH"
- Dual-Sided Power Below Worksurface = "DW"
- Dual-Sided Power Below HAT = "DH"


Power options for End Panels are below:
- No Power = "PN"
- Single-Sided Power Below Worksurface = "SW"
- Single-Sided Power Below HAT = "SH"

Power options for Mid-Wing Panels are below:
- No Power Below Worksurface = "PW"
- No Power Below HAT = "PH"
- Left-Handed Single-Sided Power Below Worksurface = "LW"
- Left-Handed Single-Sided Power Below HAT = "LH"
- Right-Handed Single-Sided Power Below Worksurface = "RW"
- Right-Handed Single-Sided Power Below HAT = "RH"
- Dual-Sided Power Below Worksurface = "DW"
- Dual-Sided Power Below HAT = "DH"


Electrical Rail (page 58)
- Panels 60"W and larger can be specified with integrated power.
- Rail offers 2 receptacle locations and an optional knock-out location for data.
- Includes attachment hardware for mounting onto the panel.
- Rail protrudes 1" from the face of the panel, with receptacles protruding an additional ¼". Note any potential interference with workstation components.
- Rails must be specified to cover electrical components when using a powered panel.
- Spine panels require the rail to be specified at the same width as the panel.
- Powered Wing or End panels require a return rail since power is only integrated within the first 36" past the spine.
- Rails can be specified as single- or dual-sided.
- Can be painted any Allsteel Standard Paint color.
- Electrical can be placed at two different heights on the panel face, Below Worksurface and Below HAT, see dimensions below. Rail models are the same regardless of height.
- Below Worksurface is intended for use below fixed worksurfaces or above low storage.
- Below HAT is intended for use below a Height-Adjustable table.
- Ordering two single-sided rail models is not a substitute for one dual-sided model, and vice-versa.


Below Worksurface Height





Below HAT Height







Panels & Components


Fit™ — Storage & Worksurface Connectors


Worksurface Mounting Bracket (page 57)


- Used to mount a fixed-height worksurface to a Fit panel.
- Can be painted any Allsteel Standard Paint color.
- A worksurface stiffener is required for surfaces 60"W or greater.
- One bracket kit (GWSBK) is required for each worksurface corner attached to Fit panels.
- Sized to fit above a Below Worksurface power rail location and locate the top of a fixed worksurface at 29¼" above the floor. Or can be installed at any available height.
- When using a 30"H spine with a below worksurface rail, a worksurface or storage must be mounted at any panel-to-panel connection.
- Worksurface sits flush with FIT panels. For mounting desk mounted accessories (Monitor arms, Power Modules, etc.) please specify either grommets in worksurface or use special undersized worksurface through the 9120 program.












Storage Ganging Kits (page 57)


- The laminate storage ganging kit (GSGKL) is used to connect a Fit panel to a laminate storage unit.
- The metal storage ganging kit (GSGKM) is used to connect a Fit panel to a metal storage unit.

Credenzas & Towers

- Approach low credenzas w/ trough and Align low credenzas sit below rail. (Below Worksurface height only.)
- Rail will offset taller storage, like towers, from panel by 1".
- Infeed housing will interfere with storage units when placed in the same corner.





NOTE: A topper used on an Approach credenza may interfere with the ability to plug into the rail. Credenza will need to be offset from the panel.















Support Pedestals

- Further, Involve, and Align support pedestals match height of worksurface brackets and can be recommended for worksurface support.
- Cannot use full-depth support storage that matches worksurface depth due to rail interference.






Rail Connectors (page 58)
- Rail connectors must be used at BOTH ends of each rail to create the proper transition.
- Rail connectors are painted metal and can be painted to match the rail color.









					
					
GSYSRSL Straight In-Line Connection (No Mid Panel between Spine Panels)	**GSYSRL** L-Connection (Between Powered Spine and Powered Wing)	**GSYSRSC** Straight Corner Connection (Between Powered Spine and Non-Powered Wing)	**GSYSREC** End Cap (At the end of any Return Rail)	**GSYSRPL*** L- Infeed Connection (Infeed between Powered Spine and Powered Wing)	**GSYSRPS*** Straight Corner Infeed (Infeed between Powered Spine and Non-Powered Wing)


*Models replace GSYSRL or GSYSRSC


Rail Hardwire Infeed Connectors (page 58)
- Rail Hardwire infeed connectors are for use where a hardwired infeed comes into the rail.




Panel Connectors (page 57)
- Panel connectors must be used at each panel connection


			
			
GSYSCONS Straight In-Line Connection (No Mid Panel between Spine Panels) No In-line panel connector is needed if 1 or more wing panels are connected to the spine at the panel intersection	**GSYSCONL** L-Connection (Between Spine and Mid Wing) Each Mid Panel requires 2 kits – unless storage is ganged at the base, then 1 kit is needed	**GSYSCONSE** Split Panel connection at the End of the Run (Split panels also require 1 L-Bracket kit GSYSCONL to be specified)	**GPLTBK** Single Powered Panel connection at the End of the Run (Single Powered panels also require 1 L-Bracket kit GSYSCONL to be specified)







Power Pole (page 75)
- Ceiling power pole for use with ceiling in-feeds.
- Ceiling power poles connect to the rail inside of workstation, in this instance a mounted worksurface or HAT may need to be field-cut to accommodate. (See image at right.)
- Below HAT Power Pole is used to shroud a base or wall in-feed as it connects into a Below HAT Rail Height.
- Below Worksurface Power Pole is used to shroud a base or wall in-feed as it connects into a Below Worksurface Rail Height.
- Power Pole height is 13 feet.





Rail Port Cover (page 75)
- Offered in a 2- or 12-pack.
- Used to cover a port location in a rail when a receptacle is not needed.
- Can be painted any Allsteel Standard Paint color.







Installation Template (page 57)
- At least one required at installation, recommended that at least one is ordered per project.

Specifying Fit Panels

- Panels under 60"W are not available with power.
- Panels 60"W and greater are available with single- or dual-sided power.
- Spine panels are only available 60"W or greater and must be specified with power.
- Specify L- or T- Gallery-to-Gallery Panels when power is not needed in a single-piece end panel.
- Split End panels may be specified with or without single-sided power.
- When power is not needed in Mid Wing Panels, they must be specified with No Power AND the spine power height in order to allow electrical components to pass through the panel. Power can be specified at the Below Worksurface or Below HAT heights.
- A dual-sided powered spine must have an end panel that extends both directions:



- When using a mid wing on the EXTERIOR face of a single-sided powered spine, use a standard Gallery Panel. Connectors must be field-measured.




- When submitting a request to TPG, the full dot option logic must be provided.

Panels

Fit™ — 30"H Panels


For specification information see pages 31-61.



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
18"W	**GSYS3018**	**$ 534**	**$ 558**	**$ 581**
24"W	**GSYS3024** (shown)	**$ 586**	**$ 611**	**$ 637**
30"W	**GSYS3030**	**$ 705**	**$ 737**	**$ 766**
36"W	**GSYS3036**	**$ 780**	**$ 814**	**$ 846**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G ____ .	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT ____ .	**F** FSC Wood **X** Non-FSC Wood .	See page 28 for finishes. ____ .	See page 28 for finishes. ____ .	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less) V ____ .	G


Example: **GSYS3024.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
42"W	**GSYS3042** (shown)	**$ 904**	**$ 944**	**$ 982**
48"W	**GSYS3048**	**$ 1026**	**$ 1072**	**$ 1114**
54"W	**GSYS3054**	**$ 1091**	**$ 1139**	**$ 1184**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G ____ .	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power ____ .	**F** FSC Wood **X** Non-FSC Wood .	See page 28 for finishes. ____ .	See page 28 for finishes. ____ .	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less) V ____ .	G

Example: **GSYS3042.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Panels				
60"W	**GSYS3060**	**$ 1191**	**$ 1242**	**$ 1292**
66"W	**GSYS3066**	**$ 1233**	**$ 1287**	**$ 1337**
72"W	**GSYS3072** (shown)	**$ 1354**	**$ 1413**	**$ 1470**
78"W	**GSYS3078**	**$ 1588**	**$ 1655**	**$ 1723**
84"W	**GSYS3084**	**$ 1797**	**$ 1875**	**$ 1950**


How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G ____ .	See page 33-34 for options. ____ .	**F** FSC Wood **X** Non-FSC Wood .	See page 28 for finishes. ____ .	See page 28 for finishes. ____ .	**VLG** Horizontal grain or Solid only V L G .	G

Example: **GSYS3072.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 35"H Panels


For specification information see pages 31-61.



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
18"W	**GSYS3518**	**$ 642**	**$ 670**	**$ 699**
24"W	**GSYS3524** (shown)	**$ 701**	**$ 732**	**$ 762**
30"W	**GSYS3530**	**$ 843**	**$ 879**	**$ 916**
36"W	**GSYS3536**	**$ 934**	**$ 976**	**$ 1015**

How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G


Example: **GSYS3524.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
42"W	**GSYS3542** (shown)	**$ 1039**	**$ 1085**	**$ 1128**
48"W	**GSYS3548**	**$ 1142**	**$ 1192**	**$ 1240**
54"W	**GSYS3554**	**$ 1221**	**$ 1273**	**$ 1324**

How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G

Example: **GSYS3542.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Panels				
60"W	**GSYS3560**	**$ 1309**	**$ 1367**	**$ 1421**
66"W	**GSYS3566**	**$ 1373**	**$ 1433**	**$ 1491**
72"W	**GSYS3572** (shown)	**$ 1503**	**$ 1567**	**$ 1631**
78"W	**GSYS3578**	**$ 1697**	**$ 1770**	**$ 1840**
84"W	**GSYS3584**	**$ 1986**	**$ 2072**	**$ 2154**


How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	G

Example: **GSYS3572.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 42"H Panels


For specification information see pages 31-61.



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
18"W	**GSYS4218**	**$ 701**	**$ 732**	**$ 762**
24"W	**GSYS4224** (shown)	**$ 764**	**$ 798**	**$ 829**
30"W	**GSYS4230**	**$ 920**	**$ 961**	**$ 1000**
36"W	**GSYS4236**	**$ 1019**	**$ 1064**	**$ 1107**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	


Example: **GSYS4224.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
42"W	**GSYS4242** (shown)	**$ 1132**	**$ 1181**	**$ 1229**
48"W	**GSYS4248**	**$ 1219**	**$ 1271**	**$ 1322**
54"W	**GSYS4254**	**$ 1329**	**$ 1387**	**$ 1443**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	

Example: **GSYS4242.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Panels				
60"W	**GSYS4260**	**$ 1409**	**$ 1470**	**$ 1529**
66"W	**GSYS4266**	**$ 1491**	**$ 1555**	**$ 1618**
72"W	**GSYS4272** (shown)	**$ 1603**	**$ 1672**	**$ 1740**
78"W	**GSYS4278**	**$ 1759**	**$ 1835**	**$ 1910**
84"W	**GSYS4284**	**$ 2106**	**$ 2196**	**$ 2284**


How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V L G .	G
	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	

Example: **GSYS4272.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 50"H Panels


For specification information see pages 31-61.



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
18"W	**GSYS5018**	**$ 809**	**$ 844**	**$ 878**
24"W	**GSYS5024** (shown)	**$ 871**	**$ 909**	**$ 947**
30"W	**GSYS5030**	**$ 1014**	**$ 1059**	**$ 1102**
36"W	**GSYS5036**	**$ 1117**	**$ 1166**	**$ 1213**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	**V** _ _ .	**G**
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	


Example: **GSYS5024.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
42"W	**GSYS5042** (shown)	**$ 1243**	**$ 1297**	**$ 1349**
48"W	**GSYS5048**	**$ 1364**	**$ 1423**	**$ 1481**
54"W	**GSYS5054**	**$ 1452**	**$ 1515**	**$ 1576**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	**V** _ _ .	**G**
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	

Example: **GSYS5042.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Panels				
60"W	**GSYS5060**	**$ 1530**	**$ 1595**	**$ 1660**
66"W	**GSYS5066**	**$ 1605**	**$ 1674**	**$ 1742**
72"W	**GSYS5072** (shown)	**$ 1696**	**$ 1769**	**$ 1839**
78"W	**GSYS5078**	**$ 1975**	**$ 2061**	**$ 2143**
84"W	**GSYS5084**	**$ 2282**	**$ 2380**	**$ 2476**


How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	**V L G** .	**G**
	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	

Example: **GSYS5072.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 57½"H Panels


For specification information see pages 31-61.



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
18"W	**GSYS5718**	**$ 975**	**$ 1019**	**$ 1060**
24"W	**GSYS5724** (shown)	**$ 1037**	**$ 1083**	**$ 1126**
30"W	**GSYS5730**	**$ 1182**	**$ 1233**	**$ 1282**
36"W	**GSYS5736**	**$ 1282**	**$ 1339**	**$ 1392**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	


Example: **GSYS5724.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
42"W	**GSYS5742** (shown)	**$ 1407**	**$ 1468**	**$ 1527**
48"W	**GSYS5748**	**$ 1526**	**$ 1591**	**$ 1655**
54"W	**GSYS5754**	**$ 1618**	**$ 1687**	**$ 1756**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	

Example: **GSYS5742.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Panels				
60"W	**GSYS5760**	**$ 1697**	**$ 1770**	**$ 1840**
66"W	**GSYS5766**	**$ 1771**	**$ 1848**	**$ 1922**
72"W	**GSYS5772** (shown)	**$ 1859**	**$ 1940**	**$ 2017**
78"W	**GSYS5778**	**$ 2140**	**$ 2232**	**$ 2321**
84"W	**GSYS5784**	**$ 2448**	**$ 2551**	**$ 2655**


How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	**V L G** .	**G**
	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	

Example: **GSYS5772.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 30"H Application for Use with Glass


For Fit Glass see page 54.
For Fit Panel connectors see pages 57-58.



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
18"W	**GSYS3018G**	$ 783	$ 817	$ 849
24"W	**GSYS3024G** (shown)	$ 832	$ 868	$ 903
30"W	**GSYS3030G**	$ 951	$ 993	$ 1033
36"W	**GSYS3036G**	$ 1026	$ 1072	$ 1114

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** **MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	**Glide:**
G [ ][ ][ ][ ][ ][ ][ ] .	[ ][ ][ ][ ][ ][ ] .	[ ] .	[ ][ ][ ][ ] .	[ ][ ] .	**V** [ ][ ] .	**G**


Example: **GSYS3024G.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
42"W	**GSYS3042G** (shown)	$ 1152	$ 1202	$ 1250
48"W	**GSYS3048G**	$ 1272	$ 1327	$ 1382
54"W	**GSYS3054G**	$ 1340	$ 1399	$ 1455

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** **MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	**Glide:**
G [ ][ ][ ][ ][ ][ ][ ] .	[ ][ ][ ][ ][ ][ ] .	[ ] .	[ ][ ][ ][ ] .	[ ][ ] .	**V** [ ][ ] .	**G**

Example: **GSYS3042G.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
30"H Fit Panels with Glass				
60"W	**GSYS3060G**	$ 1440	$ 1502	$ 1562
66"W	**GSYS3066G**	$ 2239	$ 2335	$ 2430
72"W	**GSYS3072G** (shown)	$ 2385	$ 2486	$ 2586
78"W	**GSYS3078G**	$ 2456	$ 2560	$ 2663
84"W	**GSYS3084G**	$ 2645	$ 2759	$ 2869


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** See page 33-34 for options.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only	**Glide:**
G [ ][ ][ ][ ][ ][ ][ ] .	[ ][ ][ ][ ][ ][ ] .	[ ] .	[ ][ ][ ][ ] .	[ ][ ] .	**V L G** .	**G**

Example: **GSYS3072G.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 35"H Application for Use with Glass


For Fit Glass see page 54.
For Fit Panel connectors see pages 57-58.



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
18"W	**GSYS3518G**	**$ 888**	**$ 928**	**$ 965**
24"W	**GSYS3524G** (shown)	**$ 947**	**$ 989**	**$ 1029**
30"W	**GSYS3530G**	**$ 1089**	**$ 1137**	**$ 1182**
36"W	**GSYS3536G**	**$ 1183**	**$ 1234**	**$ 1283**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** **MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	**Glide:**
G _____ .	_____ .	_ .	_____ .	_ .	**V** _ .	**G**


Example: **GSYS3524G.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
42"W	**GSYS3542G** (shown)	**$ 1284**	**$ 1341**	**$ 1394**
48"W	**GSYS3548G**	**$ 1389**	**$ 1449**	**$ 1508**
54"W	**GSYS3554G**	**$ 1467**	**$ 1530**	**$ 1592**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** **MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	**Glide:**
G _____ .	_____ .	_ .	_____ .	_ .	**V** _ .	**G**

Example: **GSYS3542G.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
35"H Fit Panels with Glass				
60"W	**GSYS3560G**	**$ 1557**	**$ 1623**	**$ 1689**
66"W	**GSYS3566G**	**$ 1622**	**$ 1691**	**$ 1760**
72"W	**GSYS3572G** (shown)	**$ 1748**	**$ 1824**	**$ 1896**
78"W	**GSYS3578G**	**$ 1942**	**$ 2027**	**$ 2107**
84"W	**GSYS3584G**	**$ 2233**	**$ 2329**	**$ 2424**


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**Panel and Power Type:** See page 33-34 for options.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 28 for finishes.	**Edge:** See page 28 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only	**Glide:**
G _____ .	_____ .	_ .	_____ .	_ .	**V L G** .	**G**

Example: **GSYS3572G.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 42"H Application for Use with Glass


For Fit Glass see page 54.
For Fit Panel connectors see pages 57-58.



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
18"W	**GSYS4218G**	$ 947	$ 989	$ 1029
24"W	**GSYS4224G** (shown)	$ 1011	$ 1056	$ 1098
30"W	**GSYS4230G**	$ 1166	$ 1217	$ 1265
36"W	**GSYS4236G**	$ 1268	$ 1323	$ 1375

How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G


Example: **GSYS4224G.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
42"W	**GSYS4242G** (shown)	$ 1380	$ 1440	$ 1498
48"W	**GSYS4248G**	$ 1464	$ 1527	$ 1589
54"W	**GSYS4254G**	$ 1575	$ 1642	$ 1709

How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G

Example: **GSYS4242G.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Fit Panels with Glass				
60"W	**GSYS4260G**	$ 1656	$ 1727	$ 1796
66"W	**GSYS4266G**	$ 1739	$ 1815	$ 1886
72"W	**GSYS4272G** (shown)	$ 1851	$ 1931	$ 2009
78"W	**GSYS4278G**	$ 2007	$ 2094	$ 2177
84"W	**GSYS4284G**	$ 2353	$ 2453	$ 2552


How to specify — Select the Model Number from above.	*1st Option:* Panel and Power Type:	*2nd Option:* FSC:	*3rd Option:* Laminate:	*4th Option:* Edge:	*5th Option:* Grain:	*6th Option:* Glide:
G	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	G

Example: **GSYS4272G.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 50"H Application for Use with Glass


For Fit Glass see page 54.
For Fit Panel connectors see pages 57-58.



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
18"W	**GSYS5018G**	**$ 1055**	**$ 1102**	**$ 1146**
24"W	**GSYS5024G** (shown)	**$ 1118**	**$ 1167**	**$ 1214**
30"W	**GSYS5030G**	**$ 1262**	**$ 1317**	**$ 1369**
36"W	**GSYS5036G**	**$ 1365**	**$ 1424**	**$ 1482**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _____ . _____ .	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G


Example: **GSYS5024G.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
42"W	**GSYS5042G** (shown)	**$ 1490**	**$ 1554**	**$ 1617**
48"W	**GSYS5048G**	**$ 1609**	**$ 1678**	**$ 1746**
54"W	**GSYS5054G**	**$ 1700**	**$ 1773**	**$ 1843**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _____ . _____ .	**MDWPW** Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	G

Example: **GSYS5042G.LPEPN.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
50"H Fit Panels with Glass				
60"W	**GSYS5060G**	**$ 1779**	**$ 1856**	**$ 1931**
66"W	**GSYS5066G**	**$ 1853**	**$ 1934**	**$ 2011**
72"W	**GSYS5072G** (shown)	**$ 1941**	**$ 2026**	**$ 2106**
78"W	**GSYS5078G**	**$ 2223**	**$ 2317**	**$ 2412**
84"W	**GSYS5084G**	**$ 2530**	**$ 2637**	**$ 2743**


How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _____ . _____ .	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	G

Example: **GSYS5072G.MSPSH.X.LDW1.DW.VLG.G**

Panels

Fit™ — 57½"H Application for Use with Glass


For Fit Glass see page 54.
For Fit Panel connectors see pages 57-58.



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
18"W	**GSYS5718G**	**$ 1222**	**$ 1276**	**$ 1325**
24"W	**GSYS5724G** (shown)	**$ 1283**	**$ 1340**	**$ 1393**
30"W	**GSYS5730G**	**$ 1426**	**$ 1488**	**$ 1547**
36"W	**GSYS5736G**	**$ 1528**	**$ 1593**	**$ 1657**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	V _ _ .	G
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	


Example: **GSYS5724G.MDWPH.X.LDW1.DW.VLG.G**



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
42"W	**GSYS5742G** (shown)	**$ 1655**	**$ 1726**	**$ 1795**
48"W	**GSYS5748G**	**$ 1774**	**$ 1851**	**$ 1926**
54"W	**GSYS5754G**	**$ 1864**	**$ 1945**	**$ 2023**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	V _ _ .	G
	MDWPW Mid wing, no power below WS **MDWPH** Mid Wing no power below HAT **LPEPN** Left Hand Split End no power **RPEPN** Right Hand Split End no power	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only **VST** Vertical Grain (available only for single panels 54"W or less)	

Example: **GSYS5742G.LPEPN.X.LDW1.DW.VLG.G**




Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Fit Panels with Glass				
60"W	**GSYS5760G**	**$ 1942**	**$ 2027**	**$ 2107**
66"W	**GSYS5766G**	**$ 2018**	**$ 2105**	**$ 2189**
72"W	**GSYS5772G** (shown)	**$ 2106**	**$ 2196**	**$ 2284**
78"W	**GSYS5778G**	**$ 2385**	**$ 2486**	**$ 2586**
84"W	**GSYS5784G**	**$ 2695**	**$ 2811**	**$ 2923**

How to specify — Select the Model Number from above.	*1st Option:* **Panel and Power Type:**	*2nd Option:* **FSC:**	*3rd Option:* **Laminate:**	*4th Option:* **Edge:**	*5th Option:* **Grain:**	*6th Option:* **Glide:**
G _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ .	_ _ _ .	_ _ .	V L G .	G
	See page 33-34 for options.	**F** FSC Wood **X** Non-FSC Wood	See page 28 for finishes.	See page 28 for finishes.	**VLG** Horizontal grain or Solid only	

Example: **GSYS5772G.MSPSH.X.LDW1.DW.VLG.G**

FIT



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
7½"H Fit Glass				
15"W	G40715GS	$ 228	$ 251	$ 259
18"W	G40718GS	$ 234	$ 258	$ 266
21"W	G40721GS	$ 239	$ 263	$ 272
24"W	G40724GS	$ 243	$ 268	$ 276
27"W	G40727GS	$ 265	$ 291	$ 300
30"W	G40730GS	$ 282	$ 312	$ 320
33"W	G40733GS	$ 310	$ 342	$ 352
36"W	G40736GS	$ 349	$ 384	$ 396
39"W	G40739GS	$ 378	$ 416	$ 429
42"W	G40742GS	$ 423	$ 467	$ 480
45"W	G40745GS	$ 459	$ 506	$ 520
48"W	G40748GS	$ 499	$ 549	$ 564
51"W	G40751GS	$ 510	$ 561	$ 577
54"W	G40754GS	$ 552	$ 607	$ 625
57"W	G40757GS	$ 611	$ 672	$ 692
60"W	G40760GS	$ 716	$ 786	$ 810
63"W	G40763GS	$ 832	$ 916	$ 942
66"W	G40766GS	$ 900	$ 989	$ 1018
69"W	G40769GS	$ 984	$ 1081	$ 1112
72"W	G40772GS	$ 1053	$ 1156	$ 1191
75"W	G40775GS	$ 1126	$ 1237	$ 1273
78"W	G40778GS	$ 1239	$ 1360	$ 1401
81"W	G40781GS	$ 1303	$ 1431	$ 1472
84"W	G40784GS	$ 1329	$ 1467	$ 1511

How to specify —

Select the Model Number from above.


1st Option:

Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 0 7 | | | | . | | | |

Examples: **G40715GS.LC** **G40739GS.GSM1**



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
13"H Fit Glass				
24"W	G41324GS	$ 553	$ 615	$ 635
27"W	G41327GS	$ 603	$ 669	$ 692
30"W	G41330GS	$ 648	$ 719	$ 742
33"W	G41333GS	$ 682	$ 758	$ 782
36"W	G41336GS	$ 722	$ 803	$ 826
39"W	G41339GS	$ 778	$ 865	$ 893
42"W	G41342GS	$ 804	$ 893	$ 922
45"W	G41345GS	$ 821	$ 912	$ 941
48"W	G41348GS	$ 848	$ 941	$ 972
51"W	G41351GS	$ 863	$ 957	$ 989
54"W	G41354GS	$ 923	$ 1024	$ 1057
57"W	G41357GS	$ 944	$ 1047	$ 1082
60"W	G41360GS	$ 971	$ 1077	$ 1112
63"W	G41363GS	$ 1040	$ 1155	$ 1192
66"W	G41366GS	$ 1128	$ 1252	$ 1293
69"W	G41369GS	$ 1193	$ 1323	$ 1366
72"W	G41372GS	$ 1279	$ 1419	$ 1466
75"W	G41375GS	$ 1373	$ 1524	$ 1572
78"W	G41378GS	$ 1461	$ 1621	$ 1673
81"W	G41381GS	$ 1542	$ 1710	$ 1766
84"W	G41384GS	$ 1590	$ 1770	$ 1829

How to specify —

Select the Model Number from above.


1st Option:

Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 3 _ _ _ _ . _ _ _ _

Examples: **G41324GS.LC** **G41339GS.GSM1**



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
15"H Fit Glass				
15"W	G41515GS	$ 578	$ 642	$ 664
18"W	G41518GS	$ 603	$ 669	$ 692
21"W	G41521GS	$ 631	$ 701	$ 723
24"W	G41524GS	$ 663	$ 736	$ 760
27"W	G41527GS	$ 685	$ 761	$ 785
30"W	G41530GS	$ 712	$ 792	$ 815
33"W	G41533GS	$ 747	$ 831	$ 857
36"W	G41536GS	$ 814	$ 904	$ 933
39"W	G41539GS	$ 851	$ 944	$ 976
42"W	G41542GS	$ 873	$ 969	$ 1000
45"W	G41545GS	$ 888	$ 986	$ 1017
48"W	G41548GS	$ 909	$ 1009	$ 1042
51"W	G41551GS	$ 930	$ 1031	$ 1065
54"W	G41554GS	$ 988	$ 1098	$ 1131
57"W	G41557GS	$ 1003	$ 1114	$ 1149
60"W	G41560GS	$ 1011	$ 1123	$ 1158
63"W	G41563GS	$ 1072	$ 1190	$ 1228
66"W	G41566GS	$ 1161	$ 1288	$ 1330
69"W	G41569GS	$ 1221	$ 1355	$ 1398
72"W	G41572GS	$ 1306	$ 1448	$ 1497
75"W	G41575GS	$ 1410	$ 1564	$ 1615
78"W	G41578GS	$ 1486	$ 1648	$ 1700
81"W	G41581GS	$ 1573	$ 1744	$ 1801
84"W	G41584GS	$ 1625	$ 1809	$ 1869

How to specify —	*1st Option:*
Select the Model Number from above.	**Glass:** **LC** Clear Glass **LF** Frosted Glass **GSM1** Smoked Glass


G 4 1 5 _ _ _ _ . _ _ _ _

Examples: **G41515GS.LC** **G41539GS.GSM1**


Panels

Fit™ — Panel Connectors


For specification information see pages 31-61.



GPLTBK GSYSCONSE




GSYSCONL GSYSCONS




GSYSTP

Description	Model	P1 List Price	P2 List Price	P3 List Price
Panel Connectors				
Single End Panel Connector	**GPLTBK** (shown)	$ 111	$ 111	$ 111
Split Panel Connector	**GSYSCONSE** (shown)	$ 97	$ 104	$ 108
Corner Panel Connector, 2-Pack	**GSYSCONL** (shown)	$ 130	$ 139	$ 143
Straight In-Line Panel Connector	**GSYSCONS** (shown)	$ 195	$ 206	$ 214
Installation Template	**GSYSTP** (shown)	$ 66		




Worksurface Mounting Bracket Kit				
Worksurface Mounting Bracket	**GWSBK**	$ 87		

Note: Ships with 2 brackets.



Fit Panel Stiffeners				
Stiffener for 75"/78"W Panels	**GSTFN7578**	$ 195	$ 212	$ 233
Stiffener for 81"/85"W Panels	**GSTFN8184**	$ 218	$ 237	$ 262



GSGKL GSGKM

Storage Ganging Kits				
Laminate Storage Ganging Kit (no color option)	**GSGKL** (shown)	$ 87		
Metal Storage Ganging Kit (no color option)	**GSGKM** (shown)	$ 21		



Fit Wall Start				
30"H Wall Start	**GWS30**	$ 134	$ 143	$ 147
35"H Wall Start	**GWS35**	$ 153	$ 162	$ 168
42"H Wall Start	**GWS42**	$ 166	$ 176	$ 181
50"H Wall Start	**GWS50**	$ 191	$ 202	$ 209
57½"H Wall Start	**GWS57**	$ 204	$ 215	$ 223

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 28 for finishes.


G | | | | | | | | . | | | |


Examples: **GWS57.PJW**


Panels

Fit™ — Rails & Connectors


For specification information see pages 31-61.



GSYSR60DS



GSYSR60SS



GSYSRRSS


Description	Model	P1 List Price	P2 List Price	P3 List Price
Rails				
Spine Rail 60"W Double Sided	**GSYSR60DS** (shown)	$ 411	$ 430	$ 447
Spine Rail 66"W Double Sided	**GSYSR66DS**	$ 431	$ 451	$ 469
Spine Rail 72"W Double Sided	**GSYSR72DS**	$ 461	$ 482	$ 502
Spine Rail 78"W Double Sided	**GSYSR78DS**	$ 494	$ 516	$ 538
Spine Rail 84"W Double Sided	**GSYSR84DS**	$ 526	$ 549	$ 572
Spine Rail 60"W Single Sided	**GSYSR60SS** (shown)	$ 236	$ 248	$ 257
Spine Rail 66"W Single Sided	**GSYSR66SS**	$ 247	$ 260	$ 269
Spine Rail 72"W Single Sided	**GSYSR72SS**	$ 266	$ 279	$ 289
Spine Rail 78"W Single Sided	**GSYSR78SS**	$ 283	$ 297	$ 308
Spine Rail 84"W Single Sided	**GSYSR84SS**	$ 300	$ 314	$ 326
Return Rail Double Sided	**GSYSRRDS**	$ 489	$ 511	$ 533
Return Rail Single Sided	**GSYSRRSS** (shown)	$ 244	$ 256	$ 266



GSYSREC


GSYSRSL


GSYSRSC


GSYSRL


GSYSRPS


GSYSRPL


GSYSPBW


GSYSHWBW

Rail Connectors


Rail End Cap	**GSYSREC** (shown)	$ 97	$ 104	$ 108
Rail Straight Inline Connector	**GSYSRSL** (shown)	$ 130	$ 139	$ 143
Rail Straight Corner Connector	**GSYSRSC** (shown)	$ 97	$ 104	$ 108
Rail "L" Connector	**GSYSRL** (shown)	$ 97	$ 104	$ 108
Rail Infeed Straight Corner Connector	**GSYSRPS** (shown)	$ 130	$ 139	$ 143
Rail Infeed "L" Connector	**GSYSRPL** (shown)	$ 130	$ 139	$ 143
Rail Infeed Connector Shroud BW	**GSYSPBW** (shown)	$ 202	$ 213	$ 221
Rail Infeed Connector Shroud BH	**GSYSPBH**	$ 202	$ 213	$ 221
Rail Hardwire Infeed Shroud BW	**GSYSHWBW** (shown)	$ 202	$ 213	$ 221
Rail Hardwire Infeed Shroud BH	**GSYSHWBH**	$ 202	$ 213	$ 221


Note: Rail Hardwire Infeed Shroud BW and BH models GSYSHWBW and GSYSHWBH must be used with Hardwire Infeed Housing model U8SBKCH (ordered separately).

FIT

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 28 for finishes.
G .	


Examples: **GSYSRRDS.PJW**






Tackboards (page 62)
- Provides tackable surface.
- Comes with steel-painted trim.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60"
  *Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Fit Panel. Mounting hardware included. Will deface the panel.

Magnet or Marker Boards (page 62)
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60"
  *Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Fit Panel. Mounting hardware included. Will deface the panel.




Hanging Magnet or Marker Boards (page 62)
- Hangs over Fit panel or sits on top of worksurface.
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Cannot be installed back-to-back when hanging in the same location.
- Available in 30"W and in two heights: 20"H and 26"H.




Fit Panel Foot (page 62)
- Single foot provides rigidity to large wing panel.
- Available in any textured Allsteel paint.
- Foot extends 9" from either side of the panel.

Floating Laminate Shelves (page 63)
- 6" depth.
- ¾" thickness.
- Constructed of HPL laminate with 0.8mm ABS edgebanding.
- Available in solid or horizontal woodgrain laminate.
- Available with contrasting or matching edge.
- Widths available every 6" from 12" to 78"W.
- Widths from 54" to 78" satisfy a stiffener requirement and are meant to be mounted to a panel that is 6" wider than the shelf.
  (e.g., 84"W panel would accept a 78"W stiffener shelf.)
- Shelves narrower than 54"W do not act as a stiffener.
- Shelf stiffeners must be installed above the power rail to function as a stiffener.






Wall Start (page 57)
- Wall Starts are 1⅛" by 1⅛" rectangular mounting posts that are meant to affix a Fit panel to a permanent building wall.
- Wall starts add 1⅛" to panel run.
- Attachment hardware not included.
- Must be specified at the same height as the connecting panel.



Countertop Brackets (page 64)
- Includes attachment hardware.
- Countertops are flush with the top of the panel and can be flush with the ends of the panel or shorter than the panel width.
- For straight countertops, two countertop brackets must be ordered.
- For corner countertops, three countertop brackets must be ordered.
- Will deface the panel.

Accessory Rail and Paper Management (page 63)


- Accessory Rail provides mounting for paper management accessories, listed below.
- Rail is 2.6"H and is available in the following widths: 12", 18", 24", 30", 36".
- Rails can be installed in any location on the Fit panel and can be placed in-line to span panel length.
- Rail height when installed cannot exceed the height of the panel.
- Rail and accessories can be painted any standard Allsteel paint color.
- Mounts directly to the Fit panel, attachment hardware included.
- Extensions accessories are NOT compatible with the accessory rail.
- These accessories are compatible with tool tiles.
- Includes a rail cover to hide hardware and provide magnetic surface.
- Compatible Rail Accessories:
  - Coat Hook (Rail-based, a mounted version is also available to attach directly to the panel)
    - Rail Based dimensions: 4"x 3"x 1¾"
    - Mounted dimensions: 4"x 3" x 1½"
  - Angle File (Triple, Dual, and Single heights)
    - Depth of 2"
    - Heights: Triple = 15⅓", Dual = 12⅓", Single = 9⅓"
  - Paper Tray (Triple, Dual, and Single heights)
    - Depth of 10"
    - Heights: Triple = 9⅓", Dual = 6⅓", Single = 3⅓"
  - Personal Shelf
    - 9⅓" x 24" x 10⅔"
  - Binder Shelf
    - 12⅓" x 12" x 11⅓"



Height-Adjustable Table Tie-In Brackets (page 63)


- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T-leg HAT.
- AGBKC to be specified for connection to a C-leg HAT.
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C-legs with a 30"D worksurface and a screen must be specified with T-leg brackets.
- NOTE: Wire chain cannot be installed on the same leg as the HAT tie-in bracket.

Max Height (with Glass): 65"H
Max Width: 84"W; No top size restrictions




Dual-Sided Panel Bench
- Can be created using HAT brackets or Fit Panel Feet. Cannot be single-sided. No maximum run length.

Height-Adjustable Table Tie-In Brackets (page 63)
- Max height (with Glass): 65"H
- Max Width: 84"W




Fit Panel Feet (page 62)
- Max height (with Glass): 65"H
- Max Width: 84"W




Panels


For specification information see pages 31-61.




Description	Model	P1 List Price	P2 List Price	P3 List Price	P6 List Price
Tackboards					
Tackboard 15"H x 24"W	**GTB1524**	$ 377	$ 395	$ 410	N/A
Tackboard 15"H x 30"W	**GTB1530**	$ 410	$ 429	$ 445	N/A
Tackboard 15"H x 36"W	**GTB1536**	$ 454	$ 475	$ 495	N/A
Tackboard 15"H x 42"W	**GTB1542**	$ 473	$ 494	$ 515	N/A
Tackboard 15"H x 48"W	**GTB1548**	$ 483	$ 505	$ 527	N/A
Tackboard 15"H x 54"W	**GTB1554**	$ 506	$ 529	$ 551	N/A
Tackboard 15"H x 60"W	**GTB1560**	$ 513	$ 536	$ 559	N/A
Tackboard 22.5"H x 24"W	**GTB2224**	$ 424	$ 444	$ 460	N/A
Tackboard 22.5"H x 30"W	**GTB2230**	$ 460	$ 481	$ 501	N/A
Tackboard 22.5"H x 36"W	**GTB2236** (shown)	$ 503	$ 525	$ 548	N/A
Tackboard 22.5"H x 42"W	**GTB2242**	$ 513	$ 536	$ 559	N/A
Tackboard 22.5"H x 48"W	**GTB2248**	$ 553	$ 577	$ 601	N/A
Tackboard 22.5"H x 54"W	**GTB2254**	$ 581	$ 606	$ 631	N/A
Tackboard 22.5"H x 60"W	**GTB2260**	$ 596	$ 622	$ 648	N/A



Magnet/Marker Boards					
Magnet/Marker Board 15"H x 24"W	**GMB1524**	$ 498	$ 520	$ 543	$ 604
Magnet/Marker Board 15"H x 30"W	**GMB1530**	$ 538	$ 562	$ 585	$ 653
Magnet/Marker Board 15"H x 36"W	**GMB1536**	$ 571	$ 596	$ 621	$ 693
Magnet/Marker Board 15"H x 42"W	**GMB1542**	$ 601	$ 627	$ 653	$ 728
Magnet/Marker Board 15"H x 48"W	**GMB1548**	$ 630	$ 658	$ 685	$ 763
Magnet/Marker Board 15"H x 54"W	**GMB1554**	$ 648	$ 678	$ 705	$ 786
Magnet/Marker Board 15"H x 60"W	**GMB1560**	$ 685	$ 716	$ 745	$ 830
Magnet/Marker Board 22.5"H x 24"W	**GMB2224**	$ 614	$ 640	$ 668	$ 744
Magnet/Marker Board 22.5"H x 30"W	**GMB2230**	$ 645	$ 673	$ 702	$ 782
Magnet/Marker Board 22.5"H x 36"W	**GMB2236**	$ 671	$ 701	$ 730	$ 813
Magnet/Marker Board 22.5"H x 42"W	**GMB2242**	$ 704	$ 735	$ 765	$ 852
Magnet/Marker Board 22.5"H x 48"W	**GMB2248** (shown)	$ 738	$ 771	$ 801	$ 894
Magnet/Marker Board 22.5"H x 54"W	**GMB2254**	$ 761	$ 794	$ 826	$ 922
Magnet/Marker Board 22.5"H x 60"W	**GMB2260**	$ 788	$ 822	$ 855	$ 955



Hanging Magnet/Marker Boards & Blotter					
Hanging Magnet/Marker Board or Blotter 20"H x 30"W	**GHMB2030** (shown)	$ 392	$ 411	$ 426	$ 477
Hanging Magnet/Marker Board or Blotter 26"H x 30"W	**GHMB2630**	$ 544	$ 568	$ 592	$ 661



Support Foot					
Fit Support Foot	**GFT1**	$ 373	$ 391	$ 406	


Note: Available in textured paint only

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 28 for finishes.	**Fabric** *(if applicable)*: See page 28 for finishes.
G _____ .	_____ .	_____


Examples: **GHMB2030.MKP**

Panels


For specification information see pages 31-61.




Description	Model	L1 List Price	L2 List Price	L3 List Price
Laminate Floating Shelves				
12"W Floating Shelf	**GSTF12**	$ 292	$ 306	$ 317
18"W Floating Shelf	**GSTF18**	$ 325	$ 340	$ 355
24"W Floating Shelf	**GSTF24**	$ 356	$ 373	$ 388
30"W Floating Shelf	**GSTF30**	$ 388	$ 407	$ 422
36"W Floating Shelf	**GSTF36**	$ 422	$ 442	$ 458
42"W Floating Shelf	**GSTF42**	$ 454	$ 475	$ 495
48"W Floating Shelf	**GSTF48**	$ 486	$ 508	$ 530
54"W Floating Stiffener Shelf	**GSTF54**	$ 518	$ 541	$ 564
60"W Floating Stiffener Shelf	**GSTF60**	$ 551	$ 575	$ 599
66"W Floating Stiffener Shelf	**GSTF66** (shown)	$ 583	$ 608	$ 634
72"W Floating Stiffener Shelf	**GSTF72**	$ 614	$ 640	$ 668
78"W Floating Stiffener Shelf	**GSTF78**	$ 648	$ 678	$ 705




GACRL12




G2AGF




G1PTR



GWPSF




GBRSF




GCHRB

Description	Model	L1 List Price	L2 List Price	L3 List Price
Accessory Rail & Paper Management				
Gallery Panel 12"W Accessory Rail	**GACRL12** (shown)	$ 256	$ 269	$ 279
Gallery Panel 18"W Accessory Rail	**GACRL18**	$ 274	$ 288	$ 298
Gallery Panel 24"W Accessory Rail	**GACRL24**	$ 276	$ 290	$ 300
Gallery Panel 30"W Accessory Rail	**GACRL30**	$ 292	$ 306	$ 317
Gallery Panel 36"W Accessory Rail	**GACRL36**	$ 307	$ 322	$ 333
Triple Angle File	**G3AGF**	$ 243	$ 255	$ 265
Double Angle File	**G2AGF** (shown)	$ 204	$ 215	$ 223
Single Angle File	**G1AGF**	$ 167	$ 177	$ 184
Triple Paper Tray	**G3PTR**	$ 243	$ 255	$ 265
Double Paper Tray	**G2PTR**	$ 204	$ 215	$ 223
Single Paper Tray	**G1PTR** (shown)	$ 167	$ 177	$ 184
Personal Shelf	**GWPSF** (shown)	$ 204	$ 215	$ 223
Binder Shelf	**GBRSF** (shown)	$ 204	$ 215	$ 223
Coat Hook Rail-Based	**GCHRB** (shown)	$ 84	$ 91	$ 94
Coat Hook Mounted	**GCHMT**	$ 97	$ 104	$ 108



AGBKT



AGBKTMP

Description	Model	L1 List Price	L2 List Price	L3 List Price
HAT Bracket				
HAT to Fit Panel Bracket T-Leg	**AGBKT** (shown)	$ 277	$ 301	$ 332
HAT to Fit Panel Bracket C-Leg	**AGBKC**	$ 277	$ 301	$ 332
HAT to Fit Panel Installation Template (Black only, code P)	**AGBKTMP** (shown)	$ 68		

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3


See page 28 for finishes.

_____ . _____


Examples: **AGBKC.PJW**

Panels

For specification information see pages 247-253 and 272-280.







GCTKS

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Straight Countertops — must order 2 sets of brackets per surface				
24"W x 15"D	**851524M**	$ 415	$ 435	$ 449
30"W x 15"D	**851530M**	$ 460	$ 481	$ 496
36"W x 15"D	**851536M**	$ 517	$ 539	$ 558
42"W x 15"D	**851542M**	$ 535	$ 557	$ 577
48"W x 15"D	**851548M**	$ 566	$ 589	$ 610
54"W x 15"D	**851554M**	$ 641	$ 666	$ 688
60"W x 15"D	**851560M**	$ 716	$ 738	$ 757
66"W x 15"D	**851566M**	$ 741	$ 773	$ 793
72"W x 15"D	**851572M**	$ 770	$ 803	$ 824
Corner Countertops 15"D at ends — must order 3 sets of brackets per surface				
24"W x 24"W	**852424M**	$ 809	$ 843	$ 866
30"W x 30"W	**853030M**	$ 941	$ 979	$ 1005
36"W x 36"W	**853636M**	$ 1044	$ 1085	$ 1115
42"W x 42"W	**854242M**	$ 1132	$ 1176	$ 1212
Countertop Bracket				
Countertop Connector Bracket	**GCTKS**	$ 130	$ 139	$ 143


Note: Must order two brackets for straight countertop, three brackets for corner countertop.




Flat Edge

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:** See page 28 for finishes.	**Edge Trim Color:** See page 28 for finishes.

Examples: **851524M.LT3B.EX**





Floor infeed electrical connection

Electrical Systems

Fit Electrical Systems

Fit offers a choice of three electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals

- See pages 70-71 for a detailed explanation of each electrical system.
- All 3 systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian)
- Fit panels and electrical components are UL listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit, and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through panels.

Hardwire Junction Box – New York Code (page 74)

- Hardwire (New York Code) junction box is used when local electrical codes require hardwire entry.
- Separate junction boxes must be specified for single- or dual-sided power.
- For use with hardwire power infeed shrouds, models GSYSHWBH & GSYSHWBW.
- Unit must connect to a power or pass-thru harness positioned in the rail of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any 90-degree panel connection with an adjacent rail.
- Must order housing model U8SBKNY1 for junction box.

Hardwire Wiring Harness – Chicago Code (page 75)

- The junction box must connect into power harness within rail through a hardwire power infeed shroud at a 90-degree panel connection with an adjacent rail.
- Hardwire receptacles connect into standard mounting locations within rail.
- Power entry can be routed from the ceiling, via a Fit power pole, or from the floor into a junction box model.
- For single-sided applications use junction box A871500. For double-sided application use junction box 877600. Must order junction box housing model U8SBKCH separately in both cases.

Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communication and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.
- When using sealtight infeeds, an additional H-clip is needed to connect the infeed to the power harness, ordered separately.
- When bringing in an infeed from outside the station, adjust the leveling glides up to allow the infeed cable to fit under the panel.


Ceiling Power Infeed (page 74)


- Ceiling power infeed connects to a prewired electrical harness in the rail pathway, traverses through an adjacent panel, and terminates in the junction box at the top of the integrated power pole.
- Use power pole model GSYSPP.
- Most codes allow flex cables to be exposed after installation. Verify code requirements before ordering for exposed application.

Integrated Power/Communication Pole (page 75)

- Integrated power pole accommodates ceiling power infeed and communication/data lines.
- Provide capacity for routing power infeed and cables to the power rail.
- Conduit of the infeed cables serves as the division of electrical and communication cabling.
- Installs into Below Worksurface or Below HAT rail heights in a 90-degree panel connection.
- Single cavity with removable cover.
- Height: 13', Outside Dimension: 2" square.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness.
- To power the prewired electrical system, from a ceiling power source, a ceiling infeed cable must be purchased separately.










Power Harnesses and Pass-Thru Harnesses

Electrical power harnesses are used to distribute power in Fit panels. Harness power blocks snap directly onto brackets in base pathway. Power blocks on electrical power harness and pass-thru harness accept duplex receptacles.






Electrical Power Harness



Electrical Pass-Thru Harness With Power Block



Electrical Pass-Thru Harness Without Power Block


Electrical Power Harnesses (page 73)
- Electrical power harnesses are used to distribute power in panels.
- Fit electrical can only be located at one location.
- Specify harness length to match panel width.
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in the rail.

Electrical Pass-thru Harness With Power Block (page 73)
- Electrical pass-thru harnesses with power block have capacity to handle one duplex receptacle on each side of the panel when exposed.
- Specify harness length to match panel width.
- Power harnesses accept one duplex receptacle per panel side.


Electrical Pass-thru Harnesses Without Power Block (page 73)
- Specify harness length to match panel width.
- Electrical pass-thru cables distribute power through any panel(s) where receptacles are not required. Cable length cannot be stretched.

All electrical power harnesses and pass-thru harnesses will stretch 3½", allowing them to span "T", "X", and "S" extended straight connections.

Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.



Requires minimum of one power harness.




Requires minimum of two power harnesses.

Use of a ceiling infeed at this location requires an additional power harness.

FIT

Receptacles



Duplex Receptacle


Receptacle Color Recommended to Coordinate with Paint Color


Paint Color	Receptacle Color
Designer White — PJW	Designer White — DW
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum Metallic — PR2	Loft — EV
Salt — P8C	Silver — ES
Titanium — P8T	Silver — ES

Duplex Receptacles (page 74)
- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses with blocks.
- Duplexes are available in multiple colors. See page 78 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.


Single- vs Dual-Sided
- Different receptacles are required for single vs dual-sided power, see page 74 for models.

Data Components








ATADF3



ATADF4









Data Faceplates (page 75)
- Fit not only provides space for voice and data cables, it also offers several means of mounting commercially available voice and data components.
- Commercially available modular data faceplates can be mounted in vacant rail receptacle openings.
- Due to rail depth, back-to-back data modules should not be used. Rail knockouts must be located on opposite sides in dual-sided applications.

Fit Rail Covers (page 58)
- Features additional knockout (offset) for improved utilization of power and data. Knockouts are 2.7"W and 1.344"H.
- Two power cutouts are available per powered panel for receptacle placement. Port covers are available (ordered separately) for unused receptacle locations.

Rail Port Cover (page 75)
- Offered in a 2- or 12-pack.
- Used to cover a port location in a rail when a receptacle is not needed.





Circuit Usage

Strategy 1

Circuits to Equipment

Assign specific uses for each of the circuits:

- For example, in a four-circuit system:
  Circuit 1 — Calculators, fans, etc.
  Circuit 2 — Task lights (could be wired to wall switch)
  Circuit 3 — CRT or flat screen monitors
  Circuit 4 — CPUs


Strategy 2


Circuits to Workstations

Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.

Rails are non-handed, so the data knockout may be installed on the left- or right-hand side of the panel. **NOTE:** Data may not be installed back-to-back in dual-sided applications.

Lay-in Cable Capacity





- The Fit power rail allows continuous voice and data cables to run through and between panels without interruption.
- The rail accepts up to 12 voice/data cables (¼" dia) at 60% fill when electrical system shares the rail.
- Cable capacity of the Fit power pole is 3.3 sq. in. for a total capacity of 34 cables of ¼" diameter.
- Cables can enter/exit rail through the ceiling power pole or the base infeed power pole.

Note: Cable quantities listed are at 60% fill ratio.

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

* Select power harness models (A8712XX), pass-thru cables (A8710XX), and pass-thru harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an “A” suffix and appear in a gray box in this pricer.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Fit panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 72.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




Four-circuit, 2 + 2 Receptacle Option




The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/ dedicated. The three-circuit components have model numbers with an "A" suffix.



Fit System Receptacle Usage					
Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered					
Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	**3 + 1**	Common Circuit-1 **A871501 A877501**	Common Circuit-2 (1) **A871502 A877502**	Common Circuit-3 **A871503 A877503**	Iso/Dedicated Circuit-4 **A871504 A877504**
	2 + 2	Common Circuit-1 **A871501 A877501**	Common Circuit-2 **A871502 A877502**	Isolated Circuit-3 **A871506 A877506**	Isolated Circuit-4 **A871504 A877504**
Three-circuit 3-Hot/3-Neutral/2-Ground	**w/separate neutrals**	Common Circuit-1 **A871501A A877501A**	Common Circuit-2 **A871502A A877502A**	Iso/Dedicated Circuit-3 **A871503A A877503A**	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

(2) A87150x models are for single sided applications and A87750x models are for dual sided applications.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel Model Numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

Duplex Receptacle



15 amp Receptacle

FIT

Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items


Power Option 2+2
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Power Option 3 (Circuit-separate neutrals)
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items


Electrical & Data


Fit™ — Electrical Components

For specification information see pages 65-72.



For Return/Mid Panels






Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Power Harnesses				
For 30"W Panels	2	**A871230**	**A871230A**	**$ 420**
For 60"W Panels	2	**A871260***	**A871260A**	**$ 447**
For 66"W Panels	2	**A871266***	**A871266A**	**$ 431**
For 72"W Panels	2	**A871272***	**A871272A**	**$ 448**
For 78"W Panels	2	**A871278***	**A871278A**	**$ 448**
For 84"W Panels	2	**A871284***	**A871284A**	**$ 448**
Electrical Pass-Thru Harnesses with Power Block				
For 30"W Panels	1	**A871130**	**A871130A**	**$ 257**
For 60"W Panels	1	**A871160***	**A871160A**	**$ 274**
For 66"W Panels	1	**A871166***	**A871166A**	**$ 367**
For 72"W Panel Runs	1	**A871172**	**A871172A**	**$ 367**
For 78"W Panel Runs	1	**A871178**	**A871178A**	**$ 367**
For 84"W Panel Runs	1	**A871184**	**A871184A**	**$ 367**

*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (*) are considered Open Market.

Note: 30" models are used for return applications only.

Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Pass-Thru Cable without Power Block				
For 60"W Panels	1	**A871060**	**A871060A**	**$ 246**
For 66"W Panels	1	**A871066**	**A871066A**	**$ 290**
For 72"W Panels	1	**A871072**	**A871072A**	**$ 290**
For 78"W Panels	1	**A871078**	**A871078A**	**$ 290**
For 84"W Panels	1	**A871084**	**A871084A**	**$ 290**



Description	Model	List Price
Sealtight Infeed to Harness Connector		
Sealtight to Harness H-Clip	**A877101**	**$ 59**

FIT

How to specify —

Select the Model Number from above.

1st Option:

Color:

P Black


									P

Examples: **A871224.P** **A871260.P** **A871060.P** **A8777101.P**


Electrical & Data

Fit™ — Electrical Components

For specification information see pages 65-72.



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles for Single-Sided Fit Power Rail (specify color)				
Circuit 1	**A871501**	**A871501A**	S	$ 78
Circuit 2	**A871502**	**A871502A**	S	$ 78
Circuit 3 (3+1)	**A871503**	**A871503A**	S	$ 78
Circuit 3 (2+2)	**A871506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A871504**	**N/A**	S	$ 78
Circuit 1, 20 AMP	**A871601**	**A871601A**	S	$ 78




Duplex Receptacles for Dual-Sided Fit Power Rail (specify color)				
Circuit 1	**A877501**	**A877501A**	S	$ 78
Circuit 2	**A877502**	**A877502A**	S	$ 78
Circuit 3 (3+1)	**A877503**	**A877503A**	S	$ 78
Circuit 3 (2+2)	**A877506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A877504**	**N/A**	S	$ 78


Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Recommended Receptacle Color
Champagne Metallic — **PR5**	Muslin — **EU**
Cinder — **P7Q**	Brownstone — **EY**
Fossil — **P28**	Flint — **E9**
Gunmetal Metallic — **PR3**	Brownstone — **EY**
Pebble — **P8R**	Loft — **EV**
Pewter — **P8D**	Flint — **E9**
Platinum Metallic — **PR2**	Loft — **EV**
Salt — **P8C**	Silver — **ES**
Titanium — **P8T**	Silver — **ES**

Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.




Ceiling Electrical Infeed Cables				
6' Flex Cable	**A871972**	**A871972A**		$ 355
12' Flex Cable	**A871912**	**A871912A**	S	$ 482
18' Flex Cable	**A871918**	**A871918A**	S	$ 606



Electrical Infeed Cable

Electrical Infeed Cables				
12' Sealtight Cable Power Infeed	**A877012**	**N/A**	S	$ 587



Hardwire Power Infeed (New York Code)			
For 30"–72"W panels (4+1)	**U8SBKNY1**	S	$ 462
For 30"–72"W panels (4+2)	**U8SBKNY2**	S	$ 462

Note: Customer to furnish all cabling and wiring from power entry to power source. (Approved for use by city of New York.)

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Electrical Receptacle Color** *(if applicable)*: See page 28 for finishes.	**Color** *(if applicable)*: **P** Black
_____ .	E	P

Example: **A877501.EV**

S *Shippable by small-package carrier.*

Electrical & Data

For specification information see pages 65-72.



Description	Model	List Price
Hardwire Junction Box		
Single-Sided Hardwire Junction Box (6-pack)	**A871500**	$ 998
Dual-sided Hardwire Junction Box (6-pack)	**877600**	$ 1228
Hardwire Infeed Junction Box Housing	**U8SBKCH**	$ 350

Note: Junction box can be positioned at any duplex receptacle location. Customer must furnish conduit, wiring and designer-type receptacle. (Approved for use by city of Chicago.)
Hardwire Infeed Housing model U8SBKCH must be ordered when using Rail Hardwire Infeed Shroud BW and BH models GSYSHWBW and GSYSHWBH.

ATADF3



ATADF4



Data Faceplates		
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	$ 46
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	$ 46


Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).
ATADF models are compatible with ports in Optimize base pathway.
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.




ATADJ5

Jacks		
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5** S	$ 81
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6** S	$ 106


Description	Model	P1 List Price	P2 List Price	P3 List Price
Rail Port Cover				
Rail Port Cover (Pack of 2)	**GSYSRPC2** (shown)	$ 66	$ 72	$ 75
Rail Port Cover (Pack of 12)	**GSYSRPC12** (shown)	$ 243	$ 255	$ 265



GSYSRPC2



GSYSRPC12



GSYSPP

Integrated Power/Communication Pole for Fit				
13' long – 2" square	**GSYSPP** (shown)	$ 3195	$ 3271	$ 3343

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Electrical Receptacle Color** *(if applicable)*: See page 28 for finishes.	**Color** *(if applicable)*: **P** Black	**Paint** *(if applicable)*: P1 P2 P3 See page 28 for finishes.
_____ .	E	P	P

Examples: **A871500.P** **ATADF3.P**

S *Shippable by small-package carrier.*

Notes

Optimize™ Monolithic Panel System

Finishes 78
Typicals Overview 79
Introduction and Overview 80-81
Working with Panels, Connectors, and Sliding Doors 82-85
Panels & Connectors 86-92
Working with Electrical & Data 93-101
Electrical & Data Components 102-104

Optimize™ Monolithic Panel System

Finishes

PAINTED METAL FINISHES

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver PR6
Solar Black P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

METAL STORAGE PULLS

Black E4
Matte Silver ..... EL

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

OPTIMIZE REPLACEMENT RECEPTACLE COVERS

Black E4
Muslin ..... EU
Shadow ..... SH

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone* LM13
Bungalow* LM12
Designer White* LDW1
Flint* LM16
Fossil Shale* LEH1
Loft* LM11
Muslin* LM15
Titanium* LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut* LFW1
Kingswood Walnut* LKI1
Natural Maple* ..... LWD
NeoWalnut* LNU1
Pinnacle ..... PINC
Shaker Cherry* LW7C

GRADE L2

Beigewood* ..... LWBE
Fawn Cypress* LFC1
Lowell Ash* LLA1
Mangalore Mango* LMM1
Natural Recon* LNR1
Phantom Charcoal* LPC1
Phantom Ecru * LPE1
Portico Teak* LPT1
Skyline Walnut* LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut* ..... LWNW

* Storage available in these 30 laminates.

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

METAL GROMMETS

FOR LAMINATE WORKSURFACES

Oval/Square:
Matte Silver ..... EL

PLASTIC GROMMETS

FOR WORKSURFACES

Black E4
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Flint E9
Fossil ..... EH
Loft ..... EV
Muslin ..... EU
Parchment ..... EN
Titanium ..... TI

PLASTIC GROMMETS WITH WOODGRAIN EDGE

If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Beigewood, Fawn Cypress, Natural Maple, and Natural Recon ..... Muslin EU
Kingswood Walnut and NeoWalnut ..... Brownstone EY
Phantom Charcoal and Skyline Walnut ..... Flint E9
Phantom Ecru ..... Loft EV
Portico Teak ..... Fossil EH
All other woodgrain options ..... Black E4

LOCKS

Matte Silver ..... EL


Note: Refer to individual product pages for upcharges.

Optimize™ Monolithic Panel System

A full gallery of typicals from each Allsteel system can be found on our website:
https://www.allsteeloffice.com/design-resources/idea-starters.
Each typical includes a complete BOM with current pricing, downloadable CAD files, and PDFs of each drawing.

Use the Allsteel Typicals Gallery to find the components in Optimize workstations:


Optimize "L" Station 7' x 6'




Line Item	Product Description	Qty	Model Number
1	Optimize Tackable Panel 65"H x 36"W w/out Top Cap	2	P16536TP
2	Optimize Tackable Panel 65"H x 24"W w/out Top Cap	1	P16524TP
3	Optimize Tackable Glazed Panel 65"H x 48"W w/out Top Cap	1	P16548HP
4	Optimize Tackable Glazed Panel 65"H x 36"W w/out Top Cap	1	P16536HP
5	Panel Top Cap 36"W	3	P1AOP-TC36
6	Panel Top Cap 48"W	1	P1AOP-TC48
7	Panel Top Cap 24"W	1	P1AOP-TC24
8	Optimize In-line Connector Kit	2	P3CONTT
9	Optimize "L" Connector 65"H	2	P3CONL65
10	Optimize Panel End Covers 65"H	2	P3AOP-ET65
11	Corner Cove 36"x72"-24"L/24"R Extd RH Flat Edge w/Grommets	1	T5922ER
12	Worksurface 24"D x 48"W Flat Edge Lam w/Grommets	1	T52448S
13	End Panel Support LH 24"D x 29½"H	1	TKEP2429PL
14	Cantilever Bracket 18"D LH	1	T6CB18L
15	Cantilever Bracket 24"D RH	1	T6CB24R
16	Cantilever Bracket 24"D LH	1	T6CB24L
17	Worksurface Bracket Kit	1	T6BK
18	Power Harness 36"W	2	A871236
19	Base Power Infeed Cable 3+1 & 2+2 Systems	1	A879072
20	Duplex Receptacle Circuit 1: 3+1 or 2+2 System	1	A871501
21	Duplex Receptacle Circuit 4: 3+1 or 2+2 System	1	A871504
22	Essentials Personal File F/B/B/Lat Drawer Arch Pull	1	EPF23018FBBLA
23	15"H x 36"W Sliding Single Door Overhead	1	OH1536SD

Optimize "U" Station 8' x 8'


Provides seated privacy with ample storage and worksurface space.





Optimize "L" Station 7' x 6'

Storage tower allows lower panel height for an open feeling.



Visit https://www.allsteeloffice.com/design-resources/idea-starters to view these typicals and more.

Optimize™ Monolithic Panel System

Workstations made easier.

Whether you're outfitting a call center, creating teaming areas, replacing a reception desk, or adding new stations for managers, Allsteel can help you make the most of your office with Optimize. By bringing together panels, worksurfaces, and storage in one cohesive offering, we've made it easy for you to create efficient, well-designed spaces. All you have to do is configure these quality components to fit the needs of everyone in your office. Let us show you how.

Optimize makes a good first impression.

In areas open to the public, choose panels, worksurfaces, and storage to define space and keep projects organized. In this reception/shared workspace, a transaction countertop welcomes guests and worksurfaces below provide ample space for computers and paperwork.

We help you put it all together.


An open configuration with lower panels and a small footprint is perfect for people who perform the same function and need to share information throughout the day. Optimize benching can utilize tool rails and monitor arms to keep items off the desktop. An integrated D-shaped worksurface makes it easy for workers to come together to collaborate and then quickly return to their personal work areas.

As work changes, Optimize changes with you.

Optimize helps workers adjust workstyles throughout the day, from concentrated work to team brainstorming. In team areas, each person can have ample privacy, roomy storage with overhead bins, as well as a spacious worksurface for individual tasks. When it's time to collaborate, a table within the workspace and mobile pedestals that double as seating make it easy to come together.


Make the most of your space.

With Optimize panels, worksurfaces, and storage, you can create stations that feel like private offices. Higher panels promote privacy along the aisle while glass stackers near windows bring natural light into the space. Plenty of enclosed, lockable storage above and below the worksurface holds sensitive information. A U-shaped worksurface arrangement creates a natural conference area to accommodate conversations with team members or clients.




Panels & Connectors

BASE RACEWAY PANELS — Tackable




35"H 42½"H 50"H 65"H

BASE RACEWAY PANELS — Tackable Glazed



50"H 65"H


TOP TRIM



Flat Painted


Glass Panel
Mounted Screen

STACKING PANELS — Tackable and Glazed



15"H 15"H 30"H

DOORS




Hinged Door
80"H

Sliding Door
50"H/65"H/80"H




Connector Kits — Optimize profile

"TT" In-line Connector Kit
"L" 90° Connector Post
"T" 3-way Connector Post
"X" 4-way Connector Post
"S" Extended Straight Connector Post
"V" 2-Way 120° Connector Post
"Y" 3-Way 120° Connector Post



"TT" "L" "T" "X" "S" "V" "Y"

Panels



Frame Dimensions (Actual)

Depth: 2⅛" (use 2¼" to calculate intersections in length of panel run)


Widths: 20", 24", 30", 36", 42", 48", 60", 72"

Heights: 34¼", 41¼", 49¼", 64¼" (with levelers fully retracted)


Leveling Glides: 2⅛" range

Stacking Panels: 15"H fabric and glass, 30"H glass

Frameless Glass Screens: 7½"H, 15"H



Panel frames are shipped with base pathway covers installed. Top trim is specified separately.




In-line connections between panels in a continuous run are accomplished with an in-line connector kit.


Tackable Panels (pages 86-87)


- Specifications: 4-sided, welded tubular steel panel frame.
- Panel frames include and are shipped with base pathway covers installed. Top trim is specified separately for all panel frames.
- Hardware included with connector kits.
- Available in 4 heights and 8 widths — add ⅜" for each panel vertical end trim.
- Panel frames can be leveled up to 2⅛". Actual panel height varies depending on position of leveling glides.
- Direct connections between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in dimension along the run.
- For adequate stability, one of two methods of stabilization shown on page 83 must be adhered to.
- Due to depth of panel, back-to-back data modules should not be used in the base. Optional 3-hole kickplates are available.
- Add 2¼" to panel run for each "L", "T", "X", or extended straight connector ("S").
- Acoustical panels meet BIFMA recommendations.
- Fabric selection for 72"W panels is limited. Fabrics that are unavailable on 72"W panels are flagged with a * on page 14 of this price list.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 104.

Building Vertically with Optimize Panels



Stacking Frame Connection
Glazed panels only in top position







Sliding doors are available in 50"H, 65"H, and 80"H.

Building Horizontally with Optimize Panels

Method 1—Opposing Returns



Method 2—Single-Sided Returns



Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:

Method 1 — Opposing returns

- A parent run must be a minimum of 48" and a maximum of 144" between return panels.
- The parent run must have a minimum of two 24"W return panels running in opposing directions on each end of run.
- Return panels must not be any more than 30" shorter in height than parent run.
- When using 120° connectors, 12" must be added to length of return panels as determined by methods 1 and 2.


Method 2 — Single-sided returns

- A parent run must be a minimum of 48" and a maximum of 144" between return panels.
- The parent run must have a minimum of two return panels extending in one direction. Stack-ons may require additional length. See chart.
- Return panels must not be any more than 30" shorter in height than parent run.

Stacking Tackable and Glazed Panels (pages 86 and 88)

- When adding stacking panels, remove the top trim from the structural panel, and install top trim on top of the stacking panel.
- Stacking connection provides a solid connection, allowing the stacking frame to accept hang-on components, per Optimize configuration guidelines at left.
- Includes attachment hardware. Specify connectors separately.
- Only one stacking glazed panel can be added to top position of any Optimize panel of same width from 20"W to 72"W up to a maximum combined height of 80".
- End trim is specified in full end height to include height of base panel + stacking panel.
- Guidelines for using overhead storage with stacking frames are given on page 265.
- Stacking glazed panels feature clear or frosted tempered safety glass inserts (specified). Glass frame is painted to match trim.
- Stacking frames can be added to the top of same width 35"H, 50"H, and 65"H base panels up to 80"H; added to 42½"H panels up to 72½"H.
- Slot modularity will be lost on stacker used with 42½"H panels. If panel mounting slots are not being used, this is not an issue.
- Do not combine differing frame widths in a single stack. No spanning multiple frames.
- Stacking frames cannot be used as base frames.
- Fabric selection for 72"W panels is limited. Panel fabrics that are not available on 72"W panels are flagged with a "*" on page 14 of this price list.

Tackable Glazed Panels (page 88)




- Available 50"H and 65"H with 15"H clear or frosted tempered safety glass inserts (specified).
- Glass frame is painted to match trim.
- Top trim is specified separately.
- Cannot stack on glazed panels.
- Fabric selection for 72"W panels is limited. Available 72"W panel fabrics are flagged with a "W" on page 14 of this price list.

Glass Panel Mounted Screens (page 89)

- Frameless insert integrated into the base panel frame top trim.
- Replaces top trim on structural or stacking tackable frame.
- It is possible to span multiple frames when the combined frame width is equal to the panel mounted screen width.
- Can do variable height, must be used with grooved VH trim.
- Panel mounted screens are non-structural. Do not hang or stack on top of panel mounted screens.
- Available in ⅜" thick clear or frosted glass.
- To be included in overall height of panel with a maximum combined height of 80".

Door Panel Frame (page 89)




- The 80"H door panel frame includes 42"W frame, 36"W laminate door, hinges, and attaching hardware. Top trim is specified separately.
- See illustration at right.
- Lockset with knob or lever ordered separately.


Optimize Sliding Doors and Mounting Kits (pages 85 and 89)

- Optimize sliding doors are available in 50"H, 65"H, and 80"H.
- See illustration and specification information on page 85.


Method 2 – Single-sided Returns

Single-Sided Panel Run	Minimum Return Panels Total (X+Y)	Minimum Return Panels Total (X+Y) with Stack-ons
48"-108"	84"	84"
114"-144"	84"	96"







Example 1
Connectors required:
1–50"H "T" Post
1–15"H "VH"
1–"S" Strap




In variable height "T" connections as shown above, you would use the connectors as indicated.

Example 2
Connectors required:
1–65"H "X" Post
1–15"H "VH"
1–22½"H "VH"
1–30"H "VH"
1–Single Panel Strap









Extended Straight "S" Connection

Example 3
Connectors required:
1–65"H "L" Post
1–"L" Strap




Base connectors (includes base pathway) must be specified at base regardless of full height or segmented connection.

Example 4



Example above represents Optimize variable height connection for 65"H to 50"H.



High-Low "H"

Connectors and Trim

In-line Connector Kit (page 90)
- In-line connections between panels in a continuous run are accomplished with an in-line connector kit. There is no incremental increase in dimension along the run.
- In-line connector kits include all parts required for connecting two panels of same height together.
- Kit includes in-line connector strap, hardware, and glide tower to glide tower screw.
- Order panel end trim kits to finish the end of every panel run (except when attaching panels to permanent walls).

"L", "T", "X", "S", "V", and "Y" Connectors (page 90)
- "L", "T", "X", "V", and "Y" connectors kits are used when connecting panels at intersecting runs. For "L", "T", and "X" connections connector kits, add 2¼" to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.
- Specify connectors based on number and placement of panels.
- Connector posts are specified separately from connector straps—specify post based on tallest panel height and type of panel connection, specify straps based on connection of tallest panels (see variable height examples left).
- Connectors are made of extruded aluminum.
- Connector posts where power pole will enter need to be specified with single connector straps, model P3CONS1.
- Extended straight connector kit "S" can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections.
- Add 2¼" to the length of the run for every extended straight connector used.

Multiple-Height Connections (page 90)
- Multiple-height connections also utilize standard "L", "T", "X", and "S" connectors, in the height of the tallest panel. (See examples 1-4 at left.)

Panel End Trim (page 92)
- End vertical trim cover (includes top cap — adds ⅜" to run).
- Order to finish the end of every panel run (except when attaching panels to permanent walls).

Variable Height Connector Kits — Post Trim (page 92)
- Includes connectors, vertical cover, and attaching hardware.
- Order one per each panel height change in an "L", "T", "X", or "S".

Grooved VH Finishing Kit (page 92)
- For use when the base panel frame of a panel mounted screen is shorter than the adjacent panel

In-line Variable Height End Trim Finish Kits (page 92)
- End vertical cover (includes top cap).
- High-low "H" covers the exposed end of a panel when joining panels in-line of differing heights. Optimize profile adds ⅜" to length of panel run.
- Order one per each panel height change in an in-line connection.
- At the end of a panel run use panel end trim.

Wall Mount Kits (page 92)
- Wall mount kits provide a means to affix a panel run to a permanent building wall.
- Includes top cap. (Color must be specified.)
- Connector adds 1" to length of panel run.
- Anchor devices are not supplied with the wall mount kit. Refer to Optimize Installation Instructions for appropriate hardware.

2-Way 120° Connector Kits (page 92)
- Includes top cap, connectors, vertical cover, and attaching hardware.


3-Way 120° Connector Kits (page 92)
- Includes top cap and connectors.

Panels

Optimize™ — Working with Sliding Doors

The sliding doors must be specified with specific mounting kits for each door ordered. With a Frosted Translucent insert and your choice of P1 or P2 paint, the sliding door will create a unique look for any office environment.

The **sliding doors** *are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels. They accommodate a 36"W opening and are 42"W, nominally. The doors ship from the factory non-handed and become handed when field installed to fit the scope of the project. The handle pulls located on each side of the door are color matched to the trim to create a uniform style. And with the threshold free design, the sliding door offers better aesthetics and safety by eliminating the potential for tripping.*



General Guidelines for Use of Sliding Door (page 89)

- The system requires the ordering of both a door and a mounting bracket kit.
- All doors are 42" wide to accommodate a 36"W opening and are non-handed .
- A mounting bracket kit must be ordered for each door corresponding to the mounting panels width (30", 36", 42", or 48"W). Kits available in P1 and P2 paint.

General Guidelines for Layout Planning of Sliding Door

- Stability guidelines must be followed when specifying a sliding door. (Refer to page 83). The sliding door system was designed to close an opening in a run of parallel panels. Doors mounted to long runs of panels without floor support, ties to worksurfaces, or return panels may seem less stable.
- If the door is used to close an opening **(A)** where the panel opposite the door is at 90°, there will be a gap equal to the panel thickness between the door and the panel end when closed.
- When planning the layout, care must be taken if the plan includes a door mounted on a panel that is less than 42"W. If the panel is at a corner **(B)**, the door will protrude into the aisle or next workstation when in the open position.
- If back-to-back doors are mounted on panels **(C)** that are less than 42"W they will interfere with each other if both are open at the same time.
- The door is attached at the base of the panel at any end position with a wrap around bracket. Bracket kits are ordered in conjunction with appropriate end trim profiles. The slots at the base of the panel must be clear **(D)** and cannot be utilized by worksurface supports or panel hung components.
- If the door is mounted to a panel run that is positioned adjacent to a wall **(E)** or an inside 90° angle and there is not a 42" clearance between the track and the wall/inside 90° the assembly of the first stop will be difficult and plans will need to be modified for the assembly.
- If a door is closing an opening of a workstation that includes a "T" connector in the opposite wall, an extended straight connector may need to be used to maintain the 36" required opening.


Marker Board (page 87)

- For use with dry marking pens.
- Hangs directly on Optimize™ panel frame.
- Brackets must be field re-located for use with other systems.
- Porcelain-coated steel surface.
- White with silver trim.
- Width must correspond with width of panel.


Panels

Optimize™ — Tackable Panels


For specification information see pages 81-85.



Description	Model Without Top Trim	List Price Without Top Trim Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
35"H Tackable Panel							
24"W	P13524TP S	$ 567	$ 613	$ 656	$ 762	$ 894	$ 980
30"W	P13530TP S	$ 619	$ 668	$ 712	$ 831	$ 972	$ 1066
36"W	P13536TP S	$ 688	$ 740	$ 789	$ 922	$ 1081	$ 1186
42"W	P13542TP S	$ 708	$ 763	$ 811	$ 947	$ 1110	$ 1217
48"W	P13548TP S	$ 759	$ 817	$ 876	$ 1021	$ 1195	$ 1311
60"W	P13560TP	$ 851	$ 916	$ 984	$ 1153	$ 1356	$ 1489
72"W	P13572TP	$ 1079	$ 1163	$ 1245	$ 1448	$ 1699	$ 1867




42½"H Tackable Panel							
24"W	P14224TP S	$ 598	$ 646	$ 689	$ 804	$ 940	$ 1033
30"W	P14230TP S	$ 669	$ 720	$ 768	$ 895	$ 1049	$ 1152
36"W	P14236TP S	$ 749	$ 806	$ 861	$ 1002	$ 1174	$ 1289
42"W	P14242TP S	$ 825	$ 887	$ 949	$ 1101	$ 1288	$ 1412
48"W	P14248TP S	$ 879	$ 944	$ 1012	$ 1180	$ 1381	$ 1514
60"W	P14260TP	$ 1020	$ 1100	$ 1178	$ 1376	$ 1613	$ 1772
72"W	P14272TP	$ 1175	$ 1265	$ 1352	$ 1579	$ 1848	$ 2028



50"H Tackable Panel							
24"W	P15024TP S	$ 659	$ 709	$ 757	$ 881	$ 1031	$ 1133
30"W	P15030TP S	$ 736	$ 791	$ 846	$ 985	$ 1155	$ 1265
36"W	P15036TP S	$ 832	$ 894	$ 957	$ 1111	$ 1299	$ 1425
42"W	P15042TP S	$ 925	$ 994	$ 1062	$ 1235	$ 1442	$ 1581
48"W	P15048TP S	$ 996	$ 1070	$ 1143	$ 1333	$ 1558	$ 1707
60"W	P15060TP	$ 1083	$ 1168	$ 1251	$ 1461	$ 1716	$ 1881
72"W	P15072TP	$ 1323	$ 1421	$ 1521	$ 1772	$ 2072	$ 2272



65"H Tackable Panel							
24"W	P16524TP S	$ 720	$ 774	$ 826	$ 960	$ 1127	$ 1232
30"W	P16530TP S	$ 815	$ 876	$ 937	$ 1089	$ 1272	$ 1397
36"W	P16536TP S	$ 915	$ 984	$ 1050	$ 1220	$ 1426	$ 1562
42"W	P16542TP S	$ 1016	$ 1092	$ 1167	$ 1357	$ 1584	$ 1734
48"W	P16548TP	$ 1072	$ 1153	$ 1232	$ 1431	$ 1674	$ 1834
60"W	P16560TP	$ 1172	$ 1262	$ 1352	$ 1580	$ 1851	$ 2035
72"W	P16572TP	$ 1454	$ 1560	$ 1673	$ 1946	$ 2274	$ 2493



15"H Stacking Panel — Fabric							
24"W	P21524T S	$ 411	$ 443	$ 457	$ 525	$ 581	$ 668
30"W	P21530T S	$ 452	$ 486	$ 501	$ 578	$ 641	$ 737
36"W	P21536T S	$ 503	$ 543	$ 557	$ 643	$ 715	$ 819
42"W	P21542T S	$ 545	$ 587	$ 602	$ 696	$ 772	$ 887
48"W	P21548T S	$ 585	$ 630	$ 646	$ 749	$ 831	$ 953
60"W	P21560T S	$ 796	$ 853	$ 881	$ 1018	$ 1130	$ 1298
72"W	P21572T	$ 842	$ 902	$ 931	$ 1078	$ 1196	$ 1374

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Panel Fabric:** See page 14 for fabrics. Limited selection for 72"W models.	**Paint:** P1 P2 P3 See page 78 for finishes. For P2 paints — add $50. For P3 paints — add $99.


P _____ . _____ . _____

Examples: **P13524TP.ECH901.P7B** **P16572TP.APN911.P7B**

S *Shippable by small-package carrier.*



Description	Model	P1 List Price	P2 List Price	P3 List Price
Painted Top Trim for Tackable (Examples span multiple panels)				
24"W	P1AOP-TC24 S	$ 48	$ 53	$ 54
30"W	P1AOP-TC30 S	$ 49	$ 54	$ 55
36"W	P1AOP-TC36 S	$ 50	$ 55	$ 56
42"W	P1AOP-TC42 S	$ 52	$ 57	$ 59
48"W–- 24" + 24"	P1AOP-TC48 S	$ 61	$ 66	$ 68
60"W – 30" + 30" or 24" + 36"	P1AOP-TC60 S	$ 69	$ 74	$ 76
72"W – 36" + 36" or 24" + 48"	P1AOP-TC72 S	$ 87	$ 93	$ 96



Description	Model	List Price
Marker Board		
36"W x 24"H	AMRK36 S	$ 804
42"W x 24"H	AMRK42 S	$ 875
48"W x 24"H	AMRK48 S	$ 906

OPTIMIZE

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.

	.	


Example: **P1AOP-TC24.P7B**

S *Shippable by small-package carrier.*


Panels

Optimize™ — Glazed Panels


For specification information see pages 81-85.



Description	15"H Model	30"H Model	15"H List Price Clear	15"H List Price Frosted	30"H List Price Clear	30"H List Price Frosted
Stacking Panel — Glazed						
24"W	P21524G S	P23024G S	$ 758	$ 812	$ 1294	$ 1379
30"W	P21530G S	P23030G S	$ 797	$ 854	$ 1413	$ 1504
36"W	P21536G S	P23036G S	$ 889	$ 952	$ 1531	$ 1628
42"W	P21542G S	P23042G S	$ 1028	$ 1099	$ 1625	$ 1726
48"W	P21548G S	P23048G S	$ 1148	$ 1229	$ 1706	$ 1812
60"W	P21560G S	P23060G S	$ 1221	$ 1307	$ 1820	$ 1938
72"W	P21572G	N/A	$ 1297	$ 1388	N/A	N/A



Description	Model Without Top Trim	List Price Without Top Trim Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
50"H Tackable Glazed Panel w/15"H Clear Glass							
24"W	P15024HP S	$ 1103	$ 1187	$ 1264	$ 1469	$ 1716	$ 1879
30"W	P15030HP S	$ 1208	$ 1297	$ 1384	$ 1607	$ 1875	$ 2053
36"W	P15036HP S	$ 1318	$ 1414	$ 1511	$ 1753	$ 2045	$ 2240
42"W	P15042HP S	$ 1443	$ 1545	$ 1654	$ 1919	$ 2236	$ 2449
48"W	P15048HP S	$ 1499	$ 1610	$ 1720	$ 1999	$ 2330	$ 2554
60"W	P15060HP	$ 1716	$ 1844	$ 1971	$ 2296	$ 2685	$ 2941
72"W	P15072HP	$ 2093	$ 2248	$ 2401	$ 2791	$ 3258	$ 3568
50"H Tackable Glazed Panel w/15"H Frosted Glass							
24"W	P15024HP S	$ 1187	$ 1271	$ 1348	$ 1553	$ 1800	$ 1963
30"W	P15030HP S	$ 1297	$ 1386	$ 1473	$ 1696	$ 1964	$ 2142
36"W	P15036HP S	$ 1414	$ 1510	$ 1607	$ 1849	$ 2141	$ 2336
42"W	P15042HP S	$ 1545	$ 1647	$ 1756	$ 2021	$ 2338	$ 2551
48"W	P15048HP S	$ 1610	$ 1721	$ 1831	$ 2110	$ 2441	$ 2665
60"W	P15060HP	$ 1844	$ 1972	$ 2099	$ 2424	$ 2813	$ 3069
72"W	P15072HP	$ 2248	$ 2403	$ 2556	$ 2946	$ 3413	$ 3723



Description	Model Without Top Trim	List Price Without Top Trim Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
65"H Tackable Glazed Panel w/15"H Clear Glass							
24"W	P16524HP S	$ 1210	$ 1299	$ 1386	$ 1609	$ 1877	$ 2055
30"W	P16530HP S	$ 1303	$ 1399	$ 1494	$ 1735	$ 2026	$ 2218
36"W	P16536HP S	$ 1433	$ 1535	$ 1643	$ 1908	$ 2225	$ 2436
42"W	P16542HP S	$ 1564	$ 1678	$ 1791	$ 2079	$ 2428	$ 2655
48"W	P16548HP	$ 1633	$ 1753	$ 1872	$ 2174	$ 2537	$ 2780
60"W	P16560HP	$ 1883	$ 2021	$ 2161	$ 2513	$ 2934	$ 3217
72"W	P16572HP	$ 2282	$ 2450	$ 2619	$ 3040	$ 3548	$ 3885
65"H Tackable Glazed Panel w/15"H Frosted Glass							
24"W	P16524HP S	$ 1299	$ 1388	$ 1475	$ 1698	$ 1966	$ 2144
30"W	P16530HP S	$ 1399	$ 1495	$ 1590	$ 1831	$ 2122	$ 2314
36"W	P16536HP S	$ 1535	$ 1637	$ 1745	$ 2010	$ 2327	$ 2538
42"W	P16542HP S	$ 1678	$ 1792	$ 1905	$ 2193	$ 2542	$ 2769
48"W	P16548HP	$ 1753	$ 1873	$ 1992	$ 2294	$ 2657	$ 2900
60"W	P16560HP	$ 2021	$ 2159	$ 2299	$ 2651	$ 3072	$ 3355
72"W	P16572HP	$ 2450	$ 2618	$ 2787	$ 3208	$ 3716	$ 4053


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Panel Fabric** *(if applicable)*: See page 14 for fabrics. Limited selection for 72"W models.	**Paint:** P1 P2 P3 See page 78 for finishes. For P2 paints on stacking and base panels — add $50. For P3 paints — add $99.	**Glass** *(if applicable)*: **C** Clear **F** Frosted
P . . .			

Examples: **P21572G.P7B.F** **P16524HP.ECH901.P7B.C**

S *Shippable by small-package carrier.*


Panels

For specification information see pages 81-85.




Description and Examples	7½"H Model	15"H Model	7½"H List Price Clear	7½"H List Price Frosted	15"H List Price Clear	15"H List Price Frosted
Glass Panel Mounted Screens — ⅜" Thick Glass with Painted Trim (Example spans multiple panels)						
24"W	P2AOP-0724FG S	P2AOP-1524FG S	$ 742	$ 799	$ 842	$ 905
30"W	P2AOP-0730FG S	P2AOP-1530FG S	$ 824	$ 886	$ 928	$ 995
36"W	P2AOP-0736FG S	P2AOP-1536FG S	$ 914	$ 981	$ 1049	$ 1126
42"W	P2AOP-0742FG S	P2AOP-1542FG S	$ 976	$ 1047	$ 1116	$ 1200
48"W	P2AOP-0748FG S	P2AOP-1548FG S	$ 1056	$ 1133	$ 1228	$ 1320
54"W – 24" + 30"	P2AOP-0754FG S	P2AOP-1554FG S	$ 1183	$ 1271	$ 1342	$ 1440
60"W – 30" + 30" or 24" + 36"	P2AOP-0760FG S	P2AOP-1560FG S	$ 1282	$ 1378	$ 1441	$ 1544
66"W – 30" + 36"	P2AOP-0766FG S	P2AOP-1566FG S	$ 1424	$ 1526	$ 1556	$ 1672
72"W – 36" + 36" or 24" + 48"	P2AOP-0772FG S	P2AOP-1572FG S	$ 1511	$ 1748	$ 1642	$ 1764

Note: Frameless glass model change as of 7/1/2021 due to an adjustment in glass height. New glass models are 1" shorter than old models to accommodate variable height conditions. To match old product for reconfiguration purposes, contact the Tailored Products Group.




Description	Model	P1 List Price	P2 List Price	P3 List Price
Door Panel — Laminate				
80"H x 42"W Hinged Door without Top Trim	P48042DP	$ 4091	$ 4152	$ 4213
Standard Lockset (Door Knob)	899900	$ 188	N/A	N/A

Note: Polished Brass; keyed on one side.




Door Lever	899910	$ 532	N/A	N/A

Note: Brushed Aluminum; keyed on one side.



Frosted Translucent Sliding Doors (for 36"W opening)				
50"H x 42"W	Z15042SD	$ 6112	$ 6179	$ 6249
65"H x 42"W	Z16542SD	$ 7407	$ 7474	$ 7544
80"H x 42"W	Z18042SD	$ 9021	$ 9088	$ 9158



Mounting Kit for Sliding Doors (mounts to adjacent Optimize panel)				
30"W	P1DMK30 S	$ 571	$ 593	$ 611
36"W	P1DMK36 S	$ 571	$ 593	$ 611
42"W	P1DMK42 S	$ 571	$ 593	$ 611
48"W	P1DMK48 S	$ 571	$ 593	$ 611

How to specify —	*1st Option:*	*2nd Option:*	*2nd Option:*	*2nd Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 78 for finishes.	**Glass — Screen Only** *(if applicable)*: **C** Clear **F** Frosted	**Laminate — Door Only** *(if applicable)*: See page 78 for finishes.	**Insert — Sliding Door Only** *(if applicable)*: **FT** Frosted Translucent
_____	____ .	____	____	F T





Examples: **P20720GS.P02.F Z15042SD.P02.FT P1DMK36.P02**

S *Shippable by small-package carrier.*

Panels

Optimize™ — Connector Kits

For specification information see pages 81-85.

	Description	Model	List Price
	**In-line Connector Kits**		
	Single Connector Strap and Hardware	**P3CONTT** S	$ 119
	**Connector Straps**		
	Single Connector Strap	**P3CONS1**	$ 26
	"L" Connector Strap	**P3CONSL**	$ 26
	"T" Connector Strap	**P3CONST**	$ 34
	"X" Connector Strap	**P3CONSX**	$ 45
	Extended Straight Connector Strap "S"	**P3CONSS**	$ 45
	120 Degree 2 Way Connector Strap "V"	**P3CONSV**	$ 59
	120 Degree 3 Way Connector Strap "Y"	**P3CONSY**	$ 59

How to specify —

Select the Model Number from above.

P 3 C O N

Example: **P3CONTT**

S *Shippable by small-package carrier.*

For specification information see pages 81-85.









Description	Model	P1 List Price	P2 List Price	P3 List Price
Connector Posts				
"L" 90° Connector Post				
35"H "L" Connector Post	**P3CONL35N**	$ 155	$ 183	$ 206
42½"H "L" Connector Post	**P3CONL42N**	$ 155	$ 183	$ 206
50"H "L" Connector Post	**P3CONL50N**	$ 195	$ 223	$ 246
57½"H "L" Connector Post	**P3CONL57N**	$ 195	$ 223	$ 246
65"H "L" Connector Post	**P3CONL65N**	$ 195	$ 223	$ 246
72½"H "L" Connector Post	**P3CONL72N**	$ 227	$ 255	$ 278
80"H "L" Connector Post	**P3CONL80N**	$ 227	$ 255	$ 278
"T" 3-Way Connector Post				
35"H "T" Connector Post	**P3CONT35N**	$ 291	$ 310	$ 323
42½"H "T" Connector Post	**P3CONT42N**	$ 291	$ 310	$ 323
50"H "T" Connector Post	**P3CONT50N**	$ 317	$ 336	$ 349
57½"H "T" Connector Post	**P3CONT57N**	$ 317	$ 336	$ 349
65"H "T" Connector Post	**P3CONT65N**	$ 317	$ 336	$ 349
72½"H "T" Connector Post	**P3CONT72N**	$ 390	$ 409	$ 422
80"H "T" Connector Post	**P3CONT80N**	$ 390	$ 409	$ 422
"X" 4-Way Connector Post				
35"H "X" Connector Post	**P3CONX35N**	$ 279	$ 298	$ 311
42½"H "X" Connector Post	**P3CONX42N**	$ 279	$ 298	$ 311
50"H "X" Connector Post	**P3CONX50N**	$ 306	$ 325	$ 338
57½"H "X" Connector Post	**P3CONX57N**	$ 306	$ 325	$ 338
65"H "X" Connector Post	**P3CONX65N**	$ 306	$ 325	$ 338
72½"H "X" Connector Post	**P3CONX72N**	$ 380	$ 399	$ 412
80"H "X" Connector Post	**P3CONX80N**	$ 380	$ 399	$ 412
"S" Extended Straight Connector Post				
35"H Extended Straight Connector Post "S"	**P3CONS35N**	$ 425	$ 444	$ 457
42½"H Extended Straight Connector Post "S"	**P3CONS42N**	$ 425	$ 444	$ 457
50"H Extended Straight Connector Post "S"	**P3CONS50N**	$ 525	$ 544	$ 557
57½"H Extended Straight Connector Post "S"	**P3CONS57N**	$ 525	$ 544	$ 557
65"H Extended Straight Connector Post "S"	**P3CONS65N**	$ 525	$ 544	$ 557
72½"H Extended Straight Connector Post "S"	**P3CONS72N**	$ 663	$ 682	$ 695
80"H Extended Straight Connector Post "S"	**P3CONS80N**	$ 663	$ 682	$ 695

How to specify —

Select the Model Number from above.

P 3 C O N | | | | . | | | |

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 78 for finishes.

Example: **P3CONL35N.P02**

Panels

Optimize™ — Connector Kits

For specification information see pages 81-85.















Description	Model	P1 List Price	P2 List Price	P3 List Price
Panel End Trim				
35"H	P3AOP-ET35	$ 124	$ 152	$ 175
42½"H	P3AOP-ET42	$ 124	$ 152	$ 175
50"H	P3AOP-ET50	$ 129	$ 157	$ 180
57½"H	P3AOP-ET57	$ 129	$ 157	$ 180
65"H	P3AOP-ET65	$ 129	$ 157	$ 180
72½"H	P3AOP-ET72	$ 162	$ 190	$ 213
80"H	P3AOP-ET80	$ 162	$ 190	$ 213
Variable Height Connector Kit — Post Trim				
7½"H	P3AOP-VH07	$ 120	$ 148	$ 171
15"H	P3AOP-VH15	$ 120	$ 148	$ 171
22½"H	P3AOP-VH22	$ 132	$ 160	$ 183
30"H	P3AOP-VH30	$ 132	$ 160	$ 183
In-line Variable Height End Trim Finish Kit				
7½"H	P3AOP-IV07	$ 120	$ 148	$ 171
15"H	P3AOP-IV15	$ 120	$ 148	$ 171
22½"H	P3AOP-IV22	$ 132	$ 160	$ 183
30"H	P3AOP-IV30	$ 132	$ 160	$ 183
Grooved Variable Height Finish Kit				
7½"H	P3AOP-GV07	$ 122	$ 150	$ 173
15"H	P3AOP-GV15	$ 133	$ 161	$ 184
Wall Mount Kit				
35"H	P3AOP-WM35	$ 265	$ 293	$ 316
42½"H	P3AOP-WM42	$ 265	$ 293	$ 316
50"H	P3AOP-WM50	$ 289	$ 317	$ 340
57½"H	P3AOP-WM57	$ 289	$ 317	$ 340
65"H	P3AOP-WM65	$ 289	$ 317	$ 340
72½"H	P3AOP-WM72	$ 354	$ 382	$ 405
80"H	P3AOP-WM80	$ 354	$ 382	$ 405
2-Way 120° Connector Post				
35"H 120 Degree 2 Way Connector Post "V"	P3CONB35N	$ 264	$ 282	$ 294
42½"H 120 Degree 2 Way Connector Post "V"	P3CONB42N	$ 264	$ 282	$ 294
50"H 120 Degree 2 Way Connector Post "V"	P3CONB50N	$ 279	$ 297	$ 309
57½"H 120 Degree 2 Way Connector Post "V"	P3CONB57N	$ 291	$ 309	$ 321
65"H 120 Degree 2 Way Connector Post "V"	P3CONB65N	$ 291	$ 309	$ 321
72½"H 120 Degree 2 Way Connector Post "V"	P3CONB72N	$ 361	$ 379	$ 391
80"H 120 Degree 2 Way Connector Post "V"	P3CONB80N	$ 361	$ 379	$ 391
3-Way 120° Connector Post				
35"H 120 Degree 3 Way Connector Post "Y"	P3CONC35N	$ 264	$ 282	$ 294
42½"H 120 Degree 3 Way Connector Post "Y"	P3CONC42N	$ 264	$ 282	$ 294
50"H 120 Degree 3 Way Connector Post "Y"	P3CONC50N	$ 279	$ 297	$ 309
57½"H 120 Degree 3 Way Connector Post "Y"	P3CONC57N	$ 291	$ 309	$ 321
65"H 120 Degree 3 Way Connector Post "Y"	P3CONC65N	$ 291	$ 309	$ 321
72½"H 120 Degree 3 Way Connector Post "Y"	P3CONC72N	$ 361	$ 379	$ 391
80"H 120 Degree 3 Way Connector Post "Y"	P3CONC80N	$ 361	$ 379	$ 391

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 78 for finishes.


P 3 | | | | | | | | . | | | |

Examples: **P3AOP-ET35.P02** **P3CONB35N.P02**

OPTIMIZE

Electrical & Data

Optimize features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway. The frame allows voice and data cables to be routed horizontally in the base pathway.



Electrical Systems

Optimize Electrical Systems


Optimize offers a choice of four electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.

- See pages 95-96 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian).
- Optimize panels and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit, and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through panels.

Hardwire Junction Box – New York Code (page 103)



- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 30"W to 72"W.
- When used in 30"W and 36"W panels, power can be routed only in one direction.
- When used in 42" and wider panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction.
- Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.


Hardwire Wiring Harness – Chicago Code (page 103)

- Hardwire (Chicago Code) wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components.
- The base pathway junction box (model A871500) clips direct into receptacle locations for single sided applications.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway.
- Power entry can be routed from the ceiling, via an Optimize power pole, or from the floor into a junction box (model A871500).

Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.

Base Pathway Power Infeed (page 103)




- Sealtight base pathway power infeed mounts into any receptacle position in the base pathway area.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.

Ceiling Power Infeed (page 103)



- Ceiling power infeed connects to a prewired electrical harness in the base pathway, traverses through an adjacent panel, and terminates in the junction box at the top of the integrated power pole.
- Use integrated power pole model P278PP.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.

Integrated Power/Communication Pole (page 103)



Integrated Power and Communications Pole

- Integrated power pole accommodates ceiling power infeed and communication/data lines.
- Provide capacity for routing power infeed and cables to the base pathway of a panel.
- Conduit of the infeed cable serves as the division of electrical and communications cabling.
- Installs into 42½-65"H or 15"H stacking 90°, "T", and "X" connections.
- Integrated power pole includes trim kit.
- Single cavity with removable cover.
- Field-cut to desired length.
- Outside Dimension: 2" square.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness located in an adjacent panel. (See page 100 for cable capacity.)
- To power the prewired electrical system, from a ceiling power source, a ceiling infeed cable, Model A871912, A871912C, A871912A, A871912AC, A871918, A871918C, A871918A, or A871918AC must be purchased separately.
- For applications requiring longer integrated power poles, a 156"H model is available.

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

* Select power harness models (A8712XX), pass-thru cables (A8710XX), and pass-thru harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an “A” suffix and appear in a gray box in this pricer.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 101.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




Four-circuit, 2 + 2 Receptacle Option




The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/ dedicated. The three-circuit components have model numbers with an "A" suffix.



Optimize System Receptacle Usage					
Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered					
Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	**3 + 1**	Common Circuit-1 **A871501**	Common Circuit-2 (1) **A871502**	Common Circuit-3 **A871503**	Iso/Dedicated Circuit-4 **A871504**
	2 + 2	Common Circuit-1 **A871501**	Common Circuit-2 **A871502**	Isolated Circuit-3 **A871506**	Isolated Circuit-4 **A871504**
Three-circuit 3-Hot/3-Neutral/2-Ground	**w/separate neutrals**	Common Circuit-1 **A871501A**	Common Circuit-2 **A871502A**	Iso/Dedicated Circuit-3 **A871503A**	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel Model Numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.


Duplex Receptacle




15 amp Receptacle


Power Harnesses, Pass-Thru Harnesses, and Dual Electrical Harnesses

Electrical power harnesses are used to distribute power in Optimize panels. Harness power blocks snap directly onto brackets in base pathway. Power blocks on electrical power harness and pass-thru harness accept duplex receptacles.







Electrical Power Harness



Electrical Pass-Thru Harness With Power Block




Electrical Pass-Thru Harness Without Power Block




Dual Electrical Eight-circuit Power Harness Kit

All electrical power harnesses and pass-thru harnesses (except 20"W) will stretch 3½", allowing them to span "T", "X", "120°" intersections, and "S" extended straight connections.

Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.



Requires minimum of one power harness.



Requires minimum of two power harnesses.

Use of a ceiling infeed at this location requires an additional power harness.


Electrical Power Harnesses (page 102)
- Electrical power harnesses are used to distribute power in panels.
- Optimize electrical can only be located at base pathway.
- Specify harness length to match panel width.
- 24" power harness accepts one receptacle on each side of the harness, all other length power harnesses have power blocks to accept four duplex receptacles (two on each side of panel).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in base pathway.
- Use of a ceiling infeed requires one additional harness.

Electrical Pass-thru Harness With Power Block (page 102)
- Electrical pass-thru harness with power block have capacity to handle one duplex receptacle on each side of the panel when exposed.
- Specify harness length to match panel width or combined panel widths.
- Power harnesses accept one duplex receptacle per panel side.
- Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.
- All electrical power harnesses and pass-thru harnesses with power block will stretch 3½", allowing them to span "T", "X", "A" intersections, and "S" extended straight connections.

Electrical Pass-thru Harnesses Without Power Block (page 102)
- Specify harness length to match panel width or combined panel widths.
- Electrical pass-thru cables distribute power through any panel(s) where receptacles are not required. Cable length cannot be stretched.

Dual Electrical Eight-Circuit Power Harness Kits (page 102)
- Kit provides back-to-back four-circuit systems giving double the capacity of harness and pass-thru cables.
- Specify harness length to match panel width.
- Requires two four-circuit infeeds.
- Uses four-circuit receptacles.
- Models must be positioned back-to-back in the panel — single-side use is not permitted.
- Components can only be routed in a single run — a single run can branch to single panel runs at "T" and "X" junctions.
- Standard four-circuit pass-thru cables (A8710xx) can be used in between power harnesses. Two are required in the back-to-back configurations.
- Models can be connected to standard four-circuit power harnesses and pass-thrus, although it is not recommended because of possible circuit number ambiguity.
- Two power infeeds are required to connect the back-to-back runs. Power A8719xx must be connector to a power block at the end of a run.
- Data faceplates and terminals cannot be positioned in a panel into which back-to-back power harnesses are installed
- Power infeeds A8719xx must be routed from a panel wherein no power harness is positioned, into an adjacent panel where a power harness is positioned and connected to the end of a power block.

Receptacles



Duplex Receptacle


Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Designer White — PJW	Designer White — DW
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum Metallic — PR2	Loft — EV
Salt — P8C	Silver — ES
Titanium — P8T	Silver — ES


Duplex Receptacles (page 103)

- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses with blocks.
- Duplexes are available in multiple colors. See page 78 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.


Data Components




Voice/Data Receptacles



ATADF3



ATADF4



Base Pathway Cover


Data Faceplates (page 104)

- Optimize not only provides space for large volumes of voice and data cables, it also offers several means of mounting commercially available voice and data components.
- Commercially available modular data faceplates can be mounted in vacant base receptacle openings.
- Due to panel depth, back-to-back data modules should not be used at the base on Optimize.


Optimize Base Pathway Covers (page 104)

- Features an additional knockout (offset) for improved utilization of power and data. Knockouts are 2.700"W x 1.377"H up to 60"W.
- Due to panel depth, back-to-back data modules should not be used in the base on Optimize.


Cable and Wire Management




Cable Management Tray




AWRSTRIP



Cord Retainer Clip




Wireway Grommet



Receptacle Cover



Cord Organizer



AMPCHASE

Cable Management Tray (page 104)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.
- Limited paint offering. Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B).

Wire Management Strips/Channels (page 104)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in^2. Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in^2.

Cord Retainer Clip (page 104)
- Provides confinement of vertical electrical/data wiring.
- 1½"H cord clips snap into vertical panel slots to contain cords.
- 4 clips are provided standard with each task light cord.
- Package of 50. Available in Black only.


Wireway Grommet (page 104)
- Fits into any receptacle opening.
- Used when routing wires through receptacle opening.

Replacement Receptacle Cover (page 104)
- Fits into unused receptacle opening in base raceway.
- Package of 25. Specify paint color.


Cord Organizer (page 104)
- Attaches to bottom of worksurface.
- 4"W x ⅞"D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 – .250" diameter and 2 – 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.

Panel Mounted Wire Chase (page 104)
- Attaches between panels on Stride, Terrace, and Optimize via a slotted standard.
- Designed to sit below a worksurface and provide additional cord management from the base rail to beltline/under-worksurface height.
- Available in standard metal paint finishes.

Lighting



Task Lights




LED Undercabinet Light

Task Lights (page 991)
- Task lights can be recessed under storage cabinets or storage shelves, panel-hung, or freestanding.
- Three styles of recessed task lights in four sizes are available to correspond to cabinet or shelf width.
- All styles have 9' power cords in black, connected in the right rear corner.
- All models feature electronic ballast for longer bulb life and cooler operating temperature.
- Task lights with a fused plug to meet Chicago electrical code are also available.

Recommendation: Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.

LED Undercabinet Light (page 991)
- LED undercabinet light can be mounted beneath overhead cabinets with wood screws or magnets.

*For more power and wire management options, please visit the **Extensions** pages.*



Circuit Usage

Strategy 1

Circuits to Equipment

Assign specific uses for each of the circuits:

- For example, in a four-circuit system:
  - Circuit 1 — Calculators, fans, etc.
  - Circuit 2 — Task lights (could be wired to wall switch)
  - Circuit 3 — CRT or flat screen monitors
  - Circuit 4 — CPUs


Strategy 2


Circuits to Workstations


Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.


Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.


Lay-in Cable Capacity











- The base pathway allows continuous voice and data lines to run through and between panels without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Optimize base pathway accepts up to 77 voice/data cables (.25" dia.) (6.27 sq. in.) at 60% fill.
- When electrical system shares base pathway, the cable capacity in Optimize is reduced to 25 cables (2.03 sq. in.).
- Cable capacity of the Optimize integrated power pole is 3.3 sq. in. for a total capacity of 34 cables of .25" diameter.
- Cable capacity of the power pole/communication pole Model A870070 is 4.5 sq. in.
- Cables can enter/exit panel through underside of base pathway on frames.

Note: Cable quantities listed are at 60% fill ratio.

Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items


Power Option 2+2
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Power Option 3 (Circuit-separate neutrals)
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Electrical & Data


Optimize™ — Electrical Components

For specification information see pages 93-101.




Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Electrical Power Harnesses					
For 24"W Panels	1	**A871224**	**A871224A**	S	$ 420
For 30"W Panels	2	**A871230**	**A871230A**	S	$ 420
For 36"W Panels	2	**A871236*†**	**A871236A**	S	$ 420
For 42"W Panels	2	**A871242***	**A871242A**	S	$ 447
For 48"W Panels	2	**A871248***	**A871248A**	S	$ 447
For 60"W Panels	2	**A871260***	**A871260A**	S	$ 447
For 72"W Panels	2	**A871272***	**A871272A**	S	$ 448

†When purchased separately without a configurable TAA compliant end product, not on GSA contract.




Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Electrical Pass-Thru Harnesses with Power Block					
For 24"W Panels	1	**A871124**	**A871124A**	S	$ 257
For 30"W Panels	1	**A871130**	**A871130A**	S	$ 257
For 36"W Panels	1	**A871136*†**	**A871136A**	S	$ 257
For 42"W Panels	1	**A871142*†**	**A871142A**	S	$ 274
For 48"W Panels	1	**A871148*†**	**A871148A**	S	$ 274
For 60"W Panels	1	**A871160***	**A871160A**	S	$ 274
For 72"W Panel Runs	1	**A871172**	**A871172A**	S	$ 367

*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (*) are considered Open Market.
†When purchased separately without a configurable TAA compliant end product, not on GSA contract.



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Electrical Pass-Thru Cable without Power Block					
For 24"W Panels	0	**A871024**	**A871024A**	S	$ 236
For 30"W Panels	0	**A871030**	**A871030A**	S	$ 236
For 36"W Panels	0	**A871036**	**A871036A**	S	$ 236
For 42"W Panels	0	**A871042**	**A871042A**	S	$ 246
For 48"W Panels	0	**A871048**	**A871048A**	S	$ 246
For 60"W Panels	0	**A871060**	**A871060A**	S	$ 246

Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.



Description	Max. Recept. Cap. per Panel Side	Eight-circuit 3 + 1 (each side) 2 + 2 (each side)		List Price
Dual Electrical Eight-circuit Power Harness Kit				
For 24"W Panels	1	**A2-8CIR24**	S	$ 1007
For 30"W Panels	2	**A2-8CIR30**	S	$ 1007
For 36"W Panels	2	**A2-8CIR36**	S	$ 1455
For 42"W Panels	2	**A2-8CIR42**	S	$ 1455
For 48"W Panels	2	**A2-8CIR48**	S	$ 1455
For 60"W Panels	2	**A2-8CIR60**	S	$ 1468
For 72"W Panels	2	**A2-8CIR72**	S	$ 1468

Note: Kit consists of two four-circuit harnesses placed "back-to-back" to provide 8 circuits.

OPTIMIZE

How to specify —

Select the Model Number from above.

1st Option:

Color:

P Black

									P


Examples: **A871224.P** **A871224A.P** **A2-8CIR36.P**

S *Shippable by small-package carrier.*


Electrical & Data

Optimize™ — Electrical Components


For specification information see pages 93-101.




Duplex Receptacle



Electrical Infeed Cables



Electrical Infeed Cable



Hardwire Power Infeed



Hardwire Junction Box


Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles for Optimize Base Pathway (specify color)				
Circuit 1	**A871501**	**A871501A**	S	$ 78
Circuit 2	**A871502**	**A871502A**	S	$ 78
Circuit 3 (3+1)	**A871503**	**A871503A**	S	$ 78
Circuit 3 (2+2)	**A871506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A871504**	**N/A**	S	$ 78
Circuit 1, 20 AMP	**A871601**	**A871601A**	S	$ 78
Electrical Infeed Cables				
6' Sealtight Cable for Optimize Receptacle	**A879072**	**A879072A**	S	$ 472
14' Sealtight Cable — ⅞" dia.	**A879168**	**A879168A**	S	$ 1135
Ceiling Electrical Infeed Cables				
6' Flex Cable	**A871972**	**A871972A**	S	$ 355
12' Flex Cable	**A871912**	**A871912A**	S	$ 482
18' Flex Cable	**A871918**	**A871918A**	S	$ 606
Hardwire Power Infeed (New York Code)				
For 30"–72"W panels	**A871400**	**A871400A**	S	$ 462
Note: Customer to furnish all cabling and wiring from power entry to power source. (Approved for use by city of New York.)				
Hardwire Junction Box (6-pack)	**A871500**	**N/A**	S	$ 998


Note: Junction box can be positioned at any duplex receptacle location for single-sided application. Customer must furnish conduit, wiring and designer-type receptacle. (Approved for use by city of Chicago.)

Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Recommended Receptacle Color
Champagne Metallic — **PR5**	Muslin — **EU**
Cinder — **P7Q**	Brownstone — **EY**
Fossil — **P28**	Flint — **E9**
Gunmetal Metallic — **PR3**	Brownstone — **EY**
Pebble — **P8R**	Loft — **EV**
Pewter — **P8D**	Flint — **E9**
Platinum Metallic — **PR2**	Loft — **EV**
Salt — **P8C**	Silver — **ES**
Titanium — **P8T**	Silver — **ES**

Note: Four-circuit components and three-circuit components (with an "A" suffix) cannot be connected together.





Description	Model		P1 List Price	P2 List Price	P3 List Price
Integrated Power/Communication Pole for Optimize					
For 42½"H-65"H Panels — 78"H	**P278PP**	S	$ 1078	$ 1098	$ 1112
For 42½"H-65"H Panels — 156"H	**P2156PP**	S	$ 1430	$ 1453	$ 1472
Power/Communication Pole					
10'5" long w/o Receptacles — 2¼" square	**A870070**		$ 856	N/A	N/A

Note: Limited availability of P1 paint options. P2 and P3 options do NOT apply to this model.

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Electrical Receptacle Color** *(if applicable)*: See page 78 for finishes.	**Color** *(if applicable)*: **P** Black	**Paint** *(if applicable)*: P1 P2 P3 See page 78 for finishes.
_____ .	E		P

Examples: **A871501.E4** **A879072.P** **A871912A.P** **P278PP.PR2**

S *Shippable by small-package carrier.*

OPTIMIZE

Electrical & Data

Optimize™ — Electrical and Data Components

For specification information see pages 93-101.


ATADF3



ATADF4

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Data Faceplates				
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	$ 46	N/A	N/A
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	$ 46	N/A	N/A

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).
ATADF models are compatible with ports in Optimize base pathway.
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.



ATADJ5

Jacks				
RJ45 CAT 5E Jack — Black only, Toolless	**ATADJ5** S	$ 81	N/A	N/A
RJ45 CAT 6 Jack — Black only, Requires Tool	**ATADJ6** S	$ 106	N/A	N/A


AJTRGH24


Cable Management Trays				
24"W	**AJTRGH24** S	$ 128	$ 142	N/A
36"W	**AJTRGH36** S	$ 153	$ 169	N/A

- Available in 24" or 36" widths.
- Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B). Specify desired finish.
- *Example: AJTRGH24.PJW*


AWRSTRIP

Wire Management Strips/Channels				
	AWRSTRIP S	$ 281	N/A	N/A


- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*








Cord Retainer Clip				
Package of 50 (Black only)	**AAPACM2**	$ 61	N/A	N/A
Wireway Grommet (Black only)				
Pack of 6	**TAWG** S	$ 195	N/A	N/A
Replacement Receptacle Covers (specify cover color)				
Pack of 25	**PRECPCVR** S	$ 147	N/A	N/A


GSYSRPC2


Tile Port Cover				
Tile Port Cover (Pack of 2)	**GSYSRPC2** (shown)	$ 66	$ 72	$ 75
Tile Port Cover (Pack of 12)	**GSYSRPC12** (shown)	$ 243	$ 255	$ 265



GSYSRPC12


How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 78 for finishes.	**Wireway Grommet, Receptacle Covers, and Data Faceplate Color:**
_____ .	P___	E__

Examples: **AJTRGH24.PJW** **TAWG.E4** **ATADF4.E4** **PRECPCVR.EU** S *Shippable by small-package carrier.*

For specification information see pages 93-101.







AMPCHASE

Description	Model	List Price P1	List Price P2	List Price P3
Cord Organizer				
4"W x ⅞"D Metal with 4 cable cutouts	**U9WTC** S	$ 204	$ 215	$ 222
Base Pathway Covers — with additional knockout				
36"W	**CBPLATE3-36**	$ 110	$ 130	$ 144
42"W	**CBPLATE3-42**	$ 112	$ 132	$ 146
48"W	**CBPLATE3-48**	$ 119	$ 139	$ 153
60"W	**CBPLATE3-60**	$ 137	$ 157	$ 171
Panel Mounted Wire Chase				
17"H	**AMPCHASE** S	$ 153	$ 170	$ 177

- Panel Chase is 17"H.
- Available in standard metal paint finishes, see page 78 for options and specify desired finishes.
- *Example: AMPCHASE.P27*

OPTIMIZE

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 78 for finishes.	**Wireway Grommet, Receptacle Covers, and Data Faceplate Color:**
_____ .	P___	E___

Example: **U9WTC.PR2**

S *Shippable by small-package carrier.*

Terrace® Frame & Tile Panel System

Finishes 106
Typicals Overview 107
Introduction to Terrace® 108
Working with Frames and Connectors 109-113
Approach™ and Involve® Laminate Wood Storage 114-115
Working with Sliding Doors 116
Working with Tiles 117-123
Working with Veneer 124
Terrace® Frames, Connectors, and Tiles 125-150
Working with Electrical & Data 151-165

PAINTED METAL FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver** PR6
Solar Black P8X

**PR6 - no upcharge on Involve; available as Grade P2 color on stanchions.
PR6 & P8X - not available on Concensys, Essentials bookcases, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

*** These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

METAL STORAGE PULLS

Black E4
Bronze *(for veneer only)* ..... EZ
Matte Silver ..... EL

PAINTED WOOD FINISHES

Brownstone M13
Bungalow M12
Designer White M17
Flint M16
Loft M11
Muslin M15

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Carob use Black E4
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

LAMINATES

GRADE L1

SOLID COLORS
Black ..... P
Brownstone* LM13
Bungalow* LM12
Designer White* LDW1
Flint* LM16
Fossil Shale* LEH1
Loft* LM11
Muslin* LM15
Titanium* LTI1

ABSTRACT
Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN
Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut* LFW1
Kingswood Walnut* LKI1
Natural Maple* ..... LWD
NeoWalnut* LNU1
Pinnacle ..... PINC
Shaker Cherry* LW7C

GRADE L2

Beigewood* ..... LWBE
Fawn Cypress* LFC1
Lowell Ash* LLA1
Mangalore Mango* LMM1
Natural Recon* LNR1
Phantom Charcoal* LPC1
Phantom Ecru* LPE1
Portico Teak* LPT1
Skyline Walnut* LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut* ..... LWNW

* Storage available in these 30 laminates.

LAMINATE AND PAINTED WOOD STORAGE PULLS

Silver PR6

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

METAL GROMMETS

FOR LAMINATE WORKSURFACES
Oval/Square:
Matte Silver ..... EL

FOR VENEER WORKSURFACES
Oval:
Black E4
Bronze ..... EZ
Matte Silver ..... EL

Square:
Matte Silver ..... EL

PLASTIC GROMMETS

FOR WORKSURFACES
Black E4
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Flint E9
Fossil ..... EH
Loft ..... EV
Muslin ..... EU
Parchment ..... EN
Titanium ..... TI

PLASTIC GROMMETS WITH WOODGRAIN EDGE
If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Beigewood, Fawn Cypress, Natural Maple, and Natural Recon ..... Muslin EU
Kingswood Walnut and NeoWalnut ..... Brownstone EY
Phantom Charcoal and Skyline Walnut ..... Flint E9
Phantom Ecru ..... Loft EV
Portico Teak ..... Fossil EH
All other woodgrain options ..... Black E4

STRATAWOOD VENEERS

GRADE V2

CHERRY
Cinnamon/Biltmore Cherry SC260
Lowell Ash Cherry SC394
Clear Cherry SC700
Light Cherry SC701
Shaker Cherry SC774
Burnished Cherry SC777

MAPLE
Field Elm SE599
Clear Maple*** SE800
Harvest Maple SE856
Beigewood SE878
Phantom Ecru SE912
Belair SE934

OAK
Clear Oak SF300
Dark Rift Oak SF331

SILVER OAK
Silver Oak Clear SB100
Portico Teak Silver Oak SB150

WALNUT
Florence Walnut ST579
Light Walnut ST601
Skyline Walnut ST625
Pinnacle Walnut ST679
Sumatra Walnut ST693

NATURAL VENEERS — FLAT CUT

GRADE V2

CHERRY
Cinnamon/Biltmore Cherry NC260
Lowell Ash NC394
Medium Red Cherry NC512
Light Cherry NC701
Shaker Cherry NC774
Burnished Cherry NC777

MAPLE
Clear Maple NE800
Harvest Maple NE856

WALNUT
Ebony Walnut NT509
Florence Walnut NT579
Light Walnut NT601
Skyline Walnut NT625
Nutmeg Walnut NT629
Pinnacle Walnut NT679
Sumatra Walnut NT693

NATURAL VENEERS — RIFT CUT

GRADE V3

Fawn Cypress Rift Cut Oak RF108
Light Rift Cut Oak RF301
Dark Rift Cut Oak RF331
Phantom Ecru Rift Cut Oak RF912

The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.

GROMMETS ON VENEER WORKSURFACES
Wire management grommets come standard on most veneer worksurfaces. Choose between metal or plastic grommet option. Note: Plastic grommet color is predetermined based on finish selection.
All Maple veneers ..... Muslin EU
All other veneers ..... Black E4

LOCKS

Black E4
Chrome ..... ordered by base model
Matte Silver ..... EL


NOTE: Refer to individual product pages for upcharges.

Terrace® Frame & Tile Panel System

A full gallery of typicals from each Allsteel system can be found on our website:
https://www.allsteeloffice.com/design-resources/idea-starters.
Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.

Use the Allsteel Typicals Gallery to find the components in a Single Terrace Station…


"Irregular" Shape Station 23′ x 6′6" (6-pack)



Line Item	Product Description	Qty	Model Number
1	Structural Raceway Panel Frame — No Top Trim 50"H x 48"W	6	**TK05048WR**
2	Terrace Top Trim 48"W	6	**TK348PT**
3	E End Trim Connector Kit 50"H	2	**TK350E**
4	B 2-way 120 Degree Connector Kit 50"H	4	**TK350B**
5	Terrace Tackable Acoustic Ported Tile 50"H x 48"W	12	**TKG45048E**
6	Primary 24"D x 48"W Flat Edge Laminate w/o Grommets	2	**T52448SN**
7	120 Degree Corner 24"D x 48"W Flat Edge	4	**TT54824CBN**
8	60 Degree Pie Worksurface 24"D Flat Edge	4	**TT52424SD**
9	D-Shape for 2-24"D x 30"W Flat Edge	2	**TN524D**
10	Terrace Support Leg 24"D x 29½"H	12	**TKSL2429P**
11	Support Column 29½"H x 3" Diameter	2	**TT629SC**
12	Power Harness 48"W	6	**A871248**
13	Terrace Duplex Receptacle — Circuit 1	10	**A873501**
14	Electrical Infeed Cable	1	**A876072**
15	Terrace Electric Mounting Bracket (12 pk)	1	**8989EB**
16	Jumper Cable 66"W	1	**A871366**
17	Essentials Support Ped BBF 28"H x 22⅞"D Arch Pull	4	**PF197-233A**
18	Essentials Support Ped FF 28"H x 22⅞"D Arch Pull	4	**PF198-232A**

And how to make the most of your space with Involve®.

Involve "U" Stations 24′ x 6′ (3-pack)



Visit https://www.allsteeloffice.com/design-resources/idea-starters to view these typicals and more.

Terrace® Frame & Tile Panel System

The building blocks for a better office.

What makes a workspace inspiring? The truth is it's different for every office and every worker. The Terrace frame-and-tile solution offers both flexibility and refined design details, so you can keep it basic or dress it up. And, when paired with other Allsteel products, you can create beautiful, functional spaces that look every bit as good as they work.

Ideas often come from collaboration. Other times from focused research. And sometimes they appear out of the blue. Terrace makes it easy to design environments that help people do better work, from individual workstations for focused activities to teaming areas for group collaboration. With lower panels and frameless glass, open, naturally lit workspaces have an aesthetic that inspires. So nothing gets in the way of the next big idea.

More ways to design one-of-a-kind environments.

With Terrace, spaces can be as active as the people who use them. Worksurfaces of varying heights give people the freedom to enjoy the ergonomic benefits of changing postures. Soft seating integrated within primary and secondary work areas encourages spontaneous collaboration. And customized storage options can be integrated into spaces in a variety of ways to better fit individual workstyles.

Terrace offers unique designs that make a strong visual statement customized for any application. From the clean aesthetic of benching to an open, cross-functional collaborative space to an individual workstation for focused activities, Terrace provides the options and features you want and need.


Make the most of your space and your resources.

With real estate at a premium and the need for workspaces to be more agile to accommodate future needs and changing workstyles, office furniture must work harder than ever. That's why Terrace is built to last with sturdy steel panels that stand up to years of use and numerous reconfigurations. And it's designed to work seamlessly with other Allsteel products, so you can easily integrate a variety of other furniture options whenever the need arises.

Terrace, make it yours.


Once you've selected the furniture for your space, a variety of material options are available to give it a personality all its own. Make a bold statement with woodgrain laminate storage and contrasting trim and panel fabric. Or create a brighter look with panels and storage in light fabrics and finishes. Find the perfect palette to complement your brand or style.

The most beautiful thing about Terrace is all the ways you can customize it for functionality, ergonomics, and aesthetics. It can support heads-down concentration or encourage open interaction. You can mix and match a variety of options, from panel heights to worksurfaces, fabrics to frameless glass, and storage to accessories. The choices are endless.




Frames & Connectors

BASE RACEWAY FRAMES




FOOTED PANEL FRAMES




STACKING FRAMES




DOORS









TOP TRIM / SCREENS



Flat Painted




Radius Painted




Glass Panel Mounted Screen

Connector Kits

"L"	90° Connector Kit	**"B"**	2-way 120° Connector Kit
"T"	3-way Connector Kit	**"C"**	3-way 120° Connector Kit
"X"	4-way Connector Kit	**"W"**	Wall Mount Kit
"S"	Extended Straight Connector Kit	**"E"**	End Trim Kit



Frames



Frame Dimensions (Actual)

Depth: 2⅝" (use 2¾" to calculate intersections in length of panel run)

Widths: 24", 30", 36", 42", 48", 60"


Heights* with radius painted trim: 29¼", 34¼", 41¼", 49¼", 56¾", 64¼"

Stacking Frames: 15"H, 22½"H, 30"H


Leveling Glides on Frames with Raceway Covers: 2¾" range

Leveling Glides on Footed Frames: 2¼" range

*with levelers fully retracted



Order top cap, tiles, and segment bars separately.



Direct Connections


Panel Frames (page 125)


- Specifications: formed, steel vertical members, with tubular steel horizontal members are welded into a sturdy, structural panel frame.
- Panels are shipped with base pathway covers or decorative feet installed.
- Top trim, monolithic or segmented tiles, and segment bars are ordered separately with choices of applications.
- Direct connections between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in dimension along the run.
- For adequate stability, one of two methods of stabilization shown on page 111 must be adhered to.
- Base raceway panel frames include: frame, base pathway covers, attaching hardware, and bottom segment clip.
- Footed panel frames include: frame, panel feet, attaching hardware, and bottom segment clip.
- No electrical or data capabilities in footed panel frames. Decorative feet replace base raceway covers.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 104.

Panel Frame Conversion Kits (page 127)


- Base raceway to footed and footed to base raceway conversion kits can be used to convert existing frames. Footed to base raceway kits ship with glide tower assembly. Conversion process requires panel to be removed from panel run.

Building Vertically with Terrace Frames






Stacking Frame Connection




Door Panel Frames

Building Horizontally with Terrace Frames

Method 1—Opposing Returns



Method 2—Single-Sided Returns



Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:

Method 1—Opposing returns

- A parent run must be a minimum of 48" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run.
- A single return panel (48" nominal minimum length) may be used with a mid-panel connector. The panel must extend at least 24" from one side of the parent run.
- Return panels must not be no more than 30" lower than the maximum height of the parent panel run.

Method 2—Single-sided returns

- A parent run must be a minimum of 48" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels totaling at least 58% of its length, extending in one direction.
- Return panels must not be any more than 30" shorter in height than parent run. When using 120° connections, 12" must be added to length of return panels as determined by methods 1 and 2. Any run under 100" must have a minimum combined length of 60" of return panels.

Stacking Frames (page 126)

- When adding stacking frames, remove the top trim from the structural frame, and install it on top of uppermost stacking frame.
- Stacking connection provides a solid metal-to-metal connection, allowing the stacking frame to accept hang-on components, per Allsteel configuration guidelines.
- Includes attachment hardware and uses specified top trim. Add appropriate connectors.
- Stacking frames can be added to the top of a 35"H base panel frame up to 80"H, added to 42½"H and 50"H base panel frames in any combination up to 95"H, and added to the top of 57½"H and 65"H structural panel frames up to 110"H.
- To maintain panel mounting slot modularity 22½"H stacking frames should only be used with 42½"H, 57½"H base panel frames, or 87½"H door frames.
- To match 87½"H door frame height, use a 65"H base panel frame with a 22½"H stacking frame (slot modularity will be lost on stacker).
- To maintain modularity on 35"H, 50"H, and 65"H base panel frames use 15"H or 30"H stacking frames.
- If panel mounting slots are not being used, any stacking frame can be used on any base panel frame.
- Do not combine differing frame widths in a single stack or span multiple base panel frames with stacking frames.
- Stacking frames cannot be used as base frames.
- Tile options for stacking frames are given on page 119.
- Guidelines for using overhead storage with stacking frames are given on page 315.

Segment Bars (page 126)



- Segment bars are horizontal steel cross members required between tile segments. Must be specified on each side of frame.
- Black only.

Electrical Mount Support Bars (page 126)


- Used to mount electrical in any location in panel frame other than base pathway or beltline. Order electrical mounting brackets separately.
- Tiles must be field ported when electrical is mounted in a location other than just above the worksurface at beltline.
- Can be used with acoustical tiles on one or both sides of the panel frame.
- Includes attaching hardware. Gray only.


Door Panel Frames (page 127)


- The 87½"H door panel includes 42"W frame, 36"W door, hinges, top trim, and attaching hardware. See illustration above left.
- The 95"H door panel includes frame, 42"W door, hinges and attaching hardware, and two 8³⁄₁₆"H x 42"W fabric tiles for top of door frame.
- Doors available in laminate.
- Painted top caps available in radius or flat.
- Specify fabric for top tiles on 95"H door.
- Lockset with knob or lever ordered separately.

Sliding Door and Mounting Kit (page 127)


- See illustration and specification information on page 116.











- **Multiple-height connections** also utilize standard "L", "T", "X", "S", and "E" connectors, with corresponding height connectors stacked according to the number of intersecting panels from the bottom up. (See examples below.)














Connectors and Trim

Off-Modular Panel Connection Kit (page 127)
- Includes top and bottom attachment brackets and top trim finished end.
- Must be field installed. Installation requires defacing of the top tile.
- Cannot be mounted in locations where the bottom bracket is closer than 8 inches from the edge of frame in the base pathway on parent run panels.
- Not structural. No panel mounted glass on spine where attaching or on first off-modular panel.
- Only compatible with panels that have radius top trim.

Top Trim (page 128)
- Use to finish top on base panel frames and footed panel frames.
- Top trim can span individual or multiple base panel or stacking frames.
- It is possible to span multiple frames when the combined frame width is equal to the top trim width.
- Some spanning examples are listed on page 128, other combinations are possible.
- Available in flat or radius in painted finish.
- Radius trim is not compatible with double-sided laminate tiles on Terrace.

Panel Mounted Screens (page 129)
- Frameless insert integrated into the base panel frame top trim.
- Replaces top trim on structural or stacking frame.
- It is possible to span multiple frames when the combined frame width is equal to the panel mounted screen width.
- Taller adjacent frames require "HG" grooved end trim.
- Panel mounted screens are non-structural. Do not hang or stack on top of panel mounted screens.
- Available in ⅜" thick clear or frosted glass.

Connector Kits (pages 130-132)
- "L", "T", "X", "S", "B", and "C" connector kits are used when connecting frames at intersecting runs.
- Base connectors include base pathway and must be specified at base regardless of full height or segmented connection. Specify height that corresponds with segment frame height. See Examples 5 and 6 at left.


"L", "T", "X", and "S" Connector Kits (page 130-132)
- For "L", "T", "X", and "S" connector kits, add 2¾" to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.
- "L", "T", "X", and "S" connector kits includes top cap, connectors, vertical cover, light gap extrusion, and attaching hardware.
- "X" connector kits Includes top cap and connectors.
- Extended straight connector kit "S" can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections. (Add 2¾" to the length of the run for every extended straight connector used.) See illustration at left.

2-Way 120° Connector Kits (page 131)
- Includes top cap, connectors, vertical cover, and attaching hardware.


3-Way 120° Connector Kits (page 131)
- Includes top cap and connectors

"E" End Trim Kits (page 132)
- End vertical trim cover (includes top cap — adds ⅜" to run).

Frames & Connectors




High-Low "H" End Trim



Top Stabilizer Brackets
Top and Bottom



Pair of Wall
Track Ends



Tile Attachment Kit
Top and Bottom



Segment Bar

High-Low End Trim Kits (page 132)
- High-low "H" covers the exposed end of a frame when joining frames of differing height in certain configurations — profile adds ⅜" to length of panel run. See illustration at left.
- At the end of a panel run use "E" model suffix end trim kit.

Grooved High-Low Trim (page 132)
- For use when the base panel frame of a panel mounted screen is shorter than the adjacent in-line panel. Taller adjacent in-line panel cannot have a panel mounted screen.

"W" Wall Mount Kits (page 132)
- Wall mount kits provide a means to affix a panel run to a permanent building wall.
- Kit adds 1 1/16" to length of panel run.
- Includes top cap. (Color must be specified.)
- Connector is Black only.

Top Stabilizer Brackets (page 133)
- Optional brackets to provide added strength to reduce flex at panel junctions.
- Lay in cabling below top cap is not possible where bracket is installed.
- Panel mounted screen cannot be used where bracket is installed.


Terrace Wall Track/Tile Attachment Kits (page 134)
- Allows for mounting of system panel components on permanent wall structures except cantilevers and sit-to-stand units.
- Begin with one pair of ends; for multiple kits in line, add middle unit(s) between ends.
- Height of wall track coordinates with panel height. Field cut for lower heights.
- Wall track will add 1" to depth of attached components.
- Use Terrace wall track tile attachment kit to install tiles onto wall track. Tool tiles cannot be used on wall track. Kit includes two tile bars. Top bar may only be used in the top uppermost position on wall track. Bottom bar can be used in the bottom position at any location on wall track.
- When segmenting tiles on wall track, segment bars must be ordered for placement between all vertically adjacent tiles or at the top position of a single tile that is not in the uppermost position.
- It is not recommended to use Landscape™ or laminate Terrace tiles with wall track. If these tiles are required consider using Stride wall track.
- When using Terrace wall track and using tiles to create a tackboard situation under overheads hung at 65"H, make sure to use a 30"H tile or 2-15"H tiles to cover the entire area between the overheads and the worksurface.

Approach™ and Involve® Laminate Wood Storage Storage with Panel Frames

Leg or plinth base models available. Leg base units are shown below.


Side-mounted Credenzas

Use 1 storage-to-panel bracket per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 18"D.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".




Back-mounted Credenzas — Modular

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 24"D.
The maximum panel run between back-mounted credenzas is 72".
Overheads and shelves cannot be used with 24"H back mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".





Back-mounted Credenzas — Off-Modular Ends

Use 1 storage-to-panel bracket per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 24"D.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H back mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".



Note: Storage with unfinished metal backs require storage-to-panel bracket kit in order to mount to a panel. Left- or right-handed storage-to-panel bracket is determined by slots on panel — left-handed bracket required when attaching to left panel slots and right-handed bracket required when attaching to right panel slots.






An example of a 2D CAD symbol for Involve is shown at left. Note the dashed line that represents the unfinished metal back. The pound sign indicates that counterweight kits may need to be added depending on the application. *See page 814 for counterweight specification rules.*

Approach™ and Involve® Laminate Wood Storage Storage with Panel Frames

Leg or Plinth Base models available. Leg base units are shown below.


Side-mounted Credenzas — Modular for Overheads and Worksurfaces

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
28"H side mounted credenzas must be mounted modular when using overheads and worksurfaces on panels.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".




Back-mounted Credenzas — Modular for Overheads and Worksurfaces

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
Full back units without trough due to stability, only troughless Approach or Involve allowed.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
The maximum panel run between back-mounted credenzas is 72".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".



Side-mounted Credenzas — with Return Panel


Use 1 storage-to-panel bracket on credenza.
The minimum credenza size is 24"H x 36"W x 18"D.
The minimum size for panel return is 35"H x 36"W.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".



Note: This example would use a left-hand storage-to-panel bracket.


Side-mounted Credenzas — Modular for Overheads and Worksurfaces


Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
The minimum size for panel return is 50"H x 36"W.
28"H side mounted credenzas must be mounted modular when using overheads and worksurfaces on panels.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 72".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".



Sliding doors for Terrace *are a great addition to any new or existing installations. The sliding door can be specified with specific mounting kits for each door ordered. With a Frosted Translucent insert and your choice of P1 or P2 paint, the sliding door will create a unique look for any office environment.*

The **sliding doors** *are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels. They accommodate a 36"W opening and are 42"W, nominally. The doors ship from the factory non-handed and become handed when field installed to fit the scope of the project. The handle pulls located on each side of the door are non-locking and are color matched to the trim to create a uniform style. And with the threshold free design, the sliding door offers better aesthetics and safety by eliminating the potential for tripping.*





General Guidelines for Use of Sliding Door


- The system requires the ordering of both a door and a mounting bracket kit.
- All doors are 42" wide to accommodate a 36"W opening and are non-handed . Door leveling is dependent on floor being level.
- A mounting bracket kit must be ordered for each door corresponding to the mounting panels width (30", 36", 42", or 48"W).
- Mounting bracket kits are system specific and for Terrace.

General Guidelines for Layout Planning of Sliding Door


- Stability guidelines must be followed when specifying a sliding door. (Refer to page 111). The sliding door system was designed to close an opening in a run of parallel panels. Doors mounted to long runs of panels without floor support, ties to worksurfaces, or return panels may seem less stable.
- If the door is used to close an opening **(A)** where the panel opposite the door is at 90°, there will be a gap equal to the panel thickness between the door and the panel end when closed.
- When planning the layout, care must be taken if the plan includes a door mounted on a panel that is less than 42"W. If the panel is at a corner **(B)**, the door will protrude into the aisle or next workstation when in the open position.
- If back-to-back doors are mounted on panels **(C)** that are less than 42"W they will interfere with each if both are open at the same time.
- The door is attached at the base of the panel at any end position with a wrap around bracket. Bracket kits are ordered in conjunction with appropriate end trim profiles. The slots at the base of the panel must be clear **(D)** and cannot be utilized by worksurface supports or panel hung components.
- If the door is mounted to a panel run that is positioned adjacent to a wall **(E)** or an inside 90° angle and there is not a 42" clearance between the track and the wall/inside 90° the assembly of the first stop will be difficult and plans will need to be modified for the assembly.
- If a door is closing an opening of a workstation that includes a "T" connector in the opposite wall, an extended straight connector may need to be used to maintain the 36" required opening.

Tiles

Terrace® — Overview of Tiles




Tiles — *Tackable Acoustical, Steel, Perforated Steel, Markerboard*, Foundation™, Laminate*, and Veneer Tiles.*




*Not available in 7½"H


Data/Electrical Port *(port tiles available as acoustical only)*



Monolithic Tiles — *Tackable Acoustical and Port (veneer 42½"H non-ported only).*




Glass Tile Kits




Tiles

Terrace tiles come in a variety of styles. Select the aesthetic* and functional combination that meets your specific requirements. Additional tiles not shown below include Monolithic, Monolithic Port, and Custom.



*Aesthetics of opposing tile surface and/or frame interior should be considered when selecting perforated or light colored sheer materials.


Tile Heights



Monolithic tiles are actually 5" shorter to account for base raceway and top trim.


Typical Tile Height Configurations

Middle segment bars are required between any two tiles — order separately based on tile configuration on each side of frame. **Note:** Most CAD specification programs have tools that will calculate quantity of segment bars required.



*Additional tile combinations to those shown above are possible; heights above 65" require stacking frames - maximum height is 110".

To calculate the total height of tiles(s) required, deduct 5" (height of base/top trim) from the total nominal panel height. **Example:** 65"H Frame takes 2 30"H tiles. 65–5 = 2 x 30




Tiles and segment bars for between tiles ordered separately


Tiles can be ordered in the size that matches the frame height plus the stacker height. **Example:** Order a 65"H monolithic tile if you are using a 35"H frame plus a 30"H stacker.

Terrace tiles are universal (except glass) and can be placed at any 7½" increment on the frame.


Tiles




Tackable Acoustical Tiles (pages 135-136)
- Tiles do not include segment bars — order separately.
- 7½"H, 15"H, 22½"H, and 30"H tiles are non-dedicated. They can be used in any combination and in combination with other tile sizes.
- 25"H tiles can be used as monolithic tiles on 30"H frames.
- 30"H tiles can be used as monolithic tiles on 35"H frames.
- 42½"H, 50"H, 57½"H, and 65"H monolithic tiles are non-dedicated.
- 42½"H tiles can be used as monolithic on a 42½"H frame.
- 50"H monolithic tiles are actually 45"H and can be used in any combination with other tiles on a taller frame.
- 50"H tiles can be used as monolithic tiles on a 50"H frame.
- 57½"H tiles can be used as monolithic on a 57½"H frame.
- 65"H monolithic tiles are actually 60"H and can be used in combination with segmented tiles on a frame that is stacked above 65"H.
- 65"H tiles can be used as monolithic on a 65"H frame.



Port Tiles (pages 137-138)
- Receptacle openings with blank covers (1 in 24"W tiles; 2 in wider tiles). Located 29⅜" above bottom of base raceway.
- Tiles do not include segment bars — order separately.
- 15"H and 22½"H port tiles can be used on 42½"H or higher frame for data/power access above beltline. See tile sequence on page 119.
- 25"H tiles for use on 30"H frames.
- 35"H frames do not have beltline data/power capability.
- 30"H port tiles can be used in the base position on 42½"H or higher frames for data/power access above beltline.




Steel Tiles (page 139)
- Tiles do not include segment bars — order separately.
- Painted steel construction.
- 25"H tiles for use on 30"H frames.
- 7½"H, 15"H, 22½"H, and 30"H tiles are non-dedicated and can be used in any tile position.




Tool Tiles (page 139)
- Tiles do not include segment bars — order separately.
- Sturdy aluminum extrusion with steel support construction.
- Powder-coated for durable finish.
- Work tools to be hung from this tile available in Extensions™ section.
- Use in place of standard 7½"H or 15"H tiles.
- Cannot be used in the bottom location of a panel frame or on wall track.
- Each tool tile has a suggested weight capacity of 80 lbs. of paper management accessories.




Perforated Steel Tiles (page 140)
- Tiles do not include segment bars — order separately.
- Allows air flow when placed on each side of panel.
- 7½"H, 15"H, 22½"H, and 30"H tiles are non-dedicated and can be used in any tile position.
- Aesthetics of opposing tile surface and/or frame interior should be considered when using perforated or light colored sheer materials.



Laminate Tiles (page 141)
- Available in standard laminate colors. See page 106.
- Tiles do not ship with segment bars — order separately.
- Tiles come completely assembled and attach with custom tile bracket kit. Specify paint color.
- It is not recommended to use this tile with wall track.
- 15"H and 30"H tiles are non-dedicated and can be used in any tile position.
- Grain direction runs vertical on all sizes.
- Made of ⅜" board with HPL laminate.




Glass Tiles (page 146)
- Tempered safety glass encased within a frame with built-in shrouds.
- Single-pane construction, glass is flush on one side.
- For use in stacking frames also.
- Glass opening is 4" less than nominal heights and widths.
- Cannot be used in top tile position of a 42½"H panel frame or any frame with integrated power pole.
- Cannot be used at the bottom or beltline location of panel frame.
- 30"H tiles will work in top position of 65"H frames and in 30"H stacking frame. Segment bar needs to be ordered
- Tiles do not ship with segment bars — order separately.



Marker Board Tiles (page 147)
- White marker board tile; painted steel surface.
- Accepts magnetic accessories.
- 15" magnetically attachable tray is natural aluminum color — order separately.
- 15"H, 22½"H, and 30"H tiles are non-dedicated and can be used in any tile position.
- For everyday cleaning of dry-erase marker ink, use Clorox wipes. Should a permanent marker be used, a citrus cleaner such as Quartet will remove the ink. Note that a citrus cleaner is not recommended for everyday cleaning as it leaves a residue on the marker board.
- Tiles do not ship with segment bars — order separately.

Handling and care for marker boards:
1. Leaving ink on the board for an extended period of time may lead to images remaining on the board, commonly known as “ghosting,” after erasing.
2. To avoid ghosting, thoroughly erase your marker board after every use and clean your board weekly with marker board cleaner.
3. Expo® brand dry-erase markers are recommended for best erasing results.
4. Avoid using red and orange markers for easier cleaning and to reduce the likelihood of ghosting.
5. Do not use permanent or non-dry erase markers.
6. To maintain eraser performance, follow manufacturer’s instructions.



Beltline power is only available above the beltline on the opposite side of the spanning tile.


Tiles

Spanning Tiles (pages 144-145)

- Not compatible with landscape tiles.
- Base panel height must match tile height. Example: 50"H tile must go on a 50"H base frame, not 50"H tile on 35"H base frame + 15"H stacker.
- Can be used with any combination of two frame widths.
- No more than two frames per tile.
- Bracket Kits:
  - TKSTBRKT1 = 30/35"H
  - TKSTBRKT2 = 42/50"H
- Full laminate and edgeband options available.
- Horizontal grain only.
- For dual-sided spanning tile applications, an additional Bracket Kit must be ordered.
- For dual-sided applications, spanning tiles must be mounted to the same panel frames.
- Laminate is ⅜" thick, edgeband is 0.8mm thick.
- Slotted standard is accessible when using spanning tiles on the two outside slots.
- Cannot be used with Wall Track.

Frame Combinations

54w		60w		66w		72w		78w		84w		90w		96w	
Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2
24	30	24	36	24	42	24	48	30	48	24	60	30	60	36	60
		30	30	30	36	30	42	36	42	36	48	42	48	48	48
						36	36			42	42				




Landscape™ Tiles (page 148)
- ¼" material encased within a painted steel frame.
- Paint color for frame must be specified.
- Tiles do not ship with segment bars — order separately.
- 7½"H, 15"H, 22½"H, and 30"H tiles are non-dedicated and can be used in any tile position.
- Aesthetics of opposing tile surface and/or frame interior should be considered when using perforated or light colored sheer materials.

Foundation™ Tiles (page 148)
- Fabric laminated between recyclable PETG resin sheets.

Custom Tile Bracket Kits (page 149)
- Tile attachment kit allows for any approved ¼" thick "rigid" material to be used as a used as a Terrace tile.
- Use supplied dimensions below for tile size.

Custom Tile Bracket Kits



Custom material used in the custom tile brackets should be sized according to these dimensions:


Standard Tile Height	Actual Height Dimensions
7½"H	7.198"H
15"H	14.698"H
22½"H	22.198"H
30"H	29.698"H

Thickness of custom material must be ¼" thick ±.030".

Standard Tile Width	Actual Width Dimensions
20"W	19.481"W
24"W	23.481"W
30"W	29.481"W
36"W	35.481"W
42"W	41.481"W
48"W	47.481"W
60"W	59.481"W


Terrace Stratawood Veneer

Wood owes its inherent beauty to variations in color, grain and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next, even though they are finished at the same time. Exposure to light and the aging process will cause darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. Therefore, Allsteel does not guarantee the exact matching grain, pattern and color.



Terrace veneer tiles and worksurfaces are offered in Stratawood (composite). (See page 106 for finishes.) These products offer excellent scratch, stain, and abrasions resistance, plus a high level of clarity.

Terrace Stratawood veneer worksurfaces are protected by one of the world's most advanced wood finishing process. It provides the ultimate in scratch, stain, chemical, and heat resistance for these high-wear surfaces. The jewel-like clarity and depth allow the natural beauty of the wood to glow through.




Stratawood Veneer

Stratawood veneer features a repeatable straight-grain pattern, absent of the cathedrals seen in Natural veneer. Although slight differences in tone should be expected, the Stratawood pattern will maintain a consistent appearance across all products.

Stratawood veneer is an engineered wood veneer enhanced by technology for consistency in both color and grain pattern resulting in very few defects.

Although exposure to light will cause Stratawood veneer to darken slightly, additional orders at later dates will match existing product pattern and will match the color when matured. This creates a smooth process for adding on to existing installations.



Veneer Tiles (page 150)

- Veneer tiles produced by Gunlocke® available in Stratawood veneer. See page 9 for additional veneer information.
- Stratawood veneer has a consistent straight-grain pattern.
- Veneer tiles ship with factory-installed attachment clips.
- Tiles do not include segment kits — order separately.
- For models TKG4xxxxLS, grain direction runs vertical on all sizes.
- For models TKG4xxxxLM, grain direction can be horizontal or vertical.

Caring for your veneer worksurface finish:

- General maintenance procedures entail wiping clean the entire surface with a clean water dampened soft cloth once per week. (Be sure to wipe with the grain.)
- Murphy's® Oil Soap may be used as a general purpose type cleaner with warm water to clean tops.
- The finish may also be polished with Guardsman® Furniture Polish (contains no waxes or silicones) to provide renewed luster.
- Be sure to wipe up all spills immediately.

Frames

Terrace® — Base Panel Frames without Top Trim

For specification information see pages 109-116.


Raceway




Footed




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
30"H Base Panel Frames without Top Trim				
24"W	TK03224W ⌴	$ 414	$ 445	$ 473
30"W	TK03230W ⌴	$ 425	$ 457	$ 484
36"W	TK03236W ⌴	$ 441	$ 473	$ 500
42"W	TK03242W ⌴	$ 460	$ 493	$ 519
48"W	TK03248W ⌴	$ 486	$ 521	$ 545
60"W	TK03260W ⌴	$ 544	$ 584	$ 603
35"H Base Panel Frames without Top Trim				
24"W	TK03524W ⌴	$ 424	$ 456	$ 484
30"W	TK03530W ⌴	$ 435	$ 467	$ 495
36"W	TK03536W ⌴	$ 449	$ 481	$ 509
42"W	TK03542W ⌴	$ 468	$ 500	$ 528
48"W	TK03548W ⌴	$ 493	$ 525	$ 553
60"W	TK03560W ⌴	$ 552	$ 584	$ 612
42½"H Base Panel Frames without Top Trim				
24"W	TK04224W ⌴	$ 433	$ 465	$ 493
30"W	TK04230W ⌴	$ 457	$ 489	$ 517
36"W	TK04236W ⌴	$ 477	$ 509	$ 537
42"W	TK04242W ⌴	$ 494	$ 526	$ 554
48"W	TK04248W ⌴	$ 514	$ 546	$ 574
60"W	TK04260W ⌴	$ 578	$ 610	$ 638
50"H Base Panel Frames without Top Trim				
24"W	TK05024W ⌴	$ 464	$ 496	$ 524
30"W	TK05030W ⌴	$ 492	$ 524	$ 552
36"W	TK05036W ⌴	$ 504	$ 536	$ 564
42"W	TK05042W ⌴	$ 522	$ 554	$ 582
48"W	TK05048W ⌴	$ 538	$ 570	$ 598
60"W	TK05060W ⌴	$ 592	$ 624	$ 652
57½"H Base Panel Frames without Top Trim				
24"W	TK05724W ⌴	$ 493	$ 525	$ 553
30"W	TK05730W ⌴	$ 506	$ 538	$ 566
36"W	TK05736W ⌴	$ 523	$ 555	$ 583
42"W	TK05742W ⌴	$ 544	$ 576	$ 604
48"W	TK05748W ⌴	$ 569	$ 601	$ 629
60"W	TK05760W ⌴	$ 623	$ 655	$ 683
65"H Base Panel Frames without Top Trim				
24"W	TK06524W ⌴	$ 504	$ 536	$ 564
30"W	TK06530W ⌴	$ 518	$ 550	$ 578
36"W	TK06536W ⌴	$ 539	$ 571	$ 599
42"W	TK06542W ⌴	$ 555	$ 587	$ 615
48"W	TK06548W ⌴	$ 579	$ 611	$ 639
60"W	TK06560W ⌴	$ 637	$ 669	$ 697


























How to specify —

Select the Terrace Model Number from above.

1st Option:

Select the Base Option:

R Raceway Cover
F Footed

2nd Option:

Paint:

P1 P2 P3

See page 106 for finishes.
*P3 colors not available on Terrace foot.

T K 0 _ _ _ W _ . P _ _


Examples: **TK05060WR.P7Q** **TK04236WF.P27**

Frames


For specification information see pages 109-116.



Description	Model	List Price
15"H Stacking Frames		
24"W	TK01524	$ 385
30"W	TK01530	$ 410
36"W	TK01536	$ 420
42"W	TK01542	$ 434
48"W	TK01548	$ 437
60"W	TK01560	$ 456



22½"H Stacking Frames		
24"W	TK02224	$ 404
30"W	TK02230	$ 410
36"W	TK02236	$ 422
42"W	TK02242	$ 435
48"W	TK02248	$ 449
60"W	TK02260	$ 470



30"H Stacking Frames		
24"W	TK03024	$ 414
30"W	TK03030	$ 434
36"W	TK03036	$ 449
42"W	TK03042	$ 468
48"W	TK03048	$ 483
60"W	TK03060	$ 503



Segment Bars (black only)		
24"W	TKSK24 S	$ 35
30"W	TKSK30 S	$ 35
36"W	TKSK36 S	$ 36
42"W	TKSK42 S	$ 40
48"W	TKSK48 S	$ 44
60"W	TKSK60 S	$ 45



Terrace Horizontal Electrical Mount Support		
24"W	TN24MS S	$ 135
30"W	TN30MS S	$ 146
36"W	TN36MS S	$ 156
42"W	TN42MS S	$ 176
48"W	TN48MS S	$ 191
60"W	TN60MS S	$ 212

How to specify —

Select the Terrace Model Number from above.

T | | | | | | |

Examples: **TK02224 TKSK42 TN24MS**

S *Shippable by small-package carrier.*

Frames

Terrace® — Door Panel / Sliding Door / Kits


For specification information see pages 109-116.




TK18742D

Description	Model	List Price	PAINT & LAMINATE UPCHARGES P2	P3	L2	L3
Laminate Door Panels with Radius Painted Top Trim						
87½"H x 42"W	**TK18742D**	**$ 5421**	**$ 58**	**$ 115**	**$ 188**	**$ 376**
Laminate Door Panels with Flat Painted Top Trim						
87½"H x 42"W	**TK18742DF**	**$ 5122**	**$ 58**	**$ 115**	**$ 188**	**$ 378**

*Upcharges for higher grade paint or laminate are added to list price.




Description	Model	List Price
Lockset		
Door Knob — polished brass, keyed one side	**899900** S	**$ 188**
Door Lever — brushed aluminum, keyed one side	**899910** S	**$ 532**



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Frosted Translucent Sliding Doors (for 36"W opening)				
50"H x 42"W	**Z15042SD**	**$ 6112**	**$ 6179**	**$ 6249**
65"H x 42"W	**Z16542SD**	**$ 7407**	**$ 7474**	**$ 7544**
80"H x 42"W	**Z18042SD**	**$ 9021**	**$ 9088**	**$ 9158**
Mounting Kit for Sliding Doors (mounts to adjacent Terrace panel)				
30"W	**TKDMK30** S	**$ 695**	**$ 717**	**$ 735**
36"W	**TKDMK36** S	**$ 695**	**$ 717**	**$ 735**
42"W	**TKDMK42** S	**$ 695**	**$ 717**	**$ 735**
48"W	**TKDMK48** S	**$ 695**	**$ 717**	**$ 735**
Off-Modular Panel Connection Kit				
Off-Modular Kit	**TKOM** S	**$ 246**	**N/A**	**N/A**
Base Raceway to Footed Conversion Kit				
Base Raceway to Footed Kit	**TKRF**	**$ 291**	**$ 323**	**$ 351**
Footed to Base Raceway Conversion Kit				
24"W	**TK24FR**	**$ 361**	**$ 413**	**$ 465**
30"W	**TK30FR**	**$ 361**	**$ 413**	**$ 465**
36"W	**TK36FR**	**$ 361**	**$ 413**	**$ 465**
42"W	**TK42FR**	**$ 361**	**$ 413**	**$ 465**
48"W	**TK48FR**	**$ 361**	**$ 413**	**$ 465**
60"W	**TK60FR**	**$ 361**	**$ 413**	**$ 465**

TKRF



TK36FR

S *Shippable by small-package carrier.*


How to specify —	*1st Option:*	*2nd Option:*	*2nd Option:*
Select the Terrace Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3 See page 106 for finishes.	**Door Laminate** *(if applicable)*: See page 106 for finishes.	**Insert (Sliding Door only):** **FT** Frosted Translucent
_ _ _ _ _ _ .	P _ _ .	_ _ _ _ .	F T


Examples: **TK18742D.P02.TM65 899900 Z15042SD.P02.FT TKDMK30.P02 TKOM.P7Q TK60FR.P52**

Frames & Connectors

Terrace® — Top Trim

For specification information see pages 109-116.





Description/ Examples	Flat Top Trim Model*	Radius Top Trim Model	Flat Top Trim P1 Paint List Price	Flat Top Trim P2 Paint List Price	Flat Top Trim P3 Paint List Price	Radius Top Trim P1 Paint List Price	Radius Top Trim P2 Paint List Price	Radius Top Trim P3 Paint List Price
Painted Top Trim (Examples span multiple panels)								
24"W	TK324PTFK [S]	TK324PT [S]	$ 72	$ 104	$ 132	$ 63	$ 95	$ 123
30"W	TK330PTFK [S]	TK330PT [S]	$ 81	$ 113	$ 141	$ 74	$ 106	$ 134
36"W	TK336PTFK [S]	TK336PT [S]	$ 91	$ 123	$ 151	$ 89	$ 121	$ 149
42"W	TK342PTFK [S]	TK342PT [S]	$ 106	$ 138	$ 166	$ 106	$ 138	$ 166
48"W	TK348PTFK [S]	TK348PT [S]	$ 114	$ 146	$ 174	$ 119	$ 151	$ 179
54"W – 24" + 30"	TK354PTFK [S]	TK354PT [S]	$ 145	$ 197	$ 249	$ 151	$ 210	$ 268
60"W	TK360PTFK [S]	TK360PT [S]	$ 141	$ 173	$ 201	$ 142	$ 174	$ 202
66"W – 30" + 36"	TK366PTFK	TK366PT	$ 167	$ 219	$ 271	$ 174	$ 233	$ 291
68"W – 48" + 20"	TK368PTFK	TK368PT	$ 171	$ 223	$ 275	$ 177	$ 236	$ 294
72"W – 36" + 36"	TK372PTFK	TK372PT	$ 174	$ 226	$ 278	$ 185	$ 244	$ 302
78"W – 48" + 30"	TK378PTFK	TK378PT	$ 181	$ 233	$ 285	$ 192	$ 251	$ 309
84"W – 36" + 48" or 42" + 42"	TK384PTFK	TK384PT	$ 195	$ 247	$ 299	$ 207	$ 266	$ 324
90"W – 42" + 48"	TK390PTFK	TK390PT	$ 207	$ 259	$ 311	$ 217	$ 276	$ 334
96"W – 48" + 48" or 36" + 60"	TK396PTFK	TK396PT	$ 219	$ 271	$ 323	$ 230	$ 289	$ 347

*"K" suffix was added to flat trim model numbers effective 10/7/2016.

How to specify —

Select the Terrace Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3


See page 106 for finishes.

T K 3 _ _ P T _ _ . P _ _ .

Examples: **TK330PTFK.P7D** **TK330PT.P7D**

[S] ***Shippable by small-package carrier.***

For specification information see pages 109-116.




Description	Flat Top Trim Model	Radius Top Trim Model	Painted Trim Clear List Price	Painted Trim Frosted List Price	Painted Trim Smoked List Price
7½"H x ⅜" Thick Glass Panel Mounted Screens — Painted Trim (Example spans multiple panels)					
24"W	**TK40724TGSF**	**TKG40724TGSR**	**$ 683**	**$ 731**	**$ 780**
30"W	**TK40730TGSF**	**TKG40730TGSR**	**$ 734**	**$ 784**	**$ 836**
36"W	**TK40736TGSF**	**TKG40736TGSR**	**$ 843**	**$ 902**	**$ 963**
42"W	**TK40742TGSF**	**TKG40742TGSR**	**$ 893**	**$ 955**	**$ 1019**
48"W	**TK40748TGSF**	**TKG40748TGSR**	**$ 955**	**$ 1020**	**$ 1089**
54"W – 24" + 30"	**TK40754TGSF**	**TKG40754TGSR**	**$ 1064**	**$ 1138**	**$ 1212**
60"W	**TK40760TGSF**	**TKG40760TGSR**	**$ 1169**	**$ 1251**	**$ 1334**
66"W – 30" + 36"	**TK40766TGSF**	**TKG40766TGSR**	**$ 1286**	**$ 1375**	**$ 1466**
72"W – 36" + 36"	**TK40772TGSF**	**TKG40772TGSR**	**$ 1390**	**$ 1484**	**$ 1585**
78"W – 48" + 30"	**TK40778TGSF**	**TKG40778TGSR**	**$ 1497**	**$ 1598**	**$ 1707**
84"W – 36" + 48" or 42" + 42"	**TK40784TGSF**	**TKG40784TGSR**	**$ 1597**	**$ 1711**	**$ 1821**
90"W – 42" + 48"	**TK40790TGSF**	**TKG40790TGSR**	**$ 1708**	**$ 1827**	**$ 1947**
96"W – 48" + 48" or 36" + 60"	**TK40796TGSF**	**TKG40796TGSR**	**$ 1812**	**$ 1937**	**$ 2065**
15"H x ⅜" Thick Glass Panel Mounted Screens — Painted Trim (Example spans multiple panels)					
24"W	**TK41524TGSF**	**TKG41524TGSR**	**$ 742**	**$ 792**	**$ 845**
30"W	**TK41530TGSF**	**TKG41530TGSR**	**$ 794**	**$ 849**	**$ 906**
36"W	**TK41536TGSF**	**TKG41536TGSR**	**$ 916**	**$ 979**	**$ 1045**
42"W	**TK41542TGSF**	**TKG41542TGSR**	**$ 977**	**$ 1046**	**$ 1115**
48"W	**TK41548TGSF**	**TKG41548TGSR**	**$ 1046**	**$ 1119**	**$ 1192**
54"W – 24" + 30"	**TK41554TGSF**	**TKG41554TGSR**	**$ 1159**	**$ 1241**	**$ 1323**
60"W	**TK41560TGSF**	**TKG41560TGSR**	**$ 1277**	**$ 1366**	**$ 1455**
66"W – 30" + 36"	**TK41566TGSF**	**TKG41566TGSR**	**$ 1396**	**$ 1490**	**$ 1591**
72"W – 36" + 36"	**TK41572TGSF**	**TKG41572TGSR**	**$ 1519**	**$ 1621**	**$ 1731**
78"W – 48" + 30"	**TK41578TGSF**	**TKG41578TGSR**	**$ 1724**	**$ 1844**	**$ 1965**
84"W – 36" + 48" or 42" + 42"	**TK41584TGSF**	**TKG41584TGSR**	**$ 1932**	**$ 2064**	**$ 2203**
90"W – 42" + 48"	**TK41590TGSF**	**TKG41590TGSR**	**$ 1985**	**$ 2122**	**$ 2262**
96"W – 48" + 48" or 36" + 60"	**TK41596TGSF**	**TKG41596TGSR**	**$ 2045**	**$ 2186**	**$ 2330**

How to specify —	*1st Option:*	*2nd Option:*
Select the Terrace Model Number from above.	**Glass** *(if applicable)*: **GSM1** Smoked **LC** Clear **LF** Frosted	**Paint** *(if applicable)*: See page 106 for finishes.
_____ . **L** _ _ .		**P** _ _


Examples: **TK40724TGSF.LC.P52** **TKG40724TGSR.LC.P52**

Connectors


For specification information see pages 109-116.



Description	Flat Top Cap/ Trim Model	Radius Top Cap/ Trim Model	Painted Top Cap Painted Trim P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
"L" 90° Connector Kits					
7½"H stacking/segmented	TK307LF	TK307L S	$ 160	$ 191	$ 218
12"H stacking/segmented	TK312LF	TK312L S	$ 176	$ 207	$ 234
15"H stacking/segmented	TK315LF	TK315L S	$ 178	$ 209	$ 236
20"H stacking/segmented	TK320LF	TK320L S	$ 202	$ 233	$ 260
22½"H stacking/segmented	TK322LF	TK322L S	$ 204	$ 235	$ 262
27"H stacking/segmented	TK327LF	TK327L S	$ 224	$ 255	$ 282
30"H stacking/segmented	TK330LF	TK330L S	$ 228	$ 259	$ 286
30"H base panel	TK332LF	TK332L S	$ 227	$ 246	$ 269
35"H base panel	TK335LF	TK335L S	$ 228	$ 259	$ 286
42½"H base panel	TK342LF	TK342L S	$ 255	$ 286	$ 313
50"H base panel	TK350LF	TK350L S	$ 267	$ 298	$ 325
57½"H base panel	TK357LF	TK357L S	$ 273	$ 304	$ 331
65"H base panel	TK365LF	TK365L S	$ 277	$ 308	$ 335
80"H base panel	TK380LF	TK380L S	$ 351	$ 382	$ 409
87½"H base panel	TK387LF	TK387L S	$ 374	$ 405	$ 432



"T" 3-way Connector Kit					
7½"H stacking/segmented	TK307TF	TK307T S	$ 160	$ 191	$ 218
12"H stacking/segmented	TK312TF	TK312T S	$ 176	$ 207	$ 234
15"H stacking/segmented	TK315TF	TK315T S	$ 178	$ 209	$ 236
20"H stacking/segmented	TK320TF	TK320T S	$ 202	$ 233	$ 260
22½"H stacking/segmented	TK322TF	TK322T S	$ 204	$ 235	$ 262
27"H stacking/segmented	TK327TF	TK327T S	$ 224	$ 255	$ 282
30"H stacking/segmented	TK330TF	TK330T S	$ 228	$ 259	$ 286
30"H base panel	TK332TF	TK332T S	$ 227	$ 246	$ 269
35"H base panel	TK335TF	TK335T S	$ 228	$ 259	$ 286
42½"H base panel	TK342TF	TK342T S	$ 255	$ 286	$ 313
50"H base panel	TK350TF	TK350T S	$ 267	$ 298	$ 325
57½"H base panel	TK357TF	TK357T S	$ 273	$ 304	$ 331
65"H base panel	TK365TF	TK365T S	$ 277	$ 308	$ 335
80"H base panel	TK380TF	TK380T S	$ 351	$ 382	$ 409
87½"H base panel	TK387TF	TK387T S	$ 374	$ 405	$ 432



"X" 4-way Connector Kits					
7½"H stacking/segmented	TK307XF	TK307X S	$ 125	$ 144	$ 157
12"H stacking/segmented	TK312XF	TK312X S	$ 137	$ 156	$ 169
15"H stacking/segmented	TK315XF	TK315X S	$ 138	$ 157	$ 170
20"H stacking/segmented	TK320XF	TK320X S	$ 158	$ 177	$ 190
22½"H stacking/segmented	TK322XF	TK322X S	$ 162	$ 181	$ 194
27"H stacking/segmented	TK327XF	TK327X S	$ 176	$ 195	$ 208
30"H stacking/segmented	TK330XF	TK330X S	$ 178	$ 197	$ 210
30"H base panel	TK332XF	TK332X S	$ 177	$ 192	$ 210
35"H base panel	TK335XF	TK335X S	$ 178	$ 197	$ 210
42½"H base panel	TK342XF	TK342X S	$ 244	$ 263	$ 276
50"H base panel	TK350XF	TK350X S	$ 255	$ 274	$ 287
57½"H base panel	TK357XF	TK357X S	$ 262	$ 281	$ 294
65"H base panel	TK365XF	TK365X S	$ 267	$ 286	$ 299
80"H base panel	TK380XF	TK380X S	$ 305	$ 324	$ 337
87½"H base panel	TK387XF	TK387X S	$ 327	$ 346	$ 359

How to specify —

Select the Terrace Model Number from above.

T K 3 _ _ _ _ .

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 106 for finishes.


P _ _

Examples: Painted Flat – **TK365LF.P02** Painted Radius – **TK365L.P02**


S *Shippable by small-package carrier.*

Connectors

For specification information see pages 109-116.



Description	Flat Top Cap/ Trim Model	Radius Top Cap/ Trim Model	Painted Top Cap Painted Trim P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
"S" Extended Straight Connector Kits					
7½"H stacking/segmented	**TK307SF**	**TK307S** S	$ 202	$ 233	$ 260
12"H stacking/segmented	**TK312SF**	**TK312S** S	$ 210	$ 241	$ 268
15"H stacking/segmented	**TK315SF**	**TK315S** S	$ 214	$ 245	$ 272
20"H stacking/segmented	**TK320SF**	**TK320S** S	$ 228	$ 259	$ 286
22½"H stacking/segmented	**TK322SF**	**TK322S** S	$ 231	$ 262	$ 289
27"H stacking/segmented	**TK327SF**	**TK327S** S	$ 252	$ 283	$ 310
30"H stacking/segmented	**TK330SF**	**TK330S** S	$ 255	$ 286	$ 313
30"H base panel	**TK332SF**	**TK332S** S	$ 254	$ 274	$ 301
35"H base panel	**TK335SF**	**TK335S** S	$ 255	$ 286	$ 313
42½"H base panel	**TK342SF**	**TK342S** S	$ 297	$ 328	$ 355
50"H base panel	**TK350SF**	**TK350S** S	$ 307	$ 338	$ 365
57½"H base panel	**TK357SF**	**TK357S** S	$ 312	$ 343	$ 370
65"H base panel	**TK365SF**	**TK365S** S	$ 329	$ 360	$ 387
80"H base panel	**TK380SF**	**TK380S** S	$ 408	$ 439	$ 466
87½"H base panel	**TK387SF**	**TK387S** S	$ 425	$ 456	$ 483



2-Way 120° Connector					
12"H stacking/segmented	**TK312BF**	**TK312B** S	$ 169	$ 200	$ 227
15"H stacking/segmented	**TK315BF**	**TK315B** S	$ 173	$ 204	$ 231
20"H stacking/segmented	**TK320BF**	**TK320B** S	$ 177	$ 208	$ 235
27"H stacking/segmented	**TK327BF**	**TK327B** S	$ 212	$ 243	$ 270
30"H stacking/segmented	**TK330BF**	**TK330B** S	$ 215	$ 246	$ 273
32"H base panel	**TK332BF**	**TK332B** S	$ 224	$ 255	$ 282
35"H base panel	**TK335BF**	**TK335B** S	$ 228	$ 259	$ 286
42½"H base panel	**TK342BF**	**TK342B** S	$ 255	$ 286	$ 313
50"H base panel	**TK350BF**	**TK350B** S	$ 277	$ 308	$ 335
57½"H base panel	**TK357BF**	**TK357B** S	$ 292	$ 323	$ 350
65"H base panel	**TK365BF**	**TK365B** S	$ 307	$ 338	$ 365



3-Way 120° Connector					
12"H stacking/segmented	**TK312CF**	**TK312C** S	$ 140	$ 171	$ 198
15"H stacking/segmented	**TK315CF**	**TK315C** S	$ 146	$ 177	$ 204
20"H stacking/segmented	**TK320CF**	**TK320C** S	$ 153	$ 184	$ 211
27"H stacking/segmented	**TK327CF**	**TK327C** S	$ 191	$ 222	$ 249
30"H stacking/segmented	**TK330CF**	**TK330C** S	$ 193	$ 224	$ 251
32"H base panel	**TK332CF**	**TK332C** S	$ 202	$ 233	$ 260
35"H base panel	**TK335CF**	**TK335C** S	$ 204	$ 235	$ 262
42½"H base panel	**TK342CF**	**TK342C** S	$ 228	$ 259	$ 286
50"H base panel	**TK350CF**	**TK350C** S	$ 255	$ 286	$ 313
57½"H base panel	**TK357CF**	**TK357C** S	$ 267	$ 298	$ 325
65"H base panel	**TK365CF**	**TK365C** S	$ 277	$ 308	$ 335

How to specify —

Select the Terrace Model Number from above.

T K 3 _ _ _ _ .

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 106 for finishes.

P _ _

Examples: Painted Flat – **TK335CF.P27** Painted Radius – **TK335C.P27**

S ***Shippable by small-package carrier.***

Connectors


For specification information see pages 109-116.

Terrace® — Connector Kits

Flat or Radius — Top Cap / Trim









"E" End Trim Kits					
15"H stacking/segmented	**TK315EF**	**TK315E** S	**$ 104**	**$ 135**	**$ 162**
22½"H stacking/segmented	**TK322EF**	**TK322E** S	**$ 115**	**$ 146**	**$ 173**
30"H stacking/segmented	**TK330EF**	**TK330E** S	**$ 128**	**$ 159**	**$ 186**
30"H base panel	**TK332EF**	**TK332E** S	**$ 129**	**$ 141**	**$ 153**
35"H base panel	**TK335EF**	**TK335E** S	**$ 128**	**$ 159**	**$ 186**
42½"H base panel	**TK342EF**	**TK342E** S	**$ 138**	**$ 169**	**$ 196**
50"H base panel	**TK350EF**	**TK350E** S	**$ 158**	**$ 189**	**$ 216**
57½"H base panel	**TK357EF**	**TK357E** S	**$ 164**	**$ 195**	**$ 222**
65"H base panel	**TK365EF**	**TK365E** S	**$ 169**	**$ 200**	**$ 227**
80"H base panel	**TK380EF**	**TK380E** S	**$ 240**	**$ 271**	**$ 298**
87½"H base panel	**TK387EF**	**TK387E** S	**$ 260**	**$ 291**	**$ 318**
High-Low End Trim Kit					
5"H connector kit	**TK305HF**	**TK305H** S	**$ 102**	**$ 121**	**$ 134**
7½"H	**TK307HF**	**TK307H** S	**$ 104**	**$ 123**	**$ 136**
12"H stacking/segmented	**TK312HF**	**TK312H** S	**$ 102**	**$ 121**	**$ 134**
15"H	**TK315HF**	**TK315H** S	**$ 104**	**$ 123**	**$ 136**
20"H stacking/segmented	**TK320HF**	**TK320H** S	**$ 127**	**$ 146**	**$ 159**
22½"H	**TK322HF**	**TK322H** S	**$ 128**	**$ 147**	**$ 160**
27"H stacking/segmented	**TK327HF**	**TK327H** S	**$ 127**	**$ 146**	**$ 159**
30"H	**TK330HF**	**TK330H** S	**$ 128**	**$ 147**	**$ 160**
Grooved High-Low Trim — for use with Panel Mounted Screens					
7½"H	**TK307HGF**	**TK307HG** S	**$ 127**	**$ 146**	**$ 159**
15"H	**TK315HGF**	**TK315HG** S	**$ 138**	**$ 157**	**$ 170**
"W" Wall Mount Kit					
15"H stacking/segmented	**TK315WF**	**TK315W** S	**$ 127**	**$ 158**	**$ 185**
22½"H stacking/segmented	**TK322WF**	**TK322W** S	**$ 151**	**$ 182**	**$ 209**
30"H stacking/segmented	**TK330WF**	**TK330W** S	**$ 174**	**$ 205**	**$ 232**
32"H wall mount kit for base frame	**TK332WF**	**TK332W** S	**$ 195**	**$ 226**	**$ 253**
35"H	**TK335WF**	**TK335W** S	**$ 199**	**$ 230**	**$ 257**
42½"H	**TK342WF**	**TK342W** S	**$ 217**	**$ 248**	**$ 275**
50"H	**TK350WF**	**TK350W** S	**$ 248**	**$ 279**	**$ 306**
57½"H	**TK357WF**	**TK357W** S	**$ 269**	**$ 300**	**$ 327**
65"H	**TK365WF**	**TK365W** S	**$ 292**	**$ 323**	**$ 350**
87½"H	**TK387WF**	**TK387W** S	**$ 392**	**$ 423**	**$ 450**

How to specify —

Select the Terrace Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.

T K 3 _ _ _ _ . P _ _








Examples: Painted Flat – **TK315EF.P27** Painted Radius – **TK315E.P27**

S ***Shippable by small-package carrier.***

Frames & Connectors

Terrace® — Top Stabilizer Brackets

For specification information see page 113.

	Description	Model		List Price
	Top Stabilizer Brackets			
 TN3LB	"L" Top Stabilizer Bracket	**TN3LB**	S	$ 98
 TN3TB	"T" Top Stabilizer Bracket	**TN3TB**	S	$ 98
 TN3XB	"X" Top Stabilizer Bracket	**TN3XB**	S	$ 98
 TN3SB	"S" Top Stabilizer Bracket	**TN3SB**	S	$ 76
 TN3NB	In Line Top Stabilizer Bracket	**TN3NB**	S	$ 76
 TN3VB	Variable Height Top Stabilizer Bracket	**TN3VB**	S	$ 98
 TN3VLB	"L" Variable Height Top Stabilizer Bracket	**TN3VLB**	S	$ 124

How to specify —

Select the Terrace Model Number from above.


Example: **TN3LB**

S *Shippable by small-package carrier.*

Frames & Connectors

Terrace® — Wall Track

For specification information see pages 109-116.



Description	Model	List Price
Terrace Wall Track Kit — End/Shared		
65"H — Pair of Ends	**TK365YEB** S	$ 379
65"H — Middle Unit	**TK365YM** S	$ 198
Terrace Wall Track Tile Attachment Kits — Top and Bottom		
24"W	**Y324YS** S	$ 280
30"W	**Y330YS** S	$ 289
36"W	**Y336YS** S	$ 308
42"W	**Y342YS** S	$ 350
48"W	**Y348YS** S	$ 385
60"W	**Y360YS** S	$ 428



Description	Model	List Price
Segment Bars (black only)		
24"W	**TKSK24** S	$ 35
30"W	**TKSK30** S	$ 35
36"W	**TKSK36** S	$ 36
42"W	**TKSK42** S	$ 40
48"W	**TKSK48** S	$ 44
60"W	**TKSK60** S	$ 45

How to specify —

Select the Terrace Model Number from above.


Examples: **TK365YEB Y336YS TKSK42**

S *Shippable by small-package carrier.*


Tiles

Terrace® — Tackable Acoustical Tiles


For specification information see pages 117-123.
(See page 1005 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
7½"H Tackable Acoustical Tiles							
24"W	TKG40724T S	$ 124	$ 131	$ 135	$ 142	$ 148	$ 155
30"W	TKG40730T S	$ 132	$ 140	$ 144	$ 152	$ 160	$ 168
36"W	TKG40736T S	$ 138	$ 147	$ 152	$ 162	$ 172	$ 183
42"W	TKG40742T S	$ 151	$ 161	$ 166	$ 177	$ 189	$ 201
48"W	TKG40748T S	$ 160	$ 171	$ 178	$ 191	$ 205	$ 218
60"W	TKG40760T S	$ 182	$ 194	$ 203	$ 220	$ 237	$ 252




15"H Tackable Acoustical Tiles							
24"W	TKG41524T S	$ 127	$ 138	$ 145	$ 158	$ 172	$ 185
30"W	TKG41530T S	$ 135	$ 147	$ 156	$ 173	$ 190	$ 205
36"W	TKG41536T S	$ 146	$ 160	$ 171	$ 193	$ 212	$ 234
42"W	TKG41542T S	$ 156	$ 173	$ 186	$ 210	$ 233	$ 256
48"W	TKG41548T S	$ 164	$ 182	$ 198	$ 225	$ 252	$ 279
60"W	TKG41560T S	$ 187	$ 209	$ 229	$ 263	$ 297	$ 329



22½"H Tackable Acoustical Tiles							
24"W	TKG42224T S	$ 160	$ 174	$ 185	$ 207	$ 226	$ 248
30"W	TKG42230T S	$ 173	$ 190	$ 205	$ 230	$ 255	$ 277
36"W	TKG42236T S	$ 197	$ 217	$ 235	$ 263	$ 294	$ 324
42"W	TKG42242T S	$ 217	$ 239	$ 262	$ 297	$ 332	$ 365
48"W	TKG42248T S	$ 237	$ 262	$ 287	$ 327	$ 366	$ 406
60"W	TKG42260T S	$ 257	$ 289	$ 319	$ 369	$ 419	$ 469



25"H Tackable Acoustical Tiles (Tile is 25"H, for use with 30"H Frames)							
24"W	TKG43224T S	$ 168	$ 183	$ 196	$ 219	$ 241	$ 262
30"W	TKG43230T S	$ 181	$ 200	$ 216	$ 244	$ 272	$ 300
36"W	TKG43236T S	$ 203	$ 225	$ 245	$ 279	$ 313	$ 345
42"W	TKG43242T S	$ 233	$ 257	$ 282	$ 321	$ 359	$ 398
48"W	TKG43248T S	$ 242	$ 270	$ 297	$ 341	$ 385	$ 431
60"W	TKG43260T S	$ 265	$ 300	$ 334	$ 390	$ 445	$ 502



30"H Tackable Acoustical Tiles (Tile is 30"H, for use with 35"H Frames)							
24"W	TKG43024T S	$ 171	$ 189	$ 205	$ 232	$ 259	$ 286
30"W	TKG43030T S	$ 185	$ 207	$ 227	$ 261	$ 295	$ 327
36"W	TKG43036T S	$ 206	$ 231	$ 256	$ 296	$ 335	$ 375
42"W	TKG43042T S	$ 237	$ 267	$ 296	$ 341	$ 390	$ 436
48"W	TKG43048T S	$ 246	$ 280	$ 311	$ 365	$ 418	$ 472
60"W	TKG43060T S	$ 268	$ 310	$ 350	$ 416	$ 482	$ 548

Packaging: Tiles will be multi-packed to reduce packaging materials and to provide better structural support during shipping. Items requiring individual shipping should be tagged on the order with different descriptive locations to simplify the staging process.

How to specify —

Select the Terrace Model Number from above.

T K G 4 _ _ _ T .

1st Option:

Fabric:

See page 15 for fabrics.

_ _ _ _

Example: **TKG43048T.APN911**

S *Shippable by small-package carrier.*

For specification information see pages 117-123.
(See page 1005 for COM pricing on fabric Grades G-J.)



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
42½"H Monolithic Tackable Acoustical Tiles (Tile is 37½"H, for use with 42½"H Frames)							
24"W	**TKG44224T** S	$ 224	$ 248	$ 271	$ 309	$ 345	$ 383
30"W	**TKG44230T** S	$ 253	$ 283	$ 312	$ 357	$ 406	$ 452
36"W	**TKG44236T** S	$ 279	$ 314	$ 348	$ 404	$ 459	$ 516
42"W	**TKG44242T** S	$ 310	$ 352	$ 391	$ 455	$ 521	$ 586
48"W	**TKG44248T** S	$ 343	$ 390	$ 435	$ 510	$ 584	$ 659
60"W	**TKG44260T** S	$ 399	$ 457	$ 514	$ 605	$ 700	$ 792



50"H Monolithic Tackable Acoustical Tiles (Tile is 45"H, for use with 50"H Frames)							
24"W	**TKG45024T** S	$ 253	$ 281	$ 310	$ 352	$ 396	$ 442
30"W	**TKG45030T** S	$ 290	$ 325	$ 359	$ 415	$ 470	$ 527
36"W	**TKG45036T** S	$ 341	$ 383	$ 425	$ 489	$ 555	$ 621
42"W	**TKG45042T**	$ 380	$ 429	$ 476	$ 552	$ 630	$ 709
48"W	**TKG45048T**	$ 426	$ 481	$ 536	$ 623	$ 711	$ 801
60"W	**TKG45060T**	$ 477	$ 544	$ 614	$ 723	$ 833	$ 944



57½"H Tackable Acoustical Tiles (Tile is 52½"H, for use with 57½"H Frames)							
24"W	**TKG45724T** S	$ 303	$ 336	$ 367	$ 419	$ 469	$ 521
30"W	**TKG45730T** S	$ 341	$ 382	$ 421	$ 483	$ 547	$ 612
36"W	**TKG45736T** S	$ 383	$ 432	$ 479	$ 554	$ 632	$ 710
42"W	**TKG45742T**	$ 432	$ 489	$ 544	$ 631	$ 722	$ 812
48"W	**TKG45748T**	$ 478	$ 541	$ 604	$ 706	$ 808	$ 911
60"W	**TKG45760T**	$ 525	$ 605	$ 684	$ 809	$ 938	$ 1067



65"H Monolithic Tackable Acoustical Tiles (Tile is 60"H, for use with 65"H Frames)							
24"W	**TKG46524T** S	$ 321	$ 357	$ 392	$ 451	$ 510	$ 567
30"W	**TKG46530T** S	$ 368	$ 414	$ 458	$ 529	$ 601	$ 673
36"W	**TKG46536T**	$ 413	$ 467	$ 519	$ 607	$ 692	$ 780
42"W	**TKG46542T**	$ 459	$ 522	$ 583	$ 684	$ 786	$ 886
48"W	**TKG46548T**	$ 503	$ 574	$ 644	$ 760	$ 876	$ 992
60"W	**TKG46560T**	$ 542	$ 631	$ 718	$ 862	$ 1008	$ 1153

Packaging: Tiles will be multi-packed to reduce packaging materials and to provide better structural support during shipping. Items requiring individual shipping should be tagged on the order with different descriptive locations to simplify the staging process.

How to specify —

Select the Terrace Model Number from above.

1st Option:

Fabric:

See page 15 for fabrics.

T K G 4 _ _ _ T . _ _ _ _ _


Example: **TKG45748T.APN911**

S *Shippable by small-package carrier.*


Tiles

Terrace® — Tackable Acoustical Port Tiles


For specification information see pages 117-123.
(See page 1005 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
15"H Port Tiles							
24"W	**TKG41524E** S	$ 241	$ 251	$ 256	$ 267	$ 281	$ 291
30"W	**TKG41530E** S	$ 246	$ 257	$ 266	$ 280	$ 295	$ 309
36"W	**TKG41536E** S	$ 253	$ 266	$ 275	$ 294	$ 311	$ 327
42"W	**TKG41542E** S	$ 263	$ 277	$ 288	$ 310	$ 329	$ 351
48"W	**TKG41548E** S	$ 274	$ 289	$ 304	$ 326	$ 350	$ 372
60"W	**TKG41560E** S	$ 300	$ 319	$ 336	$ 365	$ 394	$ 422



22½"H Port Tiles							
24"W	**TKG42224E** S	$ 268	$ 281	$ 290	$ 309	$ 326	$ 342
30"W	**TKG42230E** S	$ 283	$ 298	$ 311	$ 333	$ 354	$ 376
36"W	**TKG42236E** S	$ 306	$ 324	$ 339	$ 366	$ 393	$ 420
42"W	**TKG42242E** S	$ 329	$ 349	$ 369	$ 398	$ 429	$ 459
48"W	**TKG42248E** S	$ 343	$ 365	$ 387	$ 421	$ 457	$ 490
60"W	**TKG42260E** S	$ 369	$ 397	$ 423	$ 467	$ 510	$ 554



25"H Port Tiles (Tile is 25"H, for use with 30"H Frames)							
24"W	**TKG43224E** S	$ 275	$ 289	$ 299	$ 320	$ 338	$ 359
30"W	**TKG43230E** S	$ 291	$ 308	$ 322	$ 346	$ 372	$ 394
36"W	**TKG43236E** S	$ 316	$ 335	$ 352	$ 381	$ 410	$ 438
42"W	**TKG43242E** S	$ 337	$ 351	$ 361	$ 382	$ 400	$ 421
48"W	**TKG43248E** S	$ 350	$ 374	$ 398	$ 437	$ 475	$ 514
60"W	**TKG43260E** S	$ 373	$ 404	$ 433	$ 483	$ 531	$ 579



30"H Port Tiles (Tile is 30"H, NOT for use with 35"H Frames)							
24"W	**TKG43024E** S	$ 279	$ 294	$ 309	$ 331	$ 355	$ 377
30"W	**TKG43030E** S	$ 293	$ 312	$ 329	$ 358	$ 387	$ 415
36"W	**TKG43036E** S	$ 319	$ 341	$ 363	$ 397	$ 433	$ 466
42"W	**TKG43042E** S	$ 342	$ 367	$ 393	$ 434	$ 475	$ 515
48"W	**TKG43048E** S	$ 354	$ 384	$ 413	$ 457	$ 506	$ 552
60"W	**TKG43060E** S	$ 375	$ 411	$ 446	$ 504	$ 564	$ 621

Packaging: Tiles will be multi-packed to reduce packaging materials and to provide better structural support during shipping. Items requiring individual shipping should be tagged on the order with different descriptive locations to simplify the staging process.

How to specify —	*1st Option:*	*2nd Option:*
Select the Terrace Model Number from above.	**Fabric:** See page 15 for fabrics.	**Electrical Grommet Color:** See page 106 for finishes.

T K G 4 _ _ _ E . _ _ _ _ _ . E _


Example: **TKG43030E.APN911.E4**

S *Shippable by small-package carrier.*


Tiles

Terrace® — Tackable Acoustical Port Tiles


For specification information see pages 117-123.
(See page 1005 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
42½"H Monolithic Port Tiles (Tile is 37½"H, for use with 42½"H Frames)							
24"W	**TKG44224E** S	$ 345	$ 369	$ 393	$ 431	$ 467	$ 506
30"W	**TKG44230E** S	$ 368	$ 399	$ 427	$ 474	$ 522	$ 568
36"W	**TKG44236E** S	$ 405	$ 440	$ 475	$ 532	$ 589	$ 646
42"W	**TKG44242E** S	$ 432	$ 474	$ 514	$ 578	$ 644	$ 710
48"W	**TKG44248E** S	$ 459	$ 507	$ 551	$ 627	$ 703	$ 777
60"W	**TKG44260E** S	$ 511	$ 570	$ 627	$ 721	$ 816	$ 910



50"H Monolithic Port Tiles (Tile is 45"H, for use with 50"H Frames)							
24"W	**TKG45024E** S	$ 368	$ 396	$ 425	$ 468	$ 513	$ 559
30"W	**TKG45030E** S	$ 408	$ 443	$ 477	$ 534	$ 590	$ 646
36"W	**TKG45036E** S	$ 452	$ 494	$ 536	$ 603	$ 670	$ 735
42"W	**TKG45042E**	$ 499	$ 548	$ 595	$ 673	$ 752	$ 831
48"W	**TKG45048E**	$ 542	$ 599	$ 652	$ 741	$ 831	$ 921
60"W	**TKG45060E**	$ 593	$ 662	$ 730	$ 842	$ 954	$ 1068



57½"H Monolithic Port Tiles (Tile is 52½"H, for use with 57½"H Frames)							
24"W	**TKG45724E** S	$ 420	$ 453	$ 484	$ 537	$ 588	$ 640
30"W	**TKG45730E** S	$ 420	$ 461	$ 500	$ 563	$ 628	$ 694
36"W	**TKG45736E** S	$ 453	$ 502	$ 549	$ 626	$ 705	$ 782
42"W	**TKG45742E**	$ 505	$ 562	$ 617	$ 706	$ 798	$ 888
48"W	**TKG45748E**	$ 546	$ 610	$ 672	$ 776	$ 880	$ 983
60"W	**TKG45760E**	$ 598	$ 679	$ 757	$ 886	$ 1016	$ 1144



65"H Monolithic Port Tiles (Tile is 60"H, for use with 65"H Frames)							
24"W	**TKG46524E** S	$ 439	$ 475	$ 510	$ 568	$ 628	$ 685
30"W	**TKG46530E** S	$ 486	$ 532	$ 576	$ 648	$ 722	$ 794
36"W	**TKG46536E**	$ 533	$ 588	$ 639	$ 728	$ 814	$ 904
42"W	**TKG46542E**	$ 581	$ 644	$ 705	$ 807	$ 908	$ 1009
48"W	**TKG46548E**	$ 616	$ 687	$ 757	$ 874	$ 991	$ 1106
60"W	**TKG46560E**	$ 659	$ 749	$ 835	$ 983	$ 1127	$ 1273

Packaging: Tiles will be multi-packed to reduce packaging materials and to provide better structural support during shipping. Items requiring individual shipping should be tagged on the order with different descriptive locations to simplify the staging process.

How to specify —	*1st Option:*	*2nd Option:*
Select the Terrace Model Number from above.	**Fabric:** See page 15 for fabrics.	**Electrical Grommet Color:** See page 106 for finishes.

T K G 4 _ _ _ E . _ _ _ _ _ . E _


Example: **TKG45736E.APN911.E4**

S *Shippable by small-package carrier.*

Tiles

Terrace® — Steel Tiles and Tool Tiles


For specification information see pages 117-123.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
7½"H Steel Tiles				
24"W	TKG40724FS S	$ 169	$ 202	$ 231
30"W	TKG40730FS S	$ 174	$ 207	$ 236
36"W	TKG40736FS S	$ 192	$ 225	$ 254
42"W	TKG40742FS S	$ 210	$ 243	$ 272
48"W	TKG40748FS S	$ 225	$ 258	$ 287
60"W	TKG40760FS S	$ 253	$ 286	$ 315




15"H Steel Tiles				
24"W	TKG41524FS S	$ 173	$ 206	$ 235
30"W	TKG41530FS S	$ 182	$ 215	$ 244
36"W	TKG41536FS S	$ 198	$ 231	$ 260
42"W	TKG41542FS S	$ 218	$ 251	$ 280
48"W	TKG41548FS S	$ 238	$ 271	$ 300
60"W	TKG41560FS S	$ 264	$ 297	$ 326



22½"H Steel Tiles				
24"W	TKG42224FS S	$ 221	$ 247	$ 272
30"W	TKG42230FS S	$ 230	$ 263	$ 292
36"W	TKG42236FS S	$ 246	$ 279	$ 308
42"W	TKG42242FS S	$ 264	$ 297	$ 326
48"W	TKG42248FS S	$ 285	$ 318	$ 347
60"W	TKG42260FS S	$ 311	$ 344	$ 373




25"H Steel Tiles (Tile is 25"H, for use with 30"H Frames)				
24"W	TKG43224FS S	$ 236	$ 255	$ 280
30"W	TKG43230FS S	$ 250	$ 270	$ 297
36"W	TKG43236FS S	$ 276	$ 297	$ 327
42"W	TKG43242FS S	$ 300	$ 322	$ 355
48"W	TKG43248FS S	$ 326	$ 350	$ 386
60"W	TKG43260FS S	$ 368	$ 394	$ 433



30"H Steel Tiles (Tile is 30"H, for use with 35"H Frames)				
24"W	TKG43024FS S	$ 253	$ 301	$ 347
30"W	TKG43030FS S	$ 278	$ 326	$ 372
36"W	TKG43036FS S	$ 314	$ 362	$ 408
42"W	TKG43042FS S	$ 337	$ 385	$ 431
48"W	TKG43048FS S	$ 373	$ 421	$ 467
60"W	TKG43060FS S	$ 425	$ 473	$ 519



7½"H Tool Tiles — used to support Extensions paper management accessories				
24"W	TK40724SW S	$ 437	$ 482	$ 525
30"W	TK40730SW S	$ 504	$ 550	$ 594
36"W	TK40736SW S	$ 509	$ 555	$ 599
42"W	TK40742SW S	$ 539	$ 585	$ 629
48"W	TK40748SW S	$ 575	$ 621	$ 665
60"W	TK40760SW S	$ 613	$ 659	$ 703



15"H Tool Tiles — used to support Extensions paper management accessories				
24"W	TK41524SW S	$ 476	$ 524	$ 570
30"W	TK41530SW S	$ 513	$ 561	$ 607
36"W	TK41536SW S	$ 558	$ 606	$ 652
42"W	TK41542SW S	$ 587	$ 635	$ 681
48"W	TK41548SW S	$ 620	$ 668	$ 714
60"W	TK41560SW S	$ 663	$ 711	$ 757

Note: Tool tiles placed at worksurface height limit selection of work tools available. Folder holders, multi-media hangers, and binder bins extend below a 7½"H tool tile. Paper wave and contents extend above a single 7½"H tool tile. See pages 986-987.

How to specify —

Select the Terrace Model Number from above.

T K | | | | | | | | | . P | | . |

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.

Examples: **TKG41536FS.P27** **TK41530SW.P7D**

S *Shippable by small-package carrier.*

Tiles

Terrace® — Perforated Steel Tiles


For specification information see pages 117-123.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
7½"H Perforated Steel Tiles				
24"W	TKG40724SH S	$ 242	$ 275	$ 304
30"W	TKG40730SH S	$ 249	$ 282	$ 311
36"W	TKG40736SH S	$ 273	$ 306	$ 335
42"W	TKG40742SH S	$ 300	$ 333	$ 362
48"W	TKG40748SH S	$ 337	$ 370	$ 399
60"W	TKG40760SH S	$ 371	$ 404	$ 433



15"H Perforated Steel Tiles				
24"W	TKG41524SH S	$ 248	$ 281	$ 310
30"W	TKG41530SH S	$ 260	$ 293	$ 322
36"W	TKG41536SH S	$ 284	$ 317	$ 346
42"W	TKG41542SH S	$ 310	$ 343	$ 372
48"W	TKG41548SH S	$ 341	$ 374	$ 403
60"W	TKG41560SH S	$ 376	$ 409	$ 438



22½"H Perforated Steel Tiles				
24"W	TKG42224SH S	$ 253	$ 286	$ 315
30"W	TKG42230SH S	$ 268	$ 301	$ 330
36"W	TKG42236SH S	$ 289	$ 322	$ 351
42"W	TKG42242SH S	$ 317	$ 350	$ 379
48"W	TKG42248SH S	$ 352	$ 385	$ 414
60"W	TKG42260SH S	$ 387	$ 420	$ 449



30"H Perforated Steel Tiles (Tile is 30"H, for use with 35"H Frames)				
24"W	TKG43024SH S	$ 267	$ 315	$ 361
30"W	TKG43030SH S	$ 293	$ 341	$ 387
36"W	TKG43036SH S	$ 340	$ 388	$ 434
42"W	TKG43042SH S	$ 355	$ 403	$ 449
48"W	TKG43048SH S	$ 407	$ 455	$ 501
60"W	TKG43060SH S	$ 455	$ 503	$ 549

How to specify —

Select the Terrace Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.

T K G 4 _ _ _ _ _ . P _ _ .

Example: **TKG40742SH.P27**


S *Shippable by small-package carrier.*


Tiles


Terrace® — Laminate Tiles

For specification information see pages 117-123.









Description	Model	L1 List Price	L2 List Price	L3 List Price
7½"H Laminate Tile				
24"W	**TKG40724LM**	$ 381	$ 402	$ 421
30"W	**TKG40730LM**	$ 387	$ 408	$ 428
36"W	**TKG40736LM**	$ 441	$ 464	$ 488
42"W	**TKG40742LM**	$ 473	$ 498	$ 522
48"W	**TKG40748LM**	$ 517	$ 543	$ 571
60"W	**TKG40760LM**	$ 584	$ 615	$ 644
15"H Laminate Tile				
24"W	**TKG41524LM**	$ 419	$ 441	$ 464
30"W	**TKG41530LM**	$ 426	$ 449	$ 471
36"W	**TKG41536LM**	$ 486	$ 511	$ 536
42"W	**TKG41542LM**	$ 519	$ 547	$ 573
48"W	**TKG41548LM**	$ 567	$ 598	$ 626
60"W	**TKG41560LM**	$ 641	$ 675	$ 706
22½"H Laminate Tile				
24"W	**TKG42224LM**	$ 561	$ 591	$ 620
30"W	**TKG42230LM**	$ 611	$ 643	$ 674
36"W	**TKG42236LM**	$ 652	$ 686	$ 718
42"W	**TKG42242LM**	$ 726	$ 764	$ 800
48"W	**TKG42248LM**	$ 792	$ 834	$ 874
60"W	**TKG42260LM**	$ 863	$ 909	$ 952
25"H Laminate Tiles				
24"W	**TKG42524LM**	$ 624	$ 657	$ 688
30"W	**TKG42530LM**	$ 661	$ 695	$ 728
36"W	**TKG42536LM**	$ 709	$ 745	$ 782
42"W	**TKG42542LM**	$ 775	$ 816	$ 855
48"W	**TKG42548LM**	$ 839	$ 884	$ 926
60"W	**TKG42560LM**	$ 969	$ 1019	$ 1067
30"H Laminate Tiles				
24"W	**TKG43024LM**	$ 648	$ 682	$ 714
30"W	**TKG43030LM**	$ 679	$ 714	$ 748
36"W	**TKG43036LM**	$ 730	$ 768	$ 806
42"W	**TKG43042LM**	$ 797	$ 839	$ 879
48"W	**TKG43048LM**	$ 862	$ 908	$ 950
60"W	**TKG43060LM**	$ 986	$ 1037	$ 1086

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Terrace Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 106 for finishes.	**Edge Color:** See page 106 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
TKG4 _____ .	_____ .	_____ .	_____ .	_____

Example: **TKG40724LM.F.TM133.E4.VLG**

S ***Shippable by small-package carrier.***


Tiles

Terrace® — Laminate Tiles


For specification information see pages 117-123.




Description	Model	L1 List Price	L2 List Price	L3 List Price
42½"H Laminate Tile				
24"W	**TKG43724LM**	$ 718	$ 756	$ 792
30"W	**TKG43730LM**	$ 782	$ 823	$ 863
36"W	**TKG43736LM**	$ 814	$ 858	$ 899
42"W	**TKG43742LM**	$ 931	$ 980	$ 1025
48"W	**TKG43748LM**	$ 1000	$ 1052	$ 1101
60"W	**TKG43760LM**	$ 1157	$ 1217	$ 1275



50"H Laminate Tile				
24"W	**TKG44524LM**	$ 796	$ 838	$ 878
30"W	**TKG44530LM**	$ 867	$ 913	$ 956
36"W	**TKG44536LM**	$ 903	$ 950	$ 995
42"W	**TKG44542LM**	$ 1033	$ 1087	$ 1137
48"W	**TKG44548LM**	$ 1110	$ 1168	$ 1224
60"W	**TKG44560LM**	$ 1283	$ 1348	$ 1413



57½"H Laminate Tile				
24"W	**TKG45724LM**	$ 875	$ 921	$ 965
30"W	**TKG45730LM**	$ 953	$ 1003	$ 1050
36"W	**TKG45736LM**	$ 993	$ 1044	$ 1093
42"W	**TKG45742LM**	$ 1135	$ 1194	$ 1251
48"W	**TKG45748LM**	$ 1221	$ 1284	$ 1345



65"H Laminate Tiles				
24"W	**TKG46024LM**	$ 892	$ 939	$ 983
30"W	**TKG46030LM**	$ 972	$ 1022	$ 1071
36"W	**TKG46036LM**	$ 1011	$ 1063	$ 1113
42"W	**TKG46042LM**	$ 1157	$ 1217	$ 1275
48"W	**TKG46048LM**	$ 1242	$ 1306	$ 1368

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Terrace Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 106 for finishes.	**Edge Color:** See page 106 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
TKG4 _____ .	_____ .	_____ .	_____ .	_____


Example: **TKG43724LM.F.TM133.E4.VLG**


S ***Shippable by small-package carrier.***


Tiles


Terrace® — Laminate Tiles To-the-Floor

For specification information see pages 117-123.









Description	Model	L1 List Price	L2 List Price	L3 List Price
22½"H Laminate To-The-Floor Tile				
24"W	TKG42224LTF	$ 650	$ 681	$ 711
30"W	TKG42230LTF	$ 679	$ 711	$ 742
36"W	TKG42236LTF	$ 758	$ 794	$ 829
42"W	TKG42242LTF	$ 812	$ 852	$ 889
48"W	TKG42248LTF	$ 879	$ 923	$ 964
60"W	TKG42260LTF	$ 1023	$ 1073	$ 1121
25"H Laminate To-The-Floor Tile				
24"W	TKG42524LTF	$ 689	$ 722	$ 753
30"W	TKG42530LTF	$ 726	$ 760	$ 793
36"W	TKG42536LTF	$ 774	$ 810	$ 847
42"W	TKG42542LTF	$ 840	$ 881	$ 920
48"W	TKG42548LTF	$ 904	$ 949	$ 991
60"W	TKG42560LTF	$ 1034	$ 1084	$ 1132
30"H Laminate To-The-Floor Tile				
24"W	TKG43024LTF	$ 773	$ 809	$ 846
30"W	TKG43030LTF	$ 835	$ 876	$ 915
36"W	TKG43036LTF	$ 905	$ 950	$ 992
42"W	TKG43042LTF	$ 981	$ 1029	$ 1074
48"W	TKG43048LTF	$ 1063	$ 1114	$ 1164
60"W	TKG43060LTF	$ 1195	$ 1254	$ 1311
37½"H Laminate Tile To-The-Floor Tile				
24"W	TKG43724LTF	$ 851	$ 893	$ 932
30"W	TKG43730LTF	$ 919	$ 964	$ 1007
36"W	TKG43736LTF	$ 998	$ 1047	$ 1092
42"W	TKG43742LTF	$ 1082	$ 1134	$ 1184
48"W	TKG43748LTF	$ 1172	$ 1230	$ 1286
60"W	TKG43760LTF	$ 1320	$ 1384	$ 1447
45"H Laminate Tile To-The-Floor Tile				
24"W	TKG44524LTF	$ 920	$ 966	$ 1008
30"W	TKG44530LTF	$ 997	$ 1046	$ 1091
36"W	TKG44536LTF	$ 1081	$ 1133	$ 1183
42"W	TKG44542LTF	$ 1174	$ 1232	$ 1288
48"W	TKG44548LTF	$ 1272	$ 1334	$ 1394
60"W	TKG44560LTF	$ 1433	$ 1503	$ 1571
57½"H Laminate Tile To-The-Floor Tile				
24"W	TKG45724LTF	$ 1023	$ 1073	$ 1121
30"W	TKG45730LTF	$ 1109	$ 1163	$ 1215
36"W	TKG45736LTF	$ 1201	$ 1260	$ 1317
42"W	TKG45742LTF	$ 1305	$ 1368	$ 1431
48"W	TKG45748LTF	$ 1415	$ 1484	$ 1552
60"H Laminate Tile To-The-Floor Tile				
24"W	TKG46024LTF	$ 1140	$ 1197	$ 1250
30"W	TKG46030LTF	$ 1233	$ 1293	$ 1352
36"W	TKG46036LTF	$ 1339	$ 1404	$ 1468
42"W	TKG46042LTF	$ 1453	$ 1524	$ 1593
48"W	TKG46048LTF	$ 1580	$ 1658	$ 1734

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Terrace Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 106 for finishes.	**Edge Color:** See page 106 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
TKG4 _____ .	_____ .	_____ .	_____ .	_____

Example: **TKG42224LTF.F.TM133.E4.VLG**

S ***Shippable by small-package carrier.***


Tiles

Terrace® — Laminate Spanning Tiles


For specification information see pages 117-123.




Description	Model	L1 List Price	L2 List Price	L3 List Price
25"H Laminate Spanning Tile				
54"W	TKG42554SLS	$ 1025	$ 1073	$ 1119
60"W	TKG42560SLS	$ 1052	$ 1101	$ 1149
66"W	TKG42566SLS	$ 1088	$ 1139	$ 1187
72"W	TKG42572SLS	$ 1163	$ 1218	$ 1269
78"W	TKG42578SLS	$ 1231	$ 1289	$ 1345
84"W	TKG42584SLS	$ 1290	$ 1350	$ 1408
90"W	TKG42590SLS	$ 1344	$ 1406	$ 1468
96"W	TKG42596SLS	$ 1433	$ 1499	$ 1563



30"H Laminate Spanning Tile				
54"W	TKG43054SLS	$ 1058	$ 1108	$ 1155
60"W	TKG43060SLS	$ 1158	$ 1212	$ 1264
66"W	TKG43066SLS	$ 1206	$ 1263	$ 1317
72"W	TKG43072SLS	$ 1272	$ 1332	$ 1389
78"W	TKG43078SLS	$ 1292	$ 1352	$ 1411
84"W	TKG43084SLS	$ 1430	$ 1496	$ 1560
90"W	TKG43090SLS	$ 1507	$ 1576	$ 1645
96"W	TKG43096SLS	$ 1570	$ 1643	$ 1713



42"H Laminate Spanning Tile				
54"W	TKG44254SLS	$ 1242	$ 1301	$ 1357
60"W	TKG44260SLS	$ 1334	$ 1396	$ 1456
66"W	TKG44266SLS	$ 1402	$ 1466	$ 1530
72"W	TKG44272SLS	$ 1444	$ 1510	$ 1576
78"W	TKG44278SLS	$ 1479	$ 1546	$ 1614
84"W	TKG44284SLS	$ 1542	$ 1613	$ 1682
90"W	TKG44290SLS	$ 1582	$ 1655	$ 1725
96"W	TKG44296SLS	$ 1611	$ 1685	$ 1758



50"H Laminate Spanning Tile				
54"W	TKG45054SLS	$ 1626	$ 1702	$ 1774
60"W	TKG45060SLS	$ 1643	$ 1720	$ 1794
66"W	TKG45066SLS	$ 1661	$ 1738	$ 1813
72"W	TKG45072SLS	$ 1698	$ 1778	$ 1853
78"W	TKG45078SLS	$ 1884	$ 1972	$ 2055
84"W	TKG45084SLS	$ 1910	$ 1999	$ 2083
90"W	TKG45090SLS	$ 1957	$ 2047	$ 2134
96"W	TKG45096SLS	$ 1995	$ 2087	$ 2176

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Terrace Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 106 for finishes.	**Edge Color:** See page 106 for finishes.
T K G 4 _ _ _ _ _ _ _ .	_ _ .	_ _ _ _ .	_ _

Example: **TKG42554SLS.F.TM133.E4**

S ***Shippable by small-package carrier.***


Tiles

Terrace® — Laminate Spanning Tiles To-the-Floor / Bracket Kits


For specification information see pages 117-123.




Description	Model	L1 List Price	L2 List Price	L3 List Price
25"H Laminate Spanning Tile To-The-Floor				
54"W	TKG42554SLSTF	$ 1127	$ 1179	$ 1229
60"W	TKG42560SLSTF	$ 1157	$ 1211	$ 1263
66"W	TKG42566SLSTF	$ 1196	$ 1253	$ 1307
72"W	TKG42572SLSTF	$ 1281	$ 1341	$ 1399
78"W	TKG42578SLSTF	$ 1354	$ 1417	$ 1478
84"W	TKG42584SLSTF	$ 1416	$ 1481	$ 1545
90"W	TKG42590SLSTF	$ 1480	$ 1547	$ 1615
96"W	TKG42596SLSTF	$ 1575	$ 1648	$ 1718



30"H Laminate Spanning Tile To-The-Floor				
54"W	TKG43054SLSTF	$ 1163	$ 1218	$ 1269
60"W	TKG43060SLSTF	$ 1273	$ 1333	$ 1390
66"W	TKG43066SLSTF	$ 1328	$ 1390	$ 1449
72"W	TKG43072SLSTF	$ 1401	$ 1465	$ 1529
78"W	TKG43078SLSTF	$ 1419	$ 1484	$ 1548
84"W	TKG43084SLSTF	$ 1574	$ 1647	$ 1717
90"W	TKG43090SLSTF	$ 1656	$ 1733	$ 1808
96"W	TKG43096SLSTF	$ 1727	$ 1808	$ 1885



42"H Laminate Spanning Tile To-The-Floor				
54"W	TKG44254SLSTF	$ 1490	$ 1559	$ 1627
60"W	TKG44260SLSTF	$ 1590	$ 1664	$ 1735
66"W	TKG44266SLSTF	$ 1666	$ 1743	$ 1819
72"W	TKG44272SLSTF	$ 1710	$ 1790	$ 1866
78"W	TKG44278SLSTF	$ 1750	$ 1832	$ 1910
84"W	TKG44284SLSTF	$ 1817	$ 1902	$ 1983
90"W	TKG44290SLSTF	$ 1863	$ 1950	$ 2032
96"W	TKG44296SLSTF	$ 1894	$ 1982	$ 2066



50"H Laminate Spanning Tile To-The-Floor				
54"W	TKG45054SLSTF	$ 1911	$ 2000	$ 2084
60"W	TKG45060SLSTF	$ 1929	$ 2018	$ 2103
66"W	TKG45066SLSTF	$ 1948	$ 2038	$ 2125
72"W	TKG45072SLSTF	$ 1990	$ 2082	$ 2171
78"W	TKG45078SLSTF	$ 2195	$ 2295	$ 2394
84"W	TKG45084SLSTF	$ 2226	$ 2327	$ 2429
90"W	TKG45090SLSTF	$ 2275	$ 2378	$ 2481
96"W	TKG45096SLSTF	$ 2316	$ 2422	$ 2526

Description	Model	List Price
Spanning Tile Bracket Kits		
	TKSTBRKT1	$ 242
	TKSTBRKT2	$ 242

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Terrace Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 106 for finishes.	**Edge Color:** See page 106 for finishes.
T K G 4 _ _ _ _ _ _ .	_ _ .	_ _ _ _ .	_ _


Example: **TKG42554SLSTF.F.TM133.E4**

S ***Shippable by small-package carrier.***


Tiles

Terrace® — Glass Tiles — Single-Pane


For specification information see pages 117-123.



Description	Model	Clear P1 List Price	Clear P2 List Price	Clear P3 List Price	Frosted P1 List Price	Frosted P2 List Price	Frosted P3 List Price
15"H Glass Tiles							
24"W	TK41524GK S	$ 815	$ 845	$ 874	$ 947	$ 977	$ 1006
30"W	TK41530GK S	$ 865	$ 897	$ 927	$ 1013	$ 1045	$ 1075
36"W	TK41536GK S	$ 915	$ 948	$ 980	$ 1083	$ 1116	$ 1148
42"W	TK41542GK S	$ 979	$ 1014	$ 1049	$ 1163	$ 1198	$ 1233
48"W	TK41548GK S	$ 1052	$ 1090	$ 1128	$ 1253	$ 1291	$ 1329
60"W	TK41560GK S	$ 1250	$ 1296	$ 1340	$ 1467	$ 1513	$ 1557



22½"H Glass Tiles							
24"W	TK42224GK S	$ 953	$ 987	$ 1020	N/A	N/A	N/A
30"W	TK42230GK S	$ 1000	$ 1036	$ 1071	N/A	N/A	N/A
36"W	TK42236GK S	$ 1054	$ 1092	$ 1130	N/A	N/A	N/A
42"W	TK42242GK S	$ 1117	$ 1158	$ 1198	N/A	N/A	N/A
48"W	TK42248GK S	$ 1188	$ 1232	$ 1274	N/A	N/A	N/A
60"W	TK42260GK S	$ 1390	$ 1440	$ 1489	N/A	N/A	N/A



30"H Glass Tiles							
24"W	TK43024GK S	$ 1091	$ 1132	$ 1171	N/A	N/A	N/A
30"W	TK43030GK S	$ 1162	$ 1206	$ 1247	N/A	N/A	N/A
36"W	TK43036GK S	$ 1237	$ 1283	$ 1326	N/A	N/A	N/A
42"W	TK43042GK S	$ 1341	$ 1390	$ 1437	N/A	N/A	N/A
48"W	TK43048GK S	$ 1440	$ 1492	$ 1542	N/A	N/A	N/A
60"W	TK43060GK S	$ 1687	$ 1748	$ 1807	N/A	N/A	N/A

How to specify —	*1st Option:*	*2nd Option:*
Select the Terrace Model Number from above.	**Paint:** P1 P2 P3	**Glass** *(if applicable)*: **C** Clear **F** Frosted (only available on 15"H tiles)
T K 4 .	P .	


Example: **TK41524GK.P27.C**

S *Shippable by small-package carrier.*


Tiles

Terrace® — Marker Board Tiles


For specification information see pages 117-123.




Description	Model	List Price
7½"H Marker Board Tiles		
24"W	**TKG40724MS** S	$ 371
30"W	**TKG40730MS** S	$ 396
36"W	**TKG40736MS** S	$ 415
42"W	**TKG40742MS** S	$ 438
48"W	**TKG40748MS**	$ 451
60"W	**TKG40760MS**	$ 481



15"H Marker Board Tiles		
24"W	**TKG41524MS** S	$ 398
30"W	**TKG41530MS** S	$ 425
36"W	**TKG41536MS** S	$ 448
42"W	**TKG41542MS** S	$ 471
48"W	**TKG41548MS**	$ 481
60"W	**TKG41560MS**	$ 507



22½"H Marker Board Tiles		
24"W	**TKG42224MS** S	$ 439
30"W	**TKG42230MS** S	$ 471
36"W	**TKG42236MS** S	$ 523
42"W	**TKG42242MS** S	$ 558
48"W	**TKG42248MS**	$ 612
60"W	**TKG42260MS**	$ 683



30"H Marker Board Tiles (Tile is 30"H, for use with 35"H Frames)		
24"W	**TKG43024MS** S	$ 450
30"W	**TKG43030MS** S	$ 478
36"W	**TKG43036MS** S	$ 532
42"W	**TKG43042MS** S	$ 567
48"W	**TKG43048MS**	$ 628
60"W	**TKG43060MS**	$ 695



15"W Marker Board Tray — Natural Aluminum		
Magnetic Marker Board Tray	**TK4TRAYMS** S	$ 106

How to specify —

Select the Terrace Model Number from above.

T K | | | | | | | | .


Examples: **TKG41520MS** **TK4TRAYMS**


S *Shippable by small-package carrier.*


Tiles


Terrace® — Landscape™ Tiles

For specification information see pages 117-123.









Description	Model	Old Model Number For Reference	P1 Grade 2 List Price	P2 Grade 2 List Price	P3 Grade 2 List Price
7½"H Landscape Tiles (Tile comes assembled)					
24"W	**TKG40724L** ␣␣ S	TK40724 ␣␣	$ 689	$ 714	$ 739
30"W	**TKG40730L** ␣␣ S	TK40730 ␣␣	$ 784	$ 812	$ 841
36"W	**TKG40736L** ␣␣ S	TK40736 ␣␣	$ 925	$ 958	$ 990
42"W	**TKG40742L** ␣␣ S	TK40742 ␣␣	$ 1049	$ 1087	$ 1125
48"W	**TKG40748L** ␣␣ S	TK40748 ␣␣	$ 1175	$ 1219	$ 1260
60"W	**TKG40760L** ␣␣ S	TK40760 ␣␣	$ 1374	$ 1423	$ 1471
15"H Landscape Tiles (Tile comes assembled)					
24"W	**TKG41524L** ␣␣ S	TK41524 ␣␣	$ 698	$ 723	$ 748
30"W	**TKG41530L** ␣␣ S	TK41530 ␣␣	$ 801	$ 831	$ 859
36"W	**TKG41536L** ␣␣ S	TK41536 ␣␣	$ 936	$ 970	$ 1002
42"W	**TKG41542L** ␣␣ S	TK41542 ␣␣	$ 1063	$ 1101	$ 1139
48"W	**TKG41548L** ␣␣ S	TK41548 ␣␣	$ 1187	$ 1231	$ 1273
60"W	**TKG41560L** ␣␣ S	TK41560 ␣␣	$ 1427	$ 1478	$ 1527
22½"H Landscape Tiles (Tile comes assembled)					
24"W	**TKG42224L** ␣␣ S	TK42224 ␣␣	$ 1168	$ 1210	$ 1252
30"W	**TKG42230L** ␣␣ S	TK42230 ␣␣	$ 1245	$ 1291	$ 1334
36"W	**TKG42236L** ␣␣ S	TK42236 ␣␣	$ 1528	$ 1583	$ 1635
42"W	**TKG42242L** ␣␣ S	TK42242 ␣␣	$ 1800	$ 1864	$ 1927
48"W	**TKG42248L** ␣␣ S	TK42248 ␣␣	$ 2023	$ 2094	$ 2165
60"W	**TKG42260L** ␣␣ S	TK42260 ␣␣	$ 2734	$ 2831	$ 2927
30"H Landscape Tiles (Tile comes assembled) (Tile is 30"H, for use with 35"H Frames)					
24"W	**TKG43024L** ␣␣ S	TK43024 ␣␣	$ 1196	$ 1240	$ 1282
30"W	**TKG43030L** ␣␣ S	TK43030 ␣␣	$ 1272	$ 1318	$ 1362
36"W	**TKG43036L** ␣␣ S	TK43036 ␣␣	$ 1546	$ 1601	$ 1656
42"W	**TKG43042L** ␣␣ S	TK43042 ␣␣	$ 1814	$ 1878	$ 1942
48"W	**TKG43048L** ␣␣ S	TK43048 ␣␣	$ 2026	$ 2097	$ 2168
60"W	**TKG43060L** ␣␣ S	TK43060 ␣␣	$ 2746	$ 2843	$ 2940

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Terrace Model Number from above.	**Landscape Option:** **Grade 2 Foundation™** **FD**	**Landscape Material and Finish:** **FD01** Sand **FD02** Taupe **FD04** Pure White	**Paint Color:** P1 P2 P3 See page 106 for finishes.
␣␣␣␣␣␣␣␣	**F D** .	**F D 0** ␣ .	**P** ␣␣


Example: **TKG43042LFD.FD04.P27**

S *Shippable by small-package carrier.*

Tiles

Terrace® — Custom Tile Bracket Kits


For specification information see pages 117-123.




Description	Model		P1 Paint List Price
7½"H Custom Tile Bracket Kits			
24"W	TK40724CTK	S	$ 96
30"W	TK40730CTK	S	$ 98
36"W	TK40736CTK	S	$ 110
42"W	TK40742CTK	S	$ 114
48"W	TK40748CTK	S	$ 120
60"W	TK40760CTK	S	$ 134



15"H Custom Tile Bracket Kits			
24"W	TK41524CTK	S	$ 99
30"W	TK41530CTK	S	$ 111
36"W	TK41536CTK	S	$ 115
42"W	TK41542CTK	S	$ 120
48"W	TK41548CTK	S	$ 126
60"W	TK41560CTK	S	$ 140



22½"H Custom Tile Bracket Kits			
24"W	TK42224CTK	S	$ 106
30"W	TK42230CTK	S	$ 112
36"W	TK42236CTK	S	$ 120
42"W	TK42242CTK	S	$ 125
48"W	TK42248CTK	S	$ 129
60"W	TK42260CTK	S	$ 148



30"H Custom Tile Bracket Kits (Tile is 30"H, for use with 35"H Frames)			
24"W	TK43024CTK	S	$ 120
30"W	TK43030CTK	S	$ 125
36"W	TK43036CTK	S	$ 128
42"W	TK43042CTK	S	$ 135
48"W	TK43048CTK	S	$ 140
60"W	TK43060CTK	S	$ 155

How to specify —

Select the Terrace Model Number from above.

1st Option:

Frame Paint Color:

See page 106 for finishes.

T K 4 _ _ _ _ _ _ . P _ _


Example: **TK40724CTK.P4J**

S *Shippable by small-package carrier.*


Tiles

Terrace® — Veneer Tiles


For specification information see pages 117-123.



Description	Model	V2 List Price
15"H Veneer Tiles		
30"W	**TK41530V** S	**$ 576**
48"W	**TK41548V** S	**$ 829**



Description	Model	V2 List Price
22½"H Veneer Tiles		
48"W	**TK42248V** S	**$ 1125**



Description	Model	V2 List Price
30"H Monolithic Veneer Tiles (Tile is 30"H, for use with 35"H Frames)		
30"W	**TK43030V** S	**$ 860**
36"W	**TK43036V** S	**$ 967**
48"W	**TK43048V** S	**$ 1130**



Description	Model	V2 List Price
42½"H Monolithic Veneer Tiles (Tile is 37½"H, for use with 42½"H Frames)		
30"W	**TK44230V** S	**$ 1191**
42"W	**TK44242V** S	**$ 1438**
48"W	**TK44248V** S	**$ 1631**

How to specify —

Select the Terrace Model Number from above.

1st Option:

Veneer Type and Finish:

See page 106 for finishes.

S prefix for Stratawood


T K 4 _ _ _ V . _ _ _ _ _

Example: **TK43036V.SC777**

S *Shippable by small-package carrier.*

Electrical & Data

Terrace features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway and beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.



Electrical Systems


Terrace offers a choice of four electrical systems:
- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.

- See pages 153-154 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian) - 16 amps plannable in U.S.
- Terrace panels and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.
- Use of a 35"H frame in a panel run will block beltline and above power distribution.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.


Note: No more than one conduit that is connected to a harness mounted to horizontal can be routed through the same cut out in the same horizontal at beltline. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.

Hardwire New York Code (page 163)



- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 30"W to 60"W.
- When used in 30"W and 36"W panels, power can be routed only in one direction.
- When used in 42"W, 48"W, and 60"W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction.
- Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.

Hardwire Chicago Code (page 164)
- Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- The base pathway, junction box (model 873600) clips directly into receptacle locations and can be used both single- and double-sided.
- In the beltline location, junction box (model 873550) can only be used single-sided.
- Base pathway model has a larger volume capacity for wiring to allow for dual-sided applications.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.




- Tiles at the beltline must be field ported.
- Power entry can be routed from the ceiling, via a Terrace power pole, or from the floor into a junction box (beltline model 873550; or base pathway model 873600).

Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.

Base Infeed (page 163)




- Sealttight base pathway power infeed mounts into any receptacle position in the base pathway area.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.
- A jumper is required to connect base pathway power to beltline.

Sealtight Electrical Infeed (page 163)




- Sealtight electrical infeed cable is used with footed panels.
- Should not be ordered prior to installation to have pre-wired as infeed must be routed from inside of panel out to be connected to power.
- Cannot be connected to power harness in panel frame that infeed is brought into unless additional pass-thru harness without power block is used to feed from below beltline to above beltline.

Ceiling Power Infeed (page 163)



- Ceiling power infeed connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole.
- Use models A870535 or A870565 with integrated power pole.
- Can also be used as infeed for footed panels.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.

Integrated Power Pole (page 163)



- Integrated power and communications poles provide capacity for routing power supply directly through the top of any structural or stacking frame using same width trim/connector kit in place of top cap.
- Avoid glass or translucent tiles in upper position of frames with integrated power poles.
- Power pole has a cavity on each side of a center septum.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness located in an adjacent panel. (See pages 159-160 for cable capacity.)

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

* Select power harness models (A8712XX), pass-thru cables (A8710XX), and pass-thru harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an “A” suffix and appear in a gray box in this pricer.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 161.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




Four-circuit, 2 + 2 Receptacle Option




The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/ dedicated. The three-circuit components have model numbers with an "A" suffix.



Terrace System Receptacle Usage

Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered

Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	**3 + 1**	Common Circuit-1 **A873501**	Common Circuit-2 (1) **A873502**	Common C ircuit-3 **A873503**	Iso/Dedicated Circuit-4 **A873504**
	2 + 2	Common Circuit-1 **A873501**	Common Cir- cuit-2 **A873502**	Isolated Circuit-3 **A873506**	Isolated Circuit-4 **A873504**
Three-circuit 3-Hot/3-Neutral/2-Ground	**w/separate neutrals**	Common Circuit-1 **A871501A**	Common Circuit-2 **A871502A**	Iso/Dedicated Circuit-3 **A871503A**	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel model numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust-colored.


Duplex Receptacle




15 amp receptacle

Power Harnesses, Pass-Thru Cables, and Jumpers


Electrical power harnesses are used to distribute power in Terrace panels. Harnesses can be mounted at base pathway or beltline. **Power blocks** on electrical power harness and pass-thru harness accept duplex receptacles.



Electrical Power Harness




Electrical Pass-Thru Harness With Power Block



Electrical Pass-Thru Harness Without Power Block




Electrical Jumper Cables



Dual Electrical Eight-circuit Power Harness Kit

All electrical power harnesses and pass-thru harnesses (except 20"W) will stretch 3½", allowing them to span "T", "X", and 120° intersections and "S" extended straight connections.

Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.



Electrical Power Harnesses (page 162)
- Specify harness length to match panel width. 24" power harness accepts one receptacle on each side of the harness, all other length power harnesses have power blocks to accept four duplex receptacles (two on each side of panel).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in base pathway; harnesses require optional mounting brackets at beltline or other vertical locations
- Use of a ceiling infeed or jumper requires one additional harness.


Electrical Pass-thru Harnesses With Power Block (page 162)
- Specify harness length to match panel width.
- Electrical pass-thru harnesses have capacity to handle one duplex receptacle on each side of the panel.
- A 60" pass-thru harness can be used to jump up to a single duplex receptacle per side at beltine and connecting to a power harness at base pathway.
- Electrical power harnesses and pass-thru cables cannot be routed at 90° at beltline once frames are connected to connector blocks.
- Specify harness length to match panel width.

Electrical Pass-thru Harnesses Without Power Block (page 162)
- Specify harness length to match panel width.
- Electrical pass-thru cables distribute power through any panel where receptacles are not required. Cable length cannot be stretched.


Electrical Jumper Cables (page 162)
- Electrical jumper cables connect power from base pathway or beltline to a harness located on any horizontal member as needed.
- Jumper cable plugs into power block end of electrical power harness or electrical pass-thru harness.
- Model A871366 is 66" to jumper up to 30 inches vertically – base pathway to beltline, beltline to base pathway, or up to 30" above or below beltline when connected to beltline electrical.
- Model A8713108 is 108" to jumper up to 65" vertically – from baserail up to the highest 15" opening on an 80"H frame.
- Jumper can also be used from beltline to adjacent beltline at 90° juncture via baseline.

Dual Electrical Eight-circuit Power Harness Kits (page 162)
- Kit provides back-to-back four-circuit systems giving double the capacity of harness and pass-thru cables. Cannot be used at beltline with Terrace. Restricted to base pathway only.
- Requires two four-circuit infeeds. Uses four-circuit receptacles.
- Models must be positioned "back-to-back" in the panel — single-side use is not permitted.
- Components can only be routed in a single run — a single run cannot branch to multiple panel runs at "T" and "X" junctions.
- Four-circuit jumper cables (A8713xx) can only be connected to a power block at one end of a run — power cannot be routed between a run in the base pathway and beltline area, except at one end of the run.
- Standard four-circuit pass-thru cables (A8710xx) can be used in between power harnesses. Two are required in the back-to back configurations.
- Models can be connected to standard four-circuit power harnesses and pass-thrus, although it is not recommended because of possible circuit number ambiguity.
- Two power infeeds are required to connect the back-to-back runs. Power A8719xx must be connector to a power block at the end of a run.
- Data faceplates and terminals cannot be positioned in a panel into which back-to-back power harnesses are installed.
- Power infeeds A8719xx must be routed from a panel wherein no power harness is positioned, into an adjacent panel where a power harness is positioned and connected to the end of a power block.


Power Blocks



Power Block Base Pathway Mounting



Power Block at Beltline



Horizontal Electrical Mount Support

Terrace offers multiple options for mounting electrical:

Base Pathway Mounting

- Power blocks snap directly onto brackets in base pathway area and accept receptacles (sold separately) on each side of harness.


Electrical Mounting Brackets (page 164)

- Package of 12. One bracket required at beltline for each pass-thru harness and 24"W power harness. Two brackets required at beltline for 30"-60"W power harnesses.
- For ported receptacles at beltline or below worksurface, mount power blocks onto electrical mounting brackets which screw into Terrace panel frame.
- Model 8989EB for use with data/electrical port tiles at beltline or directly below standard worksurface height on 42½"H-65"H panels.
- Model 8989BW for use with data/electrical port tiles directly below standard worksurface height on 35"H panels only.
- Data/electrical port tiles must be used where exposed receptacles will be located. No standard port tiles are currently available for below worksurface, either field port using kit model UTP or contact tailored products.
- To connect power between the base pathway and the beltline area, four-circuit jumper cables (A8713xx) must be connected to a power block at one end of a run, routed into an adjacent panel that contains no power harness, then routed back into the panel that contains a power harness (or pass-thru cable), and connected to a power harness in the other pathway.

Horizontal Electrical Mount Support (page 165)

- Use horizontal electrical mount support bar and electrical mounting brackets (sold separately) when mounting power blocks at a location other than beltline or base pathway.
- Specify support bar width to match panel width.
- Tiles must be field ported when electrical is mounted in a location other than just above the worksurface at beltline.
- 22½"H ported tiles can be used to mount power below the worksurface with the electrical mount support bar being field located in the panel to align with the tile's ports.
- Can be used with acoustical tiles on one or both sides of the panel frame.
- One electrical mounting bracket required for each pass-thru harness and 24"W power harness. Two electrical mounting brackets required for 30"– 60"W power harnesses.
- Gray only. Includes attaching hardware.

Receptacles



Duplex Receptacle


Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Designer White PJW	use Designer White DW
Bungalow	use Muslin EU
Champagne Metallic	use Muslin EU
Cinder	use Brownstone EY
Fossil	use Flint E9
Gunmetal Metallic	use Brownstone EY
Parchment	use Muslin EU
Pebble	use Loft EV
Pewter	use Flint E9
Platinum Metallic	use Silver ES
Salt	use Silver ES
Titanium	use Silver ES

Duplex Receptacles (page 163)


- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses.
- Duplexes are available in multiple colors. See page 106 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.

Cable and Wire Management




Cable Management Tray

Cable Management Tray (page 164)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.




AWRSTRIP

Wire Management Strips/Channels (page 164)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in^2. Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in^2.




Cord Retainer Clip

Cord Retainer Clip (page 164)
- Provides confinement of vertical electrical/data wiring.
- 1½"H cord clips snap into vertical panel slots to contain cords.
- 4 clips are provided standard with each task light cord.
- Package of 50. Available in Black only.




Data Management Organizer

Data Management Organizers (page 164)
- Cable organizers are made of rigid polymer, and hang from the horizontal cross members or in the base raceway. Can be stacked infinitely.
- Cables can be placed into the extensions of the organizers to keep cables aligned as they pass through the panel frame.
- Commercially available tie-wraps can also be used to strap cables to the organizer extensions.
- Organizers are ordered separately in packs of 20.




Universal Tile Port Kit

Universal Tile Port Kit (page 164)
- Allows field installation of additional data accessories.
- Grommet opening dimension — 1.375"H x 2.700"W.



Wireway Grommet


Wireway Grommet (page 164)
- Fits into any receptacle opening.
- Used when routing wires through receptacle opening.




AMPCHASE

Panel Mounted Wire Chase (page 164)
- Attaches between panels on Stride, Terrace, and Optimize via a slotted standard.
- Designed to sit below a worksurface and provide additional cord management from the base rail to beltline/under-worksurface height.
- Available in standard metal paint finishes.

Lighting



Task Lights




Undercabinet LED Light


Task Lights (page 991)
- Task lights can be recessed under storage cabinets or storage shelves, panel-hung, or freestanding.
- Three styles of recessed task lights in four sizes are available to correspond to cabinet or shelf width.
- All styles have 9' power cords in black, connected in the right rear corner.
- All models feature electronic ballast for longer bulb life and cooler operating temperature.
- Task lights with a fused plug to meet Chicago electrical code are also available.
  Recommendation: Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.

Undercabinet LED Light (page 991)
- Undercabinet LED light can be mounted beneath overhead cabinets with wood screws or magnets.


Data




Base Pathway Cover



Voice/Data Receptacle



ATADF3




ATADF4


Terrace Base Pathway Covers (page 165)
- Features an additional knockout (offset) for improved utilization of power and data. Knockouts are 2.700"W x 1.377"H.
- Due to panel depth, back-to-back data modules should not be used at beltline or in the base on Terrace.


Data Faceplates (page 165)
- Fit into receptacle and data port openings in base raceway covers or into data port (UTP).
- Due to panel depth, data modules should not be used back-to-back at beltline or in the base on Terrace.





Cord Organizer (page 165)
- Attaches to bottom of worksurface.
- 4"W x ⅞"D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 – .250" diameter and 2 – 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.














Circuit Usage

Strategy 1

Circuits to Equipment

Assign specific uses for each of the circuits:

- For example, in a four-circuit system:
  Circuit 1 — Calculators, fans, etc.
  Circuit 2 — Task lights (could be wired to wall switch)
  Circuit 3 — CRT or flat screen monitors
  Circuit 4 — CPUs

Strategy 2


Circuits to Workstations


Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.

Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.

Lay-in Cable Capacity

- The top and base pathway allow continuous voice and data lines to run through and between panels without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Terrace top pathway accepts up to 7 voice/data cables (.25" dia).
- Terrace variable height junctions accept up to 3 voice/data cables (.25" dia.).
- Terrace base pathway accepts up to 56 voice/data cables (.25" dia.) (6.03 sq. in.) at 60% fill.
- When electrical system shares base pathway, the cable capacity in Terrace is reduced to 18 cables (2.25 sq. in.). Cable quantities listed are at 60% fill ratio.
- Cable capacity of the Terrace power pole, in addition to electrical infeed is 2.79 sq. in. on one side and 2.91 sq. in. on the other for a total capacity of 66 cables of .25" diameter.





Underside of Base Pathway Juncture Between Frames

Terrace String-in Capacity

- **Openings in frame sides** permit data and communication cables to be run between frames in Terrace.
- Using tackable acoustical tiles, the beltline pathway accommodates up to 62 cables (.25" dia) or 46 cables with electrical components installed.

DO NOT run electrical equipment or extension cords through cable openings in frame sides. Use beltline or base-mounted electrical system for all electrical supply.


- **Cables can enter/exit panel** through underside of base pathway at juncture between frames.
- Openings are sized as follows (in sq. in.):

Terrace System	Sq. In.
Straight connection	6.0
"S" Extended Straight Connection	10.0
"L" 90° Connection	8.9
"T" Connection	15.9
"X" Connection	17.9
"A" Connection	—
"Y" Connection	—

- When leveling glides are fully retracted, panel-to-floor clearance is 7⁄16". This may affect the volume of cabling that can be fed into the frame from the bottom of the pathway.

Vertical Capacity

Vertical Capacity Through Panel Frames



	Panel Width	Qty. of .25" Cables at 45% Fill Ratio	Qty. of .25" Cables at 60% Fill Ratio	Total Space (sq. in.)
Terrace	24" – 60"W	45	60	5.26

- A 60% fill ratio is achievable; however, when electrical components are installed in the beltline area, cabling capacity through the beltline area will be limited to approximately 45% fill ratio.

Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.


Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

Power Option 2+2
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items


Power Option 3 (Circuit-separate neutrals)
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

For specification information see pages 151-161.



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Power Harnesses				
For 24"W Frames	1	**A871224**	**A871224A** S	$ 420
For 30"W Frames	2	**A871230**	**A871230A** S	$ 420
For 36"W Frames	2	**A871236*†**	**A871236A** S	$ 420
For 42"W Frames	2	**A871242***	**A871242A** S	$ 447
For 48"W Frames	2	**A871248***	**A871248A** S	$ 447
For 60"W Frames	2	**A871260***	**A871260A** S	$ 447


†When purchased separately without a configurable TAA compliant end product, not on GSA contract.



Electrical Pass-Thru Harnesses with Power Block				
For 24"W Frames	1	**A871124**	**A871124A** S	$ 257
For 30"W Frames	1	**A871130**	**A871130A** S	$ 257
For 36"W Frames	1	**A871136*†**	**A871136A** S	$ 257
For 42"W Frames	1	**A871142*†**	**A871142A** S	$ 274
For 48"W Frames	1	**A871148*†**	**A871148A** S	$ 274
For 60"W Frames	1	**A871160***	**A871160A** S	$ 274
For 72"W Frame Runs	1	**A871172**	**A871172A** S	$ 367

*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (*) are considered Open Market.

†When purchased separately without a configurable TAA compliant end product, not on GSA contract.




Electrical Pass-Thru Cable without Power Block				
For 24"W Frames	0	**A871024**	**A871024A** S	$ 236
For 30"W Frames	0	**A871030**	**A871030A** S	$ 236
For 36"W Frames	0	**A871036**	**A871036A** S	$ 236
For 42"W Frames	0	**A871042**	**A871042A** S	$ 246
For 48"W Frames	0	**A871048**	**A871048A** S	$ 246
For 60"W Frames	0	**A871060**	**A871060A** S	$ 246



Electrical Jumper Cables – Harness to Harness				
Up to 30" vertical jump (66")		**A871366**	**A871366A** S	$ 291
Up to 65" vertical jump (108")		**A8713108**	**A8713108A** S	$ 542

Note: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.



Description	Max. Recept. Cap. per Panel Side	Eight-circuit 3 + 1 (each side) 2 + 2 (each side)	List Price
Dual Electrical Eight-circuit Power Harness Kit			
For 24"W Panels	1	**A2-8CIR24** S	$ 1007
For 30"W Panels	2	**A2-8CIR30** S	$ 1007
For 36"W Panels	2	**A2-8CIR36** S	$ 1455
For 42"W Panels	2	**A2-8CIR42** S	$ 1455
For 48"W Panels	2	**A2-8CIR48** S	$ 1455
For 60"W Panels	2	**A2-8CIR60** S	$ 1468

Note: Kit consists of two four-circuit harnesses placed "back-to-back" to provide 8 circuits.

How to specify —

Select the Model Number from above.

1st Option:

Color:

P Black


								P

Examples: **A871224.P** **A871224A.P** **A871124.P** **A8710144A.P** **A2-8CIR36.P**

S *Shippable by small-package carrier.*


Electrical & Data

For specification information see pages 151-161.



Duplex Receptacle

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles for Beltline or Base Pathway — Terrace (specify color)				
Circuit 1	**A873501**	**A871501A**	S	$ 78
Circuit 2	**A873502**	**A871502A**	S	$ 78
Circuit 3 (3+1)	**A873503**	**A871503A**	S	$ 78
Circuit 3 (2+2)	**A873506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A873504**	**N/A**	S	$ 78
Circuit 1, 20 AMP	**A871601**	**A871601A**	S	$ 78




Electrical Infeed Cables

Electrical Infeed Cables				
6' Sealtight Cable for Terrace Receptacle	**A876072**	**A876072A**	S	$ 472
6' Flex Cable	**A871972**	**A871972A**	S	$ 355




Ceiling Electrical Infeed

Ceiling Electrical Infeed Cables				
12' Flex Cable	**A871912**	**A871912A**	S	$ 482
18' Flex Cable	**A871918**	**A871918A**	S	$ 606



Electrical Infeed Cable

Electrical Infeed Cables (for use with footed panels)				
12' Sealtight Cable Power Infeed	**A877012**	**N/A**	S	$ 587




Hardwire Power Infeed

Hardwire Power Infeed (New York Code)				
For 30"–60"W panels	**A871400**	**A871400A**	S	$ 462

Note: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.





**6" from end to center.*

Description/ Examples	Flat Top Trim Model	Radius Top Trim Model	Flat Top Trim P1 Paint List Price	Flat Top Trim P2 Paint List Price	Flat Top Trim P3 Paint List Price	Radius Top Trim P1 Paint List Price	Radius Top Trim P2 Paint List Price	Radius Top Trim P3 Paint List Price
Integrated Power Poles (Order flat or radius trim kit below) — for Terrace (core paint only)								
For 35"H-57½"H Panels – 78"H	**870535** S	**870535** S	$ 736	N/A	N/A	$ 736	N/A	N/A
For 65"H-95"H Panels – 52"H	**870565** S	**870565** S	$ 513	N/A	N/A	$ 513	N/A	N/A
Integrated Power Pole Trim Kits for Terrace Painted Trim (order pole above)								
24"W Panel Trim	**870224NF** S	**870224N** S	$ 290	$ 322	$ 350	$ 257	$ 257	N/A
30"W Panel Trim	**870230NF** S	**870230N** S	$ 303	$ 335	$ 363	$ 271	$ 271	N/A
36"W Panel Trim	**870236NFK** S	**870236N** S	$ 336	$ 368	$ 396	$ 292	$ 292	N/A
42"W Panel Trim	**870242NFK** S	**870242N** S	$ 342	$ 374	$ 402	$ 300	$ 300	N/A
48"W Panel Trim	**870248NFK** S	**870248N** S	$ 358	$ 390	$ 418	$ 310	$ 310	N/A
60"W Panel Trim	**870260NFK** S	**870260N** S	$ 375	$ 407	$ 435	$ 327	$ 327	N/A

"K" suffix was added to select flat trim model numbers effective 10/7/2016.

S ***Shippable by small-package carrier.***

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Electrical Receptacle Color** *(if applicable)*: See page 106 for finishes.	**Color** *(if applicable)*: **P** Black	**Paint** *(if applicable)*: P1 P2 P3 See page 106 for finishes.
_____ . **E**			**P**

Examples: **A876072.P A871912.P A873501.E4 870224N.PR2 870224NF.PR2**

Electrical & Data

For specification information see pages 151-161.




Description	Model		P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Electrical Mounting Brackets (for use with Data/Electrical Port Tiles) (no color specified)					
Pack of 12 — for use at beltline and below standard worksurface height on 42½"H to 65"H panels	**8989EB**	S	$ 120	N/A	N/A
Pack of 12 — for use below standard worksurface height on 35"H panels only	**8989BW**	S	$ 120	N/A	N/A

1 bracket required at beltline for each pass-thru harness and 24"W power harness and 2 for 30-60"W power harness.




Hardwire (Chicago Code) (Black only)					
Terrace Base Pathway Junction Box (Pack of 6)	**873600**	S	$ 1228	N/A	N/A
Beltline Junction Box (Pack of 6)	**873550**	S	$ 1156	N/A	N/A



AJTRGH24

Cable Management Trays					
24"W	**AJTRGH24**	S	$ 128	N/A	N/A
36"W	**AJTRGH36**	S	$ 153	N/A	N/A


- Available in 24" or 36" widths.
- Metal Cable Management Trays available in Black only, specify "P" for finish.
- *Example: AJTRGH24.P*



AWRSTRIP

Wire Management Strips/Channels					
	AWRSTRIP	S	$ 281	N/A	N/A


- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*



Cord Retainer Clip (Black only)					
Package of 50	**AAPACM2**	S	$ 61	N/A	N/A


Data Management Organizer (Black only)					
Package of 20	**A877010**	S	$ 162	N/A	N/A

Data Port Kit (specify electrical color)					
Data/Electrical Port Kit	**UTP**	S	$ 46	N/A	N/A



GSYSRPC2

Tile Port Cover					
Tile Port Cover (Pack of 2)	**GSYSRPC2** (shown)		$ 66	$ 72	$ 75
Tile Port Cover (Pack of 12)	**GSYSRPC12** (shown)		$ 243	$ 255	$ 265



GSYSRPC12

*For more power and wire management options, please visit the **Extensions** pages.*

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 See page 106 for finishes.	**Electrical Port Kit and Wireway Grommet Color:**
	P	E


Examples: **A870300 8989EB 8989BW 873550.P UTP.E4 AJTRGH24.P TAWG.E4**

S *Shippable by small-package carrier.*


Electrical & Data

Terrace® — Electrical and Data Components

For specification information see pages 151-161.




Description	Model		P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Wireway Grommet (Black only)					
Pack of 6	**TAWG**	S	$ 195	N/A	N/A




AMPCHASE

Panel Mounted Wire Chase					
17"H	**AMPCHASE**	S	$ 153	$ 170	$ 177

- Panel Chase is 17"H.
- Available in standard metal paint finishes, see page 106 for options and specify desired finishes.
- *Example: AMPCHASE.P27*




Terrace Horizontal Electrical Mount Support					
24"W	**TN24MS**	S	$ 135	N/A	N/A
30"W	**TN30MS**	S	$ 146	N/A	N/A
36"W	**TN36MS**	S	$ 156	N/A	N/A
42"W	**TN42MS**	S	$ 176	N/A	N/A
48"W	**TN48MS**	S	$ 191	N/A	N/A
60"W	**TN60MS**	S	$ 212	N/A	N/A



Base Pathway Covers — Knockouts					
36"W	**TBPLATE3-36**	S	$ 110	$ 130	$ 144
42"W	**TBPLATE3-42**	S	$ 112	$ 132	$ 146
48"W	**TBPLATE3-48**	S	$ 119	$ 139	$ 153
60"W	**TBPLATE3-60**	S	$ 137	$ 157	$ 171

ATADF3




ATADF4


Data Faceplates					
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3**	S	$ 46	N/A	N/A
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4**	S	$ 46	N/A	N/A

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E, or 6). ATADF4 can install 4 jacks (CAT 3, 5E, or 6).
ATADF models are compatible with ports in Terrace tiles.
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.

ATADJ5



Jacks					
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5**	S	$ 81	N/A	N/A
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6**	S	$ 106	N/A	N/A



Description	Model		List Price P1 Paint	P2 Paint	P3 Paint
Cord Organizer					
4"W x ⅞"D Metal with 4 cable cutouts	**U9WTC**	S	$ 204	$ 215	$ 222

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint (Base Pathway Cover and Cord Organizer):** P1 P2 P3 See page 106 for finishes.	**Data Faceplate Color:** **E4** Black
_ _ _ _ _ _ _ _ _ _ . **P** _ _		**E 4**

Examples: **TN24MS** **TBPLATE3-36.P27** **ATADF4.E4**

S *Shippable by small-package carrier.*

Notes

Stride® Frame & Tile Panel System

Finishes 168
Introduction 169
Statement of Line 170-171
Overview of Frames 172
Working with Frames, Sliding Doors, Connectors, and Tiles 173-192
Panel Frames and Kits 193-208
Tiles and Connectors 209-230
Acoustic Inserts 231
Working with Electrical and Data 232-246

Stride® Frame & Tile Panel System

Finishes

PAINTED METAL FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver** PR6
Solar Black P8X

**PR6 no upcharge on Involve; available as a Grade P2 color on stanchions; is not available on Concensys, Essentials, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

*** These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

METAL STORAGE PULLS

Black E4
Bronze *(for veneer only)* ..... EZ
Matte Silver ..... EL

PAINTED WOOD FINISHES

Brownstone M13
Bungalow M12
Designer White M17
Flint M16
Loft M11
Muslin M15

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Carob use Black E4
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone* LM13
Bungalow* LM12
Designer White* LDW1
Flint* LM16
Fossil Shale* LEH1
Loft* LM11
Muslin* LM15
Titanium* LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut* LFW1
Kingswood Walnut* LKI1
Natural Maple* ..... LWD
NeoWalnut* LNU1
Pinnacle ..... PINC
Shaker Cherry* LW7C

GRADE L2

Beigewood* ..... LWBE
Fawn Cypress* LFC1
Lowell Ash* LLA1
Mangalore Mango* LMM1
Natural Recon* LNR1
Phantom Charcoal* LPC1
Phantom Ecru* LPE1
Portico Teak* LPT1
Skyline Walnut* LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut* ..... LWNW

* Storage available in these 30 laminates.

All laminate surfaces are also offered in an FSC wood option. Add FSC in front of the laminate option. Refer to specification tools.

LAMINATE AND PAINTED WOOD STORAGE PULLS

Silver PR6

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

METAL GROMMETS

FOR LAMINATE WORKSURFACES

Oval/Square:
Matte Silver ..... EL

FOR VENEER WORKSURFACES

Oval:
Black E4
Bronze ..... EZ
Matte Silver ..... EL

Square:
Matte Silver ..... EL

PLASTIC GROMMETS

FOR WORKSURFACES

Black E4
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Flint E9
Fossil ..... EH
Loft ..... EV
Muslin ..... EU
Parchment ..... EN
Titanium ..... TI

PLASTIC GROMMETS WITH WOODGRAIN EDGE

If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Beigewood, Fawn Cypress, Natural Maple, and Natural Recon ..... Muslin EU
Kingswood Walnut and NeoWalnut ..... Brownstone EY
Phantom Charcoal and Skyline Walnut ..... Flint E9
Phantom Ecru ..... Loft EV
Portico Teak ..... Fossil EH
All other woodgrain options ..... Black E4

STRATAWOOD VENEERS

GRADE V2

CHERRY

Cinnamon/Biltmore Cherry SC260
Lowell Ash Cherry SC394
Clear Cherry SC700
Light Cherry SC701
Shaker Cherry SC774
Burnished Cherry SC777

MAPLE

Field Elm SE599
Clear Maple*** SE800
Harvest Maple SE856
Beigewood SE878
Phantom Ecru SE912
Belair SE934

OAK

Clear Oak SF300
Dark Rift Oak SF331

SILVER OAK

Silver Oak Clear SB100
Portico Teak Silver Oak SB150

WALNUT

Florence Walnut ST579
Light Walnut ST601
Skyline Walnut ST625
Pinnacle Walnut ST679
Sumatra Walnut ST693

NATURAL VENEERS — FLAT CUT

GRADE V2

CHERRY

Cinnamon/Biltmore Cherry NC260
Lowell Ash NC394
Medium Red Cherry NC512
Light Cherry NC701
Shaker Cherry NC774
Burnished Cherry NC777

MAPLE

Clear Maple NE800
Harvest Maple NE856

WALNUT

Ebony Walnut NT509
Florence Walnut NT579
Light Walnut NT601
Skyline Walnut NT625
Nutmeg Walnut NT629
Pinnacle Walnut NT679
Sumatra Walnut NT693

NATURAL VENEERS — RIFT CUT

GRADE V3

Fawn Cypress Rift Cut Oak RF108
Light Rift Cut Oak RF301
Dark Rift Cut Oak RF331
Phantom Ecru Rift Cut Oak RF912

The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.

GROMMETS ON VENEER WORKSURFACES

Wire management grommets come standard on most veneer worksurfaces. Choose between metal or plastic grommet option. Note: Plastic grommet color is predetermined based on finish selection.
All Maple veneers ..... Muslin EU
All other veneers ..... Black E4

LOCKS

Black E4
Chrome ..... ordered by base model
Matte Silver ..... EL

NOTE: Refer to individual product pages for upcharges.

Stride® Frame & Tile Panel System

Keep pace with your environment.

When designing Stride, we set out to discover a furniture platform that could evolve to reflect the changes today's organizations are experiencing. To create components that could adapt to personal preferences and demands of different job functions. To make of the most sustainably minded and manufactured products available. What we found is a whole new way to build a better office environment.

You're asking more of your staff. So we asked more of our furniture.

Today, you have to get more done in less time and in a smaller space. Stride responds by maximizing every inch you have. Perch overhead cabinets and rail-mounted screens bring storage within easy reach and create desktop privacy. Support worksurfaces are available at different heights for managing multiple tasks and easy access to technology.

Designed for real people and real work.

Stride supports multiple job functions, not rigid hierarchy. So it's possible to create an office that serves everyone, whether they work side-by-side or back-to-back. We found a simple way to make every task more comfortable with sit-to-stand worksurfaces that allow users to change postures. Low panels and glass screens keep the space clean, lean, and light.

Space that works like an office, but feels like home.

Because each component of Stride was designed with every other component in mind, the entire collection works together seamlessly. Countless thoughtful details have been designed to increase comfort, improve effectiveness, and add visual appeal.

As Stride was being developed, we considered the needs of the person using the furniture. A range of contemporary worksurface shapes makes it easier to get work done. Segmentation every 7½" offers unlimited access to power. And design details like footed panels, tiles to-the-floor, and spanning glass create a welcoming aesthetic. So even the most straightforward workspace can be more inspiring, long-lasing, and productive.

With simplification of form and subtleness of strength, Stride supports highly collaborative users who need dedicated spaces, as well as mobile workers who only need to touch down for part of the day. Exceptionally easy access to power and data allows people to settle in or come and go. And the elegantly designed open leg supports long spans, creating uninterrupted workspaces.

A people-centric approach to furniture design makes spaces more comfortable, functional, and friendly. It's flexible enough to support the different ways that people work. As your company grows and changes, so does Stride; built-in flexibility allows the collection to adapt to your organization's evolving needs. Yet it's more than furniture. It's a platform for building better environments, while protecting the one we have.

An exceptional collection of materials — textiles, finishes, landscape material options and color palette — were also developed for Stride and many of these additions help to bring a more residential vs. contract ethos to the furnishings.

With an integrated and cohesive kit of universal components, Stride supports a broad range of applications across the open plan and seamless migration from an environment with more separation to one with more openness or vice versa. Stride can be scaled down or up with ease — adding, subtracting, or rearranging, providing a stunning degree of versatility and flexibility to adapt to the organization and the individual.


Stride brings it all together in one complete collection of surfaces, storage, and space division.


Mix and match worksurfaces and space division for your own unique solution. Stride achieves a stunning degree of versatility and flexibility. The use of cohesive, scalable materials and finishes creates a beautiful aesthetic in every application.

Stride® Frame & Tile Panel System


Statement of Line


SPACE DIVISION



Raceway Panel



Footed Panel


Low Profile
Glass Stacker Kit


Doors


Segment Kits


Top Trim and Spanning
Top Trim



Panel Conversion Kits



Connector Blocks



Trim



Light Block Kits


TILES



Tackable Acoustical
(Non-Ported and Ported;
To-the-Floor)



Steel
(Perforated and
To-the-Floor)



Landscape



Tool Tile



Laminate



Glass Tile Kits



Veneer


Veneer
(To-the-Floor)



Natural Veneer Tile Sets



Pass-Thru Trim Kits



Marker Board
(Porcelain, Steel)



Laminate
(To-the-Floor)

SCREENS


Panel Mounted Screens


Desk Screens



Credenza Rail Mounted
Screens


Modesty Panels


Stride® Frame & Tile Panel System

WORKSURFACES & SUPPORTS

Linear Worksurfaces — Laminate with Flat Edges



Additional standard laminate and veneer worksurfaces available.



Support Legs



Support Column



Layered Worksurface Bracket



Off Modular Worksurface Brackets




Credenza Rail





Tower Rail


Frames


Structural Base Panel Frames



35"H Raceway



42½"H Raceway



50"H Raceway



57½"H Raceway



65"H Raceway


35"H Footed



42½"H Footed


50"H Footed



57½"H Footed



65"H Footed


87½"H Hinged Door


50"H Sliding Door



65"H Sliding Door



80"H Sliding Door



Stacking Frames



15"H Stacking Frame


22½"H Stacking Frame


30"H Stacking Frame


Low Profile Glass Stacker


15"H Stacker Kit



Frames

Stride base raceway panel frames include frame, base pathway covers, and in-line connection attachment hardware. Footed panel frames include panel feet. No electrical or data capabilities in base of footed panel frames. Base raceway to footed and footed-to-base raceway kits can be used to convert existing frames to footed style or to base raceway covered style.



Panel frames are only available without top trim. Flat top trim (ordered separately) is available in painted or veneer to match panel width or to span multiple frames.

Panels (frames and tiles) are 3" thick (use 3⅛" to calculate intersections in length of panel run).

Stacking frames are available in 15", 22½", and 30"H.

Structural panel frames are available in 35", 42½", 50", 57½", and 65" nominal heights.

Frames accommodate tiles at 7½" increments. One segment kit (ordered separately) required on base panel frames and stacking frames between each segmented tile.

Beltline area accommodates electrical power and provides desktop access to data and communication cables.

Horizontal cross-members at 22½" provide additional rigidity on frames.

All steel horizontal members have vertical cable and electrical routing capacity.

Opening in the side of uprights accommodates a large volume of data cabling and electrical.

Frames can be specified with knockouts only on one side of base raceway cover.

4"H base raceway cover has outlet openings that accept duplex receptacles or commercially available modular data faceplates. Optional raceway cover with additional opening or no outlet openings available.

Lay-in base raceway accepts voice, data, and fiber optic cable, as well as electrical system.

Leveling glides provide 2¾" of adjustment on frames with raceway covers and 2" of adjustment on footed frames. Glides are accessible from the interior of the frame, except on panel feet.

Stride Frame Dimensions (Actual)

Depth: 3" (use 3⅛" to calculate intersections in length of panel run)

Widths: 24", 30", 36", 42", 48", 60"

Heights*: 34⅜", 41⅞", 49⅜", 56⅞", 64⅜"

Stacking Frames: 15", 22½", 30"H

Leveling Glides on Frames with Raceway Covers: 2¾" range


Leveling Glides on Footed Frames: 2" range

*with levelers fully retracted


Panel Frames and Conversion Kits (pages 193-194)

- Specifications: formed steel vertical members, with tubular steel horizontal members are welded into a strong, sturdy structural panel frame.
- Top trim, tiles, and segment kits are ordered separately depending on application choice.
- Panel frames are standardly shipped with base raceway covers or decorative feet installed. There is no electrical or data capabilities in base of footed panel frames.
- Base raceway to footed and footed-to-base raceway kits can be used to convert existing frames. Footed-to-base raceway kits ship with glide tower assembly. Conversion process requires panel to be removed from panel run.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 104.
- Direct connections between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in length along the run.
- For adequate stability, one of two methods of stabilization shown on page 175 must be adhered to.


Building vertically with Stride frames




Stacking Connection



Segmented Panels



A low profile glass stacker kit is a single pane of clear or frosted safety tempered glass centered within a silver metal frame.



Stacking Frames (page 194)

- Stacking frames can be added to the top of any base panel frame.
- This stacking connection provides a solid metal-to-metal connection, allowing the stacking frame to accept hang-on components, per Allsteel configuration guidelines.
- A maximum of three stacking frames are allowed on base panel frames 35"H-65"H up to a maximum height of 110". Do not combine differing frame widths in a single stack or span multiple base panel frames with stacking frames.
- Guidelines for using overhead storage with stacking frames are given on page 376.
- Includes attachment hardware.
- Add appropriate connector blocks (2 per stacker level).
- When adding stacking frames, the top trim and top trim retainer are removed from the base frame and installed on the uppermost stacking frame.
- To maintain panel mounting slot modularity 22½"H stacking frames should only be used with 42½"H, 57½"H base panel frames or 87½"H door frames. To match 87½"H door frame height, use a 65"H base panel frame with a 22½"H stacking frame (slot modularity will be lost on stacker). To maintain modularity on 35"H, 50"H, and 65"H base panel frames use 15"H or 30"H stacking frames.
- If panel mounting slots are not being used, any stacking frame can be used on any base panel frame of matching width.


Segment Kits (page 194)


- One segment kit required (order segment kit separately) on base panel frames and stacking frames between each segmented tile.
- Segment kit not required at beltline (22½" above the base raceway).
- One segment kit accommodates segmentation on both sides of the frame.
- Segment kit is required to mount electrical other than at beltline or base raceway. Kit provides support for components at 7½"H increments.
- Segment kit not required between low profile glass and base frame.

Low Profile Glass Stacker Kits and Tie Brackets (page 195)

- Single pane clear or frosted safety tempered glass encased within a frame.
- Glass is positioned in the middle of the stacking frame.
- Can be used to span multiple frames when the combined frame width is equal to the low profile glass stacker width.
- Mounts to base panel frame(s) as a stacking unit.
- The top trim from the base panel frame or spanning top trim is used to finish the top of low profile glass stacker kit.
- For use at top position only.
- Low profile glass stackers are non-structural. Do not hang or stack on top of low profile glass stacker kits.
- Cannot mount a countertop on low profile glass stacker kits.
- Tie bracket kit(s) required when two or more low profile glass stackers are adjacent (order separately). Specify based on low profile glass stacker kit intersections at the same height only, ignoring base frames at the same height.
- Tie bracket kits only connect to low profile glass stacker kits. They do not attach to base frames.
- Low profile glass stackers do not have panel slots.
- Height of low profile glass stackers must be considered when calculating overall height.
- Horizontal segment kit is not needed below low profile glass stacker.
- Add appropriate additional connector blocks.
- Uppermost tile(s) on base frame(s) below low profile glass stacker must be removed for stacker installation.


Building horizontally with Stride frames






Direct connections between same height frames.


Important planning guidelines: For adequate stability, one of two methods of stabilization must be adhered to:





Return panels must have combined length 58% of parent run


- **Method 1—Opposing returns:** A parent run must be a minimum of 48" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run. Return panels must be a minimum of 24"W; and must not be any more than 30" shorter in height than parent run.
- **Method 2—Single-sided returns:** A parent run must be a minimum of 48" and a maximum of 144" between return panels. The parent run must have a minimum of two return panels totaling at least 58% of its length, extending in one direction. Return panels must not be any more than 30" shorter in height than parent run. Any run under 100" must have a minimum combined length of 60" of return panels.



- **An off-modular return panel** must be at least 48"W and there must be at least 22"W on one side of the parent run.


Note: Alternate stabilization methods available using back- or side-mounted Stride credenzas — see pages 176-177.

Tie Bracket Kits for Low Profile Glass Stackers (page 195)




- For use with low profile glass stackers when two or more low profile glass stacker kits come together at a connector juncture.
- Only used when attaching one low profile glass stacker kit to another low profile glass stacker kit.
- Specify based on low profile glass stacker kit intersections at the same height only, ignoring base frames at the same height.
- Tie bracket kits only connect to low profile glass stacker kits. Brackets do not attach to base frames.

Panel Mounted Screens (pages 196-197)



- A panel mounted screen is a frameless insert that is integrated into the top trim on a base panel frame.
- The panel mounted screen replaces the top trim on base panel frame or stacking frame on which it is mounted.
- Panel mounted screens cannot be mounted on low profile glass stackers.
- "G" grooved end trim must be used when a base panel frame below a panel mounted screen is shorter than the adjacent in-line panel.
- Panel mounted screens are non-structural and therefore cannot be stacked on top of support hanging elements.
- Finishes and Sizes:
  Clear or Frosted safety glass — available in 7½"H and 15"H

Hinged Door Panel Frame (page 198)



- Includes 42"W frame, top trim, 36"W door, hinges, and attachment hardware.
- Door is available in laminate.
- Order door knob or lever separately, see page 198.

Sliding Door and Mounting Kit (page 198)

- See illustration and specification information on page 178.


Standard Flat Top Trim (page 199)

- Used when specifying base panel frames without top trim.
- Top trim can span individual or multiple base panel or stacking frames.
- It is possible to span multiple frames when the combined frame width is equal to the top trim width.
- Some examples are listed on page 199, other combinations are possible.
- Available in painted or veneer finish.

Connector Span Flat Top Trim (page 199)

- It is possible to span multiple frames and one ("TS", "XS", or "SS") connector when the combined frame width is equal to the top trim width and one "S" style connector.
- Only to be used on a parent run where all return panels are at a lower height (extended straight connections only).
- Available in painted or veneer finish.


Low Credenza Side to Panel Bracket



Side-mounted low credenzas

- The minimum Stride low credenza width is 36" on each end.
- With a mid-run floor support the maximum panel run is 144".
- Without a mid-run floor support, the maximum panel run is 96".
- Overheads and shelves cannot be used with side-mounted low credenzas.
- Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
- Panel frame maximum height is 65"H. Stacking frames can be used.


Credenza Back to Panel Bracket — Modular



Back-mounted credenzas

- The minimum Stride credenza width is 36"W on each end.
- The maximum panel run between back-mounted credenzas is 72".
- With the use of one bracket kit, two credenzas can be ganged together up to 72"W and can span two panels. Each panel must be the same width as each credenza.
- When using overhead cabinets or shelves, both sides of the run must have credenzas that are the same width as the panel or panels joined without a connector.
- Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas. Stacking frames cannot be used with overheads.
- Panel frame maximum height is 65"H.

Credenza Back to Panel Bracket — Off-Modular Ends




Off-Modular back-mounted Credenzas

- The minimum Stride credenza width is 36"W.
- With a floor support the maximum panel run is 144".
- Without a floor support, the maximum panel run is 96".
- Overheads and shelves cannot be used if both ends of the credenza are not on modular.
- Panel frame maximum height is 65"H. Stacking frames can be used.

Frames and Credenzas


High Credenza Side to Panel Bracket



Side-mounted high credenzas

- The minimum Stride high credenza width is 36"W on each end.
- With a floor support the maximum panel run is 144".
- Without a floor support, the maximum panel run is 96".
- Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas. Stacking frames cannot be used with overheads.
- Panel frame maximum height is 65"H.

Credenza Side to Panel Bracket with Return Panel



Bracket with return panel


- Minimum Stride credenza width 36".
- With a floor support the maximum panel run is 144".
- Without a floor support, the maximum panel run is 96".
- The minimum size for panel return is 36"W x 35"H.
- Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the high credenza.
- Panel frame maximum height is 65"H.

Frames

Stride® — Working with Sliding Doors

The sliding door for Stride is system specific; one model for Stride with specific mounting kits for each door ordered. With a frosted translucent insert and your choice of P1 or P2 paint, the sliding door will create a unique look for any office environment.

Sliding doors are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels. They accommodate a 36"W opening and are 42"W, nominally. The doors ship from the factory non-handed and become handed when field installed to fit the specifications of the project. The handle pulls located on each side of the door are color matched to the trim to create a uniform style. And with the threshold free design, the sliding door offers better aesthetics and safety by eliminating the potential for tripping.



Sliding Doors and Mounting Bracket Kits (page 198)

- The system requires the ordering of both a door and a mounting bracket kit.
- The door and mounting bracket kits are system specific. The Stride door and mounting kit only works with Stride.
- All sliding doors are 42" wide to accommodate a 36"W opening. Doors are non-handed and non-locking.
- A mounting bracket kit must be ordered for each door corresponding to the mounting panels width (30", 36", 42", or 48"W) on which the kit is being installed.


General Guidelines for Layout Planning of Sliding Door

- Stability guidelines must be followed when specifying a sliding door. (Refer to page 175). The sliding door system was designed to close an opening in a run of parallel panels. Doors mounted to long runs of panels without floor support, ties to worksurfaces or return panels may seem less stable.
- If the door is used to close an opening **(A)** where the panel opposite the door is at 90°, there will be a gap equal to the panel thickness between the door and the panel end when closed.
- When planning the layout, care must be taken if the plan includes a door mounted on a panel that is less than 42"W.
- If the panel is at a corner **(B)**, the door will protrude into the aisle or next workstation when in the open position.
- If back-to-back doors are mounted on panels **(C)** that are less than 42"W they will interfere with each if both are open at the same time.
- The door is attached at the base of the panel at any end position with a wrap around bracket. Bracket kits are ordered in conjunction with appropriate end trim profiles. The slots at the base of the panel must be clear **(D)** and cannot be utilized by worksurface supports or panel hung components.
- If the door is mounted to a panel run that is positioned adjacent to a wall **(E)** or an inside 90° angle and there is not a 42" clearance between the track and the wall/inside 90° the assembly of the first stop will be difficult and plans will need to be modified for the assembly.
- If a door is closing an opening of a workstation that includes a "T" connector in the opposite wall, an extended straight connector may need to be used to maintain the 36" required opening.
- Door leveling is dependent on floor being level.


Connectors

There are three components to consider when specifying Stride connectors: 1) connector blocks 2) light block kit 3) vertical trim. Light block and trim must be ordered separately. See examples of "L", "T", and "X" configurations on pages 182 and 183.


Connector Blocks



2-Way, 3-Way, and 4-Way Universal Connector Blocks



2-Way 120° Connector Blocks



3-Way 120° Connector Blocks

35"H Frames = 2 Connector Blocks
42½"H Frames = 3 Connector Blocks
50"H Frames = 3 Connector Blocks
57½"H Frames = 3 Connector Blocks
65"H Frames = 4 Connector Blocks


Add connector blocks for each level:
7½"H = 1 connector block
15, 22½ or 30"H = 2 connector blocks

STEP 1: CONNECTOR BLOCKS (page 200)

- Universal connector blocks are used to connect frames at "L", "T", "X", or "S" connector junctures, 2-Way "B" 120° connector blocks are used for 120° connector junctures, and 3-Way "C" 120° connector blocks are used for 3-way connector junctures.
- At all connector junctures, specify the number of base frame connector blocks based on the height of the shortest base frame(s).
- Starting at the top of the lowest base frame and going up, add additional connector blocks for each level change. *A level change is any difference in height between frames and/or stacking frames within a connector juncture, not necessarily top cap to top cap. A level change includes a stacking frame (each stacking frame level requires 2 connector blocks).*
- Continue adding blocks for each level until there are fewer than two frames remaining above the last specified level.
- When specifying the 2-, 3-, or 4-way Universal Connector Blocks, CAP/CET specification tools will auto-pick the Z3UCON10P model which comes as a pack of 10. You can manually overwrite this model to Z3UCON and adjust the quantity as needed.


Light Block

2-Way Light Block **3-Way Light Block** **4-Way Light Block**



2-Way "L" 2-Way "S"

120° Light Block



2-Way "B" 3-Way "C"

2 Frames (90°) = 2-Way Light Block Kit (L)
3 Frames = 3-Way Light Block Kit (T)
4 Frames = 4-Way Light Block Kit (X)

2 Frames (120°) = 2-Way Light Block Kit (B)
3 Frames (120°) = 3- Way Light Block Kit (C)

STEP 2: LIGHT BLOCK KIT (pages 201-206)

- Each light block kit includes a top cap transition piece and light block. Light block can be specified without top cap for use in extended straight specifications when using spanning top trim.
- Connector blocks and trim must be ordered separately. Trim is available in painted or veneer finish. If top cap only (for use at a 2-way extended straight connector juncture) no light block is required.
- Light block height is equal to the tallest frames. ***Exception:*** When there is only one tallest frame, determine the light block height considering the frames(s) at the next highest frame height.
- Light block quantity is determined by the number of frames at the connector juncture.
- The top cap transition piece is determined by the configuration of the tallest frames at a connector juncture. ***Exception:*** When there is only one tallest frame, specify the top cap transition piece considering the frame(s) at the next highest frame height **and** the tallest frame.
- The top cap transition piece will be located at the height of the light block light block kits can also be specified without a top cap transition piece.

Light Block Model Logic:

Stride connector = **Z365XS**

	6 5	**X**	**S**
Z3	**2a.** Height	**2b.** Connector Junction	**2c.** Top Cap Trans. Piece (config.)

2a. Light block height = ␣ ␣

2b. Connector junction = ␣
- X – 4-Way
- T – 3-Way
- L – 2-Way
- B – 120° – 2-Way
- C – 120° – 3-Way

2c. Top cap transition piece (configuration): X, T, L, S, B, C = ␣
Letter codes will be the same if panels are all the same height.

Connectors

Stride® — Working with Connectors and Wall Kits

Vertical Trim



"VH" Variable Height End Trim



"EG" Grooved Variable Height End Trim



"L" 2-Way 90° Filler Trim



"F" Flat Filler Trim (Use 2 for "S" Extended Straight)



"B" 2-Way 120° Filler Trim



"E" End Trim



"EF" End Trim for Footed Panel

STEP 3: TRIM (pages 201-206)

- Vertical trim finishes off panel frames and connectors - available in painted or veneer finish. Connector and light blocks must be ordered separately.
- Vertical filler trim is specified by first considering the location (height) of the top cap transition piece at the connector juncture. (Step 2)

Variable Height (pages 201-206)

- Directly above the top cap transition piece, specify variable height vertical trim "VH" to cover the exposed frame. "VH" attaches directly to the end of the panel frame to finish ends in a high-low condition.
- "G" grooved variable height end trim is used when the base frame of a panel mounted screen is shorter than the adjacent in-line panel.

Filler Trim (pages 201-206)

- Below the top cap transition piece, fill voids to cover exposed connector blocks. If there are two adjacent exposed sides (90°) use "L" 90° vertical filler trim. "L" 90° vertical filler trim attaches to connector blocks
- Fill in remaining voids with "F" flat vertical filler trim, which also attached to connector blocks.
- For "S" extended straight configurations, specify 2 "F" flat vertical filler trim pieces.
- "B" vertical filler trim is used below the top cap transition piece in 120° configurations.

Finished Ends (page 206)

- "E" vertical end trim attaches to the end of the panel frame for use as a finished end on base raceway panel frames.
- "EF" vertical end trim for footed panel is used as a finished end on footed panels frames.
- Wall mount kits provide a means to affix a panel frame to a permanent building wall. Kit adds ¼" to length of panel run.


Wall Kits



Wall Mount Kit



Wall Track



Wall Track Tile Attachment Kit



Wall Track Tile Segment

"W" Wall Mount Kit (page 207)

- Includes top cap.
- Adds 1¼" to run.
- Provides means to affix a panel run to permanent building wall.
- Anchor devices are not supplied.
- Available in painted or veneer finish.

Wall Track (page 207)

- Allows for mounting of system panel components on permanent wall structures.
- Vertical wall track is 60"H. Field cut for lower heights.
- Wall track will add ⅞" to depth of attached components.
- One pair — left and right included.


Wall Track Tile Attachment Kit (page 207)

- Allows mounting of Stride tiles to wall track segments.
- Includes two top/bottom bars and one middle segment bar.
- Add additional wall track tile segment(s) if attaching more than two tiles.

Wall Track Tile Segment (page 207)

- Includes one middle segment bar for additional segmentation.


Top Stabilizer Brackets



Top Stabilizer Brackets
Top and Bottom

Top Stabilizer Brackets (page 208)


- Optional brackets to provide added strength to reduce flex at panel junctions.
- Lay in cabling below top cap is not possible where bracket is installed.
- Panel mounted screen cannot be used where bracket is installed.




"L" CONFIGURATION — 65"H / 65"H

Models:


Step 1: Connector Blocks
Z3UCON




Step 2: Light Block Kit
Z365LL



Step 3: Trim
Z365PL







"T" CONFIGURATION — 65"H / 65"H / 65"H

Models:


Step 1: Connector Blocks
Z3UCON




Step 2: Light Block Kit
Z365TT



Step 3: Trim
Z365PF







"T" CONFIGURATION — 65"H / 65"H / 50"H

Models:


Step 1: Connector Blocks
Z3UCON




Step 2: Light Block Kit
Z350T



Step 3: Trim
Z365PF
Z315PF
Z375PT (Spanning Top Trim)




Connectors




"X" CONFIGURATION — 65"H / 57½"H / 50"H / 42½"H

Models:


Step 1: Connector Blocks
Z3UCON




Step 2: Light Block Kit
Z357XL



Step 3: Trim
Z307PF
Z307PL
Z307PVH







"X" CONFIGURATION — 65"H / 50"H / 65"H / 50"H

Models:


Step 1: Connector Blocks
Z3UCON




Step 2: Light Block Kit
Z350X



Step 3: Trim
Z315PF
Z315PF
Z375PT (Spanning Top Trim)







"X" CONFIGURATION – 80"H (65"H frame + 15"H stacker) / 80"H (57½"H frame + 22"H stacker) / 50"H / 42½"H

Models:


Step 1: Connector Blocks
Z3UCON



Step 2: Light Block Kit
Z380XL




Step 3: Trim
Z330PL
Z307PF



Tiles

Stride® — Working with Tiles


Stride tiles come in a variety of styles. Select the aesthetic* and functional combination that meets your specific requirements.
Additional tiles available, see pages 185-191.




*Aesthetics of opposing tile surface and/or frame interior should be considered when selecting perforated or light colored translucent materials.

Tiles


Stride® — Landscape Surface Materials




7½"H Tile



15"H Tile



22½"H Tile



30"H Tile

Landscape™ Surface Material is a ¼" thick material that is available for use on tiles, tower sidelights, storage fronts, panel mounted screens, and modesty panels. The Landscape surface material offering for Stride includes: Foundation and Quattro. Refer to the matrix below for usage guidelines.

Foundation
- Foundation is a fabric material laminated between recyclable PETG resin sheets.
- Foundation is available in two color options: Pure White and Sand.

Quattro
- Quattro is fabric laminated between recyclable PETG resin sheets.
- Quattro is available in Platinum.


Frosted Translucent
- Frosted Translucent is ¼" thick Plexiglas acrylic with flat polished edge.
- Frosted Translucent is available in one color option: Frost.

	Tiles	Tower Sidelights	Storage Fronts	Panel Mounted Screens	Desk Screens	Modesty Panels
Foundation	•	•	•			
Quattro	•	•	•			
Frosted Translucent					•	

Tiles


Tiles ship with attachment clips installed. Tiles do not include segment kits, order separately.

Tackable Acoustical Tiles



7½", 15", 22½", 30", 37½", 45", 52½", 60"H

Port Tiles




7½"H | 15"H | 22½"H | 30"H

37½"H | 45"H | 52½"H | 60"H

Coordinate Grommet Color with Paint Color:


Paint Color	Grommet Color
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Platinum Metallic — PR2	Loft — EV

Tackable Acoustical
Tile-to-the-Floor




22½", 30", 37½", 45", 52½", 60"H

Steel Tiles




7½", 15", 22½", 30"H

Steel
Tile-to-the-Floor




22½", 30"H

Perforated Steel Tiles



7½", 15", 22½", 30"H

Tool Tiles



7½", 15"H

Tackable Acoustical Tiles (pages 209-210)
- Tackable and acoustical. 7½"H-60"H, 20"W-60"W.
- Tiles do not include segment kits — order separately.
- Tiles are level® 2 when a level® 2 fabric is used.

Port Tiles (pages 211-212)
- Receptacle openings with blank covers (1 in 24"W tiles; 2 in wider tiles).
- Receptacle openings have the ability to accept most commercially available modular data plates.
- Tackable and acoustical. 7½"H-60"H, 24"W-60"W.
- Grommet opening dimension is 1.375"H x 2.700"W.
- When using rail based off-modular, ported tile grommets may interfere with frames mounted perpendicular to the spine.
- 7½"-15"H port tiles can be mounted in any position except bottom position on frame.
- 7½"-22½"H are ported in the bottom for use when segmenting.
- 22• "H port tiles can be flipped for below worksurface power access.
- 30"-60"H port tiles are used to position grommets above a worksurface mounted at 29½"H. Designed for use in bottom position, but can be used in any position.
- Tiles do not include segment kits — order separately.
- Tiles are level® 2 when a level® 2 fabric is used.

Tackable Acoustical Tiles to-the-Floor (page 213)
- Tackable and acoustical. 22½"H-60"H, 20"W-60"W.
- Tiles to-the-floor are to be used in the bottom position only.
- Tiles to-the-floor are 5" longer to accommodate to-the-floor applications and replace base raceway cover.
- Tiles do not include segment kits — order separately.
- Tiles are level® 2 when a level® 2 fabric is used.
- Cannot use tiles to-the-floor with footed panel frames.
- Requires simple in field modification to frame glide tower. After modification, base raceway cover cannot be used with fabric or steel tiles.

Steel Tiles (page 214)
- Painted steel construction. 7½"H-30"H, 20"W-60"W.
- Tiles do not include segment kits — order separately.
- Steel tiles can be used in any location.

Steel Tiles to-the-Floor (page 214)
- Painted steel construction. 22½"H-30"H, 20"W-60"W.
- Tiles do not include segment kits — order separately.
- Tiles to-the-floor are to be used in the bottom position only.
- Tiles to-the-floor are 5" longer to accommodate to-the-floor applications and replace base raceway cover.
- Attachment hardware included.
- Cannot use tiles to-the-floor with footed panel frames.


Perforated Steel Tiles (page 215)
- Tiles do not include segment kits — order separately.
- Allows air flow when placed on each side of panel.
- Aesthetics of opposing tile surface and/or frame interior should be considered when selecting perforated steel tiles.
- Should not be used at locations that span horizontal segment kits or at beltline.

Tool Tiles (page 216)
- Sturdy aluminum extrusion.
- Accommodates Extensions™ work tools — weight capacity not to exceed 80 lbs. If monitor arm attached subtract 25 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces and storage.
- Do not segment within the center of the back side of a 15"H tool tile, instead use two 7½"H tool tiles.
- Tiles do not include segment kits — order separately.
- Do not use at top of wall track.

Tiles

Tiles ship with attachment clips installed. Tiles do not include segment kits, order separately.

Porcelain Marker Board Tiles




15", 22½", 30"H




15" W
Marker Board Tray

Steel Marker Board Tiles



15", 22½", 30"H

Landscape Surface Tiles




7½", 15", 22½", 30"H
Infinite Spectrum™, Pearlescent Strata, Foundation, Quattro

Handling and care for marker boards:


1. Leaving ink on the board for an extended period of time may lead to images remaining on the board, commonly known as "ghosting," after erasing.
2. To avoid ghosting, thoroughly erase your marker board after every use and clean your board weekly with marker board cleaner.
3. Expo® brand dry-erase markers are recommended for best erasing results.
4. Avoid using red and orange markers for easier cleaning and to reduce the likelihood of ghosting.
5. Do not use permanent or non-dry erase markers.
6. To maintain eraser performance, follow manufacturer's instructions.

Laminate Tiles




7½, 15", 22½", 30"H

Laminate Tiles to-the-Floor




22½", 30"H


Glass Tile Kit



15"H




22½"H



30"H

Pass-Thru Trim Kit



22½"H

Porcelain Marker Board Tiles (page 217)

- White porcelain-coated steel surface encased within a steel frame.
- Accepts magnetic accessories.
- Paint color for frame must be specified.
- Marker boards ship with tile attachment clips installed.
- Tiles do not include segment kits — order separately.
- 15"W magnetic marker board tray that is natural aluminum is available. Order model TK4TRAYMS separately.
- For everyday cleaning of dry-erase marker ink, use Clorox wipes. Should a permanent marker be used, a citrus cleaner such as Quartet will remove the ink. Note that a citrus cleaner is not recommended for everyday cleaning as it leaves a residue on the marker board.

Steel Marker Board Tiles (page 217)

- White marker board tile; painted steel surface.
- Accepts magnetic accessories.
- Tiles do not include segment kits — order separately.
- 15"W magnetic marker board tray that is natural aluminum is available. Order model TK4TRAYMS separately.
- For everyday cleaning of dry-erase marker ink, use Clorox wipes. Should a permanent marker be used, a citrus cleaner such as Quartet will remove the ink. Note that a citrus cleaner is not recommended for everyday cleaning as it leaves a residue on the marker board.

Landscape Surface Tiles (page 218)

- ¼" material encased within a painted steel frame.
- Paint color for frame must be specified.
- Tiles do not ship with segment kits — order separately.
- Should not be used at locations that span horizontal segment kits or at beltline.
- Available in Foundation™ and Quattro.

Laminate Tiles (pages 219-220)

- Laminate construction, available in all standard laminate finishes.
- Tiles do not include segment kits — order separately.
- Grain direction runs vertical on all sizes.
- Made of ⅜" board with HPL laminate.

Laminate Tiles to-the-Floor (pages 221-223)


- Laminate construction, available in all standard laminate finishes.
- Tiles to-the-floor are to be used in the bottom position only.
- Tiles to-the-floor are 5" longer to accommodate to-the-floor applications and replace base raceway cover.
- Do not use tiles to-the-floor with footed panel frames.
- Tiles do not include segment kits — order separately.

Single Pane Glass Tile Kits (page 224)

- Kit includes single pane of tempered safety glass for one side of frame and trim for the other side of frame.
- Glass is flush on one side.
- Tiles do not include segment kits — order separately.
- Kits ship with tile attachment clips installed.
- Attachment hardware included.
- Should not be used at locations that span horizontal segment kits or at beltline.
- Low profile glass stacker kits also available.

Pass-Thru Trim Kits (page 224)

- Painted steel frame.
- Open frame without tiles, used for ability to pass objects from one side of frame to the other.
- Segment kits not included — order separately.
- One kit accommodates both sides of panel frame.
- Attachment hardware included.
- Should not be used at locations that span horizontal segment kits or at beltline.



Beltline power is only available above the beltline on the opposite side of the spanning tile.

Tiles

Spanning Tiles (pages 222-223)

- Not compatible with landscape tiles.
- Base panel height must match tile height. Example: 50"H tile must go on a 50"H base frame, not 50"H tile on 35"H base frame + 15"H stacker.
- Can be used with any combination of two frame widths.
- No more than two frames per tile.
- Bracket Kits:
  - TKSTBRKT1 = 30/35"H
  - TKSTBRKT2 = 42/50"H
- Full laminate and edgeband options available.
- Horizontal grain only.
- For dual-sided spanning tile applications, an additional Bracket Kit must be ordered.
- For dual-sided applications, spanning tiles must be mounted to the same panel frames.
- Laminate is ⅜" thick, edgeband is 0.8mm thick.
- Slotted standard is accessible when using spanning tiles on the two outside slots.
- Cannot be used with Wall Track.
- Spanning tiles are not compatible with panel frames produced prior to July 2014. For applications with panels produced prior to July 2014, please reach out to the Tailored Products Group.

Frame Combinations

54w		60w		66w		72w		78w		84w		90w		96w	
Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2	Frame 1	Frame 2
24	30	24	36	24	42	24	48	30	48	24	60	30	60	36	60
		30	30	30	36	30	42	36	42	36	48	42	48	48	48
						36	36			42	42				

Veneer

Stride Stratawood and Natural Veneer

Wood owes its inherent beauty to variations in color, grain and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next, even though they are finished at the same time. Exposure to light and the aging process will cause darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. Therefore, Allsteel does not guarantee the exact matching grain, pattern and color.

Stride veneer trim, connectors, tiles and storage fronts are offered in Stratawood (composite) finishes and in Natural veneer finishes. (See page 168 for finishes.)

Stride Stratawood and Natural veneer worksurfaces are protected by one of the world's most advanced wood finishing process by Gunlocke®. It provides the ultimate in scratch, stain, chemical, and heat resistance for these high-wear surfaces. The jewel-like clarity and depth allow the natural beauty of the wood to glow through.

Stratawood Veneer Vs. Natural Veneer: Which is best for you?

Stratawood and Natural veneer have similarities and differences. Both options provide a wood surface. Exposure to light will cause both options to darken. Both Stratawood and Natural veneer will be a stylish addition to any specification. However the look, feel and process for Stratawood and Natural veneer are different.

Stratawood Veneer

Stratawood veneer features a repeatable straight-grain pattern, absent of the cathedrals seen in Natural veneer. Although slight differences in tone should be expected, the Stratawood pattern will maintain a consistent appearance across all products.

Stratawood veneer is an engineered wood veneer enhanced by technology for consistency in both color and grain pattern resulting in very few defects.

Although exposure to light will cause Stratawood veneer to darken slightly, additional orders at later dates will match existing product pattern and will match the color when matured. This creates a smooth process for adding on to existing installations.


Natural Veneer

Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and can not be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.


Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of the existing product. Even with this maturation process the additional product may not be an exact match.

When ordering Natural veneer tiles for Stride frames, please refer to pages 189-190 for information. Natural tiles sets must be ordered to ensure grain pattern matching. All panels with two or more continual natural veneer segments will need to be ordered as a set and will be grain matched for consistency. These tile sets must remain together throughout the manufacturing and installation process.

Natural veneer worksurfaces may exhibit a color variance between the surface and the edge detail or when butted together at a 90 degree angle. This natural phenomenon is called polarization (or grain flip) which alters the color and appearance of adjacent worksurfaces with grain running perpendicular. The appearance of wood veneer may change slightly depending on what angle it is viewed from, although it is most often noticed on worksurfaces installed at 90 degree angles to each other. For your guidance, please see illustrations within the worksurface section when specifying for an understanding of grain direction in your installation.



Stratawood Veneer



Natural Veneer

Veneer

Caring for your Veneer finish:

- General maintenance procedures entail wiping clean the entire surface with a clean, water dampened soft cloth once per week. (Be sure to wipe with the grain.)
- Murphy's® Oil Soap may be used as a general purpose type cleaner with warm water to clean tops.
- The finish may also be polished with Guardsman® Furniture Polish (contains no waxes or silicones) to provide renewed luster.
- Be sure to wipe up all spills immediately.

Veneer on Stride

2 Different Veneer Types

Natural veneer is subject to nature's quality control. Each specimen will exhibit differences in grain pattern and tone. This is to be expected, and, in fact contributes to the individuality of each product.


Stratawood veneer features a straight-grain pattern, absent of the cathedrals seen in natural veneer. Although slight differences in tone should be expected, the Stratawood pattern will maintain a consistent appearance across all products.

Veneer Finish Options

See page 168 for available finishes and finish indicators in both Natural and Stratawood.

Natural Veneer Tile Sets for Stride

- Natural veneer tile sets are used when 2 or more natural veneer tiles are vertically adjacent to each other on the same panel (see illustration below) in order to maximize the beauty of real wood and carry the grain pattern from tile to tile.
- Tile sets do not apply to Stratawood tiles, as the grain pattern is consistent from tile to tile.



Specifying Standard Natural Veneer Tile Sets

1. Determine the height of the natural veneer tile set.
   a. The total height of tile required can be calculated by deducting 5" (the height of the frame base) from the nominal panel height.
   b. To calculate set height simply add the heights of the tiles in the set (for example, one 15"H tile and one 30"H tile would require a 45"H tile set — see illustration above).
2. Natural veneer to-the-floor tile sets are available following regular sets.
   - A 45"H Natural veneer to-the-floor tile set will fully fill a 50"H frame.
   - A 52½"H Natural veneer to-the-floor tile set will fully fill a 57½"H frame.
   - A 60"H Natural veneer to-the-floor tile set will fully fill a 65"H frame.

Note

1. Tile sets MUST remain together throughout the installation process in order to maximize the beauty of real wood and carry the grain pattern vertically from tile to tile.
2. The backside of each tile in the tile set is marked with a set number so that the tiles comprising that specific set do not get confused with any other natural veneer tile sets.
3. The backside of each tile in the tile set with a letter denoting the placement of each tile in the set. The tile marked A is the top tile in the set, followed by B, C, and so on.

Natural Veneer Tile Set Position Options Chart

Natural Veneer Tile Sets	Nominal Panel Height	Natural Veneer Tile Set Code	Tile Set Height	Tiles Included (bottom to top)
	35"H	2P	30"H	PP
	42½"H	QP	37½"H	QP
	50"H	3P	45"H	PPP
		SP	45"H	SP
	57½"H	Q2P	52½"H	QPP
		SQ	52½"H	SQ
	65"H	4P	60"H	PPPP
		S2P	60"H	SPP

Veneer Tiles (page 225)
- Veneer tiles produced by Gunlocke® available in Stratawood or Natural veneer.
- Stratawood veneer has a consistent straight-grain pattern.
- Natural veneer will have cathedrals and as a natural material is subject to nature's quality control with variations in grain pattern and tone.
- Tiles do not include segment kits — order separately.
- Veneer tiles, kits, and tile sets all ship with attachment clips installed.
- If two or more natural veneer tiles are vertically adjacent, Natural veneer tile sets should be ordered to carry the grain pattern.
- Grain direction runs vertical on all sizes.


Veneer Tiles to-the-Floor Kits (page 226)
- Tiles do not include segment kits — order separately.
- Tiles to-the-floor are to be used in the bottom position only.
- Tiles to-the-floor are 5" longer to accommodate to-the-floor applications.
- Tiles to-the-floor replace base raceway cover.
- Tiles to-the-floor cannot be used with footed panel frames.

Natural Veneer Tile Sets (pages 227-228)
- Specify when two or more natural veneer tiles are adjacent to carry the vertical grain pattern from tile to tile.

Veneer to-the-Floor Tile Sets (page 229)
- Specify when two or more natural veneer tiles are adjacent to carry the vertical grain pattern from tile to tile.
- Veneer to-the-floor tile set are 5" longer to accommodate to-the-floor applications.
- Veneer to-the-floor tile sets replace base raceway cover.
- Veneer to-the-floor tile sets cannot be used with footed panel frames.


Natural Veneer Tile Sets

Tile Height Codes used for Natural Veneer Sets below:




Letters on tiles represent height of individual tiles, see codes above.


Ordering code is listed above each tile set, and total height of set is listed below.



Veneer to-the-floor tile sets have a base tile that is 5" longer to accommodate "to-the-floor" applications.




Off-Modular




Shaded area indicates acceptable location for off-module connector when using electrical power harnesses.

Off-Module Non-Rail Based Connector Guidelines


- Off-module connector kits join panels off-module at 90° angles. The total 3" panel thickness must be positioned within the confines of the shaded areas, as depicted in the illustration, but cannot be positioned directly over electrical cutouts in the frame horizontal.
- Tiles and base pathway covers cannot be removed from the face of a panel to which an off-module connected panel is mounted.
- Base panel frames must be the same height.
- Do not stack on an off-modular return panel.
- Do not suspend more than one overhead storage unit per side from panels in a panel run which is mounted, at one or both ends, with an off-module connector kit.
- Use data port (model UTP) to route data and electrical between primary panel run and panel-mounted off-modular.
- Panel mounted screens or low profile glass stackers cannot be used on the parent run or on an off-modular panel.
- Footed panel frames can be used on the spine wall but cannot be used as the off-modular panel frame.
- To-the-floor tiles cannot be used on the side of the spine wall where off-modular return panel is attached.




Panel Attachment Kit Z3MP




End Panel Kit Z6EPK



Worksurface Bracket Z6MK



3" Layered Worksurface Bracket Z6Z3MK



Layered Worksurface Connection Bracket Z6C3BK

Off-Modular Non Rail-Based Accessories

Panel Attachment Kit (page 230)
- Connector allows for off-module connection, does not add to length of run.
- Black only.

End Panel Kit (page 230)
- Used to attach an end panel off-modular.
- Bracket requires a segmented panel at 22½"H for mounting.

Worksurface Bracket (page 230)
- Allows in-line support legs and end-panels to be attached off-module.
- Bracket requires a segmented panel at 22½"H for mounting.
- Cannot be used closer than 12" from end of panel.


3" Layered Worksurface Bracket (page 230)
- Used to mount off-modular worksurface at 26½"H.
- Bracket requires a segmented panel at 22½"H for mounting.

Layered Worksurface Connection Bracket (page 230)
- Used to attach a worksurface 3" higher or lower to an installed worksurface.


Frames

Stride® — Panel Frames


For specification information see pages 172-178.




Description	Model	List Price WR or WN	List Price WF
35"H Panel Frames without Top Trim			
24"W	**Z03524** ⌴⌴ S	$ 446	$ 499
30"W	**Z03530** ⌴⌴	$ 483	$ 530
36"W	**Z03536** ⌴⌴	$ 509	$ 566
42"W	**Z03542** ⌴⌴	$ 545	$ 596
48"W	**Z03548** ⌴⌴	$ 580	$ 630
60"W	**Z03560** ⌴⌴	$ 660	$ 716




42½"H Panel Frames without Top Trim			
24"W	**Z04224** ⌴⌴ S	$ 462	$ 518
30"W	**Z04230** ⌴⌴	$ 502	$ 556
36"W	**Z04236** ⌴⌴	$ 533	$ 592
42"W	**Z04242** ⌴⌴	$ 568	$ 621
48"W	**Z04248** ⌴⌴	$ 611	$ 663
60"W	**Z04260** ⌴⌴	$ 681	$ 735



50"H Panel Frames without Top Trim			
24"W	**Z05024** ⌴⌴	$ 489	$ 543
30"W	**Z05030** ⌴⌴	$ 520	$ 579
36"W	**Z05036** ⌴⌴	$ 556	$ 612
42"W	**Z05042** ⌴⌴	$ 596	$ 652
48"W	**Z05048** ⌴⌴	$ 630	$ 690
60"W	**Z05060** ⌴⌴	$ 725	$ 783



57½"H Panel Frames without Top Trim			
24"W	**Z05724** ⌴⌴	$ 509	$ 562
30"W	**Z05730** ⌴⌴	$ 553	$ 601
36"W	**Z05736** ⌴⌴	$ 587	$ 637
42"W	**Z05742** ⌴⌴	$ 624	$ 675
48"W	**Z05748** ⌴⌴	$ 668	$ 725
60"W	**Z05760** ⌴⌴	$ 766	$ 815



65"H Panel Frames without Top Trim			
24"W	**Z06524** ⌴⌴	$ 533	$ 583
30"W	**Z06530** ⌴⌴	$ 574	$ 624
36"W	**Z06536** ⌴⌴	$ 618	$ 665
42"W	**Z06542** ⌴⌴	$ 658	$ 706
48"W	**Z06548** ⌴⌴	$ 704	$ 748
60"W	**Z06560** ⌴⌴	$ 797	$ 852

How to specify —

Select the Panel Frame Model Number from above.

Z 0 ⌴⌴⌴⌴

1st Option:

Select the Base Option:

WR Without Top Trim; With Raceway Cover Knockouts on both sides

WN Without Top Trim; With Raceway Cover Knockouts on 1 side.

WF Without Top Trim; With Footed Panel Frame.

⌴⌴ .

2nd Option:

Select the Paint Color:

P1 P2 P3

See page 168 for finishes.

For P2 Paints — add $33.

For P3 Paint — add $62.
Footed frames not available in P3 paint.

P ⌴⌴

Examples: **Z04224WR.P4J** **Z04224WN.P7D** **Z04260WF.P02**

S *Shippable by small-package carrier.*

Frames


Stride® — Stacking Panel Frames / Segment Kits / Conversion Kits

For specification information see pages 172-178.




Z01536P

Description	Model	List Price
15"H Stacking Frames		
24"W	**Z01524P** S	**$ 471**
30"W	**Z01530P** S	**$ 488**
36"W	**Z01536P** S	**$ 503**
42"W	**Z01542P** S	**$ 523**
48"W	**Z01548P** S	**$ 543**
60"W	**Z01560P** S	**$ 574**




Z02236P

22½"H Stacking Frames		
24"W	**Z02224P** S	**$ 483**
30"W	**Z02230P** S	**$ 508**
36"W	**Z02236P** S	**$ 543**
42"W	**Z02242P** S	**$ 574**
48"W	**Z02248P** S	**$ 607**
60"W	**Z02260P** S	**$ 682**



Z03036P

30"H Stacking Frames		
24"W	**Z03024P** S	**$ 498**
30"W	**Z03030P**	**$ 540**
36"W	**Z03036P**	**$ 582**
42"W	**Z03042P**	**$ 619**
48"W	**Z03048P**	**$ 678**
60"W	**Z03060P**	**$ 783**




Z236SK

Segment Kits (no color option) — for Base Panel Frames and Stacking Frames		
24"W	**Z224SK** S	**$ 87**
30"W	**Z230SK** S	**$ 91**
36"W	**Z236SK** S	**$ 96**
42"W	**Z242SK** S	**$ 98**
48"W	**Z248SK** S	**$ 107**
60"W	**Z260SK** S	**$ 114**



Z2RF



Z236FR

Description	Model	P1 Paint List Price	P2 Paint List Price
Raceway to Footed Conversion Kit			
Base Raceway to Footed Kit	**Z2RF** S	**$ 293**	**$ 326**
Footed-to-Base Raceway Conversion Kits			
24"W Footed-to-Base Raceway Kit	**Z224FR** S	**$ 366**	**$ 421**
30"W Footed-to-Base Raceway Kit	**Z230FR** S	**$ 366**	**$ 421**
36"W Footed-to-Base Raceway Kit	**Z236FR** S	**$ 366**	**$ 421**
42"W Footed-to-Base Raceway Kit	**Z242FR** S	**$ 366**	**$ 421**
48"W Footed-to-Base Raceway Kit	**Z248FR** S	**$ 366**	**$ 421**
60"W Footed-to-Base Raceway Kit	**Z260FR** S	**$ 366**	**$ 421**

How to specify —

Select the Model Number from above.

1st Option:

Segment Kit Color *(if applicable)*:

P Black

1st Option:

Paint *(if applicable)*:

See page 168 for finishes.

Z | | | | | | **P** | **P** | |

Examples: **Z01548P** **Z224SK.P** **Z236FR.P7Q**

S *Shippable by small-package carrier.*

Frames


Stride® — Low Profile Glass Stacker Kits

For specification information see pages 172-178.



Description	Model	Clear List Price	Frosted List Price
15"H Low Profile Glass Stacker Kits (Examples span multiple panels)			
24"W	**Z41524GL** S	**$ 1035**	**$ 1248**
30"W	**Z41530GL** S	**$ 1113**	**$ 1346**
36"W	**Z41536GL** S	**$ 1200**	**$ 1448**
42"W	**Z41542GL** S	**$ 1291**	**$ 1557**
48"W	**Z41548GL** S	**$ 1365**	**$ 1649**
60"W (30" + 30" or 24" + 36")	**Z41560GL** S	**$ 1558**	**$ 1879**
72"W (36" + 36" or 24" + 48")	**Z41572GL**	**$ 1803**	**$ 2175**
84"W (36" + 48")	**Z41584GL**	**$ 1985**	**$ 2397**
90"W (42" + 48" or 30" + 30" + 30")	**Z41590GL**	**$ 2079**	**$ 2511**
96"W (48" + 48" or 30" + 30" + 36")	**Z41596GL**	**$ 2202**	**$ 2659**

Description	Model	List Price
Tie Bracket Kit for Low Profile Glass Stacker Kits		
In-Line Connection	**Z3TBGI** S	**$ 46**
"L" Connection	**Z3TBGL** S	**$ 46**
"T" Connection	**Z3TBGT** S	**$ 46**
"X" Connection	**Z3TBGX** S	**$ 46**
"S" Connection	**Z3TBGS** S	**$ 46**
2-Way 120° Connection	**Z3TBGB** S	**$ 46**
3-Way 120° Connection	**Z3TBGC** S	**$ 46**



Z3TBGI Z3TBGL Z3TBGT Z3TBGX Z3TBGS Z3TBGB Z3TBGC

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint — Interior Shroud** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Glass Type** *(if applicable)*: **C** Clear **F** Frosted
Z _____ .	**P** ___ .	___


Examples: **Z41530GL.P27.C** **Z3TBGL**

S *Shippable by small-package carrier.*

Tiles

Stride® — Panel Mounted Screens

For specification information see page 175.



Description	Model	Clear List Price	Frosted List Price	Smoked List Price
7½"H x ⅜" Thick Glass Panel Mounted Screens — Painted Trim				
24"W	**Z40724TGS**	$ 723	$ 775	$ 825
30"W	**Z40730TGS**	$ 785	$ 840	$ 897
36"W	**Z40736TGS**	$ 901	$ 964	$ 1029
42"W	**Z40742TGS**	$ 961	$ 1026	$ 1098
48"W	**Z40748TGS**	$ 1033	$ 1104	$ 1179
54"W	**Z40754TGS**	$ 1148	$ 1230	$ 1312
60"W	**Z40760TGS**	$ 1261	$ 1349	$ 1438
66"W	**Z40766TGS**	$ 1387	$ 1483	$ 1584
72"W	**Z40772TGS**	$ 1512	$ 1618	$ 1725
78"W	**Z40778TGS**	$ 1623	$ 1738	$ 1853
84"W	**Z40784TGS**	$ 1731	$ 1851	$ 1976
90"W	**Z40790TGS**	$ 1851	$ 1981	$ 2114
96"W	**Z40796TGS**	$ 1964	$ 2102	$ 2241
15"H x ⅜" Thick Glass Panel Mounted Screens — Painted Trim				
24"W	**Z41524TGS**	$ 785	$ 840	$ 897
30"W	**Z41530TGS**	$ 848	$ 908	$ 969
36"W	**Z41536TGS**	$ 975	$ 1042	$ 1113
42"W	**Z41542TGS**	$ 1042	$ 1115	$ 1189
48"W	**Z41548TGS**	$ 1124	$ 1205	$ 1284
54"W	**Z41554TGS**	$ 1246	$ 1333	$ 1422
60"W	**Z41560TGS**	$ 1369	$ 1463	$ 1564
66"W	**Z41566TGS**	$ 1504	$ 1607	$ 1716
72"W	**Z41572TGS**	$ 1635	$ 1751	$ 1867
78"W	**Z41578TGS**	$ 1851	$ 1980	$ 2114
84"W	**Z41584TGS**	$ 2066	$ 2209	$ 2357
90"W	**Z41590TGS**	$ 2132	$ 2279	$ 2434
96"W	**Z41596TGS**	$ 2203	$ 2357	$ 2514

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Glass** *(if applicable)*: **LC** Clear **LF** Frosted **GSM1** Smoked	**Paint Color:** P1 P2 P3 See page 168 for finishes.
Z 4 . L . P		

Example: **Z40742TGS.LC.P7D**


S Shippable by small-package carrier.


Tiles

Stride® — Panel Mounted Screens

For specification information see page 175.

Description	Model	V2 Clear List Price	V2 Frosted List Price	V2 Smoked List Price	V3 Clear List Price	V3 Frosted List Price	V3 Smoked List Price
7½"H x ⅜" Thick Glass Panel Mounted Screens — Veneer Trim							
24"W	Z40724TGSV	$ 925	$ 992	$ 1064	$ 1008	$ 1075	$ 1147
30"W	Z40730TGSV	$ 1002	$ 1073	$ 1154	$ 1094	$ 1165	$ 1246
36"W	Z40736TGSV	$ 1148	$ 1232	$ 1320	$ 1252	$ 1336	$ 1424
42"W	Z40742TGSV	$ 1218	$ 1307	$ 1400	$ 1328	$ 1417	$ 1510
48"W	Z40748TGSV	$ 1313	$ 1410	$ 1511	$ 1432	$ 1529	$ 1630
54"W	Z40754TGSV	$ 1462	$ 1569	$ 1682	$ 1595	$ 1702	$ 1815
60"W	Z40760TGSV	$ 1603	$ 1722	$ 1844	$ 1749	$ 1868	$ 1990
66"W	Z40766TGSV	$ 1703	$ 1832	$ 1969	$ 1857	$ 1986	$ 2123
72"W	Z40772TGSV	$ 1916	$ 2057	$ 2205	$ 2090	$ 2231	$ 2379
78"W	Z40778TGSV	$ 2061	$ 2216	$ 2371	$ 2248	$ 2403	$ 2558
84"W	Z40784TGSV	$ 2196	$ 2358	$ 2525	$ 2396	$ 2558	$ 2725
90"W	Z40790TGSV	$ 2345	$ 2517	$ 2697	$ 2558	$ 2730	$ 2910
96"W	Z40796TGSV	$ 2497	$ 2679	$ 2872	$ 2724	$ 2906	$ 3099
15"H x ⅜" Thick Glass Panel Mounted Screens — Veneer Trim							
24"W	Z41524TGSV	$ 1002	$ 1073	$ 1154	$ 1094	$ 1165	$ 1246
30"W	Z41530TGSV	$ 1076	$ 1154	$ 1238	$ 1174	$ 1252	$ 1336
36"W	Z41536TGSV	$ 1238	$ 1328	$ 1425	$ 1350	$ 1440	$ 1537
42"W	Z41542TGSV	$ 1326	$ 1424	$ 1525	$ 1446	$ 1544	$ 1645
48"W	Z41548TGSV	$ 1426	$ 1532	$ 1640	$ 1556	$ 1662	$ 1770
54"W	Z41554TGSV	$ 1530	$ 1648	$ 1768	$ 1669	$ 1787	$ 1907
60"W	Z41560TGSV	$ 1737	$ 1864	$ 2000	$ 1894	$ 2021	$ 2157
66"W	Z41566TGSV	$ 1845	$ 1986	$ 2130	$ 2012	$ 2153	$ 2297
72"W	Z41572TGSV	$ 2386	$ 2542	$ 2698	$ 2602	$ 2758	$ 2914
78"W	Z41578TGSV	$ 2345	$ 2517	$ 2697	$ 2558	$ 2730	$ 2910
84"W	Z41584TGSV	$ 2621	$ 2817	$ 3014	$ 2859	$ 3055	$ 3252
90"W	Z41590TGSV	$ 3112	$ 3311	$ 3519	$ 3395	$ 3594	$ 3802
96"W	Z41596TGSV	$ 2798	$ 3006	$ 3218	$ 3052	$ 3260	$ 3472





How to specify —	*1st Option:*	*2nd Option:*	*2nd Option:*
Select the Model Number from above.	**Glass:** **LC** Clear **LF** Frosted **GSM1** Smoked	**Paint** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer** *(if applicable)*: See page 168 for finishes.
Z 4 _ _ _ T G S _ . L _ .		P _ _	_ _ _ _

Example: **Z41536TGSV.LC.NC260**


Frames

Stride® — Door Panel Frames and Sliding Doors

For specification information see pages 172-178.



Description	Model	Painted P1 Paint List Price	Painted P2 Paint List Price	Painted P3 Paint List Price
Door Panel — Laminate				
87½"H x 42"W	**Z18742PDL**	**$ 7477**	**$ 7548**	**$ 7620**





Description	Model	List Price
Lock Set		
Door Knob Polished Brass, keyed on one side	**899900** S	**$ 188**
Door Lever Brushed Aluminum, keyed on one side	**899910** S	**$ 532**

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Frosted Translucent Sliding Doors (non-locking)				
50"H x 42"W for 36"W opening	**Z15042SD**	**$ 6112**	**$ 6179**	**$ 6249**
65"H x 42"W for 36"W opening	**Z16542SD**	**$ 7407**	**$ 7474**	**$ 7544**
80"H x 42"W for 36"W opening	**Z18042SD**	**$ 9021**	**$ 9088**	**$ 9158**





Mounting Kit For Sliding Doors				
30"W	**Z130DMK** S	**$ 949**	**$ 974**	**$ 996**
36"W	**Z136DMK** S	**$ 949**	**$ 974**	**$ 996**
42"W	**Z142DMK** S	**$ 949**	**$ 974**	**$ 996**
48"W	**Z148DMK** S	**$ 949**	**$ 974**	**$ 996**

How to specify —	*1st Option:*	*2nd Option:*	*2nd Option:*
Select the Model Number from above.	**Select the Paint Color:** P1 P2 P3 See page 168 for finishes.	**Door Laminate** *(if applicable)*: See page 168 for finishes.	**Insert (Sliding Door only):** **FT** Frosted Translucent
_____ .	P _____ .	_____	F T


Examples: **Z18742PDL.P28.TM20** **Z18042SD.PR2.FT** **Z148DMK.P4J** **899900**

S *Shippable by small-package carrier.*


Frames

Stride® — Flat Top Trim

For specification information see pages 172-178.



Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
Standard Flat Top Trim (Example Spans Multiple Panels)					
24"W	Z324PT S	Z324VT S	$ 65	$ 98	$ 407
30"W	Z330PT S	Z330VT S	$ 71	$ 104	$ 384
36"W	Z336PT S	Z336VT S	$ 85	$ 118	$ 422
42"W	Z342PT S	Z342VT S	$ 96	$ 129	$ 480
48"W	Z348PT S	Z348VT S	$ 110	$ 143	$ 529
54"W — (24" + 30")	Z354PT S	Z354VT S	$ 127	$ 182	$ 727
60"W — (30" + 30" or 24" + 36")	Z360PT S	Z360VT S	$ 134	$ 167	$ 863
66"W — (30" + 36" or 24" + 42")	Z366PT	Z366VT	$ 162	$ 217	$ 846
68"W — (20" + 48")	Z368PT	Z368VT	$ 165	$ 220	$ 948
72"W — (36" + 36" or 24" + 48")	Z372PT	Z372VT	$ 168	$ 223	$ 1199
78"W — (30" + 48" or 36" + 42")	Z378PT	Z378VT	$ 172	$ 227	$ 1137
84"W — (36" + 48")	Z384PT	Z384VT	$ 189	$ 244	$ 1235
90"W — (42" + 48" or 30" + 30" + 30")	Z390PT	Z390VT	$ 198	$ 253	$ 1326
96"W — (48" + 48" or 30" + 30" + 36")	Z396PT	Z396VT	$ 207	$ 262	$ 1413
Connector Span Flat Top Trim (Example Spans Two Panels and One Connector)					
51"W — (24" + 3" + 24")	Z351PT S	Z351VT S	$ 164	$ 219	$ 614
63"W — (24" + 3" + 36" or 30" + 3" + 30")	Z363PT S	Z363VT S	$ 185	$ 240	$ 879
75"W — (36" + 3" + 36")	Z375PT	Z375VT	$ 201	$ 256	$ 937



NOTE: Not all possible spanning combinations are shown. Illustration on page 182.

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z 3 _ _ T .	P _ _	_ _ _ _ _


Example: **Z360PT.P4J**

S *Shippable by small-package carrier.*


Connectors

Stride® — Connector Blocks


For specification information see pages 179-183.



Z3UCON



Z3CONB



Z3CONC

Description	Model	List Price
2-Way 3-Way and 4-Way Universal Connector Blocks		
Universal Connector Block	**Z3UCON** S	$ 49
Universal Connector Block - Pack of 10	**Z3UCON10P**	$ 445
120° Connector Blocks — 2-Way		
2-Way 120° Connector Block	**Z3CONB** S	$ 57
120° Connector Blocks — 3-Way		
3-Way 120° Connector Block	**Z3CONC** S	$ 57

How to specify —

Select the Model Number from above.

Z 3 | | | | | |

Examples: **Z3UCON** **Z3CONB** **Z3CONC**

S *Shippable by small-package carrier.*

Connectors

Stride® — 2-Way Light Block Kits and Vertical Trim

For specification information see pages 179-183.



Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
2-Way 90° Light Block Kit with "L" Top Cap Transition Piece					
35"H	Z335LL S	Z335LLV S	$ 91	$ 110	$ 349
42½"H	Z342LL S	Z342LLV S	$ 96	$ 115	$ 353
50"H	Z350LL S	Z350LLV S	$ 99	$ 118	$ 360
57½"H	Z357LL S	Z357LLV S	$ 110	$ 129	$ 364
65"H	Z365LL S	Z365LLV S	$ 117	$ 136	$ 379
72½"H	Z372LL S	Z372LLV S	$ 124	$ 143	$ 384
80"H	Z380LL S	Z380LLV S	$ 126	$ 145	$ 387
87½"H	Z387LL S	Z387LLV S	$ 133	$ 152	$ 399
95"H	Z395LL S	Z395LLV S	$ 137	$ 156	$ 407
102½"H	Z3102LL S	Z3102LLV S	$ 151	$ 170	$ 414
110"H	Z3110LL S	Z3110LLV S	$ 160	$ 179	$ 419
2-Way Extended Straight "S" Top Cap Transition Piece					
Extended Straight "S" Top Cap	Z3SS S	Z3SSV S	$ 91	$ 110	$ 349
"L" 90° Vertical Filler Trim					
7½"H Stacking/Segmented	Z307PL S	Z307PLV S	$ 114	$ 146	$ 310
15"H Stacking/Segmented	Z315PL S	Z315PLV S	$ 124	$ 156	$ 430
22½"H Stacking/Segmented	Z322PL S	Z322PLV S	$ 132	$ 164	$ 550
30"H Stacking/Segmented	Z330PL S	Z330PLV S	$ 137	$ 169	$ 668
35"H	Z335PL S	Z335PLV S	$ 152	$ 184	$ 785
42½"H	Z342PL S	Z342PLV S	$ 165	$ 197	$ 1041
50"H	Z350PL S	Z350PLV S	$ 172	$ 204	$ 1020
57½"H	Z357PL S	Z357PLV S	$ 185	$ 217	$ 1137
65"H	Z365PL S	Z365PLV S	$ 192	$ 224	$ 1255
80"H	Z380PL	Z380PLV	$ 200	$ 232	$ 1374
87½"H	Z387PL	Z387PLV	$ 207	$ 239	$ 1493
"F" Flat Vertical Filler Trim					
7½"H Stacking/Segmented	Z307PF S	Z307PFV S	$ 89	$ 121	$ 278
15"H Stacking/Segmented	Z315PF S	Z315PFV S	$ 97	$ 129	$ 388
22½"H Stacking/Segmented	Z322PF S	Z322PFV S	$ 110	$ 142	$ 482
30"H Stacking/Segmented	Z330PF S	Z330PFV S	$ 120	$ 152	$ 550
35"H Base frame	Z335PF S	Z335PFV S	$ 126	$ 158	$ 614
42½"H Base frame	Z342PF S	Z342PFV S	$ 134	$ 166	$ 681
50"H Base frame	Z350PF S	Z350PFV S	$ 146	$ 178	$ 773
57½"H Base frame	Z357PF S	Z357PFV S	$ 160	$ 192	$ 865
65"H Base frame	Z365PF S	Z365PFV S	$ 168	$ 200	$ 959
80"H Base frame	Z380PF	Z380PFV	$ 177	$ 209	$ 1125
87½"H Base frame	Z387PF	Z387PFV	$ 189	$ 221	$ 1243
"VH" Variable Height Vertical End Trim					
7½"H	Z307PVH S	Z307PVHV S	$ 89	$ 121	$ 576
15"H	Z315PVH S	Z315PVHV S	$ 97	$ 129	$ 668
22½"H	Z322PVH S	Z322PVHV S	$ 110	$ 142	$ 751
30"H	Z330PVH S	Z330PVHV S	$ 120	$ 152	$ 811

Z335PL



Z335PF



Z315PVH

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z 3 _ _ _ _ _ _ .	P _ _	_ _ _ _


Examples: **Z380LL.P02** **Z3SS.P52** **Z335PF.P7Q** **Z307PLV.CC260**

S *Shippable by small-package carrier.*

Connectors

Stride® — 3-Way Light Block Kits and Vertical Trim

For specification information see pages 179-183.





Z330PL



Z335PF



Z315PVH

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
3-Way Light Block Kit with "L" Top Cap Transition Piece					
35"H	Z335TL [S]	Z335TLV [S]	$ 99	$ 118	$ 360
42½"H	Z342TL [S]	Z342TLV [S]	$ 110	$ 129	$ 364
50"H	Z350TL [S]	Z350TLV [S]	$ 117	$ 136	$ 379
57½"H	Z357TL [S]	Z357TLV [S]	$ 122	$ 141	$ 383
65"H	Z365TL	Z365TLV	$ 126	$ 145	$ 387
72½"H	Z372TL	Z372TLV	$ 133	$ 152	$ 399
80"H	Z380TL	Z380TLV	$ 135	$ 154	$ 406
87½"H	Z387TL	Z387TLV	$ 146	$ 165	$ 413
95"H	Z395TL	Z395TLV	$ 153	$ 172	$ 418
102½"H	Z3102TL	Z3102TLV	$ 165	$ 184	$ 426
110"H	Z3110TL	Z3110TLV	$ 169	$ 188	$ 438
3-Way Light Block Kit with "T" Top Cap Transition Piece					
35"H	Z335TT [S]	Z335TTV [S]	$ 99	$ 118	$ 360
42½"H	Z342TT [S]	Z342TTV [S]	$ 110	$ 129	$ 364
50"H	Z350TT [S]	Z350TTV [S]	$ 117	$ 136	$ 379
57½"H	Z357TT [S]	Z357TTV [S]	$ 122	$ 141	$ 383
65"H	Z365TT	Z365TTV	$ 126	$ 145	$ 387
72½"H	Z372TT	Z372TTV	$ 133	$ 152	$ 399
80"H	Z380TT	Z380TTV	$ 135	$ 154	$ 406
87½"H	Z387TT	Z387TTV	$ 146	$ 165	$ 413
95"H	Z395TT	Z395TTV	$ 153	$ 172	$ 418
102½"H	Z3102TT	Z3102TTV	$ 165	$ 184	$ 426
110"H	Z3110TT	Z3110TTV	$ 169	$ 188	$ 438
3-Way Light Block Kit with "S" Top Cap Transition Piece					
35"H	Z335TS [S]	Z335TSV [S]	$ 99	$ 118	$ 360
42½"H	Z342TS [S]	Z342TSV [S]	$ 110	$ 129	$ 364
50"H	Z350TS [S]	Z350TSV [S]	$ 117	$ 136	$ 379
57½"H	Z357TS [S]	Z357TSV [S]	$ 122	$ 141	$ 383
65"H	Z365TS	Z365TSV	$ 126	$ 145	$ 387
72½"H	Z372TS	Z372TSV	$ 133	$ 152	$ 399
80"H	Z380TS	Z380TSV	$ 135	$ 154	$ 406
87½"H	Z387TS	Z387TSV	$ 146	$ 165	$ 413
95"H	Z395TS	Z395TSV	$ 153	$ 172	$ 418
102½"H	Z3102TS	Z3102TSV	$ 165	$ 184	$ 426
110"H	Z3110TS	Z3110TSV	$ 169	$ 188	$ 438
"L" 90° Vertical Filler Trim					
7½"H Variable Height	Z307PL [S]	Z307PLV [S]	$ 114	$ 146	$ 310
15"H Variable Height	Z315PL [S]	Z315PLV [S]	$ 124	$ 156	$ 430
22½"H Variable Height	Z322PL [S]	Z322PLV [S]	$ 132	$ 164	$ 550
30"H Variable Height	Z330PL [S]	Z330PLV [S]	$ 137	$ 169	$ 668
"F" Flat Vertical Filler Trim					
7½"H Variable Height	Z307PF [S]	Z307PFV [S]	$ 89	$ 121	$ 278
15"H Variable Height	Z315PF [S]	Z315PFV [S]	$ 97	$ 129	$ 388
22½"H Variable Height	Z322PF [S]	Z322PFV [S]	$ 110	$ 142	$ 482
30"H Variable Height	Z330PF [S]	Z330PFV [S]	$ 120	$ 152	$ 550
35"H Base Panel	Z335PF [S]	Z335PFV [S]	$ 126	$ 158	$ 614
42½"H Base Panel	Z342PF [S]	Z342PFV [S]	$ 134	$ 166	$ 681
50"H Base Panel	Z350PF [S]	Z350PFV [S]	$ 146	$ 178	$ 773
57½"H Base Panel	Z357PF [S]	Z357PFV [S]	$ 160	$ 192	$ 865
65"H Base Panel	Z365PF [S]	Z365PFV [S]	$ 168	$ 200	$ 959
80"H Base Panel	Z380PF	Z380PFV	$ 177	$ 209	$ 1125
87½"H Base Panel	Z387PF	Z387PFV	$ 189	$ 221	$ 1243
"VH" Variable Height Vertical End Trim					
7½"H	Z307PVH [S]	Z307PVHV [S]	$ 89	$ 121	$ 576
15"H	Z315PVH [S]	Z315PVHV [S]	$ 97	$ 129	$ 668
22½"H	Z322PVH [S]	Z322PVHV [S]	$ 110	$ 142	$ 751
30"H	Z330PVH [S]	Z330PVHV [S]	$ 120	$ 152	$ 811

How to specify —

Select the Model Number from above.

Z 3 _____ .

1st Option:

Paint Color *(if applicable)*:

P1 P2 P3

See page 168 for finishes.

P _____

1st Option:

Veneer Type and Finish *(if applicable)*:

See page 168 for finishes.

_____


Examples: **Z350TL.P4J Z372TT.P27 Z3110TS.PR5 Z335TTV.NC260**

[S] ***Shippable by small-package carrier.***

Connectors

Stride® — 4-Way Light Block Kits

For specification information see pages 179-183.



Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
4-Way Light Block Kit with "X" Top Cap Transition Piece					
35"H	Z335XX [S]	Z335XXV [S]	$ 117	$ 136	$ 379
42½"H	Z342XX [S]	Z342XXV [S]	$ 122	$ 141	$ 383
50"H	Z350XX [S]	Z350XXV [S]	$ 126	$ 145	$ 387
57½"H	Z357XX [S]	Z357XXV [S]	$ 132	$ 151	$ 394
65"H	Z365XX	Z365XXV	$ 135	$ 154	$ 406
72½"H	Z372XX	Z372XXV	$ 146	$ 165	$ 413
80"H	Z380XX	Z380XXV	$ 152	$ 171	$ 417
87½"H	Z387XX	Z387XXV	$ 162	$ 181	$ 421
95"H	Z395XX	Z395XXV	$ 166	$ 185	$ 429
102½"H	Z3102XX	Z3102XXV	$ 172	$ 191	$ 441
110"H	Z3110XX	Z3110XXV	$ 177	$ 196	$ 443
4-Way Light Block Kit with "L" Top Cap Transition Piece					
35"H	Z335XL [S]	Z335XLV [S]	$ 117	$ 136	$ 379
42½"H	Z342XL [S]	Z342XLV [S]	$ 122	$ 141	$ 383
50"H	Z350XL [S]	Z350XLV [S]	$ 126	$ 145	$ 387
57½"H	Z357XL [S]	Z357XLV [S]	$ 132	$ 151	$ 394
65"H	Z365XL	Z365XLV	$ 135	$ 154	$ 406
72½"H	Z372XL	Z372XLV	$ 146	$ 165	$ 413
80"H	Z380XL	Z380XLV	$ 152	$ 171	$ 417
87½"H	Z387XL	Z387XLV	$ 162	$ 181	$ 421
95"H	Z395XL	Z395XLV	$ 166	$ 185	$ 429
102½"H	Z3102XL	Z3102XLV	$ 172	$ 191	$ 441
110"H	Z3110XL	Z3110XLV	$ 177	$ 196	$ 443
4-Way Light Block Kit with "T" Top Cap Transition Piece					
35"H	Z335XT [S]	Z335XTV [S]	$ 117	$ 136	$ 379
42½"H	Z342XT [S]	Z342XTV [S]	$ 122	$ 141	$ 383
50"H	Z350XT [S]	Z350XTV [S]	$ 126	$ 145	$ 387
57½"H	Z357XT [S]	Z357XTV [S]	$ 132	$ 151	$ 394
65"H	Z365XT	Z365XTV	$ 135	$ 154	$ 406
72½"H	Z372XT	Z372XTV	$ 146	$ 165	$ 413
80"H	Z380XT	Z380XTV	$ 152	$ 171	$ 417
87½"H	Z387XT	Z387XTV	$ 162	$ 181	$ 421
95"H	Z395XT	Z395XTV	$ 166	$ 185	$ 429
102½"H	Z3102XT	Z3102XTV	$ 172	$ 191	$ 441
110"H	Z3110XT	Z3110XTV	$ 177	$ 196	$ 443
4-Way Light Block Kit with "S" Top Cap Transition Piece					
35"H	Z335XS [S]	Z335XSV [S]	$ 117	$ 136	$ 379
42½"H	Z342XS [S]	Z342XSV [S]	$ 122	$ 141	$ 383
50"H	Z350XS [S]	Z350XSV [S]	$ 126	$ 145	$ 387
57½"H	Z357XS [S]	Z357XSV [S]	$ 132	$ 151	$ 394
65"H	Z365XS	Z365XSV	$ 135	$ 154	$ 406
72½"H	Z372XS	Z372XSV	$ 146	$ 165	$ 413
80"H	Z380XS	Z380XSV	$ 152	$ 171	$ 417
87½"H	Z387XS	Z387XSV	$ 162	$ 181	$ 421
95"H	Z395XS	Z395XSV	$ 166	$ 185	$ 429
102½"H	Z3102XS	Z3102XSV	$ 172	$ 191	$ 441
110"H	Z3110XS	Z3110XSV	$ 177	$ 196	$ 443

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: (P1) (P2) (P3) See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z 3 _ _ _ _ _ _ .	P _ _	_ _ _ _ _

Examples: **Z335XX.P8R Z365XS.PR2 Z350XLV.NC260**

[S] ***Shippable by small-package carrier.***

Connectors

Stride® — 4-Way Vertical Trim

For specification information see pages 179-183.



Z335PL



Z335PF



Z315PVH

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
"L" 90° Vertical Filler Trim					
7½"H Variable Height	Z307PL S	Z307PLV S	$ 114	$ 146	$ 310
15"H Variable Height	Z315PL S	Z315PLV S	$ 124	$ 156	$ 430
22½"H Variable Height	Z322PL S	Z322PLV S	$ 132	$ 164	$ 550
30"H Variable Height	Z330PL S	Z330PLV S	$ 137	$ 169	$ 668
"F" Flat Vertical Filler Trim					
7½"H Variable Height	Z307PF S	Z307PFV S	$ 89	$ 121	$ 278
15"H Variable Height	Z315PF S	Z315PFV S	$ 97	$ 129	$ 388
22½"H Variable Height	Z322PF S	Z322PFV S	$ 110	$ 142	$ 482
30"H Variable Height	Z330PF S	Z330PFV S	$ 120	$ 152	$ 550
35"H Base Panel	Z335PF S	Z335PFV S	$ 126	$ 158	$ 614
42½"H Base Panel	Z342PF S	Z342PFV S	$ 134	$ 166	$ 681
50"H Base Panel	Z350PF S	Z350PFV S	$ 146	$ 178	$ 773
57½"H Base Panel	Z357PF S	Z357PFV S	$ 160	$ 192	$ 865
65"H Base Panel	Z365PF S	Z365PFV S	$ 168	$ 200	$ 959
80"H Base Panel	Z380PF	Z380PFV	$ 177	$ 209	$ 1125
87½"H Base Panel	Z387PF	Z387PFV	$ 189	$ 221	$ 1243
"VH" Variable Height Vertical Filler Trim					
7½"H	Z307PVH S	Z307PVHV S	$ 89	$ 121	$ 576
15"H	Z315PVH S	Z315PVHV S	$ 97	$ 129	$ 668
22½"H	Z322PVH S	Z322PVHV S	$ 110	$ 142	$ 751
30"H	Z330PVH S	Z330PVHV S	$ 120	$ 152	$ 811

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z 3 .	P	

Examples: **Z307PL.P8R Z307PVH.PR2 Z315PFV.CC260**

S *Shippable by small-package carrier.*

Connectors

Stride® — 120° Light Block Kits and Vertical Trim

For specification information see pages 179-183.







Z335PB



Z315PVH

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
2-Way 120° Light Block Kit with "B" Top Cap Transition Piece					
35"H	Z335BB S	Z335BBV S	$ 126	$ 145	$ 521
42½"H	Z342BB S	Z342BBV S	$ 132	$ 151	$ 523
50"H	Z350BB S	Z350BBV S	$ 135	$ 154	$ 529
57½"H	Z357BB S	Z357BBV S	$ 145	$ 164	$ 534
65"H	Z365BB S	Z365BBV S	$ 152	$ 171	$ 540
72½"H	Z372BB S	Z372BBV S	$ 162	$ 181	$ 550
80"H	Z380BB S	Z380BBV S	$ 166	$ 185	$ 556
87½"H	Z387BB S	Z387BBV S	$ 171	$ 190	$ 567
95"H	Z395BB S	Z395BBV S	$ 177	$ 196	$ 574
102½"H	Z3102BB S	Z3102BBV S	$ 187	$ 206	$ 577
110"H	Z3110BB S	Z3110BBV S	$ 192	$ 211	$ 583
3-Way 120° Light Block Kit with "B" Top Cap Transition Piece					
35"H	Z335CB S	Z335CBV S	$ 135	$ 154	$ 529
42½"H	Z342CB S	Z342CBV S	$ 145	$ 164	$ 534
50"H	Z350CB S	Z350CBV S	$ 152	$ 171	$ 540
57½"H	Z357CB S	Z357CBV S	$ 160	$ 179	$ 549
65"H	Z365CB S	Z365CBV S	$ 166	$ 185	$ 556
72½"H	Z372CB S	Z372CBV S	$ 171	$ 190	$ 567
80"H	Z380CB S	Z380CBV S	$ 177	$ 196	$ 574
87½"H	Z387CB S	Z387CBV S	$ 187	$ 206	$ 577
95"H	Z395CB S	Z395CBV S	$ 192	$ 211	$ 583
102½"H	Z3102CB S	Z3102CBV S	$ 198	$ 217	$ 590
110"H	Z3110CB S	Z3110CBV S	$ 206	$ 225	$ 608
3-Way 120° Light Block Kit with "C" Top Cap Transition Piece					
35"H	Z335CC S	Z335CCV S	$ 135	$ 154	$ 529
42½"H	Z342CC S	Z342CCV S	$ 145	$ 164	$ 534
50"H	Z350CC S	Z350CCV S	$ 152	$ 171	$ 540
57½"H	Z357CC S	Z357CCV S	$ 160	$ 179	$ 549
65"H	Z365CC S	Z365CCV S	$ 166	$ 185	$ 556
72½"H	Z372CC S	Z372CCV S	$ 171	$ 190	$ 567
80"H	Z380CC S	Z380CCV S	$ 177	$ 196	$ 574
87½"H	Z387CC S	Z387CCV S	$ 187	$ 206	$ 577
95"H	Z395CC S	Z395CCV S	$ 192	$ 211	$ 583
102½"H	Z3102CC S	Z3102CCV S	$ 198	$ 217	$ 590
110"H	Z3110CC S	Z3110CCV S	$ 206	$ 225	$ 608
2-Way 120° Vertical Filler Trim					
7½"H Variable Height	Z307PB S	Z307PBV S	$ 114	$ 146	$ 296
15"H Variable Height	Z315PB S	Z315PBV S	$ 124	$ 156	$ 387
22½"H Variable Height	Z322PB S	Z322PBV S	$ 132	$ 164	$ 480
30"H Variable Height	Z330PB S	Z330PBV S	$ 137	$ 169	$ 576
35"H Base Panel	Z335PB S	Z335PBV S	$ 152	$ 184	$ 666
42½"H Base Panel	Z342PB S	Z342PBV S	$ 165	$ 197	$ 755
50"H Base Panel	Z350PB S	Z350PBV S	$ 172	$ 204	$ 846
57½"H Base Panel	Z357PB S	Z357PBV S	$ 185	$ 217	$ 938
65"H Base Panel	Z365PB S	Z365PBV S	$ 192	$ 224	$ 1030
80"H Base Panel	Z380PB S	Z380PBV S	$ 200	$ 232	$ 1176
"VH" Variable Height Vertical End Trim					
7½"H	Z307PVH S	Z307PVHV S	$ 89	$ 121	$ 576
15"H	Z315PVH S	Z315PVHV S	$ 97	$ 129	$ 668
22½"H	Z322PVH S	Z322PVHV S	$ 110	$ 142	$ 751
30"H	Z330PVH S	Z330PVHV S	$ 120	$ 152	$ 811

How to specify —

Select the Model Number from above.

1st Option:

Select the Paint Color:

P1 P2 P3

See page 168 for finishes.

Z 3 | | | | | . | P | | |

Examples: **Z380BB.P52 Z335CB.PR5 Z330PVH.P7B**

S *Shippable by small-package carrier.*

Connectors

Stride® — Vertical Trim and Light Block Kits without Top Trim

For specification information see pages 179-183.



Z335PE

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
"E" Vertical End Trim					
7½"H Stacking/Segmented	Z307PE S	Z307PEV S	$ 89	$ 121	$ 576
15"H Stacking/Segmented	Z315PE S	Z315PEV S	$ 97	$ 129	$ 668
22½"H Stacking/Segmented	Z322PE S	Z322PEV S	$ 110	$ 142	$ 751
30"H Stacking/Segmented	Z330PE S	Z330PEV S	$ 120	$ 152	$ 811
35"H Base Panel	Z335PE S	Z335PEV S	$ 126	$ 158	$ 881
42½"H Base Panel	Z342PE S	Z342PEV S	$ 134	$ 166	$ 1081
50"H Base Panel	Z350PE S	Z350PEV S	$ 146	$ 178	$ 1009
57½"H Base Panel	Z357PE S	Z357PEV S	$ 160	$ 192	$ 1074
65"H Base Panel	Z365PE S	Z365PEV S	$ 168	$ 200	$ 1309
80"H Base Panel	Z380PE	Z380PEV	$ 177	$ 209	$ 1209
87½"H Base Panel	Z387PE	Z387PEV	$ 189	$ 221	$ 1274



Z335PEF

"EF" Vertical End Trim for Footed Panels					
35"H	Z335PEF S	Z335PEFV S	$ 126	$ 158	$ 881
42½"H	Z342PEF S	Z342PEFV S	$ 134	$ 166	$ 940
50"H	Z350PEF S	Z350PEFV S	$ 146	$ 178	$ 1009
57½"H	Z357PEF S	Z357PEFV S	$ 160	$ 192	$ 1074
65"H	Z365PEF S	Z365PEFV S	$ 168	$ 200	$ 1137
80"H	Z380PEF	Z380PEFV	$ 177	$ 209	$ 1209



Z315PG

"G" Grooved End Trim for use with Panel Mounted Screens					
7½"H for ⅜" thick Glass	Z307PTG S	Z307PTGV S	$ 132	$ 164	$ 644
15"H for ⅜" thick Glass	Z315PTG S	Z315PTGV S	$ 146	$ 178	$ 731



Z350T

Description	Model	List Price
3-Way Light Block Kit without Top Cap Transition Piece		
35"H	Z335T S	$ 91
42½"H	Z342T S	$ 96
50"H	Z350T S	$ 99
57½"H	Z357T S	$ 110
65"H	Z365T	$ 117
80"H	Z380T	$ 126
87½"H	Z387T	$ 133



Z350X

4-Way Light Block Kit without Top Cap Transition Piece		
35"H	Z335X S	$ 99
42½"H	Z342X S	$ 110
50"H	Z350X S	$ 117
57½"H	Z357X S	$ 122
65"H	Z365X	$ 126
80"H	Z380X	$ 135
87½"H	Z387X	$ 146

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z 3 .	P	

Examples: **Z307PE.P52 Z342PEF.P02 Z307PG.PR5 Z335X Z307PGV.NC260**

S *Shippable by small-package carrier.*

Connectors


Stride® — "W" Wall Mount and Wall Track

For specification information see pages 179-183.




Z342PW

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	V2 Veneer List Price
"W" Wall Mount Kit					
15"H	Z315PW S	Z315PWV S	$ 132	$ 164	$ 171
22½"H	Z322PW S	Z322PWV S	$ 160	$ 192	$ 205
30"H	Z330PW S	Z330PWV S	$ 181	$ 213	$ 233
35"H	Z335PW S	Z335PWV S	$ 203	$ 235	$ 265
42½"	Z342PW S	Z342PWV S	$ 228	$ 260	$ 295
50"H	Z350PW S	Z350PWV S	$ 253	$ 285	$ 331
57½"H	Z357PW S	Z357PWV S	$ 277	$ 309	$ 360
65"H	Z365PW S	Z365PWV S	$ 305	$ 337	$ 394
80"H	Z380PW S	Z380PWV S	$ 355	$ 387	$ 462
87½"H	Z387PW S	Z387PWV S	$ 409	$ 441	$ 523



ZWTS

Description	Model	List Price
Vertical Wall Track (Core Paint colors only)		
60"H Stride Wall Track (pair)	ZWTS S	$ 280



ZWTAK36

Wall Track Tile Attachment Kits (no color option)		
24"W	ZWTAK24 S	$ 245
30"W	ZWTAK30 S	$ 257
36"W	ZWTAK36 S	$ 274
42"W	ZWTAK42 S	$ 288
48"W	ZWTAK48 S	$ 303
60"W	ZWTAK60 S	$ 331



ZWTAK36S

Wall Track Tile Segment (no color option)		
24"W	ZWTAK24S S	$ 87
30"W	ZWTAK30S S	$ 89
36"W	ZWTAK36S S	$ 94
42"W	ZWTAK42S S	$ 97
48"W	ZWTAK48S S	$ 99
60"W	ZWTAK60S S	$ 114

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint Color** *(if applicable)*: P1 P2 P3 See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
Z _____ .	P ___	_____








Examples: **Z357PW.P4J ZWTS.P27 ZWTAK48**
Z357PWV.P4J.NC777

S *Shippable by small-package carrier.*

Frames & Connectors

Stride® — Top Stabilizer Brackets

For specification information see page 181.

	Description	Model		List Price
	Top Stabilizer Brackets			
 TN3LB	"L" Top Stabilizer Bracket	**TN3LB**	S	$ 98
 TN3TB	"T" Top Stabilizer Bracket	**TN3TB**	S	$ 98
 TN3XB	"X" Top Stabilizer Bracket	**TN3XB**	S	$ 98
 TN3SB	"S" Top Stabilizer Bracket	**TN3SB**	S	$ 76
 TN3NB	In Line Top Stabilizer Bracket	**TN3NB**	S	$ 76
 TN3VB	Variable Height Top Stabilizer Bracket	**TN3VB**	S	$ 98
 TN3VLB	"L" Variable Height Top Stabilizer Bracket	**TN3VLB**	S	$ 124

How to specify —

Select the Terrace Model Number from above.

Example: **TN3LB**

S *Shippable by small-package carrier.*


Tiles

Stride® — Tackable Acoustical Tiles


For specification information see pages 184-191. (See page 1003 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
7½"H Tackable Acoustical Tiles							
24"W	**Z40724T** S	$ 124	$ 130	$ 132	$ 135	$ 138	$ 143
30"W	**Z40730T** S	$ 135	$ 141	$ 144	$ 148	$ 153	$ 157
36"W	**Z40736T** S	$ 147	$ 154	$ 157	$ 162	$ 168	$ 172
42"W	**Z40742T** S	$ 160	$ 167	$ 171	$ 178	$ 183	$ 191
48"W	**Z40748T** S	$ 168	$ 176	$ 180	$ 187	$ 194	$ 202
60"W	**Z40760T** S	$ 188	$ 197	$ 202	$ 211	$ 221	$ 232



15"H Tackable Acoustical Tiles							
24"W	**Z41524T** S	$ 164	$ 172	$ 176	$ 183	$ 190	$ 198
30"W	**Z41530T** S	$ 171	$ 180	$ 185	$ 194	$ 204	$ 215
36"W	**Z41536T** S	$ 188	$ 198	$ 205	$ 214	$ 228	$ 239
42"W	**Z41542T** S	$ 201	$ 212	$ 220	$ 233	$ 247	$ 261
48"W	**Z41548T** S	$ 219	$ 231	$ 240	$ 254	$ 270	$ 285
60"W	**Z41560T** S	$ 245	$ 259	$ 269	$ 291	$ 309	$ 330



22½"H Tackable Acoustical Tiles							
24"W	**Z42224T** S	$ 195	$ 205	$ 212	$ 221	$ 235	$ 246
30"W	**Z42230T** S	$ 210	$ 221	$ 230	$ 244	$ 259	$ 273
36"W	**Z42236T** S	$ 227	$ 240	$ 249	$ 268	$ 286	$ 303
42"W	**Z42242T** S	$ 246	$ 260	$ 272	$ 294	$ 313	$ 335
48"W	**Z42248T** S	$ 271	$ 288	$ 301	$ 325	$ 348	$ 371
60"W	**Z42260T** S	$ 302	$ 322	$ 338	$ 367	$ 398	$ 427



30"H Tackable Acoustical Tiles							
24"W	**Z43024T** S	$ 237	$ 249	$ 258	$ 272	$ 288	$ 303
30"W	**Z43030T** S	$ 250	$ 264	$ 274	$ 296	$ 314	$ 335
36"W	**Z43036T** S	$ 274	$ 291	$ 304	$ 328	$ 351	$ 374
42"W	**Z43042T** S	$ 293	$ 312	$ 327	$ 355	$ 382	$ 410
48"W	**Z43048T** S	$ 316	$ 337	$ 356	$ 386	$ 417	$ 449
60"W	**Z43060T**	$ 353	$ 377	$ 402	$ 441	$ 480	$ 519

How to specify —

Select the Model Number from above.

1st Option:

Fabric:

See page 15 for fabrics.

Z 4 | | | | T . | | | | | |


Example: **Z40748T.GLW910**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Tackable Acoustical Tiles


For specification information see pages 184-191. (See page 1003 for COM pricing on fabric Grades G-J.)



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
37½"H Tackable Acoustical Tiles (Monolithic tile for 42½"H frame)							
24"W	**Z43724T** S	$ 288	$ 302	$ 312	$ 334	$ 352	$ 373
30"W	**Z43730T** S	$ 305	$ 322	$ 336	$ 362	$ 386	$ 408
36"W	**Z43736T** S	$ 335	$ 355	$ 371	$ 400	$ 431	$ 460
42"W	**Z43742T** S	$ 355	$ 377	$ 399	$ 433	$ 467	$ 500
48"W	**Z43748T** S	$ 383	$ 407	$ 432	$ 471	$ 510	$ 549
60"W	**Z43760T**	$ 438	$ 469	$ 499	$ 548	$ 596	$ 644



45"H Tackable Acoustical Tiles (Monolithic tile for 50"H frame)							
24"W	**Z44524T** S	$ 325	$ 342	$ 355	$ 379	$ 402	$ 425
30"W	**Z44530T** S	$ 347	$ 367	$ 383	$ 412	$ 443	$ 472
36"W	**Z44536T** S	$ 379	$ 401	$ 424	$ 459	$ 494	$ 527
42"W	**Z44542T** S	$ 407	$ 432	$ 458	$ 499	$ 540	$ 580
48"W	**Z44548T** S	$ 440	$ 470	$ 499	$ 543	$ 592	$ 638
60"W	**Z44560T**	$ 489	$ 525	$ 560	$ 619	$ 678	$ 736



52½"H Tackable Acoustical Tiles (Monolithic tile for 57½"H frame)							
24"W	**Z45224T** S	$ 357	$ 376	$ 391	$ 419	$ 446	$ 474
30"W	**Z45230T** S	$ 387	$ 409	$ 431	$ 465	$ 499	$ 532
36"W	**Z45236T** S	$ 422	$ 447	$ 473	$ 514	$ 555	$ 595
42"W	**Z45242T** S	$ 451	$ 482	$ 511	$ 557	$ 606	$ 654
48"W	**Z45248T**	$ 489	$ 523	$ 555	$ 611	$ 665	$ 720
60"W	**Z45260T**	$ 548	$ 592	$ 633	$ 701	$ 768	$ 837



60"H Tackable Acoustical Tiles (Monolithic tile for 65"H frame)							
24"W	**Z46024T** S	$ 404	$ 425	$ 444	$ 474	$ 505	$ 537
30"W	**Z46030T**	$ 438	$ 462	$ 487	$ 526	$ 565	$ 604
36"W	**Z46036T**	$ 509	$ 539	$ 568	$ 612	$ 661	$ 707
42"W	**Z46042T**	$ 541	$ 575	$ 607	$ 663	$ 717	$ 772
48"W	**Z46048T**	$ 570	$ 610	$ 647	$ 709	$ 771	$ 834
60"W	**Z46060T**	$ 603	$ 652	$ 699	$ 775	$ 853	$ 932

How to specify —

Select the Model Number from above.

1st Option:

Fabric:

See page 15 for fabrics.

Z 4 | | | | T . | | | | | |


Example: **Z45260T.ECH901**

S *Shippable by small-package carrier.*


Tiles

Stride® — Tackable Acoustical Port Tiles


For specification information see pages 184-191. (See page 1003 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
7½"H Tackable Acoustical Port Tiles							
24"W	Z40724E S	$ 250	$ 258	$ 262	$ 269	$ 275	$ 283
30"W	Z40730E S	$ 257	$ 266	$ 271	$ 280	$ 289	$ 299
36"W	Z40736E S	$ 274	$ 284	$ 291	$ 300	$ 314	$ 325
42"W	Z40742E S	$ 283	$ 294	$ 301	$ 314	$ 328	$ 341
48"W	Z40748E S	$ 295	$ 307	$ 315	$ 330	$ 345	$ 360
60"W	Z40760E S	$ 316	$ 330	$ 340	$ 361	$ 379	$ 400



15"H Tackable Acoustical Port Tiles							
24"W	Z41524E S	$ 291	$ 303	$ 311	$ 326	$ 341	$ 356
30"W	Z41530E S	$ 303	$ 317	$ 327	$ 348	$ 366	$ 387
36"W	Z41536E S	$ 316	$ 331	$ 346	$ 368	$ 390	$ 413
42"W	Z41542E S	$ 328	$ 346	$ 362	$ 389	$ 416	$ 443
48"W	Z41548E S	$ 345	$ 365	$ 383	$ 412	$ 444	$ 474
60"W	Z41560E S	$ 374	$ 398	$ 422	$ 460	$ 498	$ 535



22½"H Tackable Acoustical Port Tiles							
24"W	Z42224E S	$ 327	$ 342	$ 357	$ 379	$ 401	$ 424
30"W	Z42230E S	$ 342	$ 361	$ 377	$ 406	$ 434	$ 463
36"W	Z42236E S	$ 357	$ 379	$ 401	$ 435	$ 469	$ 503
42"W	Z42242E S	$ 375	$ 400	$ 425	$ 465	$ 504	$ 544
48"W	Z42248E S	$ 392	$ 422	$ 449	$ 493	$ 539	$ 586
60"W	Z42260E S	$ 428	$ 463	$ 498	$ 555	$ 613	$ 669



30"H Tackable Acoustical Port Tiles							
24"W	Z43024E S	$ 361	$ 381	$ 399	$ 428	$ 460	$ 490
30"W	Z43030E S	$ 380	$ 404	$ 428	$ 466	$ 504	$ 541
36"W	Z43036E S	$ 404	$ 434	$ 461	$ 505	$ 551	$ 598
42"W	Z43042E S	$ 422	$ 455	$ 487	$ 541	$ 593	$ 647
48"W	Z43048E S	$ 446	$ 484	$ 520	$ 581	$ 642	$ 701
60"W	Z43060E	$ 482	$ 530	$ 574	$ 650	$ 726	$ 801

How to specify —

Select the Model Number from above.

1st Option:

Fabric:

See page 15 for fabrics.

2nd Option:

Electrical Grommet Color:

See page 168 for finishes.

Z 4 | | | | E . | | | | | | . | |


Example: **Z40748E.ECH901.E9**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Tackable Acoustical Port Tiles


For specification information see pages 184-191. (See page 1003 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
37½"H Tackable Acoustical Port Tiles (Monolithic tile for 42½"H frame)							
24"W	**Z43724E** S	$ 422	$ 446	$ 470	$ 508	$ 546	$ 583
30"W	**Z43730E** S	$ 446	$ 477	$ 505	$ 552	$ 600	$ 647
36"W	**Z43736E** S	$ 466	$ 501	$ 536	$ 593	$ 651	$ 707
42"W	**Z43742E** S	$ 498	$ 540	$ 580	$ 645	$ 711	$ 777
48"W	**Z43748E** S	$ 518	$ 566	$ 610	$ 686	$ 762	$ 837
60"W	**Z43760E**	$ 570	$ 629	$ 687	$ 780	$ 875	$ 970



45 H Tackable Acoustical Port Tiles (Monolithic tile for 50"H frame)							
24"W	**Z44524E** S	$ 453	$ 483	$ 510	$ 554	$ 600	$ 647
30"W	**Z44530E** S	$ 485	$ 520	$ 555	$ 612	$ 670	$ 726
36"W	**Z44536E** S	$ 509	$ 553	$ 594	$ 662	$ 729	$ 798
42"W	**Z44542E** S	$ 541	$ 591	$ 639	$ 718	$ 798	$ 878
48"W	**Z44548E** S	$ 574	$ 631	$ 686	$ 775	$ 867	$ 957
60"W	**Z44560E**	$ 621	$ 691	$ 759	$ 873	$ 987	$ 1099



52½"H Tackable Acoustical Port Tiles (Monolithic tile for 57½"H frame)							
24"W	**Z45224E** S	$ 502	$ 535	$ 567	$ 621	$ 673	$ 727
30"W	**Z45230E** S	$ 523	$ 565	$ 605	$ 670	$ 736	$ 802
36"W	**Z45236E** S	$ 559	$ 609	$ 657	$ 736	$ 816	$ 896
42"W	**Z45242E**	$ 591	$ 649	$ 706	$ 797	$ 891	$ 983
48"W	**Z45248E**	$ 621	$ 686	$ 750	$ 857	$ 963	$ 1069
60"W	**Z45260E**	$ 686	$ 768	$ 847	$ 980	$ 1112	$ 1245



60"H Tackable Acoustical Port Tiles (Monolithic tile for 65"H frame)							
24"W	**Z46024E** S	$ 528	$ 566	$ 602	$ 663	$ 724	$ 783
30"W	**Z46030E**	$ 570	$ 618	$ 662	$ 738	$ 814	$ 889
36"W	**Z46036E**	$ 647	$ 704	$ 759	$ 848	$ 940	$ 1030
42"W	**Z46042E**	$ 676	$ 741	$ 805	$ 912	$ 1018	$ 1124
48"W	**Z46048E**	$ 702	$ 776	$ 849	$ 970	$ 1090	$ 1213
60"W	**Z46060E**	$ 744	$ 836	$ 928	$ 1079	$ 1231	$ 1381

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See page 15 for fabrics.	**Electrical Grommet Color:** See page 168 for finishes.

Z 4 | | | | E . | | | | | | . | | |


Example: **Z44536E.ECH901.E9**

S *Shippable by small-package carrier.*


Tiles

Stride® — Tackable Acoustical Tiles to-the-Floor


For specification information see pages 184-191. (See page 1004 for COM pricing on fabric Grades G-J.)




Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
22½"H Tackable Acoustical Base Tiles to-the-Floor							
24"W	**Z42224TF** [S]	$ 273	$ 288	$ 303	$ 325	$ 349	$ 371
30"W	**Z42230TF** [S]	$ 287	$ 306	$ 323	$ 352	$ 381	$ 411
36"W	**Z42236TF** [S]	$ 309	$ 331	$ 353	$ 387	$ 423	$ 456
42"W	**Z42242TF** [S]	$ 335	$ 360	$ 385	$ 426	$ 467	$ 507
48"W	**Z42248TF** [S]	$ 352	$ 382	$ 410	$ 454	$ 503	$ 548
60"W	**Z42260TF** [S]	$ 388	$ 424	$ 458	$ 516	$ 575	$ 632



30"H Tackable Acoustical Base Tiles to-the-Floor (Tile for 35"H frame)							
24"W	**Z43024TF** [S]	$ 308	$ 328	$ 348	$ 377	$ 408	$ 438
30"W	**Z43030TF** [S]	$ 331	$ 355	$ 379	$ 418	$ 456	$ 495
36"W	**Z43036TF** [S]	$ 355	$ 385	$ 413	$ 457	$ 506	$ 551
42"W	**Z43042TF** [S]	$ 378	$ 412	$ 444	$ 498	$ 551	$ 606
48"W	**Z43048TF** [S]	$ 404	$ 444	$ 480	$ 541	$ 602	$ 664
60"W	**Z43060TF**	$ 443	$ 491	$ 537	$ 613	$ 690	$ 768




37½"H Tackable Acoustical Base Tiles to-the-Floor (Tile for 42.5"H frame)							
24"W	**Z43724TF** [S]	$ 362	$ 386	$ 410	$ 449	$ 487	$ 526
30"W	**Z43730TF** [S]	$ 387	$ 418	$ 447	$ 494	$ 543	$ 591
36"W	**Z43736TF** [S]	$ 413	$ 449	$ 483	$ 541	$ 600	$ 657
42"W	**Z43742TF** [S]	$ 443	$ 487	$ 527	$ 594	$ 661	$ 728
48"W	**Z43748TF** [S]	$ 472	$ 520	$ 566	$ 642	$ 719	$ 797
60"W	**Z43760TF**	$ 520	$ 580	$ 638	$ 733	$ 828	$ 925



45"H Tackable Acoustical Base Tiles to-the-Floor (Tile for 50"H frame)							
24"W	**Z44524TF** [S]	$ 402	$ 432	$ 460	$ 504	$ 553	$ 598
30"W	**Z44530TF** [S]	$ 426	$ 462	$ 496	$ 554	$ 613	$ 670
36"W	**Z44536TF** [S]	$ 463	$ 507	$ 549	$ 617	$ 687	$ 755
42"W	**Z44542TF** [S]	$ 495	$ 545	$ 593	$ 673	$ 755	$ 836
48"W	**Z44548TF** [S]	$ 521	$ 579	$ 635	$ 725	$ 819	$ 909
60"W	**Z44560TF**	$ 580	$ 650	$ 720	$ 835	$ 951	$ 1066



52½"H Tackable Acoustical Base Tiles to-the-Floor (Tile for 57.5"H frame)							
24"W	**Z45224TF** [S]	$ 439	$ 473	$ 505	$ 559	$ 612	$ 667
30"W	**Z45230TF** [S]	$ 468	$ 512	$ 552	$ 619	$ 686	$ 753
36"W	**Z45236TF** [S]	$ 527	$ 577	$ 625	$ 705	$ 787	$ 868
42"W	**Z45242TF**	$ 561	$ 620	$ 677	$ 771	$ 865	$ 959
48"W	**Z45248TF**	$ 586	$ 652	$ 716	$ 825	$ 932	$ 1039
60"W	**Z45260TF**	$ 642	$ 726	$ 806	$ 941	$ 1074	$ 1208



60"H Tackable Acoustical Base Tiles to-the-Floor (Tile for 65"H frame)							
24"W	**Z46024TF** [S]	$ 479	$ 519	$ 555	$ 616	$ 677	$ 739
30"W	**Z46030TF**	$ 509	$ 557	$ 603	$ 679	$ 756	$ 834
36"W	**Z46036TF**	$ 574	$ 632	$ 688	$ 778	$ 872	$ 962
42"W	**Z46042TF**	$ 608	$ 674	$ 738	$ 847	$ 954	$ 1061
48"W	**Z46048TF**	$ 643	$ 719	$ 794	$ 916	$ 1039	$ 1161
60"W	**Z46060TF**	$ 700	$ 794	$ 887	$ 1041	$ 1192	$ 1347

How to specify —

Select the Model Number from above.

1st Option:

Fabric:

See page 15 for fabrics.

Z 4 | | | | T F . | | | | | |

Example: **Z44560TF.IMP07**

[S] ***Shippable by small-package carrier.***


Tiles

Stride® — Steel Tiles / Steel Tiles to-the-Floor


For specification information see pages 184-191.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
7½"H Steel Tiles				
24"W	Z40724S S	$ 169	$ 193	$ 214
30"W	Z40730S S	$ 176	$ 200	$ 221
36"W	Z40736S S	$ 192	$ 216	$ 237
42"W	Z40742S S	$ 207	$ 231	$ 252
48"W	Z40748S S	$ 225	$ 249	$ 270
60"W	Z40760S S	$ 252	$ 276	$ 297




15"H Steel Tiles				
24"W	Z41524S S	$ 195	$ 219	$ 240
30"W	Z41530S S	$ 206	$ 230	$ 251
36"W	Z41536S S	$ 227	$ 251	$ 272
42"W	Z41542S S	$ 248	$ 272	$ 293
48"W	Z41548S S	$ 271	$ 295	$ 316
60"W	Z41560S S	$ 304	$ 328	$ 349




22½"H Steel Tiles				
24"W	Z42224S S	$ 292	$ 316	$ 337
30"W	Z42230S S	$ 314	$ 338	$ 359
36"W	Z42236S S	$ 341	$ 365	$ 386
42"W	Z42242S S	$ 362	$ 386	$ 407
48"W	Z42248S S	$ 390	$ 414	$ 435
60"W	Z42260S S	$ 452	$ 476	$ 497



30"H Steel Tiles				
24"W	Z43024S S	$ 347	$ 371	$ 392
30"W	Z43030S S	$ 379	$ 403	$ 424
36"W	Z43036S S	$ 405	$ 429	$ 450
42"W	Z43042S S	$ 440	$ 464	$ 485
48"W	Z43048S S	$ 477	$ 501	$ 522
60"W	Z43060S	$ 545	$ 569	$ 590



22½"H Steel Base Tiles to-the-Floor Kit				
24"W	Z42224SF S	$ 359	$ 383	$ 404
30"W	Z42230SF S	$ 384	$ 408	$ 429
36"W	Z42236SF S	$ 417	$ 441	$ 462
42"W	Z42242SF S	$ 444	$ 468	$ 489
48"W	Z42248SF S	$ 476	$ 500	$ 521
60"W	Z42260SF S	$ 545	$ 569	$ 590



30"H Steel Base Tiles to-the-Floor Kit				
24"W	Z43024SF S	$ 479	$ 503	$ 524
30"W	Z43030SF S	$ 521	$ 545	$ 566
36"W	Z43036SF S	$ 562	$ 586	$ 607
42"W	Z43042SF S	$ 603	$ 627	$ 648
48"W	Z43048SF S	$ 642	$ 666	$ 687
60"W	Z43060SF	$ 739	$ 763	$ 784

How to specify —

Select the Model Number from above.

1st Option:

Paint Color:

P1 P2 P3

See page 168 for finishes.

Z 4 | | | | | . P | |

Examples: **Z41524S.P4J** **Z43060SF.P7Q**

S *Shippable by small-package carrier.*

Tiles

Stride® — Perforated Steel Tiles


For specification information see pages 184-191.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
7½"H Perforated Steel Tiles				
24"W	Z40724SH S	$ 188	$ 213	$ 235
30"W	Z40730SH S	$ 195	$ 220	$ 242
36"W	Z40736SH S	$ 207	$ 232	$ 254
42"W	Z40742SH S	$ 230	$ 255	$ 277
48"W	Z40748SH S	$ 248	$ 273	$ 295
60"W	Z40760SH S	$ 279	$ 304	$ 326



15"H Perforated Steel Tiles				
24"W	Z41524SH S	$ 214	$ 239	$ 261
30"W	Z41530SH S	$ 228	$ 253	$ 275
36"W	Z41536SH S	$ 250	$ 275	$ 297
42"W	Z41542SH S	$ 271	$ 296	$ 318
48"W	Z41548SH S	$ 304	$ 329	$ 351
60"W	Z41560SH S	$ 341	$ 366	$ 388



22½"H Perforated Steel Tiles				
24"W	Z42224SH S	$ 315	$ 340	$ 362
30"W	Z42230SH S	$ 350	$ 375	$ 397
36"W	Z42236SH S	$ 371	$ 396	$ 418
42"W	Z42242SH S	$ 400	$ 425	$ 447
48"W	Z42248SH S	$ 432	$ 457	$ 479
60"W	Z42260SH S	$ 504	$ 529	$ 551



30"H Perforated Steel Tiles				
24"W	Z43024SH S	$ 386	$ 411	$ 433
30"W	Z43030SH S	$ 415	$ 440	$ 462
36"W	Z43036SH S	$ 451	$ 476	$ 498
42"W	Z43042SH S	$ 483	$ 508	$ 530
48"W	Z43048SH S	$ 523	$ 548	$ 570
60"W	Z43060SH	$ 605	$ 630	$ 652

How to specify —

Select the Model Number from above.

1st Option:

Paint Color:

P1 P2 P3

See page 168 for finishes.

Z 4 | | | | S H . P | |


Example: **Z43060SH.PJW**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Tool Tiles

For specification information see pages 184-191.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
7½"H Tool Tiles				
24"W	**Z40724SW** S	$ 302	$ 350	$ 396
30"W	**Z40730SW** S	$ 310	$ 358	$ 404
36"W	**Z40736SW** S	$ 325	$ 373	$ 419
42"W	**Z40742SW** S	$ 335	$ 383	$ 429
48"W	**Z40748SW** S	$ 361	$ 409	$ 455
60"W	**Z40760SW** S	$ 383	$ 431	$ 477



15"H Tool Tiles				
24"W	**Z41524SW** S	$ 462	$ 510	$ 556
30"W	**Z41530SW** S	$ 502	$ 550	$ 596
36"W	**Z41536SW** S	$ 543	$ 591	$ 637
42"W	**Z41542SW** S	$ 570	$ 618	$ 664
48"W	**Z41548SW** S	$ 607	$ 655	$ 701
60"W	**Z41560SW** S	$ 646	$ 694	$ 740

NOTE: Tool tiles placed at worksurface height limit selection of work tools available. Folder Holders, Multi-Media Hangers, and Binder Bins extend below a 7½"H tool tile. Paper Wave and contents extend above a single 7½"H tool tile. See pages 986-987.

How to specify —

Select the Model Number from above.

1st Option:

Paint Color:

P1 P2 P3

See page 168 for finishes.

Z 4 _ _ _ _ _ . P _ _


Example: **Z41524SW.P52**


S *Shippable by small-package carrier.*


Tiles


Stride® — Porcelain and Steel Marker Board Tiles


For specification information see pages 184-191.
















Description	Model	List Price
15"H Porcelain Marker Board Tiles		
24"W	Z41524MB S	$ 758
30"W	Z41530MB S	$ 823
36"W	Z41536MB S	$ 886
42"W	Z41542MB S	$ 951
48"W	Z41548MB S	$ 1016
60"W	Z41560MB S	$ 1144
22½"H Porcelain Marker Board Tiles		
24"W	Z42224MB S	$ 886
30"W	Z42230MB S	$ 951
36"W	Z42236MB S	$ 1016
42"W	Z42242MB S	$ 1081
48"W	Z42248MB S	$ 1144
60"W	Z42260MB S	$ 1272
30"H Porcelain Marker Board Tiles		
24"W	Z43024MB S	$ 1016
30"W	Z43030MB S	$ 1081
36"W	Z43036MB S	$ 1144
42"W	Z43042MB S	$ 1207
48"W	Z43048MB S	$ 1272
60"W	Z43060MB	$ 1396
15"H Steel Marker Board Tiles (no color option)		
24"W	Z41524MBS	$ 528
30"W	Z41530MBS	$ 574
36"W	Z41536MBS	$ 618
42"W	Z41542MBS	$ 663
48"W	Z41548MBS	$ 709
60"W	Z41560MBS	$ 800
22½"H Steel Marker Board Tiles (no color option)		
24"W	Z42224MBS	$ 618
30"W	Z42230MBS	$ 663
36"W	Z42236MBS	$ 709
42"W	Z42242MBS	$ 758
48"W	Z42248MBS	$ 800
60"W	Z42260MBS	$ 888
30"H Steel Marker Board Tiles (no color option)		
24"W	Z43024MBS	$ 709
30"W	Z43030MBS	$ 758
36"W	Z43036MBS	$ 800
42"W	Z43042MBS	$ 846
48"W	Z43048MBS	$ 888
60"W	Z43060MBS	$ 980
15"W Marker Board Tray — Natural Aluminum		
Magnetic Markerboard Tray	TK4TRAYMS S	$ 106

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint Color:** P1 P2 P3 See page 168 for finishes.	**Color** *(if applicable)*: X No color option
_____.	P___	X


Examples: **Z42242MB.P7Q** **Z43036MBS.X** **TK4TRAYMS**

S *Shippable by small-package carrier.*


Tiles

Stride® — Landscape™ Surface Tiles


For specification information see pages 184-191.




Description	Model	Grade 1 List Price	Grade 2 List Price
7½"H Landscape Surface Tiles			
24"W	**Z40724L** S	$ 464	$ 561
30"W	**Z40730L** S	$ 600	$ 717
36"W	**Z40736L** S	$ 732	$ 864
42"W	**Z40742L** S	$ 864	$ 1012
48"W	**Z40748L** S	$ 996	$ 1161
60"W	**Z40760L** S	$ 1264	$ 1448



15"H Landscape Surface Tiles			
24"W	**Z41524L** S	$ 732	$ 923
30"W	**Z41530L** S	$ 864	$ 1070
36"W	**Z41536L** S	$ 996	$ 1215
42"W	**Z41542L** S	$ 1128	$ 1369
48"W	**Z41548L** S	$ 1264	$ 1518
60"W	**Z41560L** S	$ 1524	$ 1795



22½"H Landscape Surface Tiles			
24"W	**Z42224L** S	$ 996	$ 1362
30"W	**Z42230L** S	$ 1128	$ 1515
36"W	**Z42236L** S	$ 1264	$ 1666
42"W	**Z42242L** S	$ 1397	$ 1817
48"W	**Z42248L** S	$ 1524	$ 1959
60"W	**Z42260L** S	$ 1789	$ 2243



30"H Landscape Surface Tiles			
24"W	**Z43024L**	$ 1264	$ 1900
30"W	**Z43030L**	$ 1397	$ 2049
36"W	**Z43036L**	$ 1524	$ 2192
42"W	**Z43042L**	$ 1660	$ 2347
48"W	**Z43048L**	$ 1789	$ 2493
60"W	**Z43060L**	$ 2056	$ 2777

LANDSCAPE™ SURFACE MATERIAL OPTIONS

GRADE 2

Foundation™
FD01 Sand
FD02 Taupe
FD04 Pure White

Quattro
QU44 Platinum**

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Landscape Surface Material and Finish:** See above for material options.	**Frame Paint Color:** P1 P2 P3 See page 168 for finishes.

Z 4 | | | L . | | | | | | | | | . P | |


Examples: **Z40724L.QU44.P27** **Z41536L.FD01.P02**

S *Shippable by small-package carrier.*


Tiles

Stride® — Laminate Tiles


For specification information see pages 184-191.




Description	Model	L1 List Price	L2 List Price	L3 List Price
7½"H Laminate Tile				
24"W	**Z40724LM**	$ 383	$ 404	$ 424
30"W	**Z40730LM**	$ 398	$ 419	$ 440
36"W	**Z40736LM**	$ 425	$ 448	$ 470
42"W	**Z40742LM**	$ 466	$ 490	$ 515
48"W	**Z40748LM**	$ 502	$ 528	$ 554
60"W	**Z40760LM**	$ 565	$ 595	$ 624




15"H Laminate Tile				
24"W	**Z41524LM**	$ 446	$ 469	$ 493
30"W	**Z41530LM**	$ 463	$ 487	$ 511
36"W	**Z41536LM**	$ 517	$ 543	$ 571
42"W	**Z41542LM**	$ 555	$ 585	$ 613
48"W	**Z41548LM**	$ 602	$ 634	$ 664
60"W	**Z41560LM**	$ 681	$ 716	$ 750




22½"H Laminate Tile				
24"W	**Z42224LM**	$ 560	$ 590	$ 618
30"W	**Z42230LM**	$ 605	$ 637	$ 667
36"W	**Z42236LM**	$ 658	$ 692	$ 725
42"W	**Z42242LM**	$ 704	$ 740	$ 775
48"W	**Z42248LM**	$ 757	$ 797	$ 835
60"W	**Z42260LM**	$ 881	$ 928	$ 971



30"H Laminate Tile				
24"W	**Z43024LM**	$ 673	$ 708	$ 742
30"W	**Z43030LM**	$ 727	$ 765	$ 801
36"W	**Z43036LM**	$ 780	$ 821	$ 861
42"W	**Z43042LM**	$ 850	$ 895	$ 938
48"W	**Z43048LM**	$ 917	$ 965	$ 1010
60"W	**Z43060LM**	$ 1052	$ 1107	$ 1158



42½"H Laminate Tile				
24"W	**Z44224LM**	$ 806	$ 848	$ 890
30"W	**Z44230LM**	$ 968	$ 1018	$ 1066
36"W	**Z44236LM**	$ 1053	$ 1108	$ 1159
42"W	**Z44242LM**	$ 1148	$ 1208	$ 1265
48"W	**Z44248LM**	$ 1250	$ 1314	$ 1377
60"W	**Z44260LM**	$ 1364	$ 1434	$ 1502



50"H Laminate Tile				
24"W	**Z45024LM**	$ 985	$ 1036	$ 1085
30"W	**Z45030LM**	$ 1075	$ 1132	$ 1185
36"W	**Z45036LM**	$ 1169	$ 1230	$ 1288
42"W	**Z45042LM**	$ 1276	$ 1341	$ 1405
48"W	**Z45048LM**	$ 1389	$ 1460	$ 1529
60"W	**Z45060LM**	$ 1516	$ 1594	$ 1670

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 168 for finishes.	**Edge Color:** See page 168 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
Z 4 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	_ _


Example: **Z40724LM.F.TM133.E4.VLG**

S ***Shippable by small-package carrier.***

Tiles

Stride® — Laminate Tiles

For specification information see pages 184-191.



Description	Model	L1 List Price	L2 List Price	L3 List Price
57½"H Laminate Tile				
24"W	**Z45724LM**	**$ 1348**	**$ 1417**	**$ 1485**
30"W	**Z45730LM**	**$ 1511**	**$ 1589**	**$ 1664**
36"W	**Z45736LM**	**$ 1690**	**$ 1777**	**$ 1860**
42"W	**Z45742LM**	**$ 1894**	**$ 1991**	**$ 2086**
48"W	**Z45748LM**	**$ 2121**	**$ 2228**	**$ 2334**
65"H Laminate Tile				
24"W	**Z46524LM**	**$ 1493**	**$ 1570**	**$ 1645**
30"W	**Z46530LM**	**$ 1671**	**$ 1757**	**$ 1840**
36"W	**Z46536LM**	**$ 1871**	**$ 1967**	**$ 2062**
42"W	**Z46542LM**	**$ 2096**	**$ 2202**	**$ 2307**
48"W	**Z46548LM**	**$ 2348**	**$ 2468**	**$ 2585**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 168 for finishes.	**Edge Color:** See page 168 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
Z 4 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	_ _ _


Example: **Z45724LM.F.TM133.E4.VLG**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Laminate Tiles To-the-Floor


For specification information see pages 184-191.




Description	Model	L1 List Price	L2 List Price	L3 List Price
22½"H Laminate To-The-Floor Tiles				
24"W	**Z42224LTF**	$ 619	$ 649	$ 677
30"W	**Z42230LTF**	$ 664	$ 696	$ 726
36"W	**Z42236LTF**	$ 717	$ 751	$ 784
42"W	**Z42242LTF**	$ 763	$ 799	$ 834
48"W	**Z42248LTF**	$ 816	$ 856	$ 894
60"W	**Z42260LTF**	$ 940	$ 987	$ 1030




30"H Laminate To-The-Floor Tiles				
24"W	**Z43024LTF**	$ 732	$ 767	$ 801
30"W	**Z43030LTF**	$ 786	$ 824	$ 860
36"W	**Z43036LTF**	$ 839	$ 880	$ 920
42"W	**Z43042LTF**	$ 909	$ 954	$ 997
48"W	**Z43048LTF**	$ 976	$ 1024	$ 1069
60"W	**Z43060LTF**	$ 1111	$ 1166	$ 1217




37½"H Laminate To-The-Floor Tiles				
24"W	**Z43724LTF**	$ 845	$ 887	$ 926
30"W	**Z43730LTF**	$ 977	$ 1025	$ 1070
36"W	**Z43736LTF**	$ 1134	$ 1191	$ 1244
42"W	**Z43742LTF**	$ 1315	$ 1379	$ 1442
48"W	**Z43748LTF**	$ 1527	$ 1603	$ 1675
60"W	**Z43760LTF**	$ 1777	$ 1865	$ 1950



45"H Laminate To-The-Floor Tiles				
24"W	**Z44524LTF**	$ 1002	$ 1051	$ 1098
30"W	**Z44530LTF**	$ 1160	$ 1218	$ 1272
36"W	**Z44536LTF**	$ 1347	$ 1412	$ 1477
42"W	**Z44542LTF**	$ 1564	$ 1642	$ 1717
48"W	**Z44548LTF**	$ 1819	$ 1909	$ 1996
60"W	**Z44560LTF**	$ 2117	$ 2221	$ 2324



55½"H Laminate To-The-Floor Tiles				
24"W	**Z45724LTF**	$ 1160	$ 1218	$ 1272
30"W	**Z45730LTF**	$ 1349	$ 1415	$ 1479
36"W	**Z45736LTF**	$ 1566	$ 1644	$ 1719
42"W	**Z45742LTF**	$ 1822	$ 1912	$ 2000
48"W	**Z45748LTF**	$ 2123	$ 2227	$ 2330



60"H Laminate To-The-Floor Tiles				
24"W	**Z46024LTF**	$ 1347	$ 1412	$ 1477
30"W	**Z46030LTF**	$ 1565	$ 1643	$ 1718
36"W	**Z46036LTF**	$ 1820	$ 1910	$ 1997
42"W	**Z46042LTF**	$ 2121	$ 2225	$ 2328
48"W	**Z46048LTF**	$ 2470	$ 2592	$ 2712

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 168 for finishes.	**Edge Color:** See page 168 for finishes.	**Grain Direction:** **VLG** Horizontal or Solid Grain **VST** Vertical Grain
Z 4 _____ .	_____ .	_____ .	_____ .	_____


Example: **Z42224LTF.F.TM133.E4.VLG**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Laminate Spanning Hard Surface Tiles / Laminate Tiles To-the-Floor Kits


For specification information see pages 184-191.




Description	Model	L1 List Price	L2 List Price	L3 List Price
25"H Laminate Spanning Tile				
54"W	Z42554SHS	$ 1211	$ 1268	$ 1323
60"W	Z42560SHS	$ 1243	$ 1302	$ 1358
66"W	Z42566SHS	$ 1290	$ 1350	$ 1408
72"W	Z42572SHS	$ 1377	$ 1441	$ 1503
78"W	Z42578SHS	$ 1455	$ 1522	$ 1588
84"W	Z42584SHS	$ 1524	$ 1594	$ 1663
90"W	Z42590SHS	$ 1592	$ 1666	$ 1737
96"W	Z42596SHS	$ 1696	$ 1774	$ 1851



30"H Laminate Spanning Tile				
54"W	Z43054SHS	$ 1254	$ 1313	$ 1370
60"W	Z43060SHS	$ 1371	$ 1434	$ 1497
66"W	Z43066SHS	$ 1425	$ 1490	$ 1555
72"W	Z43072SHS	$ 1505	$ 1574	$ 1643
78"W	Z43078SHS	$ 1528	$ 1598	$ 1667
84"W	Z43084SHS	$ 1693	$ 1771	$ 1848
90"W	Z43090SHS	$ 1783	$ 1867	$ 1947
96"W	Z43096SHS	$ 1859	$ 1946	$ 2028



42"H Laminate Spanning Tile				
54"W	Z43754SHS	$ 1495	$ 1564	$ 1632
60"W	Z43760SHS	$ 1601	$ 1675	$ 1747
66"W	Z43766SHS	$ 1683	$ 1761	$ 1837
72"W	Z43772SHS	$ 1734	$ 1815	$ 1893
78"W	Z43778SHS	$ 1775	$ 1857	$ 1937
84"W	Z43784SHS	$ 1849	$ 1935	$ 2017
90"W	Z43790SHS	$ 1896	$ 1984	$ 2068
96"W	Z43796SHS	$ 1931	$ 2020	$ 2107



50"H Laminate Spanning Tile				
54"W	Z44554SHS	$ 1948	$ 2038	$ 2125
60"W	Z44560SHS	$ 1969	$ 2060	$ 2147
66"W	Z44566SHS	$ 1989	$ 2080	$ 2170
72"W	Z44572SHS	$ 2035	$ 2128	$ 2220
78"W	Z44578SHS	$ 2254	$ 2356	$ 2459
84"W	Z44584SHS	$ 2285	$ 2389	$ 2492
90"W	Z44590SHS	$ 2338	$ 2445	$ 2550
96"W	Z44596SHS	$ 2384	$ 2494	$ 2602

Description	Model	List Price
Spanning Tile Bracket Kits		
	TKSTBRKT1	$ 242
	TKSTBRKT2	$ 242

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 168 for finishes.	**Edge Color:** See page 168 for finishes.
Z 4 _ _ _ _ _ _ _ .	_ _ .	_ _ _ _ .	_ _ .


Example: **Z42554SHS.F.TM133.E4**

S Shippable by small-package carrier.


Tiles

Stride® — Laminate Spanning Tiles To-the-Floor


For specification information see pages 184-191.




Description	Model	L1 List Price	L2 List Price	L3 List Price
25"H Laminate Spanning Tile To-The Floor				
54"W	Z42554SHTF	$ 1333	$ 1395	$ 1455
60"W	Z42560SHTF	$ 1369	$ 1432	$ 1494
66"W	Z42566SHTF	$ 1415	$ 1480	$ 1544
72"W	Z42572SHTF	$ 1517	$ 1587	$ 1656
78"W	Z42578SHTF	$ 1601	$ 1675	$ 1747
84"W	Z42584SHTF	$ 1677	$ 1755	$ 1831
90"W	Z42590SHTF	$ 1752	$ 1834	$ 1912
96"W	Z42596SHTF	$ 1865	$ 1952	$ 2035



30"H Laminate Spanning Tile To-The-Floor				
54"W	Z43054SHTF	$ 1377	$ 1441	$ 1503
60"W	Z43060SHTF	$ 1507	$ 1576	$ 1645
66"W	Z43066SHTF	$ 1569	$ 1642	$ 1711
72"W	Z43072SHTF	$ 1656	$ 1733	$ 1808
78"W	Z43078SHTF	$ 1680	$ 1758	$ 1834
84"W	Z43084SHTF	$ 1864	$ 1951	$ 2034
90"W	Z43090SHTF	$ 1961	$ 2051	$ 2139
96"W	Z43096SHTF	$ 2044	$ 2138	$ 2231



42"H Laminate Spanning Tile To-The-Floor				
54"W	Z43754SHTF	$ 1780	$ 1864	$ 1942
60"W	Z43760SHTF	$ 1897	$ 1985	$ 2069
66"W	Z43766SHTF	$ 1986	$ 2077	$ 2167
72"W	Z43772SHTF	$ 2042	$ 2135	$ 2229
78"W	Z43778SHTF	$ 2086	$ 2182	$ 2277
84"W	Z43784SHTF	$ 2168	$ 2267	$ 2365
90"W	Z43790SHTF	$ 2220	$ 2321	$ 2421
96"W	Z43796SHTF	$ 2257	$ 2360	$ 2462



50"H Laminate Spanning Tile To-The-Floor				
54"W	Z44554SHTF	$ 2278	$ 2381	$ 2485
60"W	Z44560SHTF	$ 2300	$ 2404	$ 2508
66"W	Z44566SHTF	$ 2324	$ 2430	$ 2535
72"W	Z44572SHTF	$ 2373	$ 2483	$ 2590
78"W	Z44578SHTF	$ 2615	$ 2735	$ 2853
84"W	Z44584SHTF	$ 2651	$ 2772	$ 2891
90"W	Z44590SHTF	$ 2709	$ 2833	$ 2955
96"W	Z44596SHTF	$ 2759	$ 2885	$ 3009

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Wood** *(if applicable)*: **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 168 for finishes.	**Edge Color:** See page 168 for finishes.
Z 4 | | | | | | .	.	| | | | .	| |


Example: **Z42554SHTF.F.TM133.E4**

S ***Shippable by small-package carrier.***


Tiles

Stride® — Single Pane Glass Tile Kits / Pass Thru Kits


For specification information see pages 184-191.




Description	Model	Clear List Price	Frosted List Price
15"H Glass Tile Kits			
24"W	Z41524G S	$ 839	$ 955
30"W	Z41530G S	$ 955	$ 1085
36"W	Z41536G S	$ 1025	$ 1165
42"W	Z41542G S	$ 1095	$ 1243
48"W	Z41548G S	$ 1158	$ 1316
60"W	Z41560G S	$ 1333	$ 1515



22½"H Glass Tile Kits			
24"W	Z42224G S	$ 1075	$ 1221
30"W	Z42230G S	$ 1130	$ 1285
36"W	Z42236G S	$ 1183	$ 1343
42"W	Z42242G S	$ 1247	$ 1417
48"W	Z42248G S	$ 1303	$ 1481
60"W	Z42260G S	$ 1387	$ 1579



30"H Glass Tile Kits			
24"W	Z43024G S	$ 1248	$ 1418
30"W	Z43030G S	$ 1320	$ 1502
36"W	Z43036G S	$ 1427	$ 1623
42"W	Z43042G S	$ 1543	$ 1754
48"W	Z43048G S	$ 1635	$ 1859
60"W	Z43060G	$ 1816	$ 2064



Description	Model	P1 Paint List Price	P2 Paint List Price
22½"H Pass-Thru Trim Kits			
24"W	Z42224PT S	$ 616	$ 654
30"W	Z42230PT S	$ 650	$ 688
36"W	Z42236PT S	$ 695	$ 733
42"W	Z42242PT S	$ 735	$ 773
48"W	Z42248PT S	$ 769	$ 807
60"W	Z42260PT S	$ 796	$ 834

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint (Interior Shroud):** P1 P2 P3 See page 168 for finishes.	**Glass Type** *(if applicable)*: **C** Clear **F** Frosted

Z 4 | | | | | . P | | . | |


Examples: **Z41530G.P27.C** **Z42260PT.PJW**

S *Shippable by small-package carrier.*


Tiles

Stride® — Veneer Tiles


For specification information see pages 184-191.




Description	Model	V2 List Price	V3 List Price
7½"H Veneer Tiles			
24"W	Z40724V S	$ 554	$ 604
30"W	Z40730V S	$ 602	$ 657
36"W	Z40736V S	$ 692	$ 754
42"W	Z40742V S	$ 769	$ 839
48"W	Z40748V S	$ 818	$ 892
60"W	Z40760V S	$ 909	$ 991




15"H Veneer Tiles			
24"W	Z41524V S	$ 653	$ 712
30"W	Z41530V S	$ 699	$ 762
36"W	Z41536V S	$ 800	$ 873
42"W	Z41542V S	$ 895	$ 976
48"W	Z41548V S	$ 943	$ 1028
60"W	Z41560V S	$ 1048	$ 1144




22½"H Veneer Tiles			
24"W	Z42224V S	$ 791	$ 863
30"W	Z42230V S	$ 867	$ 945
36"W	Z42236V S	$ 967	$ 1054
42"W	Z42242V S	$ 1083	$ 1182
48"W	Z42248V S	$ 1125	$ 1227
60"W	Z42260V S	$ 1268	$ 1382



30"H Veneer Tiles			
24"W	Z43024V S	$ 921	$ 1004
30"W	Z43030V S	$ 1020	$ 1113
36"W	Z43036V S	$ 1127	$ 1229
42"W	Z43042V S	$ 1266	$ 1380
48"W	Z43048V S	$ 1308	$ 1427
60"W	Z43060V	$ 1479	$ 1613



37½"H Veneer Tiles			
24"W	Z43724V S	$ 1074	$ 1172
30"W	Z43730V S	$ 1222	$ 1332
36"W	Z43736V S	$ 1321	$ 1441
42"W	Z43742V S	$ 1471	$ 1605
48"W	Z43748V S	$ 1607	$ 1753
60"W	Z43760V	$ 1846	$ 2013



45"H Veneer Tiles			
24"W	Z44524V S	$ 1216	$ 1326
30"W	Z44530V S	$ 1401	$ 1529
36"W	Z44536V S	$ 1515	$ 1652
42"W	Z44542V S	$ 1666	$ 1817
48"W	Z44548V S	$ 1901	$ 2074
60"W	Z44560V	$ 2151	$ 2346

How to specify —

Select the Model Number from above.

1st Option:

Veneer Type and Finish:

See page 168 for finishes.

S prefix for Stratawood
N prefix for Natural

Z 4 | | | | V . | | | | | |


Example: **Z43024V.NE800**

S *Shippable by small-package carrier.*


Tiles

Stride® — Veneer Tiles to-the-Floor


For specification information see pages 184-191.



Description	Model	V2 List Price	V3 List Price
22½"H Veneer Base Tiles to-the-Floor Kits			
24"W	**Z42224VTF** S	**$ 1116**	**$ 1217**
30"W	**Z42230VTF** S	**$ 1214**	**$ 1324**
36"W	**Z42236VTF** S	**$ 1330**	**$ 1450**
42"W	**Z42242VTF** S	**$ 1462**	**$ 1595**
48"W	**Z42248VTF** S	**$ 1502**	**$ 1638**
60"W	**Z42260VTF** S	**$ 1674**	**$ 1826**



30"H Veneer Base Tiles to-the-Floor Kits			
24"W	**Z43024VTF** S	**$ 1262**	**$ 1376**
30"W	**Z43030VTF** S	**$ 1407**	**$ 1535**
36"W	**Z43036VTF** S	**$ 1514**	**$ 1651**
42"W	**Z43042VTF** S	**$ 1658**	**$ 1808**
48"W	**Z43048VTF** S	**$ 1797**	**$ 1960**
60"W	**Z43060VTF**	**$ 2049**	**$ 2234**



37½"H Veneer Base Tiles to-the-Floor Kits			
24"W	**Z43724VTF** S	**$ 1405**	**$ 1533**
30"W	**Z43730VTF** S	**$ 1604**	**$ 1750**
36"W	**Z43736VTF** S	**$ 1710**	**$ 1865**
42"W	**Z43742VTF** S	**$ 1856**	**$ 2024**
48"W	**Z43748VTF** S	**$ 2099**	**$ 2289**
60"W	**Z43760VTF**	**$ 2343**	**$ 2556**



45"H Veneer Base Tiles to-the-Floor Kits			
24"W	**Z44524VTF** S	**$ 1646**	**$ 1795**
30"W	**Z44530VTF** S	**$ 1896**	**$ 2069**
36"W	**Z44536VTF** S	**$ 1999**	**$ 2179**
42"W	**Z44542VTF** S	**$ 2157**	**$ 2353**
48"W	**Z44548VTF** S	**$ 2486**	**$ 2712**
60"W	**Z44560VTF**	**$ 2743**	**$ 2992**

How to specify —

Select the Model Number from above.

1st Option:

Veneer Type and Finish:

See page 168 for finishes.

S prefix for Stratawood
N prefix for Natural

Z 4 | | | V T F . | | | | | .


Example: **Z43036VTF.NE800**

S *Shippable by small-package carrier.*


Tiles

Stride® — Natural Veneer Sets


For specification information see pages 184-191.




Description	Model	2P Natural–1 V2 List Price	2P Natural–2 V3 List Price
Natural Veneer Tile Set — 30"H			
24"W	**Z43024NVS-2P** S	$ 1303	$ 1421
30"W	**Z43030NVS-2P** S	$ 1413	$ 1542
36"W	**Z43036NVS-2P** S	$ 1609	$ 1755
42"W	**Z43042NVS-2P** S	$ 1799	$ 1962
48"W	**Z43048NVS-2P** S	$ 1901	$ 2074
60"W	**Z43060NVS-2P** S	$ 2123	$ 2315



Description	Model	QP Natural–1 V2 List Price	QP Natural–2 V3 List Price
Natural Veneer Tile Set — 37½"H			
24"W	**Z43724NVS-QP** S	$ 1444	$ 1575
30"W	**Z43730NVS-QP** S	$ 1577	$ 1720
36"W	**Z43736NVS-QP** S	$ 1785	$ 1947
42"W	**Z43742NVS-QP** S	$ 1984	$ 2164
48"W	**Z43748NVS-QP** S	$ 2079	$ 2267
60"W	**Z43760NVS-QP** S	$ 2338	$ 2550



Description	Model	3P Natural–1 V2 List Price	3P Natural–2 V3 List Price
Natural Veneer Tile Set — 45"H			
24"W	**Z44524NVS-3P** S	$ 1951	$ 2128
30"W	**Z44530NVS-3P** S	$ 2122	$ 2314
36"W	**Z44536NVS-3P** S	$ 2410	$ 2628
42"W	**Z44542NVS-3P** S	$ 2702	$ 2947
48"W	**Z44548NVS-3P** S	$ 2839	$ 3097
60"W	**Z44560NVS-3P** S	$ 3180	$ 3469



Description	Model	SP Natural–1 V2 List Price	SP Natural–2 V3 List Price
Natural Veneer Tile Set — 45"H			
24"W	**Z44524NVS-SP** S	$ 1587	$ 1731
30"W	**Z44530NVS-SP** S	$ 1884	$ 2056
36"W	**Z44536NVS-SP** S	$ 2117	$ 2308
42"W	**Z44542NVS-SP** S	$ 2172	$ 2370
48"W	**Z44548NVS-SP** S	$ 2266	$ 2472
60"W	**Z44560NVS-SP**	$ 2553	$ 2784

How to specify —

Select the Model Number from above.

1st Option:

Tile Set:

2P for 30"H
QP for 37½"H
3P or **SP** for 45"H

2nd Option:

Veneer Type and Finish:

See page 168 for finishes.

Z 4 | | | | N V S – | | . | | | | |


Example: **Z43042NVS-2P.NE800**

S *Shippable by small-package carrier.*


Tiles

Stride® — Natural Veneer Sets


For specification information see pages 184-191.




Description	Model	Q2P Natural–1 V2 List Price	Q2P Natural–2 V3 List Price
Natural Veneer Tile Set — 52½"H			
24"W	**Z45224NVS-Q2P** S	$ 2098	$ 2288
30"W	**Z45230NVS-Q2P** S	$ 2277	$ 2484
36"W	**Z45236NVS-Q2P** S	$ 2580	$ 2815
42"W	**Z45242NVS-Q2P** S	$ 2887	$ 3149
48"W	**Z45248NVS-Q2P** S	$ 3027	$ 3303
60"W	**Z45260NVS-Q2P** S	$ 3395	$ 3704



Description	Model	SQ Natural–1 V2 List Price	SQ Natural–2 V3 List Price
Natural Veneer Tile Set — 52½"H			
24"W	**Z45224NVS-SQ** S	$ 1725	$ 1881
30"W	**Z45230NVS-SQ** S	$ 1892	$ 2064
36"W	**Z45236NVS-SQ** S	$ 2113	$ 2304
42"W	**Z45242NVS-SQ** S	$ 2365	$ 2579
48"W	**Z45248NVS-SQ** S	$ 2453	$ 2676
60"W	**Z45260NVS-SQ**	$ 2764	$ 3015



Description	Model	4P Natural–1 V2 List Price	4P Natural–2 V3 List Price
Natural Veneer Tile Set — 60"H			
24"W	**Z46024NVS-4P** S	$ 2603	$ 2840
30"W	**Z46030NVS-4P** S	$ 2823	$ 3079
36"W	**Z46036NVS-4P** S	$ 3217	$ 3509
42"W	**Z46042NVS-4P** S	$ 3599	$ 3926
48"W	**Z46048NVS-4P** S	$ 3790	$ 4134
60"W	**Z46060NVS-4P** S	$ 4237	$ 4622



Description	Model	S2P Natural–1 V2 List Price	S2P Natural–2 V3 List Price
Natural Veneer Tile Set — 60"H			
24"W	**Z46024NVS-S2P** S	$ 2231	$ 2434
30"W	**Z46030NVS-S2P** S	$ 2437	$ 2659
36"W	**Z46036NVS-S2P** S	$ 2746	$ 2996
42"W	**Z46042NVS-S2P** S	$ 3353	$ 3658
48"W	**Z46048NVS-S2P** S	$ 3212	$ 3503
60"W	**Z46060NVS-S2P**	$ 3611	$ 3939

How to specify —

Select the Model Number from above.

1st Option:

Tile Set:

Q2P or **SQ** for 52½"H
4P or **S2P** for 60"H

2nd Option:

Veneer Type and Finish:

See page 168 for finishes.

Z 4 | | | | N V S – | | | | .


Example: **Z45260NVS–Q2P.NE800**

S *Shippable by small-package carrier.*


Tiles

Stride® — Natural Veneer to-the-Floor Tile Sets


For specification information see pages 184-191.



Description	Model	ZP Natural–1 V2 List Price	ZP Natural–2 V3 List Price
Veneer to-the-Floor Base Tile Sets — 45"H			
24"W	**Z44524NVS-ZP** S	$ 2073	$ 2260
30"W	**Z44530NVS-ZP** S	$ 2303	$ 2512
36"W	**Z44536NVS-ZP** S	$ 2320	$ 2531
42"W	**Z44542NVS-ZP** S	$ 2782	$ 3035
48"W	**Z44548NVS-ZP** S	$ 2745	$ 2995
60"W	**Z44560NVS-ZP**	$ 3109	$ 3392



Description	Model	ZQ Natural–1 V2 List Price	ZQ Natural–2 V3 List Price
Veneer to-the-Floor Base Tile Sets — 52½"H			
24"W	**Z45224NVS-ZQ** S	$ 2051	$ 2237
30"W	**Z45230NVS-ZQ** S	$ 2274	$ 2481
36"W	**Z45236NVS-ZQ** S	$ 2488	$ 2714
42"W	**Z45242NVS-ZQ** S	$ 2745	$ 2995
48"W	**Z45248NVS-ZQ** S	$ 2931	$ 3196
60"W	**Z45260NVS-ZQ**	$ 3330	$ 3632



Description	Model	Z2P Natural–1 V2 List Price	Z2P Natural–2 V3 List Price
Veneer to-the-Floor Base Tile Sets — 60"H			
24"W	**Z46024NVS-Z2P** S	$ 2560	$ 2793
30"W	**Z46030NVS-Z2P** S	$ 2816	$ 3072
36"W	**Z46036NVS-Z2P** S	$ 3400	$ 3709
42"W	**Z46042NVS-Z2P** S	$ 3759	$ 4101
48"W	**Z46048NVS-Z2P** S	$ 4019	$ 4384
60"W	**Z46060NVS-Z2P**	$ 4167	$ 4546

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Tile Set:** **ZP** for 45"H **ZQ** for 52½"H **Z2P** for 60"H	**Veneer Type and Finish:** See page 168 for finishes.

Z 4 | | | | N V S – | | | . | | | | |


Example: **Z45224NVS-ZQ.NE800**

S *Shippable by small-package carrier.*


Off-Modular

Stride® — Non-Rail Based Off-Modular Accessories


For specification information see page 192.




Z3MP




Z6EPK



Z6MK



Z6C3BK



Z6Z3MK

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Off-Modular Panel Attachment Kit (no color option)				
Non-Rail Based "M" Off-Modular Connector Kit	**Z3MP** S	$ 325	N/A	N/A
Off-Modular Worksurface Brackets				
Non-Rail Based End Panel Kit	**Z6EPK**	$ 66	$ 81	$ 90
Non-Rail Based Worksurface Bracket (1)	**Z6MK**	$ 80	$ 95	$ 104
Non-Rail Based 3" Layered Worksurface Bracket (1)	**Z6Z3MK** S	$ 89	$ 104	$ 113
Layered Worksurface Connection Bracket (1)	**Z6C3BK** S	$ 127	$ 148	$ 163

How to specify —

Select the Model Number from above.

1st Option:

Color *(if applicable)*:

P1 P2 P3

See page 168 for finishes.

Z _____ . P ___


Examples: **Z3MP** **Z6MK.P7Q** **Z6Z3MK.PJW**

S *Shippable by small-package carrier.*


Frames

Stride® — Acoustic Inserts


- Optional Acoustic Inserts enhance the acoustic value of Stride Panels.
- Full Acoustic Insert provides two fillers to span from lower horizontal cross member to upper horizontal cross member.
- Upper Acoustic Insert spans from above beltline horizontal to upper horizontal cross member.
- Acoustic Insert material can be compressed up to 90% to allow for power and data cables routed in panels between tiles.




Description	Full Insert Model	Upper Insert Model	Full Insert List Price	Upper Insert List Price
42½"H Stride Panel Frame Acoustic Inserts (fits between tiles)				
For 24"W	**Z04224AIF** S	**Z04224AIU** S	$ 159	$ 94
For 30"W	**Z04230AIF** S	**Z04230AIU** S	$ 185	$ 97
For 36"W	**Z04236AIF** S	**Z04236AIU** S	$ 192	$ 111
For 42"W	**Z04242AIF** S	**Z04242AIU** S	$ 213	$ 127
For 48"W	**Z04248AIF** S	**Z04248AIU** S	$ 233	$ 152
For 60"W	**Z04260AIF** S	**Z04260AIU** S	$ 379	$ 221



50"H Stride Panel Frame Acoustic Inserts (fits between tiles)				
For 24"W	**Z05024AIF** S	**Z05024AIU** S	$ 145	$ 97
For 30"W	**Z05030AIF** S	**Z05030AIU** S	$ 194	$ 120
For 36"W	**Z05036AIF** S	**Z05036AIU** S	$ 219	$ 151
For 42"W	**Z05042AIF** S	**Z05042AIU** S	$ 236	$ 176
For 48"W	**Z05048AIF** S	**Z05048AIU** S	$ 249	$ 194
For 60"W	**Z05060AIF** S	**Z05060AIU** S	$ 426	$ 252



57½"H Stride Panel Frame Acoustic Inserts (fits between tiles)				
For 24"W	**Z05724AIF** S	**Z05724AIU** S	$ 164	$ 107
For 30"W	**Z05730AIF** S	**Z05730AIU** S	$ 227	$ 152
For 36"W	**Z05736AIF** S	**Z05736AIU** S	$ 241	$ 172
For 42"W	**Z05742AIF** S	**Z05742AIU** S	$ 267	$ 194
For 48"W	**Z05748AIF** S	**Z05748AIU** S	$ 314	$ 250
For 60"W	**Z05760AIF** S	**Z05760AIU** S	$ 504	$ 345



65"H Stride Panel Frame Acoustic Inserts (fits between tiles)				
For 24"W	**Z06524AIF** S	**Z06524AIU** S	$ 197	$ 133
For 30"W	**Z06530AIF** S	**Z06530AIU** S	$ 236	$ 168
For 36"W	**Z06536AIF** S	**Z06536AIU** S	$ 275	$ 197
For 42"W	**Z06542AIF** S	**Z06542AIU** S	$ 311	$ 224
For 48"W	**Z06548AIF** S	**Z06548AIU** S	$ 324	$ 271
For 60"W	**Z06560AIF** S	**Z06560AIU** S	$ 508	$ 379

How to specify —

Select the Model Number from above.

Z 0 | | | A I | |


Examples: **Z04220AIF** **Z06560AIU**

S *Shippable by small-package carrier.*

Electrical & Data

Stride® — Working with Electrical & Data

Stride features high capacity for cable management, including electrical, voice, and data capabilities. The 8-wire electrical system can be integrated at base pathway and beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.



Electrical & Data

Electrical Systems

Stride electrical offers a choice of four electrical systems:


- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.

- See pages 234-235 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (16 amps plan-able U.S. and 15 amps Canadian).
- Stride panels and electrical components are UL Listed. Electrical components are also CSA certified. PVC-free models are C2C certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.

Note: No more than one conduit that is connected to a harness mounted to horizontal can be routed through the same cut out in the same horizontal. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.

Hardwire New York Code (page 243)



- **Hardwire (New York Code) junction box** (model A871400C) is used when local electrical codes require hardwire entry.
- For use in panels 30"W to 60"W.
- When used in 30"W and 36"W panels, power can be routed only in one direction.
- When used in 42"W, 48"W, and 60"W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction.
- Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.

Hardwire Chicago Code (page 245)




- Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- For the base pathway, junction box (model 877600) clips directly into receptacle locations and can be used both single- and double-sided.
- In the beltline location, junction box (model 877550) can only be used single-sided.
- Base pathway model has a larger volume capacity for wiring to allow for dual-sided applications.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.
- Tiles at the beltline must be field ported.
- Power entry can be routed from the ceiling, via a Stride power pole, or from the floor into a junction box (beltline model 877550; or base pathway model 877600).

Electrical Infeeds


- **Power infeed cables** deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.

Base Infeed (page 243)




- **Sealtight base pathway power infeed** attaches to any receptacle opening at the base pathway.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.
- A jumper is required to connect base pathway power to beltline.

Sealtight Electrical Infeed Cable (page 243)




- **Sealtight electrical infeed cable** is used with footed panels.
- Should not be ordered prior to installation to have prewired as infeed must be routed from inside of panel out to be connected to power.
- Cannot be connected to power harness in panel frame that infeed is brought into unless additional pass-thru harness without power block is used to feed from below beltline to above beltline.

Ceiling Power Infeed (page 243)



- **Ceiling power infeed** connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole.
- For use with integrated power pole models Z235PP and Z265PP.
- Can also be used as infeed for footed panels.
- Most codes permit flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.

Integrated Power Pole (page 243)



- **Integrated power and communications poles** provide capacity for routing power supply directly through the top of any structural or stacking frame using same width trim/connector kit in place of top cap.
- Power pole has a cavity on each side of a center septum.
- See page 240 for cable capacity.
- When using a ceiling power infeed, consider that the infeed must connect into an electrical harness located in an adjacent panel.
- Integrated power pole will not work with low profile glass stackers, panel mounted glass screens, or panel mounted screens.
- Avoid glass or translucent tiles in upper position of frames with integrated power poles.

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The Three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The Eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of Isolated, Isolated/Dedicated, and Separate Neutrals circuits.
4. Specify appropriate Power Harnesses* and Pass-Thru Cables.*
5. Determine the location, quantity, and type of Power Infeeds needed.

* Select Power Harness models (A8712XX), Pass-Thru Cables (A8710XX) and Pass-Thru Harness (A8711XX) with the last two digits corresponding with the panel width into which the component is to be positioned. The initial cable length can be stretched approximately 3" to transverse "T", "X", "L" and Extended Straight Connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same prewired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.

Reference the Office Equipment Typical Load Values matrix on page 242.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




Four-circuit, 2 + 2 Receptacle Option




The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/ dedicated. The three-circuit components have model numbers with an "A" suffix.



Stride System Receptacle Usage					
Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered					
Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	**3 + 1**	Common Circuit-1 **A877501**	Common Circuit-2 (1) **A877502**	Common Circuit-3 **A877503**	Iso/Dedicated Circuit-4 **A877504**
	2 + 2	Common Circuit-1 **A877501**	Common Circuit-2 **A877502**	Isolated Circuit-3 **A877506**	Isolated Circuit-4 **A877504**
Three-circuit 3-Hot/3-Neutral/2-Ground	**w/separate neutrals**	Common Circuit-1 **A877501A**	Common Circuit-2 **A877502A**	Iso/Dedicated Circuit-3 **A877503A**	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel Model Numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.


Duplex Receptacle




15 amp Receptacle

Power Harnesses, Pass-Thru Cables, and Jumpers


Electrical power harnesses are used to distribute power in Stride panels. Harnesses can be mounted at the base pathway and at 7½" vertical intervals above the base pathway using mounting brackets or power block beltline mounting brackets. **Power blocks** on electrical power harnesses and pass-thru harnesses accept duplex receptacles.



Electrical Power Harness




Electrical Pass-Thru Harness



Electrical Pass-Thru Harness without Power Block




Electrical Jumper Cables



Dual Electrical Eight-circuit Power Harness Kit

All electrical power harnesses and pass-thru harnesses (except 20"W) will stretch 3½", allowing them to span "T", "X", and "A" intersections and "S" extended straight connections.
Note: "T" intersections require a minimum of one power harness and "X" intersections requires a minimum of two power harnesses.

Use of a ceiling infeed or jumper requires one additional harness.



Power Harnesses (page 244)
- Specify harness length to match panel width. 24" power harnesses accept one receptacle on each side of the harness when exposed, all other power harnesses have power blocks to accept four duplex receptacles (two on each side of panel).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in base pathway; at beltline or other vertical locations harnesses require optional mounting brackets.


Pass-thru Harnesses (page 244)
- Electrical pass-thru harnesses have capacity to handle one duplex receptacle on each side of panel.
- Electrical pass-thru harnesses distribute power in panels — specify harness length to match panel width.
- Electrical pass-thru cables distribute power through any panel where receptacles are not required.
- 20"W frames use 20"W pass-thru cables since they do not have electrical knockouts or ported tiles. Cable length cannot be stretched.


Jumper Cables (page 244)
- Electrical jumper cables connect power from base pathway or beltline to a harness located on any horizontal member as needed.
- Jumper cable plugs into power block end of electrical power harness or electrical pass-thru harness.
- Model A871366 is 66" and connects beltline power harnesses at 90° juncture to adjacent base line power.
- Model A8713108 is 106" to jumper up to 69" vertically – from base rail up to the highest 7½" opening on an 65"H frame.


Dual Electrical Eight-circuit Power Harness Kits (page 244)
- Kit provides back-to-back four-circuit systems giving double the capacity of harness and pass-thru cables
- Requires two four-circuit infeeds. Uses four-circuit receptacles.
- Models must be positioned "back-to-back" in the panel — single-side use is not permitted
- Components can only be routed in a single run — a single run cannot branch to multiple panel runs at "T" and "X" junctions.
- Four-circuit jumper cables (A8713xx) can only be connected to a power block at one end of a run. Power cannot be routed between a run in the base pathway and a run in the beltline area, except at one end of the run.
- To connect power between the base pathway and the beltline area, four-circuit jumper cables (A8713xx) must be connected to a power block at one end of a run, routed into an adjacent panel that contains no power harness, then routed back into the panel that contains a power harness (or pass-thru cable), and connected to a power harness in the other pathway.
- Standard four-circuit pass-thru cables (A8710xx) can be used in between power harnesses. Two are required in the back-to-back configurations.
- Models can be connected to standard four-circuit power harnesses and pass-thrus, although it is not recommended because of possible circuit number ambiguity
- Two power infeeds are required to connect the back-to-back runs. Power infeed A8719xx must be connector to a power block at the end of a run.
- Data faceplates and terminals cannot be positioned in a panel into which back-to-back power harnesses are installed
- Power infeeds A8719xx must be routed from a panel wherein no power harness is positioned, into an adjacent panel where a power harness is positioned and connected to the end of a power block.


Electrical & Data


Power Blocks











Stride offers multiple options for mounting electrical:


Base Pathway Mounting
- Power blocks snap directly onto brackets in base pathway area and accept receptacles on each side of harness.

Beltline Mounting Brackets (page 245)
- For exposed receptacles at beltline mount power blocks onto electrical mounting bracket (8988EBZ or 8988EBZ3 for 35"H base panel frames — sold separately) which screw into the panel frame or segment kit.
- Port tiles must be used where exposed receptacles will be located.

Segment Kit Mounting Brackets (page 245)
- When using segment kits at other locations mount power blocks onto electrical mounting bracket (8988EBZS — sold separately) which screw into segment kit.
- Port tiles must be used where exposed receptacles will be located.

Below Worksurface Mounting Brackets (page 245)
- When using a 22½" ported tile for power below the worksurface, use beltline electrical mounting bracket (8988EBZ — sold separately) and mount the bracket underneath the standard beltline horizontal.

Receptacles




Duplex Receptacles

Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Pebble P8R	Loft — EV
Pewter P8D	Flint — E9
Platinum Metallic — PR2	Loft — EV
Salt P8C	Silver — ES
Titanium P8T	Silver — ES


Duplex Receptacles (page 245)
- Duplex receptacles snap into power blocks of power harnesses or pass-through harnesses.
- Duplexes are available in multiple colors. See page 168 for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3, or 4.
- Duplexes are model specific to support either 3+1 and 2+2 electrical infeed; or have an "A" suffix and are design to support a three-circuit separate neutral electrical infeed.

Cable and Wire Management




Cable Management Tray

Cable Management Tray (page 245)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.
- Limited paint offering. Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B).




AWRSTRIP

Wire Management Strips/Channels (page 245)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in^2. Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in^2.




Cord Retainer Clip

Cord Retainer Clip (page 245)
- Provides confinement of vertical electrical/data wiring.
- 1½"H cord clips snap into vertical panel slots to contain cords.
- 4 clips are provided standard with each task light cord.




Data Management Organizer

Data Management Organizers (page 245)
- **Cable organizers** are made of rigid polymer, and hang from the horizontal cross members or in the base raceway. Can be stacked infinitely.
- Cables can be placed into the extensions of the organizers to keep cables aligned as they pass through the panel frame.
- Commercially available tie-wraps can also be used to strap cables to the organizer extensions.
- Organizers are ordered separately in packs of 20.




Universal Tile Port Kit

Universal Tile Port Kit (page 245)
- Allows field installation of additional data accessories.
- Grommet opening dimension — 1.375"H x 2.700"W.



Wireway Grommet

Wireway Grommet (page 245)
- Fits into any receptacle opening.
- Used when routing wires through receptacle opening.




AMPCHASE

Panel Mounted Wire Chase (page 245)
- Attaches between panels on Stride, Terrace, and Optimize via a slotted standard.
- Designed to sit below a worksurface and provide additional cord management from the base rail to beltline/under-worksurface height.
- Available in standard metal paint finishes.


*For more power and wire management options, please visit the **Extensions** pages.*

Electrical & Data

Lighting



Task Lights



Undercabinet LED Light

Task Lights (page 991)


- Task lights can be recessed under storage cabinets or storage shelves, panel-hung, or freestanding.
- Three styles of recessed task lights in four sizes are available to correspond to cabinet or shelf width.
- All styles have 9' power cords in black, connected in the right rear corner.
- All models feature electronic ballast for longer bulb life and cooler operating temperature.
- Task lights with a fused plug to meet Chicago electrical code are also available.

Recommendation: Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.


Undercabinet LED Light (page 991)

- Undercabinet LED light can be mounted beneath overhead cabinets with wood screws or magnets.


Data



Base Pathway Cover



ATADF3



ATADF4


Base Pathway Covers (page 246)

- Features an additional knockout (offset) for improved utilization of power and data. Knockouts are 2.700"W x 1.377"H.
- Due to panel depth, back-to-back data modules should not be used at beltline or in the base on Stride.

Data Faceplates (page 246)

- Fit into receptacle and data port openings in base raceway covers or into data port (UTP).
- Due to panel depth, back-to-back data modules should not be used at beltline or in the base on Stride.

Base Pathway Receptacle Locations



Circuit Usage

Strategy 1
Circuits to Equipment
Assign specific uses for each of the circuits. For example, in a four-circuit system:


- Circuit 1 — calculators, fans, etc.
- Circuit 2 — task lights (could be wired to wall switch)
- Circuit 3 — CRT or flat screen monitors
- Circuit 4 — CPUs

Strategy 2
Circuits to Workstations
Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.


Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.


Lay-in Cable Capacity — Stride cable quantities listed at 60% fill ratio

Top Pathway (side view)
Up to 10 voice/data cables (.25" dia).




Variable Height Junction (top view)
Up to 8 voice/data cables (.25" dia).






Base Pathway without electrical (side view)
Up to 68 voice/data cables (.25" dia).



Base Pathway with electrical (side view)
Up to 24 voice/data cables (.25" dia).

Power Pole (top view)




Up to 69 voice/data cables (.25" dia).

The top and base pathway allow continuous voice and data lines to run through and between panels without interruption. Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.

- Stride panels top pathway accepts up to 10 voice/data cables (.25" dia).
- Stride panels variable height junctions accept up to 8 voice/data cables (.25" dia.) with a bend radius of approximately ½" to ¾".
- Stride panels base pathway accepts up to 68 (5.56 sq. in.) voice/data cables (.25" dia.) when electrical system is located in beltline pathway.
- When electrical system shares base pathway, the cable capacity in Stride panels is reduced to 24 (1.95 sq. in.) voice/data cables (.25" dia.) Cable quantities listed are at 60% fill ratio.
- Cable capacity of the Stride power pole, in addition to electrical infeed, is 2.79 sq. in. on one side and 2.91 sq. in. on the other for a total capacity of 69 cables of .25" diameter. Cable quantities listed are at 60% fill ratio.

Electrical & Data

Horizontal Capacity of Stride Frames




DO NOT run electrical equipment or extension cords through cable openings in frame sides. Use beltline or base-mounted electrical system for all electrical supply.

String-in Capacity

- Openings in frame sides permit data and communication cables to be run between frames at up to five levels in a 65"H Stride frame.
- Using tackable acoustical tiles, each opening accommodates up to 57 cables (.25" dia) and the beltline pathway accommodates 25 cables with electrical components installed.
- Cables can enter/exit panel through underside of base pathway at juncture between frames. Openings are sized as follows::


Stride Connections	Sq. In.
Straight	5.4
"S" Extended Straight	12.9
"L" 90°	13.0
"T"	16.6
"X"	20.4



- When leveling glides are fully retracted, panel-to-floor clearance is 7/16". This may affect the volume of cabling that can be fed into the frame from the bottom of the pathway.

Vertical Capacity

Vertical Capacity Through Stride Panel Frames



	Panel Width	Qty of .25" Cables at 40% Fill Ratio	Qty of .25" Cables at 60% Fill Ratio	Total Space (sq. in.)
Stride	24" – 60"W	46	60	4.90

- A 60% fill ratio is achievable; however, when electrical components are installed in the beltline area, cabling capacity through the beltline area will be limited to approximately 45% fill ratio.

Office Equipment Typical Load Values

Item	*Amps
Desktop Computer/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	4
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items


Power Option 2+2
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Power Option 3 (Circuit-separate neutrals)
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items


Electrical & Data


Stride® — 8-Wire Electrical Components and Power Poles

For specification information see pages 232-242.










Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Infeed Cables			
6' Sealtight cable	**A877072**	**A877072A** S	$ 490
6' Flex Cable	**A871972**	**A871972A** S	$ 355
Ceiling Electrical Infeed Cables			
12' Flex Cable	**A871912**	**A871912A** S	$ 482
18' Flex Cable	**A871918**	**A871918A** S	$ 606
Hardwire Power Infeed (New York Code)			
30-60"W Panels	**A871400**	**A871400A** S	$ 462
Electrical Base Infeed Cable			
12' Sealtight Cable Power Infeed	**A877012**	**N/A** S	$ 587





Description	Model	P1 Paint List Price	P2 Paint List Price
Integrated Power Pole			
42½" to 57½"H Panels	**Z235PP** S	$ 759	$ 790
65"H or higher Panels	**Z265PP** S	$ 499	$ 530

Description	Painted Model	Veneer Model	P1 Paint List Price	P2 Paint List Price	Veneer V2 List Price
Power Pole Trim Kit					
24"W	**Z324PP** S	**Z324PPV** S	$ 268	$ 300	$ 1307
30"W	**Z330PP** S	**Z330PPV** S	$ 275	$ 307	$ 1356
36"W	**Z336PP** S	**Z336PPV** S	$ 288	$ 320	$ 1412
42"W	**Z342PP** S	**Z342PPV** S	$ 300	$ 332	$ 1463
48"W	**Z348PP** S	**Z348PPV** S	$ 305	$ 337	$ 1508
54"W	**Z354PP** S	**Z354PPV** S	$ 315	$ 347	$ 1555
60"W	**Z360PP** S	**Z360PPV** S	$ 327	$ 359	$ 1603
68"W	**Z368PP**	**Z368PPV**	$ 341	$ 373	$ 1660
72"W	**Z372PP**	**Z372PPV**	$ 345	$ 377	$ 1710
78"W	**Z378PP**	**Z378PPV**	$ 355	$ 387	$ 1758
84"W	**Z384PP**	**Z384PPV**	$ 367	$ 399	$ 1805
90"W	**Z390PP**	**Z390PPV**	$ 375	$ 407	$ 1852
96"W	**Z396PP**	**Z396PPV**	$ 382	$ 414	$ 1897

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Color** *(if applicable)*: **P** Black only	**Paint** *(if applicable)*: See page 168 for finishes.	**Veneer Type and Finish** *(if applicable)*: See page 168 for finishes.
_____ . P	P ___	_____	


Examples: **A871912.P** **Z235PP.P7D** **Z324PPV.SC777**

S *Shippable by small-package carrier.*

Electrical & Data


Stride® — 8-Wire Electrical Components

For specification information see pages 232-242.



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Power Harnesses			
For 24"W Frames	**A871224**	**A871224A** S	$ 420
For 30"W Frames	**A871230**	**A871230A** S	$ 420
For 36"W Frames	**A871236*†**	**A871236A** S	$ 420
For 42"W Frames	**A871242***	**A871242A** S	$ 447
For 48"W Frames	**A871248***	**A871248A** S	$ 447
For 60"W Frames	**A871260***	**A871260A** S	$ 447

†When purchased separately without a configurable TAA compliant end product, not on GSA contract.



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Pass-Thru Harnesses with Power Block			
For 24"W Frames	**A871124**	**A871124A** S	$ 257
For 30"W Frames	**A871130**	**A871130A** S	$ 257
For 36"W Frames	**A871136*†**	**A871136A** S	$ 257
For 42"W Frames	**A871142*†**	**A871142A** S	$ 274
For 48"W Frames	**A871148*†**	**A871148A** S	$ 274
For 60"W Frames	**A871160***	**A871160A** S	$ 274
For 72"W Frame Runs	**A871172**	**A871172A** S	$ 367

*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (*) are considered Open Market.

†When purchased separately without a configurable TAA compliant end product, not on GSA contract.




Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Jumper Cables – Harness to Harness			
Up to 30" vertical jump (66")	**A871366**	**A871366A** S	$ 291
Up to 69" vertical jump (108")	**A8713108**	**A8713108A** S	$ 542



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Electrical Pass-Thru Cable without Power Block			
For 24"W Frames	**A871024**	**A871024A** S	$ 236
For 30"W Frames	**A871030**	**A871030A** S	$ 236
For 36"W Frames	**A871036**	**A871036A** S	$ 236
For 42"W Frames	**A871042**	**A871042A** S	$ 246
For 48"W Frames	**A871048**	**A871048A** S	$ 246
For 60"W Frames	**A871060**	**A871060A** S	$ 246

NOTE: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.



Description	Max. Recept. Cap. per Panel Side	Eight-circuit 3 + 1 (each side) 2 + 2 (each side)	List Price
Dual Electrical Eight-circuit Power Harness Kit			
For 24"W Panels	1	**A2-8CIR24** S	$ 1007
For 30"W Panels	2	**A2-8CIR30** S	$ 1007
For 36"W Panels	2	**A2-8CIR36** S	$ 1455
For 42"W Panels	2	**A2-8CIR42** S	$ 1455
For 48"W Panels	2	**A2-8CIR48** S	$ 1455
For 60"W Panels	2	**A2-8CIR60** S	$ 1468

NOTE: Kit consists of two four-circuit harnesses placed "back-to-back" to provide 8 circuits.

How to specify —	*1st Option:*
Select the Model Number from above.	**Color** *(if applicable)*: **P** Black only
	P


Examples: **A871224.P** **A871224A.P**

S *Shippable by small-package carrier.*

Electrical & Data

Stride® — 8-Wire Electrical Components

For specification information see pages 232-242.




Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles — (specify color)				
Circuit 1	**A877501**	**A877501A**	S	$ 78
Circuit 2	**A877502**	**A877502A**	S	$ 78
Circuit 3 (3+1)	**A877503**	**A877503A**	S	$ 78
Circuit 3 (2+2)	**A877506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A877504**	**N/A**	S	$ 78




Description	Model		P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Electrical Mounting Brackets (Black only)					
Pack of 12 (for use with Segment Kit)	**8988EBZS**	S	$ 117	N/A	N/A
Pack of 12 (for use at Beltline without Segment Kit)	**8988EBZ**	S	$ 117	N/A	N/A
Pack of 12 (for use at Beltline on a 35"H Base Panel Frame)	**8988EBZ3**	S	$ 117	N/A	N/A



Hardwire (Chicago Code) (Black only)					
Stride Base Pathway Junction Box (Pack of 6)	**877600**	S	$ 1228	N/A	N/A
Beltline Junction Box (Pack of 6)	**877550**	S	$ 1156	N/A	N/A



Data/Electrical Port Kit (specify color)					
Universal Tile Port Kit	**UTP**	S	$ 46	N/A	N/A
Data Management Organizer (Pack of 20)	**A877010**	S	$ 162	N/A	N/A




AWRSTRIP

Wire Management Strips/Channels


	AWRSTRIP	S	$ 281	N/A	N/A

- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*



Wireway Grommet (Black only)

Pack of 6	**TAWG**	S	$ 195	N/A	N/A




AJTRGH24

Cable Management Trays


24"W	**AJTRGH24**	S	$ 128	$ 142	N/A
36"W	**AJTRGH36**	S	$ 153	$ 169	N/A

- Available in 24" or 36" widths.
- Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B). Specify desired finish.
- *Example: AJTRGH24.PJW*



Cord Retainer Clip (Black only)

Package of 50	**AAPACM2**	S	$ 61	N/A	N/A



AMPCHASE

Panel Mounted Wire Chase

17"H	**AMPCHASE**	S	$ 153	$ 170	$ 177

- Panel Chase is 17"H.
- Available in standard metal paint finishes, see page 168 for options and specify desired finishes.
- *Example: AMPCHASE.P27*

*For more power and wire management options, please visit the **Extensions** pages.*

How to specify — **Select the Model Number from above.**	*1st Option:* **Electrical Receptacle Color** *(if applicable)*: See page 168 for finishes.	*1st Option:* **Data Port Grommet Color** *(if applicable)*: See page 168 for finishes.	*1st Option:* **Color** *(if applicable)*: P Black only	*1st Option:* **Wireway Grommet Color** *(if applicable)*: Black only.	*1st Option:* **Paint** *(if applicable)*:
_____ .	E	E	P	E 4	P


Examples: **A877501.E4 8988EBZS.P A877010.P 877550.P 8988EBZ.P UTP.E4 AJTRGH24.PJW TAWG.E4**

S *Shippable by small-package carrier.*

Electrical & Data


Stride® — AMP® NETCONNECT® Data Components

For specification information see pages 232-242.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Base Raceway Covers — Knockouts (Stride)				
36"W	**TBPLATE3-36** S	$ 110	$ 130	$ 144
42"W	**TBPLATE3-42** S	$ 112	$ 132	$ 146
48"W	**TBPLATE3-48** S	$ 119	$ 139	$ 153
60"W	**TBPLATE3-60** S	$ 137	$ 157	$ 171

ATADF3




ATADF4

Data Faceplates				
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	$ 46	N/A	N/A
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	$ 46	N/A	N/A

Note: ATADF3 can install up to 3 jacks (CAT 3, 5E, or 6).
ATADF4 can install 4 jacks (CAT 3, 5E, or 6).
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.

Note: ATADF models are compatible with ports in Stride Tiles.

ATADJ5



Jacks				
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5** S	$ 81	N/A	N/A
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6** S	$ 106	N/A	N/A

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Paint (Base Pathway Cover only):** P1 P2 P3 See page 168 for finishes.	**Data Faceplate Color:** **E4** Black
_____ . P___		E__

Examples: **TBPLATE3-36.P27** **ATADF4.E4**

S *Shippable by small-package carrier.*

Worksurfaces


Optimize™ — Overview of Worksurfaces


Add Suffix "N" to model number for no grommets, no upcharge.


Laminate with Flat Edge





Edge Detail


Primary



Corner Cove



Corner


Peninsula



Jetty



P-Shaped



Bow-Front



120° Corner Worksurface


60° Pie*


D-Shaped


Quarter Round


Straight Countertop


Corner Countertop

Arrows indicate grain direction for woodgrain laminates.
Grain direction on symmetrical corner worksurfaces runs at a diagonal.


*Laminate only

Note: Add suffix "N" to model number for no grommets, no upcharge.

Worksurfaces


Optimize™ — Working with Worksurfaces and Supports


Worksurfaces are 1⅛" thick with particleboard core and with top surfaces finished in laminate. Bottom surfaces are covered with a backer sheet. Worksurfaces can be panel hung or used in freestanding applications. Modesty panels and appropriate supports are required to configure freestanding Cadence® desks.





Worksurfaces

- **Laminate tops** offer flat edge trim in twenty standard colors (customer specified) to match solid or woodgrain laminates and to complement patterned laminates.
- **Optional wider width primary worksurfaces** are available for use with Optimize panel runs having a "T" or "S" connection — upcharge applies.









- **Wire management grommets** are standard in most worksurfaces (unless specified with no grommets) and specified in plastic or metal. Metal grommets are available in oval or square.
- Rectangular worksurfaces over 42"W have two grommets. Corner cove worksurfaces will have two grommets. Peninsula and corner worksurfaces have one. D-Shaped worksurfaces and countertops do not have grommets.
- Grommets on standard systems worksurfaces are located 6⁵⁄₁₆" from the side edges and 3⁵⁄₁₆" from the back edge.
- Add Suffix "N" to a model number for no grommets — no upcharge.

Supports

Worksurfaces can be configured at 29½"H with end-panel supports and in-line support panels, or at various heights on 1" increments using specific product configurations.

Worksurface support options include:

- Support column*
- Flat brackets
- External support channel
- Worksurface bracket kits
- Height adjustable mechanisms
- Cantilever brackets
- In-line support legs*
- End-panel supports*
- Support storage units*
- Pedestal-to-panel attachment kit*
- Desk-to-panel attachment kit*
- Corner desk leg
- Bridge and return kits
- Modesty panels
- Gussets

*Units provide floor support.

Support Guidelines — See Drawings on page 249

- Panel mounted worksurface runs 96" and greater need floor support for improved stability when overheads are not used.
- When using overheads in panel mounted worksurface run applications 72" and greater, floor support* is required. (See list at left.)
- When using overheads at the end of a panel run, floor supports* are required.
- Worksurface bracket kit should be used to tie panels to worksurface for added stability.
- A return panel at the end of a panel run can be substituted with one of these floor supports: storage, open or closed end support panel, O-leg.

continued on next page


Worksurfaces

Optimize™ — Working with Worksurfaces and Supports


continued from previous page

- Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return panel or floor support.
- Worksurface runs 60"W or greater require an external worksurface support channel when a center support cantilever cannot be used. It is recommended for spans greater than 48"W. See pages 253 and 255.
- Support channel may interfere with mounting of some CPU holders and keyboard supports.
- Cantilevers are recommended in place of an external worksurface support channel where feasible.
- Cadence Desking configurations utilize modesty panels and gussets in place of external support channels for worksurfaces up to 72"W. See pages 272-280.


Panel mounted worksurface runs 96" and greater need floor support for improved stability when overheads are not used.




When using overheads in panel mounted worksurface run applications 72" and greater, floor support is required.




Worksurface bracket kit should be used to tie panels to worksurface for added stability






These floor supports can substitute a return panel at the end of a panel run: storage, open or closed end support panel, O-legs.



Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return or floor support.

Cantilevers are recommended in place of an external worksurface support channel where feasible.



Worksurface runs 60"W or greater require an external worksurface support channel when a center support cantilever cannot be used. It is recommended for spans greater than 48"W. See pages 253 and 255.


Worksurfaces with Flat Edge




Primary Worksurfaces (page 254)
- Primary worksurfaces are available in 20", 24", and 30" depths up to 96"W. Worksurface spans greater than 72" require floor support.
- Nominal worksurface width is equal to nominal panel width.
- Wire management grommets standard, one for widths up to 42", two on widths 48"W and greater. Add "N" suffix for no grommets.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 18" cantilever on 20"D, and 24" cantilever on 24"D and 30"D worksurfaces.
- Width must correspond with panel width(s). For worksurface to span a "T" or extended straight connection add upcharge and suffix "TM" to model number.
- Primary worksurfaces can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Working With Cadence®, pages 272-280.
- The 9120 Program can be used to order HPL particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120"W x 36"D. See pages 261-262.




Bow-Front Worksurfaces (page 255)
- Two wire management grommets standard.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk. Refer to Cadence pages 272-280.



Corner Worksurfaces (page 256)
- One wire management grommet.
- Corner worksurfaces with woodgrain laminate have grain direction diagonal to adjacent worksurfaces.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.



120° Corner Worksurfaces (page 256)
- Standard with one wire management grommet in corner location.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




60° Pie Worksurface (page 256)
- Order support column and two flat brackets separately.


Corner Shelf (page 256)
- Diagonal leading edge = 10½"; diagonal depth = 22½".
- Includes panel attachment brackets.

Corner Cove Worksurfaces (page 257)
- Two wire management grommets standard.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner. All other support hardware is ordered separately.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence pages 272-280.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 24" cantilever on 24"D and 30"D worksurfaces.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

Worksurfaces with Flat Edge




Peninsula, P-Shaped, and Jetty Worksurfaces (page 258)
- Wire management grommets standard.
- Support column ordered separately, column includes panel support brackets T6BK.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence® pages 272-280.



Quarter-Round Worksurfaces (page 259)
- Use to connect two 90° panel-attached worksurfaces.
- Order support column and two flat brackets separately.


D-Shaped Worksurfaces (page 259)
- Order support column and two 24"D in-line support legs separately.
- Not recommended for use with T6CB24L or T6CB24R for shared applications.
- Includes attachment bracket.




Countertops (page 260)
- Mounting brackets and attaching hardware ordered separately.
- Countertops are flush with panel top cap.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.



Countertop Brackets (page 260)
- Countertop brackets must be ordered separately. Models P51500 and P51500-42 each contain one right-hand and one left-hand bracket.
- Specify paint color.
- Model P51500 brackets are for 35"H or 50"H panels. Model P51500-42 brackets are for 42½"H panels.
- Order two model P51500 or P51500-42 for straight countertops. Order three model P51500 or P51500-42 for corner countertops.




Height-Adjustable Worksurfaces
- For freestanding applications, see height-adjustable tables in the Seating & Tables Price List.




Non-Standard Worksurface Sizes (pages 261 and 262)
- The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120"W x 36"D.
- Other modification requests should be made through Allsteel Tailored Products Group.

Worksurface Supports




End-Panel, Closed End, and Open End Supports

End Supports and Bracket Kits (page 263)
- End-panels are 1⅝" thick. For use in place of panels at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° connections must be supported by full end-panels.
- 11"D end-panel models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.
- Panel mounted end-panel supports are ordered for right- or left-handed application.
- Open end panel supports are non-handed and are only for panel mounted applications.
- End-panel models can be converted to freestanding with removal of panel mount bracket. End-panel bracket kit converts freestanding end-panel support model to panel mounted.




Support Legs

Support Legs and Bracket Kit (page 263)
- Support legs are 1⅝" thick. Leg portion is 12¾"D. Supports the junction of two worksurfaces.
- Non-handed for use at either end of worksurface.
- Provided with flat bracket.
- Worksurface in-line support legs are used to support worksurfaces only in a shared position. Worksurfaces require to the floor support every 72".
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Panel mounted models can be converted to freestanding with removal of panel mount bracket.
- Support leg bracket kit (non-handed) converts freestanding model to panel mounted.




Support Columns

Support Columns (page 263)
- Used to support one end of curvilinear worksurfaces.
- D-shaped, P-shaped, peninsula, jetty, boomerang, and reef worksurfaces require support columns (ordered separately).
- Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.



Handed Cantilever Brackets


Cantilever Brackets — handed (page 263)
- Cantilever brackets are left or right handed. No assembly required.
- They can be inserted into panel reveals in 1" vertical increments.
- One size is used for both 24" and 30"D worksurfaces.
- 18"D cantilever are for use with 20"D worksurfaces and to support 24"D worksurfaces 66"-72"W that require a cantilever bracket for center support in panel mounted applications.
- 12"D cantilevers are only for use with 12"D secondary worksurfaces.
- Both left and right brackets are required in shared applications.
- Includes tie bracket and attachment hardware.
- Use with runs 72" or less — avoid installation on only one side of a straight connection except to support corner worksurfaces. Floor support is required for runs greater than 72". See page 249.
- Cantilevers can and should still be used in the middle of a worksurface run 72"W or less for proper support and to help prevent worksurface bowing. See page 249.
- DO NOT position at the end of a panel run.
- DO NOT use to support worksurfaces from which a hanging pedestal is suspended or peninsula worksurface is attached.
- DO NOT use cantilever brackets to support worksurfaces supported with permanent-wall hanger kit.



Non-Handed Cantilever Brackets

Cantilever Bracket — non-handed (page 263)
- Assembly required. Includes attachment hardware.
- Includes two angle brackets for shared applications. Use two cantilever brackets when adjacent worksurfaces are positioned at different heights.
- One size is used for both 24" and 30"D worksurfaces.


Worksurface Supports



Worksurface Brackets

Worksurface Bracket Kit — T6BK (page 263)
- Worksurface bracket kit allows one end of a worksurface to be supported by a return panel. Return panel width must be the same as the depth of the worksurface.
- Kit includes one pair of brackets and attachment hardware.
- Freestanding pedestals can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Worksurface Storage Bracket Kit — T6SB (page 263)
- Worksurface storage bracket kit (T6SB) is used for aesthetics where under-desk storage is immediately adjacent to the return panel. In all other applications use worksurface bracket kit (T6BK) to utilize worksurface threaded metal inserts.
- Black only.
- Kit includes one pair of brackets and attachment hardware.
- Brackets do not align with worksurface threaded metal inserts, and therefore require wood screws (included).



Flat Brackets

Flat Brackets (page 263)
- Includes bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.



Pedestal-to-Panel Brackets

Pedestal-to-Panel Attachment Bracket (page 263)
- Can be used in place of full end panel or return panel.
- Provides structural support to panel run by securing panel directly to pedestal.
- Works with Essentials™ and Involve® pedestals.



External Worksurface Support Channel

External Worksurface Support Channel (page 255)
- Is required on a systems worksurface for additional support for spans 60"W or greater. Width of worksurface span can be reduced by using support storage.
- Extends 1½" below the worksurface. Installs 7" from user's edge.
- When using 28"H mobile pedestals the length of support channel needs to be reduced to accommodate width of the pedestal.
- Support channel may interfere with mounting of some CPU holders and keyboard supports. May require spacer kit AKMH.


Freestanding Desks
- Freestanding desks can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See Cadence® pages 272-280.

Worksurfaces

Optimize™ — Primary

Laminate

For specification information see pages 247-253 and 272-280.
For non-standard worksurface sizes see pages 261-262.



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Primary Worksurfaces				
24"W x 20"D	**T52024S**	$ 413	$ 433	$ 449
30"W x 20"D	**T52030S**	$ 438	$ 459	$ 476
36"W x 20"D	**T52036S**	$ 489	$ 511	$ 531
42"W x 20"D	**T52042S**	$ 550	$ 574	$ 596
48"W x 20"D	**T52048S**	$ 593	$ 618	$ 641
54"W x 20"D	**T52054S**	$ 643	$ 671	$ 693
60"W x 20"D	**T52060S**	$ 732	$ 765	$ 789
66"W x 20"D	**T52066S**	$ 793	$ 828	$ 854
72"W x 20"D	**T52072S**	$ 826	$ 862	$ 888
78"W x 20"D	**T52078S**	$ 1076	$ 1121	$ 1158
84"W x 20"D	**T52084S**	$ 1124	$ 1170	$ 1209
90"W x 20"D	**T52090S**	$ 1329	$ 1380	$ 1428
96"W x 20"D	**T52096S**	$ 1391	$ 1445	$ 1494
24"W x 24"D	**T52424S**	$ 437	$ 458	$ 475
30"W x 24"D	**T52430S**	$ 460	$ 482	$ 500
36"W x 24"D	**T52436S**	$ 519	$ 542	$ 563
42"W x 24"D	**T52442S**	$ 580	$ 604	$ 627
48"W x 24"D	**T52448S**	$ 629	$ 657	$ 678
54"W x 24"D	**T52454S**	$ 679	$ 711	$ 731
60"W x 24"D	**T52460S**	$ 770	$ 804	$ 828
66"W x 24"D	**T52466S**	$ 838	$ 874	$ 901
72"W x 24"D	**T52472S**	$ 874	$ 912	$ 938
78"W x 24"D	**T52478S**	$ 1134	$ 1180	$ 1219
84"W x 24"D	**T52484S**	$ 1189	$ 1237	$ 1278
90"W x 24"D	**T52490S**	$ 1404	$ 1458	$ 1507
96"W x 24"D	**T52496S**	$ 1469	$ 1526	$ 1580
24"W x 30"D	**T53024S**	$ 460	$ 482	$ 500
30"W x 30"D	**T53030S**	$ 555	$ 579	$ 601
36"W x 30"D	**T53036S**	$ 596	$ 621	$ 644
42"W x 30"D	**T53042S**	$ 642	$ 670	$ 692
48"W x 30"D	**T53048S**	$ 679	$ 711	$ 731
54"W x 30"D	**T53054S**	$ 759	$ 793	$ 817
60"W x 30"D	**T53060S**	$ 844	$ 880	$ 907
66"W x 30"D	**T53066S**	$ 912	$ 952	$ 979
72"W x 30"D	**T53072S**	$ 988	$ 1030	$ 1061
78"W x 30"D	**T53078S**	$ 1283	$ 1333	$ 1380
84"W x 30"D	**T53084S**	$ 1341	$ 1392	$ 1441
90"W x 30"D	**T53090S**	$ 1599	$ 1660	$ 1719
96"W x 30"D	**T53096S**	$ 1651	$ 1713	$ 1775



Flat Edge

Notes: 1) Add suffix and upcharge for 24"D and 30"D primary worksurfaces to span a "T" or extended straight connection. Suffix = "TM" for flat edge worksurfaces (Optimize — adds 2¼" to width) $43 upcharge. Examples: **T53030STM, T53060STM**
2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **T53078SN**

How to specify — **Select the Model Number from above.**	*1st Option:* **Laminate:**	*2nd Option:* **Edge Trim Color:**	*3rd Option:* **Grommet Type** *(if applicable)*:	*4th Option:* **Grommet Color (Metal only):**
Prefix **T** Laminate w/Flat	See page 78 for finishes.	See page 78 for finishes.	**P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**EL** Matte Silver **Note:** Plastic grommet color matches trim selection.
_ _ _ _ _ _ _ _ .	_ _ _ _ .	_ _ .	_	E L


Examples: **T52424S.LM14.EW.P** **T53048STMN.LM14.E4**


Worksurfaces

Optimize™ — Bow-Front / External Support Channel

Laminate

For specification information see pages 247-253 and 272-280.







Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Bow-Front Worksurfaces				
60"W x 30"D[1] x 36"D[2]	**TT53660BT**	**$ 1262**	**$ 1312**	**$ 1358**
66"W x 30"D[1] x 36"D[2]	**TT53666BT**	**$ 1370**	**$ 1422**	**$ 1471**
72"W x 30"D[1] x 36"D[2]	**TT53672BT**	**$ 1474**	**$ 1531**	**$ 1585**

Note: Add Suffix "N" to model number for no grommet, no upcharge.

Sample Worksurface				
12"W x 12"D	**831212M**	**$ 409**	**$ 428**	**$ 442**



Flat Edge



Description	Model	List Price
External Worksurface Support Channel (no color option) — 1½"H		
30"W External Support Channel for use on 42"W Worksurface	**Z5SC42** S	**$ 93**
36"W External Support Channel for use on 48"W Worksurface	**Z5SC48** S	**$ 96**
42"W External Support Channel for use on 54"W Worksurface	**Z5SC54** S	**$ 111**
48"W External Support Channel for use on 60"W Worksurface	**Z5SC60**	**$ 119**
54"W External Support Channel for use on 66"W Worksurface	**Z5SC66**	**$ 138**
60"W External Support Channel for use on 72"W Worksurface	**Z5SC72**	**$ 148**
66"W External Support Channel for use on 78"W Worksurface	**Z5SC78**	**$ 162**
72"W External Support Channel for use on 84"W Worksurface	**Z5SC84**	**$ 177**

S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate** *(if applicable)*: See page 78 for finishes.	**Edge Trim Color** *(if applicable)*: See page 78 for finishes.	**Grommet Type** *(if applicable)*: **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only)** *(if applicable)*: **EL** Matte Silver **Note:** Plastic grommet color matches trim selection.
_____ .	_____ .	_____ .	_____	E L

Examples: **TT53660BT.LT3B.EV.P** **831212M.LT3B.EX.P** **Z5SC42**

Worksurfaces


Optimize™ — Corner / 120° / 60° / Shelf


Laminate

For specification information see pages 247-253 and 272-280.




Flat Edge









Corner Shelf


Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
24"D Corner Worksurfaces w/Straight Leading Edge				
36"W	**T53624SC**	$ 767	$ 801	$ 832
42"W	**T54224SC**	$ 809	$ 844	$ 876
48"W	**T54824SC**	$ 915	$ 955	$ 993
30"D Corner Worksurfaces w/Straight Leading Edge				
42"W	**T54230SC**	$ 999	$ 1043	$ 1084
48"W	**T54830SC**	$ 1033	$ 1078	$ 1120
60° Pie Worksurface				
24"D	**TN52424SD**	$ 711	$ 744	$ 766
Corner Shelves with Flat Edge				
36" x 36" x 11"D	**860536M**	$ 788	$ 821	$ 843
42" x 42" x 11"D	**860542M**	$ 836	$ 870	$ 894
48" x 48" x 11"D	**860548M**	$ 888	$ 923	$ 950

Note: Add Suffix "N" to model number for no grommet, no upcharge.

Corner Worksurfaces with Radial Leading Edge



Corner Worksurfaces with Straight Leading Edge



How to specify —	*1st Option:*	*2nd Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 78 for finishes.	**Paint (Corner Shelves only):** P1 P2 P3 See page 78 for finishes.	**Edge Trim Color:** See page 78 for finishes.	**Grommet Type** *(if applicable)*: **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver **Note:** Plastic grommet color matches trim selection.
_____ .	_____ .	P	.		E L


Examples: **T53624SC.LT3B.EV.MEL** **860536M.LT3B.P27.E4**

Worksurfaces


Optimize™ — Corner Cove

Laminate

For specification information see pages 247-253 and 272-280.




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Corner Cove Worksurfaces — Extended Left				
60" x 36" — 24"L / 24"R	**T5822EL**	$ 918	$ 960	$ 995
60" x 36" — 24"L / 30"R	**T5832EL**	$ 961	$ 1005	$ 1041
60" x 48" — 24"L / 24"R	**T5622EL**	$ 1028	$ 1074	$ 1112
60" x 48" — 30"L / 24"R	**T5623EL**	$ 1077	$ 1124	$ 1165
60" x 48" — 24"L / 30"R	**T5632EL**	$ 1077	$ 1124	$ 1165
60" x 48" — 30"L / 30"R	**T5633EL**	$ 1116	$ 1164	$ 1207
72" x 36" — 24"L / 24"R	**T5922EL**	$ 1028	$ 1074	$ 1112
72" x 36" — 24"L / 30"R	**T5932EL**	$ 1077	$ 1124	$ 1165
72" x 48" — 24"L / 24"R	**T5722EL**	$ 1333	$ 1387	$ 1436
72" x 48" — 30"L / 24"R	**T5723EL**	$ 1381	$ 1436	$ 1492
72" x 48" — 24"L / 30"R	**T5732EL**	$ 1381	$ 1436	$ 1492
72" x 48" — 30"L / 30"R	**T5733EL**	$ 1421	$ 1479	$ 1536
Corner Cove Worksurfaces — Extended Right				
36" x 60" — 24"L / 24"R	**T5822ER**	$ 918	$ 960	$ 995
36" x 60" — 30"L / 24"R	**T5832ER**	$ 961	$ 1005	$ 1041
48" x 60" — 24"L / 24"R	**T5622ER**	$ 1028	$ 1074	$ 1112
48" x 60" — 24"L / 30"R	**T5623ER**	$ 1077	$ 1124	$ 1165
48" x 60" — 30"L / 24"R	**T5632ER**	$ 1077	$ 1124	$ 1165
48" x 60" — 30"L / 30"R	**T5633ER**	$ 1116	$ 1164	$ 1207
36" x 72" — 24"L / 24"R	**T5922ER**	$ 1028	$ 1074	$ 1112
36" x 72" — 30"L / 24"R	**T5932ER**	$ 1077	$ 1124	$ 1165
48" x 72" — 24"L / 24"R	**T5722ER**	$ 1333	$ 1387	$ 1436
48" x 72" — 24"L / 30"R	**T5723ER**	$ 1381	$ 1436	$ 1492
48" x 72" — 30"L / 24"R	**T5732ER**	$ 1381	$ 1436	$ 1492
48" x 72" — 30"L / 30"R	**T5733ER**	$ 1421	$ 1479	$ 1536



Note: Add Suffix "N" to model number for no grommet, no upcharge.



Flat Edge



Note: Freestanding Altitude electric height-adjustable tables are available to order in Seating & Tables price list.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 78 for finishes.	**Edge Trim Color:** See page 78 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver **Note:** Plastic grommet color matches trim selection.
_____ .	_____ .	_____ .	_____	E L

Examples: **T5822EL.LT3B.EY.MEL** **T5822EL.LT3B.EV.P**


Worksurfaces

Optimize™ — Peninsula / P-Shaped / Jetty


Laminate

For specification information see pages 247-253 and 272-280.


Support column ordered separately.




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Peninsula Worksurfaces				
60"L x 30"W	**T53060B**	$ 1155	$ 1202	$ 1243
66"L x 30"W	**T53066B**	$ 1276	$ 1326	$ 1373
72"L x 30"W	**T53072B**	$ 1391	$ 1445	$ 1494
60"L x 36"W	**T53660B**	$ 853	$ 907	$ 956
66"L x 36"W	**T53666B**	$ 915	$ 974	$ 1032
72"L x 36"W	**T53672B**	$ 1033	$ 1096	$ 1162



P-Shaped Worksurfaces w/42" Diameter End				
72"L x 30"W (Left hand)	**T53072PR**	$ 1595	$ 1656	$ 1716
72"L x 30"W (Right hand)	**T53072PL**	$ 1595	$ 1656	$ 1716




Jetty Worksurfaces — Left Hand				
48"A x 66"B x 24"C x 30"D	**T54662JL**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JL**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JL**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JL**	$ 961	$ 1022	$ 1082



Jetty Worksurfaces — Right Hand				
48"A x 66"B x 24"C x 30"D	**T54662JR**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JR**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JR**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JR**	$ 961	$ 1022	$ 1082

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Top View



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 78 for finishes.	**Edge Trim Color:** See page 78 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver **Note:** Plastic grommet color matches trim selection.
_____ .	_____ .	_____ .	_____	E L

Examples: **T53060B.LT3B.EV.P** **T54662JL.LT3B.EV.MEL**

Worksurfaces

Optimize™ — Quarter-Round / D-Shaped


Laminate

For specification information see pages 247-253 and 272-280.

Support column ordered separately.



Support column and flat brackets ordered separately.




Support column and 11" end panels ordered separately.

Note: Cantilever brackets should not be used in place of end panels in this application.


Quarter-Round Worksurfaces (outside corner connecting two 90° panel-attached worksurfaces)

24"D x 24"D	**802424M**	**$ 647**	**$ 672**	**$ 695**
30"D x 30"D	**803030M**	**$ 815**	**$ 849**	**$ 872**




D-Shaped Worksurfaces

Connects to two 24"D Worksurfaces	**832407M**	**$ 1245**	**$ 1291**	**$ 1331**
Connects to two 30"D Worksurfaces	**833007M**	**$ 1449**	**$ 1500**	**$ 1548**



832407M



833007M



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:** See page 78 for finishes.	**Edge Trim Color:** See page 78 for finishes.
_____ .	_____ .	_____ .

Examples: **802424M.LT3B.EV** **832407M.LT3B.EV**

Worksurfaces


Optimize™ — Countertops

Laminate

For specification information see pages 247-253 and 272-280.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Countertop Brackets — Straight countertops require 2 sets; corner countertops 3 sets				
For 35"H and 50"H Panels — 1 each right-hand and left-hand	**P51500**	$ 58	$ 72	$ 80
For 42½"H Panels — 1 each right-hand and left-hand	**P51500-42**	$ 58	$ 72	$ 80



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Straight Countertops — must order 2 sets of brackets per surface				
24"W x 15"D	**851524M**	$ 415	$ 435	$ 449
30"W x 15"D	**851530M**	$ 460	$ 481	$ 496
36"W x 15"D	**851536M**	$ 517	$ 539	$ 558
42"W x 15"D	**851542M**	$ 535	$ 557	$ 577
48"W x 15"D	**851548M**	$ 566	$ 589	$ 610
54"W x 15"D	**851554M**	$ 641	$ 666	$ 688
60"W x 15"D	**851560M**	$ 716	$ 738	$ 757
66"W x 15"D	**851566M**	$ 741	$ 773	$ 793
72"W x 15"D	**851572M**	$ 770	$ 803	$ 824



Corner Countertops 15"D at ends — must order 3 sets of brackets per surface				
24"W x 24"W	**852424M**	$ 809	$ 843	$ 866
30"W x 30"W	**853030M**	$ 941	$ 979	$ 1005
36"W x 36"W	**853636M**	$ 1044	$ 1085	$ 1115
42"W x 42"W	**854242M**	$ 1132	$ 1176	$ 1212



Flat Edge

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate (Countertops only):** See page 78 for finishes.	**Paint (for Brackets only):** P1 P2 P3 See page 78 for finishes.	**Edge Trim Color (Countertops only):** See page 78 for finishes.
_____ .	_____ .	_____ .	_____

Examples: **851524M.LT3B.EX** **P51500.P02**

Worksurfaces

ORDERING


The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120" W x 36" D.

Specify:

1. **Model Number**
   Specify closest nominal width/depth model (round up).
2. **Grommet Option** (if desired)
   See grommet specification instructions on this page.
3. **Grommet Type:**
   P Plastic
   M Metal (add $15 per grommet for laminate)
4. **Grommet Color:**
   (Metal only)
   EL Matte Silver
   NOTE: Plastic grommet will match flat edge.
5. **Laminate Choices**
   See page 78.
6. **Flat Edge Color Choices**
   See EDGE COLORS page 78 for laminates.
7. **Exact Size**
   Specify the **EXACT Width** and **EXACT Depth** you require. Width and depth is specified in ⅛" increments which is denoted as a single digit following the whole number dimension at the end of the model number string.

⅛"	= 1	⅝"	= 5
¼"	= 2	¾"	= 6
⅜"	= 3	⅞"	= 7
½"	= 4	no extra increment	= 0

For example, when ordering a worksurface that is 34⅝"W x 20½"D, specification should be 345Wx204D.
Example: **9120R3624.G0.TM33.EU.345Wx204D**.



PRODUCT SPECIFICATIONS

- Flat Edge on all sides
- 45 lb. particle board
- 1⅛" top thickness
- .020 resin impregnated paper backer sheet
- Grommets available
- Maximum width 120" (maximum recommended unsupported span is 42")
- Maximum depth 36"
- Standard Allsteel laminates
- Quantities of 10 or greater are palletized; less than 10 are individually cartoned.

Note: 9120 worksurface maximum unsupported span is 42". 9120 worksurfaces do not have pre-drilled pilot holes or threaded metal inserts.


When spanning multiple freestanding storage units with one worksurface, add ⅛" for each additional storage unit. For example, when ordering a worksurface for three 30"W lateral files. 3 units x 30" = 90" + ⅛" + ⅛" = 90¼" worksurface. Do NOT follow this rule if panel wrapping storage units.

CHANGES / CANCELLATIONS

No changes/cancellations for 9120 Program Worksurfaces.

GROMMET SPECIFICATIONS

Plastic grommets are made of durable ABS plastic and grommets match edge color on laminate worksurfaces. Metal grommets are only available Matte Silver oval for laminate.



PRICING

One Grommet – GC, GL, or GR Position $22.00
Two Grommets – G3 or G4 Position..... $44.00
NOTE: Add $15 per grommet for Metal grommets with laminate.


ORDERING

Specify grommet location and color.
Example: **9120R10836.GCP.TM33.EU.1022Wx326D**

Code Grommet Position

- GC Centered side-to-side – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
- GL 6⁵⁄₁₆" from left side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
- GR 6⁵⁄₁₆" from right side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
- G3 Pair of grommets each 18" from side edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center (Position G3 not available on tops 60"W or less.)
- G4 Pair of grommets each 6⁵⁄₁₆" from side edge to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
- G0 No grommets

Dimensions are from grommet center line to top edge.



Rectangular Top

Grommet positions other than those shown above are considered non-standard.

Worksurfaces

For specification information see page 261.


Laminate Worksurfaces / Non-Standard Sizes

Maximum	Model Number*	Width		Depth		Laminate List Price		
		MIN	MAX	MIN	MAX	L1	L2	L3
18"D								
18"W	**9120R1818**	180W	180W	121D	180D	$ 503	$ 526	$ 545
24"W	**9120R2418**	181W	240W	121D	180D	$ 525	$ 548	$ 569
30"W	**9120R3018**	241W	300W	121D	180D	$ 575	$ 599	$ 620
36"W	**9120R3618**	301W	360W	121D	180D	$ 596	$ 621	$ 644
42"W	**9120R4218**	361W	420W	121D	180D	$ 690	$ 718	$ 741
48"W	**9120R4818**	421W	480W	121D	180D	$ 761	$ 795	$ 819
60"W	**9120R6018**	481W	600W	121D	180D	$ 992	$ 1033	$ 1062
72"W	**9120R7218**	601W	720W	121D	180D	$ 1200	$ 1246	$ 1286
84"W	**9120R8418**	721W	840W	121D	180D	$ 1568	$ 1625	$ 1683
96"W	**9120R9618**	841W	960W	121D	180D	$ 1622	$ 1681	$ 1739
108"W	**9120R10818**	961W	1080W	121D	180D	$ 1854	$ 1919	$ 1987
120"W	**9120R12018**	1081W	1200W	121D	180D	$ 2012	$ 2089	$ 2164
24"D								
24"W	**9120R2424**	181W	240W	181D	240D	$ 569	$ 593	$ 616
30"W	**9120R3024**	241W	300W	181D	240D	$ 622	$ 647	$ 670
36"W	**9120R3624**	301W	360W	181D	240D	$ 649	$ 677	$ 699
42"W	**9120R4224**	361W	420W	181D	240D	$ 745	$ 778	$ 799
48"W	**9120R4824**	421W	480W	181D	240D	$ 804	$ 839	$ 865
60"W	**9120R6024**	481W	600W	181D	240D	$ 1042	$ 1084	$ 1119
72"W	**9120R7224**	601W	720W	181D	240D	$ 1245	$ 1293	$ 1334
84"W	**9120R8424**	721W	840W	181D	240D	$ 1622	$ 1681	$ 1739
96"W	**9120R9624**	841W	960W	181D	240D	$ 1595	$ 1656	$ 1716
108"W	**9120R10824**	961W	1080W	181D	240D	$ 1908	$ 1975	$ 2045
120"W	**9120R12024**	1081W	1200W	181D	240D	$ 2058	$ 2136	$ 2214
30"D								
30"W	**9120R3030**	241W	300W	241D	300D	$ 685	$ 717	$ 737
36"W	**9120R3630**	301W	360W	241D	300D	$ 720	$ 753	$ 775
42"W	**9120R4230**	361W	420W	241D	300D	$ 767	$ 801	$ 825
48"W	**9120R4830**	421W	480W	241D	300D	$ 830	$ 866	$ 893
60"W	**9120R6030**	481W	600W	241D	300D	$ 1089	$ 1133	$ 1169
72"W	**9120R7230**	601W	720W	241D	300D	$ 1244	$ 1293	$ 1337
84"W	**9120R8430**	721W	840W	241D	300D	$ 1889	$ 1959	$ 2030
96"W	**9120R9630**	841W	960W	241D	300D	$ 1935	$ 2006	$ 2080
108"W	**9120R10830**	961W	1080W	241D	300D	$ 2178	$ 2260	$ 2343
120"W	**9120R12030**	1081W	1200W	241D	300D	$ 2427	$ 2519	$ 2609
36"D								
36"W	**9120R3636**	301W	360W	301D	360D	$ 977	$ 1018	$ 1050
42"W	**9120R4236**	361W	420W	301D	360D	$ 1110	$ 1156	$ 1194
48"W	**9120R4836**	421W	480W	301D	360D	$ 1246	$ 1295	$ 1339
60"W	**9120R6036**	481W	600W	301D	360D	$ 1605	$ 1663	$ 1721
72"W	**9120R7236**	601W	720W	301D	360D	$ 1890	$ 1957	$ 2025
84"W	**9120R8436**	721W	840W	301D	360D	$ 2288	$ 2370	$ 2453
96"W	**9120R9636**	841W	960W	301D	360D	$ 2345	$ 2430	$ 2512
108"W	**9120R10836**	961W	1080W	301D	360D	$ 2599	$ 2692	$ 2788
120"W	**9120R12036**	1081W	1200W	301D	360D	$ 2720	$ 2821	$ 2925

Worksurfaces

Optimize™ — Worksurface Supports

For specification information see pages 247-253.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	$ 307	$ 353	$ 397
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	$ 307	$ 353	$ 397
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	$ 328	$ 374	$ 418
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	$ 328	$ 374	$ 418
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	$ 359	$ 405	$ 449
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	$ 359	$ 405	$ 449
Support Legs				
24"D x 29½"H — Panel-Mount	TKSL2429P	$ 290	$ 336	$ 380
30"D x 29½"H — Panel-Mount	TKSL3029P	$ 316	$ 362	$ 406
Support Columns				
29½"H / 3"Diameter	TT629SC S	$ 276	$ 322	$ 366
Cantilever Brackets				
12"D Left-Hand	T6CB12L S	$ 78	$ 97	$ 110
12"D Right-Hand	T6CB12R S	$ 78	$ 97	$ 110
18"D Left-Hand	T6CB18L S	$ 84	$ 103	$ 116
18"D Right-Hand	T6CB18R S	$ 84	$ 103	$ 116
24" or 30"D Left-Hand	T6CB24L S	$ 91	$ 110	$ 123
24" or 30"D Right-Hand	T6CB24R S	$ 91	$ 110	$ 123
Cantilever Bracket — non-handed (Core paint colors only)				
24" or 30"D	T624CB S	$ 238	N/A	N/A
Worksurface Bracket Kit				
One pair	T6BK S	$ 80	$ 98	$ 110
Worksurface Storage Bracket Kit (no color option)				
One Pair	T6SB S	$ 106	N/A	N/A
Flat Brackets (no color option)				
For 12"D	T612FB S	$ 76	N/A	N/A
For 24"D	T624FB S	$ 87	N/A	N/A
For 30"D	T630FB S	$ 98	N/A	N/A
Pedestal-to-Panel Bracket				
Left	TKPPBL S	$ 130	$ 149	$ 162
Right	TKPPBR	$ 130	$ 149	$ 162
Open End Panel Supports				
12"D x 29½"H Panel-Mount	AYBHEP1229	$ 303	$ 349	$ 393
18"D x 29½"H Panel-Mount	AYBHEP1829	$ 308	$ 354	$ 398
24"D x 29½"H Panel-Mount	AYBHEP2429	$ 319	$ 365	$ 409
30"D x 29½"H Panel-Mount	AYBHEP3029	$ 344	$ 390	$ 434

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 78 for finishes.


. P

Examples: **TKEP1129PL.P02** **T6SB**

S *Shippable by small-package carrier.*

Metal Overheads & Shelves

Optimize™ — Working With Overhead Storage




Product dimensions

Overhead Storage Cabinet


Width	24", 30", 36", 42", 48", 60", and 72"
Inside width	Flipper or 24"-36"W Hinged door — ⅜" less than width 42"-48"W Hinged or Sliding door — two compartments that are half of ⅜" less than width
Depth	14¼" RTA models 12"
Inside depth	12⅞" Receding door 12⅛" RTA models 11⅝"
Height	15"
Inside height	12¾" Receding door 11⅝" RTA models 12¾"

Open Shelf

Width	24", 30", 36", 42", 48", 60", and 72"
Depth	12⅞" RTA models 11½"
Height	4⅝" RTA models 5⅝"




- **Task lights** can be mounted beneath storage shelves and overhead storage cabinets.
- Additional panel hung and freestanding lighting options are available.




- **Cord retainer clips** fasten into panel slots to anchor power cords.
- Available in black only.
- Clips are provided with under-shelf mounted task lights. Additional clips can be purchased separately.

Metal Overheads & Shelves

Optimize™ — Working With Overhead Storage






Specification Guidelines


- In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side.
- Overhead storage cabinets and open storage shelves can be mounted on Optimize structural and stacking panels to a maximum height of 80"H.
- Base panel frames with stacking frames that have an overall height of 57½" will not accept overhead storage cabinets if spanning between stacker and base panel.
- Immediate adjacent panels must be equal height to panels with overhead storage cabinets on them.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


- Stacking panels can be added to any base panel up to 80"H.
- Stacking frames should be added to all the parent run panels, and to each return-panel run. Stacking panels added to return panel must match the parent run configuration.
- A maximum of two overhead storage units should be suspended from each side of stacking frames on any given panel.



- No limitation to the number of units on structural frames when run is supported with return panels on each side of storage shelves or overhead storage cabinets.




- **Assembled metal overhead cabinets** can be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.
- One side of overhead must be held on-module.




- **RTA overhead, RTA shelf, and receding door** width must correspond with width of panel(s).
- It is possible to span two panels when combined panel width equals cabinet or shelf width.

Metal Overheads & Shelves


Overheads, Shelves, and Hutches



Sliding Door Overhead



Flipper Door Overhead




Hinged Door Overhead

Assembled Overhead Storage Cabinet (page 268)

- Steel cabinet with backstop.
- Available with sliding, hinged, or flipper door(s).
- Easy-Assist flipper door optional — requires minimal assistance in opening and closing.
- Easy-Assist flipper door not available on 60"W or 72"W cabinets — specify 2–30"W cabinets or 2–36"W cabinets.
- Self-engaging safety latch to secure cabinet to panel.
- Width can correspond with width of panel, or two panels joined with an in-line connector kit.
- Arch or square pull optional on flipper doors.
- 60"W and 72"W flipper door cabinets have two doors with two independent locks.
- 24"-36"W hinged door cabinets have 1 lock and 2 optional pulls, 42"-48"W have 2 locks and 4 optional pulls.
- Accommodates recessed task lighting (specified separately).
- For locking specifications, see pages 998-1000.
- Cabinets are 14¼"D x 15"H.
- 15"H cabinets can also be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.
- Sliding doors have a built-in pull.
- Sliding, Hinged, and Flipper Door Overhead Weight Limits:

24"W ..... 59 lbs.	42"W ..... 105 lbs.
30"W ..... 74 lbs.	48"W ..... 121 lbs.
36"W ..... 90 lbs.	60"W ..... 152 lbs.

- Mounting an overhead on frames that have an overall height of 57½"H is not recommended. Slot modularity in relation to adjacent panels may be compromised.




Open Shelf

Assembled Open Shelf (page 268)

- Metal shelf with back stop.
- Locking clips (2) standard.
- Will accommodate recessed task lighting (ordered separately).
- Weight Limits:

24"W ..... 61 lbs.	42"W ..... 108 lbs.
30"W ..... 77 lbs.	48"W ..... 124 lbs.
36"W ..... 93 lbs.	60"W ..... 155 lbs.


- Mounting an open shelf on Optimize frames cannot span base panel frame and stack-on frame — slot modularity is not maintained.



Upmount Kit for Overhead Cabinets

Upmount Kits for Assembled Overhead Cabinets (page 268)

- Consists of two upmount brackets, full back panel, and required installation hardware.
- Allows mounting of an assembled overhead cabinet up to 15" above height of panel.
- Specify "Z2" prefix model number upmount kits with 15"H, 35"H, 50"H, or 65"H Optimize panels; and "Z4" prefix model number upmount kits with 42½"H Optimize panels.
- Brackets require a clearance of 6½"below bottom of overhead cabinet.
- Width must correspond with width of panel frame or 2 panel frames joined directly in-line.
- Full back panel adds ½" to depth of overhead case.
- Full back panel only used when upmounting cabinet.
- Cannot be used with RTA models.




Horizontal Wall Track

Horizontal Wall Track (page 268)


- Allows mounting assembled overhead cabinets on permanent wall structures ONLY. Attachment hardware not included.
- Cannot be used with RTA models.
- Track is 60"W and notched at 6" intervals as a guide for field cutting.
- For use with 15"H sliding door overhead, field modification is necessary.
- Available in black only.

Overheads, Shelves, and Hutches




Assembled Receding Door Overhead Storage Cabinet (page 269)
- Steel cabinet with open back. Optional back can be ordered separately.
- Arch or square pull optional.
- 60"W cabinet has 2 – 30"W doors with 2 independent locks.
- Accommodates recessed task lighting — ordered separately.
- For locking specifications, see pages 998-1000.
- Cabinets are 13¼"D x 15"H. When door is recessed, interior dimensions are 12⅛"D x 11⅝"H.
- Weight Limits:

30"W ..... 70 lbs.	48"W ..... 110 lbs.
36"W ..... 85 lbs.	60"W ..... 138 lbs.
42"W ..... 100 lbs.	




Receding Door Overhead Back (page 269)
- Optional for use with receding door overhead.
- Order width to match overhead cabinet.




Ready to Assemble (RTA) Flipper Door Overhead (page 269)
- Steel cabinet with open back.
- 60"W and 72"W cabinets have 2 doors with independent locks.
- Accommodates recessed task lighting — ordered separately.
- Random keying, for locking specifications see pages 998-1000.
- Cabinets are 12"D x 15"H. Interior dimensions 11⅛"D x 12¾"H.

Ready to Assemble (RTA) Shelf (page 269)
- Metal shelf with locking clips.
- Accommodates recessed task lighting — ordered separately.



Stack-On Hutch

Stack-on Hutch (page 270)
- Have flipper doors with square horizontal edges.
- Universal model can be converted to an open hutch.
- Doors are standard with a core removable lock (60"W, 66"W and 72"W have two doors and two locks.)
- Attachment tape provided.
- Order hutch to match width of worksurface(s) it covers.
- Hutches have clearance of 19¾" for computers, etc.
- Depth dimensions shown includes thickness of door.
- Universal model inside depth dimension is 12¾".
- Stack-on hutches accommodate recessed task lighting.
- For locking specification see pages 998-1000.
- Chicago task light cords cannot be routed through the hutch end panels, due to the large size of the fused plugs.




Tackboards for Hutches

Tackboards (page 270)
- Use tackboard to close the back of stack-on or hutch below storage unit.
- Due to width of fabric roll, 72"W tackboards are available in railroad cut only.


Metal Overheads

Optimize™ — Overheads / Shelves and Mounting Kits

For specification information see pages 264-267.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 14¼"D Sliding Single Door Overhead Cabinets				
24"W	**OH1524SD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530SD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536SD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542SD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548SD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560SD**	$ 1725	$ 1811	$ 1893




15"H x 14¼"D Flipper Door Overhead Cabinets				
24"W	**OH1524FD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530FD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536FD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542FD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548FD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560FD**	$ 1725	$ 1811	$ 1893
72"W	**OH1572FD**	$ 2334	$ 2420	$ 2502

Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.
For "Easy-Assist" on 24"W-48"W change FD suffix to FE – add $257




15"H x 14¼"D Hinged Door Overhead Cabinets				
24"W	**OH1524HD**	$ 1909	$ 1994	$ 2076
30"W	**OH1530HD**	$ 1995	$ 2080	$ 2162
36"W	**OH1536HD**	$ 2089	$ 2174	$ 2256
42 W	**OH1542HD**	$ 2177	$ 2262	$ 2344
48"W	**OH1548HD**	$ 2258	$ 2343	$ 2425


Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.



4⅝"H x 12⅞"D Open Shelf (to line up with 15"H Overheads)				
24"W	**ZS24** S	$ 477	$ 508	$ 535
30"W	**ZS30** S	$ 517	$ 548	$ 575
36"W	**ZS36** S	$ 545	$ 576	$ 603
42"W	**ZS42** S	$ 570	$ 601	$ 628
48"W	**ZS48** S	$ 598	$ 629	$ 656
60"W	**ZS60**	$ 728	$ 759	$ 786
72"W	**ZS72**	$ 1069	$ 1100	$ 1127



Upmount Kits for Overhead Cabinets — Specify "Z4" prefix models with 42½"H panels; "Z2" for all other panel heights.				
24"W	**Z ␣ UP24**	$ 290	$ 322	$ 350
30"W	**Z ␣ UP30**	$ 303	$ 335	$ 363
36"W	**Z ␣ UP36**	$ 311	$ 343	$ 371
42"W	**Z ␣ UP42**	$ 328	$ 360	$ 388
48"W	**Z ␣ UP48**	$ 344	$ 376	$ 404
60"W	**Z ␣ UP60**	$ 368	$ 400	$ 428



Shelf Dividers for Assembled Overhead Cabinets and Open Shelf				
Package of 6	**T7DV** S	$ 150	$ 170	$ 182

Note: Not compatible with RTA models.

Horizontal Wall Track				
60"W Track	**TWTH**	$ 146	N/A	N/A


S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**Pull** *(if applicable)*: **A** Arch pull, add $46 per pull **S** Square pull, add $46 per pull	**System** *(if applicable)*: **YZ** Optimize or Concensys	**Paint** *(if applicable)*: P1 P2 P3 See page 78 for finishes.	**Pull Color** *(if applicable)*: **Arch:** **E4** Black **EL** Matte Silver **Square:** **EL** Matte Silver	**Lock Type** *(if applicable)*: **STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)
_____	.	**Y Z** .	**P** _ _ .	**E** _ .	_ _ _

Examples: **OH1536FEA.YZ.P01.E4.STD** **OH1548FDS.YZ.P52.EL.OMT** **OH1560SD.YZ.PR2.EL.STD** **Z2UP24.P27** **TWTH**


Metal Overheads

For specification information see pages 264-267.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 13¼"D Assembled Receding Door Overheads (inside dimensions with door recessed — 11⅛"H x 12⅛"D)				
30"W	**OH1530RD**	$ 1309	$ 1395	$ 1477
36"W	**OH1536RD**	$ 1381	$ 1467	$ 1549
42"W	**OH1542RD**	$ 1467	$ 1553	$ 1635
48"W	**OH1548RD**	$ 1590	$ 1676	$ 1758
60"W	**OH1560RD**	$ 2404	$ 2490	$ 2572

Note: Add Suffix **A** for arch pull or **S** for square pull option — add $46 per pull.



15"H x 12"D Ready to Assemble (RTA) Flipper Door Overhead (inside dimensions 12¾"H x 11⅝"D)				
36"W RTA — Flipper Door	**POHRTA1536FD**	$ 939	$ 1025	$ 1107
42"W RTA — Flipper Door	**POHRTA1542FD**	$ 980	$ 1066	$ 1148
48"W RTA — Flipper Door	**POHRTA1548FD**	$ 1022	$ 1108	$ 1190



5⅝"H x 12"D Ready to Assemble (RTA) Shelf				
36"W RTA — Shelf	**POHRTA36S**	$ 489	$ 519	$ 544
48"W RTA — Shelf	**POHRTA48S**	$ 538	$ 568	$ 593


How to specify — **Select the Model Number from above.**	*1st Option:* **Receding Door Pull** *(if applicable)*:	*2nd Option:* **System for Assembled Receding Door Overhead** *(if applicable)*:	*3rd Option:* **Paint:**	*4th Option:* **Receding Door Pull Color** *(if applicable)*:	*5th Option:* **Receding Door Lock** *(if applicable)*:
	A Arch Pull, add $46 per pull **S** Square Pull, add $46 per pull	**YZ** Optimize or Concensys	P1 P2 P3 See page 78 for finishes.	**Arch:** **E4** Black **EL** Silver **Square:** **EL** Silver	**STD** Standard **OMT** Omit Lock Core (Deduct $20 per lock)
_____	___ .	Y Z .	P ___	E ___ .	___

Examples: **OH1560RD.YZ.P7Q.STD** **OH1536RDA.YZ.P27.E4.OMT** **POHRTA1536FD.P27**

Metal Hutches

Optimize™ — Hutches, Tackboards, and Accessories


For specification information see pages 264-267.



Description	Universal Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Essentials Hutch w/Square Flipper Doors and Lock — 14½"D x 35"H				
36"W	**UH6536FD** ⌴	$ 1286	$ 1375	$ 1460
42"W	**UH6542FD** ⌴	$ 1345	$ 1434	$ 1519
48"W	**UH6548FD** ⌴	$ 1390	$ 1479	$ 1564
60"W	**UH6560FD** ⌴	$ 1970	$ 2059	$ 2144
66"W	**UH6566FD** ⌴	$ 2066	$ 2155	$ 2240
72"W	**UH6572FD** ⌴	$ 2165	$ 2254	$ 2339



Description	Universal Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Shelf Dividers				
Package of 6	**T7DV** S	$ 150	$ 170	$ 182



Description	Universal Model	P1 Paint List Price — Fabric Grades A/B	P1 Paint List Price — Fabric Grades C/D	P1 Paint List Price — Fabric Grades E/F	P2 Paint List Price — Fabric Grades A/B	P2 Paint List Price — Fabric Grades C/D	P2 Paint List Price — Fabric Grades E/F	P3 Paint List Price — Fabric Grades A/B	P3 Paint List Price — Fabric Grades C/D	P3 Paint List Price — Fabric Grades E/F
20"H Tackboards for Stack-on Hutches										
36"W Tackboard	**UHTB36** S	$ 580	$ 684	$ 857	$ 610	$ 714	$ 887	$ 635	$ 739	$ 912
42"W Tackboard	**UHTB42** S	$ 609	$ 720	$ 900	$ 639	$ 750	$ 930	$ 664	$ 775	$ 955
48"W Tackboard	**UHTB48** S	$ 663	$ 788	$ 992	$ 693	$ 818	$ 1022	$ 718	$ 843	$ 1047
60"W Tackboard	**UHTB60** S	$ 742	$ 898	$ 1155	$ 772	$ 928	$ 1185	$ 797	$ 953	$ 1210
66"W Tackboard	**UHTB66** S	$ 780	$ 950	$ 1232	$ 810	$ 980	$ 1262	$ 835	$ 1005	$ 1287
72"W Tackboard	**UHTB72** S	$ 823	$ 992	$ 1271	$ 853	$ 1022	$ 1301	$ 878	$ 1047	$ 1326

How to specify — **Select the Model Number from above.**	*1st Option:* **Pull** *(if applicable)*:	*2nd Option:* **Paint:**	*3rd Option:* **Fabric** *(if applicable)*:	*3rd Option:* **Lock Type** *(if applicable)*:	*4th Option:* **Railroad Cut (Tackboard only):**
_ _ _ _ _ _	_ .	P _ _ .	_ _ _ _ _ _ .	_ _ _	R R
	Add $46 per pull. **A** Arch Pull **S** Square Pull **N** No Pull	P1 P2 P3 See page 78 for finishes.	Limited fabric offering available — see page 15 for details.	**STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)	(Only applicable to 66" and 72"W Fabric Tackboards.)


Examples: **UH6536FDN.P27.STD** **UHTB66.P52.APN934.RR**

S *Shippable by small-package carrier.*

Shared Components

Optimize™ — Tackboards

For specification information see pages 264-267.



Description	Model	List Price Grades A/B	Grades C/D	Grades E/F
Tackboards				
24"W x 13"H	861324 S	$ 230	$ 271	$ 333
30"W x 13"H	861330 S	$ 277	$ 319	$ 387
36"W x 13"H	861336 S	$ 311	$ 361	$ 443
42"W x 13"H	861342 S	$ 354	$ 413	$ 508
48"W x 13"H	861348 S	$ 390	$ 456	$ 566
60"W x 13"H	861360 S	$ 433	$ 513	$ 640
24"W x 18"H	861824 S	$ 238	$ 286	$ 360
30"W x 18"H	861830 S	$ 291	$ 350	$ 445
36"W x 18"H	861836 S	$ 327	$ 396	$ 507
42"W x 18"H	861842 S	$ 373	$ 454	$ 584
48"W x 18"H	861848 S	$ 409	$ 501	$ 651
60"W x 18"H	861860 S	$ 452	$ 555	$ 726

How to specify —

Select the Model Number from above.

1st Option:

Fabric (for Tackboards):


See page 15 for fabrics.

Example: **861324.LC928**


S ***Shippable by small-package carrier.***

Cadence® Freestanding


Cadence offers unlimited versatility. Its modular flexibility creates office solutions of all shapes, sizes, and styles.



Configurations



Full Modesty



Half Modesty



Gussets

All the right choices

Choose Cadence freestanding desking with confidence. It personalizes any work environment, accommodates a range of needs, and offers all the right features — curvilinear worksurface shapes, multiple worksurface edges, and a complete paint finish and laminate offering. Cadence is made to last with heavy-gauge steel construction. Metal-to-metal worksurface connection points make installation and reconfiguration reliable and easy. And Cadence is backed by a lifetime warranty.

Universally flexible

Cadence sets up easily and reconfigures time after time. It even shares components with Optimize, Terrace®, and Concensys®, which simplifies inventory management. Cadence is created with worksurfaces, supports, modesty panels, end panels, and brackets. Cadence is compatible with the entire line of Allsteel storage solutions and Extensions™ — work tools to provide personalized organization for every workstyle.

Systems integration — Cadence works in combination with Optimize, Terrace, or Concensys panels, extending the functionality of each product line.

Highly adaptable — Make the most of building architecture by using an existing wall to create a semi-private workspace.


Space utilization — Multiple worksurface shapes offer unlimited design potential for using space creatively and efficiently.

Team interaction — Cadence design flexibility allows you to create personal workspace and a team collaboration area in the same office.

The Cadence choice

It works in the open plan, the private office, or in combination with Optimize, Terrace, or Concensys panels, allowing complete office coordination. The flexible, universal design of Cadence supports virtually any workstyle and any interior aesthetic. Backed by Allsteel's Lifetime Warranty and manufactured to strict environmental standards, Cadence provides one high-value package.

Configurations



End Panels (E) and Support Legs (L)

Each are available in two options: freestanding or panel-mount. If the freestanding version is purchased and later needs to be converted to panel-mount, the proper handed panel-mount bracket may be purchased separately.


The 11"D end panel is used to freestand peninsulas, curvilinear shapes, and D-tops in panel applications.

Corner Desk Legs (C)

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

Bridge Kits (B)

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.



There are some bridge instances where only half of a bridge kit is needed (e.g. using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.


Surface (S)

Support Column (SC)

Support columns are used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.

Return Kits (R)


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.



Desk-to-Panel Attachment Kits (D)


Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg, or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk, use corner w/desk attachment kit. Hand of unit is determined from the user's side of the desk (right hand unit attaches to right side of modesty).



Corner w/Desk Panel Attachment Kit CW

Corner w/desk panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. Hand of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).




Corner Worksurfaces

Corner worksurfaces to accommodate 90-degree corner desk legs.

In-Line Connections of Desks

Freestanding full end panels must be used to support adjacent rectangular desks, corner desks, and corner desks with returns. Freestanding support legs should NOT be used at the in-line junction. 24"D full end panels may be used at the in-line junction on 30"D rectangular desks if two worksurface tie straps are used to secure the desks together. Contact Allsteel Customer Support for ordering information.



Pedestals and Storage

Pedestals must be ordered one size smaller than the depth of the worksurface. For example, 18"D or 20"D peds should be used with 24"D worksurfaces. 18", 20"D, or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional pull style and storage options under 24"D worksurfaces.


Modesty Panels M

The following are some general guidelines for Cadence modesty panels:

- **Desk:** Modesty panel width is the same width as the worksurface
- **Return:** Modesty panel width is 6" greater than the width of the worksurface
- **Bridge connecting two rectangular worksurfaces:** Modesty panel width is 12" greater than the width of the bridge worksurface
- **Bridge connecting a rectangular worksurface and corner or peninsula:** Modesty panel width is 6" greater than the width of the worksurface
- **Corner connecting to an adjacent worksurface:** Modesty panel width is the same width as the worksurface.


Stand-Alone Corner Modesty Panels SM

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.



Gussets G


Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.



Configurations


Freestanding Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H




Panel-Attached Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H
1	␣DPA29R	Desk-to-Panel Attachment Kit 29½"H – RH C – Concensys® TK – Optimize or Terrace®



CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel: Same width as Work-surface (M)	Modesty Panel: 6" wider than Work-surface (M+6)	Modesty Panel: 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
Freestanding Desk	1	2		1				
Panel-Attached Desk	1	1		1			1 RH	


Return Desk (Attached to a primary or return desk.)



Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit

Return Desk (Attached to a panel-hung worksurface.)

Example Shown Qty.	Model	Description
1	T52448S	Flat Edge Worksurface 24"D x 48"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit




Note: The widest modesty panel is 72"W which limits return worksurfaces to a maximum of 66"W.

CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel: Same width as Work-surface (M)	Modesty Panel: 6" wider than Work-surface (M+6)	Modesty Panel: 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
Return Desk	1	1			1				1

Configurations

Bridge Desk (Attached between two primary desks.)




Example Shown Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CBK29	Bridge Kit

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Bridge Kit (B)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1					1			1

Bridge Desk and Peninsula (Attached to a primary desk).


Example Shown Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	T53060B	Flat Edge Peninsula Worksurface 30"W x 60"L
1	CS489	Modesty Panel 48"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CRK29	Return Kit
1		Support Column for Peninsula Worksurface 29½"H
	830299	(Concensys®)
	TT629SC	(Optimize or Terrace®)



CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Support Column (SC)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk and Peninsula	2	1	1	1	1			1	1

Configurations


Corner Desk (Stand-alone)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Worksurface 24"D x 36"W (*De-emphasized*)
2	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H


Corner Desk (With an adjacent desk attached at one side.)

Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 24"D x 36"W (*De-emphasized*)
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CS369	Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H



CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	Same width as Work-surface (SM)		
Corner Desk	1	2				2		1
Corner Desk (with adjacent desk)	2	2	1	2		1		1

Bridge Desk (Attached between corner and primary desk.)




Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CRK29	Return Kit
1	CSL2429F	Support Leg 24"D x 29½"H

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1		1		1				1

Cadence® Freestanding

Configurations


Corner Desk (Attached to a panel with an adjacent desk at one side.)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 36"W x 24"D (*De-emphasized*)
1	T52430S	Flat Edge Worksurface 24"D x 30"W
1	CS369	Modesty Panel 36"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	⌴CWD29L	Corner w/Desk Attachment Kit 29"H LH C – Concensys® TK – Optimize or Terrace®

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Corner w/Desk Panel Attachment Kit (CW)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Corner Desk	2	1	1	2					1 LH


"U" with Jetty and Corner Cove



Example Shown Qty.	Model	Description
1	T54722JR	Flat Edge Jetty RH 48"D x 72"W x 24" x 30"
1	T5722ER	Flat Edge Corner Cove RH 48"D x 72"W x 24"
2	CS489	Modesty Panel 48"W x 29½"H
1	CSCMP7229	Stand-Alone Corner Modesty Panel 72"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CEP2429F	Full End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H
1	830299 TT629SC	Support Column for Jetty 29½"H (Concensys) (Optimize or Terrace)


CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Support Column (SC)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	Same width as Work-surface (SM)		
Cove and Jetty	2	2	1	2		1	1	1

Cadence Supports




End-Panel Supports

End-Panel Supports (page 281)
- End panels are 1⅝" thick. For use at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Freestanding models can be converted to Optimize panel-mount with end panel bracket kit.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° connections must be supported by full end panels.
- 11"D models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.




Support Leg

Support Legs (page 281)
- Support legs are non-handed. Supports the junction of two worksurfaces.
- Leg portion is 12¾"D and is 1⅝" thick.
- Flat bracket included.
- Levelers provide 2¾" vertical adjustment.
- Freestanding models can be converted to Optimize panel-mount with support leg bracket (non-handed).
- Must be connected into panel slots for panel hung applications.




Corner Desk Leg

Corner Desk Leg (page 281)
- Attaches two modesty panels at rear of corner desk.
- Leveler provides 2¾" vertical adjustment.
- See examples on pages 274 and 277.




Bridge Kit

Bridge Kit (page 281)
- Connects bridge worksurface and modesty panel to end panels and worksurfaces that are perpendicular to the bridge worksurface.
- Includes two flat brackets and two modesty panel-to-end-panel brackets.
- See examples on pages 273 and 277.




Return Kit

Return Kit (page 281)
- Connects return worksurface and modesty panel to end panel and perpendicular worksurface — non-handed.
- Includes one flat brackets and one modesty panel-to-end-panel bracket.
- See examples on pages 273 and 275.




Desk-to-Panel Attachment Kit

Desk-to-Panel Attachment Kit (page 281)
- Used to connect a worksurface and modesty panel perpendicularly to a Optimize Panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg, or corner leg mounted directly under this worksurface.
- If using corner or corner cove with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desk panel attachment kit.
- "Hand" of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).



Corner w/Desk Attachment Kit


Corner w/Desk Panel Attachment Kit for Optimize (page 281)
- Used when the rear corner of a corner or corner cove worksurface and modesty panel is attached to a Optimize panel and opposing end of worksurface is attached to a freestanding desk. Opposing end of worksurface shares the support leg that is mounted under the adjacent freestanding desk.
- "Hand" of unit is determined from the user's side of the desk.




Flat Bracket

Flat Brackets (page 281)
- Bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.

Cadence Supports



Wall Track and
Tile Attachment Kit



Full and Half High Modesty Panels

Freestanding Pedestals

- Can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Freestanding Desks


- Freestanding desks can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See pages 272-278.

Pedestal Compatibility with Cadence and Panel-hung Worksurfaces


Cadence Desking	24" Deep	30" Deep
18"D Ped	Yes	Yes
19⅞"D Ped	Yes*	Yes
23⅜"D Ped		Yes
29⅜"D Ped		
Systems Panel-hung	**24" Deep**	**30" Deep**
18"D Ped	Yes	Yes
19⅞"D Ped	Yes*	Yes
23⅜"D Ped	Yes*	Yes
29⅜"D Ped		Yes*

*Wire management grommet is blocked in these applications.

Note: Pedestal placement may affect access to receptacles in base pathway.



Pedestal-to-Pedestal
Modesty



Gussets

Universal Modesty Panel

Universal Modesty Panels

	Peninsula			P-Shape	Jetty		Boomerang
Model	60"L	66"L	72"L	72"L	66"L	72"L	72"L
PMP41	•						
PMP47		•		•	•		
PMP53			•			•	•

Optimize Wall Track/Tile Attachment Kits (page 281)

- Allows for mounting of system panel components on permanent wall structures.
- Begin with one pair of ends; for multiple kits in line, add middle unit(s) between ends.
- Height of wall track coordinates with panel height. Field cut for lower heights.
- Wall track will add 1" to depth of attached components.
- Use Terrace® wall track tile attachment kit to install tiles onto Optimize wall track. Kit includes two tile bars. Top bar may only be used in the top uppermost position on wall track. Bottom bar can be used in the bottom position at any location on wall track.
- When segmenting tiles on wall track, segment bars must be ordered for placement between all vertically adjacent tiles or at the top position of a single tile that is not in the uppermost position.
- When using Optimize wall track and using Terrace tiles to create a tackboard situation under overheads hung at 65"H, make sure to use a 30"H tile or 2-15"H tiles to cover the entire area between the overheads and the worksurface.

Modesty Panel (page 282)

- Mounts to end-panel supports, desk support legs, bridge kit, return kit, desk-to-panel, and corner w/desk panel attachment kits.
- 29½"H units provide ¾" of space between bottom of modesty panel and floor.
- Actual width of 29½"H modesty panel is 3¾" less than the nominal dimension listed on page 282.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Refer to pages 272-278 to select proper width.
- Use 14"H modesty panels for desks positioned against a wall to provide access to electrical receptacles.
- 14"H modesty panels, stand-alone corner modesty panels or gussets can be used with corner or corner cove worksurfaces.

Stand-alone Corner Modesty Panel (page 282)

- 29½"H units provide ¾" of spacing between bottom of panel and floor.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Actual width of modesty panel is 6³⁄₁₆" less than the nominal dimension listed on page 282.
- Modesty panels are inset 2⅞"; when adding pedestals, consult chart below.

Pedestal-to-Pedestal Modesty Panels (page 282)

- Widths available to work with 60"W, 66"W, and 72"W worksurfaces to create freestanding double pedestal desk using two medal support pedestals.

Gussets (page 282)

- Provides easy access to wall outlets.
- Cannot be used with suspended pedestals.
- Gussets can be used on corner and corner cove worksurfaces.


Universal Modesty Panel (page 282)

- Mounts under peninsula, P-shape, jetty, and boomerang worksurfaces. Refer to chart below to select proper width.
- Can be used with panel-mounted and freestanding worksurfaces.
- Provides 8½" of privacy and is non-handed.
- Constructed of steel. No upcharge for Select paint.
- Only requires attachment to the worksurface.
- Does not provide electrical, data or structural support.
- Panel is 1½" thick and can be mounted at various distances from edge of worksurface based on user's preference for clearance and conferencing requirements.

Cadence® Freestanding

Optimize™ — Desk Components

For specification information see pages 272-280.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Freestanding	**CEP1129F**	$ 298	$ 344	$ 388
24"D x 29½"H — Freestanding	**CEP2429F**	$ 319	$ 365	$ 409
30"D x 29½"H — Freestanding	**CEP3029F**	$ 353	$ 399	$ 443
11"D x 29½"H — Left – Panel-Mount	**TKEP1129PL**	$ 307	$ 353	$ 397
11"D x 29½"H — Right – Panel-Mount	**TKEP1129PR**	$ 307	$ 353	$ 397
24"D x 29½"H — Left – Panel-Mount	**TKEP2429PL**	$ 328	$ 374	$ 418
24"D x 29½"H — Right – Panel-Mount	**TKEP2429PR**	$ 328	$ 374	$ 418
30"D x 29½"H — Left – Panel-Mount	**TKEP3029PL**	$ 359	$ 405	$ 449
30"D x 29½"H — Right – Panel-Mount	**TKEP3029PR**	$ 359	$ 405	$ 449
End-Panel Bracket Kits for Optimize				
29½"H Bracket Kit — Left	**TKEB29L**	$ 63	$ 82	$ 95
29½"H Bracket Kit — Right	**TKEB29R**	$ 63	$ 82	$ 95
Support Legs				
24"D x 29½"H — Freestanding	**CSL2429F** S	$ 276	$ 322	$ 366
30"D x 29½"H — Freestanding	**CSL3029F** S	$ 306	$ 352	$ 396
24"D x 29½"H — Panel-Mount	**TKSL2429P**	$ 290	$ 336	$ 380
30"D x 29½"H — Panel-Mount	**TKSL3029P**	$ 316	$ 362	$ 406
Support Leg Bracket for Optimize				
29½"H	**TKSB29**	$ 63	$ 82	$ 95
Corner Desk Leg				
29½"H	**CDL29** S	$ 254	$ 282	$ 305
Bridge Kit				
29½"H	**CBK29** S	$ 267	$ 286	$ 299
Return Kit				
29½"H	**CRK29** S	$ 137	$ 152	$ 161
Desk-to-Panel Attachment Kits for Optimize				
29½"H – Left-Hand	**TKDPA29L**	$ 124	$ 143	$ 156
29½"H – Right-Hand	**TKDPA29R**	$ 124	$ 143	$ 156
Corner w/Desk Panel Attachment Kit for Optimize				
29½"H – Left-Hand	**TKCWD29L**	$ 124	$ 143	$ 156
29½"H – Right-Hand	**TKCWD29R**	$ 124	$ 143	$ 156
Flat Brackets				
24"D	**831124** S	$ 86	N/A	N/A
30"D	**831130** S	$ 93	N/A	N/A

Note: Flint only.

Optimize Wall Track Kit — End/Shared				
65"H — Pair of Ends	**TK365YEB** S	$ 379	$ 433	$ 486
65"H — Middle Unit	**TK365YM** S	$ 198	$ 230	$ 258

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.

. P


Examples: **CEP1129F.P02** **831124**

S *Shippable by small-package carrier.*


Cadence® Freestanding

Optimize™ — Modesty Panels


For specification information see pages 272-280.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Modesty Panels				
29½"H x 24"W	CS249 S	$ 289	$ 317	$ 340
29½"H x 30"W	CS309 S	$ 298	$ 326	$ 349
29½"H x 36"W	CS369 S	$ 304	$ 332	$ 355
29½"H x 42"W	CS429 S	$ 310	$ 338	$ 361
29½"H x 48"W	CS489 S	$ 316	$ 344	$ 367
29½"H x 54"W	CS549 S	$ 319	$ 347	$ 370
29½"H x 60"W	CS609	$ 325	$ 353	$ 376
29½"H x 66"W	CS669	$ 330	$ 358	$ 381
29½"H x 72"W	CS729	$ 343	$ 371	$ 394




Stand-alone Corner Modesty Panels				
29½"H x 36"W	CSCMP3629 S	$ 304	$ 332	$ 355
29½"H x 42"W	CSCMP4229 S	$ 310	$ 338	$ 361
29½"H x 48"W	CSCMP4829 S	$ 316	$ 344	$ 367
29½"H x 60"W	CSCMP6029	$ 325	$ 353	$ 376
29½"H x 72"W	CSCMP7229	$ 343	$ 371	$ 394




Modesty Panels				
14"H x 24"W	CS244 S	$ 272	$ 300	$ 323
14"H x 30"W	CS304 S	$ 277	$ 305	$ 328
14"H x 36"W	CS364 S	$ 284	$ 312	$ 335
14"H x 42"W	CS424 S	$ 293	$ 321	$ 344
14"H x 48"W	CS484 S	$ 303	$ 331	$ 354
14"H x 54"W	CS544 S	$ 306	$ 334	$ 357
14"H x 60"W	CS604	$ 316	$ 344	$ 367
14"H x 66"W	CS664	$ 319	$ 347	$ 370
14"H x 72"W	CS724	$ 325	$ 353	$ 376



Stand-alone Corner Modesty Panels				
14"H x 36"W	CSCMP3614 S	$ 284	$ 312	$ 335
14"H x 42"W	CSCMP4214 S	$ 293	$ 321	$ 344
14"H x 48"W	CSCMP4814 S	$ 303	$ 331	$ 354
14"H x 60"W	CSCMP6014	$ 316	$ 344	$ 367
14"H x 72"W	CSCMP7214	$ 325	$ 353	$ 376



Pedestal-to-Pedestal Modesty Panel				
27"H x 30"W to create a 60"W Desk	TKMP60	$ 278	$ 306	$ 329
27"H x 36"W to create a 66"W Desk	TKMP66	$ 280	$ 308	$ 331
27"H x 42"W to create a 72"W Desk	TKMP72	$ 291	$ 319	$ 342



Gussets				
One pair	CDG S	$ 207	$ 235	$ 258

Modesty Panels				
41"W for 60"L Peninsula	PMP41 S	$ 399	$ 399	$ 399
47"W for 66"L Peninsula, 72"L P-Shape, or 66"L Jetty	PMP47 S	$ 407	$ 407	$ 407
53"W for 72"L Peninsula, Jetty, or Boomerang	PMP53 S	$ 420	$ 420	$ 420

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.

. P

Examples: **TKMP60.P4J** **CS244.P28**

S *Shippable by small-package carrier.*


Worksurfaces


Terrace® — Overview of Flat Edge and Veneer Worksurfaces


Laminate with Flat Edge or Veneer Worksurfaces




Edge Detail



Primary



Cove



Corner


Peninsula



Jetty



P-Shaped



Bow-Front



120° Corner Worksurface


60° Pie*


D-Shaped


Quarter Round


Straight Countertop


Corner Countertop

Arrows indicate grain direction for woodgrain laminates.
Grain direction on symmetrical corner worksurfaces runs at a diagonal.


*Laminate only

Note: Add suffix "N" to model number for no grommets, no upcharge.

Worksurfaces


Terrace® — Working with Worksurfaces and Supports


Worksurfaces are 1⅛" thick with particleboard core and with top surfaces finished in laminate. Bottom surfaces are covered with a backer sheet. Worksurfaces are available in laminate and Stratawood veneer. Veneer worksurfaces are by Gunlocke.



Worksurfaces

- Laminate worksurfaces are 1⅛" thick with particle board core and with top surfaces finished in high-pressure laminate. Bottom surfaces are covered with a backer sheet.
- **Flat edge trim** is available on laminate tops in twenty standard colors (customer specified) to match solid or woodgrain laminates and to complement patterned laminates.
- Veneer worksurfaces have square veneer edge.







- **Optional wider width primary worksurfaces** are available for use with Terrace panel runs having a "T" or "S" connection — upcharge applies.

Wire management grommets are standard in most worksurfaces (unless specified with no grommets) and are specified in plastic or metal.

- **Metal grommets** are available in oval or square (shown below).





- Rectangular worksurfaces over 42"W have two grommets. Corner cove worksurfaces will have two grommets. Peninsula and corner worksurfaces have one. D-Shaped worksurfaces and countertops do not have grommets.
- Grommets on standard systems worksurfaces are located 6⁵⁄₁₆" from side edges and 3⁵⁄₁₆" from back edge.
- Add Suffix "N" to a model number for no grommets — no upcharge.

Supports

Worksurfaces can be configured at 29½"H with end-panel supports and in-line support panels, or at various heights on 1" increments using specific product configurations.

Worksurface support options include:

- Support column*
- Flat brackets
- External support channel
- Worksurface bracket kits
- Height adjustable mechanisms
- Cantilever brackets
- In-line support legs*
- End-panel supports*
- Support storage units*
- Pedestal-to-panel attachment kit*
- Desk-to-panel attachment kit*
- Corner desk leg*
- Bridge and return kits
- Modesty panels
- Gussets

*Units provide floor support.

Support Guidelines — See Drawings on page 285

- Panel-mounted worksurface runs 72" or greater are required to have floor support.
- When using overheads in panel mounted worksurface run applications 72" and greater, floor support* is required. (See list at left.)
- When using overheads at the end of a panel run, floor supports* are required.
- Worksurface bracket kit should be used to tie panels to worksurface for added stability.
- A return panel at the end of a panel run can be substituted with one of these floor supports: storage, open or closed end support panel, O-leg.


continued on next page

Worksurfaces


Terrace® — Working with Worksurfaces and Supports

continued from previous page


- Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return panel or floor support.
- Unsupported worksurfaces 60"W or greater require an external worksurface support channel. When a center support cantilever cannot be used, an external worksurface support channel is recommended for spans greater than 48"W. See pages 289 and 299.
- Support channel may interfere with mounting of some CPU holders and keyboard supports.
- Cantilevers are recommended in place of an external worksurface support channel where feasible.
- Cadence Desking configurations utilize modesty panels and gussets in place of external support channels for worksurfaces up to 72"W. See pages 290-298.




Panel-mounted worksurface runs 72" or greater are required to have floor support.




Panel-mounted worksurface runs 72" or greater are required to have floor support.



Worksurface bracket kit should be used to tie panels to worksurface for added stability




These floor supports can substitute a return panel at the end of a panel run: storage, open or closed end support panel, O-legs.



Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return or floor support.

Cantilevers are recommended in place of an external worksurface support channel where feasible.




Unsupported worksurfaces 60"W or greater require an external worksurface support channel. When a center support cantilever cannot be used, an external worksurface support channel is recommended for spans greater than 48"W.

Worksurfaces - Laminate (L) w/Flat Edge and Veneer (V) w/Square Edge




Primary Worksurfaces (L page 299)
- Primary worksurfaces are available in 24" and 30" depths.
- Nominal worksurface width is equal to nominal panel width.
- Wire management grommets standard, one for widths up to 42", two on widths 48"W and greater.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 18" cantilever on 18"D, and 24" cantilever on 24"D and 30"D worksurfaces.
- Primary worksurfaces can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Working With Cadence, pages 290-298.



Bow-Front Worksurfaces (L page 300)
- Two wire management grommets standard.
- Bow-front worksurfaces can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Working With Cadence, pages 290-298.


Corner Worksurfaces (L page 301)
- One wire management grommet.
- Corner worksurfaces with woodgrain laminate have grain direction diagonal to adjacent worksurfaces.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




120° Corner Worksurfaces (L page 301)
- Standard with one wire management grommet in corner location.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.



60° Pie Worksurface (L page 301)
- Order support column and two flat brackets separately.




Corner Cove Worksurfaces (L page 302)
- Two wire management grommets standard.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner. All other support hardware is ordered separately.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence pages 290-298.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 24" cantilever on 24"D and 30"D worksurfaces.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




Height-Adjustable Worksurfaces
- For freestanding applications, see height-adjustable tables pages in the Seating, Collaboration, and Tables Price List.

Worksurfaces — Laminate(L) w/Flat Edge and Veneer(V) w/Square Edge



Peninsula, P-Shaped, and Jetty Worksurfaces (L page 303)

- Wire management grommets standard.
- Support column ordered separately, column includes panel support brackets T6BK.
- Can be used with a modesty panel and appropriate supports to configure freestanding desk(s). Refer to Cadence pages 290-298.




D-Shaped Worksurfaces (L page 304)

- Order support column and two 24"D in-line support legs separately.
- Not recommended for use with T6CB24L or T6CB24R for shared applications.
- Includes attachment bracket.



Quarter-Round Worksurfaces (L page 304; V page 309)


- Use to connect two 90° panel-attached worksurfaces.
- Order support column and two flat brackets separately.




Non-Standard Worksurface Sizes (L, V pages 307-308)


- The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120"W x 36"D.
- Other modification requests should be made through Allsteel Tailored Products Group.

Countertops - Laminate (L) w/Flat and Veneer (V) w/Square



Countertops





Raised Countertop Kits


Countertops
- Countertops are available in straight and corner configurations.
- Choose between raised countertops which require raised countertop kit (ordered separately) or flush countertops which include brackets, top trim, and mounting hardware.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

Raised Countertops (L page 305)
- Countertops are raised 5" above panel top cap.
- Order raised countertop kits separately.
- Add appropriate suffix to end of model number for in-line variable height applications.
- Countertop kit can extend up to 6" beyond end of kit.

Raised Countertop Kits (L page 305)
- Includes top cap and attachment hardware.


Flush Countertops (L page 306)
- Mounting brackets, top trim, and attaching hardware included.
- Flush countertops come with a painted top cap — specify color.
- Countertops are flush with the ends of panel top cap.

Worksurface Supports




End-Panel and Open End Supports

End Supports and Bracket Kits (page 310)
- End-panels are 1⅝" thick. For use in place of panels at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° connections must be supported by full end-panels.
- 11"D end-panel models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.
- Panel mounted end-panel supports are ordered for right- or left-handed application.
- Open end panel supports are non-handed and are only for panel mounted applications.
- End-panel models can be converted to freestanding with removal of panel mount bracket.
- End-panel bracket kit converts freestanding end-panel support model to panel mounted.



Support Legs


Support Legs and Bracket Kit (page 310)
- Support legs are 1⅝" thick. Supports the junction of two worksurfaces.
- Non-handed for use at either end of worksurface. Leg portion is 12¾"D.
- Provided with flat bracket.
- Worksurface in-line support legs are used to support worksurfaces only in a shared position.
- Levelers provide 1½" vertical adjustment.
- Must be connected into panel slots for panel hung applications.
- Closed full length models can be converted to freestanding with removal of panel mount bracket.
- Support Leg Bracket Kit (non-handed) converts closed full length freestanding model to panel mounted.



Support Columns


Support Columns (page 310)
- Used to support one end of curvilinear worksurfaces.
- Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.
- D-shaped, P-shaped, peninsula, jetty, boomerang, and reef worksurfaces require support columns (ordered separately).

Worksurface Supports



Handed
Cantilever Brackets


Cantilever Brackets (page 310)
- Use with runs less than 96". Floor support is required for runs 96" and longer.
- Where applicable, cantilevers are recommended over an external worksurface support channel. Unsupported worksurface runs 66"W or greater require an external worksurface support channel when a cantilever cannot be used.
- Do not use at the end of a worksurface where no 90° return panel is positioned.
- Includes tie bracket and attachment hardware.
- Avoid installation on only one side of a straight connection except to support corner worksurfaces.
- DO NOT use to support worksurfaces from which a hanging pedestal is suspended, or to which a peninsula worksurface is attached.
- DO NOT use cantilever brackets to support worksurfaces supported with permanent-wall hanger kit.
- Do not use with wall track or to support a worksurface to which a return worksurface is attached.



Non-Handed
Cantilever Brackets


Cantilever Bracket — Handed (page 310)
- Cantilever brackets are handed (left or right) and can be inserted into panel reveals in 1" vertical increments. No assembly required.
- Left- and right-hand brackets required in shared applications.
- 24"D cantilevers are required to be used for both 24"D or 30"D worksurfaces.
- 18"D cantilevers are required to be used for 20"D worksurfaces or center support for 24"D.
- 12"D cantilevers are required to be used for 12"D worksurfaces.

Cantilever Bracket — Non-Handed (page 310)
- Cantilever brackets are non-handed and can be inserted into panel reveals in 1" vertical increments. Assembly required.
- One bracket in shared applications — includes two angled brackets.
- Bracket accommodates 24"D or 30"D worksurfaces.




Worksurface Brackets

Worksurface Bracket Kit — T6BK (page 310)
- Worksurface bracket kit allows one end of a worksurface to be supported by a return panel. Return panel width must be the same as the depth of the worksurface.
- Brackets — one pair. Attachment hardware included.



Worksurface Bracket — T6SB (page 310)
- Worksurface storage bracket kit (T6SB) is used for aesthetics where under-desk storage is immediately adjacent to the return panel. In all other applications use worksurface bracket kit (T6BK) to utilize worksurface threaded metal inserts. Black only.
- Brackets do not align with worksurface threaded metal inserts, and therefore require wood screws (included).



Flat Brackets

Flat Brackets (page 310)
- Bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.



Pedestal-to-Panel
Brackets

Pedestal-to-Panel Attachment Bracket (page 310)
- Can be used in place of full end panel or return panel.
- Provides structural support to panel run by securing panel directly to pedestal.
- Attachment hardware included.




External Worksurface
Support Channel


External Worksurface Support Channel (page 299)
- An external worksurface support channel is required on unsupported worksurfaces 60"W or greater. Width of worksurface span can be reduced by using support storage.
- The support channel extends 1½" below the worksurface. Installs 7" from user's edge.
- When using 28"H mobile pedestals the length of support channel needs to be reduced to accommodate width of the pedestal.
- Support channel may interfere with mounting of some CPU holders and keyboard supports. May require spacer kit AKMH.

Cadence® Freestanding


Cadence offers unlimited versatility. Its modular flexibility creates office solutions of all shapes, sizes, and styles.



Configurations



Full Modesty



Half Modesty



Gussets

All the right choices

Choose Cadence freestanding desking with confidence. It personalizes any work environment, accommodates a range of needs, and offers all the right features — curvilinear worksurface shapes, multiple worksurface edges, and a complete paint finish and laminate offering. Cadence is made to last with heavy-gauge steel construction. Metal-to-metal worksurface connection points make installation and reconfiguration reliable and easy. And Cadence is backed by a lifetime warranty.

Universally flexible

Cadence sets up easily and reconfigures time after time. It even shares components with Terrace, Optimize™, and Concensys®, which simplifies inventory management. Cadence is created with worksurfaces, supports, modesty panels, end panels, and brackets. Cadence is compatible with the entire line of Allsteel metal storage solutions and Extensions™ — work tools to provide personalized organization for every workstyle.

Systems integration — Cadence works in combination with Terrace, Optimize, or Concensys panels, extending the functionality of both product lines.

Highly adaptable — Make the most of building architecture by using an existing wall to create a semi-private workspace.


Space utilization — Multiple worksurface shapes offer unlimited design potential for using space creatively and efficiently.

Team interaction — Cadence design flexibility allows you to create personal workspace and a team collaboration area in the same office.

The Cadence Choice

It works in the open plan, the private office, or in combination with Terrace, Optimize, or Concensys panels, allowing complete office coordination. The flexible, universal design of Cadence supports virtually any workstyle and any interior aesthetic. Backed by Allsteel's Lifetime Warranty and manufactured to strict environmental standards, Cadence provides one high-value package.

Configurations



End Panels E and Support Legs L

Each are available in two options: freestanding or panel-mount. The only difference between the two options are the panel-mount models come with a left- or right-handed bracket to attach the support to a panel in a Cadence systems application. If the freestanding version is purchased and later needs to be converted to panel-mount, the proper handed panel-mount bracket may be purchased separately.


The 11"D end panel is used to freestand peninsulas, curvilinear shapes, and D-Tops in panel applications.

Corner Desk Legs C

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

Bridge Kits B

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.



There are some bridge instances where only half of a bridge kit is needed (e.g. using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.


Surface S

Support Column SC

Used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.

Return Kits R


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.



Desk-to-Panel Attachment Kits D


Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desk attachment kit. "Hand" of unit is determined from the user's side of the desk (right hand unit attaches to right side of modesty).



Corner w/Desk Panel Attachment Kit CW

Corner w/desk panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. "Hand" of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).




Corner Worksurfaces

Corner worksurfaces to accommodate 90-degree corner desk legs.

In-Line Connections of Desks

Freestanding full end panels must be used to support adjacent rectangular desks, corner desks, and corner desks with returns. Freestanding support legs should NOT be used at the in-line junction. 24"D full end panels may be used at the in-line junction on 30"D rectangular desks if two worksurface tie straps are used to secure the desks together. Contact Allsteel Customer Support for ordering information.



Pedestals and Storage

Pedestals must be ordered one size smaller than the depth of the worksurface. For example, 18"D or 20"D peds should be used with 24"D worksurfaces. 18"D, 20"D, or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional pull style and storage options under 24"D worksurfaces.


Modesty Panels M

The following are some general guidelines for Cadence modesty panels:

- **Desk:** Modesty panel width is the same width as the worksurface
- **Return:** Modesty panel width is 6" greater than the width of the worksurface
- **Bridge connecting two rectangular worksurfaces:** Modesty panel width is 12" greater than the width of the bridge worksurface
- **Bridge connecting a rectangular worksurface and corner or peninsula:** Modesty panel width is 6" greater than the width of the worksurface
- **Corner connecting to an adjacent worksurface:** Modesty panel width is the same width as the worksurface.


Stand-Alone Corner Modesty Panels SM

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.



Gussets G


Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.



Configurations


Freestanding Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H




Panel-Attached Desk

Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CS369	Modesty Panel 36"W x 29½"H
1	⌴DPA29R	Desk-to-Panel Attachment Kit 29½"H – RH C – Concensys® TK – Terrace or Optimize™



CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel: Same width as Work-surface (M)	Modesty Panel: 6" wider than Work-surface (M+6)	Modesty Panel: 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
Freestanding Desk	1	2		1				
Panel-Attached Desk	1	1		1			1 RH	


Return Desk (Attached to a primary or return desk.)



Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit

Return Desk (Attached to a panel-hung worksurface.)

Example Shown Qty.	Model	Description
1	T52448S	Flat Edge Worksurface 24"D x 48"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CRK29	Return Kit




Note: The widest modesty panel is 72"W which limits return worksurfaces to a maximum of 66"W.

CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel: Same width as Work-surface (M)	Modesty Panel: 6" wider than Work-surface (M+6)	Modesty Panel: 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
Return Desk	1	1			1				1

Configurations

Bridge Desk (Attached between two primary desks.)




Example Shown Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CBK29	Bridge Kit

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Bridge Kit (B)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1					1			1

Bridge Desk and Peninsula (Attached to a primary desk).


Example Shown Qty.	Model	Description
1	T52442S	Flat Edge Worksurface 24"D x 42"W
1	T53060B	Flat Edge Peninsula Worksurface 30"W x 60"L
1	CS489	Modesty Panel 48"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CRK29	Return Kit
1	830299	Support Column for Peninsula Worksurface 29½"H (Concensys®)
	TT629SC	(Terrace or Optimize™)



CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Support Column (SC)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk and Peninsula	2	1	1	1	1			1	1

Configurations


Corner Desk (Stand-alone)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Worksurface 24"D x 36"W (*De-emphasized*)
2	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H


Corner Desk (With an adjacent desk attached at one side.)

Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 24"D x 36"W (*De-emphasized*)
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CSCMP3629	Stand-Alone Corner Modesty Panel 36"W x 29½"H
2	CS369	Modesty Panel 36"W x 29½"H
2	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H



CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	Same width as Work-surface (SM)		
Corner Desk	1	2				2		1
Corner Desk (with adjacent desk)	2	2	1	2		1		1

Bridge Desk (Attached between corner and primary desk.)




Example Shown Qty.	Model	Description
1	T52436S	Flat Edge Worksurface 24"D x 36"W
1	CS429	Modesty Panel 42"W x 29½"H
1	CRK29	Return Kit
1	CSL2429F	Support Leg 24"D x 29½"H

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Bridge Desk	1		1		1				1

Configurations


Corner Desk (Attached to a panel with an adjacent desk at one side.)



Example Shown Qty.	Model	Description
1	T53624CR	Flat Edge Corner Worksurface 36"W x 24"D (*De-emphasized*)
1	T52430S	Flat Edge Worksurface 24"D x 30"W
1	CS369	Modesty Panel 36"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP2429F	End-Panel Support 24"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	⌴CWD29L	Corner w/Desk Attachment Kit 29"H LH C – Concensys® TK – Terrace or Optimize™

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Corner w/Desk Panel Attachment Kit (CW)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Corner Desk	2	1	1	2					1 LH


"U" with Jetty and Corner Cove



Example Shown Qty.	Model	Description
1	T54722JR	Flat Edge Jetty RH 48"D x 72"W x 24" x 30"
1	T5722ER	Flat Edge Corner Cove RH 48"D x 72"W x 24"
2	CS489	Modesty Panel 48"W x 29½"H
1	CSCMP7229	Stand-Alone Corner Modesty Panel 72"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CEP2429F	Full End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H
1		Support Column for Jetty 29½"H
	830299	(Concensys)
	TT629SC	(Terrace or Optimize)


CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Support Column (SC)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	Same width as Work-surface (SM)		
Cove and Jetty	2	2	1	2		1	1	1

Cadence Supports




End-Panel Supports

End-Panel Supports (page 311)
- End panels are 1⅝" thick. For use at the end of worksurface runs.
- Levelers provide 1½" vertical adjustment.
- Freestanding models can be converted to Terrace panel-mount with end panel bracket kit.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° and 135° connections must be supported by full end panels.
- 11"D models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.




Support Leg

Support Legs (page 311)
- Support legs are non-handed. Supports the junction of two worksurfaces.
- Leg portion is 12¾"D and is 1⅝" thick.
- Flat bracket included.
- Levelers provide 2¾" vertical adjustment.
- Freestanding models can be converted to Terrace panel-mount with support leg bracket (non-handed).
- Must be connected into panel slots for panel hung applications.




Corner Desk Leg

Corner Desk Leg (page 311)
- Attaches two modesty panels at rear of corner desk.
- Leveler provides 2¾" vertical adjustment.
- See examples on pages 295 and 296.




Bridge Kit

Bridge Kit (page 311)
- Connects bridge worksurface and modesty panel to end panels and worksurfaces that are perpendicular to the bridge worksurface.
- Includes two flat brackets and two modesty panel-to-end-panel brackets.
- See examples on pages 291 and 294.




Return Kit

Return Kit (page 311)
- Connects return worksurface and modesty panel to end panel and perpendicular worksurface — non-handed.
- Includes one flat brackets and one modesty panel-to-end-panel bracket.
- See examples on pages 291 and 293.




Desk-to-Panel Attachment Kit

Desk-to-Panel Attachment Kit (page 311)
- Used to connect a worksurface and modesty panel perpendicularly to a Terrace Panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg or corner leg mounted directly under this worksurface.
- If using corner or corner cove with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desk panel attachment kit.
- "Hand" of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).



Corner w/Desk Attachment Kit


Corner w/Desk Panel Attachment Kit for Terrace (page 311)
- Used when the rear corner of a corner or corner cove worksurface and modesty panel is attached to a Terrace panel and opposing end of worksurface is attached to a freestanding desk. Opposing end of worksurface shares the support leg that is mounted under the adjacent freestanding desk.
- "Hand" of unit is determined from the user's side of the desk.




Flat Bracket

Flat Brackets (page 311)
- Bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.

Wall Track, Tile attachment Kits, Modesty Panels, and Gussets



Wall Track and Tile Attachment Kit



Full and Half High Modesty Panels

Freestanding Pedestals

- Can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Freestanding Desks


- **Freestanding desks** can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See pages 290-296.

Pedestal Compatibility with Cadence and Panel-hung Worksurfaces


Cadence Desking	24" Deep	30" Deep
18"D Ped	Yes	Yes
19⅞"D Ped	Yes*	Yes
23⅜"D Ped		Yes
29⅜"D Ped		
Systems Panel-hung	**24" Deep**	**30" Deep**
18"D Ped	Yes	Yes
19⅞"D Ped	Yes*	Yes
23⅜"D Ped	Yes*	Yes
29⅜"D Ped		Yes*

*Wire management grommet is blocked in these applications.

Note: Pedestal placement may affect access to receptacles in base pathway.



Pedestal-to-Pedestal Modesty



Gussets

Universal Modesty Panel

Universal Modesty Panels

	Peninsula			P-Shape	Jetty	
Model	60"L	66"L	72"L	72"L	66"L	72"L
PMP41	•					
PMP47		•		•	•	
PMP53			•			•

Terrace Wall Track/Tile Attachment Kits (page 311)

- Allows for mounting of system panel components on permanent wall structures.
- Begin with one pair of ends; for multiple kits in line, add middle unit(s) between ends.
- Height of wall track coordinates with panel height. Field cut for lower heights.
- Wall track will add 1" to depth of attached components.
- Use Terrace wall track tile attachment kit to install tiles onto wall track. Kit includes two tile bars. Top bar may only be used in the top uppermost position on wall track. Bottom bar can be used in the bottom position at any location on wall track.
- When segmenting tiles on wall track, segment bars must be ordered for placement between all vertically adjacent tiles or at the top position of a single tile that is not in the uppermost position.
- When using Terrace wall track and using tiles to create a tackboard situation under overheads hung at 65"H, make sure to use a 30"H tile or 2-15"H tiles to cover the entire area between the overheads and the worksurface.

Modesty Panel (page 312)

- Mounts to end-panel supports, desk support legs, bridge kit, return kit, desk-to-panel, and corner w/desk panel attachment kits.
- 29½"H units provide ¾" of space between bottom of modesty panel and floor.
- Actual width of 29½"H modesty panel is 3¾" less than the nominal dimension listed in the Systems Price List.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Refer to pages 290-296 to select proper width.
- Use 14"H modesty panels for desks positioned against a wall to provide access to electrical receptacles.
- 14"H modesty panels, stand-alone corner modesty panels, or gussets can be used with corner or corner cove worksurfaces.

Stand-alone Corner Modesty Panel (page 312)

- 29½"H units provide ¾" of spacing between bottom of panel and floor.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Actual width of modesty panel is 6³⁄₁₆" less than the nominal dimension listed in the Systems Price List.
- Modesty panels are inset 2⅞"; when adding pedestals consult chart at left.

Pedestal-to-Pedestal Modesty Panels (page 312)

- Widths available to work with 60"W, 66"W, and 72"W worksurfaces to create freestanding double pedestal desk using two medal support pedestals.

Gussets (page 312)

- Provides easy access to wall outlets.
- Cannot be used with suspended pedestals.
- Gussets can be used on corner and corner cove worksurfaces.

Universal Modesty Panel (page 312)

- Mounts under peninsula, P-Shape and jetty worksurfaces. Refer to chart below to select proper width.
- Can be used with panel-mounted and freestanding worksurfaces.
- Provides 8½" of privacy and is non-handed.
- Constructed of steel. No upcharge for P2 paint.
- Only requires attachment to the worksurface.
- Does not provide electrical, data or structural support.
- Panel is 1½" thick and can be mounted at various distances from edge of worksurface based on user's preference for clearance and conferencing requirements.

Worksurfaces

Terrace® — Primary

Laminate

For specification information see pages 284-289
For non-standard worksurface sizes see page 307.



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
24"D Primary Worksurfaces				
24"W	**T52424S**	$ 437	$ 458	$ 475
30"W	**T52430S**	$ 460	$ 482	$ 500
36"W	**T52436S**	$ 519	$ 542	$ 563
42"W	**T52442S**	$ 580	$ 604	$ 627
48"W	**T52448S**	$ 629	$ 657	$ 678
54"W	**T52454S**	$ 679	$ 711	$ 731
60"W	**T52460S**	$ 770	$ 804	$ 828
66"W	**T52466S**	$ 838	$ 874	$ 901
72"W	**T52472S**	$ 874	$ 912	$ 938
78"W	**T52478S**	$ 1134	$ 1180	$ 1219
84"W	**T52484S**	$ 1189	$ 1237	$ 1278
90"W	**T52490S**	$ 1404	$ 1458	$ 1507
96"W	**T52496S**	$ 1469	$ 1526	$ 1580




30"D Primary Worksurfaces				
24"W	**T53024S**	$ 460	$ 482	$ 500
30"W	**T53030S**	$ 555	$ 579	$ 601
36"W	**T53036S**	$ 596	$ 621	$ 644
42"W	**T53042S**	$ 642	$ 670	$ 692
48"W	**T53048S**	$ 679	$ 711	$ 731
54"W	**T53054S**	$ 759	$ 793	$ 817
60"W	**T53060S**	$ 844	$ 880	$ 907
66"W	**T53066S**	$ 912	$ 952	$ 979
72"W	**T53072S**	$ 988	$ 1030	$ 1061
78"W	**T53078S**	$ 1283	$ 1333	$ 1380
84"W	**T53084S**	$ 1341	$ 1392	$ 1441
90"W	**T53090S**	$ 1599	$ 1660	$ 1719
96"W	**T53096S**	$ 1651	$ 1713	$ 1775



Flat Edge

Notes: 1) Add suffix and upcharge for primary worksurfaces up to 72"W to span a "T" or extended straight connection.
Suffix = T2 (Terrace — adds 2⅝" to width) $42 upcharge.
Examples: **T53030ST2, T52460ST2**
2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **T53078SN**

Sample Worksurface				
12"W x 12"D	**831212M**	$ 409	$ 428	$ 442



Description	Model	List Price
External Worksurface Support Channel (no color option) — 1½"H		
30"W External Support Channel for use on 42"W Worksurface	**Z5SC42** S	$ 93
36"W External Support Channel for use on 48"W Worksurface	**Z5SC48** S	$ 96
42"W External Support Channel for use on 54"W Worksurface	**Z5SC54** S	$ 111
48"W External Support Channel for use on 60"W Worksurface	**Z5SC60**	$ 119
54"W External Support Channel for use on 66"W Worksurface	**Z5SC66**	$ 138
60"W External Support Channel for use on 72"W Worksurface	**Z5SC72**	$ 148
66"W External Support Channel for use on 78"W Worksurface	**Z5SC78**	$ 162
72"W External Support Channel for use on 84"W Worksurface	**Z5SC84**	$ 177

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. **Suffix** **T2** T-Span for Terrace **N** No Grommets	**Laminate:** See page 106 for finishes.	**Edge Trim Color:** See page 106 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **Oval:** **EL** Matte Silver **Square:** **EL** Matte Silver
_____ .	_____ .	_____ .	_____	_____

Examples: **T52424S.LT3B.E9.P Z5SC42**

Worksurfaces

Terrace® — Bow-Front


Laminate

For specification information see pages 284-289.



Description	S	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
30"D Bow-Front Worksurfaces					
30"A x 36"B x 60"C		**TT53660BT**	**$ 1262**	**$ 1312**	**$ 1358**
30"A x 36"B x 66"C		**TT53666BT**	**$ 1370**	**$ 1422**	**$ 1471**
30"A x 36"B x 72"C		**TT53672BT**	**$ 1474**	**$ 1531**	**$ 1585**

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 106 for finishes.	**Edge Trim Color** See page 106 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver
_____ .	_____	_____ .	_____	**E L**


Examples: **TT53660BT.LT3B.E9.MEL** **TT53660BTN.LT3B.E9P**

Worksurfaces


Terrace® — Corner / 120° / 60°

Laminate

For specification information see pages 284-289




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
24"D Corner Worksurfaces w/Straight Leading Edge				
36"W	**T53624SC**	$ 767	$ 801	$ 832
42"W	**T54224SC**	$ 809	$ 844	$ 876
48"W	**T54824SC**	$ 915	$ 955	$ 993



30"D Corner Worksurfaces w/Straight Leading Edge				
42"W	**T54230SC**	$ 999	$ 1043	$ 1084
48"W	**T54830SC**	$ 1033	$ 1078	$ 1120




60° Pie Worksurface				
24"D	**TN52424SD**	$ 711	$ 744	$ 766



120° Corner Worksurface				
30"W x 24"D	**TT53024CB**	$ 1064	$ 1110	$ 1150
36"W x 24"D	**TT53624CB**	$ 1185	$ 1235	$ 1281
42"W x 24"D	**TT54224CB**	$ 1274	$ 1326	$ 1375
48"W x 24"D	**TT54824CB**	$ 1412	$ 1469	$ 1524

Note: Add Suffix "N" to model number for no grommet, no upcharge.


Corner Worksurfaces with Radial Leading Edge





Flat Edge

Corner Worksurfaces with Straight Leading Edge



How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 106 for finishes.	**Edge Trim Color :** See page 106 for finishes.	**Grommet Type** *(if applicable)*: **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only)** *(if applicable)*: **Oval:** **EL** Matte Silver **Square:** **EL** Matte Silver

Examples: **T53624SC.LT3B.E9.P** **TT53024CB.LT3B.E9.MEL**

Worksurfaces

Terrace® — Corner Cove

Laminate


For specification information see pages 284-289



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Corner Cove Worksurfaces – Extended Left				
60" x 36"-24"L / 24"R	**T5822EL**	$ 918	$ 960	$ 995
60" x 36"-24"L / 30"R	**T5832EL**	$ 961	$ 1005	$ 1041
60" x 48"-24"L / 24"R	**T5622EL**	$ 1028	$ 1074	$ 1112
60" x 48"-30"L / 24"R	**T5623EL**	$ 1077	$ 1124	$ 1165
60" x 48"-24"L / 30"R	**T5632EL**	$ 1077	$ 1124	$ 1165
60" x 48"-30"L / 30"R	**T5633EL**	$ 1116	$ 1164	$ 1207
72" x 36"-24"L / 24"R	**T5922EL**	$ 1028	$ 1074	$ 1112
72" x 36"-24"L / 30"R	**T5932EL**	$ 1077	$ 1124	$ 1165
72" x 48"-24"L / 24"R	**T5722EL**	$ 1333	$ 1387	$ 1436
72" x 48"-30"L / 24"R	**T5723EL**	$ 1381	$ 1436	$ 1492
72" x 48"-24"L / 30"R	**T5732EL**	$ 1381	$ 1436	$ 1492
72" x 48"-30"L / 30"R	**T5733EL**	$ 1421	$ 1479	$ 1536
Corner Cove Worksurfaces – Extended Right				
36" x 60"-24"L / 24"R	**T5822ER**	$ 918	$ 960	$ 995
36" x 60"-30"L / 24"R	**T5832ER**	$ 961	$ 1005	$ 1041
48" x 60"-24"L / 24"R	**T5622ER**	$ 1028	$ 1074	$ 1112
48" x 60"-24"L / 30"R	**T5623ER**	$ 1077	$ 1124	$ 1165
48" x 60"-30"L / 24"R	**T5632ER**	$ 1077	$ 1124	$ 1165
48" x 60"-30"L / 30"R	**T5633ER**	$ 1116	$ 1164	$ 1207
36" x 72"-24"L / 24"R	**T5922ER**	$ 1028	$ 1074	$ 1112
36" x 72"-30"L / 24"R	**T5932ER**	$ 1077	$ 1124	$ 1165
48" x 72"-24"L / 24"R	**T5722ER**	$ 1333	$ 1387	$ 1436
48" x 72"-24"L / 30"R	**T5723ER**	$ 1381	$ 1436	$ 1492
48" x 72"-30"L / 24"R	**T5732ER**	$ 1381	$ 1436	$ 1492
48" x 72"-30"L / 30"R	**T5733ER**	$ 1421	$ 1479	$ 1536



Note: Add Suffix "N" to model number for no grommet, no upcharge.



For Altitude® height-adjustable tables see the Seating & Tables Price List.



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. **Prefix** **T** Laminate w/Flat **8** Laminate w/T-Mold	**Laminate:** See page 106 for finishes.	**Edge Trim Color :** See page 106 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **Oval:** **EL** Matte Silver **Square:** **EL** Matte Silver

Examples: **T5822EL.LT3B.E9.P** **T5622EL.LT3B.E9.MEL**


Worksurfaces


Terrace® — Peninsula / P-Shaped / Jetty


Laminate


For specification information see pages 284-289

Support column ordered separately.










Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Peninsula Worksurfaces				
30"W x 60"L	**T53060B**	$ 1155	$ 1202	$ 1243
30"W x 66"L	**T53066B**	$ 1276	$ 1326	$ 1373
30"W x 72"L	**T53072B**	$ 1391	$ 1445	$ 1494
36"W x 60"L	**T53660B**	$ 853	$ 907	$ 956
36"W x 66"L	**T53666B**	$ 915	$ 974	$ 1032
36"W x 72"L	**T53672B**	$ 1033	$ 1096	$ 1162
P-Shaped Worksurfaces w/42" Diameter End				
30"W x 72"L	**T53072PR**	$ 1595	$ 1656	$ 1716
30"W x 72"L (shown)	**T53072PL**	$ 1595	$ 1656	$ 1716
Jetty Worksurfaces – Left-Hand				
48"A x 66"B x 24"C x 30"D	**T54662JL**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JL**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JL**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JL**	$ 961	$ 1022	$ 1082
Jetty Worksurfaces – Right-Hand				
48"A x 66"B x 24"C x 30"D	**T54662JR**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JR**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JR**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JR**	$ 961	$ 1022	$ 1082

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Top View



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate:** See page 106 for finishes.	**Edge Trim Color :** See page 106 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **Oval:** **EL** Matte Silver **Square:** **EL** Matte Silver


Examples: **T53060B.LT3B.E9.P** **T54662JR.LT3B.EU.MEL**

Worksurfaces

Terrace® — D-Shaped / Quarter-Round

Laminate

For specification information see pages 284-289



Support column ordered separately.

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
D-Shaped Worksurfaces – Half Round for Terrace				
For 2 - 24"D	**TN524D**	$ 1142	$ 1188	$ 1228
For 2 - 30"D	**TN530D**	$ 1330	$ 1381	$ 1429
Quarter-Round Worksurfaces				
24"D x 24"D	**TN52424Q**	$ 593	$ 618	$ 641
30"D x 30"D	**TN53030Q**	$ 747	$ 781	$ 804



Woodgrain Grain Direction

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Flat Edge

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:** See page 106 for finishes.	**Edge Trim Color:** See page 106 for finishes.

T N 5 _____ . _____ . ___


Examples: **TN524D.LT3B.E9** **TN52424Q.LT3B.E9**

Worksurfaces


Terrace® — Countertops and Raised Kits

Laminate

For specification information see pages 284-289



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
15"D Straight Countertops (order Raised Kit below)				
24"W	**Y51524S**	$ 381	$ 401	$ 415
30"W	**Y51530S**	$ 422	$ 443	$ 458
36"W	**Y51536S**	$ 474	$ 496	$ 515
42"W	**Y51542S**	$ 491	$ 513	$ 533
48"W	**Y51548S**	$ 519	$ 542	$ 563
54"W	**Y51554S**	$ 588	$ 613	$ 635
60"W	**Y51560S**	$ 656	$ 684	$ 707
66"W	**Y51566S**	$ 679	$ 711	$ 731
72"W	**Y51572S**	$ 707	$ 740	$ 761




15"D Corner Countertops (order Raised Kit below)				
24"W x 24"W	**Y52424C**	$ 742	$ 776	$ 799
30"W x 30"W	**Y53030C**	$ 863	$ 901	$ 927
36"W x 36"W	**Y53636C**	$ 956	$ 997	$ 1027


Note: **V** For a straight countertop, when used with "H" in-line high-low trim kit on one side. No upcharge.
Example: **Y51530SV**

RV For a corner countertop, when used with "H" in-line high-low trim kit on the right side. No upcharge.
Example: **Y52424CRV**

LV For a corner countertop, when used with "H" in-line high-low trim kit on the left side. No upcharge.
Example: **Y53636CLV**



Raised Straight Countertop Kits (order Countertop above)									
24"W	**TK851524PF**	**TK851524P**	$ 161	$ 186	$ 208	$ 194	$ 222	$ 245
30"W	**TK851530PF**	**TK851530P**	$ 170	$ 195	$ 217	$ 202	$ 230	$ 253
36"W	**TK851536PF**	**TK851536P**	$ 177	$ 202	$ 224	$ 212	$ 240	$ 263
42"W	**TK851542PF**	**TK851542P**	$ 187	$ 212	$ 234	$ 222	$ 250	$ 273
48"W	**TK851548PF**	**TK851548P**	$ 196	$ 221	$ 243	$ 233	$ 261	$ 284
54"W	**TK851554PF**	**TK851554P**	$ 213	$ 238	$ 260	$ 256	$ 284	$ 307
60"W	**TK851560PF**	**TK851560P**	$ 231	$ 256	$ 278	$ 278	$ 306	$ 329
66"W	**TK851566PF**	**TK851566P**	$ 252	$ 277	$ 299	$ 298	$ 326	$ 349
72"W	**TK851572PF**	**TK851572P**	$ 271	$ 296	$ 318	$ 320	$ 348	$ 371



Raised Corner Countertop Kits (order Countertop above)								
24"W	**TK851524CP**	N/A	N/A	N/A	$ 247	$ 275	$ 298
30"W	**TK851530CP**	N/A	N/A	N/A	$ 256	$ 284	$ 307
36"W	**TK851536CP**	N/A	N/A	N/A	$ 267	$ 295	$ 318

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint (Countertop Kit Supports)** *(if applicable)*: P1 P2 P3 See page 106 for finishes.	**Laminate or Veneer Type and Finish** *(if applicable)*: See page 106 for finishes. Veneer **S** prefix for Stratawood	**Edge Trim Color** *(if applicable)*: See page 106 for finishes.
_____ . P ___		_____	___


Examples: **T53030C.TM20.EN** **TK851524P.P02**

Worksurfaces

Terrace® — Countertop Kits

Laminate

For specification information see pages 284-289



Description	Flat Top Trim w/Flat Edge Model	Radius Top Trim w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
15"D Straight Countertops (includes brackets, top trim, and hardware)					
24"W	**TN51524SF**	**TN51524S**	$ 381	$ 401	$ 415
30"W	**TN51530SF**	**TN51530S**	$ 422	$ 443	$ 458
36"W	**TN51536SF**	**TN51536S**	$ 474	$ 496	$ 515
42"W	**TN51542SF**	**TN51542S**	$ 491	$ 513	$ 533
48"W	**TN51548SF**	**TN51548S**	$ 519	$ 542	$ 563
54"W	**TN51554SF**	**TN51554S**	$ 588	$ 613	$ 635
60"W	**TN51560SF**	**TN51560S**	$ 656	$ 684	$ 707
66"W	**TN51566SF**	**TN51566S**	$ 679	$ 711	$ 731
72"W	**TN51572SF**	**TN51572S**	$ 707	$ 740	$ 761



15"D Corner Countertops (includes brackets, top trim, and hardware)					
24"W x 24"W	**TN52424CF**	**TN52424C**	$ 742	$ 776	$ 799
30"W x 30"W	**TN53030CF**	**TN53030C**	$ 863	$ 901	$ 927
36"W x 36"W	**TN53636CF**	**TN53636C**	$ 956	$ 997	$ 1027

How to specify —

Select the Model Number from above.

Suffix

F Flat Top Trim
S, C, or **B** Radius Top Trim

1st Option:

Laminate or Veneer Type and Finish:

See page 106 for finishes.

2nd Option:

Edge Trim Color *(if applicable)*:

See page 106 for finishes.

3rd Option:

Top Trim Color Paint:

P1 P2 P3

See page 106 for finishes.

T N _ _ _ _ _ _ _ _ _ _ . _ _ _ _ _ . _ _ . _ _

Example: **TN51572S.LT3B.E9.PR2**

ORDERING


The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120" W x 36" D.

Specify:

1. **Model Number** (see page 308)
   Specify closest nominal width/depth model (round up).
2. **Grommet Option** (if desired)
   See grommet specification instructions on this page.
3. **Grommet Type:**
   P Plastic
   M Metal (add $15 per grommet for laminate)
4. **Grommet Color:**
   (Metal only)
   EL Matte Silver
   Note: Plastic grommet will match flat edge.
5. **Laminate and Veneer Choices**
   See page 106.
6. **Flat Edge Color Choices**
   See edge colors page 106 for laminates.
7. **Exact Size**
   Specify the **exact width** and **exact depth** you require.
   Width and depth is specified in ⅛" increments which is denoted as a single digit following the whole number dimension at the end of the model number string.

⅛"	= 1	⅝"	= 5
¼"	= 2	¾"	= 6
⅜"	= 3	⅞"	= 7
½"	= 4	no extra increment	= 0

For example, when ordering a worksurface that is 34⅜"W x 20½"D, specification should be 345Wx204D.
Example: **9120R3624.G0.TM33.EU.345Wx204D**.



PRODUCT SPECIFICATIONS

- Flat edge on all sides
- 45 lb. particle board
- 1⅛" top thickness
- .020 resin impregnated paper backer sheet
- Grommets available
- Maximum width 120" (maximum recommended unsupported span is 42")
- Maximum depth 36"
- Standard Allsteel laminates and veneers
- Quantities of 10 or greater are palletized; less than 10 are individually cartoned.

Note: 9120 worksurface maximum unsupported span is 42". 9120 worksurfaces do not have pre-drilled pilot holes or threaded metal inserts.


When spanning multiple freestanding storage units with one worksurface, add ⅛" for each additional storage unit. For example, when ordering a worksurface for three 30"W lateral files. 3 units x 30" = 90" + ⅛" + ⅛" = 90¼" worksurface. Do NOT follow this rule if panel wrapping storage units.

CHANGES / CANCELLATIONS

No changes/cancellations for 9120 Program worksurfaces.

GROMMET SPECIFICATIONS

Plastic grommets are made of durable ABS plastic and grommets match edge color on laminate worksurfaces. Metal grommets are only available Matte Silver oval for laminate and square for veneer.



PRICING

See page 308 for laminate and veneer 9120 worksurface pricing.

One Grommet — GC, GL, or GR Position..... $22.00
Two Grommets — G3 or G4 Position..... $44.00
Note: Add $15 per grommet for metal grommets with laminate.


ORDERING

Specify grommet location and color.
Example: **9120R10836.GCP.TM33.EU.1022Wx326D**

Code Grommet Position

GC	Centered side-to-side – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
GL	6⁵⁄₁₆" from left side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
GR	6⁵⁄₁₆" from right side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
G3	Pair of grommets each 18" from side edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center (Position G3 not available on tops 60"W or less.)
G4	Pair of grommets each 6⁵⁄₁₆" from side edge to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
G0	No grommets

Dimensions are from grommet center line to top edge.



Rectangular Top

Grommet positions other than those shown above are considered non-standard.

Worksurfaces

For specification information see page 307.

Laminate and Veneer Worksurfaces / Non-Standard Sizes

***Model Number — Add "R" for laminate or "V" for veneer**


Maximum	Model Number*	Width		Depth		Laminate List Price			Veneer List Price	
		MIN	MAX	MIN	MAX	L1	L2	L3	V2	V3
18"D										
18"W	**9120␣1818**	180W	180W	121D	180D	$ 503	$ 526	$ 545	$ 1180	$ 1287
24"W	**9120␣2418**	181W	240W	121D	180D	$ 525	$ 548	$ 569	$ 1258	$ 1372
30"W	**9120␣3018**	241W	300W	121D	180D	$ 575	$ 599	$ 620	$ 1330	$ 1451
36"W	**9120␣3618**	301W	360W	121D	180D	$ 596	$ 621	$ 644	$ 1381	$ 1507
42"W	**9120␣4218**	361W	420W	121D	180D	$ 690	$ 718	$ 741	$ 1466	$ 1599
48"W	**9120␣4818**	421W	480W	121D	180D	$ 761	$ 795	$ 819	$ 1540	$ 1679
60"W	**9120␣6018**	481W	600W	121D	180D	$ 992	$ 1033	$ 1062	$ 1753	$ 1911
72"W	**9120␣7218**	601W	720W	121D	180D	$ 1200	$ 1246	$ 1286	$ 1907	$ 2081
84"W	**9120␣8418**	721W	840W	121D	180D	$ 1568	$ 1625	$ 1683	$ 2053	$ 2239
96"W	**9120␣9618**	841W	960W	121D	180D	$ 1622	$ 1681	$ 1739	$ 2219	$ 2421
108"W	**9120␣10818**	961W	1080W	121D	180D	$ 1854	$ 1919	$ 1987	$ 2240	$ 2444
120"W	**9120␣12018**	1081W	1200W	121D	180D	$ 2012	$ 2089	$ 2164	$ 2396	$ 2613
24"D										
24"W	**9120␣2424**	181W	240W	181D	240D	$ 569	$ 593	$ 616	$ 1236	$ 1348
30"W	**9120␣3024**	241W	300W	181D	240D	$ 622	$ 647	$ 670	$ 1295	$ 1413
36"W	**9120␣3624**	301W	360W	181D	240D	$ 649	$ 677	$ 699	$ 1365	$ 1489
42"W	**9120␣4224**	361W	420W	181D	240D	$ 745	$ 778	$ 799	$ 1440	$ 1571
48"W	**9120␣4824**	421W	480W	181D	240D	$ 804	$ 839	$ 865	$ 1584	$ 1728
60"W	**9120␣6024**	481W	600W	181D	240D	$ 1042	$ 1084	$ 1119	$ 1809	$ 1973
72"W	**9120␣7224**	601W	720W	181D	240D	$ 1245	$ 1293	$ 1334	$ 2039	$ 2224
84"W	**9120␣8424**	721W	840W	181D	240D	$ 1622	$ 1681	$ 1739	$ 2219	$ 2421
96"W	**9120␣9624**	841W	960W	181D	240D	$ 1595	$ 1656	$ 1716	$ 2400	$ 2617
108"W	**9120␣10824**	961W	1080W	181D	240D	$ 1908	$ 1975	$ 2045	$ 2582	$ 2817
120"W	**9120␣12024**	1081W	1200W	181D	240D	$ 2058	$ 2136	$ 2214	$ 2647	$ 2887
30"D										
30"W	**9120␣3030**	241W	300W	241D	300D	$ 685	$ 717	$ 737	$ 1295	$ 1413
36"W	**9120␣3630**	301W	360W	241D	300D	$ 720	$ 753	$ 775	$ 1483	$ 1618
42"W	**9120␣4230**	361W	420W	241D	300D	$ 767	$ 801	$ 825	$ 1599	$ 1744
48"W	**9120␣4830**	421W	480W	241D	300D	$ 830	$ 866	$ 893	$ 1744	$ 1902
60"W	**9120␣6030**	481W	600W	241D	300D	$ 1089	$ 1133	$ 1169	$ 2029	$ 2213
72"W	**9120␣7230**	601W	720W	241D	300D	$ 1244	$ 1293	$ 1337	$ 2300	$ 2509
84"W	**9120␣8430**	721W	840W	241D	300D	$ 1889	$ 1959	$ 2030	$ 2449	$ 2672
96"W	**9120␣9630**	841W	960W	241D	300D	$ 1935	$ 2006	$ 2080	$ 2607	$ 2844
108"W	**9120␣10830**	961W	1080W	241D	300D	$ 2178	$ 2260	$ 2343	$ 2771	$ 3023
120"W	**9120␣12030**	1081W	1200W	241D	300D	$ 2427	$ 2519	$ 2609	$ 3064	$ 3343
36"D										
36"W	**9120␣3636**	301W	360W	301D	360D	$ 977	$ 1018	$ 1050	$ 2142	$ 2336
42"W	**9120␣4236**	361W	420W	301D	360D	$ 1110	$ 1156	$ 1194	$ 2286	$ 2494
48"W	**9120␣4836**	421W	480W	301D	360D	$ 1246	$ 1295	$ 1339	$ 2445	$ 2667
60"W	**9120␣6036**	481W	600W	301D	360D	$ 1605	$ 1663	$ 1721	$ 2451	$ 2674
72"W	**9120␣7236**	601W	720W	301D	360D	$ 1890	$ 1957	$ 2025	$ 2600	$ 2836
84"W	**9120␣8436**	721W	840W	301D	360D	$ 2288	$ 2370	$ 2453	$ 2649	$ 2890
96"W	**9120␣9636**	841W	960W	301D	360D	$ 2345	$ 2430	$ 2512	$ 2885	$ 3147
108"W	**9120␣10836**	961W	1080W	301D	360D	$ 2599	$ 2692	$ 2788	$ 3131	$ 3416
120"W	**9120␣12036**	1081W	1200W	301D	360D	$ 2720	$ 2821	$ 2925	$ 3386	$ 3694

Worksurfaces

Terrace® — Quarter-Round

Veneer

For specification information see pages 284-289



Stratawood Veneer Grain Direction

Description	Veneer "V" Model	Veneer "V" V2 List Price
Quarter-Round Worksurfaces		
24"D x 24"D	**TNV52424Q**	**$ 1094**
30"D x 30"D	**TNV53030Q**	**$ 1363**

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Veneer Edge

How to specify —

Select the Model Number from above.

1st Option:

Veneer Type and Finish:

See page 106 for finishes.

S prefix for Stratawood


T _____ . _____

Example: **TNV52424Q.SC777**

Worksurfaces

Terrace® — Worksurface Supports

For specification information see pages 284-289



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	$ 307	$ 353	$ 397
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	$ 307	$ 353	$ 397
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	$ 328	$ 374	$ 418
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	$ 328	$ 374	$ 418
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	$ 359	$ 405	$ 449
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	$ 359	$ 405	$ 449
Support Legs				
24"D x 29½"H — Panel-Mount	TKSL2429P	$ 290	$ 336	$ 380
30"D x 29½"H — Panel-Mount	TKSL3029P	$ 316	$ 362	$ 406
Support Columns				
29½"H / 3"Diameter	TT629SC S	$ 276	$ 322	$ 366
Cantilever Bracket — Terrace				
12"D Left-Hand	T6CB12L S	$ 78	$ 97	$ 110
12"D Right-Hand	T6CB12R S	$ 78	$ 97	$ 110
18"D Left-Hand	T6CB18L S	$ 84	$ 103	$ 116
18"D Right-Hand	T6CB18R S	$ 84	$ 103	$ 116
24" or 30"D Left-Hand	T6CB24L S	$ 91	$ 110	$ 123
24" or 30"D Right-Hand	T6CB24R S	$ 91	$ 110	$ 123
Cantilever Bracket — non-handed (Core P1 paint colors only)				
24" or 30"D	T624CB S	$ 238	N/A	N/A
Worksurface Bracket Kit				
One pair	T6BK S	$ 80	$ 98	$ 110
Worksurface Storage Bracket Kit (no color option — black only)				
One Pair	T6SB S	$ 106	N/A	N/A
Flat Brackets (no color option)				
For 12"D	T612FB S	$ 76	N/A	N/A
For 24"D	T624FB S	$ 87	N/A	N/A
For 30"D	T630FB S	$ 98	N/A	N/A
Pedestal-to-Panel Bracket				
Left	TKPPBL S	$ 130	$ 149	$ 162
Right	TKPPBR S	$ 130	$ 149	$ 162
Open End Panel Supports				
12"D x 29½"H Panel-Mount	AYBHEP1229	$ 303	$ 349	$ 393
18"D x 29½"H Panel-Mount	AYBHEP1829	$ 308	$ 354	$ 398
24"D x 29½"H Panel-Mount	AYBHEP2429	$ 319	$ 365	$ 409
30"D x 29½"H Panel-Mount	AYBHEP3029	$ 344	$ 390	$ 434

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.

. P


Example: **TKEP1129PL.P02**

S *Shippable by small-package carrier.*

Cadence® Freestanding

Terrace® — Desk Components

For specification information see pages 290-298.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End-Panel Supports				
11"D x 29½"H — Freestanding	CEP1129F	$ 298	$ 344	$ 388
24"D x 29½"H — Freestanding	CEP2429F	$ 319	$ 365	$ 409
30"D x 29½"H — Freestanding	CEP3029F	$ 353	$ 399	$ 443
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	$ 307	$ 353	$ 397
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	$ 307	$ 353	$ 397
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	$ 328	$ 374	$ 418
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	$ 328	$ 374	$ 418
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	$ 359	$ 405	$ 449
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	$ 359	$ 405	$ 449
End-Panel Bracket Kits for Terrace				
29½"H Bracket Kit — Left	TKEB29L	$ 63	$ 82	$ 95
29½"H Bracket Kit — Right	TKEB29R	$ 63	$ 82	$ 95
Support Legs				
24"D x 29½"H — Freestanding	CSL2429F [S]	$ 276	$ 322	$ 366
30"D x 29½"H — Freestanding	CSL3029F [S]	$ 306	$ 352	$ 396
24"D x 29½"H — Panel-Mount	TKSL2429P	$ 290	$ 336	$ 380
30"D x 29½"H — Panel-Mount	TKSL3029P	$ 316	$ 362	$ 406
Support Leg Bracket for Terrace				
29½"H	TKSB29	$ 63	$ 82	$ 95
Corner Desk Leg				
29½"H	CDL29 [S]	$ 254	$ 282	$ 305
Bridge Kit				
29½"H	CBK29 [S]	$ 267	$ 286	$ 299
Return Kit				
29½"H	CRK29 [S]	$ 137	$ 152	$ 161
Desk-to-Panel Attachment Kits for Terrace				
29½"H – Left-Hand	TKDPA29L	$ 124	$ 143	$ 156
29½"H – Right-Hand	TKDPA29R	$ 124	$ 143	$ 156
Corner w/Desk Panel Attachment Kit for Terrace				
29½"H – Left-Hand	TKCWD29L	$ 124	$ 143	$ 156
29½"H – Right-Hand	TKCWD29R	$ 124	$ 143	$ 156
Flat Brackets				
24"D	831124 [S]	$ 86	N/A	N/A
30"D	831130 [S]	$ 93	N/A	N/A
Note: Flint only.				
Terrace Wall Track Kit — End/Shared				
65"H — Pair of Ends	TK365YEB [S]	$ 379	$ 433	$ 486
65"H — Middle Unit	TK365YM [S]	$ 198	$ 230	$ 258
Terrace Wall Track Tile Attachment Kits — Top and Bottom				
24"W	Y324YS [S]	$ 280	N/A	N/A
30"W	Y330YS [S]	$ 289	N/A	N/A
36"W	Y336YS [S]	$ 308	N/A	N/A
42"W	Y342YS [S]	$ 350	N/A	N/A
48"W	Y348YS [S]	$ 385	N/A	N/A
60"W	Y360YS [S]	$ 428	N/A	N/A

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.

. P


Examples: **CEP1129F.P02** **Y324YS.P02**

[S] ***Shippable by small-package carrier.***


Cadence® Freestanding

Terrace® — Modesty Panels


For specification information see pages 290-298.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Modesty Panels				
29½"H x 24"W	CS249 S	$ 289	$ 317	$ 340
29½"H x 30"W	CS309 S	$ 298	$ 326	$ 349
29½"H x 36"W	CS369 S	$ 304	$ 332	$ 355
29½"H x 42"W	CS429 S	$ 310	$ 338	$ 361
29½"H x 48"W	CS489 S	$ 316	$ 344	$ 367
29½"H x 54"W	CS549 S	$ 319	$ 347	$ 370
29½"H x 60"W	CS609	$ 325	$ 353	$ 376
29½"H x 66"W	CS669	$ 330	$ 358	$ 381
29½"H x 72"W	CS729	$ 343	$ 371	$ 394




Stand-alone Corner Modesty Panels				
29½"H x 36"W	CSCMP3629 S	$ 304	$ 332	$ 355
29½"H x 42"W	CSCMP4229 S	$ 310	$ 338	$ 361
29½"H x 48"W	CSCMP4829 S	$ 316	$ 344	$ 367
29½"H x 60"W	CSCMP6029	$ 325	$ 353	$ 376
29½"H x 72"W	CSCMP7229	$ 343	$ 371	$ 394




Modesty Panels				
14"H x 24"W	CS244 S	$ 272	$ 300	$ 323
14"H x 30"W	CS304 S	$ 277	$ 305	$ 328
14"H x 36"W	CS364 S	$ 284	$ 312	$ 335
14"H x 42"W	CS424 S	$ 293	$ 321	$ 344
14"H x 48"W	CS484 S	$ 303	$ 331	$ 354
14"H x 54"W	CS544 S	$ 306	$ 334	$ 357
14"H x 60"W	CS604	$ 316	$ 344	$ 367
14"H x 66"W	CS664	$ 319	$ 347	$ 370
14"H x 72"W	CS724	$ 325	$ 353	$ 376




Stand-alone Corner Modesty Panels				
14"H x 36"W	CSCMP3614 S	$ 284	$ 312	$ 335
14"H x 42"W	CSCMP4214 S	$ 293	$ 321	$ 344
14"H x 48"W	CSCMP4814 S	$ 303	$ 331	$ 354
14"H x 60"W	CSCMP6014	$ 316	$ 344	$ 367
14"H x 72"W	CSCMP7214	$ 325	$ 353	$ 376



Pedestal-to-Pedestal Modesty Panel				
27"H x 30"W to create a 60"W Desk	TKMP60	$ 278	$ 306	$ 329
27"H x 36"W to create a 66"W Desk	TKMP66	$ 280	$ 308	$ 331
27"H x 42"W to create a 72"W Desk	TKMP72	$ 291	$ 319	$ 342



Gussets				
One pair	CDG S	$ 207	$ 235	$ 258



Modesty Panels				
41"W for 60"L Peninsula	PMP41 S	$ 399	$ 399	$ 399
47"W for 66"L Peninsula, 72"L P-Shape, or 66"L Jetty	PMP47 S	$ 407	$ 407	$ 407
53"W for 72"L Peninsula, Jetty, or Boomerang	PMP53 S	$ 420	$ 420	$ 420

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 106 for finishes.


. P

Examples: **TKMP60.P4J** **CS244.P28**

S *Shippable by small-package carrier.*


Metal Overheads & Shelves

Terrace® — Working With Overhead Storage




Product dimensions


Overhead Storage Cabinet	
Width	24", 30", 36", 42", 48", 60"
Inside width	Flipper or 24"-36"W Hinged door — ⅜" less than width 42"-48"W Hinged or Sliding door — two compartments that are half of ⅜" less than width
Depth	14¼" RTA models 12"
Inside depth	12⅞" Receding door 12⅛" RTA models 11⅝"
Height	15"
Inside height	12¾" Receding door 11⅝" RTA models 12¾"
Open Shelf	
Width	24", 30", 36", 42", 48", 60"
Depth	12⅞" RTA models 11½"
Height	4⅝" RTA models 5⅝"




- **Task lights** can be mounted beneath storage shelves and overhead storage cabinets.
- Additional panel hung and freestanding lighting options are available.



- **Cord retainer clips** fasten into panel slots to anchor power cords.
- Available in black only.
- Clips are provided with under-shelf mounted task lights. Additional clips can be purchased separately.






Specification Guidelines


- In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side.
- Do not suspend more than one overhead storage unit per side from panels in a panel run which is mounted, at one or both ends, with an off-module connector kit.
- Overhead storage cabinets and open storage shelves can be mounted on Terrace structural and stacking panels to a maximum height of 80"H.
- When mounting an overhead on a 57½"H base panel frame, select the option for Z57 bracket.
- For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected.
- Base panel frames with stacking frames that have an overall height of 57½" also use the YZ bracket.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


- Stacking frames should be added to all the parent run panels, and to, at least the first panel of each return-panel run. Stacking panels added to return panel must match the parent run configuration.
- A maximum of two overhead storage units should be suspended from each side of stacking frames on any given panel.
- With Terrace, a full height panel end cover is required for adequate stability when using overhead storage on the end of a run, or on a return panel.



- No limitation to the number of units on structural frames when run is supported with return panels on each side of storage shelves or overhead storage cabinets.




- **Storage shelf, receding door overhead, RTA overhead, and RTA shelf width** must correspond with width of panel(s).
- It is possible to span two panels when combined panel width equals cabinet or shelf width.




- **Terrace assembled metal overhead cabinets** can be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.


Metal Overheads & Shelves



Sliding Door Overhead



Flipper Door Overhead




Hinged Door Overhead

Overhead Storage Cabinet (page 317)

- Steel cabinet with backstop.
- Available with sliding, hinged, or flipper door(s).
- Easy-Assist flipper door optional — requires minimal assistance in opening and closing. Not available on 60"W cabinets, specify 2–30"W cabinets with Easy-Assist.
- Self-engaging safety latch to secure cabinet to panel.
- Width can correspond with width of panel, or 2 panels joined without a connector.
- Arch or square pull optional on flipper and hinged doors.
- 60"W flipper door cabinet has 2–30"W doors with 2 independent locks.
- 24"-36"W hinged door cabinets have 1 lock and 2 optional pulls, 42"-48"W have 2 locks and 4 optional pulls.
- Accommodates recessed task lighting (specified separately).
- For locking specifications, see pages 998-1000.
- Cabinets are 14¼"D x 15"H.
- 15"H cabinets can also be mounted on a panel equal to or up to 18"narrower than cabinet using provided panel attachment brackets.
- Sliding doors have a built in pull.
- Sliding, hinged, and flipper door overhead weight limits:

24"W	59 lbs.	42"W	105 lbs.
30"W	74 lbs.	48"W	121 lbs.
36"W	90 lbs.	60"W	152 lbs.

- When mounting an overhead on a 57½"H base panel frame, select the option for Z57 bracket. For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected. Base panel frames with stacking frames that have an overall height of 57½"H also use the YZ bracket.




Open Shelf

Open Shelf (page 317)

- Metal shelf with back stop.
- Locking clips (2) standard.
- Will accommodate recessed task lighting — ordered separately.
- Weight Limits:


24"W	61 lbs.	42"W	108 lbs.
30"W	77 lbs.	48"W	124 lbs.
36"W	93 lbs.	60"W	155 lbs.



Upmount Kit for Overhead Cabinets

Upmount Kits for Assembled Overhead Cabinets (page 317)

- Consists of two upmount brackets, full back panel and required installation hardware.
- Allows mounting of an assembled overhead cabinet up to 15" above height of panel.
- Specify "Z2" prefix model number upmount kits with 15"H, 30"H, 35"H, 50"H, or 65"H frames; and "Z4" prefix model numbers for use with 22½"H, 42½"H, or 57½"H frames.
- Brackets require a clearance of 6½"below bottom of overhead cabinet.
- Width must correspond with width of panel frame or 2 panel frames joined directly in-line.
- Full back panel adds ½" to depth of overhead case. Full back panel only used when upmounting cabinet.
- Cannot be used with RTA models.




Horizontal Wall Track

Horizontal Wall Track (page 317)

- Allows mounting overheads on permanent wall structures only.
- Cannot be used with RTA models.
- Track is 60"W and notched at 6" intervals as a guide for field cutting.
- For use with 15"H sliding door overhead, field modification is necessary.
- Available in Black only.
- Attachment hardware not included.

Metal Overheads & Shelves

Terrace® — Working With Overhead Storage




Receding Door Overhead

Receding Door Overhead Storage Cabinet (page 318)


- Steel cabinet with open back. Optional back can be ordered separately.
- Arch or Square pull optional.
- 60"W cabinet has 2 30"W doors with 2 independent locks.
- Accommodates recessed task lighting — ordered separately.
- For locking specifications, see pages 998-1000.
- Cabinets are 13¼"D x 15"H. When door is recessed, interior dimensions are 12⅛"D x 11⅝"H.
- Weight Limits:

30"W.....70 lbs.	48"W.....110 lbs.
36"W.....85 lbs.	60"W.....138 lbs.
42"W.....100 lbs.	




Ready to Assemble (RTA) Flipper Door Overhead (page 318)

- Steel cabinet with open back.
- 60"W and 72"W cabinets have 2 doors with independent locks.
- Accommodates recessed task lighting — ordered separately.
- Random keying, for locking specifications see pages 998-1000.
- Cabinets are 12"D x 15"H. Interior dimensions 11⅝"D x 12¾"H.



Ready to Assemble (RTA) Shelf (page 318)


- Metal shelf with locking clips.
- Accommodates recessed task lighting — ordered separately.



Stack-On Hutch

Stack-on Hutch (page 319)

- Have flipper doors with square horizontal edges.
- Universal model can be converted to open hutch.
- Doors are standard with a core removable lock (60"W, 66"W and 72"W have two doors and two locks.)
- Attachment tape provided.
- Order hutch to match width of worksurface(s) it covers.
- Hutches have clearance of 19¾" for computers, etc.
- Ship easy to assemble.
- Depth dimensions shown includes thickness of door.
- Universal model inside depth dimension is 12¾"
- Stack-on hutches accommodate recessed task lighting.
- For locking specification see pages 998-1000.
- Chicago task light cords cannot be routed through the Hutch end panels, due to the large size of the fused plugs.



Tackboards for Hutches


Tackboards (page 319)

- Use tackboard to close the back of stack-on or hutch below storage unit.
- Due to width of fabric roll, 72"W tackboards are available in railroad cut only.
- Back of tackboard is painted steel, a finished surface.


Metal Overheads

Terrace® — Overheads / Shelves and Mounting Kits

For specification information see pages 313-316.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 14¼"D Sliding Single Door Overhead Cabinets				
24"W	**OH1524SD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530SD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536SD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542SD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548SD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560SD**	$ 1725	$ 1811	$ 1893




15"H x 14¼"D Flipper Door Overhead Cabinets				
24"W	**OH1524FD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530FD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536FD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542FD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548FD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560FD**	$ 1725	$ 1811	$ 1893

Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.
For "Easy-Assist" on 24"W-48"W change FD suffix to FE – add $257




15"H x 14¼"D Hinged Door Overhead Cabinets				
24"W	**OH1524HD**	$ 1909	$ 1994	$ 2076
30"W	**OH1530HD**	$ 1995	$ 2080	$ 2162
36"W	**OH1536HD**	$ 2089	$ 2174	$ 2256
42 W	**OH1542HD**	$ 2177	$ 2262	$ 2344
48"W	**OH1548HD**	$ 2258	$ 2343	$ 2425


Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.



Open Shelf (to line up with 15"H Overheads) — 12⅞"D				
24"W	**ZS24** S	$ 477	$ 508	$ 535
30"W	**ZS30** S	$ 517	$ 548	$ 575
36"W	**ZS36** S	$ 545	$ 576	$ 603
42"W	**ZS42** S	$ 570	$ 601	$ 628
48"W	**ZS48** S	$ 598	$ 629	$ 656
60"W	**ZS60**	$ 728	$ 759	$ 786



Upmount Kits for Overhead Cabinets				
Specify "Z4" prefix models with 22½"H, 42½"H, or 57½"H frames; "Z2" prefix for other heights.				
24"W	**Z ⌴ UP24**	$ 290	$ 322	$ 350
30"W	**Z ⌴ UP30**	$ 303	$ 335	$ 363
36"W	**Z ⌴ UP36**	$ 311	$ 343	$ 371
42"W	**Z ⌴ UP42**	$ 328	$ 360	$ 388
48"W	**Z ⌴ UP48**	$ 344	$ 376	$ 404
60"W	**Z ⌴ UP60**	$ 368	$ 400	$ 428



Shelf Dividers				
Package of 6	**T7DV** S	$ 150	$ 170	$ 182

Note: Not compatible with RTA models.

Horizontal Wall Track				
60"W Track	**TWTH** S	$ 146	N/A	N/A


S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**Pull** *(if applicable)*: **A** Arch pull, add $46 per pull **S** Square pull, add $46 per pull	**System** *(if applicable)*: **YZ** Terrace, Stride®, or Optimize™ **Z57** 57"H Terrace or Stride	**Paint:** P1 P2 P3 See page 106 for finishes.	**Pull Color** *(if applicable)*: **Arch:** **E4** Black **EL** Matte Silver **Square:** **EL** Matte Silver	**Lock Type:** **STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)
	.	.	P .	E .	

Examples: **OH1536FEA.YZ.P01.E4.STD** **OH1548FDS.YZ.P52.EL.OMT** **OH1560SD.YZ.PR2.EL.STD** **Z2UP24.P27** **TWTH**


Metal Overheads

For specification information see pages 313-316.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 13¼"D Receding Door Overheads (Inside dimensions with door recessed — 11⅝"H x 12⅛"D)				
30"W	**OH1530RD**	**$ 1309**	**$ 1395**	**$ 1477**
36"W	**OH1536RD**	**$ 1381**	**$ 1467**	**$ 1549**
42"W	**OH1542RD**	**$ 1467**	**$ 1553**	**$ 1635**
48"W	**OH1548RD**	**$ 1590**	**$ 1676**	**$ 1758**
60"W	**OH1560RD**	**$ 2404**	**$ 2490**	**$ 2572**

Note: Add Suffix **A** for arch pull or **S** for square pull option — add $46 per pull.



15"H x 12"D Ready to Assemble (RTA) Flipper Door Overhead (Inside dimensions 12¾"H x 11⅝"D)				
36"W RTA — Flipper Door	**POHRTA1536FD**	**$ 939**	**$ 1025**	**$ 1107**
42"W RTA — Flipper Door	**POHRTA1542FD**	**$ 980**	**$ 1066**	**$ 1148**
48"W RTA — Flipper Door	**POHRTA1548FD**	**$ 1022**	**$ 1108**	**$ 1190**
5⅝"H x 12"D Ready to Assemble (RTA) Shelf				
36"W RTA — Shelf	**POHRTA36S**	**$ 489**	**$ 519**	**$ 544**
48"W RTA — Shelf	**POHRTA48S**	**$ 538**	**$ 568**	**$ 593**




How to specify — **Select the Model Number from above.**	*1st Option:* **Receding Door Pull** *(if applicable)*:	*2nd Option:* **System for Receding Door Overhead** *(if applicable)*:	*3rd Option:* **Paint:**	*4th Option:* **Receding Door Pull Color** *(if applicable)*:	*5th Option:* **Receding Door Lock** *(if applicable)*:
	A Arch Pull, add $46 per pull **S** Square Pull, add $46 per pull	**YZ** Terrace, Stride®, Optimize™, or Concensys® **Z57** 57½"H Stride or Terrace	P1 P2 P3 See page 106 for finishes.	**Arch:** **E4** Black **EL** Silver **Square:** **EL** Silver	**STD** Standard **OMT** Omit Lock Core (Deduct $20 per lock)
	.	.	P	E .	


Examples: **OH1560RD.YZ.P7C.STD** **OH1536RDA.Z57.P27.E4.OMT** **POHRTA1536FD.P27**

Metal Hutches

For specification information see pages 313-316.



Description	Universal Hutch Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Hutch w/Square Flipper Doors and Lock — 14½"D, Universal 35"H				
36"W	**UH6536FD**	$ 1286	$ 1375	$ 1460
42"W	**UH6542FD**	$ 1345	$ 1434	$ 1519
48"W	**UH6548FD**	$ 1390	$ 1479	$ 1564
60"W	**UH6560FD**	$ 1970	$ 2059	$ 2144
66"W	**UH6566FD**	$ 2066	$ 2155	$ 2240
72"W	**UH6572FD**	$ 2165	$ 2254	$ 2339



Description	Universal Hutch Model	P1 Paint List Price — Fabric Grades A/B	P1 Paint List Price — Fabric Grades C/D	P1 Paint List Price — Fabric Grades E/F	P2 Paint List Price — Fabric Grades A/B	P2 Paint List Price — Fabric Grades C/D	P2 Paint List Price — Fabric Grades E/F	P3 Paint List Price — Fabric Grades A/B	P3 Paint List Price — Fabric Grades C/D	P3 Paint List Price — Fabric Grades E/F
20"H Tackboards for Stack-on Hutches										
36"W Tackboard	**UHTB36** S	$ 580	$ 684	$ 857	$ 610	$ 714	$ 887	$ 635	$ 739	$ 912
42"W Tackboard	**UHTB42** S	$ 609	$ 720	$ 900	$ 639	$ 750	$ 930	$ 664	$ 775	$ 955
48"W Tackboard	**UHTB48** S	$ 663	$ 788	$ 992	$ 693	$ 818	$ 1022	$ 718	$ 843	$ 1047
60"W Tackboard	**UHTB60** S	$ 742	$ 898	$ 1155	$ 772	$ 928	$ 1185	$ 797	$ 953	$ 1210
66"W Tackboard	**UHTB66** S	$ 780	$ 950	$ 1232	$ 810	$ 980	$ 1262	$ 835	$ 1005	$ 1287
72"W Tackboard	**UHTB72** S	$ 823	$ 992	$ 1271	$ 853	$ 1022	$ 1301	$ 878	$ 1047	$ 1326



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Shelf Dividers				
Package of 6	**T7DV** S	$ 150	$ 170	$ 182


Note: Not compatible with RTA models.

S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Pull** *(if applicable)*: add $46 per pull. **A** Arch Pull **S** Square Pull	**Paint:** P1 P2 P3 See page 106 for finishes.	**Fabric** *(if applicable)*: See page 15 for fabrics.	**Lock Type** *(if applicable)*: **STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)	**Railroad Cut (Tackboard only):** (Only applicable to 72"W Fabric Tackboards.)
_____	___ .	P ___ .	_____ .	___	R R

Examples: **UH6536FDA.P27.STD** **UHTB66.P52.CS918.RR** **UH6536FD.P27.OMT**

Laminate with Flat Edge or Veneer with Square Edge Worksurfaces




Note: Add suffix "N" to model number for no grommets, no upcharge.

Arrows indicate grain direction for woodgrain laminates.
Grain direction on symmetrical corner worksurfaces runs at a diagonal.

Worksurfaces

Stride® — Working with Worksurfaces and Supports

Laminate worksurfaces are 1⅛" thick with particleboard core and with top surfaces finished in laminate. Bottom surfaces are covered with a backer sheet. Wall track allows for mounting of systems panel components on permanent wall structures.



Worksurfaces can be configured at 29½"H or 26½"H with end-panel supports and in-line support panels, or at various heights on 1" increments using specific product configurations.

Worksurface support options include:

- Support column*
- Off-module bracket kit
- Flat brackets
- External support channel
- Worksurface bracket kit
- Height adjustable mechanism
- Cantilever bracket
- In-line support panels*
- End support panel*
- Support storage units*
- Storage unit with stanchion*
- C-Legs*
- Post Legs*

*Units provide floor support.


Support Guidelines — See Drawings on page 322

- Panel mounted worksurface runs 96" and greater need floor support for improved stability when overheads are not used.
- When using overheads in panel mounted worksurface run applications 72" and greater, floor support* is required. (See list at left.)
- When using overheads at the end of a panel run, floor supports* are required.
- Worksurface bracket kit should be used to tie panels to worksurface for added stability.
- A return panel at the end of a panel run can be substituted with one of these floor supports: storage, open or closed end support panel, O-leg.
- Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return panel or floor support.
- Unsupported worksurfaces 60"W or greater require an external worksurface support channel. When a center support cantilever cannot be used, an external worksurface support channel is recommended for spans greater than 48"W.
- Support channel may interfere with mounting of some CPU holders and keyboard supports.
- Cantilevers are recommended in place of an external worksurface support channel where feasible.


Worksurfaces

Stride® — Working with Worksurfaces and Supports


Panel mounted worksurface runs 96" and greater need floor support for improved stability when overheads are not used.




When using overheads in panel mounted worksurface run applications 72" and greater, floor support is required.




Worksurface bracket kit should be used to tie panels to worksurface for added stability






These floor supports can substitute a return panel at the end of a panel run: storage, open or closed end support panel, O-legs (shown, additional drawing on page 323)



Cantilever brackets cannot be used at the end of a worksurface panel run in place of a return or floor support.


Cantilevers are recommended in place of an external worksurface support channel where feasible.




Unsupported worksurfaces 60"W or greater require an external worksurface support channel. When a center support cantilever cannot be used, an external worksurface support channel is recommended for spans greater than 48"W.

Worksurfaces

Stride® — Working with Worksurfaces and Supports



Linear D-shape, linear J, Linear boomerang, D-shaped, P-shaped, peninsula, jetty, boomerang, and reef worksurfaces require support columns (ordered separately).




Stride countertops are flush with the top cap and are available in straight, corner, and **120°** configurations. Mounting hardware is included with Stride countertops. Panel top caps need to be ordered separately.


Worksurface Application Versatility

Credenza tops are specified separately to allow spanning of multiple credenzas. Corner credenza makes use of under-desk space.

Select from a range of worksurface shapes.




Range of light-scale support options with height adjustability.




Built-in flexibility with modular shapes.

A full range of worksurface conference shapes are available.




Fixed and height-adjustable supports:
Seated height from 26½"H to 32½"H
Standing height from 37½"H to 43½"H

Worksurfaces



Flat Edge Trim




Wire Management Grommets

Worksurfaces

- Laminate (L) worksurfaces are 1⅛" thick with particleboard core and with top surfaces finished in laminate. Bottom surfaces are covered with a backer sheet.
- Flat edge trim is available on laminate tops in standard colors (customer specified) to match solid laminates and to complement patterned or woodgrain laminates.
- Veneer (V) worksurfaces have square veneer edge.

Wire management grommets are standard in most worksurfaces and are specified in plastic or metal.


- Metal grommets are available in oval or square (shown at left).
- Grommets on standard systems worksurfaces are located 6$^{5}/_{16}$" from side edges and 3$^{5}/_{16}$" from back edge.
- Add Suffix "N" to a model number for no grommets, no upcharge.



Optional width worksurfaces to span "T" or "S" panel connection.


Primary Worksurfaces (L pages 331-332)

- Primary worksurfaces are available in 20", 24", 30", and 36" depths.
- One grommet for widths up to 42", two on widths 48"W and greater.
- Worksurfaces greater than 60"W require a cantilever bracket for center support in panel mounted applications. Specify 12" cantilever on 12"D, 18" cantilever on 20"D, and 24" cantilever on 24"D and 30"D worksurfaces.
- Optional width worksurfaces, 3⅛" wider than standard panel widths, are available for use with Stride panel runs having a "T" or "S" connection.
- Bracketry on post legs will interfere with grommets on systems (non-desking) worksurfaces.
- Nominal worksurface width is equal to nominal panel width.
- Does NOT include rear support bracket. Support hardware is ordered separately.
- Desking worksurfaces should be specified whenever worksurfaces 48"W and wider are not attached to a panel.



Non-Standard Worksurface Sizes (L and V on pages 338 and 339)

- The 9120 Program can be used to order laminate and veneer rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120"W x 36"D.
- Other modification requests should be made through Allsteel Tailored Products Group.




Linear D-Shaped Worksurfaces (L page 333)


- Order support column and two 10"D in-line support panels.
- Worksurface includes attachment bracket.
- Not recommended for use with T6CB24L or T6CB24R for shared applications.

Worksurfaces


Stride® — Working with Worksurfaces and Supports




Countertops (L page 334)
- Available in Straight and Corner.
- Mounting bracket and attachment hardware included. When used with in-line high-low "H" trim kit add "V" suffix for straight countertop and "RV" for right or "LV" for left on corner countertops. Not available with fluid form models.
- Countertops are flush with panel top cap. Stride top caps need to be ordered separately.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




Corner Worksurfaces (L page 335)
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK. All other support hardware is ordered separately.
- Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner.
- Corner worksurfaces with woodgrain laminate and veneer have grain direction diagonal to adjacent worksurfaces.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.



120° Corner Worksurfaces (L page 335)
- Standard with one wire management grommet in corner location.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK.
- Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and Wall Track stanchion is not positioned in the right-hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




Quarter-Round Worksurface (V page 340)
- Connect to 90° panel-attached worksurfaces.
- Order support column and shared cantilevers or in-line support legs separately.




Corner Cove Worksurfaces (L page 336)
- Worksurfaces 66" and over require a cantilever bracket for center support in panel mounted applications. Specify 24" cantilever on 24"D and 30"D worksurfaces.
- Does NOT include rear support bracket. If rear support bracket is needed, order T6BK.
- Worksurface bracket kit (order separately) required at junction where a panel is wall-mounted to a permanent wall and wall track stanchion is not positioned in the right-hand corner.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.

Support columns shown below ordered separately.




Peninsula, P-Shaped and Jetty Worksurfaces (L page 337)
- Support column ordered separately, column includes panel support brackets T6BK.

End Panels and Panel Brackets





Panel Mount Bracket



Ped-to-Panel

Worksurfaces can be configured at 29½"H with end-panel supports and in-line support panels, or at various heights on 1" increments using specific product configurations.


End Support Panel — Metal (page 341)
- Includes end-panel (non-handed), attaching hardware, and adjustable glides. (Panel mount version includes panel mount bracket.)
- End support panels are used in place of return panels at the end of worksurface runs.
- Leveling glides provide 3" of adjustment.
- Cannot be used with rabbet edge worksurfaces.

In-Line Support Panel — Metal (page 341)
- Includes support panel (non-handed), attaching hardware, adjustable glides, and wire management grommet. (Panel-mount version includes panel mount brackets.)
- Cannot be used with rabbet edge worksurfaces.


Panel Mount Bracket — Non-Handed (page 341)
- Includes hardware to convert freestanding end-panel or support leg to panel mount.

Pedestal-to-Panel Attachment Bracket (page 341)
- Can be used with Align™ pedestal in place of full end-panel or return panel. Provides structural support to panel run by securing panel directly to pedestal.
- Freestanding pedestals can also be used to support one end of a panel-attached worksurface in conjunction with ped-to-panel attachment kit.


Legs




Post Legs (page 342)
- Used to support one corner of a panel attached worksurface. Cannot be used in freestanding applications, use table post legs.
- Fixed height is for support at 29½"H and 40½"H.
- 26½"H to 32½"H height adjustable legs provide a 6" range of adjustment in ½" increments.
- 37½"H to 43½"H height adjustable legs provide a 6" range of adjustment in ½" increments.
- Telescoping legs require common tools to adjust height.
- Leveling glides provide 1" of additional adjustment.
- Attachment hardware included.
- Post leg will interfere with the grommet location on systems (non-desking) worksurfaces.




Freestanding Post Legs (page 342)
- Reinforced post leg with an integrated gusset is used to build a freestanding table.
- For use with Stride desking worksurfaces.
- Fixed height is for support at 29½"H.
- 26½"H to 32½"H height adjustable legs provide a 6" range of adjustment in ½" increments.
- Telescoping legs require common tools to adjust height.
- Leveling glides provide 1" of additional adjustment. Caster version aligns with glide version when glide is fully retracted.
- Attachment hardware included.




C-Legs (page 343)
- Used to support one end of a worksurface or table. Cannot be shared between surfaces.
- C-Legs cannot be used at both ends of a surface to create a freestanding desk.
- Fixed Height is for support at 29½"H.
- 26½"H to 32½"H height adjustable legs provide a 6" range of adjustment in ½" increments.
- Height adjustable C-legs are for use on worksurface spans up to 72"W. Fixed height C-legs must be used if the span is greater than 72"W.
- Telescoping legs require common tools to adjust height.
- Leveling glides provide ½" of additional adjustment.
- Attachment hardware included.



Post In-line Support Leg (page 343)
- Includes legs (non-handed, mounted to bracket) and attaching hardware.




Support Columns (page 343)
- Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.
- Fixed height column is for support at 29½"H.
- Height adjustable column provides a 6" range of adjustment in ½" increments from 26½"H to 30½"H.




Light-scale Wire Management Table Post Legs (page 343)
- Includes pair of legs (non-handed, mounted to bracket) and attaching hardware. Available for modesty panel or not for modesty.
- Available painted or anodized.


Worksurface Support Brackets




Cantilever Brackets — Handed




Cantilever Brackets — Non-Handed




Non Rail-Based End Panel Kit Z6EPK



Layered Worksurface Bracket Z6C3BK



Worksurface Bracket Kit T6BK



Worksurface Bracket Kit T6SB

Cantilever Brackets

- Use with runs less than 96". Floor support is required for runs 96" and longer.
- Where applicable, cantilevers are recommended over an external worksurface support channel. Unsupported worksurface runs 60"W or greater require an external worksurface support channel when a cantilever cannot be used.
- Do not use at the end of a worksurface where no 90° return panel is positioned.
- Includes tie bracket and attachment hardware.
- Avoid installation on only one side of a straight connection except to support corner worksurfaces.
- DO NOT use to support worksurfaces from which a hanging pedestal is suspended, or to which a peninsula worksurface is attached.
- DO NOT use cantilever brackets to support worksurfaces supported with permanent-wall hanger kit.
- Do not use with wall track or to support a worksurface to which a return worksurface is attached.

Cantilever Bracket — Handed (page 344)

- Cantilever brackets are handed (left or right) and can be inserted into panel reveals in 1" vertical increments. No assembly required.
- Left- and right-hand brackets required in shared applications.
- 24"D cantilevers are required to be used for both 24"D or 30"D worksurfaces.
- 18"D cantilevers are required to be used for 20"D worksurfaces or center support for 24"D.
- 12"D cantilevers are required to be used for 12"D worksurfaces.

Cantilever Bracket — Non-Handed (page 344)

- Cantilever brackets are non-handed and can be inserted into panel reveals in 1" vertical increments. Assembly required.
- One bracket in shared applications — includes two angled brackets.
- Bracket accommodates 24"D or 30"D worksurfaces.

Non Rail-based End Panel Kit (page 344)

- Non rail-based end panel kit Z6EPK is used to attach an end panel off-module to a segmented panel.

Layered Worksurface Bracket (page 344)


- Layered worksurface bracket model Z6C3BK, used for mounting off-modular worksurfaces 3" higher or lower than the installed worksurface.

Worksurface Bracket Kits (Pair)— T6BK (page 344)


- Worksurface bracket kit allows one end of a worksurface to be supported by a return panel. Attachment hardware included.
- Return panel width must be the same as the depth of the worksurface.

Worksurface Bracket — T6SB (page 344)

- Worksurface storage bracket kit (T6SB) is used for aesthetics where under-desk storage is immediately adjacent to the return panel. In all other applications use worksurface bracket kit (T6BK) to utilize worksurface threaded metal inserts.
- Brackets — one pair. Black only.
- Attachment hardware included.
- Brackets do not align with worksurface threaded metal inserts, and therefore require wood screws (included).




Off-Module Worksurface Bracket Z6MK




Off-Module Worksurface Bracket Z6Z3MK

Off-Modular Worksurface Brackets (page 344)
- Allows in-line support legs and end-panels to be attached off-module.
- Cannot be used closer than 12" from end of panel.
- Non-rail based 3" layered worksurface bracket used to mount off-modular worksurface at 26½".
- Off-module worksurface bracket model Z6MK can only be used for attachment of a worksurface end to a segmented panel at 29½"H.
- Off-module worksurface bracket model Z6Z3MK is used for mounting non-rail based off-modular worksurfaces to a segmented panel at 26½"H.




Flat Bracket

Flat Brackets (page 344)
- Flat brackets can be used to connect one worksurface perpendicular to another worksurface.
- Use two 12"D flat brackets (T612FB) side-by-side with rabbet edge worksurfaces and when placing flat or rabbet edge worksurfaces perpendicular to high credenzas.



External Worksurface Support Channel

External Worksurface Support Channel (page 344)
- Support channel should be specified separately for use with non-desking worksurfaces.
- Extends 1½" below the worksurface. Installs 7" from user's edge.
- When using 28"H mobile pedestals the length of support channel needs to be reduced to accommodate width of the pedestal.
- Support channel may interfere with mounting of some CPU holders and keyboard supports.
- Is required on a systems worksurface for additional support for unsupported spans 66"W or greater. Width of worksurface span can be reduced by using support storage.
- Required when mounting a modesty panel.
- 36"D worksurfaces require two external support channels distributed equally from the center of the worksurface.




Worksurface Wire Manager

Worksurface Wire Manager (page 344)
- Provides channel to run wires under a worksurface.
- Extends 1⅛" below the worksurface.
- Wire manager (ordered separately) is mounted in front of the desk support channel to hide exposed hardware.


Worksurfaces

Stride® — Working with Screens and Modesty Panels


Desk screens and modesty panels provide light-scale space division. There are four options available: full desk screens, shared desk screens, desk modesty panels, and leg modesty panels.




Full desk screens extend above and below the worksurface acting as both a screen and a modesty panel. They are 28"H and available in painted wood or painted wood with fabric Insert. Landscape™ surface material will soon be available as an additional finish option.



Shared desk screens are for use above the worksurface in a back-to-back application for added privacy. They are 13"H and are available in ⅜" Clear or Frosted Glass.





Modesty panels are for use below the worksurface. They must be used with Stride desking worksurfaces or a systems worksurface with an external support channel installed. An optional worksurface wire manager conceals hardware. They are 14"H and available in ¾" thick painted wood or ¼" thick Landscape surface material.




Leg modesty panels are used between two post legs on either a 24"D or a 30"D worksurface. They are 29"H and are available in Landscape surface material.

Specification Rules for Desk-Mounted Screens and Modesty Panels





High Credenzas — TOP VIEW



Low Credenzas — TOP VIEW

Freestanding Table Applications:
Subtract 12" from the size of the table/worksurface to get the recommended screen or modesty widths.

Example for an 72"W table: 72" – 12" = 60"W

Specify a 60"W screen and center-mount on the table.

Credenza-based Layered Applications:

- **High credenzas** — Subtract 24" for the credenza depth and an additional 12" from the width of the worksurface to get the recommended width.

  Example for an 84"W table: 84" – (24" + 12") = 48"W

  Specify a 48"W screen and center-mount on the worksurface opening.

- **Low credenzas** — Subtract 18" for the credenza depth and an additional 12" from the width of the worksurface to get to the recommended screen width.

  Example for an 84"W table: 84" – (18" + 12") = 54"W


  Specify a 54"W screen and center-mount on the worksurface opening.

Worksurfaces

Stride® — Primary


For specification information see pages 320-330. For non-standard worksurface sizes see page 338.

Laminate



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
20"D Primary Worksurfaces				
24"W	**T52024S**	$ 413	$ 433	$ 449
30"W	**T52030S**	$ 438	$ 459	$ 476
36"W	**T52036S**	$ 489	$ 511	$ 531
42"W	**T52042S**	$ 550	$ 574	$ 596
48"W	**T52048S**	$ 593	$ 618	$ 641
54"W	**T52054S**	$ 643	$ 671	$ 693
60"W	**T52060S**	$ 732	$ 765	$ 789
66"W	**T52066S**	$ 793	$ 828	$ 854
72"W	**T52072S**	$ 826	$ 862	$ 888
78"W	**T52078S**	$ 1076	$ 1121	$ 1158
84"W	**T52084S**	$ 1124	$ 1170	$ 1209
90"W	**T52090S**	$ 1329	$ 1380	$ 1428
96"W	**T52096S**	$ 1391	$ 1445	$ 1494

Notes: 1) Add Suffix and upcharge for primary worksurfaces to span a "T" or extended straight connection:
Suffix = TZ (Stride — adds 3⅛" to width) $43 upcharge. *Example:* **T52060STZ**
2) Add Suffix "N" to a model number for no grommets, no upcharge. *Examples:* **T52036SN T52060STZN T52024SN**



24"D Primary Worksurfaces				
24"W	**T52424S**	$ 437	$ 458	$ 475
30"W	**T52430S**	$ 460	$ 482	$ 500
36"W	**T52436S**	$ 519	$ 542	$ 563
42"W	**T52442S**	$ 580	$ 604	$ 627
48"W	**T52448S**	$ 629	$ 657	$ 678
54"W	**T52454S**	$ 679	$ 711	$ 731
60"W	**T52460S**	$ 770	$ 804	$ 828
66"W	**T52466S**	$ 838	$ 874	$ 901
72"W	**T52472S**	$ 874	$ 912	$ 938
78"W	**T52478S**	$ 1134	$ 1180	$ 1219
84"W	**T52484S**	$ 1189	$ 1237	$ 1278
90"W	**T52490S**	$ 1404	$ 1458	$ 1507
96"W	**T52496S**	$ 1469	$ 1526	$ 1580

Notes: 1) Add Suffix and upcharge for primary worksurfaces to span a "T" or extended straight connection:
Suffix = TZ (Stride — adds 3⅛" to width) $43 upcharge
Examples: **T52460STZ T52424STZ**
2) Add Suffix "N" to a model number for no grommets, no upcharge. *Examples:* **T52436SN T52460STZN T52424SN**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge "**TZ**" for Stride T-Span — $42 upcharge	**Laminate** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver
_____ .	_____ .	_____ .	_____	E L


Example: **T52084S.TM33.EU.P**

Worksurfaces


Stride® — Primary


Laminate

For specification information see pages 320-330.



Flat Edge Detail





Recessed Grommets shown

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
30"D Primary Worksurfaces				
24"W	**T53024S**	$ 460	$ 482	$ 500
30"W	**T53030S**	$ 555	$ 579	$ 601
36"W	**T53036S**	$ 596	$ 621	$ 644
42"W	**T53042S**	$ 642	$ 670	$ 692
48"W	**T53048S**	$ 679	$ 711	$ 731
54"W	**T53054S**	$ 759	$ 793	$ 817
60"W	**T53060S**	$ 844	$ 880	$ 907
66"W	**T53066S**	$ 912	$ 952	$ 979
72"W	**T53072S**	$ 988	$ 1030	$ 1061
78"W	**T53078S**	$ 1283	$ 1333	$ 1380
84"W	**T53084S**	$ 1341	$ 1392	$ 1441
90"W	**T53090S**	$ 1599	$ 1660	$ 1719
96"W	**T53096S**	$ 1651	$ 1713	$ 1775
36"D Primary Worksurfaces				
60"W	**T53660S**	$ 809	$ 853	$ 890
66"W	**T53666S**	$ 1136	$ 1183	$ 1222
72"W	**T53672S**	$ 1028	$ 1077	$ 1120

Notes: 1) Add Suffix and upcharge for 30"D primary worksurfaces to span a "T" or extended straight connection:
Suffix = TZ (Stride — adds 3⅛" to width) $43 upcharge
Examples: **T53060STZ** **T53024STZ**

2) Add Suffix "N" to a model number for no grommets, no upcharge.
Examples: **T53036SN** **T53024SN** **T53024STZN**

3) Add Suffix "R" to a model number for recessed grommets on 36"D primary worksurfaces only, no upcharge. Recessed grommets are inset 6" from standard location to provide conference overhang in desking applications. *Example:* **T53660SR**

STRIDE
SHARED COMPONENTS

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge "**TZ**" for Stride T-Span — $43 upcharge	**Laminate:** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only):** **EL** Matte Silver
_____ .	_____ .	_____ .	_____	**E L**


Example: **T53084STZ.TM33.EU.P**

Worksurfaces

Stride® — Linear — D-Shape

Laminate

For specification information see pages 320-330.



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Linear D-Shape Worksurfaces for Stride				
For 2 – 20"A – 43"W x 20"D	**Z52043LD**	**$ 1024**	**$ 1068**	**$ 1102**
For 2 – 24"A – 51"W x 20"D	**Z52051LD**	**$ 1083**	**$ 1128**	**$ 1165**
For 2 – 20"A – 43"W x 24"D	**Z52443LD**	**$ 1083**	**$ 1128**	**$ 1165**
For 2 – 24"A – 51"W x 24"D	**Z52451LD**	**$ 1144**	**$ 1191**	**$ 1230**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable:	**Laminate:**	**Edge Trim Color:**	**Grommet Type** *(if applicable)*:	**Grommet Color (Metal only):**
"**N**" for No Grommets — no upcharge	See page 168 for finishes.	See page 168 for finishes.	**P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**EL** Matte Silver
Z _____ .	_____ .	_____ .	_____	**E L**

Example: **Z52043LD.TM33.EU**

Worksurfaces


Stride® — Countertops

Laminate

For specification information see pages 320-330.



Flat
Edge Detail



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
15"D Straight Countertops				
24"W	**Z51524S**	$ 401	$ 420	$ 434
30"W	**Z51530S**	$ 448	$ 468	$ 483
36"W	**Z51536S**	$ 497	$ 518	$ 535
42"W	**Z51542S**	$ 512	$ 534	$ 552
48"W	**Z51548S**	$ 542	$ 564	$ 583
54"W	**Z51554S**	$ 621	$ 645	$ 667
60"W	**Z51560S**	$ 693	$ 721	$ 742
66"W	**Z51566S**	$ 720	$ 748	$ 770
72"W	**Z51572S**	$ 747	$ 778	$ 798

Note: V For a straight countertop, when used with "H" in-line high-low trim kit on one side. No upcharge.
Example: **Z51554SV**



15"D Corner Countertops				
24"W x 24"W	**Z52424C**	$ 765	$ 797	$ 819
30"W x 30"W	**Z53030C**	$ 891	$ 926	$ 953
36"W x 36"W	**Z53636C**	$ 988	$ 1028	$ 1055

Note: RV For a corner countertop, when used with "H" in-line high-low trim kit on the right side. No upcharge.
LV For a corner countertop, when used with "H" in-line high-low trim kit on the left side. No upcharge.
Not available with Fluid Form. *Example:* **Z52424CLV**

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.

_____ . _____ . _____

Examples: **Z51572S.TM33.EU** **Z52424C.TM33.EY**

Worksurfaces


Stride® — Corner / 120° / 60°


For specification information see pages 320-330.


Laminate



Flat Edge Detail









Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
24"D Corner Worksurfaces w/Straight Leading Edge				
36"W	**T53624SC**	**$ 767**	**$ 801**	**$ 832**
42"W	**T54224SC**	**$ 809**	**$ 844**	**$ 876**
48"W	**T54824SC**	**$ 915**	**$ 955**	**$ 993**
30"D Corner Worksurfaces w/Straight Leading Edge				
42"W	**T54230SC**	**$ 999**	**$ 1043**	**$ 1084**
48"W	**T54830SC**	**$ 1033**	**$ 1078**	**$ 1120**
120° Corner Worksurface				
30"W x 24"D	**TT53024CB**	**$ 1064**	**$ 1110**	**$ 1150**
36"W x 24"D	**TT53624CB**	**$ 1185**	**$ 1235**	**$ 1281**
42"W x 24"D	**TT54224CB**	**$ 1274**	**$ 1326**	**$ 1375**
48"W x 24"D	**TT54824CB**	**$ 1412**	**$ 1469**	**$ 1524**

Note: Add Suffix "N" to model number for no grommet, no upcharge.

Corner Worksurfaces with Radial Leading Edge



Corner Worksurfaces with Straight Leading Edge



How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge	**Laminate:** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.	**Grommet Type** *(if applicable)*: **P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color (Metal only)** *(if applicable)*: **EL** Matte Silver
T _ _ _ _ _ _ _ _ .	_ _ _ _ .	_ _ .	_	**E L**


Examples: **T53624SC.LT3B.E9.P**

Worksurfaces


Stride® — Corner Cove

Laminate


For specification information see pages 320-330.



Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Corner Cove Worksurfaces — Extended Left				
60" x 36"-24"L / 24"R	**T5822EL**	**$ 918**	**$ 960**	**$ 995**
60" x 36"-24"L / 30"R	**T5832EL**	**$ 961**	**$ 1005**	**$ 1041**
60" x 48"-24"L / 24"R	**T5622EL**	**$ 1028**	**$ 1074**	**$ 1112**
60" x 48"-30"L / 24"R	**T5623EL**	**$ 1077**	**$ 1124**	**$ 1165**
60" x 48"-24"L / 30"R	**T5632EL**	**$ 1077**	**$ 1124**	**$ 1165**
60" x 48"-30"L / 30"R	**T5633EL**	**$ 1116**	**$ 1164**	**$ 1207**
72" x 36"-24"L / 24"R	**T5922EL**	**$ 1028**	**$ 1074**	**$ 1112**
72" x 36"-24"L / 30"R	**T5932EL**	**$ 1077**	**$ 1124**	**$ 1165**
72" x 48"-24"L / 24"R	**T5722EL**	**$ 1333**	**$ 1387**	**$ 1436**
72" x 48"-30"L / 24"R	**T5723EL**	**$ 1381**	**$ 1436**	**$ 1492**
72" x 48"-24"L / 30"R	**T5732EL**	**$ 1381**	**$ 1436**	**$ 1492**
72" x 48"-30"L / 30"R	**T5733EL**	**$ 1421**	**$ 1479**	**$ 1536**
Corner Cove Worksurfaces — Extended Right				
36" x 60"-24"L / 24"R	**T5822ER**	**$ 918**	**$ 960**	**$ 995**
36" x 60"-30"L / 24"R	**T5832ER**	**$ 961**	**$ 1005**	**$ 1041**
48" x 60"-24"L / 24"R	**T5622ER**	**$ 1028**	**$ 1074**	**$ 1112**
48" x 60"-24"L / 30"R	**T5623ER**	**$ 1077**	**$ 1124**	**$ 1165**
48" x 60"-30"L / 24"R	**T5632ER**	**$ 1077**	**$ 1124**	**$ 1165**
48" x 60"-30"L / 30"R	**T5633ER**	**$ 1116**	**$ 1164**	**$ 1207**
36" x 72"-24"L / 24"R	**T5922ER**	**$ 1028**	**$ 1074**	**$ 1112**
36" x 72"-30"L / 24"R	**T5932ER**	**$ 1077**	**$ 1124**	**$ 1165**
48" x 72"-24"L / 24"R	**T5722ER**	**$ 1333**	**$ 1387**	**$ 1436**
48" x 72"-24"L / 30"R	**T5723ER**	**$ 1381**	**$ 1436**	**$ 1492**
48" x 72"-30"L / 24"R	**T5732ER**	**$ 1381**	**$ 1436**	**$ 1492**
48" x 72"-30"L / 30"R	**T5733ER**	**$ 1421**	**$ 1479**	**$ 1536**



Note: Add Suffix "N" to model number for no grommets, no upcharge. *Example:* **T5722ERN**



For Altitude® height-adjustable tables see the Seating, Collaboration, and Tables Price List.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge	**Laminate:** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color** *(if applicable)*: See page 168 for finishes.
_____ .	_____ .	_____ .	_____	**E** _____

Examples: **T5922EL.LT3B.E9.SEL** **T5822ER.LT3B.E9.P**

Worksurfaces


Stride® — Peninsula / P-Shaped / Jetty


For specification information see pages 320-330.


Laminate




Flat Edge Detail


Support column ordered separately.



Support column ordered separately.


Support column ordered separately.


Support column ordered separately.

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Peninsula Worksurfaces				
30"W x 60"L	**T53060B**	$ 1155	$ 1202	$ 1243
30"W x 66"L	**T53066B**	$ 1276	$ 1326	$ 1373
30"W x 72"L	**T53072B**	$ 1391	$ 1445	$ 1494
36"W x 60"L	**T53660B**	$ 853	$ 907	$ 956
36"W x 66"L	**T53666B**	$ 915	$ 974	$ 1032
36"W x 72"L	**T53672B**	$ 1033	$ 1096	$ 1162
P-Shaped Worksurfaces w/42" Diameter End				
30"W x 72"L	**T53072PR** (shown)	$ 1595	$ 1656	$ 1716
30"W x 72"L	**T53072PL**	$ 1595	$ 1656	$ 1716
Jetty Worksurfaces — Left Hand				
48"A x 66"B x 24"C x 30"D	**T54662JL**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JL**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JL**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JL**	$ 961	$ 1022	$ 1082
Jetty Worksurfaces — Right Hand				
48"A x 66"B x 24"C x 30"D	**T54662JR**	$ 1333	$ 1391	$ 1448
48"A x 72"B x 24"C x 30"D	**T54722JR**	$ 1421	$ 1479	$ 1537
48"A x 66"B x 30"C x 30"D	**T54663JR**	$ 1381	$ 1440	$ 1499
48"A x 72"B x 30"C x 30"D	**T54723JR**	$ 961	$ 1022	$ 1082

Note: Add Suffix "N" to model number for no grommets, no upcharge.
Example: **T53060BN**



Top View

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge	**Laminate:** See page 168 for finishes.	**Edge Trim Color:** See page 168 for finishes.	**Grommet Type:** **P** Oval Plastic (will match edge trim on laminate) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**Grommet Color** *(if applicable)*: See page 168 for finishes.
_____ .	_____ .	_____ .	_____	E _____

Examples: **T54662JL.LT3B.E9.P** **T53060B.LT3B.E9.MEL**

Worksurfaces

ORDERING


The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in ⅛" increments up to a maximum of 120" W x 36" D.

Specify:

1. **Model Number**
   Specify closest nominal width/depth model (round up).
2. **Grommet Option** (if desired)
   See grommet specification instructions on this page.
3. **Grommet Type:**
   P Plastic
   M Metal (add $15 per grommet for laminate)
4. **Grommet Color:**
   (Metal only)
   EL Matte Silver
   Note: Plastic grommet will match flat edge.
5. **Laminate and Veneer Choices**
   See page 168.
6. **Flat Edge Color Choices**
   See edge colors page 168 for laminates.
7. **Exact Size**
   Specify the **exact width** and **exact depth** you require.
   Width and depth is specified in ⅛" increments which is denoted as a single digit following the whole number dimension at the end of the model number string.

⅛"	= 1	⅝"	= 5
¼"	= 2	¾"	= 6
⅜"	= 3	⅞"	= 7
½"	= 4	no extra increment	= 0

For example, when ordering a worksurface that is 34⅜"W x 20½"D, specification should be 345Wx204D.
Example: **9120R3624.G0.TM33.EU.345Wx204D**.



PRODUCT SPECIFICATIONS

- Flat edge on all sides
- 45 lb. particle board
- 1⅛" top thickness
- .020 resin impregnated paper backer sheet
- Grommets available
- Maximum width 120" (maximum recommended unsupported span is 42")
- Maximum depth 36"
- Standard Allsteel laminates and veneers
- Quantities of 10 or greater are palletized; less than 10 are individually cartoned.

Note: 9120 worksurface maximum unsupported span is 42". 9120 worksurfaces do not have pre-drilled pilot holes or threaded metal inserts.


When spanning multiple freestanding storage units with one worksurface, add ⅛" for each additional storage unit. For example, when ordering a worksurface for three 30"W lateral files. 3 units x 30" = 90" + ⅛" + ⅛" = 90¼" worksurface. Do NOT follow this rule if panel wrapping storage units.

CHANGES / CANCELLATIONS

No changes/cancellations for 9120 Program worksurfaces.

GROMMET SPECIFICATIONS

Plastic grommets are made of durable ABS plastic and grommets match edge color on laminate worksurfaces. Metal grommets are only available Matte Silver oval for laminate and square for veneer.



PRICING

See page 339 for laminate and veneer 9120 worksurface pricing.

One Grommet — GC, GL, or GR Position..... $22.00
Two Grommets — G3 or G4 Position..... $44.00
Note: Add $15 per grommet for metal grommets with laminate.


ORDERING

Specify grommet location and color.
Example: **9120R10836.GCP.TM33.EU.1022Wx326D**

Code Grommet Position

GC	Centered side-to-side – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
GL	6⁵⁄₁₆" from left side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
GR	6⁵⁄₁₆" from right side to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
G3	Pair of grommets each 18" from side edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center (Position G3 not available on tops 60"W or less.)
G4	Pair of grommets each 6⁵⁄₁₆" from side edge to grommet edge – 3⅛" from rear to grommet edge; 4½" from rear to grommet center
G0	No grommets

Dimensions are from grommet center line to top edge.



Rectangular Top

Grommet positions other than those shown above are considered non-standard.

Worksurfaces

For specification information see page 338.

Laminate and Veneer Worksurfaces / Non-Standard Sizes

***Model Number — Add "R" for laminate or "V" for veneer**

Maximum	Model Number*	Width		Depth		Laminate List Price			Veneer List Price	
		MIN	MAX	MIN	MAX	L1	L2	L3	V2	V3
18"D										
18"W	**9120␣1818**	180W	180W	121D	180D	$ 503	$ 526	$ 545	$ 1180	$ 1287
24"W	**9120␣2418**	181W	240W	121D	180D	$ 525	$ 548	$ 569	$ 1258	$ 1372
30"W	**9120␣3018**	241W	300W	121D	180D	$ 575	$ 599	$ 620	$ 1330	$ 1451
36"W	**9120␣3618**	301W	360W	121D	180D	$ 596	$ 621	$ 644	$ 1381	$ 1507
42"W	**9120␣4218**	361W	420W	121D	180D	$ 690	$ 718	$ 741	$ 1466	$ 1599
48"W	**9120␣4818**	421W	480W	121D	180D	$ 761	$ 795	$ 819	$ 1540	$ 1679
60"W	**9120␣6018**	481W	600W	121D	180D	$ 992	$ 1033	$ 1062	$ 1753	$ 1911
72"W	**9120␣7218**	601W	720W	121D	180D	$ 1200	$ 1246	$ 1286	$ 1907	$ 2081
84"W	**9120␣8418**	721W	840W	121D	180D	$ 1568	$ 1625	$ 1683	$ 2053	$ 2239
96"W	**9120␣9618**	841W	960W	121D	180D	$ 1622	$ 1681	$ 1739	$ 2219	$ 2421
108"W	**9120␣10818**	961W	1080W	121D	180D	$ 1854	$ 1919	$ 1987	$ 2240	$ 2444
120"W	**9120␣12018**	1081W	1200W	121D	180D	$ 2012	$ 2089	$ 2164	$ 2396	$ 2613
24"D										
24"W	**9120␣2424**	181W	240W	181D	240D	$ 569	$ 593	$ 616	$ 1236	$ 1348
30"W	**9120␣3024**	241W	300W	181D	240D	$ 622	$ 647	$ 670	$ 1295	$ 1413
36"W	**9120␣3624**	301W	360W	181D	240D	$ 649	$ 677	$ 699	$ 1365	$ 1489
42"W	**9120␣4224**	361W	420W	181D	240D	$ 745	$ 778	$ 799	$ 1440	$ 1571
48"W	**9120␣4824**	421W	480W	181D	240D	$ 804	$ 839	$ 865	$ 1584	$ 1728
60"W	**9120␣6024**	481W	600W	181D	240D	$ 1042	$ 1084	$ 1119	$ 1809	$ 1973
72"W	**9120␣7224**	601W	720W	181D	240D	$ 1245	$ 1293	$ 1334	$ 2039	$ 2224
84"W	**9120␣8424**	721W	840W	181D	240D	$ 1622	$ 1681	$ 1739	$ 2219	$ 2421
96"W	**9120␣9624**	841W	960W	181D	240D	$ 1595	$ 1656	$ 1716	$ 2400	$ 2617
108"W	**9120␣10824**	961W	1080W	181D	240D	$ 1908	$ 1975	$ 2045	$ 2582	$ 2817
120"W	**9120␣12024**	1081W	1200W	181D	240D	$ 2058	$ 2136	$ 2214	$ 2647	$ 2887
30"D										
30"W	**9120␣3030**	241W	300W	241D	300D	$ 685	$ 717	$ 737	$ 1295	$ 1413
36"W	**9120␣3630**	301W	360W	241D	300D	$ 720	$ 753	$ 775	$ 1483	$ 1618
42"W	**9120␣4230**	361W	420W	241D	300D	$ 767	$ 801	$ 825	$ 1599	$ 1744
48"W	**9120␣4830**	421W	480W	241D	300D	$ 830	$ 866	$ 893	$ 1744	$ 1902
60"W	**9120␣6030**	481W	600W	241D	300D	$ 1089	$ 1133	$ 1169	$ 2029	$ 2213
72"W	**9120␣7230**	601W	720W	241D	300D	$ 1244	$ 1293	$ 1337	$ 2300	$ 2509
84"W	**9120␣8430**	721W	840W	241D	300D	$ 1889	$ 1959	$ 2030	$ 2449	$ 2672
96"W	**9120␣9630**	841W	960W	241D	300D	$ 1935	$ 2006	$ 2080	$ 2607	$ 2844
108"W	**9120␣10830**	961W	1080W	241D	300D	$ 2178	$ 2260	$ 2343	$ 2771	$ 3023
120"W	**9120␣12030**	1081W	1200W	241D	300D	$ 2427	$ 2519	$ 2609	$ 3064	$ 3343
36"D										
36"W	**9120␣3636**	301W	360W	301D	360D	$ 977	$ 1018	$ 1050	$ 2142	$ 2336
42"W	**9120␣4236**	361W	420W	301D	360D	$ 1110	$ 1156	$ 1194	$ 2286	$ 2494
48"W	**9120␣4836**	421W	480W	301D	360D	$ 1246	$ 1295	$ 1339	$ 2445	$ 2667
60"W	**9120␣6036**	481W	600W	301D	360D	$ 1605	$ 1663	$ 1721	$ 2451	$ 2674
72"W	**9120␣7236**	601W	720W	301D	360D	$ 1890	$ 1957	$ 2025	$ 2600	$ 2836
84"W	**9120␣8436**	721W	840W	301D	360D	$ 2288	$ 2370	$ 2453	$ 2649	$ 2890
96"W	**9120␣9636**	841W	960W	301D	360D	$ 2345	$ 2430	$ 2512	$ 2885	$ 3147
108"W	**9120␣10836**	961W	1080W	301D	360D	$ 2599	$ 2692	$ 2788	$ 3131	$ 3416
120"W	**9120␣12036**	1081W	1200W	301D	360D	$ 2720	$ 2821	$ 2925	$ 3386	$ 3694

Worksurfaces


Stride® — Quarter-Round


Veneer

For specification information see pages 320-330.



Square Edge Detail






Veneer Grain Direction

Description	Veneer w/Square Edge Model	V2 w/Square Edge List Price	V3 w/Square Edge List Price
Quarter-Round Worksurfaces			
24"D x 24"D	**TNV52424Q**	**$ 1094**	**$ 1194**
30"D x 30"D	**TNV53030Q**	**$ 1363**	**$ 1486**

Corner Worksurfaces with Straight Leading Edge



Corner Worksurfaces with Radial Leading Edge




How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above. Add suffix if applicable: "**N**" for No Grommets — no upcharge	**Veneer:** See page 168 for finishes.	**Grommet Type** *(if applicable)*: **P** Oval Plastic (will be **E2** on ALL Maple or **E4** on ALL other veneers) **M** Oval Metal **S** Square Metal	**Grommet Color (Metal only)** *(if applicable)*: **Oval:** **E4** Black **EZ** Bronze **EL** Matte Silver **Square:** **EL** Matte Silver
T _____ . _____ .			**E** ___

Example: **TNV52424Q.SC777**

Worksurfaces


Stride® — Worksurface Supports

For specification information see pages 320-330.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
End Support Panels — Metal				
29½"H x 10"D Freestanding	**Y62910FENP**	$ 390	$ 422	$ 450
29½"H x 24"D Freestanding	**Y62924FENP**	$ 424	$ 456	$ 484
29½"H x 30"D Freestanding	**Y62930FENP**	$ 449	$ 481	$ 509
29½"H x 10"D Panel-Mount	**Y62910PENP**	$ 437	$ 469	$ 497
29½"H x 20"D Panel-Mount	**Y62920PENP**	$ 459	$ 491	$ 519
29½"H x 24"D Panel-Mount	**Y62924PENP**	$ 464	$ 496	$ 524
29½"H x 30"D Panel-Mount	**Y62930PENP**	$ 485	$ 517	$ 545
26½"H x 20"D Panel-Mount	**Y62620PENP**	$ 424	$ 456	$ 484
26½"H x 24"D Panel-Mount	**Y62624PENP**	$ 439	$ 471	$ 499

Note: Not for use with rabbet edge worksurfaces.




In-Line Support Panels — Metal				
29½"H to support 24"D Freestanding	**Y62910SLFP**	$ 378	$ 410	$ 438
29½"H to support 30"D Freestanding	**Y62924SLFP**	$ 403	$ 435	$ 463
29½"H to support 24"D Panel-Mount	**Y62910SLPP**	$ 424	$ 456	$ 484
29½"H to support 30"D Panel-Mount	**Y62924SLPP**	$ 450	$ 482	$ 510
26½"H x 10"D Panel-Mount	**Y62610SLPP**	$ 401	$ 433	$ 461

Note: Not for use with rabbet edge worksurfaces.



Pedestal-to-Systems Panel Attachment Bracket — Non-handed				
Bracket Kit	**Y6PPK** S	$ 191	$ 215	$ 236



Open End Panel Supports				
12"D x 29½"H Panel-Mount	**AYBHEP1229** S	$ 303	$ 349	$ 393
18"D x 29½"H Panel-Mount	**AYBHEP1829**	$ 308	$ 354	$ 398
24"D x 29½"H Panel-Mount	**AYBHEP2429** S	$ 319	$ 365	$ 409
30"D x 29½"H Panel-Mount	**AYBHEP3029** S	$ 344	$ 390	$ 434

Note: Not for use with rabbet edge worksurfaces.

How to specify —

Select the Model Number from above.

1st Option:

Paint (if applicable):

P1 P2 P3

See page 168 for finishes.

. P

Examples: **Y62924SLPP.P27** **Y6PEN.P27**

S ***Shippable by small-package carrier.***

Worksurfaces

Stride® — Worksurface Supports

For specification information see pages 320-330.






Description	Model		P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
29½"H Post Legs — Fixed Height					
for Flat/Square Edge Worksurfaces — Left	**Z6PL29FL**	S	$ 386	$ 418	$ 446
for Flat/Square Edge Worksurfaces — Right	**Z6PL29FR** (shown)	S	$ 386	$ 418	$ 446
for Flat/Square Edge Worksurfaces — Pair	**Z6PL29FP**	S	$ 770	$ 825	$ 877
26½"H-32½"H Post Legs — Height Adjustable					
for Flat/Square Edge Worksurfaces — Pair	**Z6PL29HP**	S	$ 1020	$ 1075	$ 1127



40½"H Post Legs — Fixed Height					
for Flat/Square Edge Worksurfaces — Left	**Z6PL40FL**	S	$ 453	$ 485	$ 513
for Flat/Square Edge Worksurfaces — Right	**Z6PL40FR** (shown)	S	$ 453	$ 485	$ 513
for Flat/Square Edge Worksurfaces — Pair	**Z6PL40FP**	S	$ 904	$ 959	$ 1011



37½"H-43½"H Post Legs — Height Adjustable					
for Flat/Square Edge Worksurfaces — Left	**Z6PL40HL**	S	$ 580	$ 612	$ 640
for Flat/Square Edge Worksurfaces — Right	**Z6PL40HR** (shown)	S	$ 580	$ 612	$ 640
for Flat/Square Edge Worksurfaces — Pair	**Z6PL40HP**	S	$ 1156	$ 1211	$ 1263



29½"H Freestanding Post Legs — Fixed Height					
Pair with Locking Casters for Flat/Square Edge Worksurfaces	**Z6PTLFPC** (shown)	S	$ 866	$ 921	$ 973
Pair with Glides for Flat/Square Edge Worksurfaces	**Z6PTLFPG**	S	$ 866	$ 921	$ 973



26½"H-32½"H Freestanding Post Legs — Height Adjustable					
Pair with Locking Casters for Flat/Square Edge Worksurfaces	**Z6PTLHPC** (shown)	S	$ 1117	$ 1172	$ 1224
Pair with Glides for Flat/Square Edge Worksurfaces	**Z6PTLHPG**	S	$ 1117	$ 1172	$ 1224

How to specify —

Select the Model Number from above.

1st Option:

Color:

P1 P2 P3

See page 168 for finishes.

Z | | | | | | | | | . | P | | |


Example: **Z6PL29FL.P02**

S *Shippable by small-package carrier.*

Worksurfaces


Stride® — Worksurface Supports

For specification information see pages 320-330.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
C-Legs — Fixed Height – 29½"H				
for Flat/Square Edge Worksurfaces — Left	**Z6CLFL** S	$ 646	$ 678	$ 706
for Flat/Square Edge Worksurfaces — Right	**Z6CLFR** S	$ 646	$ 678	$ 706
C-Legs — Height Adjustable – 26½"H-32½"H				
for Flat/Square Edge Worksurfaces — Left	**Z6CLHL** S	$ 851	$ 883	$ 911
for Flat/Square Edge Worksurfaces — Right	**Z6CLHR** S	$ 851	$ 883	$ 911


Note: Height adjustable C-legs are not for use on worksurface spans greater than 72"W.




Y6EPKP

TT629SC

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Post In-Line Support Leg				
29½"H x 24"D Freestanding – Painted	**Y629NLK**	$ 695	$ 746	$ 797
Support Columns — Metal				
29½"H / 2¼" Square Painted	**Y6EPKP**	$ 307	$ 339	$ 367
29½"H / 3" Diameter Round	**TT629SC** S	$ 276	$ 322	$ 366
29½"H — Linear Fixed	**Z6SCF** S	$ 411	$ 443	$ 471
26½"H-30½"H— Linear Height Adjustable	**Z6SCH** S	$ 611	$ 643	$ 671



Z6SCF



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Light-scale Legs — Metal				
Pair (Left and Right) 29½"H for Modesty Panel attachment – Painted	**Y629LKMP**	$ 776	$ 808	$ 836
Individual Leg — Non-handed NOT for Modesty Panel attachment – Painted	**Y629LKNP**	$ 426	$ 458	$ 486

How to specify —	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Color:** P1 P2 P3 See page 168 for finishes.	**Landscape Surface Material and Finish** *(if applicable)*:
_____ . P ___		_____


Examples: **Z6CLFL.P27** **Y629NLK.P7D**


S *Shippable by small-package carrier.*


Worksurfaces


Stride® — Worksurface Supports


For specification information see pages 320-330.
















Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Cantilever Brackets				
12"D Left-Hand	T6CB12L S	$ 78	$ 97	$ 110
12"D Right-Hand	T6CB12R S	$ 78	$ 97	$ 110
18"D Left-Hand	T6CB18L S	$ 84	$ 103	$ 116
18"D Right-Hand	T6CB18R S	$ 84	$ 103	$ 116
24" or 30"D Left-Hand	T6CB24L S	$ 91	$ 110	$ 123
24" or 30"D Right-Hand	T6CB24R S	$ 91	$ 110	$ 123
Cantilever Bracket — non-handed (Core paint colors only)				
24" or 30"D	T624CB S	$ 238	N/A	N/A
Worksurface Bracket Kits				
Flat, Square, and Eased Edge Worksurface Bracket Kit	T6BK S	$ 80	$ 98	$ 110
Flat, Square, and Eased Edge Worksurface Storage Bracket Kit (Black only)	T6SB S	$ 106	N/A	N/A
Off-Module Worksurface Brackets				
Non-Rail Based End Panel Kit	Z6EPK S	$ 66	$ 81	$ 90
Non-Rail Based Worksurface Bracket (1)	Z6MK S	$ 80	$ 95	$ 104
Non-Rail Based 3" Layered Worksurface Bracket (1)	Z6Z3MK S	$ 89	$ 104	$ 113
Layered Worksurface Connection Bracket (1)	Z6C3BK S	$ 127	$ 148	$ 163
Worksurface Stanchion — Painted Metal				
12"D x 4"H for Stride 22"H Credenza	APOLG0512 S	$ 447	$ 479	$ 504
18"D x 4"H for Stride 22"H Credenza	APOLG0518 S	$ 486	$ 518	$ 543
Flat Brackets (no color option)				
For 12"D	T612FB S	$ 76	N/A	N/A
For 24"D	T624FB S	$ 87	N/A	N/A
For 30"D	T630FB S	$ 98	N/A	N/A
External Worksurface Support Channel (no color option) — 1½"H				
30"W External Support Channel for use on 42"W Worksurface	Z5SC42 S	$ 93	N/A	N/A
36"W External Support Channel for use on 48"W Worksurface	Z5SC48 S	$ 96	N/A	N/A
42"W External Support Channel for use on 54"W Worksurface	Z5SC54 S	$ 111	N/A	N/A
48"W External Support Channel for use on 60"W Worksurface	Z5SC60	$ 119	N/A	N/A
54"W External Support Channel for use on 66"W Worksurface	Z5SC66	$ 138	N/A	N/A
60"W External Support Channel for use on 72"W Worksurface	Z5SC72	$ 148	N/A	N/A
66"W External Support Channel for use on 78"W Worksurface	Z5SC78	$ 162	N/A	N/A
72"W External Support Channel for use on 84"W Worksurface	Z5SC84	$ 177	N/A	N/A

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 168 for finishes.

[ ][ ][ ][ ][ ][ ][ ] . [P][ ][ ]


Examples: **T6BK.P01** **T624FB**


S *Shippable by small-package carrier.*


Wood Storage


Painted Wood

Low Credenzas



Open


Open with Project Shelves


Hinged Doors


Lateral File with Project Drawer


Lateral File


Box/Box/Lateral


Corner Bin

High Credenzas


Open



Hinged Doors


Lateral File


Lateral File with Doors

Pedestals



Box/File Mobile



File/File Support


Box/Box/File Support


Towers


42½"H


Box/Box/File



File/File


50"H



File/File Side Access Side Light



Box/Box/File Side Access Side Light

65"H



File/File Side Access


Box/Box/File Side Access



Box/Box/File Side Access Sidelight



File/File Side Access Sidelight


Combination Files



Lateral Drawers


Overhead Cabinets


Sliding Door


Hinged Doors


Shelf with Nitch


Hinged Door/ Nitch


Open/ Nitch

Horizontal Storage


Full Depth


Shared

Wood Storage

Stride® — Features and Dimensions

Painted Wood

	Low Credenzas		High Credenzas		Towers	
Widths	Open	24", 30", 36", 42", 48", 60"	Open	24", 30", 36", 42", 48", 60"	Box/Box/File	15⅝" (42½" and 50"H); 24" (all heights)
	Open with Project Shelf	24", 30", 36"			File/File	15⅝" (42½" and 50"H); 24"
	Hinged Door	24", 30", 36", 42", 48", 60"	Hinged Door	24", 30", 36", 42", 48", 60"		
	Lateral with Project Drawer	30", 36", 42", 48", 60"	Lateral File	30", 36", 42", 48", 60"		
	Box/Box/Lateral	30"				
	Corner with Bin	24", 30"				
Heights	22" (23½" with top)		28" (29½" with top)		42½"H, 50"H, 65"H	
Depth	18"		24"		Box/Box/File File/File	18", 24"
Pull	Linear		Linear		Linear	
Lock Options:						
Lock	Standard		Standard		Standard	
Omit Lock Core	Optional		Optional		Optional	
Master Keyed Lock	Standard		Standard		Standard	
Removable Lock Core	Yes — with Special Key		Yes — with Special Key		Yes — with Special Key	
Dual-Side Locking	Yes		Yes		Yes	
Suspension	Ball Bearing		Ball Bearing		Ball Bearing — Full Extension	
Drawer Front Construction	¾" thick Painted Wood*		¾" thick Painted Wood*		¾" thick Painted Wood*	
Hinged Door Construction	¾" thick Painted Wood*		¾" thick Painted Wood*		¾" thick Painted Wood*	
Hex-head Glide	Yes		Yes		Yes	
Counterweights	Required on freestanding lateral units and corner credenza.		Optional		Optional	
Drawer Interiors:						
Drawers	9⅛"		9⅛"			
Project Drawer	2⅞"					
Pull Out Shelf	4½"					
Front-to-Back Filing	Standard		Standard		Standard	
Filing Options	Letter		Letter		Letter	

WOOD STORAGE LOCKING

Pedestals	**15"W**					
File/File	1 lock					
Box/Box/File	1 lock					
Low Credenzas	**24"W**	**30"W**	**36"W**	**42"W**	**48"W**	**60"W**
Hinged Doors	1 lock	1 lock	1 lock	2 locks	2 locks	2 locks
Lateral File with Project Drawers	—	1 lock	1 lock	2 locks	2 locks	3 locks
Box/File	—	2 locks				
Corner — Bin	1 lock	1 lock				
High Credenzas	**24"W**	**30"W**	**36"W**	**42"W**	**48"W**	**60"W**
Hinged Doors	1 lock	1 lock	1 lock	2 locks	2 locks	2 locks
Lateral/Combination File	—	1 lock	1 lock	1 lock	2 locks	3 locks
Personal Towers	**15"W**	**24"W**	**24"W with Sidelight**			
Box/Box/File	1 lock	2 locks	1 lock			
File/File	1 lock	2 locks	1 lock			
Personal Towers	**30"W**					
2H Lateral File	1 lock					

*** Painted wood is powder-coated medium density fiberboard**

Wood Storage

Stride® — Load Capacities and Interior Dimensions

Load Capacity for Painted Wood Pedestals, Personal Towers, and Credenzas

Pedestals	18"D [Mobile]	24"D [Support]
Box	17 lbs.	23 lbs.
File	33 lbs.	49 lbs.

Personal Towers	18"D	24"D
Box	17 lbs.	23 lbs.
File	33 lbs.	49 lbs.
Unit w/project drawer	32 lbs.	NA
Lateral	61 lbs.	73 lbs.
Unit w/project drawer	55 lbs.	NA

Credenzas	24"W	30"W	36"W	42"W	48"W	60"W
Low Credenzas						
Project shelves	21 lbs.	27 lbs.	34 lbs.	NA	NA	NA
Lateral w/project drawer	NA	62lbs.	76 lbs.	91 lbs.	76 lbs.	76 lbs.
Lateral project drawer	NA	29 lbs.	35 lbs.	42 lbs.	35 lbs.	35 lbs.
Bin	52 lbs.	52 lbs.	NA	NA	NA	NA
Box	NA	10 lbs.	NA	NA	NA	NA
High Credenzas						
Lateral	NA	68 lbs.	84 lbs.	99 lbs.	84 lbs.	84 lbs.

Interior Dimensions for Painted Wood Pedestals, Personal Towers, Combination Files, and Credenzas

	Height	Depth	Width
PEDESTALS	Box — 2⅞" File — 9⅜"	Mobile — 14½" Support — 19"	12⅛"
PERSONAL TOWERS	Box — 2⅞" File — 9⅜" Project Drawer — 3⅜"	20" — 17" 24" — 19" Project Drawer — 16¼"	12⅛"
COMBINATION FILES	Lateral — 9⅛" Project Drawer — 3⅜"	Lateral — 15" Lateral (w/project drawer) — 13⅞" Project Drawer — 13⅞"	Lateral — 25⅝" Project Drawer — 26⅜"
CREDENZAS			
Open Shelves			
Low Credenza	Bottom: 12⅛" Top: 3⅜"	16½"	24" exterior = 22½" interior 30" exterior = 28½" interior 36" exterior = 34½" interior 42" exterior = (2) 19⅞" interior 48" exterior = (2) 22⅞" interior 60" exterior = (2) 28⅞" interior
High Credenza	Bottom: 12⅛" Top: 9½"	20½"	
Project Shelves			
Low Credenza	4½"	13¾"	24" exterior = 19¾" interior
Hinged Doors			
Low Credenza	Bottom: 12⅛" Top: 3⅜"	15¾"	24" exterior = 22½" interior 30" exterior = 28½" interior 36" exterior = 34½" interior 42" exterior = (2) 19⅞" interior 48" exterior = (2) 22⅞" interior 60" exterior = (2) 28⅞" interior
High Credenza	Bottom: 12⅛" Top: 9½"	19¾"	
Lateral			
Low Credenza	Lateral — 9½" Project Drawer — 2⅞"	30"W & 42"W Lateral — 13⅞" 36"W & 60"W Lateral — 12⅛" Project Drawer — 13⅜"	30" exterior = 26⅜" interior 36" exterior = 32⅜" interior 42" exterior = 26⅜" interior 48" exterior = 32⅜" interior 60" exterior = 32⅜" interior
High Credenza	9½"	15"	
Corner			
Low Credenza	Bin — 12¼"	Bin — 14¼"	Bin — 15⅜"
Box/Box/Lateral			
Low Credenza	Lateral — 9⅛" Box — 2⅞"	Lateral — 13⅞" Box — 11½"	Lateral — 25⅝" Box — 10¾"

Wood Storage

Stride® — Filing Capacities

Top View of Drawers

15"W Pedestal and Tower Drawers




Letter Front-to-Back
18"D Mobile – 14½" of filing
24"D Support – 19" of filing




Legal Side-to-Side
24"D Support – 12" of filing


24"W Credenza Lateral Drawers



Letter Side-to-Side
18"D – 20½" of filing



Letter Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing




Legal Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing

30"W Credenza Lateral Drawers




Letter Front-to-Back
18"D – 30" of filing
24"D – 35" of filing




Legal Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing


36"W Credenza Lateral Drawers




Letter Front-to-Back
18"D and 24"D – 30" of filing



Legal Front-to-Back
18"D and 24"D – 15" of filing




Letter Side-to-Side
18"D and 24"D – 32½" of filing




Letter Side-to-Side and Legal Front-to-Back
18"D and 24"D – 17" of Letter S-T-S filing and
15" of Legal F-T-B filing

Wood Storage


Stride® — Working with Credenzas




Credenza Top



Seat Cushion



Credenza Bottom Trim



Credenza Side Trim


Credenzas ship fully assembled except for the credenza top, which must be ordered separately. Credenza tops in laminate or veneer with flat/square details are available in various depths. Veneer fronts by Gunlocke®.

Laminate credenza tops, a footed base, and aluminum trim along the front edge of the credenza enhance the durability of the credenza.

A relocatable seat cushion can be placed on the credenza top of a low credenza for additional seating.

Credenza bottom trim is standard on the front of all credenzas.

Optional side trim is an aesthetic piece for end of run credenzas and is ordered separately and field installed.



All credenzas have a recessed back with a cavity to support wire management. An optional metal back should be specified separately to finish the credenza in a single-sided application where the back is exposed. Finished back configurations should not utilize rail as the top cap required shows an unfinished top groove.

Relocatable wire trough provides a channel for wire management.

Each credenza ships with one front bracket that can be used to gang (multiple) credenzas in-line.

Credenza top must be ordered separately and can span multiple credenzas.

Corner credenzas with bin when housing a CPU must be used with credenza tops for wire trough or rail (not full depth) to minimize heat buildup.

Credenzas can support panels in certain applications with the addition of a credenza-to-panel bracket, see guidelines on pages 176-177 and bracket on page 371.

Credenzas can be shipped with lock cores removed; cores can be installed after files are in place. Core removable lock feature allows key numbers to be easily changed in the field.


All credenzas feature silver linear pulls. Pulls, feet, and bottom trim are all PR6 Silver finish.

Credenzas are constructed from ¾" thick powder-coated medium density fiberboard with concealed fastener construction.

Credenza feet have sleeves to conceal the leveling glides. Leveling range is 1⅛". The hex-head design of the stem allows leveling to be done even when the credenza is fully loaded.

Credenzas ship with the feet located at the outside corners. Alternate mounting holes are provided for front feet to be inset 4" on mid-run credenzas, during installation.


High Credenza Side to Panel Bracket



Side-mounted high credenzas

- The minimum Stride high credenza width is 36"W on each end.
- With a floor support the maximum panel run is 144".
- Without a floor support, the maximum panel run is 96".
- Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas. Stacking frames cannot be used with overheads.
- Panel frame maximum height is 65"H.

Credenza Side to Panel Bracket with Return Panel



Bracket with return panel

- Minimum Stride credenza width 36".
- With a floor support the maximum panel run is 144".
- Without a floor support, the maximum panel run is 96".
- The minimum size for panel return is 36"W x 35"H.
- Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the high credenza.
- Panel frame maximum height is 65"H.


Recommended Seat Cushion Sizes for Mobile Pedestals and Low Credenzas

18"D Cushions for use with
Pedestals and Full Depth Credenza Tops

1	2	3
15"W	24"W	30"W

15"W Mobile Pedestal 15"W Cushion	1
24"W Credenza 24"W Cushion	2
30"W Credenza 30"/15"W Cushion	3 or 1
36"W Credenza 15"/24"W Cushion	1 or 2
42"W Credenza 24"W Cushion	2
48"W Credenza 24"W Cushion	2
60"W Credenza 30"W Cushion	3

Seat Cushions



Seat Cushions (page 368)

- Place on top of low credenza tops or mobile pedestal for quick and convenient additional seating.
- For use on low credenzas only.
- Seat cushion must rest on top of credenza top — order separately.
- COM yardage for seat cushion is 1 yard.


Wood Storage

Stride® — Working with Credenza Rail

*The **credenza rail** is a single-sided 1½" thick frame that can be fitted atop credenza units.*

Credenza Rail (page 369)
- Provides support for perpendicular run-off worksurfaces.
- When used on low credenzas, credenza rail supports a height adjustment range of 27½" to 30½" in 1" increments.
- Channel for power and data.
- Connection point for accessories.
- Will show groove on top of rail if adding a back panel.

Guidelines:
1. The credenza rail may have only one worksurface mounted to each individual rail.
2. The credenza rail can span multiple credenzas, but must stay on-module with credenzas.
3. Credenza rail must be fully supported by a run of credenzas.
4. A worksurface can be mounted off-modular along the rail at four heights — 27½"-30½"H in 1" increments.
5. All components must be specified separately.




Wood Storage


All credenza rail components must be ordered separately.

- Credenza rail frame
- Credenza rail front trim
- Credenza rail end trim
- Credenza rail bracket kit
- Credenza rail top trim

DOUBLE-SIDED CREDENZA RUN




SINGLE-SIDED CREDENZA RUN




Wood Storage

Stride® — Working with 4-Wire Electrical





Routing Electrical: Credenzas



Jumper Situation:	Within a credenza	Spanning a credenza	Spanning a credenza with an open position for data.
Formula:	Subtract 24" from width of credenza. 30"W – 24" = 6" Jumper	Add 12" to width of spanned credenza. 36"W + 12" = 48" Jumper	Subtract 6" from total width of middle and end credenzas. (30"W + 36"W) – 6" = 60" Jumper

Routing Electrical: Credenzas with a Tower






Jumper Situation:	Spanning a tower	Spanning a tower with an open position for data.
Formula:	6" + 84" + 6" = 96" Jumper	6" + 84" + 6" + 6" + 24" = 126" Jumper


Wood Storage


Stride® — Working with 4-Wire Electrical

The 4-wire electrical system is a UL183-listed 2 circuit non-dedicated electrical system. The credenza rail supports continuous power and data distribution. With ported trim, the credenza rail provides easy access to power and data. In addition to the standard electrical components, PVC-free components are also available.



SPECIFICATION INFORMATION






Duplex Receptacle



0"W Desking Power Jumper




Desking Power Jumper


This electrical system has two hot wires, a shared neutral wire, and a shared ground wire. Each circuit is rated at 20 amps. A maximum of 13 duplex receptacles is permitted per circuit. Each receptacle is rated at 15 amps. Consult your electrician to ensure the planned electrical load is within permissible limits.

1. Determine location, quantity, and circuit number for duplex receptacles and power entry.
2. Base electrical infeed delivers power from building to system.
3. Desking power jumpers connect together duplex receptacles or groups of duplex receptacles.

It is the customer's responsibility to ensure that the installation of the electrical components meets all local and national building codes and all other applicable regulations.

A. Routing Electrical: Within Credenza






Credenza Width	Jumper Size	Jumper Model
24"	0"	AE4-DJ0S
30"	6"	AE4-DJ6S
36"	12"	AE4-DJ12S
42"	18"	AE4-DJ18S
48"	24"	AE4-DJ24S
60"	36"	AE4-DJ36S


B. Routing Electrical: Within Credenza Back-to-Back


All electrical components must be duplicated in a back-to-back situation.
The credenza rail provides power to only one side of the credenza.



When routing from the front side to the back side in back-to-back credenzas use a 60" desking power jumper.


C. Routing Electrical: Spanning a Credenza






Credenza Width	Jumper Size	Jumper Model
0"	12"	AE4-DJ12S
24"	36"	AE4-DJ36S
30"	42"	AE4-DJ42S
36"	48"	AE4-DJ48S
42"	54"	AE4-DJ54S
48"	60"	AE4-DJ60S
60"	72"	AE4-DJ72S


D. Routing Electrical: Spanning a Credenza and an Open Position for Data






Jumper Size / Credenza 2 Width	Credenza 1 Width 0"	24"	30"	36"	42"	48"	60"
24"	18"	42"	48"	54"	60"	66"	78"
30"	24"	48"	54"	60"	66"	72"	84"
36"	30"	54"	60"	66"	72"	78"	90"
42"	36"	60"	66"	72"	78"	84"	96"
48"	42"	66"	72"	78"	84"	90"	102"
60"	54"	78"	84"	90"	96"	102"	114"


E. Routing Electrical: Spanning a Tower






Jumper = 6" + 84" + 6" = 96"
AE4-DJ96S

F. Routing Electrical: Spanning a Tower with an Open Position For Data







Credenza* Width	Jumper Size	Jumper Model
24"	102"	AE4-DJ102S
30"	108"	AE4-DJ108S
36"	114"	AE4-DJ114S
42"	120"	AE4-DJ120S
48"	126"	AE4-DJ126S
60"	136"	AE4-DJ136S

*Credenza with open data position


Wood Storage


An electrified credenza rail has a cavity capable of holding 8 .25" dia. cables at 60% fill ratio (28 wires if no electrical is used in the rail).







AMP data faceplates (models ATADF3 and ATADF4) and a jack (model ATADJ5) can also be used. An AMP data port extender is needed to install the data faceplate and jack in the credenza rail. The following data port extenders can be ordered from AMP: 1933468-1 (Black), 1993468-2 (Light Almond), and 1933468-4 (Nema Gray).









4-Wire Electrical Components for Stride Credenzas

Desking Power Jumpers (page 370)
- UL-listed 4-wire electrical system.
- Ability to conceal power and data receptacles below primary worksurface.
- PVC-free electrical components available.
- Mounting brackets included.
- Cannot reverse direction within credenza rail.
- Length of 4-wire jumper needs to match distance between receptacles as there is not room to loop additional cable.

Duplex Receptacles (page 370)
- 4-wire receptacles are ordered separately for circuit 1 or 2 and are only available in ES Silver.
- 4-wire Infeed cable or jumper plug directly into each end of a 4-wire duplex receptacle.
- 4-wire receptacle adds 6" to length of electrical run.

Base Electrical Infeed Cable (page 370)
- Feed in from floor.
- UL183 listed to be exposed.
- 4-wire infeed can enter from the end of a credenza rail only.
- Credenzas ship with clips under the case for holding infeed off the floor.
- Select quantity of infeed cables depending on individual power requirements.

Worksurface Power/Data Module (page 370)
- Provides easy access to technology at primary worksurface.
- Mounts to edge of a worksurface and requires ⅜" gap. Consider whether ⅜" gap will work with layout.
- Must be mounted at time of initial worksurface installation if mounting between a worksurface and a panel. Maintaining a ⅜" gap may not be possible with worksurfaces that are panel wrapped.

Wood Storage

Configurations
Towers are available in three heights: 42½", 50", and 65"H. Configurations include box/box/file, file/file, file with project drawer. 50" and 65"H towers are available with side access and Landscape™ surface sidelight.

Combination File
Combination files are 65"H and are available either 18"D or 24"D. They can either be specified with a 2 drawer lateral or lateral with a project drawer.

Aesthetic Alignment
Drawer configuration matches across Stride painted wood storage offering and tower heights align with Stride panel segmentation. Towers feature a bottom aesthetic trim piece that provides protection for the bottom edge for the tower.

Painted Wood Construction
¾" thick powder-coated medium density fiberboard with concealed fastener construction.

Footed Base
All towers have a metal footed base with concealed leveling glides. Feet on wood storage match style of Stride footed panels.

Four Hex-head Leveling Glides
The hex-head design of the stem allows leveling to be done even when the tower is fully loaded. Range is 1⅛".

Linear Pull Style
Elegant asymmetric pull style matches across wood storage offering.

Suspension
Heavy-duty ball bearing slides.


European Hinges
Wardrobe and cabinet door both feature European-style hinged door.


Filing
File drawers can accommodate front-to-back letter filing.


Shelves
Shelves in the cabinet door are adjustable in 2" increments. Shelves in side-access towers are fixed.

Wardrobe Door
All 24"W towers have wardrobe doors. 24"D with a coat rod; 18"D with a coat hook.

Lock Cores
Towers can be shipped with lock cores removed; cores can then be installed after towers are placed. Core removable lock feature allows key numbers to be easily changed in the field. It also facilitates installation.








Painted Wood Towers and Combination File Accessories

Worksurface Supports
Tower has pre-drilled pilot holes on pull side of cabinet to accommodate addition of the "L" tower bracket.

"L" Tower Bracket - An "L" tower bracket can be ordered separately and fitted to any tower to support worksurfaces at 29½"H.

15⅝"W Tower
and "L" Tower Bracket




"L" Tower Bracket (page 371)

- Used to support a worksurface at 29½"H.
- Attaches using pre-drilled holes inside the tower.
- Can be attached to 18"D or 24"D towers.
- When using the "L" tower bracket, the depth of the worksurface and tower should be equal.
  18"D worksurface — 18"D tower
  24"D worksurface — 24"D tower
- "L" tower bracket is for use with laminate and painted wood storage only.

Wood Storage

Overhead storage components maximize the use of space in the workstation and also provide convenient access to binders, reference materials, software packages, and miscellaneous supplies. There are three options available in laminate and painted wood: overhead, overhead with nitch, and shelf with nitch.

Overhead cabinets are available with hinged or sliding doors. Overhead cabinets with nitch are available as open, or with hinged or sliding doors. Door fronts on overhead storage are available in painted wood.




Product Dimensions

Overhead Storage Cabinet	
Width	24", 30", 36", 42", 48", 60"
Inside width	22⅜", 28⅜", 34⅜", 40⅜", 46⅜", 58⅜"
Depth	14"
Inside depth	11¾"
Height	15"
Inside height	13½"


Shelf with Nitch	
Width	24", 30", 36", 42", 48", 60"
Inside width	22⅜", 28⅜", 34⅜", 40⅜", 46⅜", 58⅜"
Depth	14"
Inside depth	11¾"
Height	4⅝"
Inside height	3⅞"


Overhead Storage Cabinet with Nitch	
Width	24", 30", 36", 42", 48", 60"
Inside width	22⅜", 28⅜", 34⅜", 40⅜", 46⅜", 58⅜"
Depth	14"
Inside depth	11¾"
Height	19⅝"
Inside height	13½"
Cabinet Inside height	13⅞"
Nitch Inside height	3⅞"

LED undercabinet light can be mounted beneath laminate or painted wood overhead cabinets for a low profile lighting option. (Do not use recessed tasklights with painted wood storage.)



Cord retainer clips fasten into panel slots to anchor power cords. Available in black only. Three clips ship with each LED undercabinet light.






Horizontal Wall-Mount Brackets (page 372)
- Use to attach an overhead directly to wall.
- Attachment hardware not included.

Undercabinet LED Light (page 372)
- Low profile energy-efficient LED tasklight for use with overhead storage cabinets.
- 15W power supply (0.125 amp).
- 3500K color temperature.
- 95 footcandles at 18".
- Magnetic or screw-mount option — attachment hardware included.
- Power drive is attached to plug: allow 1⅞"D space at outlet.
- Includes 3 cord retainer clips.
- For daisy chain capabilities and additional information see page 992.

Tackboards (page 372)
- 15"H tackboards are designed to work with overheads with nitch.
- 20"H tackboards are designed to work with overheads without nitch.
- Wall-mounted tackboards come with brackets to mount to wall. Does not require wall track.

Wood Storage


Stride® — Working with Horizontal Storage



Product Dimensions

Full Depth Horizontal Storage Cabinet	
Width	24", 30", 36", 42", 48", 60"
Inside width	22⅜", 28⅜", 34⅜", 40⅜", 46⅜", 58⅜"
Depth	15"
Inside depth	12½"
Height	15"
Inside height	13½"

Shared Horizontal Storage Cabinet	
Width	30", 36", 42", 48", 60"
Inside width	13¾", 16¾", 19¾", 22¾", 28¾" (per user side)
Depth	15"
Inside depth	13½"
Height	15"
Inside height	13½"




Horizontal Storage Mounting Kits (page 373)

- Unique mounting kits for: full depth horizontal, shared horizontal based on panel width, and credenza rail mount

Wood Storage


Stride® — Working with Perch Cabinets



Product Dimensions		
Perch Cabinet	**Perch Cabinet with Nitch**	**Perch Cabinet with Drawers**
Width 30"	**Width** 30"	**Width** 30"
Inside width 28½"	**Inside width** 28½"	**Inside width** 28½"
Depth 14"	**Depth** 14"	**Depth** 14"
Inside depth 12"	**Inside depth** 12"	**Inside depth** 12"
Height 19½"	**Height** 19½"	**Height** 19½"
Inside height 17⅞"	**Cabinet inside height** 13¼"	**Cabinet inside height** 13¼"
	Nitch inside height 3⅞"	**Drawer inside height** 3"
	Nitch inside width 14" (each side)	**Drawer inside width** 11⅛"

Wood Storage

For specification information see pages 345-351. (See page 1005 for COM pricing on fabric Grades 9-22.)



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Ped/Credenza Cushions — 18"D											
15⅝"W	**K5CT1815SC**	$ 383	$ 416	$ 447	$ 479	$ 521	$ 563	$ 605	$ 647	$ 624	$ 795
18"W	**K5CT1818SC**	$ 408	$ 441	$ 472	$ 504	$ 546	$ 588	$ 630	$ 672	$ 649	$ 820
24"W	**K5CT1824SC**	$ 438	$ 471	$ 502	$ 534	$ 576	$ 618	$ 660	$ 702	$ 679	$ 850
30"W	**K5CT1830SC**	$ 473	$ 506	$ 537	$ 569	$ 611	$ 653	$ 695	$ 737	$ 714	$ 885
36"W	**K5CT1836SC**	$ 532	$ 565	$ 596	$ 628	$ 670	$ 712	$ 754	$ 796	$ 773	$ 944
42"W	**K5CT1842SC**	$ 530	$ 563	$ 594	$ 626	$ 668	$ 710	$ 752	$ 794	$ 771	$ 942
48"W	**K5CT1848SC**	$ 549	$ 582	$ 613	$ 645	$ 687	$ 729	$ 771	$ 813	$ 790	$ 961

COM Yardage: 0.7 yards, 15⅝"W and 18"W yield one cushion. COL 3.5 sq.ft. 15⅝"W and 18"W; 7 sq.ft. others. No vinyls.

How to specify —

Select the Model Number from above.

1st Option:

Seat Cushion Upholstery:


Specify Seating upholstery.

Example: **K5CT1815SC.BOX14**

S ***Shippable by small-package carrier.***

Wood Storage

For specification information see pages 352-353.



Description	Model		List Price
Wireway Grommet			
Pack of 6 (Black only)	**TAWG**	S	**$ 195**

How to specify —	*1st Option:*
Select the Model Number from above.	**Color:** **E4** Black

Z _____ . **E4**

Examples: **TAWG.E4**


S *Shippable by small-package carrier.*

Wood Storage


Stride® — 4-Wire Electrical Components

For specification information see pages 354-360.







Description	Model	List Price
Desking Power Jumpers, 4-wire, Two-circuit		
0"W Desking Power Jumper	**AE4-DJ0S** S	$ 70
6"W Desking Power Jumper	**AE4-DJ6S** S	$ 127
12"W Desking Power Jumper	**AE4-DJ12S** S	$ 142
18"W Desking Power Jumper	**AE4-DJ18S** S	$ 155
24"W Desking Power Jumper	**AE4-DJ24S** S	$ 172
30"W Desking Power Jumper	**AE4-DJ30S** S	$ 191
36"W Desking Power Jumper	**AE4-DJ36S** S	$ 203
42"W Desking Power Jumper	**AE4-DJ42S** S	$ 225
48"W Desking Power Jumper	**AE4-DJ48S** S	$ 242
54"W Desking Power Jumper	**AE4-DJ54S** S	$ 274
60"W Desking Power Jumper	**AE4-DJ60S** S	$ 292
66"W Desking Power Jumper	**AE4-DJ66S** S	$ 310
72"W Desking Power Jumper	**AE4-DJ72S** S	$ 321
78"W Desking Power Jumper	**AE4-DJ78S** S	$ 341
84"W Desking Power Jumper	**AE4-DJ84S** S	$ 354
90"W Desking Power Jumper	**AE4-DJ90S** S	$ 371
96"W Desking Power Jumper	**AE4-DJ96S** S	$ 383
102"W Desking Power Jumper	**AE4-DJ102S** S	$ 405
108"W Desking Power Jumper	**AE4-DJ108S** S	$ 415
114"W Desking Power Jumper	**AE4-DJ114S** S	$ 426
126"W Desking Power Jumper	**AE4-DJ126S** S	$ 459
132"W Desking Power Jumper	**AE4-DJ132S** S	$ 471
138"W Desking Power Jumper	**AE4-DJ138S** S	$ 479
144"W Desking Power Jumper	**AE4-DJ144S** S	$ 491



Duplex Receptacles, 4-wire — with mounting bracket (ES Silver only)		
Circuit 1	**AE4-DD1** S	$ 135
Circuit 2	**AE4-DD2** S	$ 135



Base Electrical, 4-wire Infeed Cable (Black only)		
72" Sealtight Cable	**AE4-PS72** S	$ 371
144" Sealtight Cable	**AE4-PS144** S	$ 541



Hardwire, 4-wire Infeed (New York Code)		
	AE4-HW S	$ 485


How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Color:** **P** Black	**Duplex Receptacle Color:** **ES** Silver	**Worksurface Power/Data Module Color:** **PR6** Silver
_____ . P		E S	P R 6

Examples: **AE4-DJ66S.P** **AE4-PS72.P** **AE4-DD2.ES**

S *Shippable by small-package carrier.*

Wood Storage

For specification information see pages 361-362.



Description	Model		P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
"L" Tower Bracket — for Painted Wood Towers					
"L" Tower Bracket for 18"D or 24"D	**Z6LB**	S	$ 89	$ 111	$ 129

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint Color:** P1 P2 P3
Z _____ .	**P** ___


Examples: **Z6LB.PJW**

S *Shippable by small-package carrier.*


Wood Storage

Stride® — Overhead Cabinets

For specification information see pages 363-364. (See page 1005 for COM pricing on fabric Grades G-J.)





Description	Model	List Price
Horizontal Wall-Mount Brackets — for use with Painted Wood Overhead Cabinets		
24"W	YWC24Z	$ 132
30"W	YWC30Z	$ 152
36"W	YWC36Z	$ 165
42"W	YWC42Z	$ 187
48"W	YWC48Z	$ 203
60"W	YWC60Z	$ 249





Description	Model	List Price
Undercabinet LED Lights (white end caps)		
17" Undercabinet LED Tasklight	ALED17U S	$ 1121
31" Undercabinet LED Tasklight	ALED31U S	$ 1681





Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
15"H Wall-Mounted Tackboards — for use with Overheads with Nitch							
30"W	ZWMTB1530 S	$ 1020	$ 1044	$ 1068	$ 1106	$ 1142	$ 1181
36"W	ZWMTB1536 S	$ 1032	$ 1062	$ 1089	$ 1133	$ 1179	$ 1225
42"W	ZWMTB1542 S	$ 1052	$ 1085	$ 1117	$ 1171	$ 1223	$ 1277
48"W	ZWMTB1548 S	$ 1066	$ 1104	$ 1140	$ 1201	$ 1262	$ 1321
60"W	ZWMTB1560 S	$ 1092	$ 1140	$ 1184	$ 1260	$ 1336	$ 1411

20"H Wall-Mounted Tackboards — for use with Overheads without Nitch							
24"W	ZWMTB2024 S	$ 1053	$ 1078	$ 1103	$ 1144	$ 1183	$ 1224
30"W	ZWMTB2030 S	$ 1070	$ 1102	$ 1132	$ 1184	$ 1234	$ 1283
36"W	ZWMTB2036 S	$ 1082	$ 1120	$ 1156	$ 1217	$ 1278	$ 1337
42"W	ZWMTB2042 S	$ 1103	$ 1148	$ 1190	$ 1261	$ 1331	$ 1402
48"W	ZWMTB2048 S	$ 1111	$ 1161	$ 1209	$ 1289	$ 1371	$ 1452
60"W	ZWMTB2060 S	$ 1135	$ 1197	$ 1257	$ 1359	$ 1460	$ 1560

How to specify —

Select the Model Number from above.

1st Option:

Tackboard Fabric:

See page 15 for fabrics.


_____ . _____

Examples: **YWC24Z ALED17U ZWMTB1530.COA901**

S *Shippable by small-package carrier.*

Wood Storage

For specification information see pages 365-366.



Description	Model	List Price
Full Depth Horizontal Storage Mounting Kit		
Panel Mounting Kit	**ZHFPMK** S	$ 210
Shared Horizontal Storage Mounting Kits		
30"W Panel Mounting Kit	**ZHSPMK30** S	$ 267
36"W Panel Mounting Kit	**ZHSPMK36** S	$ 283
42"W Panel Mounting Kit	**ZHSPMK42** (shown) S	$ 295
48"W Panel Mounting Kit	**ZHSPMK48** S	$ 314
60"W Panel Mounting Kit	**ZHSPMK60** S	$ 327

How to specify —

Select the Model Number from above.

1st Option:

Paint Color for Mounting Kits *(if applicable)*:

P1 P2 P3

P2 add $24
P3 add $45


Z _____ . P ___

Examples: **ZHSPMK30.P4J** **ZHFPMK.PJW**


S *Shippable by small-package carrier.*

Benching Storage

For specification information see page 367.



Description	Model	List Price by Grade 1	2	3	4	5	6	7	8	9	10	11	12
Seat Cushion for Toy Box and Combination Storage													
15"D x 24"W	**K5CT1524SC** S	$ 439	$ 474	$ 509	$ 542	$ 590	$ 635	$ 679	$ 724	$ 770	$ 817	$ 862	$ 906
Seat Cushion for Mobile Pedestal													
18"D x 15"W	**K5CT1815SC** S	$ 383	$ 416	$ 447	$ 479	$ 521	$ 563	$ 605	$ 647	$ 688	$ 730	$ 771	$ 815



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Tackable Cantilever Storage Accessory							
for use with 42½"H Single-Sided Cantilever Unit	**ZS42SF** S	$ 551	$ 584	$ 615	$ 667	$ 718	$ 770
for use with 50"H Single-Sided Cantilever Unit	**ZS50SF**	$ 653	$ 703	$ 750	$ 829	$ 908	$ 988

STRIDE
SHARED COMPONENTS


How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Upholstery for Seat Cushion:** See pages 12 for upholsteries.	**Fabric for Cantilevered Storage Accessory:** See page 13 for fabrics.	**Trim Paint for Cantilevered Storage Accessory:** P1 P2 P3 See page 168 for finishes.
_____ .	_____ .	_____ .	P_____

Examples: **K5CT1524SC** **ZS50SF.EXG903.P27**

S *Shippable by small-package carrier.*


Metal Overheads

Stride® — Working with Overhead Storage and Shelves




Product dimensions


Overhead Storage Cabinet	
Width	24", 30", 36", 42", 48", 60"
Inside width	Flipper or 24" -36"W Hinged door — ⅜" less than width 42"-48"W Hinged or Sliding door — two compartments that are half of ⅜" less than width
Depth	14¼" RTA models 12"
Inside depth	12⅞" Receding door 12⅛" RTA models 11⅝"
Height	15"
Inside height	12¾" Receding door 11⅝" RTA models 12¾"
Open Shelf	
Width	24", 30", 36", 42", 48", 60"
Depth	12⅞" RTA models 11½"
Height	4⅝" RTA models 5⅜"




Recessed task lights can be mounted beneath storage shelves and overhead storage cabinets. Additional panel hung and freestanding lighting options are available.
Note: Do not use with laminate or painted wood storage.



Cord retainer clips fasten into panel slots to anchor power cords. Available in black only. Clips are provided with under-shelf mounted task lights. Additional clips can be purchased separately.




Overhead storage cabinets and open storage shelves can be mounted on Stride structural and stacking panels to a maximum height of 80". When mounting an overhead on a 57½"H base panel frame, select the option for Z57 bracket. For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected. Base panel frames with stacking frames that have an overall height of 57½" also use the YZ bracket.




In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side. Do not suspend more than one overhead storage unit per side from panels in a panel run which is mounted, at one or both ends, with an off-module connector kit.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


- Stacking frames should be added to all the parent run panels, and to each return-panel run.
- Stacking panels added to return panel must match the parent run configuration.
- A maximum of two overhead storage units should be suspended from each side of stacking frames on any given panel.



Metal Overhead Cabinets can be mounted on a panel equal to or up to 18" narrower than cabinet using provided panel attachment brackets.




Storage shelf, receding door overhead, RTA overhead, and RTA shelf width must correspond with width of panel(s). It is possible to span two panels when combined panel width equals cabinet or shelf width.




Up to 5 units can be hung on structural frames when run is supported with return panels on each side of storage shelves or overhead storage cabinets.

Metal Overheads


Overhead Storage Cabinets




Metal Case with Single Sliding Door



Metal Case with Metal Flipper Door




Metal Case with Metal Hinged Doors



Metal Case with Metal Receding Door

Open Shelf



WEIGHT LIMITS

15"H Sliding, Hinged, and Flipper Door Overheads


24"W..... 59 lbs.
30"W..... 74 lbs.
36"W..... 90 lbs.
42"W..... 105 lbs.
48"W..... 121 lbs.
60"W..... 152 lbs.


Open Shelf


24"W..... 61 lbs.
30"W..... 77 lbs.
36"W..... 93 lbs.
42"W..... 108 lbs.
48"W..... 124 lbs.
60"W..... 155 lbs.

15"H Receding Door Overheads

30"W..... 70 lbs.
36"W..... 85 lbs.
42"W..... 100 lbs.
48"W..... 110 lbs.
60"W..... 138 lbs.







15"H Overhead Storage Cabinet (page 378)

- Steel cabinet with backstop. Cabinets are 14¼"D x 15"H.
- Available with sliding, hinged, or flipper door(s).
- Easy-Assist flipper door optional — requires minimal assistance in opening and closing. Not available on 60"W cabinets, specify 2–30"W flipper door cabinets with Easy-Assist.
- Self-engaging safety latch to secure cabinet to panel.
- Arch or Square pull optional on flipper and hinged doors.
- 60"W flipper cabinet has 2–30"W doors with 2 independent locks.
- 24"-36"W hinged door cabinets have 1 lock and 2 optional pulls, 42"-48"W have 2 locks and 4 optional pulls.
- Accommodates recessed task lighting — ordered separately.
- For locking specifications, see pages 998-1000.
- 15"H cabinets can be mounted on a panel equal or up to 18" narrower than the cabinet using provided panel attachment brackets.
- Sliding doors have a built in pull.
- When mounting an overhead on a 57½"H base panel frame, select the option for Z57 bracket. For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected. Base panel frames with stacking frames that have an overall height of 57½"H also use the YZ bracket.

Open Shelf (page 379)

- Metal shelf with back stop. Locking clips (2) standard.
- Will accommodate recessed task lighting —ordered separately.
- Width can correspond with width of panel, or 2 panels joined without a connector.

Upmount Kits for Assembled Overhead Cabinets (page 378)

- Consists of two upmount brackets, full back panel and required installation hardware.
- Allows mounting of an assembled cabinet up to 15" above height of panel. Cannot be used with RTA models.
- Specify "Z2" prefix model number upmount kits with 15"H, 30"H, 35"H, 50"H, or 65"H frames; and "Z4" prefix model numbers for use with 22½"H, 42½"H, or 57½"H frames.
- Brackets require a clearance of 6" below bottom of overhead cabinet.
- Width must correspond with width of panel frame or 2 panel frames joined directly in-line.
- Full back panel adds ½" to depth of overhead case.
- Full back panel only used when upmounting cabinet.

Horizontal Wall Track (page 378)

- Allows mounting overheads on permanent wall structures ONLY.
- Cannot be used with RTA models.
- Track is 60"W and notched at 6" intervals as a guide for field cutting.
- Field modification necessary for use with sliding door overhead.
- Available in black only. Attachment hardware not included.

15"H Receding Door Overhead (page 379)

- Steel cabinet with open back. Optional back ordered separately.
- Arch or Square pull optional.
- 60"W cabinet has 2 30"W doors with 2 independent locks.
- Accommodates recessed task lighting — ordered separately.
- For locking specification, see pages 998-1000.
- Cabinets are 13¼"D x 15"H. When door is recessed, interior dimensions are 12⅛"D x 11⅛"H.

Receding Door Overhead Back (page 379)

- Optional, order width to match receding door overhead.

Ready to Assemble (RTA) Flipper Door Overhead (page 379)


- Steel cabinet with open back.
- 60"W and 72"W cabinets have 2 doors with independent locks.
- Accommodates recessed task lighting — ordered separately.
- Random keying, for locking specifications see pages 998-1000.
- Cabinets are 12"D x 15"H. Interior dimensions 11⅛"D x 12¾"H.

Ready to Assemble (RTA) Shelf (page 379)


- Metal shelf with locking clips.
- Accommodates recessed task lighting — ordered separately.

Metal Overheads & Shelves

For specification information see pages 375-377.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
15"H x 14¼"D Sliding Single Door Overhead Cabinets				
24"W	**OH1524SD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530SD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536SD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542SD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548SD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560SD**	$ 1725	$ 1811	$ 1893




15"H x 14¼"D Flipper Door Overhead Cabinets				
24"W	**OH1524FD**	$ 1116	$ 1202	$ 1284
30"W	**OH1530FD**	$ 1140	$ 1226	$ 1308
36"W	**OH1536FD**	$ 1196	$ 1282	$ 1364
42 W	**OH1542FD**	$ 1250	$ 1336	$ 1418
48"W	**OH1548FD**	$ 1307	$ 1393	$ 1475
60"W	**OH1560FD**	$ 1725	$ 1811	$ 1893

Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.
For "Easy-Assist" on 24"W-48"W change FD suffix to FE – add $257



15"H x 14¼"D Hinged Door Overhead Cabinets				
24"W	**OH1524HD**	$ 1909	$ 1994	$ 2076
30"W	**OH1530HD**	$ 1995	$ 2080	$ 2162
36"W	**OH1536HD**	$ 2089	$ 2174	$ 2256
42 W	**OH1542HD**	$ 2177	$ 2262	$ 2344
48"W	**OH1548HD**	$ 2258	$ 2343	$ 2425

Note: Add suffix **A** for arch pull or **S** for square pull to model number — add $46 per pull.



Upmount Kits for Overhead Cabinets —
Specify "Z4" prefix models with 22½"H, 42½"H, or 57½"H frames; "Z2" prefix for other heights.


24"W	**Z␣UP24** [S]	$ 290	$ 322	$ 350
30"W	**Z␣UP30** [S]	$ 303	$ 335	$ 363
36"W	**Z␣UP36** [S]	$ 311	$ 343	$ 371
42"W	**Z␣UP42** [S]	$ 328	$ 360	$ 388
48"W	**Z␣UP48** [S]	$ 344	$ 376	$ 404
60"W	**Z␣UP60** [S]	$ 368	$ 400	$ 428



Shelf Dividers

Package of 6	**T7DV** [S]	$ 150	$ 170	$ 182

Note: Not compatible with RTA models.



Horizontal Wall Track

60"W Track	**TWTH** [S]	$ 146	N/A	N/A


How to specify — Select the Model Number from above.	*1st Option:* **Pull** *(if applicable)*:	*2nd Option:* **System** *(if applicable)*:	*3rd Option:* **Paint:** (P1) (P2) (P3)	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Lock Type:** *(if applicable)*:
	A Arch pull, add $46 per pull **S** Square pull, add $46 per pull	**YZ** Stride or Terrace (except 57"H) **Z57** Stride or Terrace 57"H	See page 168 for finishes.	**Arch:** **E4** Black **EL** Matte Silver **Square:** **EL** Matte Silver	**STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)
_____	. _____	. _____	P _____	. E _____	. _____

Examples: **OH1524FEA.YZ.P4J.E4.STD** **OH1548FDS.YZ.P52.EL.OMT** **OH1560SD.YZ.PR2.STD** **ZS24.P4J** **T7DV.P7D** **TWTH.P27**

[S] ***Shippable by small-package carrier.***

Metal Overheads


For specification information see pages 375-377.



15"H x 13¼"D Receding Door Overheads (Inside dimensions with door recessed — 11⅝"H x 12⅛"D)


30"W	**OH1530RD**	$ 1309	$ 1395	N/A
36"W	**OH1536RD**	$ 1381	$ 1467	N/A
42"W	**OH1542RD**	$ 1467	$ 1553	N/A
48"W	**OH1548RD**	$ 1590	$ 1676	N/A
60"W	**OH1560RD**	$ 2404	$ 2490	N/A

Note: Add Suffix **A** for arch pull or **S** for square pull option — add $46 per pull.




15"H x 12"D Ready to Assemble (RTA) Flipper Door Overhead (Inside dimensions 12¾"H x 11⅝"D)

36"W RTA — Flipper Door	**POHRTA1536FD**	$ 939	$ 1025	$ 1107
42"W RTA — Flipper Door	**POHRTA1542FD**	$ 980	$ 1066	$ 1148
48"W RTA — Flipper Door	**POHRTA1548FD**	$ 1022	$ 1108	$ 1190



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Open Shelf (to line up with 15"H Overheads) — 12½"D				
24"W	**ZS24** S	$ 477	$ 508	N/A
30"W	**ZS30** S	$ 517	$ 548	N/A
36"W	**ZS36** S	$ 545	$ 576	N/A
42"W	**ZS42** S	$ 570	$ 601	N/A
48"W	**ZS48** S	$ 598	$ 629	N/A
60"W	**ZS60**	$ 728	$ 759	N/A



5⅝"H x 12"D Ready to Assemble (RTA) Shelf

36"W RTA — Shelf	**POHRTA36S**	$ 489	$ 519	$ 544
48"W RTA — Shelf	**POHRTA48S**	$ 538	$ 568	$ 593

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**Receding Door Pull** *(if applicable)*: **A** Arch Pull, add $46 per pull **S** Square Pull, add $46 per pull	**System for Receding Door Overhead** *(if applicable)*: **YZ** Stride, Terrace, or Concensys **Z57** 57½"H Stride or Terrace	**Paint:** P1 P2 P3 *P3 available for Open Shelf and RTA Shelf only.* See page 168 for finishes.	**Receding Door Pull Color** *(if applicable)*: **Arch:** **E4** Black **EL** Silver **Square:** **EL** Silver	**Receding Door Lock** *(if applicable)*: **STD** Standard **OMT** Omit Lock Core (Deduct $20 per lock)
_____	_____ .	_____ .	P_____	E_____ .	_____

Examples: **OH1560RD.YZ.P7C.STD** **OH1536RDA.YZ.P27.E4.OMT** **POHRTA1536FD.P27**

S *Shippable by small-package carrier.*

Notes

Mural Benching

Finishes 382-385
Introduction to Mural 386
Statement of Line 387
Overview 388
Planning Guidelines 389-392
Working with Electrical & Data 393-397
Fence
Frame, Tiles and Connectors 398-400
Integrated Height-Adjustable Tables
Worksurfaces and Bases 401-403
Wire and Cable Management 404-405
Privacy
Screen Frames 406
Screens 407-413
No-Screen Kits 414
Accessories 415
Freestanding Screen 416
Accessories
Electrical 415-419

Mural Benching

PAINT FINISHES

FRAME, TILE, CONNECTORS, END TRIM, SHELVES, NO SCREEN FILLER KIT, WIRE MANAGER TROUGH, POWER POLE, PANEL FEET, STIFFENERS, MARKERBOARD TRAY

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent P8A

INTEG. DESK

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Nickel P8L
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Silver PR6

GRADE P3

Bullseye ..... PJF
Regatta P8M

PAINT FINISHES – cont'd

COLLABORATIVE BOARD

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent P8A

GRADE P6

Markerboard White ..... MKP

PLANTER

GRADE P1

Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V

GRADE P2

Silver Texture PR8
Solar Black P8X

SCREEN FINISHES

FABRIC SCREENS

GRADE A - APPOINT PANEL

100% Polyester

Artichoke APN911
Blackberry APN932
Bronze APN922
Carbon APN928
Chai APN912
Cherry APN930
Dark Pewter APN917
Dune APN915
Espresso APN923
Frost APN934
Framboise APN931
Jet APN927
Lawn APN925
Mandarin APN929
Morel APN909
Nimbus APN916
Platinum APN924
Turquoise APN926

GRADE A - BINARY

83% Polyester, 17% Post-Consumer Recycled Polyester

Blush BNRY12
Coal BNRY06
Cream BNRY01
Denim BNRY08
Diamond BNRY03
Graphite BNRY05
Juniper BNRY10
Lagoon BNRY07
Lavender BNRY11
Mineral BNRY04
Reef BNRY09
Sand Dollar BNRY02

GRADE A - ETCH

100% Polyester

Axis ECH913
Blend ECH914
Cast ECH912
Highlight ECH910
Midtone ECH911
Outline ECH908
Shade ECH909
Tonal ECH916
Vanish ECH915

GRADE A - LANDSCAPE

48% Post-Consumer Recycled Polyester, 40% Pre-Consumer Recycled Polyester, 12% Polyester

Cornsilk LN15
Drift LN05
Khaki LN20
Sheen LN10
Slate LN35
Umber LN25
Urban LN30

SCREEN FINISHES – cont'd

FABRIC SCREENS – cont'd

GRADE A - NOBLE

60% Post-Consumer Recycled Polyester

Aegean NBLE18
Amethyst NBLE19
Aspen NBLE14
Aster NBLE20
Blossom NBLE21
Bluebell NBLE22
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Chamomile NBLE23
Clementine NBLE04
Conifer NBLE24
Cottage NBLE25
Darkness NBLE26
Dawn NBLE13
Denim NBLE09
Desert Sand NBLE27
Dewfall NBLE28
Dusted Sage NBLE29
Flax NBLE30
Grass NBLE07
Gunmetal NBLE15
Harmony NBLE31
Harvest NBLE12
Ice Caves NBLE32
Icicle NBLE33
Inky NBLE34
Iris NBLE35
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Monarch NBLE36
Pacific NBLE08
Pitch NBLE37
Queen Bee NBLE38
Rainforest NBLE05
Regal NBLE11
Sandcastle NBLE39
Sedona NBLE40
Stormy NBLE16
Sunbeam NBLE41
Voyager NBLE42
Windy Day NBLE43

GRADE A - REFLECTIONS

56% Pre-Consumer Recycled Polyester, 44% Post-Consumer Recycled Polyester

Galvanized REF929
Ice REF920
Loggia REF921
Mistral REF928
Moonstone REF923
Pewter REF922
Stainless REF924
Vanilla REF925
Winter REF927

GRADE A - REFUGE

46% Polyester, 35% Pre-Consumer Recycled Polyester, 19% Post-Consumer Recycled Polyester

Artesian RFG996
Dune RFG992
Eclipse RFG990
Frost † RFG993
Glacier † RFG991
Mineral RFG998
Tidal RFG994

GRADE B - TEMPEST

73% Pre-Consumer Recycled Polyester, 27% Post-Consumer Recycled Polyester

Dragonfly TP930
Frost TP915
Full Stream TP980
Gold Rush TP910
Slate TP945
Tumbleweed TP970
Wind Chill TP940
Zebra TP935

SCREEN FINISHES – cont'd

FABRIC SCREENS – cont'd

GRADE B - COAST

100% Polyester

Channel COA914
Dune COA903
Headlands COA910
Marsh COA902
Pebble COA912
Pier COA913
Shoal COA901
Silt COA906
Tide COA908

GRADE B - DISPERSE

100% Polyester

Autumn DISP03
Branch DISP10
Coffee Bean DISP13
Dusk DISP09
Emerald City DISP08
Gold Rush DISP02
Igloo DISP11
Ink DISP06
Mist DISP12
Oatmeal DISP15
Prince DISP07
Reservoir DISP01
Rose DISP04
Spring DISP05
Steel DISP16
Taupe DISP14

GRADE B - SPIN PANEL

54% Polyester, 30% Pre-Consumer Recycled Polyester, 16% Post-Consumer Recycled Polyester

Alabaster SPIN02
Cavern SPIN03
Cobblestone SPIN04
Ember SPIN06
Flame SPIN07
Heron SPIN13
Oat SPIN01
Ocean SPIN12
Plum SPIN15
Pool SPIN11
Raven SPIN10
Rhubarb SPIN14
Tropic SPIN08
Willow SPIN05

GRADE B - TERRAIN

48% Polyester, 34% Pre-Consumer Recycled Polyester, 18% Post-Consumer Recycled Polyester

Bay TRRN05
Bayou TRRN35
Canyon TRRN30
Cliff TRRN45
Crest TRRN25
Delta TRRN10
Plateau TRRN15
Ridge TRRN20
Valley TRRN40

SCREEN FINISHES – cont'd

SEATING

GRADE 1 - CENTURION[W]

100% Polyester

Apricot CU47
Bark CU25
Black CU10
Espresso CU49
Fog CU03
Frost CU22
Goldenrod CU27
Indigo CU06
Iris CU50
Iron Ore CU19
Jade CU83
Marsala CU63
Morel CU24
Navy CU98
Peacock CU97
Pear CU84
Ruby CU67
Sapphire CU09

GRADE 1 - DAPPER[W]

100% Polyester

Ash DAPR20
Breeze DAPR06
Canvas DAPR25
Charcoal DAPR01
Clover DAPR22
Currant DAPR00
Fawn DAPR35
Fern DAPR85
Gerbera DAPR16
Grape DAPR33
Jewel DAPR08
Marigold DAPR65
Onyx DAPR10
Orchid DAPR90
Parrot DAPR59
Poppy DAPR19
Sapphire DAPR07
Scarlet DAPR45
Sepia DAPR30
Sky DAPR44
Slate DAPR15
Sorbet DAPR55
Spring DAPR80
Terracotta DAPR13
Titanium DAPR17
Varsity DAPR09
Zest DAPR70

[W]Limited to 48"W or less

VENEER SCREENS

GRADE 2 - STRATAWOOD CHERRY

Cinnamon Cherry SC260
Lowell Ash SC394
Clear Cherry SC700
Shaker Cherry SC774
Light Cherry SC701
Burnished Cherry SC777

GRADE 2 - STRATAWOOD MAPLE

Clear Maple SE800
Harvest Maple SE856
Phantom Ecru SE912
Field Elm SE599
Belair SE934
Beigewood SE878

GRADE 2 - STRATAWOOD SILVER OAK

Portico Teak SB150
Clear SB100

GRADE 2 - STRATAWOOD RIFT OAK

Clear Oak SF300
Dark Rift Oak SF331

SCREEN FINISHES – cont'd

VENEER SCREENS – cont'd

GRADE 2 - STRATAWOOD WALNUT

Light Walnut ST601
Skyline Walnut ST625
Pinnacle Walnut ST679
Sumatra Walnut ST693
Florence Walnut ST579
Smoked Onyx RE697
Nutmeg Walnut RE629

GRADE 1 - ROTARY CUT MAPLE

Clear RC800

LAMINATE SCREENS

L1 ABSTRACT

Handspun Pearl ..... LAHP
Handspun ßDove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

L1 SOLID

Black ..... P
Brownstone LM13
Bungalow LM12
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1
Designer White 15051 ..... LDW1

L1 WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

L2 WOODGRAIN

Beigewood ..... LWBE
Lowell Ash LLA1
Natural Recon LNR1
Portico Teak sLPT1
Skyline Walnut LSW1
Veranda Teak LVT1
Fawn Cypress LFC1
Mangalore Mango LMM1
Phantom Ecru LPE1

L3 WOODGRAIN

Natural Walnut ..... LWNW

L4 MARKERBOARD

White Markerboard FMQ1

PET SCREENS

Dark Grey DGY4
Medium Grey DGY3
Light Brown. DBR1
Light Blue DLB1
Lightest Grey DGY2
Black. DBK1

MESH SCREENS

Chalk ..... CHK
Greystone ..... GRS
Pewter ..... PEW

GLASS SCREENS

Markerboard ..... LM

ACRYLIC SCREENS

Clear ..... ASC
Frosted ..... ASF

FREESTANDING SCREEN FINISHES

MURAL BENT SCREEN

GRADE 1 PAINT

Textured Salt P8Z

GRADE 2 PAINT

Solar Black P8X

FABRIC

Noble ..... NBLE

MURAL PRIVACY PANEL

GRADE 1 PAINT

Black P71
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE 2 PAINT

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE 3 PAINT

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent P8A

GRADE 6 PAINT

Markerboard White ..... MKP

MURAL PRIVACY PANEL

L1 ABSTRACT

Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC

L1 SOLID

Black ..... P
Brownstone LM13
Bungalow LM12
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1
Designer White 15051 ..... LDW1

L1 WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

Mural Benching

FREESTANDING SCREEN FINISHES – cont'd

L2 WOODGRAIN

Beigewood....LWBE
Lowell Ash....LLA1
Natural Recon....LNR1
Portico Teak....LPT1
Skyline Walnut....LSW1
Veranda Teak....LVT1
Fawn Cypress....LFC1
Mangalore Mango....LMM1
Phantom Ecru....LPE1

L3 WOODGRAIN

Natural Walnut....LWNW

EDGE OPTIONS:

Beigewood....DE
Belair....BA
Black....E4
Bourbon Cherry....H
Brownstone....EY
Bungalow....EX
Designer White....DW
Fawn Cypress....FC
Field Elm....FE
Flint....E9
Florence Walnut....FW
Fossil....EH
Kingswood Walnut....KI
Loft....EV
Lowell Ash....DL
Mangalore Mango....MM
Muslin....EU
Natural Maple....DD
Natural Recon....NR
Natural Walnut....DN
NeoWalnut....NU
Phantom Ecru....PE
Pinnacle....PI
Portico Teak....DP
Shaker Cherry....DF
Skyline Walnut....SW
Titanium....TI
Veranda Teak....VT

LAMINATE OPTIONS

FLAT EDGE INTEG. DESK TOP

GRADE L1 ABSTRACT

Ash....LT3B
Silver Mesh....LT8D
Handspun Pearl....LAHP
Handspun Dove....LAHD
Handspun Slte....LAHS
Handspun Chestnut....LAHC

GRADE L1 SOLID

Black....P
Brownstone....LM13
Bungalow....LM12
Flint....LM16
Fossil Shale....LEH1
Loft....LM11
Muslin....LM15
Titanium....LTI1
Designer White 15051....LDW1

GRADE L1 WOODGRAIN

Belair....LWBA
Bourbon Cherry....H
Field Elm....LWFE
Florence Walnut....LFW1
Kingswood Walnut....LKI1
Natural Maple....LWD
NeoWalnut....LNU1
Pinnacle....PINC
Shaker Cherry....LW7C

LAMINATE OPTIONS – cont'd

GRADE L2 WOODGRAIN

Beigewood....LWBE
Lowell Ash....LLA1
Natural Recon....LNR1
Portico Teak....LPT1
Skyline Walnut....LSW1
Veranda Teak....LVT1
Fawn Cypress....LFC1
Mangalore Mango....LMM1
Phantom Ecru....LPE1

GRADE L3 WOODGRAIN

Natural Walnut....LWNW

FLAT EDGE OPTION

Beigewood....DE
Belair....BA
Black....E4
Bourbon Cherry....H
Brownstone....EY
Bungalow....EX
Designer White....dw
Fawn Cypress....FC
Field Elm....FE
Flint....E9
Florence Walnut....FW
Fossil....EH
Kingswood Walnut....KI
Loft....EV
Lowell Ash....DL
Mangalore Mango....MM
Muslin....EU
Natural Maple....DD
Natural Recon....NR
Natural Walnut....DN
NeoWalnut....NU
Parchment....EN
Phantom Ecru....PC
Pinnacle....PI
Platinum Metallic....EP
Plyband....PL
Portico Teak....DP
Shaker Cherry....DF
Skyline Walnut....SW
Titanium....TI
Veranda Teak....VT

EASED EDGE INTEG. DESK TOP

GRADE L1 SOLID

Designer White....LDW1
Loft....LM11

GRADE L1 WOODGRAIN

Natural Maple....LWD

GRADE L2 WOODGRAIN

Natural Recon....LNR1

SHELF

GRADE L1 ABSTRACT

Handspun Pearl....LAHP
Handspun Dove....LAHD
Handspun Slate....LAHS
Handspun Chestnut....LAHC

GRADE L1 SOLID

Black....P
Brownstone....LM13
Bungalow....LM12
Flint....LM16
Fossil Shale....LEH1
Loft....LM11
Muslin....LM15
Titanium....LTI1
Designer White 15051....LDW1

LAMINATE OPTIONS – cont'd

GRADE L1 WOODGRAIN

Belair....LWBA
Bourbon Cherry....H
Field Elm....LWFE
Florence Walnut....LFW1
Kingswood Walnut....LKI1
Natural Maple....LWD
NeoWalnut....LNU1
Pinnacle....PINC
Shaker Cherry....LW7C

GRADE L2 WOODGRAIN

Beigewood....LWBE
Lowell Ash....LLA1
Natural Recon....LNR1
Portico Teak....LPT1
Skyline Walnut....LSW1
Veranda Teak....LVT1
Fawn Cypress....LFC1
Mangalore Mango....LMM1
Phantom Ecru....LPE1

GRADE L3 WOODGRAIN

Natural Walnut....LWNW

EASED EDGE OPTION

GRADE L1 SOLID

Designer White....DW
Loft....EV

GRADE L1 WOODGRAIN

Natural Maple....DD

GRADE L2 WOODGRAIN

Natural Recon....NR

SHELF EDGE OPTION

Beigewood....DE
Belair....BA
Black....E4
Bourbon Cherry....H
Brownstone....EY
Bungalow....EX
Designer White....DW
Fawn Cypress....FC
Field Elm....FE
Flint....E9
Florence Walnut....FW
Fossil....EH
Kingswood Walnut....KI
Loft....EV
Lowell Ash....DL
Mangalore Mango....MM
Muslin....EU
Natural Maple....DD
Natural Recon....NR
Natural Walnut....DN
NeoWalnut....NU
Phantom Ecru....PE
Pinnacle....PI
Portico Teak....DP
Shaker Cherry....DF
Skyline Walnut....SW
Titanium....TI
Veranda Teak....VT

ENHANCED CONNECTOR OPTIONS

FLEX SLEEVE OPTIONS

Light....LT
Medium....MD
Dark....DK

ELECTRICAL AND DATA COMPONENTS

Black....E4
Brownstone....EY
Designer White....DW
Flint....E9
Loft....EV
Muslin....EU
Silver....ES

FABRIC WIRE MANAGER

GRADE 1

DAPPER

Ash....DAPR20
Breeze....DAPR06
Canvas....DAPR25
Charcoal....DAPR01
Clover....DAPR22
Currant....DAPR00
Fawn....DAPR35
Fern....DAPR85
Gerbera....DAPR16
Grape....DAPR33
Jewel....DAPR08
Marigold....DAPR65
Onyx....DAPR10
Orchid....DAPR90
Parrot....DAPR59
Poppy....DAPR19
Sapphire....DAPR07
Scarlet....DAPR45
Sepia....DAPR30
Sky....DAPR44
Slate....DAPR15
Sorbet....DAPR55
Spring....DAPR80
Terracotta....DAPR13
Titanium....DAPR17
Varsity....DAPR09
Zest....DAPR70

HAMILTON

Agave....HAML28
Azure....HAML10
Cabernet....HAML08
Caribbean....HAML29
Carolina....HAML21
Charcoal....HAML17
Cloud....HAML18
Dane....HAML16
Deep....HAML27
Dove Grey....HAML33
Garnet....HAML22
Granola....HAML19
Hearth....HAML34
Lilac....HAML14
Mellow....HAML25
Mossy Green....HAML26
Oxford....HAML20
Pepper....HAML15
Royalty....HAML31
Serene....HAML30
Sunny Day....HAML24
Terracotta....HAML23
Winter Sky....HAML32

MURAL

FABRIC WIRE MANAGER
cont'd

GRADE 3

MOXIE

Barnwood SX09
Basalt SX23
Bayou SX02
Bermuda SX52
Biscotti SX08
Blackberry SX48
Blarney SX49
Blueberry SX05
Bonsai SX20
Brigade SX53
Butterscotch SX54
Carob SX24
Chalk SX50
Chartreuse SX34
Cherry SX38
Cinnamon SX13
Cobalt SX01
Coconut SX06
Concrete SX43
Cozumel SX55
Cumin SX32
Dragonfly SX44
Dover SX56
Earl Grey SX40
Elysian SX04
Evergreen SX21
Fatigue SX18
Fawn SX30
Flint SX39
Forsythia SX57
Grenache SX58
Hazel SX31
Hemp SX45
Hickory SX25
Holly SX51
Jam SX16
Kelly SX33
Lemongrass SX19
Lime SX41
Macintosh SX12
Midnight SX59
Mulberry SX15
Muslin SX60
Pacifica SX61
Parchment SX07
Peacock SX03
Phantom SX62
Pineapple SX42
Plum SX17
Punch SX46
Riverstone SX47
Russet SX14
Smokestack SX22
Tangerine SX37
Terracotta SX11
Thicket SX35
Walnut SX10
Whirlwind SX63

PURL

(80% Polyester, 20% Acrylic)


Alpaca PURL08
Braid PURL10
Deep PURL12
Graze PURL05
Loom PURL06
Needle PURL07
Pasture PURL02
Ranch PURL04
Shuttle PURL09
Skein PURL01
Thistle PURL11
Yearling PURL03

Mural Benching

Mural offers a unique way to plan and divide space with a movable base structure that easily accommodates reconfiguration. A wide selection of inserts plus shelves, provide the desired privacy and functionality for each workspace; with movable and freestanding screens offering an additional level of privacy when needed. Integrated or freestanding height-adjustable surfaces allow users to change postures throughout the day for comfort and productivity. The result is a system that invites individuals to customize their workspace to fit their workstyle and reflect their personality.


It's All in the "Flex"

Mural's flex connector transforms a static station into an adaptable station. Bringing new meaning to organic configurations, Mural's possibilities are limitless.




Integrated Height-Adjustability

Mural stations can integrate 2-stage or 3-stage height-adjustable tables with ease. Freestanding height-adjustable tables can also be paired with Mural's fence.




Privacy to Fit Your Organization's Need

Vertical screen frames support a variety of screening options that support user comfort and privacy.



Mural Benching

FENCE & CONNECTORS




Non-Ported | Ported | Ported HAT | Specialty Ported | Specialty Ported HAT



Flex Connector




Enhanced Connectors




Simple Connectors

PRIVACY




Screen Frame



Fabric Screen | Mesh Screen | PET Screen | Laminate Screen | Veneer Screen | Glass Screen | Acrylic Screen

INTEGRATED HEIGHT-ADJUSTABLE TABLES


BASE




2-Stage | 3-Stage

**Adjustable leg kits and crossbars sold separately.*

WORKSURFACES




ACCESSORIES



Shelf | Planter | Screen Frame Cap | Marker Holder | Collaborative Board | Mobile Privacy Panel | Bent Screen*


**RH and LH*

POWER




User Access Trough Power | Wire Trough | Wire Manager | Power Pole

Mural Benching



NOTE: Mural Typicals can be found at https://www.allsteeloffice.com/design-resources/idea-starters.

Fence & Connectors




Fence:

- The fence is made up of a frame and tiles.
- Connectors attach to fence to create desired configurations.
- Screen Frames attach to top of fence for integrated vertical privacy solution.
- When screen frames are not specified, a No-Screen Frame Filler Kit (SAFILLERKITNF) should be specified.
- When screens are not used, a No-Screen Filler Kit should be specified to fill screen gap.
- In-line connections possible with and without connectors. Other connectors available, see connector section.
- Overall Depth: 2.6"
- Overall Height: 22"
- Overall Width: 30", 36", 42", 48", 54", 60", 66", 72", 84"


Frames:

- Pivoting foot included with frame.
- Pivoting foot dimensions: 17"L x 2"W.
- Pivoting foot allows for 3" of leveling adjustment.
- Pivoting foot can be turned in when adjacent to gallery panels, panel returns, and simple/enhanced connectors.
- Pivoting feet can be turned in when tethered to an integrated height-adjustable table.
- 30"W fence will only have room for one foot to be pivoted inwards.
- Frames > 60"W ship as two frames and are adjoined in the field.
- Pivoting feet must be turned out when using a 2-way Y connector on freestanding applications.
- Gallery panels must be at least 33"W x 42½"H and attached next to foot locations to turn feet in on single-sided applications.



Tiles:








- Painted steel tile.
- Specified as non-ported, ported, and integrated desk (always ported).
- 2 data knockouts per side for ported tiles.
- Specialty tiles available with data ports spaced 6" lower than power in both ported and HAT tiles.
- Tiles up to 54" come with 2 electrical knockouts per side.
- 60" and greater tiles have 4 electrical knockouts per side.
- Port cover model available for day 2 reconfigurations.
- Data ports are knock-outs and do not have to be used.



*Tiles shown are 48"W

Connectors:

- Organic and linear planning made possible through variety of connector options.
- Flex connector featuring knit cover, available in 3 colors.
- Flex connector enables end panels to be user movable.
- Enhanced connectors featuring knit cover available in X, Y, and T configurations.
- Simple Connectors available in straight, L, X, T, Y (2-way), and 7 (3-way) configurations.
- Enhanced connector top trim and simple connectors available in Allsteel standard paints.
- Use of extended straight connectors allow for equal length of run when there isn't a return fence specified.

Flex Connection	T-Connection	Y-Connection (3-way)	X-Connection	L-Connection	Y-Connection (2-way)	Straight Connection
						
						
SC12SFF	SC12TF/SC12TS	SC12YF/SC12YS3	SC12XF/SC12XS	SC12LS	SC12YS2	SC12SS

Screen Frames + Screens

Screen Frames + Screens


Screen Frames:
- Screen frame supports screens, shelves, and planters.
- Screen frame cap sold separately.
- Adds additional height to fence: 26"H (50"H), 34"H (57½"H), 41"H (65"H).
- Screen frame width only compatible with associated fence (30"W Screen Frame = 30"W fence).
- Screen frame aligner hardware must be used in linear application.
- When specifying in-line, fence connections screen frame heights must match.
- Available in Allsteel standard paints.
- Maximum of 10 lbs for decorative accents suspended from screen frame. Consider collaborative board within weight requirements.

Screens:
- Available in fabric, PET, mesh, acrylic, glass, laminate, and veneer.
- Screen heights must match screen frame height. Refer to screen frame compatibility for width requirements.
- Screen clamps attach screens to screen frame.
- Screen clamps available in Allsteel standard paints.
- Screen clamps hardware always silver. Clamping pads will always be black.
- See screen frame compatibility chart.
- Mesh does not need screen clamps.
- Veneer screens larger than 60" wide are available with horizontal grain only.

Screen Filler Kits:
- When two half screens are used within screen frame, SAFILLERKIT1 should be specified.
- When screens are not used, but a screen frame is specified, filler kits should be used to fill fence gaps. See screen filler compatibility chart.
- When no screens or screen frames are used, SAFILLERKITNF should be specified.

Shelves:
- Pill shape laminate shelf available in Allsteel standard laminates.
- Maximum 2 shelves per screen frame.
- Do not specify monitor arms with integrated height-adjustable tables and screen frame shelves.
- All desktop mounted accessories could interfere with shelves on applications with integrated height adjustability. This should be considered when choosing location of shelves on screen frame.
- Shelves come with all screen frame mounting hardware. Hardware will always be black. Shelf screen clamp and stiffener are available in standard Allsteel paint finishes.
- Shelf hardware is only compatible with Mural Screen frames.
- Shelves can support decorative accents with a maximum weight capacity of 25 lbs.
- Shelf is ¾" thick
- For applications with integrated height adjustability, the following shelf limitations apply: (1) no shelves can be used with 26"H screen frames, (2) 1 shelf can be used with 34"H screen frames, (3) 2 shelves can be used with 41"H screen frames.

Planters:
- Planters introduce biophilia and personality to the workstation.
- Mount directly to laminate shelves. Planter comes with pilot holes and hardware. Shelves do not have pilot holes to allow for flexibility in placement.
- One planter per shelf.
- Internal dimensions: 6"H, 6"D, 24"W.
- Does not come with liner.
- Available in 10 paint finishes.



Screen Frame Compatibility


Screen Frame	Full Width	Half Width
30"W	25"W	—
36"W	31"W	—
42"W	37"W	—
48"W	43"W	—
54"W	49"W	—
60"W	55"W	27"W x2
66"W	61"W	30"W x2
72"W	67"W	33"W x2
84"W	79"W – Mesh Only	39"W x2

Screen Filler Kit Compatibility


Screen Frame	Filler Kit	Half Screen
30"W	SAFILLERKIT25	—
36"W	SAFILLERKIT31	—
42"W	SAFILLERKIT37	—
48"W	SAFILLERKIT43	—
54"W	SAFILLERKIT49	—
60"W	SAFILLERKIT55	SAFILLERKIT27
66"W	SAFILLERKIT61	SAFILLERKIT30
72"W	SAFILLERKIT67	SAFILLERKIT33
84"W	SAFILLERKIT79	SAFILLERKIT39

Collaborative Screens

Model Numbers	Screen	Size Volume	Weight
SS1724M	17x24	17.0 in^3	4.8 lb
SS2724M	27x24	26.9 in^3	7.6 lb



Worksurface:




Mural Power Bay:
- User Access grommet conveniently tucks power and cords away into under worksurface tray.
- User access power possible through specifying Mural Power Bay grommet option, power, and wire management trough.
- Mural Power Bay grommet option specified on the .option. Grommet color is determined by laminate edge band.
- Grommet is always an oval and centered on worksurface, see visual above for dimensions.
- Power (SEDMUP) must be specified with either SEDMW20 or SEDMW30 to provide user access to power.

Collaborative Boards:
- User Movable, magnetic collaborative boards.
- Specify marker board paint for a writable surface option.
- Available in two sizes: 17"H x 24"W and 27"H x 24"W.

Bent Screens:
- Upholstered freestanding bent screen provides user privacy in solo stations and collaborative areas.
- Available as left-handed and right-handed.
- Foot is available in textured salt or solar black.
- Screen dimensions: 52"H x 68"W.

Wire Management:



- Under worksurface tray conveniently stores power strip and unneeded cords throughout the day.
- Tray is available Allsteel standard paints.
- 20"W trough compatible with 46"W and 52"W worksurfaces.
- 30"W trough compatible with worksurfaces 58"W and greater.
- Trough will always be black.
- Fabric wire manager offers a softer approach to wire management and discreetly routes cords to fence receptacles.
- Reference visual above for wire manager trough dimensions.

Integrated Height-Adjustable Bases:
- 2-stage (26½" to 45¾") and 3-stage (21¾" to 47½").
- 250 lbs weight rating.
- Tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- Memory control, basic up/down control, and paddle control available as an option.
- Compatible with 48" – 72" fence configurations.
- Height-adjustable legs and crossbar kit specified separately. Unique crossbar kits to accommodate single and dual sided applications as well as 22/23"D and 28/29"D worksurfaces.
- Dual sided crossbar kits should ONLY be specified when two integrated height-adjustable bases are specified.
- Must specify with Integrated HAT tile option.
- Leg seamlessly integrates into fence.
- 2½" of leveling adjustment.
- Radii hanging pedestals on single-sided integrated Mural height adjustable tables are not allowed from a stability perspective.
- On a double-sided application (integrated HATs on both sides of the fence) it is allowed, Radii hanging pedestals will need to sit inset of the height adjustable leg.

Note: Not TAA compliant unless ordered with a TAA compliant configurable end product.

		A3 (T-Leg)		A6 (C-Leg)	
		24"D	30"D	24"D	30"D
AUFD15N	Flush Undermount Pull-Out Drawer	○	○	○	●
AUFH15N/AUFHL15N	Flush Undermount RH/LH Hinge Door	○	○	○	●
AUFO15N	Flush Undermount Open Bin	○	○	○	●
AUCL15N/AUCL15U	Console Undermount L-Cube	○	○	○	○
AUCH15N/AUCH15U	Console Undermount RH Hinge Door	○	○	○	○
AUCHL15N/AUCHL15U	Console Undermount LH Hinge Door	○	○	○	○

Legend	
●	Works, unit may sit flush to LH or RH edge of worksurface
○	Works, unit must sit inset of height-adjustable leg

Mural Worksurfaces:
- Rectangular, Rounded, and Eased Edge worksurfaces available.
- Primary worksurface depths are 22"D, 23"D, 28"D, and 29"D.
- Mural Power Bay and standard grommet options available.
- Worksurfaces compatible with all integrated height-adjustable bases.
- 23"D, 28"D, and 29"D worksurfaces compatible with freestanding A6 T-Leg, C-Leg bases. 22"D worksurfaces compatible with freestanding A6 T-leg bases ONLY.

Marker Holder:
- Can hold 4 markers and an eraser.
- Magnetic attachment makes accessory easy to move from steel surfaces.
- Available in Allsteel Standard Paints.

Privacy Collaboration Panel:
- Rolling collaboration panel with dual-sided bin.
- Specify markerboard laminate for writable surface option.
- Panel and bin laminate specified separately for design flexibility.
- Screen Dimensions: 50"H x 60"W.
- Bin Dimensions: 8"H x 24"W x 8.5"D.


Marker Boards:
- Thoroughly erase your marker board after every use.
- Marker boards should be cleaned weekly with marker board cleaner. Reminder: Completely erase the board before applying any cleaners.
- Leaving ink on the board for an extended period of time may lead to images remaining on the board, commonly known as “ghosting”, after erasing.
- To avoid ghosting, clean your board weekly with marker board cleaner.
- Expo brand dry-erase markers are recommended for best erasing results.
- Avoid using red and orange markers for easier cleaning and to reduce the likelihood of ghosting.
- Do not use permanent or non-dry erase markers.
- To maintain eraser performance, follow manufacturer's instructions.

Mural Electrical Systems

Power can come from a wall, floor or ceiling infeed.


Ceiling Infeed:

- Requires a power pole, either freestanding next to the system or integrated into an enhanced connector (X, T, Y).
- When power pole is freestanding, the electrical infeed either:
  – Leaves the pole at the floor level, enters the system in the same way that a floor infeed would.
  – Leaves the pole part-way to the floor and enters through the side infeed trim (SC22ETE). This method requires installers cut a hole in the power pole at the correct height to line up with the hole in the infeed trim.
- When integrated, with power pole mounting kit, the infeed goes directly through the top of the enhanced connector.



Floor Infeed:

- Enters through the bottom of the system.
- Points of entry are accessible at the center of each section of panel.
- Enhanced connectors have access point underneath for floor infeed.
- Infeed cannot be routed through simple connectors.




Wall Infeed:

- Requires use of the side infeed trim.
- Infeed enters through side of fence.
- Recommend this configuration when fence is located up against a wall to prevent user visibility of side infeed access.




Electrical & Data

Mural features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system is integrated at the beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.




Square Power Pole for Fixed Supports (page 469)


- A870070 power pole is 10½' tall
- SE08PP1 Power Pole is 8' tall.
- Power Pole may be used over one of enhanced connectors.
- To extend the power pole for a taller ceiling, order quantity-2 with a splicer kit SE08PP2.



SE08TPP2



SE08YPP2



SE08XPP2

Mural Electrical Systems

The electrical system for Mural offers two options: 3+1 or 2+2. Both systems utilize an 8-wire, four-circuit electrical system, rated at 20 amps (15 amps Canadian). Connect a maximum of 13 receptacles (12 in Canada, and fewer in certain U.S. locales) to one circuit. Consult your electrician to ensure the planned electrical load is within permissible limits. Follow the steps below to help specify your Mural electrical.

1. **Infeeds** — Determine the location, quantity, and type of power infeeds needed.
2. **Fence Power Kits** — Specify a Fence Power Kit for each ported fence. Power kits are determined by the size of fence ordered and are connected to one another with beam-to-beam jumpers - order separately.
3. **Connector Jumper Kits** — Ordered separately from fence power kits. Available in specific lengths for simple connectors, enhanced connectors, flex connector, and panel pass-through configurations.
4. **Duplex Receptacles** — Determine which electrical system will be used after consulting an electrician: 2+2 or 3+1. System is determined by which circuits are used. Specify circuit specific receptacles to fill all port locations where electrical is needed. Number of ports is determined by the fences and fence power kits specified. Port covers must be placed in port locations where duplex receptacles are not specified.

Electrical Systems


Mural offers a choice of four electrical systems:
- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.

- See page 396 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian) - 16 amps plannable in U.S.
- Mural fence and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in fence sides.

Note: No more than one conduit that is connected to a power kit mounted to horizontal can be routed through the same cut out in the same horizontal at beltline. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.

Hardwire New York Code (page 418)




- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 30"W to 84"W.
- New York box can connect to a pass-through kit or directly to a power block.
- New York box takes the place of a receptacle. If using a ported tile, purchase port covers for this location.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.

Hardwire Chicago Code (page 418)
- Wiring power kits and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.
- Power entry can be routed from the ceiling, via a power pole, or from the floor into a junction box.

Electrical Infeeds


- Power infeed cables deliver power from building to fence's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.

Sealtight Electrical Infeed (page 417)



- Sealtight electrical infeed cable is used when routing power from floor with footed panels.
- If pre-wired as infeed, sealtight must be routed from inside of fence. Should not be ordered prior to installation.

Ceiling Power Infeed (page 417)



- Ceiling power infeed connects to a prewired electrical power kit in the beltline and terminates in the junction box at the top of the integrated power pole.
- Can also be used as infeed.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power kits and pass-through kits.
5. Determine the location, quantity, and type of power infeed needed.


* Select power kits (SE(30-84)EK(3C/4C)), panel-to-panel standard jumpers/enhanced jumpers (SES(S/F)EJ(3/4)C), and pass-through kits (SES(M/G)EJ(3/4)C) with the last two digits corresponding with the panel width into which the component is to be positioned. Pass-through kits only cover space within the panel. Designers should still specify panel-to-panel jumpers between a pass-through to a power kit. Jumper kits do not stretch.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

Reference the Office Equipment Typical Load Values on page 397.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.



Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.


Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart

Power Option 3+1
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

Power Option 2+2
Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items


Data Faceplates & Jacks (page 419)

- Faceplates fit into knockout ports on ported steel tiles.
- Faceplates do not work in fence electrical ports.
- Faceplate options available to install either 3 or 4 data jacks.
- Faceplates available in one color – black.
- Faceplates and Jacks sold separately.
- CAT 5E and CAT 6 data jacks available.
- Due to fence depth, data modules should not be used back-to-back.



Fence

For specification information see pages 389-392.




Description	Model	List Price
Mural Frame		
Mural Frame with Feet, 30"W	**SF30F**	$ 557
Mural Frame with Feet, 36"W	**SF36F**	$ 618
Mural Frame with Feet, 42"W	**SF42F**	$ 663
Mural Frame with Feet, 48"W	**SF48F**	$ 697
Mural Frame with Feet, 54"W	**SF54F**	$ 722
Mural Frame with Feet, 60"W	**SF60F** (shown)	$ 733
Mural Frame with Feet, 66"W	**SF66F**	$ 980
Mural Frame with Feet, 72"W	**SF72F**	$ 1041
Mural Frame with Feet, 84"W	**SF84F**	$ 1131

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Foot:** **STD** Standard	**Paint:** P1 P2 P3 See page 382 for finishes.
S F _ _ F .	S T D .	_ _ _

Example: **SF30F.STD.P02**

Fence

For specification information see pages 389-392.



Description	Model	List Price
Mural Tiles		
Mural Tile 30"W, Painted	**ST30MT**	$ 212
Mural Tile 36"W, Painted	**ST36MT**	$ 226
Mural Tile 42"W, Painted	**ST42MT**	$ 237
Mural Tile 48"W, Painted	**ST48MT**	$ 248
Mural Tile 54"W, Painted	**ST54MT**	$ 278
Mural Tile 60"W, Painted	**ST60MT** (shown)	$ 292
Mural Tile 66"W, Painted	**ST66MT**	$ 315
Mural Tile 72"W, Painted	**ST72MT**	$ 350
Mural Tile 84"W, Painted	**ST84MT**	$ 375

NOTE: 30"W-48"W, 84"W limited to non-ported, ported, and specialty ported tile styles.

How to specify —

Select the Model Number from above.

1st Option:

Tile Style:

NP Non-Ported Tile
YP Ported Tile*
HP Integrated Desk Tile*
SYP Specialty Ported Tile*
SHP Specialty Integrated Desk Tile*
*$92/tile upcharge

2nd Option:

Paint:

P1 P2 P3

See page 382 for finishes.

S T | | M T . | | | . | | |

Example: **ST30MT.NP.P02**

Description	Model	List Price
Mural End Trim		
Mural End Trim	**SC22ETS**	$ 96
Mural End Trim with Infeed Access	**SC22ETE**	$ 128



SC22ETS



SC22ETE

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 382 for finishes.

S C 2 2 E T | . | | |

Example: **SC22ETS.P02**

For specification information see pages 389-392.


SC12SFF


SC12TF


SC12YF


SC12XF

Description	Model	List Price
Mural Enhanced Connectors		
Mural Flex Connector 12"W, Knit Mesh	**SC12SFF**	**$ 1505**
Mural T-Connector 12"W, Knit Mesh	**SC12TF**	**$ 1472**
Mural Y-Connector 12"W, Knit Mesh, 3-Way	**SC12YF**	**$ 3147**
Mural X-Connector 12"W, Knit Mesh	**SC12XF**	**$ 1585**

How to specify —

Select the Model Number from above.

1st Option:

Knit Mesh:

2nd Option:


Paint *(if applicable)*:

P1 P2 P3

See page 382 for finishes.

S C 1 2 _ _ . _ _ _ . _ _ _


Example:


SC12SS


SC12TS


SC12LS


SC12YS2


SC12YS3


SC12XS

Description	Model	List Price
Mural Simple Connectors		
Mural Straight Connector, Painted	**SC12SS**	**$ 242**
Mural T-Connector, Painted	**SC12TS**	**$ 213**
Mural L-Connector, Painted	**SC12LS**	**$ 213**
Mural Y-Connector, Painted, 2-Way	**SC12YS2**	**$ 485**
Mural Y-Connector, Painted, 3-Way	**SC12YS3**	**$ 435**
Mural X-Connector, Painted	**SC12XS**	**$ 168**

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3


See page 382 for finishes.

S C 1 2 _ _ _ . _ _ _

Example: **SC12SS.P02**

Integrated Height-Adjustable Tables

For specification information see pages 389-392.



Description	Model	List Price
Mural Rectangular Worksurfaces		
Mural Integ. Desk Top, 22"D x 46"W, Rectangular	**SW2246NFS**	$ 671
Mural Integ. Desk Top, 22"D x 52"W, Rectangular	**SW2252NFS**	$ 728
Mural Integ. Desk Top, 22"D x 58"W, Rectangular	**SW2258DFS**	$ 907
Mural Integ. Desk Top, 22"D x 64"W, Rectangular	**SW2264DFS**	$ 942
Mural Integ. Desk Top, 22"D x 70"W, Rectangular	**SW2270DFS**	$ 967
Mural Integ. Desk Top, 23"D x 46"W, Rectangular	**SW2346NFS**	$ 671
Mural Integ. Desk Top, 23"D x 52"W, Rectangular	**SW2352NFS**	$ 728
Mural Integ. Desk Top, 23"D x 58"W, Rectangular	**SW2358DFS**	$ 907
Mural Integ. Desk Top, 23"D x 64"W, Rectangular	**SW2364DFS**	$ 942
Mural Integ. Desk Top, 23"D x 70"W, Rectangular	**SW2370DFS**	$ 967
Mural Integ. Desk Top, 28"D x 46"W, Rectangular	**SW2846NFS**	$ 756
Mural Integ. Desk Top, 28"D x 52"W, Rectangular	**SW2852NFS**	$ 855
Mural Integ. Desk Top, 28"D x 58"W, Rectangular	**SW2858DFS**	$ 1014
Mural Integ. Desk Top, 28"D x 64"W, Rectangular	**SW2864DFS**	$ 1076
Mural Integ. Desk Top, 28"D x 70"W, Rectangular	**SW2870DFS**	$ 1102
Mural Integ. Desk Top, 29"D x 46"W, Rectangular	**SW2946NFS**	$ 756
Mural Integ. Desk Top, 29"D x 52"W, Rectangular	**SW2952NFS**	$ 855
Mural Integ. Desk Top, 29"D x 58"W, Rectangular	**SW2958DFS**	$ 1014
Mural Integ. Desk Top, 29"D x 64"W, Rectangular	**SW2964DFS**	$ 1076
Mural Integ. Desk Top, 29"D x 70"W, Rectangular	**SW2970DFS**	$ 1102




Mural Rounded Corner Worksurfaces		
Mural Integ. Desk Top, 22"D x 46"W, Rounded Corner	**SW2246NFR**	$ 772
Mural Integ. Desk Top, 22"D x 52"W, Rounded Corner	**SW2252NFR**	$ 838
Mural Integ. Desk Top, 22"D x 58"W, Rounded Corner	**SW2258DFR**	$ 1023
Mural Integ. Desk Top, 22"D x 64"W, Rounded Corner	**SW2264DFR**	$ 1077
Mural Integ. Desk Top, 22"D x 70"W, Rounded Corner	**SW2270DFR**	$ 1110
Mural Integ. Desk Top, 23"D x 46"W, Rounded Corner	**SW2346NFR**	$ 772
Mural Integ. Desk Top, 23"D x 52"W, Rounded Corner	**SW2352NFR**	$ 838
Mural Integ. Desk Top, 23"D x 58"W, Rounded Corner	**SW2358DFR**	$ 1023
Mural Integ. Desk Top, 23"D x 64"W, Rounded Corner	**SW2364DFR**	$ 1077
Mural Integ. Desk Top, 23"D x 70"W, Rounded Corner	**SW2370DFR**	$ 1110
Mural Integ. Desk Top, 28"D x 46"W, Rounded Corner	**SW2846NFR**	$ 867
Mural Integ. Desk Top, 28"D x 52"W, Rounded Corner	**SW2852NFR**	$ 982
Mural Integ. Desk Top, 28"D x 58"W, Rounded Corner	**SW2858DFR**	$ 1149
Mural Integ. Desk Top, 28"D x 64"W, Rounded Corner	**SW2864DFR**	$ 1237
Mural Integ. Desk Top, 28"D x 70"W, Rounded Corner	**SW2870DFR**	$ 1266
Mural Integ. Desk Top, 29"D x 46"W, Rounded Corner	**SW2946NFR**	$ 867
Mural Integ. Desk Top, 29"D x 52"W, Rounded Corner	**SW2952NFR**	$ 982
Mural Integ. Desk Top, 29"D x 58"W, Rounded Corner	**SW2958DFR**	$ 1149
Mural Integ. Desk Top, 29"D x 64"W, Rounded Corner	**SW2964DFR**	$ 1237
Mural Integ. Desk Top, 29"D x 70"W, Rounded Corner	**SW2970DFR**	$ 1266

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** **X** No FSC **F** FSC Certified Wood	**Laminate:** See page 384 for finishes.	**Edge:** See page 384 for finishes.	**Grommet Location:** **G0** No Grommet **GL** Grommet Left **GR** Grommet Right **GB** Grommet Both **GP1** Mural Power Bay ($92) *Mural Power Bay only available as center mount in plastic. Plastic grommet finish determined by edge band.*	**Grommet Type** *(if applicable)*: **P** Oval Plastic **M** Oval Metal **S** Square Metal ($15/ grommet)	**Grommet Color (Metal only):** **EL** Matte Silver Plastic grommet color determined by worksurface finish.
SW2 . .	.	.	.			

Example:

Integrated Height-Adjustable Tables

For specification information see pages 389-392.



Description	Model	List Price
Mural Worksurfaces		
Mural Integ. Desk Top, 22"D x 46"W, Eased Edge	**SW2246NE**	**$ 889**
Mural Integ. Desk Top, 22"D x 52"W, Eased Edge	**SW2252NE**	**$ 962**
Mural Integ. Desk Top, 22"D x 58"W, Eased Edge	**SW2258DE**	**$ 1155**
Mural Integ. Desk Top, 22"D x 64"W, Eased Edge	**SW2264DE**	**$ 1214**
Mural Integ. Desk Top, 22"D x 70"W, Eased Edge	**SW2270DE**	**$ 1252**
Mural Integ. Desk Top, 23"D x 46"W, Eased Edge	**SW2346NE**	**$ 889**
Mural Integ. Desk Top, 23"D x 52"W, Eased Edge	**SW2352NE**	**$ 962**
Mural Integ. Desk Top, 23"D x 58"W, Eased Edge	**SW2358DE**	**$ 1155**
Mural Integ. Desk Top, 23"D x 64"W, Eased Edge	**SW2364DE**	**$ 1214**
Mural Integ. Desk Top, 23"D x 70"W, Eased Edge	**SW2370DE**	**$ 1252**
Mural Integ. Desk Top, 28"D x 46"W, Eased Edge	**SW2846NE**	**$ 997**
Mural Integ. Desk Top, 28"D x 52"W, Eased Edge	**SW2852NE**	**$ 1129**
Mural Integ. Desk Top, 28"D x 58"W, Eased Edge	**SW2858DE**	**$ 1301**
Mural Integ. Desk Top, 28"D x 64"W, Eased Edge	**SW2864DE**	**$ 1397**
Mural Integ. Desk Top, 28"D x 70"W, Eased Edge	**SW2870DE**	**$ 1431**
Mural Integ. Desk Top, 29"D x 46"W, Eased Edge	**SW2946NE**	**$ 997**
Mural Integ. Desk Top, 29"D x 52"W, Eased Edge	**SW2952NE**	**$ 1129**
Mural Integ. Desk Top, 29"D x 58"W, Eased Edge	**SW2958DE** (shown)	**$ 1301**
Mural Integ. Desk Top, 29"D x 64"W, Eased Edge	**SW2964DE**	**$ 1397**
Mural Integ. Desk Top, 29"D x 70"W, Eased Edge	**SW2970DE**	**$ 1431**


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grommet Location:**	*5th Option:* **Grommet Type** *(if applicable)*:	*6th Option:* **Grommet Color (Metal only):**
	X No FSC **F** FSC Certified Wood	See page 384 for finishes.	See page 384 for finishes.	**G0** No Grommet **GL** Grommet Left **GR** Grommet Right **GB** Grommet Both **GP1** Mural Power Bay ($92) *Mural Power Bay only available as center mount in plastic. Plastic grommet finish determined by edge band.*	**P** Oval Plastic **M** Oval Metal **S** Square Metal ($15/ grommet)	**EL** Matte Silver Plastic grommet color determined by worksurface finish.
SW2 ____ . ____ .	____ .	____ .	____ .	____	____	____

Example:

Integrated Height-Adjustable Tables


Mural — HAT Base

For specification information see pages 389-392.




Description	Model	List Price
Mural Integrated Height-Adjustable Bases		
Mural Integ. Desk, Std. Range	**S2SD**	**$ 2468**
Mural Integ. Desk, Ext. Range	**S3SD**	**$ 2708**

*Not TAA compliant unless ordered with a TAA compliant configurable end product.



Mural Cross Bar, 22"D/24"D Desk, Single Sided	**SCB24SS** (shown)	**$ 212**
Mural Cross Bar, 22"D/24"D Desk, Dual Sided	**SCB24DS** (shown)	**$ 212**
Mural Cross Bar, 28"D/29¼"D Desk, Single Sided	**SCB30SS**	**$ 212**
Mural Cross Bar, 28"D/29¼"D Desk, Dual Sided	**SCB30DS**	**$ 212**



Mural Integ. Desk Mounting Kit	**SKITD** (shown)	**$ 445**

How to specify —

Select the Model Number from above.

S _____ .

1st Option:

Select the Base Paint Color *(if applicable)*:

P1 P2 P3

See page 382 for paint finishes.

_____ .

2nd Option:

Select the Keypad *(if applicable)*:


UD Basic Up/Down
MEM Memory Preset
PDL Paddle

_____

Example: **S2SD24.P8L.PDL**


Integrated Height-Adjustable Tables

For specification information see pages 389-397.



Description	Model	List Price
Wire Management		
Under the Desk Power	**SEDMUP**	**$ 574**

*Available in black only.



20"W Wire Manager Trough	**SEDMWM20**	**$ 134**
30"W Wire Manager Trough	**SEDMWM30**	**$ 206**

*Available in black only.




Fabric Wire Manager (Pack of 2)	**FBRZPWM**	**$ 389**

*Metal Hook attachments available in black only.

How to specify — **Select the Model Number from above.**	*1st Option:* **Paint Color:**	*1st Option:* **Fabric** *(if applicable)*:
	P Black	See pages 384-385 for fabrics.
S E D M W M [ ] [ ] .	**P**	[ ] [ ] [ ] [ ] [ ]

Example:



AABPWRMOD.AC.S

Description	Model	List Price
Power Module — Above/Below Worksurface		
8¼"W x 16"D x 4½"H	**AABPWRMOD** [S]	**$ 1284**

- Desktop unit includes 2 receptacles, 1 USB-A, & 1 USB-C (AC).
- Under worksurface unit includes 6 receptacles.
- Power cord choices include a 6' Straight cord (S) or Coiled cord (Q).
- Desktop unit available in White (DWT) or Gray (DGY).
- *Example: AABPWRMOD.AC.S.DWT*


How to specify — **Select the Model Number from above.**	*1st Option:* **Ports** *(Final port option if applicable)*:	*2nd Option:* **Cord Type** *(Power Module cord type if applicable)*:	*3rd Option:* **Color Option** *(if applicable)*:
	AC USB-A+C	**S** Straight Cord **Q** Coiled Cord	**DWT** White **DGY** Gray
A A B P W R M O D .	**A C .**	[ ] .	[ ] [ ] [ ]

Example: **AAABPWRMOD.AC.Q.DWT**

[S] *Shippable by small-package carrier.*

Integrated Height-Adjustable Tables


For specification information see page 589.



AHATPWRMOD2S or
AHATPWRMOD3S

Description	Model	List Price P1	P2	P3
Metal Telescoping HAT Wire Management				
	AHATPWRMOD2S S	**$ 1680**	**$ 1724**	**$ 1746**
	AHATPWRMOD3S S	**$ 1713**	**$ 1761**	**$ 1783**

- AHATPWRMOD2S pairs with 2-stage HAT bases.
- AHATPWRMOD3S pairs with 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Metal Telescoping Chase available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMOD2S.AC.DWT.PJW*



AHATPWRMOD2S or
AHATPWRMOD3S

Description	Model	List Price P1	P2	P3
Fabric HAT Wire Management				
	AHATPWRMODF S	**$ 1536**	**$ 1566**	**$ 1580**


- AHATPWRMODF pairs with 2-stage and 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USBA, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Fabric HAT Chase available in three fabric finishes of Light (LGT), Medium (MDD), and Dark (DRK), specify desired fabric finish.
- Fabric HAT mounting brackets available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMODF.AC.DGY.LGT.PR5*


*For more power and wire management options, please visit the **Extensions** pages.*


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Ports** *(Final port option if applicable)*: **AC** USB-A+C	**Power Module Color Option** *(if applicable)*: **DWT** White **DGY** Gray	**Fabric Chase Finish** *(if applicable)*: **LGT** Light **MDD** Medium **DRK** Dark	**Metal Paint Option** *(if applicable)*: See page 382 for finishes.
A H A T P W R M O D _ _ .	A C .	D _ _ .	_ _ _ .	_ _ _

Example: **AHATPWRMOD3S.AC.DWT.P8C**

S *Shippable by small-package carrier.*







Description	Model	List Price
Mural Screen Frames		
Mural Screen Frame 26"H x 30"W, Painted	**SF2630P**	$ 532
Mural Screen Frame 26"H x 36"W, Painted	**SF2636P**	$ 542
Mural Screen Frame 26"H x 42"W, Painted	**SF2642P**	$ 551
Mural Screen Frame 26"H x 48"W, Painted	**SF2648P**	$ 560
Mural Screen Frame 26"H x 54"W, Painted	**SF2654P**	$ 569
Mural Screen Frame 26"H x 60"W, Painted	**SF2660P** (shown)	$ 580
Mural Screen Frame 26"H x 66"W, Painted	**SF2666P**	$ 592
Mural Screen Frame 26"H x 72"W, Painted	**SF2672P**	$ 602
Mural Screen Frame 26"H x 84"W, Painted	**SF2684P**	$ 612
Mural Screen Frame 34"H x 30"W, Painted	**SF3430P**	$ 560
Mural Screen Frame 34"H x 36"W, Painted	**SF3436P**	$ 569
Mural Screen Frame 34"H x 42"W, Painted	**SF3442P**	$ 580
Mural Screen Frame 34"H x 48"W, Painted	**SF3448P**	$ 588
Mural Screen Frame 34"H x 54"W, Painted	**SF3454P**	$ 598
Mural Screen Frame 34"H x 60"W, Painted	**SF3460P** (shown)	$ 611
Mural Screen Frame 34"H x 66"W, Painted	**SF3466P**	$ 621
Mural Screen Frame 34"H x 72"W, Painted	**SF3472P**	$ 634
Mural Screen Frame 34"H x 84"W, Painted	**SF3484P**	$ 645
Mural Screen Frame 41"H x 30"W, Painted	**SF4130P**	$ 587
Mural Screen Frame 41"H x 36"W, Painted	**SF4136P**	$ 598
Mural Screen Frame 41"H x 42"W, Painted	**SF4142P**	$ 609
Mural Screen Frame 41"H x 48"W, Painted	**SF4148P**	$ 619
Mural Screen Frame 41"H x 54"W, Painted	**SF4154P**	$ 629
Mural Screen Frame 41"H x 60"W, Painted	**SF4160P** (shown)	$ 640
Mural Screen Frame 41"H x 66"W, Painted	**SF4166P**	$ 653
Mural Screen Frame 41"H x 72"W, Painted	**SF4172P**	$ 663
Mural Screen Frame 41"H x 84"W, Painted	**SF4184P**	$ 676

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Frame Paint:** P1 P2 P3 See page 382 for finishes.	**Connector Paint:** P1 P2 P3 See page 382 for finishes.
S F _ _ _ _ _ .	_ _ _ .	_ _ _

Example:



Description	Model	List Price
Mural Fabric Screens		
Mural Screen 26"H x 25"W, Fabric	**AFS2625USF** (shown)	**$ 1012**
Mural Screen 26"H x 31"W, Fabric	**AFS2631USF**	**$ 1081**
Mural Screen 26"H x 37"W, Fabric	**AFS2637USF**	**$ 1131**
Mural Screen 26"H x 43"W, Fabric	**AFS2643USF**	**$ 1213**
Mural Screen 26"H x 49"W, Fabric	**AFS2649USF**	**$ 1272**
Mural Screen 26"H x 55"W, Fabric	**AFS2655USF**	**$ 1345**
Mural Screen 26"H x 61"W, Fabric	**AFS2661USF**	**$ 1393**
Mural Screen 26"H x 67"W, Fabric	**AFS2667USF**	**$ 1507**



Mural Fabric Half Screens		
Mural Screen 26"H x 27"W, Fabric	**AFS2627USF** (shown)	**$ 1042**
Mural Screen 26"H x 30"W, Fabric	**AFS2630USF**	**$ 1057**
Mural Screen 26"H x 33"W, Fabric	**AFS2633USF**	**$ 1120**
Mural Screen 26"H x 39"W, Fabric	**AFS2639USF**	**$ 1188**



Mural Fabric Screens		
Mural Screen 34"H x 25"W, Fabric	**AFS3425USF** (shown)	**$ 1095**
Mural Screen 34"H x 31"W, Fabric	**AFS3431USF**	**$ 1156**
Mural Screen 34"H x 37"W, Fabric	**AFS3437USF**	**$ 1186**
Mural Screen 34"H x 43"W, Fabric	**AFS3443USF**	**$ 1299**
Mural Screen 34"H x 49"W, Fabric	**AFS3449USF**	**$ 1336**
Mural Screen 34"H x 55"W, Fabric	**AFS3455USF**	**$ 1470**
Mural Screen 34"H x 61"W, Fabric	**AFS3461USF**	**$ 1561**
Mural Screen 34"H x 67"W, Fabric	**AFS3467USF**	**$ 1629**




Mural Fabric Half Screens		
Mural Screen 34"H x 27"W, Fabric	**AFS3427USF** (shown)	**$ 1125**
Mural Screen 34"H x 30"W, Fabric	**AFS3430USF**	**$ 1148**
Mural Screen 34"H x 33"W, Fabric	**AFS3433USF**	**$ 1182**
Mural Screen 34"H x 39"W, Fabric	**AFS3439USF**	**$ 1291**


MURAL

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric** *(if applicable)*: See page 382 for fabrics.	**Screen Clamp Paint:** P1 P2 P3 See page 382 for finishes.
A F S _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ _ _


Example:




Description	Model	List Price
Mural PET Screens		
Mural Screen 26"H x 25"W, PET	**APS2625USF**	$ 875
Mural Screen 26"H x 31"W, PET	**APS2631USF**	$ 980
Mural Screen 26"H x 37"W, PET	**APS2637USF**	$ 1101
Mural Screen 26"H x 43"W, PET	**APS2643USF**	$ 1238
Mural Screen 26"H x 49"W, PET	**APS2649USF**	$ 1398
Mural Screen 26"H x 55"W, PET	**APS2655USF**	$ 1519
Mural Screen 26"H x 61"W, PET	**APS2661USF**	$ 1654
Mural Screen 26"H x 67"W, PET	**APS2667USF**	$ 1802




Mural PET Half Screens		
Mural Screen 26"H x 27"W, PET	**APS2627USF** (shown)	$ 911
Mural Screen 26"H x 30"W, PET	**APS2630USF**	$ 985
Mural Screen 26"H x 33"W, PET	**APS2633USF**	$ 1067
Mural Screen 26"H x 39"W, PET	**APS2639USF**	$ 1156



Mural PET Screens		
Mural Screen 34"H x 25"W, PET	**APS3425USF** (shown)	$ 1012
Mural Screen 34"H x 31"W, PET	**APS3431USF**	$ 1137
Mural Screen 34"H x 37"W, PET	**APS3437USF**	$ 1280
Mural Screen 34"H x 43"W, PET	**APS3443USF**	$ 1446
Mural Screen 34"H x 49"W, PET	**APS3449USF**	$ 1638
Mural Screen 34"H x 55"W, PET	**APS3455USF**	$ 1857
Mural Screen 34"H x 61"W, PET	**APS3461USF**	$ 2110
Mural Screen 34"H x 67"W, PET	**APS3467USF**	$ 2400



Mural PET Half Screens		
Mural Screen 34"H x 27"W, PET	**APS3427USF** (shown)	$ 1045
Mural Screen 34"H x 30"W, PET	**APS3430USF**	$ 1131
Mural Screen 34"H x 33"W, PET	**APS3433USF**	$ 1228
Mural Screen 34"H x 39"W, PET	**APS3439USF**	$ 1334



Mural PET Screens		
Mural Screen 41"H x 25"W, PET	**APS4125USF** (shown)	$ 1179
Mural Screen 41"H x 31"W, PET	**APS4131USF**	$ 1330
Mural Screen 41"H x 37"W, PET	**APS4137USF**	$ 1504
Mural Screen 41"H x 43"W, PET	**APS4143USF**	$ 1700
Mural Screen 41"H x 49"W, PET	**APS4149USF**	$ 1930
Mural Screen 41"H x 55"W, PET	**APS4155USF**	$ 2191
Mural Screen 41"H x 61"W, PET	**APS4161USF**	$ 2493
Mural Screen 41"H x 67"W, PET	**APS4167USF**	$ 2581

Mural PET Half Screens		
Mural Screen 41"H x 27"W, PET	**APS4127USF**	$ 1213
Mural Screen 41"H x 30"W, PET	**APS4130USF**	$ 1315
Mural Screen 41"H x 33"W, PET	**APS4133USF**	$ 1431
Mural Screen 41"H x 39"W, PET	**APS4139USF**	$ 1556

MURAL

How to specify —

Select the Model Number from above.

A P S | | | | | | | . | | | | .

Example:

1st Option:

PET:


DGY4 Dark Grey
DGY3 Medium Grey
DBR1 Light Brown
DBL1 Light Blue
DGY2 Lightest Grey
DBK1 Black

2nd Option:


Screen Clamp Paint:

P1 P2 P3


See page 382 for finishes.




Description	Model	List Price
Mural Acrylic Screens		
Mural Screen 26"H x 25"W, Acrylic	**AAS2625USF** (shown)	$ 974
Mural Screen 26"H x 31"W, Acrylic	**AAS2631USF**	$ 1045
Mural Screen 26"H x 37"W, Acrylic	**AAS2637USF**	$ 1128
Mural Screen 26"H x 43"W, Acrylic	**AAS2643USF**	$ 1203
Mural Screen 26"H x 49"W, Acrylic	**AAS2649USF**	$ 1262
Mural Screen 26"H x 55"W, Acrylic	**AAS2655USF**	$ 1320
Mural Screen 26"H x 61"W, Acrylic	**AAS2661USF**	$ 1468
Mural Screen 26"H x 67"W, Acrylic	**AAS2667USF**	$ 1530




Mural Acrylic Half Screens		
Mural Screen 26"H x 27"W, Acrylic	**AAS2627USF** (shown)	$ 990
Mural Screen 26"H x 30"W, Acrylic	**AAS2630USF**	$ 1028
Mural Screen 26"H x 33"W, Acrylic	**AAS2633USF**	$ 1082
Mural Screen 26"H x 39"W, Acrylic	**AAS2639USF**	$ 1185



Mural Acrylic Screens		
Mural Screen 34"H x 25"W, Acrylic	**AAS3425USF** (shown)	$ 1053
Mural Screen 34"H x 31"W, Acrylic	**AAS3431USF**	$ 1179
Mural Screen 34"H x 37"W, Acrylic	**AAS3437USF**	$ 1241
Mural Screen 34"H x 43"W, Acrylic	**AAS3443USF**	$ 1306
Mural Screen 34"H x 49"W, Acrylic	**AAS3449USF**	$ 1571
Mural Screen 34"H x 55"W, Acrylic	**AAS3455USF**	$ 1645
Mural Screen 34"H x 61"W, Acrylic	**AAS3461USF**	$ 2020
Mural Screen 34"H x 67"W, Acrylic	**AAS3467USF**	$ 2100



Mural Acrylic Half Screens		
Mural Screen 34"H x 27"W, Acrylic	**AAS3427USF** (shown)	$ 1096
Mural Screen 34"H x 30"W, Acrylic	**AAS3430USF**	$ 1160
Mural Screen 34"H x 33"W, Acrylic	**AAS3433USF**	$ 1223
Mural Screen 34"H x 39"W, Acrylic	**AAS3439USF**	$ 1286



Mural Acrylic Half Screens		
Mural Screen 41"H x 27"W, Acrylic	**AAS4127USF** (shown)	$ 1185
Mural Screen 41"H x 30"W, Acrylic	**AAS4130USF**	$ 1255
Mural Screen 41"H x 33"W, Acrylic	**AAS4133USF**	$ 1323
Mural Screen 41"H x 39"W, Acrylic	**AAS4139USF**	$ 1513

MURAL

How to specify —

Select the Model Number from above.

A A S | | | | | | | . | | | | .

Example:

1st Option:

Acrylic:


ASC Clear
ASF Frosted

2nd Option:


Screen Clamp Paint:

P1 P2 P3


See page 382 for finishes.




Description	Model	List Price
Mural Glass Markerboard Screens		
Mural Screen 26"H x 25"W, Glass	**AGS2625USF** (shown)	**$ 3163**
Mural Screen 26"H x 31"W, Glass	**AGS2631USF**	**$ 3366**
Mural Screen 26"H x 37"W, Glass	**AGS2637USF**	**$ 3570**
Mural Screen 26"H x 43"W, Glass	**AGS2643USF**	**$ 3771**
Mural Screen 26"H x 49"W, Glass	**AGS2649USF**	**$ 4393**
Mural Screen 26"H x 55"W, Glass	**AGS2655USF**	**$ 4618**



Mural Glass Markerboard Half Screens		
Mural Screen 26"H x 27"W, Glass	**AGS2627USF** (shown)	**$ 3163**
Mural Screen 26"H x 30"W, Glass	**AGS2630USF**	**$ 3366**
Mural Screen 26"H x 33"W, Glass	**AGS2633USF**	**$ 3570**
Mural Screen 26"H x 39"W, Glass	**AGS2639USF**	**$ 3771**




Mural Glass Markerboard Screens		
Mural Screen 34"H x 25"W, Glass	**AGS3425USF** (shown)	**$ 3461**
Mural Screen 34"H x 31"W, Glass	**AGS3431USF**	**$ 3686**
Mural Screen 34"H x 37"W, Glass	**AGS3437USF**	**$ 3908**
Mural Screen 34"H x 43"W, Glass	**AGS3443USF**	**$ 4132**
Mural Screen 34"H x 49"W, Glass	**AGS3449USF**	**$ 4353**
Mural Screen 34"H x 55"W, Glass	**AGS3455USF**	**$ 4580**




Mural Glass Markerboard Half Screens		
Mural Screen 34"H x 27"W, Glass	**AGS3427USF** (shown)	**$ 3461**
Mural Screen 34"H x 30"W, Glass	**AGS3430USF**	**$ 3686**
Mural Screen 34"H x 33"W, Glass	**AGS3433USF**	**$ 3908**
Mural Screen 34"H x 39"W, Glass	**AGS3439USF**	**$ 4132**

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Glass:** **GMB1** Markerboard	**Screen Clamp Paint:** P1 P2 P3 See page 382 for finishes.
A G S _ _ _ _ _ _ .	_ _ _ _ .	_ _ _

Example:







Description	Model	List Price
Mural Mesh Screens		
Mural Screen 26"H x 25"W, Mesh	**ASH2625USF** (shown)	$ 375
Mural Screen 26"H x 31"W, Mesh	**ASH2631USF**	$ 461
Mural Screen 26"H x 37"W, Mesh	**ASH2637USF**	$ 549
Mural Screen 26"H x 43"W, Mesh	**ASH2643USF**	$ 615
Mural Screen 26"H x 49"W, Mesh	**ASH2649USF**	$ 709
Mural Screen 26"H x 55"W, Mesh	**ASH2655USF**	$ 796
Mural Screen 26"H x 61"W, Mesh	**ASH2661USF**	$ 881
Mural Screen 26"H x 67"W, Mesh	**ASH2667USF**	$ 962
Mural Screen 26"H x 79"W, Mesh	**ASH2679USF**	$ 1201
Mural Screen 34"H x 25"W, Mesh	**ASH3425USF** (shown)	$ 435
Mural Screen 34"H x 31"W, Mesh	**ASH3431USF**	$ 542
Mural Screen 34"H x 37"W, Mesh	**ASH3437USF**	$ 615
Mural Screen 34"H x 43"W, Mesh	**ASH3443USF**	$ 702
Mural Screen 34"H x 49"W, Mesh	**ASH3449USF**	$ 809
Mural Screen 34"H x 55"W, Mesh	**ASH3455USF**	$ 908
Mural Screen 34"H x 61"W, Mesh	**ASH3461USF**	$ 1003
Mural Screen 34"H x 67"W, Mesh	**ASH3467USF**	$ 1083
Mural Screen 34"H x 79"W, Mesh	**ASH3479USF**	$ 1349
Mural Screen 41"H x 25"W, Mesh	**ASH4125USF** (shown)	$ 468
Mural Screen 41"H x 31"W, Mesh	**ASH4131USF**	$ 576
Mural Screen 41"H x 37"W, Mesh	**ASH4137USF**	$ 683
Mural Screen 41"H x 43"W, Mesh	**ASH4143USF**	$ 789
Mural Screen 41"H x 49"W, Mesh	**ASH4149USF**	$ 896
Mural Screen 41"H x 55"W, Mesh	**ASH4155USF**	$ 1003
Mural Screen 41"H x 61"W, Mesh	**ASH4161USF**	$ 1110
Mural Screen 41"H x 67"W, Mesh	**ASH4167USF**	$ 1230
Mural Screen 41"H x 79"W, Mesh	**ASH4179USF**	$ 1470

How to specify —

Select the Model Number from above.

A S H | | | | | | | . | | |


Example:

1st Option:


Mesh:

CHK Chalk
GRS Greystone
PEW Pewter


MURAL




Description	Model	List Price
Mural Laminate Screens		
Mural Screen 26"H x 25"W, Laminate	**ALS2625USF** (shown)	$ 571
Mural Screen 26"H x 31"W, Laminate	**ALS2631USF**	$ 600
Mural Screen 26"H x 37"W, Laminate	**ALS2637USF**	$ 664
Mural Screen 26"H x 43"W, Laminate	**ALS2643USF**	$ 745
Mural Screen 26"H x 49"W, Laminate	**ALS2649USF**	$ 1022
Mural Screen 26"H x 55"W, Laminate	**ALS2655USF**	$ 1057
Mural Screen 26"H x 61"W, Laminate	**ALS2661USF**	$ 1092
Mural Screen 26"H x 67"W, Laminate	**ALS2667USF**	$ 1128




Mural Laminate Half Screens		
Mural Screen 26"H x 27"W, Laminate	**ALS2627USF** (shown)	$ 574
Mural Screen 26"H x 30"W, Laminate	**ALS2630USF**	$ 597
Mural Screen 26"H x 33"W, Laminate	**ALS2633USF**	$ 625
Mural Screen 26"H x 39"W, Laminate	**ALS2639USF**	$ 684



Mural Laminate Screens		
Mural Screen 34"H x 25"W, Laminate	**ALS3425USF** (shown)	$ 662
Mural Screen 34"H x 31"W, Laminate	**ALS3431USF**	$ 695
Mural Screen 34"H x 37"W, Laminate	**ALS3437USF**	$ 767
Mural Screen 34"H x 43"W, Laminate	**ALS3443USF**	$ 862
Mural Screen 34"H x 49"W, Laminate	**ALS3449USF**	$ 1188
Mural Screen 34"H x 55"W, Laminate	**ALS3455USF**	$ 1225
Mural Screen 34"H x 61"W, Laminate	**ALS3461USF**	$ 1258
Mural Screen 34"H x 67"W, Laminate	**ALS3467USF**	$ 1292



Mural Laminate Half Screens		
Mural Screen 34"H x 27"W, Laminate	**ALS3427USF** (shown)	$ 665
Mural Screen 34"H x 30"W, Laminate	**ALS3430USF**	$ 690
Mural Screen 34"H x 33"W, Laminate	**ALS3433USF**	$ 719
Mural Screen 34"H x 39"W, Laminate	**ALS3439USF**	$ 789




Mural Laminate Half Screens		
Mural Screen 41"H x 27"W, Laminate	**ALS4127USF** (shown)	$ 776
Mural Screen 41"H x 30"W, Laminate	**ALS4130USF**	$ 799
Mural Screen 41"H x 33"W, Laminate	**ALS4133USF**	$ 826
Mural Screen 41"H x 39"W, Laminate	**ALS4139USF**	$ 851


MURAL

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**FSC:** **X** No FSC **F** FSC Certified Wood	**Laminate:** See page 384 for finishes.	**Edge:** See page 384 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (up to 60"W only).	**Paint:** P1 P2 P3 See page 382 for finishes.
A L S .	.	.	.	.	


Example:




Description	Model	List Price
Mural Veneer Screens		
Mural Screen 26"H x 25"W, Veneer	**AWS2625USF** (shown)	$ 935
Mural Screen 26"H x 31"W, Veneer	**AWS2631USF**	$ 961
Mural Screen 26"H x 37"W, Veneer	**AWS2637USF**	$ 988
Mural Screen 26"H x 43"W, Veneer	**AWS2643USF**	$ 1015
Mural Screen 26"H x 49"W, Veneer	**AWS2649USF**	$ 1041
Mural Screen 26"H x 55"W, Veneer	**AWS2655USF**	$ 1067
Mural Screen 26"H x 61"W, Veneer	**AWS2661USF**	$ 1094
Mural Screen 26"H x 67"W, Veneer	**AWS2667USF**	$ 1121




Mural Veneer Half Screens		
Mural Screen 26"H x 27"W, Veneer	**AWS2627USF** (shown)	$ 935
Mural Screen 26"H x 30"W, Veneer	**AWS2630USF**	$ 961
Mural Screen 26"H x 33"W, Veneer	**AWS2633USF**	$ 988
Mural Screen 26"H x 39"W, Veneer	**AWS2639USF**	$ 1015



Mural Veneer Screens		
Mural Screen 34"H x 25"W, Veneer	**AWS3425USF** (shown)	$ 1062
Mural Screen 34"H x 31"W, Veneer	**AWS3431USF**	$ 1088
Mural Screen 34"H x 37"W, Veneer	**AWS3437USF**	$ 1115
Mural Screen 34"H x 43"W, Veneer	**AWS3443USF**	$ 1141
Mural Screen 34"H x 49"W, Veneer	**AWS3449USF**	$ 1168
Mural Screen 34"H x 55"W, Veneer	**AWS3455USF**	$ 1195
Mural Screen 34"H x 61"W, Veneer	**AWS3461USF**	$ 1221
Mural Screen 34"H x 67"W, Veneer	**AWS3467USF**	$ 1247



Mural Veneer Half Screens		
Mural Screen 34"H x 27"W, Veneer	**AWS3427USF** (shown)	$ 1062
Mural Screen 34"H x 30"W, Veneer	**AWS3430USF**	$ 1088
Mural Screen 34"H x 33"W, Veneer	**AWS3433USF**	$ 1115
Mural Screen 34"H x 39"W, Veneer	**AWS3439USF**	$ 1141



Mural Veneer Half Screens		
Mural Screen 41"H x 27"W, Veneer	**AWS4127USF** (shown)	$ 1220
Mural Screen 41"H x 30"W, Veneer	**AWS4130USF**	$ 1245
Mural Screen 41"H x 33"W, Veneer	**AWS4133USF**	$ 1272
Mural Screen 41"H x 39"W, Veneer	**AWS4139USF**	$ 1298


MURAL


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC:** **X** No FSC **F** FSC Certified Wood	**Veneer:** See page 383 for finishes.	**Grain:** **VLG** Horizontal grain **VST** Vertical Grain (up to 60"W only).	**Paint:** P1 P2 P3 See page 382 for finishes.
AWS _____ .	_____ .	_____ .	_____ .	_____

Example:



Description	Model	List Price
Mural Fence Filler Kits		
Mural No-Screen Filler Kit, Full Panel, 25"W	**SAFILLERKIT25**	$ 122
Mural No-Screen Filler Kit, Full Panel, 31"W	**SAFILLERKIT31**	$ 122
Mural No-Screen Filler Kit, Full Panel, 37"W	**SAFILLERKIT37**	$ 122
Mural No-Screen Filler Kit, Full Panel, 43"W	**SAFILLERKIT43**	$ 153
Mural No-Screen Filler Kit, Full Panel, 49"W	**SAFILLERKIT49**	$ 153
Mural No-Screen Filler Kit, Full Panel, 55"W	**SAFILLERKIT55** (shown)	$ 153
Mural No-Screen Filler Kit, Full Panel, 61"W	**SAFILLERKIT61**	$ 182
Mural No-Screen Filler Kit, Full Panel, 67"W	**SAFILLERKIT67**	$ 182
Mural No-Screen Filler Kit, Full Panel, 79"W	**SAFILLERKIT79**	$ 182
Mural No-Screen Filler Kit, 2 Partial Panels	**SAFILLERKIT1**	$ 62
Mural No-Screen Filler Kit, Partial Panel, 28"W	**SAFILLERKIT27**	$ 122
Mural No-Screen Filler Kit, Partial Panel, 31"W	**SAFILLERKIT30**	$ 122
Mural No-Screen Filler Kit, Partial Panel, 34"W	**SAFILLERKIT33**	$ 122
Mural No-Screen Filler Kit, Partial Panel, 40"W	**SAFILLERKIT39**	$ 153
Mural No-Screen Frame Filler Kit	**SAFILLERKITNF** (shown)	$ 168





Mural Screen Frame End Cap		
Mural Accessory End Cap, Hanger	**SAHANGER**	$ 67

*Recommended to be specified with screen frame.

MURAL

How to specify —

Select the Model Number from above.


S A . *Example:*

1st Option:

Paint:


P1 P2 P3

See page 382 for finishes.




Description	Model	List Price
Mural Collaborative Board		
17"H x 24"W	**SS1724M**	**$ 500**
27"H x 24"W	**SS2724M**	**$ 600**


NOTE: Magnetic collaborative board. Specify markerboard paint to make it a writable surface.



Mural Shelf		
6"W x 30"W	**SAS0630W**	**$ 756**
6"W x 36"W	**SAS0636W**	**$ 794**
6"W x 42"W	**SAS0642W**	**$ 844**
6"W x 48"W	**SAS0648W**	**$ 892**
6"W x 54"W	**SAS0654W**	**$ 953**
6"W x 60"W	**SAS0660W**	**$ 1011**
6"W x 66"W	**SAS0666W**	**$ 1071**
6"W x 72"W	**SAS0672W**	**$ 1141**
6"W x 84"W	**SAS0684W**	**$ 1207**



Mural Planter		
6½"D x 24"W	**SAPLANTER24**	**$ 602**



Mural Marker Holder		
3¼"H x 8"W	**SATRAY**	**$ 146**

How to specify —

Select the Model Number from above.


S . *Example:*

1st Option:

Paint:

P1 P2 P3

See page 382 for finishes.




Description	Model	List Price
Mural Privacy Panel		
Privacy Panel w/ Bin, 50"H x 60"W	**SS5060MS**	**$ 1831**

*Specify markerboard laminate to make it a writable surface.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:** **X** No FSC **F** FSC Certified Wood	*2nd Option:* **Privacy Panel Laminate:**	*3rd Option:* **Privacy Panel Edge:**	*4th Option:* **Bin Laminate:**	*5th Option:* **Bin Edge:**	*6th Option:* **Grain:** **VLG** Horizontal grain or solid **VST** Vertical grain	*7th Option:* **Paint:** P1 P2 P3 See pages 382-384 for finishes.
S S 5 0 6 0 M S .	.	.	.	.	.	.	.

Example:





Description	Model	List Price
Mural Bent Screen		
Bent Privacy Panel, 52"H x 68"W, LH	**SS5268BLH**	**$ 4422**
Bent Privacy Panel, 52"H x 68"W, RH	**SS5268BRH**	**$ 4422**

How to specify — **Select the Model Number from above.**	*1st Option:* **Paint:** P1 P2 P3 See page 382 for finishes.	*2nd Option:* **Fabric** *(if applicable)*: See page 14 for fabrics.
S S 5 2 6 8 B .	.	


Example:


SE30EK4C



SE36EK4C



SE60EK4C

Description	Model	List Price
Electrical Kits		
Mural Electrical Kit for 30"W Frame, 4-cir	**SE30EK4C** (shown)	$ 354
Mural Electrical Kit for 36"W Frame, 4-cir	**SE36EK4C** (shown)	$ 354
Mural Electrical Kit for 42"W Frame, 4-cir	**SE42EK4C**	$ 378
Mural Electrical Kit for 48"W Frame, 4-cir	**SE48EK4C**	$ 378
Mural Electrical Kit for 54"W Frame, 4-cir	**SE54EK4C**	$ 378
Mural Electrical Kit for 60"W Frame, 4-cir	**SE60EK4C** (shown)	$ 378
Mural Electrical Kit for 66"W Frame, 4-cir	**SE66EK4C**	$ 453
Mural Electrical Kit for 72"W Frame, 4-cir	**SE72EK4C**	$ 528
Mural Electrical Kit for 84"W Frame, 4-cir	**SE84EK4C**	$ 528
Mural Electrical Kit for 30"W Frame, 3-cir	**SE30EK3C**	$ 354
Mural Electrical Kit for 36"W Frame, 3-cir	**SE36EK3C**	$ 354
Mural Electrical Kit for 42"W Frame, 3-cir	**SE42EK3C**	$ 378
Mural Electrical Kit for 48"W Frame, 3-cir	**SE48EK3C**	$ 378
Mural Electrical Kit for 54"W Frame, 3-cir	**SE54EK3C**	$ 378
Mural Electrical Kit for 60"W Frame, 3-cir	**SE60EK3C**	$ 378
Mural Electrical Kit for 66"W Frame, 3-cir	**SE66EK3C**	$ 453
Mural Electrical Kit for 72"W Frame, 3-cir	**SE72EK3C**	$ 528
Mural Electrical Kit for 84"W Frame, 3-cir	**SE84EK3C**	$ 528


SESSEJ4C

Description	Model	List Price
Jumpers		
Mural Panel to Panel Jumper, 4-Cir for Std Connector	**SESSEJ4C** (shown)	$ 199
Mural Panel to Panel Jumper, 4-Cir for Enhanced/Flex Connector	**SESFEJ4C**	$ 199
Mural Panel to Panel Jumper, 3-Cir for Std Connector	**SESSEJ3C**	$ 199
Mural Panel to Panel Jumper, 3-Cir for Enhanced/Flex Connector	**SESFEJ3C**	$ 199
Pass Throughs		
Mural Jumper for 30"W-54"W Panels, 4-Cir	**SESMEJ4C**	$ 303
Mural Jumper for 60"W-84"W Panels, 4-Cir	**SELGEJ4C**	$ 303
Mural Jumper for 30"W-54"W Panels, 3-Cir	**SESMEJ3C**	$ 303
Mural Jumper for 60"W-84"W Panels, 3-Cir	**SELGEJ3C**	$ 303




A871912

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles for Beltline or Base Pathway — Mural (specify color)				
Circuit 1	**A873501**	**A871501A**	S	$ 78
Circuit 2	**A873502**	**A871502A**	S	$ 78
Circuit 3 (3+1)	**A873503**	**A871503A**	S	$ 78
Circuit 3 (2+2)	**A873506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A873504**	**N/A**	S	$ 78
Circuit 1, 20 AMP	**A871601**	**A871601A**	S	$ 78
Electrical Infeed Cables				
6' Flex Cable	**A871972**	**A871972A**	S	$ 355
12' Flex Cable	**A871912**	**A871912A**	S	$ 482
18' Flex Cable	**A871918**	**A871918A**	S	$ 606
12' Sealtight Cable Power Infeed	**A877012**	**N/A**	S	$ 587

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 382 for finishes.


S E

Example: **SE30EK4C.P71**

S *Shippable by small-package carrier.*


MURAL

SE08PP1




SE08PP2


Description	Model	List Price
Power Pole		
Mural System 8' Power Pole	**SE08PP1**	**$ 1032**
10'5"H Power Connector Pole	**A870070**	**$ 856**
Mural System Power Pole Splicer Kit	**SE08PP2**	**$ 116**
Mural System T-Power Pole Mounting Kit	**SE08TPP2**	**$ 116**
Mural System Y-Power Pole Mounting Kit	**SE08YPP2**	**$ 116**
Mural System X-Power Pole Mounting Kit	**SE08XPP2**	**$ 116**




SE08TPP2



SE08YPP2



SE08XPP2



Hardwire Power Infeed

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
Hardwire Power Infeed (New York Code)			
	A871400	**A871400A** S	**$ 462**

Note: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.



Description	Chicago Code Model	List Price
Hardwire (Chicago Code) (Black only)		
Terrace Base Pathway Junction Box (Pack of 6)	**873600** S	**$ 1228**

MURAL

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3


See page 382 for finishes.

.

Example:

S ***Shippable by small-package carrier.***

ATADF3




ATADF4


Description	Model	List Price
Data Faceplates (will not work in beams)		
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	$ 46
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	$ 46

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.


ATADJ5



Jacks		
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5** S	$ 81
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6** S	$ 106



GSYSRPC2



GSYSRPC12

Description	Model	P1 List Price	P2 List Price	P3 List Price
Tile Port Cover				
Tile Port Cover (Pack of 2)	**GSYSRPC2** (shown)	$ 66	$ 72	$ 75
Tile Port Cover (Pack of 12)	**GSYSRPC12** (shown)	$ 243	$ 255	$ 265

MURAL

How to specify —

Select the Model Number from above.

1st Option:

Electrical Receptacle Color *(if applicable)*:

See page 382 for finishes.

								.	E

Example: **ATADF3.E4**

S ***Shippable by small-package carrier.***

Notes

Further™ Benching

Finishes 422
Typicals 423-424
Introduction to Further™ 425-426
Statement of Line 427-428
Planning Guidelines 429-437
Working with Worksurfaces and Supports 438-445
Worksurfaces and Supports 446-455
Working with Electrical and Data 456-468
Electrical and Data Components 469-472
Working with Collaborative Hub 473
Collaborative Hub Components 474
Working with Screens 475-476
Fabric Screens and Modesty Panels 477-478
Glass Screens 479
User Movable and Lateral Screens 480
Working with Stride® Benching Screens 481
Stride® Lateral Divider Screens 482
Further™ Adaptive Metal Screens 484-485
Further™ Adaptive Tackboard Accessories 485-486
Working with Storage 487-488
Horizontal and Beam-Mounted Storage Stanchion 489
Pedestals and Credenzas 490
Storage Towers 491
Adaptive Typicals 492
Adaptive Statement of Line 493
Working with Adaptive Worksurfaces and Supports 494-505
Working with Adaptive Electrical and Data 506-510
Working with Screens, Storage, and Extensions 511

Further™ Benching

PAINT FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Carob use Black E4
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

LAMINATES

GRADE L1

SOLID COLORS

Black* ..... P
Brownstone* LM13
Bungalow* LM12
Designer White* LDW1
Flint* LM16
Fossil Shale* LEH1
Loft* LM11
Muslin* LM15
Titanium* LTI1

ABSTRACT COLORS

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair* ..... LWBA
Bourbon Cherry* ..... H
Field Elm* ..... LWFE
Florence Walnut* LFW1
Kingswood Walnut* LKI1
Natural Maple* ..... LWD
NeoWalnut* LNU1
Pinnacle* ..... PINC
Shaker Cherry* LW7C

GRADE L2

Beigewood* ..... LWBE
Fawn Cypress* LFC1
Lowell Ash* LLA1
Mangalore Mango* LMM1
Natural Recon* LNR1
Phantom Charcoal* LPC1
Phantom Ecru* LPE1
Portico Teak* LPT1
Skyline Walnut* LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut* ..... LWNW

*Storage available in these 30 laminates.

All laminate surfaces are also offered with the FSC wood option. Add FSC in front of each laminate option. Refer to specification tools.

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Veranda Teak ..... VT

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

NOTE: Refer to individual product pages for upcharges.

FSC Certified Wood at Allsteel


See page 1007 for more information.

Further™ Benching


A full gallery of typicals from each Allsteel system can be found on our website:
https://www.allsteeloffice.com/design-resources/idea-starters.
Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.

Linear Shapes

Use the Allsteel Typicals Gallery to find the components used in a Further Station.



Further Beams Connected Bench 2'-6" x 5'
Bench configuration encourages collaboration.




Further Bench w/Freestanding 2'-6" x 5'
Freestanding tables provide the ability to reconfigure as needed.

NOTE: Further Typicals can be found at https://www.allsteeloffice.com/design-resources/idea-starters.

Further™ Benching


A full gallery of typicals from each Allsteel system can be found on our website:
https://www.allsteeloffice.com/design-resources/idea-starters.
Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.

Single Sided




Further Touchdown 5' x 2'-9"
Storage and screens provide privacy.

90° Planning




Further Short Bench 7' x 5'-6"
Gallery panels provide touch down privacy.

Dual Sided



Further Small Beehive 5'-6" x 5'-6"
Mobile credenzas double as guest seating.



Further with Involve® 7' x 6'-2½"
Wardrobe towers provide storage for personal items and create space division.


NOTE: Further Typicals can be found at https://www.allsteeloffice.com/design-resources/idea-starters.

Further™ Benching


Choice is yours.


Further is an agile furniture solution that embraces the ever-changing workplace and frees people to adapt their environment — simply, elegantly and efficiently — at their own pace.

At the heart of Further is the hub. Ultimately flexible, the hub provides power and data support for a variety of applications, whether beam supported or freestanding.




Whether the planning approach is organic or linear, individual or team-based, Further can bring your design to life.






Further™ Benching






Further™ Benching


HUBS, BEAMS, and SUPPORTS




Flexible Ported Hub




Flexible Non-Ported Hub




Flexible High Capacity Hub




Hub Base Kits




Linear In-Line Hubs




Linear End-of-Run Hubs




Low Flexible Hubs: Standard and High-Capacity




Beams and Trim






Legs




WORKSURFACES — Laminate



Rectangular



120°




Corner Cove


ELECTRICAL & DATA




Duplexes



Power Kits



Infeeds



Wire Managers




Power Pole

Further™ Benching

SCREENS

Glass

Fabric



Beam Mounted Screen







Table Mounted Screen



Elevated Table-Mounted Screen




User Movable Screen




Beam and Table Mounted Modesty

STORAGE


Floor Based — Laminate with Metal




Open Support Pedestal




Open w/Bin Pedestal




Pull Out Drawer Support Pedestal



Mobile Credenza




42½"H Tower



50"H Tower

Dual Sided Bench — Tethered

TIP:
Benches look cleaner when specified using built up supports as shown here: less legs, fewer kit-of-parts



Dual-Sided Bench (Non-Sit-to-Stand):


- Maximum run length is 60'.
- Available in two styles: H-Leg and A-Leg for both End and Mid-Supports.
- Use infeed cover for H-Leg and A-Leg supports.
- Beam mounted storage shelf is allowed.

When specifying with Kit-of-Parts (Beam End Leg, In-Line Leg, Worksurface Legs and Hubs), adhere to the following rules:


- A support to the edge of the worksurfaces is required every 18' of run. This may be any of the following:
  a) return beam
  b) support storage
  c) bench end
  d) worksurface support leg at front edge of worksurface.
- When two worksurfaces are side by side parallel to the beam, a worksurface support leg in a shared application or worksurface support storage is required.
- A minimum of four worksurfaces are required when using a beam and beam end leg kits on both ends of a run.
- Cannot not use two in-line support legs in a row.



A-Leg Bench




Kit-of-Parts Bench



Single Sided Bench — Tethered

TIP:
Benches look cleaner when specified using built up supports as shown here: less legs, fewer kit-of-parts





Single-Sided Bench

- Available in two styles: H-Leg and A-Leg for both End and Mid-Supports.
- Infeed can be routed through the H- or A-Frame supports.
- Use gusset bracket with every mid-support for stability. Adhere to this rule even when specifying In-Line legs or Hubs. Gusset bracket ordered separately - model UN6GBSS
- Beam mounted modesty screens recommended to provide privacy and conceal single-sided wire or data managers.
- Beam mounted storage shelf is allowed.


When specifying Kit-of-Parts bench (Beam End Leg, In-Line Leg, Worksurface Legs and/or Hubs), adhere to the following rules:

- Maximum run length is 26'.
- Maximum beam length allowed is 72".
- Worksurface support leg in a shared application or worksurface support storage is required.
- Gusset bracket is required at every mid-support leg or hub.
- Note: End-of-run worksurfaces overlay return beams halfway.






Perpendicular to Beam




Perpendicular Workstations

- Maximum setup length is 60'. Maximum of two 96" beams can be used in a run.
- Worksurfaces mounted perpendicularly to beam require 2 worksurface mounting brackets U6WBTF. Brackets cannot be placed more than 6" from edge of worksurface.
- Perpendicular workstations may be used with return worksurfaces. A flat bracket must be used between the two surfaces in place of a shared support leg.
- Specifying a setup with only perpendicular worksurfaces requires either support storage on the non-beam side or all beam support to be hubs.
- In-line support leg cannot be used.
- Horizontal storage is allowed. Worksurface stanchions must have a surface to rest on.

Perpendicular workstations with return worksurfaces




120° Pinwheel — Organic Tethered





120° Organic Workstations

- Beam lengths match on module to short side of trapezoid surfaces only.
- Flexible hub required for 120° beam connections.
- When specified, runoff worksurface “hand” must be the opposite of the parent worksurface “hand” to match beam lengths.
- Horizontal storage is allowed. Worksurface stanchions must have a surface to rest on.
- When back-to-back worksurfaces are of equal depths (24"D or 27"D), Bench End and Mid-Supports can be specified.


Freestanding Beams








Low fence: Linear with Fixed Hubs



Low fence: Pinwheel with center Flexible Hub and outer End-of-Run Fixed Hubs

Freestanding Beams

- No restrictions on maximum setup length.
- Hubs must be used for support. Gallery Panels can be used at ends in lieu of hubs.
- Low hubs recommended when using height-adjustable worksurfaces to avoid height-adjustable desk to beam collision.
- Hub feet or floor anchor brackets required, except at L-, T-, or X-connections.
- Minimum 54" beam in a one beam with two hubs application.
- Minimum return run length using a beam end support leg is 36", use of hub is recommended for return beams.
- Glass screens are allowed when supported using Gallery Panels at both ends or L-, T- or X-connections.
- Beam mounted fabric screens are allowed.
- 13"H fabric screens can be used as Modesty with low beams.
- Beam mounted horizontal storage not allowed.
- Flexible and Fixed Hubs are interchangeable.
- Flexible and Fixed Hubs may be used in conjunction to create the desired applications.
- 1-shelf per freestanding beam allowed. Must have hub feet.





2- and 3-Stage Height-Adjustable Tables

Allsteel's Altitude electric height-adjustable tables provide the perfect combination of functionality and user control.


The sit-to-stand adjustment encourages posture changes throughout the day and has been shown to increase workplace satisfaction and overall comfort. These easy-to-operate tables can accommodate different workstyles, making it an ideal solution for any work environment.

Freestanding Beams






Adaptive Linear Benching — Height-Adjustable




Adaptive Benching

- Mid-supports are required.
- A maximum of two mid-supports in a row may be used.
- Two end supports may be used in succession to extend 6-pack – requires 9" in-line beam connector.
- Single-sided setups require gallery panels to be mounted along spine of beam, or floor anchor brackets on all beam supports.
- Minimum of two single-sided stations allowed.
- Single-sided gallery panels must match the length of worksurfaces specified. Minimum height of the Gallery Panel must be 42"H.
- Adding power to a dual-sided two station application requires a hub at one end.
- Corner cove worksurfaces require a 3-leg control box kit and perpendicular outer support.

Adaptive Perpendicular — Height-Adjustable







Adaptive Perpendicular Workstations

- No restriction on number of perpendicular mid supports used in a row.
- Worksurfaces are centered over perpendicular mid supports, but may be mounted up to 4⅛" forward from mid support to reduce footprint.
- Minimum of 4 stations for dual-sided applications, 2 stations for single-sided applications.
- Perpendicular mid support does not complete height-adjustable station – must order perpendicular outer support.
- Fixed height stations require two worksurface support legs on non-beam side in place of a perpendicular outer support.
- A minimum beam length of 30" must be used between perpendicular mid supports for 27"D surfaces, and a minimum length of 24" for 24"D surfaces.
- Trapezoid worksurfaces not allowed.

Adaptive Organic — Height-Adjustable






Adaptive 120° Workstations

- Requires a 120° mid support at all 3-way beam connections.
- End supports required on beams also connected to a 120° mid support.
- 7" in-line connector required to attach multiple 120° workstations.
- Single-sided end supports not allowed.




Flat Edge Detail



External Worksurface Support Channel (Side View)

The beam attaches to the shaded worksurface edge.

Rectangular Worksurfaces (Top View)



All Worksurfaces (pages 446-449)

- All worksurfaces for Further are 1¼" thick particleboard core with top surfaces finished in laminate, bottom surfaces covered with a backer sheet, and with a flat edge.
- Edge band is 2mm thick ABS plastic on all edges.
- All worksurfaces exclude grommets.
- 24"D worksurfaces support the use of storage from other Allsteel product lines.
- The gap from the back edge of the worksurface to the beam is 1⅞".
- Back edge of the worksurface to the beam centerline distance is 3".
- Maximum worksurface overhang of a parent run is 12". Worksurfaces that overhang the parent run by more than 12" require system legs or supporting storage to support the overhanging edge.
- Maximum 12" overhang when worksurfaces are used in freestanding or adjustable-height applications.
- Distance from floor to top of worksurface is 29½" with glides fully retracted.
- External worksurface support channels are required for unsupported spans at 60"W or greater — see description below.
- Legs and supports from other product lines (Involve open legs, etc.) can be used but there are no pilot holes to support ease of installation and reconfiguration.

Rectangular Worksurfaces (page 447)

- Primary worksurface depths are 21", 24", and 27" (allows for gap and 24", 27", or 30" dimension to center of beam).
- Actual width and depth are equal to the nominal width and depth.


External Worksurface Support Channel (page 446)

- Must be added to unsupported spans at 60"W or greater. Pilot holes are included on worksurface to ensure accurate placement to avoid interference with screens, mounting plates etc.
- Extends 1½" below the worksurface. Stiffener is 6½" from back edge of the worksurface to the vertical wall of the stiffener.
- May interfere with storage or mounting of accessories.
- When using tethered surfaces order to match the size of worksurface. *Example:* Z5SC72 goes with an 72"W worksurface. Stiffener is 12" shorter than worksurface. For worksurfaces over 84", add a worksurface support leg or support storage centered along the width of the surface.
- If floor support storage is used, subtract width of storage from size of stiffener.
- For freestanding tables order one size down. Stiffener is 18" shorter than worksurface. Example: Z5SC66 is used with a 72"W worksurface.




Flat Edge Detail

Shaded edge is side to attach to beam to be on module.



120˚ Worksurfaces (page 448)


- 120˚ worksurface depths are 21", 24", and 27".
- Can be configured with Altitude™ height-adjustable bases.
- Can be configured with support storage on either side of the worksurface.
- Requires 4 worksurface brackets U6WBTF when primary sides of surface are parallel with beams.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




Corner Coves (page 449)

- Corner cove worksurface depths are 24" and 27"; widths are 60"W, 66"W, and 72"W; and return side is always 60"W and 24"D.
- Worksurfaces come with required external support channel.
- Can be configured in standard Further or Further Adaptive.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.


Beam Configurations




Beams — Non-Ported 18"–96"



Beams — Ported Short 36" and 42"




Beams — Ported Long 48"–96"




Cantilevered Beam 6"–12"

Top Trim



Flat — 6"–96"



Rail — 6"–96"

Beams (page 450)

- Supplies power to user and supports worksurfaces, storage, and screens.
- Ported and non-ported options available in 6" increments. Ported beams require electrical receptacles or blank covers ordered separately.
- Flat or mounting top trim required to finish off beams – order separately.
- Beams do not connect directly in-line with one another, use in conjunction with beam support.
- Height of assembled beam with top trim is 4¼"H x 2⅛"D.
- Order worksurface support brackets U6WBTF separately – quantity varies, see page 444.
- Electrical port locations are back-to-back, symmetric about beam center, and a standard distance away from beam ends on all lengths.
- 36" and 42" ported beams have 2 duplex receptacle locations on each side (4 total), 48"-96" ported beams have 4 on each side (8 total).
- Ported beams do not carry data cables internally. Data cables are routed externally through beam mounted wire-managers. See pages 461 and 471.
- Non-ported beams can be used in conjunction with beam end legs and benching end connector to create a benching end condition.


Cantilevered Beam (page 450)

- Cantilevered beams can extend the length of a run by 6", 9", or 12".
- Must mount to a flexible hub or adaptive mid support.
- Must order flat or mounting top trim separately.
- Model includes a finished end cap.
- Worksurfaces can be mounted on a cantilevered beam when used in conjunction with a worksurface support bracket.
- Horizontal storage cannot be mounted to a cantilevered beam.

Beam Top Trim (page 451)


- Available in 6"-96" lengths in flat or mounting rail and is required to finish off a beam. Must match beam length, no exceptions.
- Mounting top trim contains a reveal for mounting screens and storage.
- Mounting top trim is recommended for projects specified under Chicago electrical Codes.
- Flat top trim is recommended on beams used in a bench end kit.

Flexible Hubs




Non-Ported | Ported | High-Capacity

Hub Dimensions




Hub with base U3HAL

Flexible Hub to Beam Connectors




Single | 2-Way 90° | 2-Way 120° | 2-Way 180°




3-Way 90° | 3-Way 120° | 4-Way 90°


Fixed Hubs




End | In-Line

Fixed Hubs Dimensions





Freestanding End | Freestanding In-Line | Freestanding Flexible Hub - Standard | Freestanding Flexible Hub - High-Capacity



UN6HFCAU

UN6HFEAU

Floor Anchor Brackets



U3HAI | U3HAE

Carpet Grippers



U3CG12

All Beam Supports (pages 452-455)
- Usage rules vary depending on configuration, see specification rules and examples, pages 429-437.
- Include leveling glides with 2¾" adjustment.

Flexible Hub (page 452)
- Supports up to four beams attached in 30° increments; order hubs based on the number of beams that will be connected.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of hub.
- Hub has one removable cover for installation of power and data.
- Standard, ported, and high-capacity options available.
- Ported flexible hub requires a power kit and duplex receptacles – each ordered separately.
- Flexible high-capacity hub increases system data capacity. (see pages 460-461)
- Flexible high-capacity hub comes with 2 grommet covers as standard.
- Required when using power pole U2HPP.
- Includes flat trim; may be used to span a screen over the trim.
- Freestanding applications require flexible hub feet. (see page 433)
- No foot is needed on a Flexible Hub when connecting to 2 or more beams in a non-linear application.


Flexible Hub Base Kit (page 452)
- Attaches to flexible hub.
- Options available for two and three feet. Two feet used at the end of a run, three feet used in the center.
- Provide standard leveling of 2¾".

Fixed Hubs (page 452)
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of hub.
- Hub has one removable cover for installation of power and data.
- In-line and end-of-run options available.
- In-line fixed hub supports two beams in a 180° condition and adds 6" to run.
- End-of-run fixed hub supports one beam and adds 3" to run.
- End-of-run fixed hubs can be turned 180° to remove the cover and access leveling glides and cables inside.
- Freestanding option available – See additional details below.
- For a free-standing application, it is ideal to specify the low hubs. See below.
- Specify UN6HFCAU for In-Line foot or UN6HFEAU for end-of-run foot separately.
- Required when using square power pole.

Low Hubs (page 453)
- From floor to top of the low Hub is 20½".
- Fixed Hubs
  - include feet with standard leveling of 2¾".
  - are recommended for straight or linear applications.
- Flexible Hubs
  - feet are not required when used in L-, T-, or X-connection.
  - feet are required when using in linear application (feet ordered separately - see page 452).
  - may be used in conjunction with Fixed Hubs to create the desired applications.
  - are available in both standard- and high-capacity options.
  - include Hub-to-Beam connectors.
- Required when using square power pole.

Floor Anchor Brackets (page 452)
- Used to anchor beam and worksurface supports to the floor.
- Attach to standard leveling glides provided with all beam supports.
- May be required with hard-wired electrical depending on local code.
- May be used in place of flexible hub feet in freestanding applications.
- Hardware for mounting to floor is not included.
- Internal (hidden) option available for flexible hub. U3HAI
- External kit U3HAE contains 3 anchor brackets.

Carpet Grippers (page 452)
- Attach to leveling glides for added system rigidity when placed on carpeted surface.
- Kit U3CG12 contains 12 carpet grippers.



Beam
End Leg
(Adds 3")


Beam End Leg (page 454)
- Supports a beam at the end of a run.
- Model includes vertical support leg, beam connector, and trim.
- Extends beam run by 3".



Worksurface
Support Legs




Square A-Leg,
Worksurface
Support



Square
Straight Leg,
Worksurface
Support

Worksurface Support Legs (page 454)
- Support worksurfaces that are tethered to the beam structure.
- Triangular Leg and Square Leg options available.
- Triangular Leg can be used to support free-standing tables.
- Can be used as a shared support leg centered between two worksurfaces. Includes tie-bracket for shared applications.
- When used as a shared support leg, must not be more than 15" back from front edge of worksurface on 24"D and 27"D worksurfaces; no more than 12" back on 15"D, 18"D and 21"D worksurfaces.




In-Line
Square Leg
(Adds 6")

In-Line Legs (page 455)
- Supports between two beams.
- Dual sided applications may not use two in a row.
- Single sided applications must be used in conjunction with the gusset bracket UN6GBSS. Ordered separately.
- Includes flat trim.
- Screens may span over in-line leg flat trim.




Wall Mount
(Adds 3")

Wall Mount (page 454)
- Attaches end of beam run to wall.
- Power infeed and data accessible.
- Mounts directly over or adjacent to a wall core.
- Mounting hardware for attaching to wall is to be supplied by installer. Requires hitting wall stud.
- Starts beam 3" from wall. On module worksurfaces sit flush to wall.
- Can be used in freestanding beam applications.




Beam and Beam End
Leg End Support

Bench End Triangular Supports with Built-up Components
(pages 450, 451, and 454)
- Supports a beam and two worksurfaces at the end of a run.
- Bench end support cannot be used to make a freestanding table.
- Comprised of the following items, all ordered separately:
  - Non-ported beam
  - Flat top trim
  - Beam end support leg (Qty 2)
  - Bench end connector kit
  - Worksurface mounting bracket (Qty 2)
- Beam and top trim length to be 2X the worksurface depth.
- Beam mounted modesty may be used on bench end beam.
- Power cannot be routed from parent run into bench end support beam.




A-Leg - Bench End Support




H-Leg Bench End Support

Bench End Support (Square leg page 455)
- Used in dual sided applications only.
- Supports a beam and two worksurfaces at the end of a run.
- Available in two styles: A-Leg and H-Leg.
- Power infeed accessible; infeed covers ordered separately.
- Bench end support cannot be used to make a freestanding table.
- Works with 24" and 27" deep worksurfaces.
- Beam mounted modesty cannot be used on bench end supports.
- Features “square” leg profile.



A-Leg Mid-Support




H-Leg Frame Mid-Support

Mid-Support (page 455)
- Used in dual sided applications only.
- Available in two styles: A-Leg and H-Leg.
- Power infeed accessible; infeed covers ordered separately.
- Includes flat trim; may be used to span a screen over the trim.
- Features “square” leg profile.
- Not compatible with Chicago or NYC J-boxes.




Table Leg w/Caster

Table Leg with Caster (page 454)
- Support worksurfaces in freestanding table applications.
- Unsupported spans over 60" require external support channel.
- Tables 78"W or greater require 2 additional legs in the center of the table (6 legs total) to resist bowing.
- Can be used with surfaces from other product lines, but pilot hole locations will not be available for installation or reconfiguration.




A-Leg, Single Sided End Support



H-Leg, Single Sided End Support

Single Sided End Supports (page 455)
- Used in single sided applications, end of run.
- Available in two styles: A-Leg and H-Leg.
- Comes in Left and Right Hand configurations.
- Works with 24" and 27" deep worksurfaces.
- Infeed accessible.
- Bench end supports cannot be used to make a freestanding table.
- Features “square” leg profile.



Gusset Bracket

Gusset Bracket (page 454)
- Must be used in single sided applications to provide stability to In-Line leg or Hubs.
- Specify one bracket per support.

Worksurface Brackets Required for Attaching to Beams
(Additional Supports Required)




WORKSURFACE SHAPE:	QTY OF WORKSURFACE SUPPORT BRACKETS (Model U6WBTF)			
	1	2	3	4
Rectangular* Perpendicular		21"W–60"W**	Wider than 60"	
Runoff***	15"W–39"W	Wider than 39"		
120°				46"W–52"W
Corner Cove (supported on one side)		60"W	Wider than 60"	


*Rectangular ends in return applications require an additional bracket.
**Dimensions are taken from the short width side of surface.
***Runoff worksurface dimension is taken from short side of worksurface.


Worksurface Support Bracket (pages 446 or 454)

- Used to tether worksurfaces to the beam structure. All worksurfaces come with pilot holes for standard bracket locations along the back edge of worksurface.
- Brackets mount into the continuous reveal on each side of the beam.
- Worksurfaces cannot overhang worksurface support bracket by more than 12".
- Perpendicular worksurfaces require two worksurface support brackets no more than 6" from each edge.
- Quantity of brackets required varies by shape and size of worksurface – see chart and images to left.
- At least two brackets are required per worksurface. Support storage may replace one bracket on worksurfaces requiring three or more.




Rectangular with System Legs





Rectangular with Bench End



A Flat Bracket is required between the two surfaces when one worksurface is parallel to the beam and another is perpendicular.


Flat Bracket (page 454)

- Used to tether two worksurfaces together when floor support is not necessary.
- Required when one worksurface is parallel to the beam and another is perpendicular.
- 12" bracket used for 15" and 18" deep runoff surfaces.
- 24" bracket used for 21" and 24" deep worksurfaces.
- 30" bracket used for 27" worksurface.

U6WBTF



Description	Model	List Price
Worksurface Support Brackets		
Worksurface Support Bracket — Tethered fixed height	**U6WBTF** S	$ 100



External Worksurface Support Channel (no color option) — 1½"H		
30"W External Support Channel for 42"W Worksurface	**Z5SC42** S	$ 93
36"W External Support Channel for 48"W Worksurface	**Z5SC48** S	$ 96
42"W External Support Channel for 54"W Worksurface	**Z5SC54** S	$ 111
48"W External Support Channel for 60"W Worksurface or 66" Table	**Z5SC60**	$ 119
54"W External Support Channel for 66"W Worksurface or 72" Table	**Z5SC66**	$ 138
60"W External Support Channel for 72"W Worksurface or 78" Table	**Z5SC72**	$ 148
66"W External Support Channel for 78"W Worksurface	**Z5SC78**	$ 162
72"W External Support Channel for 84"W Worksurface	**Z5SC84**	$ 177

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):


_____ . _____

Examples: **U6WBTF.P02** **U6WBTF.P7G** **Z5SC60**

S ***Shippable by small-package carrier.***


Worksurfaces

For specification information see pages 429-445.




U5F2160S

Description	Laminate w/Flat Edge Model	Beam Size	Laminate w/Flat Edge L1	L2	L3
21"D Rectangular Worksurfaces					
30"W	**U5F2130S**	24"W	$ 489	$ 511	$ 529
36"W	**U5F2136S**	30"W	$ 552	$ 576	$ 596
42"W	**U5F2142S**	36"W	$ 613	$ 638	$ 660
48"W	**U5F2148S**	42"W	$ 664	$ 694	$ 714
54"W	**U5F2154S**	48"W	$ 717	$ 748	$ 769
60"W	**U5F2160S**	54"W	$ 776	$ 809	$ 833
66"W	**U5F2166S**	60"W	$ 861	$ 896	$ 922
72"W	**U5F2172S**	66"W	$ 939	$ 977	$ 1005
78"W	**U5F2178S**	72"W	$ 1200	$ 1246	$ 1285
84"W	**U5F2184S**	78"W	$ 1250	$ 1297	$ 1339
90"W	**U5F2190S**	84"W	$ 1477	$ 1531	$ 1580
96"W	**U5F2196S**	90"W	$ 1539	$ 1596	$ 1649



U5F2466S

24"D Rectangular Worksurfaces (27" to center of beam)					
30"W	**U5F2430S**	24" Beam	$ 539	$ 563	$ 581
36"W	**U5F2436S**	30" Beam	$ 588	$ 613	$ 634
42"W	**U5F2442S**	36" Beam	$ 642	$ 670	$ 690
48"W	**U5F2448S**	42" Beam	$ 686	$ 716	$ 737
54"W	**U5F2454S**	48" Beam	$ 753	$ 785	$ 808
60"W	**U5F2460S**	54" Beam	$ 830	$ 864	$ 890
66"W	**U5F2466S**	60" Beam	$ 908	$ 944	$ 972
72"W	**U5F2472S**	66" Beam	$ 986	$ 1026	$ 1056
78"W	**U5F2478S**	72" Beam	$ 1270	$ 1318	$ 1362
84"W	**U5F2484S**	76" Beam	$ 1329	$ 1378	$ 1425
90"W	**U5F2490S**	84" Beam	$ 1574	$ 1632	$ 1686
96"W	**U5F2496S**	90" Beam	$ 1633	$ 1692	$ 1750



U5F2760S

27"D Rectangular Worksurfaces					
30"W	**U5F2730S**	24"W	$ 588	$ 613	$ 634
36"W	**U5F2736S**	30"W	$ 631	$ 659	$ 679
42"W	**U5F2742S**	36"W	$ 669	$ 699	$ 719
48"W	**U5F2748S**	42"W	$ 713	$ 744	$ 765
54"W	**U5F2754S**	48"W	$ 797	$ 830	$ 855
60"W	**U5F2760S**	54"W	$ 886	$ 921	$ 949
66"W	**U5F2766S**	60"W	$ 959	$ 997	$ 1026
72"W	**U5F2772S**	66"W	$ 1040	$ 1081	$ 1114
78"W	**U5F2778S**	72"W	$ 1346	$ 1396	$ 1443
84"W	**U5F2784S**	78"W	$ 1410	$ 1462	$ 1510
90"W	**U5F2790S**	84"W	$ 1673	$ 1733	$ 1793
96"W	**U5F2796S**	90"W	$ 1745	$ 1807	$ 1870

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate** *(if applicable)*:	**Edge** *(if applicable)*:
U 5 F [ ][ ][ ] S . [ ][ ][ ][ ] .		[ ][ ]

Examples: **U5F2130S.LM11.EV** **U5F2730S.LWBR.DB** **Z5SC60.P02**


S *Shippable by small-package carrier.*

Worksurfaces

Further™ — 120°

Laminate

For specification information see pages 429-445.



U5F244646C

Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1	L2	L3
21"D 120° Worksurfaces (24"D to center of beam)					
46¼"W Back Left and Right	42" Beam	**U5F214646C**	**$ 1176**	**$ 1221**	**$ 1260**
52¼"W Back Left and Right	48" Beam	**U5F215252C**	**$ 1277**	**$ 1325**	**$ 1369**
24"D 120° Worksurfaces (27"D to center of beam)a					
46¼"W Back Left and Right	42" Beam	**U5F244646C**	**$ 1206**	**$ 1252**	**$ 1293**
52¼"W Back Left and Right	48" Beam	**U5F245252C**	**$ 1313**	**$ 1362**	**$ 1407**
27"D 120° Worksurfaces (30"D to center of beam)					
46¼"W Back Left and Right	42" Beam	**U5F274646C**	**$ 1236**	**$ 1283**	**$ 1324**
52¼"W Back Left and Right	48" Beam	**U5F275252C**	**$ 1355**	**$ 1405**	**$ 1452**

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:**	**Edge:**

U 5 F | | | | | | | | . | | | | . | |


Example: **U5F214646C.LM11.EV**

Worksurfaces


Further™ — Corner Coves

Laminate

For specification information see pages 429-445.



Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1	L2	L3
Corner Cove Worksurfaces — Left Handed (66" and 72" extend left)					
60" x 60" - 24"L / 24"R	54" / 54"	**U5CC6024LS**	**$ 1899**	**$ 1963**	**$ 2028**
60" x 60" - 27"L / 24"R	54" / 54"	**U5CC6027LS**	**$ 1956**	**$ 2021**	**$ 2089**
66" x 60" - 24"L / 24"R	60" / 54"	**U5CC6624LS**	**$ 1994**	**$ 2060**	**$ 2129**
66" x 60" - 27"L / 24"R	60" / 54"	**U5CC6627LS**	**$ 2027**	**$ 2094**	**$ 2166**
72" x 60" - 24"L / 24"R	66" / 54"	**U5CC7224LS**	**$ 2039**	**$ 2106**	**$ 2178**
72" x 60" - 27"L / 24"R	66" / 54"	**U5CC7227LS**	**$ 2172**	**$ 2245**	**$ 2319**



Corner Cove Worksurfaces — Right Handed (66" and 72" extend right)					
60" x 60" - 24"L / 24"R	54" / 54"	**U5CC6024RS**	**$ 1899**	**$ 1963**	**$ 2028**
60" x 60" - 24"L / 27"R	54" / 54"	**U5CC6027RS**	**$ 1956**	**$ 2021**	**$ 2089**
60" x 66" - 24"L / 24"R	54" / 60"	**U5CC6624RS**	**$ 1994**	**$ 2060**	**$ 2129**
60" x 66" - 24"L / 27"R	54" / 60"	**U5CC6627RS**	**$ 2027**	**$ 2094**	**$ 2166**
60" x 72" - 24"L / 24"R	54" / 66"	**U5CC7224RS**	**$ 2039**	**$ 2106**	**$ 2178**
60" x 72" - 24"L / 27"R	54" / 66"	**U5CC7227RS**	**$ 2172**	**$ 2245**	**$ 2319**

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate:** See page 422 for finishes.	**Edge:**


U5CC _____ . _____ . ___


Examples: **U5CC7224LS.LM11.EV** **U5CC6624RS.LWBR.DB**

Worksurface Supports

For specification information see pages 429-445.

UN6B36P





UN6B48P

Description	Model	Applicable Beam Power Kit Model	List Price P1	P2	P3
Beams with Back-to-Back Power Ports*					
36"W with 2 Ports Per Side	**UN6B36P** S	UN8K36	$ 632	$ 649	$ 663
42"W with 2 Ports Per Side	**UN6B42P** S	UN8K42	$ 694	$ 711	$ 725
48"W with 4 Ports Per Side	**UN6B48P** S	UN8K48	$ 750	$ 770	$ 790
54"W with 4 Ports Per Side	**UN6B54P** S	UN8K54	$ 830	$ 850	$ 870
60"W with 4 Ports Per Side	**UN6B60P** S	UN8K60	$ 910	$ 932	$ 956
66"W with 4 Ports Per Side	**UN6B66P** S	UN8K66	$ 988	$ 1010	$ 1034
72"W with 4 Ports Per Side	**UN6B72P** S	UN8K72	$ 1087	$ 1111	$ 1139
78"W with 4 Ports Per Side	**UN6B78P** S	UN8K78	$ 1335	$ 1359	$ 1387
84"W with 4 Ports Per Side	**UN6B84P** S	UN8K84	$ 1487	$ 1515	$ 1546
90"W with 4 Ports Per Side	**UN6B90P** S	UN8K90	$ 1585	$ 1613	$ 1644
96"W with 4 Ports Per Side	**UN6B96P** S	UN8K96	$ 1684	$ 1715	$ 1748


*Order applicable Beam Power Kit separately on page 470. Beam electrical covers to be ordered separately if duplex receptacles are not specified (see below).



USBEC2

Description	Model	Chicago Code Model	List Price P1	P2	P3
Beam Electrical Covers					
2 Pack	**UNSBEC2** S	**UNSBEC2CH***	$ 68	$ 68	$ 68
12 Pack	**UNSBEC12** S	**UNSBEC12CH***	$ 244	$ 244	$ 244

*Requires electrical mounting kit UN8EBKCH.



UN6B09CN

Beams (Non-Ported)					
18"W	**UN6B18N** S		$ 355	$ 369	$ 378
21"W	**UN6B21N** S		$ 406	$ 420	$ 429
24"W	**UN6B24N** S		$ 445	$ 459	$ 468
30"W	**UN6B30N** S		$ 524	$ 538	$ 547
36"W	**UN6B36N** S		$ 600	$ 617	$ 631
42"W	**UN6B42N** S		$ 661	$ 678	$ 692
48"W	**UN6B48N** S		$ 719	$ 739	$ 759
54"W	**UN6B54N** S		$ 799	$ 819	$ 839
60"W	**UN6B60N** S		$ 878	$ 900	$ 924
66"W	**UN6B66N** S		$ 959	$ 981	$ 1005
72"W	**UN6B72N** S		$ 1040	$ 1064	$ 1092
78"W	**UN6B78N** S		$ 1138	$ 1162	$ 1190
84"W	**UN6B84N** S		$ 1290	$ 1318	$ 1349
90"W	**UN6B90N** S		$ 1435	$ 1463	$ 1494
96"W	**UN6B96N** S		$ 1585	$ 1616	$ 1649



Cantilevered Beams					
6"W	**UN6B06CN** S		$ 217	$ 231	$ 240
9"W	**UN6B09CN** S		$ 221	$ 235	$ 244
12"W	**UN6B12CN** S		$ 258	$ 272	$ 281

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

P1 P2 P3

U | | | | | | | . | | | |

Examples: **UN6B36P.P02** **UNSBEC2.P7B** **UN6B18N.P02**


S *Shippable by small-package carrier.*

Worksurface Supports

Further™ — Beam Trim


Painted Metal

For specification information see pages 429-445.



UN6B36F

Description	Model	List Price P1	P2	P3
Beam Trim — Flat				
6" Cantilevered Beams Only	UN6B06F S	$ 116	$ 127	$ 130
9" Cantilevered Beams Only	UN6B09F S	$ 127	$ 140	$ 149
12" Cantilevered Beams Only	UN6B12F S	$ 130	$ 143	$ 152
18"	UN6B18F S	$ 159	$ 172	$ 181
21"	UN6B21F S	$ 166	$ 179	$ 188
24"	UN6B24F S	$ 167	$ 180	$ 189
30"	UN6B30F S	$ 175	$ 188	$ 197
36"	UN6B36F S	$ 189	$ 204	$ 214
42"	UN6B42F S	$ 201	$ 216	$ 226
48"	UN6B48F S	$ 207	$ 225	$ 240
54"	UN6B54F S	$ 218	$ 236	$ 251
60"	UN6B60F S	$ 226	$ 246	$ 266
66"	UN6B66F S	$ 379	$ 399	$ 419
72"	UN6B72F S	$ 401	$ 423	$ 447
78"	UN6B78F S	$ 451	$ 473	$ 497
84"	UN6B84F S	$ 460	$ 484	$ 512
90"	UN6B90F S	$ 471	$ 495	$ 523
96"	UN6B96F S	$ 477	$ 505	$ 536



UN6B36M

Description	Model	List Price P1	P2	P3
Beam Trim for Mounting Screens or Storage				
6" Cantilevered Beams Only	UN6B06M S	$ 156	$ 167	$ 170
9" Cantilevered Beams Only	UN6B09M S	$ 163	$ 176	$ 185
12" Cantilevered Beams Only	UN6B12M S	$ 169	$ 182	$ 191
18"	UN6B18M S	$ 206	$ 219	$ 228
21"	UN6B21M S	$ 210	$ 223	$ 232
24"	UN6B24M S	$ 214	$ 227	$ 236
30"	UN6B30M S	$ 221	$ 234	$ 243
36"	UN6B36M S	$ 243	$ 258	$ 268
42"	UN6B42M S	$ 256	$ 271	$ 281
48"	UN6B48M S	$ 268	$ 286	$ 301
54"	UN6B54M S	$ 276	$ 294	$ 309
60"	UN6B60M S	$ 282	$ 302	$ 322
66"	UN6B66M S	$ 452	$ 472	$ 492
72"	UN6B72M S	$ 505	$ 527	$ 551
78"	UN6B78M S	$ 542	$ 564	$ 588
84"	UN6B84M S	$ 552	$ 576	$ 604
90"	UN6B90M S	$ 563	$ 587	$ 615
96"	UN6B96M S	$ 575	$ 603	$ 634

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint** *(if applicable):* P1 P2 P3

.


Examples: **UN6B06F.P02** **UN6B06M.P7B**

S *Shippable by small-package carrier.*

Worksurface Supports

For specification information see pages 429-445.

FLEXIBLE STANDARD-HEIGHT HUBS
(Organic & Linear Applications)




Description	Model	List Price P1	P2	P3
Flexible Non-Ported Connector Hubs — 28"H				
1 Beam to Hub (shown)	U6HK1S S	$ 1386	$ 1431	$ 1496
2 Beams to Hub	U6HK2S S	$ 1458	$ 1503	$ 1568
3 Beams to Hub	U6HK3S S	$ 1519	$ 1564	$ 1629
4 Beams to Hub	U6HK4S S	$ 1549	$ 1594	$ 1659
Note: Order hub base kit and anchors below for freestanding applications.				
Flexible Ported Connector Hubs — 28"H				
1 Beam to Hub (shown)	U6HK1P S	$ 1520	$ 1561	$ 1622
2 Beams to Hub	U6HK2P S	$ 1592	$ 1633	$ 1694
3 Beams to Hub	U6HK3P S	$ 1653	$ 1694	$ 1755
4 Beams to Hub	U6HK4P S	$ 1683	$ 1724	$ 1785
Note: Order hub base kit and anchors below for freestanding applications. Order electrical components separately on pages 469-470.				
Flexible High Capacity Connector Hubs — 28"H				
1 Beam to Hub (shown)	U6HK1HC S	$ 1438	$ 1483	$ 1548
2 Beams to Hub	U6HK2HC S	$ 1510	$ 1555	$ 1620
3 Beams to Hub	U6HK3HC S	$ 1571	$ 1616	$ 1681
4 Beams to Hub	U6HK4HC S	$ 1601	$ 1646	$ 1711
Note: Order hub base kit and anchors below for freestanding applications.				
Flexible Hub Components				
Connector Block — fills 90° of new U" Beam Hub Connector*	UN3CHBC S	$ 130	$ 142	$ 148
Connector Gap Filler (3 pack) — fills 90° of original Hub Connector*	U3CHBG S	$ 102	$ 114	$ 120
Hub Base Kit — 2 Feet with leveling	U6HB2L S	$ 509	$ 529	$ 549
Hub Base Kit — 3 Feet with leveling	U6HB3L S	$ 540	$ 560	$ 580
Anchor — Internal (Black only)	U3HAI S	$ 82	N/A	N/A
Anchor — External (P1 or P2)	U3HAE S	$ 82	$ 88	90
Carpet Grippers – 12 pack	U3CG12 S	$ 35	N/A	N/A


*Order ala carte to aid in reconfiguration of hub connector kit.

FIXED STANDARD-HEIGHT HUBS
(Only Linear Applications)



Description	Model	List Price P1	P2	P3
Fixed Standard-Height Hubs — 28"H				
1 Beam — End of Run	UN6HE2SQ S	$ 880	$ 944	$ 1040
2 Beams — In Line (2 Beams only at 180°)	UN6HC2SQ S	$ 880	$ 944	$ 1040
Fixed In-Line Hub Foot	UN6HFCAU	$ 549	$ 590	$ 648
Fixed End-of-Run Hub Foot	UN6HFEAU	$ 549	$ 590	$ 648


UN6HFCAU


UN6HFEAU

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

P1 P2 P3

U _____ . ____

Examples: **U6HK1S.P02 U6HK4SHC.P7B U3CG12**

S *Shippable by small-package carrier.*

Worksurface Supports


Further™ — Hub and Components


For specification information see pages 429-445.

Painted Metal

FIXED HUBS
(Only Linear Applications)

UN6HLE2SQ







UN6HLC2SQ

Description	Model	List Price P1	P2	P3
Fixed Low Height Freestanding Hubs — 20½"H (for freestanding power rail/fence applications)				
1 Beam — End of Run	**UN6HLE2SQ** S	$ 1138	$ 1222	$ 1344
2 Beams — In Line (2 Beams only at 180°)	**UN6HLC2SQ** S	$ 1138	$ 1222	$ 1344

UN6LHK2S





UN6LHK2HC

Description	Model	List Price P1	P2	P3
Flexible Low-Height Freestanding Hubs — 20½"H				
Further Flex Low Hub with Hub to 2 Beam Connector	**UN6LHK2S**	$ 1322	$ 1406	$ 1539
Further Flex Low Hub with Hub to 3 Beam Connector	**UN6LHK3S**	$ 1383	$ 1467	$ 1600
Further Flex Low Hub with Hub to 4 Beam Connector	**UN6LHK4S**	$ 1413	$ 1497	$ 1630
Further Flex Hi Cap Low Hub with Hub to 2 Beam Connector	**UN6LHK2HC**	$ 1365	$ 1451	$ 1589
Further Flex Hi Cap Low Hub with Hub to 3 Beam Connector	**UN6LHK3HC**	$ 1426	$ 1512	$ 1650
Further Flex Hi Cap Low Hub with Hub to 4 Beam Connector	**UN6LHK4HC**	$ 1456	$ 1542	$ 1680

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

P1 P2 P3

U N 6 | | | | | . | | | |


Example: **UN6LHK2S.P7B**

S ***Shippable by small-package carrier.***


Worksurface Supports

For specification information see pages 429-445.


FLEXIBLE LEGS



Description	Model	List Price P1	P2	P3
Beam Legs (Triangular) — Seated Height				
Beam End Support Leg — Adds 3" to run	UN6E2F S	$ 517	$ 539	$ 557
Beam Wall Mount — attaches beam run to wall (requires stud)	UN6BMTW S	$ 593	$ 618	$ 645
Bench End Beam Connector Kit	UN3CBBE	$ 166	$ 178	$ 184




Description	Model	List Price P1	P2	P3
Worksurface and Table Legs — Seated Height				
Triangular Worksurface and Table Support Leg w/Glide	U6L2FG S	$ 381	$ 403	$ 421
Triangular Table Support Leg w/Caster	U6T2FC S	$ 413	$ 435	$ 453



Description	Model	List Price P1	P2	P3
Worksurface Legs (Square) — Seated Height				
Square Straight Leg Worksurfaces Support w/ Glide	UN6L2FGSQ	$ 272	$ 294	$ 323
Square A-Leg Worksurface Support w/ Glide	UN6ALSQ	$ 285	$ 307	$ 336

BRACKETS



Description	Model	List Price P1	P2	P3
Brackets				
Worksurface Support Bracket — Tethered fixed height	U6WBTF S	$ 100	$ 107	$ 110
Flat Bracket for 12"D (no color option)	T612FB S	$ 76	N/A	N/A
Flat Bracket for 24"D (no color option)	T624FB S	$ 87	N/A	N/A
Flat Bracket for 30"D (no color option)	T630FB S	$ 98	N/A	N/A
2 Ganging Bracket Links with Screws (no color option)	AW4GANG S	$ 110	N/A	N/A
Gusset Bracket for Single Sided Applications	UN6GBSS	$ 156	$ 165	$ 170

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

P1 P2 P3

.


Examples: **UN6E2F.P02** **UN6BMTW.P7B** **T612FB**

S *Shippable by small-package carrier.*

Worksurface Supports


For specification information see pages 429-445.

FIXED LEGS




UN6L2FLSQ

UN6BE54SQ




UN6HS2SQ


Description	Model		List Price P1	P2	P3
Beam Supports (Square) — Seated Height					
54"W H-Leg - Bench End Support (for 2-24"W) — Adds 3" to run	**UN6BE54SQ**	S	$ 1121	$ 1205	$ 1324
60"W H-Leg - Bench End Support (for 2-27"W) — Adds 3" to run	**UN6BE60SQ**	S	$ 1139	$ 1224	$ 1345
In-Line Beam Support Leg with Flat Top Trim — Adds 6" to run	**UN6L2FLSQ**	S	$ 432	$ 466	$ 517
H-Leg Mid-Support with Flat Top Trim	**UN6HS2SQ**	S	$ 955	$ 1024	$ 1128



UN6AEDS54SQ



UN6AESS24RH



UN6SESS24RH

Description	Model	List Price P1	P2	P3
Beam Supports (Square) — Seated Height				
A-Leg Mid-Support with Flat Top Trim	**UN6AMDS2SQ**	$ 1004	$ 1073	$ 1177
54"W A-Leg Bench End Support (for 2-24"W) - Adds 3" to run	**UN6AEDS54SQ** (shown)	$ 1175	$ 1259	$ 1378
60"W A-Leg Bench End Support (for 2-30"W) - Adds 3" to run	**UN6AEDS60SQ**	$ 1199	$ 1284	$ 1405
A-Leg Single Sided End Support, 24"D, Right Hand	**UN6AESS24RH** (shown)	$ 1227	$ 1276	$ 1324
A-Leg Single Sided End Support, 24"D, Left Hand	**UN6AESS24LH**	$ 1227	$ 1276	$ 1324
A-Leg Single Sided End Support, 30"D, Right Hand	**UN6AESS27RH**	$ 1268	$ 1319	$ 1368
A-Leg Single Sided End Support, 30"D, Left Hand	**UN6AESS27LH**	$ 1268	$ 1319	$ 1368
H-Leg Single Sided End Support, 24"D, Right Hand	**UN6SESS24RH** (shown)	$ 1191	$ 1239	$ 1285
H-Leg Single Sided End Support, 24"D, Left Hand	**UN6SESS24LH**	$ 1191	$ 1239	$ 1285
H-Leg Single Sided End Support, 30"D, Right Hand	**UN6SESS27RH**	$ 1229	$ 1279	$ 1326
H-Leg Single Sided End Support, 30"D, Left Hand	**UN6SESS27LH**	$ 1229	$ 1279	$ 1326

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

P1 P2 P3


.

Example: **UN6BE54SQ.P7B**

S ***Shippable by small-package carrier.***

Electrical & Data


Further features cable management capabilities for electrical, voice, and data. The 8-wire electrical system can be integrated within beams. Voice and data cables are routed externally using beam mounted wire managers.



Further Electrical Systems


The electrical system for Further offers two options: 3+1 or 2+2. Both systems utilize an 8-wire, four-circuit electrical system, rated at 20 amps (15 amps Canadian). Connect a maximum of 13 receptacles (12 in Canada, and fewer in certain U.S. locales) to one circuit. Consult your electrician to ensure the planned electrical load is within permissible limits. Follow the steps below to help specify your Further electrical.

1. **Infeeds** — Determine the location, quantity, and type of power infeeds needed.
2. **Hub-to-Beam Power Kits** — Specify a Hub-to-Beam Power Kit with each Infeed. Order Kit based on the number of beams being powered at the infeed location. Ex: A Flexible Hub in the center of a 120° Pinwheel needs a Hub-to-3 Beam Power Kit. These kits connect to Beam Power Kits.
3. **Beam Power Kits & Jumpers** — Specify a Beam Power Kit for each ported beam. Power kits are determined by the size of beam ordered and are connected to one another with beam-to-beam jumpers - order separately.
4. **Duplex Receptacles** — Determine which electrical system will be used after consulting an electrician: 2+2 or 3+1. System is determined by which circuits are used. Specify circuit specific receptacles to fill all port locations where electrical is needed. Number of ports is determined by the beams and beam power kits specified. Port covers must be placed in port locations where duplex receptacles are not specified.




A871912


Electrical Infeed (page 469)
- Used to route power from a floor, wall, or ceiling core into the Further beam structure.
- Two infeeds can be routed into any hub, power pole, or H-leg. One infeed can be routed into the square leg bench end or wall mount.
- Available as sealtight cable in 12', or as flex cable in 12' or 18' lengths.
- Infeed cables cannot connect directly to beam power kits. Require a hub-to-beam power kit for all infeed locations.
- Consult your electrician to ensure the planned electrical load and cabling is within permissible national and local code limits.
- Infeed ordered separately for all hardwired applications. (see page 469)




Beam-to-Beam Jumper (page 470)
- Used to pass power from one beam to another over beam support.
- Quantity varies on the number of beams being passed to. See illustration.
- Beam-to-beam jumpers do not need to be ordered for locations where hub-to-beam power kits are specified.



Hub-to-Beam Power Kits (page 470)
- Used to connect power from infeed cable to beam power kits.
- Order power kits based on the number of beams being connected to each infeed cable. If two infeed cables are entering the system in the same location, two hub-to-beam power kits should be ordered.
- Power can be routed into 1-4 beams from one infeed.



Ported Hub Power Kit (page 470)
- Installed within the ported flexible hub and delivers power to user.
- Requires two duplex receptacles – ordered separately.
- Can be used in conjunction with all hub-to-beam power kits.
- Must order an additional beam-to-beam jumper when placed in a location without an infeed cable.




Beam Power Kits (page 470)
- Beam power kits are installed within the ported beam and deliver power to the user.
- Kits correlate to specific ported beam lengths; only one kit per beam.
- Quantity of duplex receptacles that can be used varies by length of beam specified. 36" and 42" ported beams have 2 ports on each side (4 total), 48"- 96" ported beams have 4 ports on each side (8 total). – duplex receptacles ordered separately.

Receptacle Color Recommended to Coordinate with Paint Color



Paint Color	Receptacle Color
Carob — P52	Black — E4
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — BW
Designer White — PJW	Designer White — DW
Fossil — P28	Flint — E9
Gunmetal Metallic— PR3	Brownstone — EY
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum Metallic — PR2	Silver — ES
Salt — P8C	Silver — ES
Titanium — P8T	Silver — ES

Duplex Receptacles (page 470)
- Receptacles snap into power blocks of power kits.
- Quantity depends on the length of beams specified.
- Four circuits available.
- Circuit 3 must be specified as a utility (3+1) or isolated (2+2) circuit depending on the electrical system desired.
- Available in 8 colors and labeled with circuit number on receptacle face.
- May be replaced with electrical port covers in locations where power is not desired – ordered separately.




Electrical Port Cover (page 470)
- Fits into Further beam port locations in place of duplex receptacles.
- Does not fit into port sizes of other product lines.
- Requires electrical mounting kit UN8EBKCH.
- Chicago Code models available for hardwired applications.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

Reference the Office Equipment Typical Load Values on page 459.


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.



Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb) Fluorescent LED	 0.12 0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer Inkjet Laser	 0.15 4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
Office Kitchen	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

Examples of Component Usage based on the *Office Equipment Typical Load Values* Chart


Power Option 3+1

Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items


Power Option 2+2

Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

Electrical & Data




Model U2HPP




Space for 72 data cables without power infeed cables

Space for 54 data cables with three power infeed cables



UN2CSQPP



UN2ESQPP



Square Power Pole for Fixed Supports (page 469)

- UN2HPSQ Power Pole is 8' tall.
- Power Pole may be used over one of fixed supports: In-Line or End-of-Run Hub, H-Leg and In-Line Leg Supports.
- Specify power pole kit UN2CSQPP for In-Line Leg, In-Line Fixed Hub or H-Leg Supports.
- Specify power pole kit UN2ESQPP for End-of-Run Fixed Hub.
- To extend the power pole for a taller ceiling, order quantity-2 with a splicer kit UN2HPSQSK.

Power Pole (page 469)


- Used to shroud infeed and data cables that are routed to the beam structure from a ceiling.
- Requires a flexible hub or any adaptive mid support to mount over.
- Cannot be used in freestanding applications.
- Power pole stands 124¼" high with hub glides fully retracted. Extension available through Allsteel Tailored Products.
- Kit includes all necessary mounting hardware and ceiling trim.
- Mounts over 1-4 beams. Aesthetic trim cover included for end condition applications.



Infeed Cover (page 469)


- Shrouds single infeed or up to 24 data cables.
- Specify UN6WC for H-Leg or UN6AWC A-Leg supports.
- Attaches to the legs with VHB tape - included in hardware.
- Not compatible with Chicago or NYC junction boxes. Refer to hubs if needed.

Top Views of Hub




The top of the hub allows for a maximum of 30 (3.45 sq. in.) data cables (.300" dia.) to pass through the ½" gap around the perimeter of the hub

All quantities listed at 60% fill ratio



Cable capacities for routing voice and data cables through hub are provided at left for top, side, and bottom of hub.




Data (page 471)
- Data is routed internally through any hub, power pole, wall-mount, or infeed cover; but is external to beam.
- Cabling is routed to users through beam-mounted wire managers. See illustrations at left.


Maximum Support Capacities

Support	Data*	Infeeds	Beams
Standard Flexible Hub	30	3	4
High Capacity Flexible Hub	84	3	4
Power Pole U2HPP	72	3	4
Power Pole UH2HPSQ	34	2	NA
In-Line Fixed Hub	24	1	2
End of Run Fixed Hub	24	1	1
H-Leg**	NA	2	2
Bench End**	NA	1	1
Infeed Cover	24	1	NA


*Reduce capacity of data cables by 6 for each infeed specified
*Data cable size is based on 0.25-diameter cable.
**Data capacity is determined by wire managers and infeed cover.



Single-Sided Wire Manager (page 471)
- Can be used with any single-sided, dual-sided, Further Adaptive, freestanding post and beam, and fixed-height applications.
- Holds user wires and up to 30 system data cables on one side of a beam.
- Mounts into the continuous reveal on either side of a beam – mounting clips included.
- Single-sided version is recommended when nesting storage.
- The data manager without the 2½"D tray can be ordered separately to maximize space, or the tray may be removed in the field.
- Available from 36" to 78" widths in 6" increments.
- Includes mounting locations for Cord Management Chain when used with Adaptive supports or freestanding height-adjustable workstations.
- Specify 6" shorter than beam length when used with Adaptive supports.
- Two single-sided wire managers can be used on either side of beam to increase data capacity. (60 total)
- May be used in conjunction with beam mounted modesty screens.
- Includes 4 knockout port locations for data faceplates (2.7"W x 1.375"H) on all widths. Data faceplates ordered separately.




Dual-Sided Wire Manager (page 471)
- Holds user wires and up to 20 system data cables each side of a beam. (40 total)
- Mounts to underside of beam; does not use continuous side reveal.
- Available from 36" to 78" widths in 6" increments.
- Includes 8 knockout port locations for data faceplates on all widths. Data faceplates ordered separately.
- Ideal for use in a fixed-height dual sided application.
- Does not support wire chain.
- Cannot be used in conjunction with beam mounted modesty screens.
- Cannot be used on Further Adaptive. Must use single-sided wire manager.



Data Faceplates & Jacks (page 472)
- Faceplates fit into knockout ports on both available wire managers.
- Faceplates do not work in beam electrical ports.
- Faceplate options available to install either 3 or 4 data jacks.
- Faceplates available in one color – black.
- Faceplates and Jacks sold separately.
- CAT 5E and CAT 6 data jacks available.


Electrical & Data

Further™ — Working with Chicago & New York Electrical




Chicago code junction box **U8IKCH** is compatible with both 28"H and 20½"H flexible hubs. The box is 9⅛"H x 3½"W.

U8IKCH




Chicago code junction box **U8SBKCH** is compatible with both 28"H and 20½"H fixed hubs. The box is 11"H x 5.7"W x 2.3"D.


U8SBKCH



UN8BBKCH




UN8EBKCH



Hardwire – Chicago Code (page 469)


- Mounting rail top trim required for all hardwired powered beams.
- Cannot wire two receptacles back-to-back. Receptacles must be staggered.
- Junction box U8IKCH or U8SBKCH are required for all infeed locations.
- A ⅜" diameter conduit fitting must be used at the knockout locations on the junction box and brackets to fit within enclosures.
- One beam kit UN8BBKCH required per beam. Kit includes two brackets to enclose beam to meet NEC and UL requirements.
- Electrical mounting kit UN8EBKCH is required for mounting duplex receptacles and/or electrical port covers. Kit includes two brackets.
- Electrical port covers can be installed in place of a duplex receptacle on the electrical mounting bracket. Cannot be installed without the electrical mounting kit UN8EBKCH.
- Ported flexible hubs cannot be used in hardwired applications.
- All wiring, conduit, and receptacles to be supplied by electrician.
- Use U8IKCH for flexible hubs and U8SBKCH for fixed hubs.




Hardwire – New York Code (page 469)


- Required for New York electrical.
- For flexible hubs and Further Adaptive, choose one of the 3 configurations:
  – U8IKNY1 for Hub to 1 Beam
  – U8IKNY2 for Hub to 2 Beam
  – U8IKNY3 for Hub to 3 Beam
- For fixed hubs (not for use with Further Adaptive), choose one of the 2 configurations:
  – U8SBKNY1 for Hub to 1 Beam
  – U8SBKNY2 for Hub to 2 Beam
- Ported flexible hubs cannot be used in hardwired applications.
- All wiring and conduit to be supplied by electrician.


Further Electrical Example 1 — Dual-Sided Bench 4-Pack







Further Electrical Example 2 — Dual-Sided Bench 6-Pack







Further Electrical Example 3— Single-Sided Bench 2-Pack







Further Electrical Example 4 — 120° Pinwheel with Power Pole







Further Electrical Example 5 — 120° Dogbone






Further Electrical Example 6 — Freestanding






For specification information see pages 456-468.



A871912

Description	Four-circuit 3 + 1 2 + 2	List Price
Electrical Infeed Cables		
6' Flex Cable	A871972	$ 355
12' Flex Cable	A871912 S	$ 482
18' Flex Cable	A871918 S	$ 606
12' Sealtight Cable Power Infeed	A877012 S	$ 587

U2HPP UN2HPSQ



UN2HPSQSK


UN2CSQPP

UN2ESQPP

UN6WC

Description	Model	List Price P1	P2	P3
Integrated Power/Communication Poles				
8'H Power/Communication Pole (mounts on top of hub)	U2HPP	$ 2443	$ 2507	$ 2596
10'5"H Power Connector Pole (mounts to side of fixed hub)	A870070	$ 856	N/A	N/A
8'H Square Power Pole	UN2HPSQ	$ 1184	$ 1204	$ 1218
Square Power Pole Splicer Kit	UN2HPSQSK	$ 130	$ 136	$ 137
Power Pole Kit for In-Line Fixed Hub, and H-Leg	UN2CSQPP	$ 249	$ 269	$ 297
Power Pole Kit for End-of-Run Fixed Hub	UN2ESQPP	$ 249	$ 269	$ 297
Infeed Cover				
Use with H-Leg Supports	UN6WC S	$ 207	$ 226	$ 247
Use with A-Leg Supports	UN6AWC	$ 207	$ 226	$ 247

U8IKCH UN8BBKCH




UN8EBKCH

U8SBKCH

Description	Chicago Code Model	List Price
Chicago Code Electrical		
Flexible Hub Chicago Box	U8IKCH S	$ 278
Fixed Hub Chicago Box	U8SBKCH	$ 350
Infeed to Beam Bracket	UN8BBKCH S	$ 59
Beam Electrical Mounting Kit (to mount 4 duplexes or covers)	UN8EBKCH S	$ 130
Beam Electrical Covers — 2 Pack	UNSBEC2CH* S	$ 68
Beam Electrical Covers — 12 Pack	UNSBEC12CH* S	$ 244

*Requires electrical mounting kit UN8EBKCH.



U8IKNY1 U8SBKNY1

Description	New York Code Model	List Price
New York Code Electrical		
Flexible Hub to 1 Beam Kit	U8IKNY1 S	$ 614
Flexible Hub to 2 Beam Kit	U8IKNY2 S	$ 1128
Flexible Hub to 3 Beam Kit	U8IKNY3 S	$ 1337
Fixed Hub to 1 Beam Kit	U8SBKNY1	$ 776
Fixed Hub to 2 Beam Kit	U8SBKNY2	$ 1010

How to specify —

Select the Model Number from above.

1st Option:

Electrical Infeed Color *(if applicable)*:

P Black

1st Option:

Paint *(if applicable)*:

P1 P2 P3

_____ . P ____


Examples: **A871912.P U2HPP.P7G U8IKCH**

S *Shippable by small-package carrier.*


Electrical & Data

Further™ — Jumpers, Hub & Beam Power Kits, and Receptacles


For specification information see pages 456-468.



Description	Max. Receptacles Per Side	Model	List Price
Jumpers			
Beam-to-Beam Jumper		**UN87J16** S	$ 159
Hub to 1 Beam Power Kit		**UN87JH1** S	$ 246
Hub to 2 Beams Power Kit		**UN87JH2** S	$ 479
Hub to 3 Beams Power Kit		**UN87JH3** S	$ 707
Hub to 4 Beams Power Kit		**UN87JH4** S	$ 739



Hub Power Block			
Ported Hub Power Pack	2	**UN8HP** S	$ 568




Beam Power Kits include jumpers and blocks for specific beam models. Order receptacles separately below.

Beam Dual-Sided Power Kits			Applicable Beam(s)	
36" Dual-Sided	2	**UN8K36** S	UN6B36P	$ 421
42" Dual-Sided	2	**UN8K42** S	UN6B42P	$ 483
48" Dual-Sided	4	**UN8K48** S	UN6B48P	$ 563
54" Dual-Sided	4	**UN8K54** S	UN6B54P	$ 585
60" Dual-Sided	4	**UN8K60** S	UN6B60P	$ 601
66" Dual-Sided	4	**UN8K66** S	UN6B66P	$ 855
72" Dual-Sided	4	**UN8K72** S	UN6B72P	$ 874
78" Dual-Sided	4	**UN8K78** S	UN6B78P	$ 890
84" Dual-Sided	4	**UN8K84** S	UN6B84P	$ 915
90" Dual-Sided	4	**UN8K90** S	UN6B90P	$ 1136
96" Dual-Sided	4	**UN8K96** S	UN6B96P	$ 1159



Duplex Receptacles for Further Dual-Sided Power Kits		
Circuit 1	**UN87U501** S	$ 71
Circuit 2	**UN87U502** S	$ 71
Circuit 3 (3 + 1)	**UN87U503** S	$ 71
Circuit 3 (2 + 2)	**UN87U506** S	$ 71
Circuit 4 — isolated/dedicated	**UN87U504** S	$ 71



Description	Model	Chicago Code Model	List Price P1	List Price P2	List Price P3
Electrical Accessories					
Beam Electrical Covers — 2 Pack	**UNSBEC2** S	**UNSBEC2CH***	$ 68	$ 68	$ 68
Beam Electrical Covers — 12 Pack	**UNSBEC12** S	**UNSBEC12CH***	$ 244	$ 244	$ 244


*Requires electrical mounting kit UN8EBKCH.

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*
Select the Model Number from above.	**Color for Jumpers and Power Kits** *(if applicable)*:	**Electrical Receptacle Color** *(if applicable)*:	**Paint Color for Electrical Covers** *(if applicable)*:
	P Black	See page 422 for finishes.	See page 422 for finishes. P1 P2 P3
U .	P	E	P


Examples: **UN8K36.P** **UN87U501.EV** **UNSBEC2.P7B**

S *Shippable by small-package carrier.*

For specification information see pages 456-468.




Description	Model	List Price P1	P2	P3
Beam-Mounted Wire Manager — Double-Sided Painted Metal				
36"W Beam Mounted	UN6BWMC36 S	$ 426	$ 452	$ 489
42"W Beam Mounted	UN6BWMC42 S	$ 436	$ 466	$ 505
48"W Beam Mounted	UN6BWMC48 S	$ 458	$ 490	$ 536
54"W Beam Mounted	UN6BWMC54 S	$ 491	$ 526	$ 577
60"W Beam Mounted	UN6BWMC60 S	$ 574	$ 614	$ 668
66"W Beam Mounted	UN6BWMC66 S	$ 757	$ 804	$ 874
72"W Beam Mounted	UN6BWMC72 S	$ 865	$ 917	$ 993
78"W Beam Mounted	UN6BWMC78 S	$ 1004	$ 1062	$ 1143



Beam-Mounted Wire Manager — Single-Sided Painted Metal				
36"W Beam Mounted	UN6SWMC36 S	$ 451	$ 498	$ 567
42"W Beam Mounted	UN6SWMC42 S	$ 496	$ 548	$ 623
48"W Beam Mounted	UN6SWMC48 S	$ 549	$ 607	$ 688
54"W Beam Mounted	UN6SWMC54 S	$ 602	$ 662	$ 750
60"W Beam Mounted	UN6SWMC60 S	$ 661	$ 728	$ 830
66"W Beam Mounted	UN6SWMC66 S	$ 726	$ 799	$ 906
72"W Beam Mounted	UN6SWMC72 S	$ 799	$ 876	$ 988
78"W Beam Mounted	UN6SWMC78 S	$ 880	$ 961	$ 1080



Beam-Mounted Shelf — 5"D Painted Metal				
24"W	UN924BMS S	$ 181	$ 199	$ 216
30"W	UN930BMS S	$ 204	$ 223	$ 242
36"W	UN936BMS S	$ 221	$ 241	$ 263
42"W	UN942BMS S	$ 242	$ 263	$ 288
48"W	UN948BMS S	$ 263	$ 285	$ 313
54"W	UN954BMS S	$ 294	$ 318	$ 349
60"W	UN960BMS S	$ 334	$ 360	$ 395



Beam-Mounted Data Manager without Tray — Single-Sided Painted Metal				
36"W	UN6SDMC36 S	$ 361	$ 389	$ 427
42"W	UN6SDMC42 S	$ 397	$ 428	$ 471
48"W	UN6SDMC48 S	$ 437	$ 470	$ 519
54"W	UN6SDMC54 S	$ 483	$ 519	$ 572
60"W	UN6SDMC60 S	$ 529	$ 570	$ 626
66"W	UN6SDMC66 S	$ 583	$ 628	$ 689
72"W	UN6SDMC72 S	$ 639	$ 687	$ 757
78"W	UN6SDMC78	$ 704	$ 756	$ 833

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3


UN _____ . ____

Examples: **UN6BWMC36.P7B** **UN924BMS.P7G**

S *Shippable by small-package carrier.*

For specification information see pages 456-468.

ATADF3




ATADF4

Description	Model	List Price
Data Faceplates (will not work in beams)		
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	$ 46
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	$ 46

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.

ATADJ5



Description	Model	List Price
Jacks		
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5** S	$ 81
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6** S	$ 106

How to specify —	*1st Option:*
Select the Model Number from above.	**Data Faceplate Color** *(if applicable)*: **E4** Black


. E 4


Examples: **ATADF3.E4** **ATADJ5**

S *Shippable by small-package carrier.*

Collaborative Hub


A Collaborative Standalone Hub provides access to power and data in teaming spaces in areas outside of the primary work area.





Hub with U3HAI base

Hub with U6HB3 base



U3HAI Internal


U3HAE External

Collaborative Hub (page 474)
- Provides access to power in teaming spaces outside of the individual workspace.
- Used as a standalone unit, does not support or run power into beams.
- Three feet base kit or floor anchor brackets required – order separately.
- Options available with a standard power cord, whip, or for use with an electrical infeed cable.
- 6' power cord or whip included, infeed cable ordered separate.
- When powered through infeed cable, two duplex receptacles are required – sold separately.

Collaborative Hub Foot Kit (page 474)
- Attaches to the bottom of a Collaborative Hub.
- Nonleveling hub feet kit required for Collaborative Hub if no floor anchors are specified.

Collaborative Hub

For specification information see page 473.




Description	Model	List Price P1	P2	P3
Collaborative Hub Kits — 28"H (must order feet below)				
Infeed Hub (order 2 duplexes and infeed separately)	**UN6H2PCK** S	$ 1696	$ 1718	$ 1743
Hardwire Hub (1 USB, 4 Simplex)	**U6H2SCU1P4H** S	$ 3102	$ 3127	$ 3154
Corded Hub (1 USB, 4 Simplex)	**U6H2SCU1P4C** S	$ 2987	$ 3012	$ 3039
Collaborative Hub Components				
Hub Base Kit — 3 Feet non-leveling	**U6HB3** S	$ 302	$ 322	$ 342
Anchor — Internal (Black only)	**U3HAI** S	$ 82	N/A	N/A
Anchor — External (P1 or P2)	**U3HAE** S	$ 82	$ 88	90
Carpet Grippers – 12 pack	**U3CG12** S	$ 35	N/A	N/A


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Electrical Color for Single Sided Hub Kit** *(if applicable)*: **BLK** Black **WHT** White	**Trim Faceplate for Single Sided Hub Kit** *(if applicable)*:	**Paint** *(if applicable)*:
U _____ . ____		NA	

Examples: **UN6H2PCK.P02 U6HB3.P7B U3HAI U3CG12**
U6H2SCU1PH.WHT.NA.PR6

S *Shippable by small-package carrier.*

Screens






Beam Mounted Screen




Beam Mounted Screens (pages 477 and 479)

- Attach to the top or bottom of a beam, available in 6" increments at 13"H and 20½"H.
- Options available for tackable fabric up to 60"W, and glass up to 96"W.
- Fabric required when mounting screen to the bottom of a beam.
- Mounting top trim required to use screens on the top of a beam.
- May pass over a hub, h-leg, or in-line support without the use of split top trim.
- Beam mounted storage may be used on the same beam as a screen. Subtract the width of the storage unit from the screen.
- Worksurface mounted modesty screens are possible, but will interfere with cord management.
- Beam mounted modesty panels must be specified 6" shorter than beams when with Further Adaptive.



Elevated Version





Flush Mount


Table Mounted Screens (pages 478 and 479)

- Attach to the edge of a worksurface, available in 6" increments at 13" and 20½"H from 30"- 60"W.
- Flush-mounted option available in tackable fabric and glass.
- Glass screens only allowed on 27" deep worksurfaces.
- Elevated option available in fabric only.
- Elevated screens provide 1¼" clearance for routing cords and attachment of monitor arms.
- Flush-mounted screens should be specified 12" shorter than width of worksurface when used between Table legs – see example left.


Screens








U6BL1221ML



U6BL1221MR



Side View of Lateral Screen Attached to a Worksurface

Close-up of Attachment — Without Accessories Rail and With Accessories Rail

Table Mounted Modesty (page 478)

- Attaches to the underside of a worksurface, available in 6" increments at 13"H from 18"- 60"W.
- Specify 13" shorter than width of worksurface when used between Table legs – see example left.
- Must be inset at least 3" from back edge of worksurface if used with table mounted or user movable screens.

User Movable Screen (page 480)

- Mounts to the edge of a worksurface and may be transferred to other locations with ease. Available in 6" increments at 13"H from 18"-60"W.
- Specify 12" shorter than worksurface edge when used between Table legs – see example left.
- Cannot be placed on mid support edge of worksurface when used with Further Adaptive.


Lateral Screen (page 480)

- Clamps to back edge of worksurface at 12"H.
- 20" or 26"D models available. Screen is designed to sit back from front edge of worksurface.
- Space for folders is 1½" and holds approximately 340 sheets of paper.
- Folder storage is one-sided – LH and RH options available.
- Cannot be located right above run off support beams on Adaptive worksurfaces.

Screens


Further™ — Fabric Screens and Modesty Panels

For specification information see page 475.



U6BC1336F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Beam Center Screens — Fabric							
24"W Beam Mounted	**U6BC1324F** S	$ 855	$ 881	$ 907	$ 951	$ 993	$ 1035
30"W Beam Mounted	**U6BC1330F** S	$ 892	$ 922	$ 949	$ 993	$ 1038	$ 1085
36"W Beam Mounted	**U6BC1336F** S	$ 928	$ 962	$ 994	$ 1049	$ 1102	$ 1158
42"W Beam Mounted	**U6BC1342F** S	$ 975	$ 1016	$ 1053	$ 1116	$ 1179	$ 1243
48"W Beam Mounted	**U6BC1348F** S	$ 1006	$ 1052	$ 1095	$ 1167	$ 1239	$ 1311
54"W Beam Mounted	**U6BC1354F** S	$ 1057	$ 1108	$ 1156	$ 1238	$ 1320	$ 1401
60"W Beam Mounted	**U6BC1360F** S	$ 1129	$ 1186	$ 1240	$ 1329	$ 1420	$ 1510



U6BC2036F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
20½"H Beam Center Screens — Fabric							
24"W Beam Mounted	**U6BC2024F** S	$ 974	$ 1009	$ 1043	$ 1099	$ 1155	$ 1211
30"W Beam Mounted	**U6BC2030F** S	$ 1012	$ 1057	$ 1099	$ 1170	$ 1239	$ 1311
36"W Beam Mounted	**U6BC2036F** S	$ 1048	$ 1100	$ 1151	$ 1237	$ 1322	$ 1405
42"W Beam Mounted	**U6BC2042F** S	$ 1092	$ 1153	$ 1212	$ 1311	$ 1409	$ 1506
48"W Beam Mounted	**U6BC2048F** S	$ 1164	$ 1233	$ 1302	$ 1413	$ 1526	$ 1640
54"W Beam Mounted	**U6BC2054F** S	$ 1255	$ 1333	$ 1410	$ 1536	$ 1665	$ 1790
60"W Beam Mounted	**U6BC2060F** S	$ 1319	$ 1406	$ 1489	$ 1631	$ 1772	$ 1913

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric:**	**Center Screens End Cap Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Paint Color:** P1 P2 P3 See page 422 for finishes.
U 6 B _ _ _ _ F .	_ _ _ _ _ .	_ _ _ .	_ _ _


Example: **U6BC1324F.APN911.PR6.PR6**


S *Shippable by small-package carrier.*


Screens


Further™ — Fabric Screens and Modesty Panels


For specification information see pages 475-476.


U6TS1336F


U6TS2036F






U6TM36F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Table Mounted Screens — Fabric							
30"W Table Mounted	**U6TS1330F** S	$ 892	$ 922	$ 949	$ 993	$ 1038	$ 1085
36"W Table Mounted	**U6TS1336F** S	$ 930	$ 964	$ 996	$ 1051	$ 1104	$ 1160
42"W Table Mounted	**U6TS1342F** S	$ 973	$ 1014	$ 1051	$ 1114	$ 1177	$ 1241
48"W Table Mounted	**U6TS1348F** S	$ 1006	$ 1052	$ 1095	$ 1167	$ 1239	$ 1311
54"W Table Mounted	**U6TS1354F** S	$ 1057	$ 1108	$ 1156	$ 1238	$ 1320	$ 1401
60"W Table Mounted	**U6TS1360F** S	$ 1129	$ 1186	$ 1240	$ 1329	$ 1420	$ 1510
20½"H Table Mounted Screens — Fabric							
30"W Table Mounted	**U6TS2030F** S	$ 1012	$ 1057	$ 1099	$ 1170	$ 1239	$ 1311
36"W Table Mounted	**U6TS2036F** S	$ 1050	$ 1102	$ 1153	$ 1239	$ 1324	$ 1407
42"W Table Mounted	**U6TS2042F** S	$ 1090	$ 1151	$ 1210	$ 1309	$ 1407	$ 1504
48"W Table Mounted	**U6TS2048F** S	$ 1164	$ 1233	$ 1302	$ 1413	$ 1526	$ 1640
54"W Table Mounted	**U6TS2054F** S	$ 1255	$ 1333	$ 1410	$ 1536	$ 1665	$ 1790
60"W Table Mounted	**U6TS2060F** S	$ 1319	$ 1406	$ 1489	$ 1631	$ 1772	$ 1913
13"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric							
30"W	**U6TTS1330F**	$ 957	$ 987	$ 1015	$ 1060	$ 1109	$ 1154
36"W	**U6TTS1336F**	$ 996	$ 1028	$ 1057	$ 1107	$ 1156	$ 1204
42"W	**U6TTS1342F**	$ 1042	$ 1078	$ 1112	$ 1170	$ 1227	$ 1284
48"W	**U6TTS1348F**	$ 1085	$ 1127	$ 1167	$ 1232	$ 1298	$ 1364
54"W	**U6TTS1354F**	$ 1137	$ 1184	$ 1228	$ 1303	$ 1376	$ 1451
60"W	**U6TTS1360F**	$ 1206	$ 1257	$ 1306	$ 1388	$ 1472	$ 1553
20½"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric							
30"W	**U6TTS2030F**	$ 1085	$ 1126	$ 1166	$ 1228	$ 1293	$ 1359
36"W	**U6TTS2036F**	$ 1122	$ 1171	$ 1218	$ 1295	$ 1374	$ 1452
42"W	**U6TTS2042F**	$ 1165	$ 1222	$ 1277	$ 1366	$ 1458	$ 1549
48"W	**U6TTS2048F**	$ 1250	$ 1314	$ 1377	$ 1481	$ 1584	$ 1687
54"W	**U6TTS2054F**	$ 1346	$ 1417	$ 1487	$ 1604	$ 1721	$ 1837
60"W	**U6TTS2060F**	$ 1409	$ 1490	$ 1568	$ 1698	$ 1828	$ 1957
13"H Table Mounted Modesty — Fabric							
18"W Table Mounted	**U6TM18F** S	$ 681	$ 702	$ 722	$ 754	$ 784	$ 818
24"W Table Mounted	**U6TM24F** S	$ 722	$ 747	$ 772	$ 813	$ 852	$ 893
30"W Table Mounted	**U6TM30F** S	$ 748	$ 780	$ 811	$ 863	$ 913	$ 962
36"W Table Mounted	**U6TM36F** S	$ 813	$ 851	$ 889	$ 950	$ 1010	$ 1071
42"W Table Mounted	**U6TM42F** S	$ 853	$ 899	$ 941	$ 1013	$ 1084	$ 1155
48"W Table Mounted	**U6TM48F** S	$ 915	$ 965	$ 1014	$ 1095	$ 1177	$ 1257
54"W Table Mounted	**U6TM54F** S	$ 980	$ 1037	$ 1092	$ 1183	$ 1273	$ 1364
60"W Table Mounted	**U6TM60F** S	$ 1064	$ 1124	$ 1182	$ 1277	$ 1374	$ 1471

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric:**	**Mounted Screens End Cap Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Paint Color:** See page 422 for finishes.
U 6 T _ _ _ _ _ _ F .	_ _ _ _ _ .	_ _ _ _ .	_ _ _


Examples: **U6TS1330F.APN911.PR6.PR6** **U6TM18F.APN911.PR6**


S *Shippable by small-package carrier.*


Screens


Further™ — Glass Screens

For specification information see page 475.


U6BC1336G


U6BC2036G


U6TS1336G


U6TS2036G

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Beam Center Screens — Glass									
24"W Beam Mounted	U6BC1324G S	$ 1049	$ 1108	$ 1156	$ 1161	$ 1069	$ 1128	$ 1176	$ 1181
30"W Beam Mounted	U6BC1330G S	$ 1081	$ 1143	$ 1198	$ 1196	$ 1101	$ 1163	$ 1218	$ 1216
36"W Beam Mounted	U6BC1336G S	$ 1136	$ 1203	$ 1264	$ 1256	$ 1156	$ 1223	$ 1284	$ 1276
42"W Beam Mounted	U6BC1342G S	$ 1226	$ 1300	$ 1369	$ 1355	$ 1246	$ 1320	$ 1389	$ 1375
48"W Beam Mounted	U6BC1348G S	$ 1260	$ 1344	$ 1420	$ 1393	$ 1280	$ 1364	$ 1440	$ 1413
54"W Beam Mounted	U6BC1354G S	$ 1354	$ 1443	$ 1520	$ 1500	$ 1374	$ 1463	$ 1540	$ 1520
60"W Beam Mounted	U6BC1360G S	$ 1430	$ 1527	$ 1607	$ 1583	$ 1450	$ 1547	$ 1627	$ 1603
66"W Beam Mounted	U6BC1366G S	$ 1602	$ 1704	$ 1798	$ 1774	$ 1627	$ 1729	$ 1823	$ 1799
72"W Beam Mounted	U6BC1372G S	$ 1759	$ 1871	$ 1970	$ 1937	$ 1784	$ 1896	$ 1995	$ 1962
78"W Beam Mounted	U6BC1378G S	$ 2009	$ 2128	$ 2231	$ 2219	$ 2034	$ 2153	$ 2256	$ 2244
84"W Beam Mounted	U6BC1384G S	$ 2083	$ 2211	$ 2329	$ 2297	$ 2108	$ 2236	$ 2354	$ 2322
90"W Beam Mounted	U6BC1390G S	$ 2164	$ 2307	$ 2430	$ 2389	$ 2189	$ 2332	$ 2455	$ 2414
96"W Beam Mounted	U6BC1396G S	$ 2280	$ 2431	$ 2572	$ 2518	$ 2305	$ 2456	$ 2597	$ 2543
20½"H Beam Center Screens — Glass									
24"W Beam Mounted	U6BC2024G S	$ 1132	$ 1206	$ 1275	$ 1254	$ 1152	$ 1226	$ 1295	$ 1274
30"W Beam Mounted	U6BC2030G S	$ 1163	$ 1248	$ 1324	$ 1288	$ 1183	$ 1268	$ 1344	$ 1308
36"W Beam Mounted	U6BC2036G S	$ 1221	$ 1311	$ 1393	$ 1353	$ 1241	$ 1331	$ 1413	$ 1373
42"W Beam Mounted	U6BC2042G S	$ 1355	$ 1452	$ 1544	$ 1503	$ 1375	$ 1472	$ 1564	$ 1523
48"W Beam Mounted	U6BC2048G S	$ 1444	$ 1546	$ 1648	$ 1604	$ 1464	$ 1566	$ 1668	$ 1624
54"W Beam Mounted	U6BC2054G S	$ 1551	$ 1663	$ 1769	$ 1723	$ 1571	$ 1683	$ 1789	$ 1743
60"W Beam Mounted	U6BC2060G S	$ 1654	$ 1774	$ 1886	$ 1838	$ 1674	$ 1794	$ 1906	$ 1858
66"W Beam Mounted	U6BC2066G S	$ 1819	$ 1945	$ 2066	$ 2022	$ 1844	$ 1970	$ 2091	$ 2047
72"W Beam Mounted	U6BC2072G S	$ 1968	$ 2100	$ 2226	$ 2175	$ 1993	$ 2125	$ 2251	$ 2200
78"W Beam Mounted	U6BC2078G S	$ 2474	$ 2625	$ 2765	$ 2749	$ 2499	$ 2650	$ 2790	$ 2774
84"W Beam Mounted	U6BC2084G S	$ 2593	$ 2759	$ 2911	$ 2881	$ 2618	$ 2784	$ 2936	$ 2906
90"W Beam Mounted	U6BC2090G S	$ 2746	$ 2917	$ 3077	$ 3051	$ 2771	$ 2942	$ 3102	$ 3076
96"W Beam Mounted	U6BC2096G S	$ 3100	$ 3277	$ 3447	$ 3451	$ 3125	$ 3302	$ 3472	$ 3476
13"H Table Mounted Screens — Glass									
30"W Table Mounted	U6TS1330G S	$ 1081	$ 1143	$ 1198	$ 1196	$ 1101	$ 1163	$ 1218	$ 1216
36"W Table Mounted	U6TS1336G S	$ 1138	$ 1205	$ 1266	$ 1258	$ 1158	$ 1225	$ 1286	$ 1278
42"W Table Mounted	U6TS1342G S	$ 1224	$ 1298	$ 1367	$ 1353	$ 1244	$ 1318	$ 1387	$ 1373
48"W Table Mounted	U6TS1348G S	$ 1260	$ 1344	$ 1420	$ 1393	$ 1280	$ 1364	$ 1440	$ 1413
54"W Table Mounted	U6TS1354G S	$ 1354	$ 1443	$ 1520	$ 1500	$ 1374	$ 1463	$ 1540	$ 1520
60"W Table Mounted	U6TS1360G S	$ 1430	$ 1527	$ 1607	$ 1583	$ 1450	$ 1547	$ 1627	$ 1603
20½"H Table Mounted Screens — Glass									
30"W Table Mounted	U6TS2030G S	$ 1163	$ 1248	$ 1324	$ 1288	$ 1183	$ 1268	$ 1344	$ 1308
36"W Table Mounted	U6TS2036G S	$ 1223	$ 1313	$ 1395	$ 1355	$ 1243	$ 1333	$ 1415	$ 1375
42"W Table Mounted	U6TS2042G S	$ 1353	$ 1450	$ 1542	$ 1501	$ 1373	$ 1470	$ 1562	$ 1521
48"W Table Mounted	U6TS2048G S	$ 1444	$ 1546	$ 1648	$ 1604	$ 1464	$ 1566	$ 1668	$ 1624
54"W Table Mounted	U6TS2054G S	$ 1551	$ 1663	$ 1769	$ 1723	$ 1571	$ 1683	$ 1789	$ 1743
60"W Table Mounted	U6TS2060G S	$ 1654	$ 1774	$ 1886	$ 1838	$ 1674	$ 1794	$ 1906	$ 1858

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

U 6 _____ . L _____ . _____


Examples: **U6BC1324G.LF.PR6** **U6TS1330G.LC.PR6**

S *Shippable by small-package carrier.*

Screens


Further™ — User Movable and Lateral Screens

For specification information see page 476.




U6TU1336F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H User Movable Screens — Fabric							
18"W Movable	**U6TU1318F** S	$ 815	$ 835	$ 853	$ 884	$ 914	$ 944
24"W Movable	**U6TU1324F** S	$ 856	$ 880	$ 904	$ 942	$ 980	$ 1018
30"W Movable	**U6TU1330F** S	$ 918	$ 949	$ 978	$ 1024	$ 1073	$ 1121
36"W Movable	**U6TU1336F** S	$ 962	$ 998	$ 1032	$ 1090	$ 1149	$ 1206
42"W Movable	**U6TU1342F** S	$ 1004	$ 1048	$ 1088	$ 1155	$ 1222	$ 1288
48"W Movable	**U6TU1348F** S	$ 1042	$ 1090	$ 1136	$ 1213	$ 1290	$ 1368
54"W Movable	**U6TU1354F** S	$ 1097	$ 1151	$ 1203	$ 1291	$ 1376	$ 1464
60"W Movable	**U6TU1360F** S	$ 1167	$ 1224	$ 1279	$ 1370	$ 1460	$ 1551



U6BL1221ML



U6BL1221MR

Description	Model	List Price P1	P2	P3
12"H Lateral Screens — Metal				
20"D Left	**U6BL1221ML** S	$ 579	$ 602	$ 624
26"D Left	**U6BL1227ML** S	$ 616	$ 639	$ 661
20"D Right	**U6BL1221MR** S	$ 579	$ 602	$ 624
26"D Right	**U6BL1227MR** S	$ 616	$ 639	$ 661


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric** *(if applicable)*:	**Movable Screen End Cap or Lateral Screen Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Movable Screen Mounting Bracket Paint Color:** P1 P2 P3 See page 422 for finishes.
U 6 _____ . _____ . _____ . _____			

Examples: **U6TU1324F.APN911.PR6.PR6** **U6BL1221ML.PR6**

S *Shippable by small-package carrier.*


Lateral Divider Screens (page 482)

- Optional addition to the bench that provides space division and privacy. Lateral divider screens run perpendicular to the center trough.
- Lateral divider screens are sized to match worksurface depth, however it is not required that they are used on worksurface of the same depth.
- Standard depth screens will overhang worksurface ½".
- There are three types of lateral divider screens: tackable fabric, Frosted or Clear glass, and writable glass.
- Lateral divider screens attach to the underside on the back of the worksurface anywhere along the length of the bench within 7½" of each end.
- Lateral divider screens do not have to be mounted at the worksurface seam.
- Lateral divider screens may be used on standard systems worksurfaces, however, the screen mounts and aligns with the back edge of the worksurface. Not to be used on standard rabbet edge worksurfaces.
- Specify a shorter depth screen if using a lateral screen on a Stride Sit-to-Stand surface.
- Screens that match surface depths are available through Allsteel Tailored Products.



Tackable Fabric Lateral Divider Screens (page 482)

- ¾" thick tackable fabric
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are 22¾"D, 25¾"D, and 31¾"D.




Glass Lateral Divider Screens (page 482)

- ⅜" thick laminated clear or frosted glass.
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are 22¾"D, 25¾"D, and 31¾"D.


Screens

Stride® — Lateral Divider Screens

For specification information see page 481.
(See page 1006 for COM pricing on fabric Grades G-J for Fabric Screens.)



Description	Model	Clear List Price	Frosted List Price	Smoked List Price
8"H Lateral Divider Screen — ⅜" Thick Glass				
27"D	**Z6BL0827G** S	$ 986	$ 1036	$ 1113
30"D	**Z6BL0830G** S	$ 1034	$ 1092	$ 1167
36"D	**Z6BL0836G** S	$ 1085	$ 1149	$ 1225




Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
8"H Lateral Divider Screen — ¾" Thick Tackable Fabric							
27"D	**Z6BL0827F** S	$ 884	$ 896	$ 906	$ 924	$ 941	$ 957
30"D	**Z6BL0830F** S	$ 910	$ 923	$ 934	$ 954	$ 972	$ 991
36"D	**Z6BL0836F** S	$ 1005	$ 1020	$ 1033	$ 1056	$ 1078	$ 1101

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Fabric** *(if applicable)*: See page 16 for fabrics.	**Glass** *(if applicable)*: **LC** Clear **LF** Frosted **GSM1** Smoked	**Paint** *(if applicable)*: P1 P2 P3 See page 422 for finishes.
_____ . P___		_____ . L__ .		P___

Examples: **Z6BL0836F.IMP905.P02** **Z6BL0827G.LC.P28**

S *Shippable by small-package carrier.*



Straight L-Shape U-Shape


Size Reference Matrix

Models	A Under Desk Height	B Wing to Front	C1 Wing Width STD	C2 Wing Width EXT	D Left Leg to Edge	E Right Leg to Edge	F Left Side Panel to Support	G1 Distance Between Supports	G2 Distance Between Center/ Right Support	H Right Side Panel to Support	I Overall Width	J1 Desktop to Base of Panel	J2 Desktop to Top of Panel	K Cable Drop Space
AFAMS2048LH	26.8	6.8	21.1	24.3	4.1	-	6.9	29.7	-	6.4	48.1	-	22.9	0.7
AFAMS2054LH	26.8	6.8	21.1	24.3	4.1	-	6.9	35.7	-	6.4	54.1	-	22.9	0.7
AFAMS2060LH	26.8	6.8	21.1	24.3	4.1	-	6.9	41.7	-	6.4	60.1	-	22.9	0.7
AFAMS2066LH	26.8	6.8	21.1	24.3	4.1	-	6.9	22.8	22.8	6.4	66.1	-	22.9	0.7
AFAMS2072LH	26.8	6.8	21.1	24.3	4.1	-	6.9	25.8	25.8	6.4	72.1	-	22.9	0.7
AFAMS2048RH	26.8	6.8	21.1	24.3	4.0	-	6.4	29.7	-	6.9	48.1	-	22.9	0.7
AFAMS2054RH	26.8	6.8	21.1	24.3	4.0	-	6.4	35.7	-	6.9	54.1	-	22.9	0.7
AFAMS2060RH	26.8	6.8	21.1	24.3	4.0	-	6.4	41.7	-	6.9	60.1	-	22.9	0.7
AFAMS2066RH	26.8	6.8	21.1	24.3	4.0	-	6.4	22.8	22.8	6.9	66.1	-	22.9	0.7
AFAMS2072RH	26.8	6.8	21.1	24.3	4.0	-	6.4	25.8	25.8	6.9	72.1	-	22.9	0.7
AFAMS2048US	26.8	6.8	21.1	24.3	4.1	-	6.9	30.3	-	6.9	48.1	-	22.9	0.7
AFAMS2054US	26.8	6.8	21.1	24.3	4.1	-	6.9	36.3	-	6.9	54.1	-	22.9	0.7
AFAMS2060US	26.8	6.8	21.1	24.3	4.1	-	6.9	42.3	-	6.9	60.1	-	22.9	0.7
AFAMS2066US	26.8	6.8	21.1	24.3	4.1	-	6.9	23.1	23.1	6.9	66.1	-	22.9	0.7
AFAMS2072US	26.8	6.8	21.1	24.3	4.1	-	6.9	26.1	26.1	6.9	72.1	-	22.9	0.7
AFAMS2048SS	26.8	-	-	-	4.0	-	5.0	32.0	-	5.0	48.0	-	22.9	0.7
AFAMS2054SS	26.8	-	-	-	4.0	-	5.0	38.0	-	5.0	54.0	-	22.9	0.7
AFAMS2060SS	26.8	-	-	-	4.0	-	5.0	44.0	-	5.0	60.0	-	22.9	0.7
AFAMS2066SS	26.8	-	-	-	4.0	-	5.0	24.0	24.0	5.0	66.0	-	22.9	0.7
AFAMS2072SS	26.8	-	-C1	-	4.0	-	5.0	27.0	27.0	5.0	72.0	-	22.9	0.7


Further Adaptive — Metal Screens (page 485)
- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides ½" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above the desk only.
- L- and U-Shape screens are compatible with shrouded Further Adaptive Desk legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with a VHB tape (included in hardware).
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Radii undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.

Size Reference Matrix

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2



Accessories — Tackboard (page 485)
- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).





Accessories — Radii (page 486)
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.


Accessories — Further Worksurface Rail Mount (page 526)
- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.


Screens

Further™ Adaptive — Metal Screens / Tackboard Accessories



For specification information see pages 483-484.




Extended



Extended Slots


Slots


Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
22"H Metal L-Screen				
48"W	**AFAMS2048LH** (shown)	$ 893	$ 929	$ 964
54"W	**AFAMS2054LH**	$ 972	$ 1012	$ 1050
60"W	**AFAMS2060LH**	$ 1087	$ 1132	$ 1174
66"W	**AFAMS2066LH**	$ 1189	$ 1237	$ 1283
72"W	**AFAMS2072LH**	$ 1243	$ 1293	$ 1341
48"W	**AFAMS2048RH**	$ 893	$ 929	$ 964
54"W	**AFAMS2054RH**	$ 972	$ 1012	$ 1050
60"W	**AFAMS2060RH**	$ 1087	$ 1132	$ 1174
66"W	**AFAMS2066RH**	$ 1189	$ 1237	$ 1283
72"W	**AFAMS2072RH**	$ 1243	$ 1293	$ 1341



Extended



Extended Slots


Slots

22"H Metal U-Screen				
48"W	**AFAMS2048US** (shown)	$ 1164	$ 1212	$ 1256
54"W	**AFAMS2054US**	$ 1228	$ 1278	$ 1325
60"W	**AFAMS2060US**	$ 1282	$ 1333	$ 1383
66"W	**AFAMS2066US**	$ 1407	$ 1464	$ 1519
72"W	**AFAMS2072US**	$ 1476	$ 1536	$ 1593



22"H Metal Straight Screen				
48"W	**AFAMS2048SS** (shown)	$ 762	$ 794	$ 823
54"W	**AFAMS2054SS**	$ 800	$ 833	$ 864
60"W	**AFAMS2060SS**	$ 853	$ 888	$ 920
66"W	**AFAMS2066SS**	$ 972	$ 1012	$ 1050
72"W	**AFAMS2072SS**	$ 1049	$ 1093	$ 1134



15"H Tackboard Accessories				
20"W	**AAS1520** S	$ 332	$ 347	$ 358
48"W	**AAS1548** S (shown)	$ 395	$ 413	$ 427
54"W	**AAS1554** S	$ 436	$ 455	$ 471
60"W	**AAS1560** S	$ 454	$ 474	$ 490
66"W	**AAS1566** S	$ 662	$ 688	$ 716
72"W	**AAS1572** S	$ 724	$ 754	$ 783

S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**Wing Type :** **STD** Standard **EXT** Extended	**Accessories Slots:** **X** No Accessory Cut Out **SLT** Accessory Cut Out	**Paint Option:** P1 P2 P3 See page 422 for finishes.	**Paint Option:** **NA** Screen	**Accessories Color** *(if applicable)*: **DW** Designer White **E9** Flint
_____ .	____ .	____ .	P____ .	NA .	____

Examples: **AAS1548.PR6.APN911** **AFAMS2048LH.STD.SLT.PR6.NA** **AFAMS2048SS.PR6.NA**

Screens

Further™ Adaptive — Tackboard Accessories

For specification information see pages 483-484.

Work Tools








Description	Model	List Price
Hot File (Designer White Only)		
9½"H x 12¼"W x 3⅞"D	**AEHF**	**$ 69**
Side Saddle (Designer White Only)		
4"H x 12¼"W x 2⅛"D	**AESS**	**$ 58**
Bag or Coat Hook (Designer White Only)		
3¼"H x 1⅝"W x 2¼"D	**AECH**	**$ 45**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Paint Option** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Fabric Option** *(if applicable)*: See page 15 for fabric options.	**Accessories Color** *(if applicable)*: **DW** Designer White **E9** Flint
____ .	P ____ .	____ .	____

Examples: **AEHF.PJW**


Storage




10"W x 27"D Support Pedestal Open w/ Personal Bin — Right **U7P1027PBR**

All Storage


- All storage is made from ¾" thick with particleboard core with top and bottom surfaces finished in laminate. Horizontal storage sides and back are painted steel.
- Edge band is made of 1mm thick ABS plastic — flat edge trim only.
- Cam and pin construction. Storage is plinth base only unless unit is mobile.
- Available in solid and woodgrain laminates, models with doors or drawers are available with a two-tone option.
- Pull options: arch, square, linear, straight. All standard in PR6 Silver.
- Locks have a silver finish.




U7P1027PBR



U7P1521PD



U7MC203615HL



U7T501221ADR


Open Support Pedestals (page 490)
- Constructed of laminate, shelves are painted steel.
- Open Support Pedestals may be used to add additional stability — see Further Stability Requirements on page 444.
- Support pedestals may be used to create freestanding desks, storage depth must match worksurface depth.
- 27"D models have a coat/bag hook located in back of unit.

Pull-Out Drawer Support Pedestal (page 490)
- Case is constructed of laminate and painted steel.
- Box and file drawers are miter fold, ½" thick particle board, polypropylene wrapped.
- Configuration is box/box/file and one shelf at top of unit.
- Shelf is not adjustable but can be removed.
- All drawers hidden behind single laminate front.
- Straight, linear, arch and square pulls available as options.
- 1⅝" leveling.
- Cannot be used as a freestanding, standalone unit.
- Outside overall dimensions: 15⅝"W and 21" or 27"D
- Box drawers extend 16" for both model depths.
- File drawers extend 16" on 21"D models and 20" on 27"D models.
- Front to back filing, standard letter size
- One lock, located in upper right hand corner of drawer front.
- Two-tone laminate option for drawer fronts
- Can be used to make a freestanding desk.

Mobile Credenza (page 490)
- Constructed of laminate, shelf is painted steel.
- Mobile credenza has a hinged door with lock, no pull.
- Front casters are locking, back casters are non-locking.

Side Access Towers (page 491)
- Top and sides are laminate, shelves are painted steel.
- Side Access Towers may be used to add additional stability — see Further Stability Requirements on page 444.
- 12" wide towers must be attached to a worksurface.
- Z6LB tower "L" bracket required when supporting a worksurface with a tower — storage depth must match worksurface depth.
- Tower drawers do not extend fully — 27"D towers have a 25"D drawer with 20" travel slides; 21"D towers have a 19"D drawer with 16" travel slides.
- 27"D models have a coat/bag hook located in back of drawer.


"L" Tower Bracket (page 491)
- Z6LB tower "L" bracket required when supporting a worksurface with a tower.
- Storage depth must match worksurface depth.




Storage

Further™ — Horizontal and Beam-Mounted Storage Stanchion

For specification information see pages 487-488.



Description	Model	List Price P1	List Price P2	List Price P3
Worksurface Storage Stanchion				
Horizontal Storage Single Sided Stanchion Kit	**U7HSK1**	$ 514	$ 529	$ 539




Description	Model	List Price P1	List Price P2	List Price P3
Beam Mounted Storage Stanchions				
Shelf Stanchion Kit 2-Pack	**U7HSB2** S	$ 307	$ 322	$ 332
Horizontal Storage Stanchion Kit 4-Pack	**U7HSK2** S	$ 620	$ 638	$ 653

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3
U 7 H .	

Examples **U7HSK1.PR6**


S ***Shippable by small-package carrier.***



U7P1027PBL


U7P1027PBR

Description	Model	List Price L1	L2	L3
Open Support Pedestal — 10"W x 28"H				
27"D w/Personal Bin Left	**U7P1027PBL** S	**$ 2512**	**$ 2601**	**$ 2685**
27"D w/Personal Bin Right	**U7P1027PBR**	**$ 2512**	**$ 2601**	**$ 2685**




U7P1521PD

Description	Model	List Price L1	L2	L3
Pull-Out Drawer Support Pedestal — 15"W x 28"H				
21"D — Shelf/Box/Box/File	**U7P1521PD** S	**$ 3061**	**$ 3167**	**$ 3274**



U7MC203615HL

Description	Model	List Price L1	L2	L3
Mobile Credenza — 15"D x 20"H				
36"W — Hinged Door Left	**U7MC203615HL** S	**$ 3791**	**$ 3921**	**$ 4055**
36"W — Hinged Door Right	**U7MC203615HR** S	**$ 3791**	**$ 3921**	**$ 4055**



U7MC203615HR

Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Seat Cushion — For Further Mobile Credenza only (Specify seating fabric — no leathers)													
36"W x 15"D	**K5CT1536SC**	**$ 466**	**$ 510**	**$ 551**	**$ 591**	**$644**	**$ 699**	**$ 754**	**$ 808**	**$ 862**	**$917**	**$ 971**	**$1025**

How to specify —

Select the Model Number from above.

U 7 _ _ _ _ _ _ _ . _ _

1st Option:

Pull Type *(if applicable)*:

- **AP** Arch
- **HP** Straight (Involve)
- **LP** Linear
- **SP** Square

_ _ _

2nd Option:

Pull Color *(if applicable)*:

- **PR0** Anodized Silver

_ _ _

3rd Option:

Metal Shelves Paint Color *(if applicable)*:

P1 P2 P3

Upcharge:

	P2	P3
Open/21"D Pull-Out	$ 22	$ 46
Open w/Bin/27"D Pull-Out	$ 25	$ 55
Credenza	$ 25	$ 57

_ _ _ .

4th Option:

FSC Certified Wood *(if applicable)*:

- **FSC** Select for FSC Certified Wood
- **X** No FSC

_ _ _ .

Continued below ▼

5th Option:

Laminate *(if applicable)*:

_ _ _ _

6th Option:

Matching Edge *(if applicable)*:

_ _ _ .

7th Option:

Door Laminate *(if applicable)*:

_ _ _ _

8th Option:

Matching Edge *(if applicable)*:

_ _ _ .

9th Option:

Lock Option *(if applicable)*:

- **STD** Standard
- **OMT** Omit Lock Core (Deduct $20)

_ _ _

10th Option:

Lock Color *(if applicable)*:

- **EL** Silver

E L

Only Option for Seat Cushion:

Specify Seating Upholstery

_ _ _ _ _ _ _

Examples: **U7P1027PBL.PR6.FSC.LM11EV.LM11EV.STDEL**
K5CT1536SC.PNS012

S *Shippable by small-package carrier.*


Storage

Further™ — Side Access Towers

Laminate

For specification information see pages 487-488.


U7T421227ADL



U7T421227ADR

Description	Model	List Price L1	L2	L3
42½"H Side Access Towers — 12"W				
27"D w/Left Hand Side Access	**U7T421227ADL** S	**$ 4520**	**$ 4678**	**$ 4835**
27"D w/Right Hand Side Access	**U7T421227ADR** S	**$ 4520**	**$ 4678**	**$ 4835**

U7T501221ADL



U7T501221ADR

Description	Model	List Price L1	L2	L3
50"H Side Access Towers — 12"W				
21"D w/Left Hand Side Access (shown)	**U7T501221ADL** S	**$ 4595**	**$ 4755**	**$ 4915**
27"D w/Left Hand Side Access	**U7T501227ADL** S	**$ 4793**	**$ 4960**	**$ 5128**
21"D w/Right Hand Side Access (shown)	**U7T501221ADR** S	**$ 4595**	**$ 4755**	**$ 4915**
27"D w/Right Hand Side Access	**U7T501227ADR** S	**$ 4793**	**$ 4960**	**$ 5128**



Description	Model	P1 Paint List Price	P2 Paint List Price
"L" Tower Bracket — for Towers			
"L" Tower Bracket for 21"D or 27"D	**Z6LB**	**$ 89**	**$ 111**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Pull Type** *(if applicable)*: **AP** Arch Pull **LP** Linear Pull **SP** Square Pull **HP** Straight Pull (Involve)	**Paint Color:** **Arch Pull** **E4** Black **EL** Silver **Linear and Straight Pull** **PR0** Anodized Silver **Square Pull** **EL** Silver	**Metal Shelves Paint Color** *(if applicable)*: P1 P2 P3 Upcharge: P2 $40 P3 $90	**FSC Certified Wood** *(if applicable)*: **FSC** Select for FSC Certified Wood **X** No FSC
_____ .	_____	_____ .	_____ .	_____ .


Continued below ▼

5th Option:	*6th Option:*	*7th Option:*	*8th Option:*	*9th Option:*	*10th Option:*
Laminate *(if applicable)*:	**Matching Edge** *(if applicable)*:	**Door Laminate** *(if applicable)*:	**Matching Edge** *(if applicable)*:	**Lock Option** *(if applicable)*: **STD** Standard **OMT** Omit Lock Core (Deduct $20)	**Lock Color** *(if applicable)*: **EL** Silver
_____	_____ .	_____	_____ .	_____	E L

Examples: **U7T421227ADL.SPEL.FSC.LM11EV.LM11EV.STDEL Z6LB.PR6** S ***Shippable by small-package carrier.***


Further™ Adaptive

A full gallery of typicals from each Allsteel system can be found on our website:
https://www.allsteeloffice.com/design-resources/idea-starters.
Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.



Further Height-Adjustable Bench 2'-6" x 5'

All 4 stations are height-adjustable.
Bench configuration encourages collaboration.



Further Height-Adjustable Bench w/Towers 7' x 5'-6"


All 4 stations are height-adjustable.
Wardrobe and credenzas provide personal storage.

NOTE: Further Typicals can be found at https://www.allsteeloffice.com/design-resources/idea-starters.

Further™ Adaptive

Further Adaptive configurations use many of the standard Further components to create height-adjustable workstations. This Further Adaptive section contains just 40 models. For a complete Statement of Line of Further components see pages 427-428.


WORKSURFACES — LAMINATE



Rectangular
Standard 24" or 27"D x 48"-72"W




120°
Standard 24" or 27"D x 46¼"-52¼"W




Corner Coves
Standard 24" or 24"/27"D x 60"-72"W

SUPPORTS


Fixed Leg Kits




Height-Adjustable Leg Kits




Mid-Supports



Dual-Sided




Single-Sided




120 Degree

Perpendicular Mid Supports



Dual-Sided



Single-Sided


End Supports



Dual-Sided




Single-Sided




Single-Sided


Perpendicular Outer Support




Beam



7" and 9" Beam-to-Beam Extension



Beam End Cap 2-Pack




Mid Support to Beam Connectors

Electrical




17" and 19" Jumpers


Further™ Adaptive



Further Adaptive (Integrated Height-Adjustable)


- Many standard Further components are utilized to create height-adjustable workstations, and may be restated here for easy reference.
- Height-adjustable stations can be mixed and matched with fixed height stations in any combination.
- Height-adjustable stations come with required control box kit.
- Fixed height and HAT leg kits can be used interchangeably with Further Adaptive supports ordered after 1/1/23.
- Mid-supports are required.
- A maximum of two mid-supports in a row may be used.
- Two end supports may be used in succession to extend 6-pack – requires 9" in-line beam connector.
- Single-sided setups require gallery panels to be mounted along spine of beam, or floor anchor brackets on all beam supports.
- Minimum of two single-sided stations allowed.
- Single-sided gallery panels must match the length of worksurfaces specified. Minimum height of the Gallery Panel must be 42"H.
- Adding power to a dual-sided two station application requires a hub at one end.
- Corner cove worksurfaces require a 3-leg HAT kit and perpendicular outer support.





Worksurfaces (page 503)


- Standard 48"-72"W Further worksurfaces are used for height-adjustable workstations.
- 21"D worksurfaces cannot be used.
- A 1" gap exists between surfaces to eliminate pinch points.
- Worksurfaces cannot overhang supports on ends by more than 12".
- Distance from floor to top of height-adjustable worksurfaces ranges from 28" to 47⅝" with glides fully retracted. See illustration left.
- Distance from floor to top of worksurface for fixed height remains at 29½" with glides fully retracted. See illustrations below.
- Load maximum: 300 lbs. including weight of worksurface.




External Worksurface Support Channel (page 503)

- External stiffeners to be used on 60"W worksurfaces and greater.
- Specify stiffener 12" shorter than standard. (ex. 60"W worksurface uses stiffener Z5SC48)
- Extends 1½" below the worksurface. Stiffener is 6¼" from back edge of the worksurface.
- May interfere with storage or mounting of accessories.

Adaptive Perpendicular — Height-Adjustable







Adaptive Perpendicular Workstations

- No restriction on number of perpendicular mid supports used in a row.
- Worksurfaces are centered over perpendicular mid supports, but may be mounted up to 4⅛" forward from mid support to reduce footprint.
- Minimum of 4 stations for dual-sided applications, 2 stations for single-sided applications.
- Perpendicular mid support does not complete height-adjustable station – must order perpendicular outer support and HAT kit.
- Fixed height stations require two worksurface support legs on non-beam side in place of a perpendicular outer support.
- A minimum beam length of 30" must be used between perpendicular mid supports for 27"D surfaces, and a minimum length of 24" for 24"D surfaces.


Adaptive Organic — Height-Adjustable






Adaptive 120° Workstations


- Requires a 120° mid support at all 3-way beam connections.
- End supports required on beams also connected to a 120° mid support.
- 7" in-line connector required to attach multiple 120° workstations.
- Single-sided end supports not allowed.
- One (1) 3-Leg HAT or fixed kit will be used per worksurface.




Beams (page 450)
- Supply power to users and support screens, but do not support worksurfaces or storage in adaptive applications.
- Ported and non-ported options available in 6" increments.
- Flat or mounting top trim required to finish off beams – order separately.
- Beams do not connect directly in-line with one another, use in conjunction with adaptive supports.
- Height of assembled beam with top trim is 4¼".
- Electrical port locations are back-to-back, symmetric about beam center, and a standard distance away from beam ends on all lengths.
- 36" and 42" ported beams have 2 receptacle locations on each side (4 total), 48"-96" ported beams have 4 on each side (8 total).
- Ported beams do not carry data cables internally. Routed externally through beam mounted wire-managers. See page 461.



Beam Top Trim (page 451)
- Available in 6"-96" lengths in flat or mounting rail and is required to finish off a beam. Must match beam length, no exceptions.
- Mounting top trim contains a reveal for mounting screens.
- Mounting top trim must be used for projects specified under Chicago electrical Codes.





Beam End Cap (page 505)
- Caps off a beam at the end of a parent run.
- Used in conjunction with adaptive end support.
- Model ships with 2 end caps.




In-Line Beam Connector (page 505)

- Connects two end supports used in succession to extend a parent run.
- 7" connector used between 120° workstations, 9" connector used in linear benching applications.
- When routing power through an in-line beam connector, special length beam-to-beam jumpers are required; 7" – 17"(UN87J17), 9" – 19" (UN87J19).
- Needed every third beam for larger linear parent runs. Can be used after two beams in an 8-station typical to keep symmetry (gap will be 1"). *See examples at left and below.* For 120° applications use 7" beam length.
- Includes Flat trim; may be used to span a screen over the trim.







Further™ Adaptive




All Adaptive Supports (pages 504-505)
- Used in place of standard Further beam and worksurface supports.
- Specify a mid support to beam connector when specifying the Adaptive mid supports.
- Height-adjustable columns available in 20 Allsteel paint finishes.
- Load maximum: 250 lbs. per surface, including weight of worksurface.
- Include leveling glides with 2¾" adjustment.
- Columns are ordered separately from supports.




End Supports (page 504)
- Supports a beam and worksurface(s) at the end of a run. Cannot be used throughout the run.
- Available in dual- and single-sided models.
- 24" and 27" deep models to be used with corresponding worksurfaces.
- Two end supports may be used in succession to extend parent run. This application requires an in-line beam connector – ordered separately.



Mid Supports (page 504)
- Supports a beam and worksurface(s) in the middle of a run.
- Available in dual- and single-sided models.
- Same model used for both 24" and 27" deep worksurfaces.
- Hub to two beam connector kit UN3CHB2 required.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.




Perpendicular Mid Support (page 504)
- Used to support beam side of worksurface in perpendicular applications.
- Available in dual- and single-sided models.
- Same model used for both 24" and 27" deep worksurfaces.
- Hub to one or two beam connector kit required.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.




Perpendicular Outer Support (page 504)
- Used to support non-beam side of worksurface in perpendicular applications.
- Supports only one worksurface (not a shared support). 24"D and 27"D height-adjustable models available.
- In fixed height applications, two worksurface support legs are used – see illustration at upper left.

Perpendicular


TOP VIEW







Maximum Support Capacities

Support	Data*	Infeeds	Beams
Linear Mid Support	88	2	2
Perpendicular Mid Support	88	2	2
120° Mid Support	132	3	3






120° Mid Support (page 504)
- Used to support center of 120° worksurfaces in organic applications. Requires three dual-sided end supports – see example left.
- Same model used for 24" and 27" deep worksurfaces.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.




Fixed Leg Kits (page 504)
- 2-leg and 3-leg kits available.
- Includes required mounting hardware for fixed height stations.
- Ordered in addition to necessary supports.



Height-Adjustable Kits (page 504)
- 2-leg and 3-leg kit available.
- Columns, gussets, and control boxes are all included with the height-adjustable kits.
- Ordered in addition to necessary supports.
- Kits can be used to retrofit workstations.
- 2-stage models can range from 26½"H to 45¾"H.
- Basic up/down, memory preset, and paddle.
- Available in 20 Allsteel paint finishes.
- Anti-collision feature.
- 250 lbs. weight capacity.


Note: Not TAA compliant unless ordered with a TAA compliant configurable end product.



Adaptive Floor Anchor Brackets (page 505)
- Used to mount single-sided Adaptive supports to floor if gallery panels are not desired.
- Kit includes brackets for 2 end supports and 2 mid supports.
- Hardware for mounting to floor is not included.


Mid Support to Beam Connectors

1 Beam to Mid Support Model UN3CHB1




Single

2 Beams to Mid Support — Model UN3CHB2



2-Way 90° 2-Way 120° 2-Way 180°

3 Beams to Mid Support — Model UN3CHB3



3-Way 90° 3-Way 120°

Mid Support to Beam Connector Kits (page 504)
- Reconfigurable connector kits used in conjunction with mid support to support beams.
- Ordered by quantity of beams joined to hub — 1, 2, or 3 beams; or connector gap filler and connector blocks can be ordered ala carte to aid in reconfiguration.
- Kits include top casting mounting bracket, top casting, hub to beam connector(s), gap fillers, connector gap fillers, and full top trim.
- Beams can be mounted in 30 degree increments using the same hub and beam connector kit. *Example:* 3 beam connector kit can make a 120 degree or a "T" arrangement. See beam connector kit illustration at left.
- When connector kit is mounted, a gap is created to pass data cords out.


	Old Model	New Model
Mid Supports – Dual Sided 4 Packs for 24"D or 27"D	U6MSD4HA	UNMD
	U6MSD3HA1F	
	U6MSD2HA2F	
	U6MSD1HA3F	
	U6MSD4F	
Mid Supports – Single Sided 4 Packs for 24"D or 27"D	U6MSDL2HA	UNMS
	U6MSD1HA1F	
	U6MSDL2F	
120 Mid Supports for 24"D or 27"D	U6MS1203HA	UNM120
	U6MS1202HA1F	
	U6MS1201HA2F	
	U6MS1203F	
Perpendicular Mid Support Dual Sided 2 Pack	U6MSS2HA	UNMPED
	U6MSS1HA1F	
	U6MSS2F	
Perpendicular Mid Support Single Sided	U6MSEP1HA	UNMPES
	U6MSEP1F	
End Supports – Dual Sided (depth specific)	UN6E24D2HA	UNE24D
	UN6E24D1HA1F	
	UN6E24D2F	
	UN6E27D2HA	UNE27D
	UN6E27D1HA1F	
	UN6E27D2F	
End Supports – Single Sided (depth specific)	U6E24SS1HA	UNE24S
	U6E24SS1F	
	U6E27SS1HA	UNE27S
	U6E27SS1F	
Perpendicular Outer Support	U6PE241HA	UN6PE24
	U6PE271HA	UN6PE27
Retrofit Kit for Linear Adaptive Applications	U6LHAKIT	UNHAT2LEG

Leg kits are ordered separately from supports.


Further™ Adaptive

For Adaptive specification information see pages 492-502.
Models listed below are a subset from pages 492-502 that are used for Adaptive applications.


Laminate




Description	Model	List Price
External Worksurface Support Channel (no color option) — 1½"H		
36"W External Support Channel for 48"W Worksurface	**Z5SC48** S	$ 96
42"W External Support Channel for 54"W Worksurface	**Z5SC54** S	$ 111
48"W External Support Channel for 60"W Worksurface or 66" Table	**Z5SC60**	$ 119




U5F2466S



U5F2760S









U5F244646C

Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1	L2	L3
24"D Rectangular Worksurfaces for Adaptive (27" to center of beam)					
48"W	42" Beam	**U5F2448S**	$ 686	$ 716	$ 737
54"W	48" Beam	**U5F2454S**	$ 753	$ 785	$ 808
60"W	54" Beam	**U5F2460S**	$ 830	$ 864	$ 890
66"W	60" Beam	**U5F2466S**	$ 908	$ 944	$ 972
72"W	66" Beam	**U5F2472S**	$ 986	$ 1026	$ 1056
27"D Rectangular Worksurfaces for Adaptive (30" to center of beam)					
48"W	42"W	**U5F2748S**	$ 713	$ 744	$ 765
54"W	48"W	**U5F2754S**	$ 797	$ 830	$ 855
60"W	54"W	**U5F2760S**	$ 886	$ 921	$ 949
66"W	60"W	**U5F2766S**	$ 959	$ 997	$ 1026
72"W	66"W	**U5F2772S**	$ 1040	$ 1081	$ 1114
24"D 120° Worksurfaces for Adaptive (27"D to center of beam)					
46¼"W Back Left and Right	42" Beam	**U5F244646C**	$ 1206	$ 1252	$ 1293
52¼"W Back Left and Right	48" Beam	**U5F245252C**	$ 1313	$ 1362	$ 1407
27"D 120° Worksurfaces for Adaptive (30"D to center of beam)					
46¼"W Back Left and Right	42" Beam	**U5F274646C**	$ 1236	$ 1283	$ 1324
52¼"W Back Left and Right	48" Beam	**U5F275252C**	$ 1355	$ 1405	$ 1452



Corner Cove Worksurfaces — Left Handed (66" and 72" extend left)					
60" x 60" - 24"L / 24"R	54" / 54"	**U5CC6024LS**	$ 1899	$ 1963	$ 2028
60" x 60" - 27"L / 24"R	54" / 54"	**U5CC6027LS**	$ 1956	$ 2021	$ 2089
66" x 60" - 24"L / 24"R	60" / 54"	**U5CC6624LS**	$ 1994	$ 2060	$ 2129
66" x 60" - 27"L / 24"R	60" / 54"	**U5CC6627LS**	$ 2027	$ 2094	$ 2166
72" x 60" - 24"L / 24"R	66" / 54"	**U5CC7224LS**	$ 2039	$ 2106	$ 2178
72" x 60" - 27"L / 24"R	66" / 54"	**U5CC7227LS**	$ 2172	$ 2245	$ 2319



Corner Cove Worksurfaces — Right Handed (66" and 72" extend right)					
60" x 60" - 24"L / 24"R	54" / 54"	**U5CC6024RS**	$ 1899	$ 1963	$ 2028
60" x 60" - 24"L / 27"R	54" / 54"	**U5CC6027RS**	$ 1956	$ 2021	$ 2089
60" x 66" - 24"L / 24"R	54" / 60"	**U5CC6624RS**	$ 1994	$ 2060	$ 2129
60" x 66" - 24"L / 27"R	54" / 60"	**U5CC6627RS**	$ 2027	$ 2094	$ 2166
60" x 72" - 24"L / 24"R	54" / 66"	**U5CC7224RS**	$ 2039	$ 2106	$ 2178
60" x 72" - 24"L / 27"R	54" / 66"	**U5CC7227RS**	$ 2172	$ 2245	$ 2319


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate** *(if applicable)*:	**Edge** *(if applicable)*:
_____ . _____ .		


Examples: **Z5SC60** **U5F2448S.LM11.EV** **U5F2760S.LWBR.DB**


S *Shippable by small-package carrier.*

Further™ Adaptive

For specification information see pages 492-502.



UNMD


UNM120


UNMS

Description	Model	List Price P1	P2	P3
Mid Supports				
Dual-Sided Mid Support	**UNMD**	**$ 2610**	**$ 2909**	**$ 3057**
Single-Sided Mid Support	**UNMS**	**$ 2345**	**$ 2594**	**$ 2718**
120 Degree Mid Support	**UNM120**	**$ 2893**	**$ 3221**	**$ 3383**
Dual-Sided Perpendicular Mid Support	**UNMPED**	**$ 1252**	**$ 1394**	**$ 1464**
Single-Sided Perpendicular Mid Support	**UNMPES**	**$ 2202**	**$ 2451**	**$ 2575**



UNE24D



UNE24S

End Supports				
Dual-Sided End Support, 24"D	**UNE24D**	**$ 1286**	**$ 1410**	**$ 1471**
Dual-Sided End Support, 27"D	**UNE27D**	**$ 1598**	**$ 1792**	**$ 1887**
Single-Sided End Support, 24"D	**UNE24S**	**$ 1233**	**$ 1411**	**$ 1501**
Single-Sided End Support, 27"D	**UNE27S**	**$ 1439**	**$ 1646**	**$ 1750**


UN6PE24

Outer Supports				
Perpendicular Outer Support, 24"D	**UN6PE24**	**$ 1233**	**$ 1358**	**$ 1420**
Perpendicular Outer Support, 27"D	**UN6PE27**	**$ 1447**	**$ 1588**	**$ 1658**


UNFIX2LEG


UNHAT2LEG

2- and 3-Leg Kits				
2-Leg Fixed Height Kit	**UNFIX2LEG**	**$ 976**	**$ 1088**	**$ 1143**
2-Leg Height Adjustable Kit	**UNHAT2LEG**	**$ 2332**	**$ 2675**	**$ 2845**
3-Leg Fixed Height Kit	**UNFIX3LEG**	**$ 1463**	**$ 1630**	**$ 1711**
3-Leg Height Adjustable Kit	**UNHAT3LEG**	**$ 4018**	**$ 4531**	**$ 4786**

*Height adjustable kit not TAA compliant unless ordered with a TAA compliant configurable end product.


UN3CHB1


UN3CHB2


UN3CHB3

Mid Support to Beam Connectors — configure as needed, see page 501				
1 Beam to Mid Support Connector w/Top Trim and Gap Filler	**UN3CHB1** S	**$ 372**	**$ 392**	**$ 431**
2 Beams to Mid Support Connector w/Top Trim and Gap Filler	**UN3CHB2** S	**$ 444**	**$ 464**	**$ 503**
3 Beams to Mid Support Connector w/Top Trim and Gap Filler	**UN3CHB3** S	**$ 505**	**$ 525**	**$ 564**

How to specify —

Select the Model Number from above.

1st Option:

Paint color:

P1 P2 P3

2nd Option:

Select the Keypad *(if applicable)*:

UD Basic Up/Down
MEM Memory Preset
PDL Paddle


. .

Example: **UN3CHB1.PR6**


S ***Shippable by small-package carrier.***

Further™ Adaptive

For Adaptive specification information see pages 492-502.



Description	Model	List Price P1	P2	P3
Beam Components for Adaptive				
Beam End Cap — 2 Caps	**UN3TBE** S	$ 153	$ 165	$ 171
7"W Beam-to-Beam Connector for in-line 120° to 120°	**UN6S7L** S	$ 268	$ 283	$ 292
9"W Beam-to-Beam Connector for in-line connection	**UN6S9L** S	$ 279	$ 294	$ 303



U3SSHAFA


Floor Anchor Brackets				
For Single Sided applications without Gallery Panels	**U3SSHAFA**	$ 82	$ 92	$ 99


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint Color for Mid or End Support, or Component:** P1 P2 P3	**Paint Color for Adaptive Columns** *(if applicable)*: **P27** Black **PR6** Silver **PJW** Designer White

U _____ . _____ . _____

Example: **UN3TBE.PR5**

S *Shippable by small-package carrier.*






Adaptive Electrical (pages 509-510)


- Most electrical rules and options remain the same for Adaptive applications.
- Power infeeds cannot enter system through end supports.

Application	Beam Size	Bench Connector	Jumper Model
Linear	48-72"	UN6S9L	UN87J19
120°	42"	UN6S7L	UN87J19
120°	48"	UN6S7L	UN87J17




Upper knock-out opening (5.30 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 44 voice/data cables (.300" dia.)

All quantities listed at 60% fill ratio.



Lower knock-out opening (5.72 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 39 voice/data cables (.300" dia.) when electrical shares opening with one infeed.


All quantities listed at 60% fill ratio.




Lower knock-out opening (5.72 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 44 voice/data cables (.300" dia.) without power. Maximum of 72 cables in wire management.

All quantities listed at 60% fill ratio.










Bottom 6" x 3¼" opening (19.50 sq. in.) of mid support (both 2 & 4-column, 4-column shown) accepts up to 88 voice/data cables (.300" dia.) when electrical shares opening with two infeeds.


88 cables shown = 44 per access panel upper knock-out.









Bottom 6" dia. opening (28.27 sq. in.) of 120 mid support accepts up to 132 voice/data cables (.300" dia.) when electrical shares opening with two infeeds. 132 cables shown = 44 per access panel upper knock-out.









Beam-to-Beam Jumper (page 509)

- Standard 16" jumpers are used over mid supports.
- 17" jumper used over 7" connector.
- 19" jumper used over 9" connector.
- Special length jumpers are required when routing power over two end supports through an in-line beam connector.




Hardwire – New York Code (page 469)

- Required for New York electrical.
- For flexible hubs and Further Adaptive, choose one of the 3 configurations:
  – U8IKNY1 for Hub to 1 Beam
  – U8IKNY2 for Hub to 2 Beam
  – U8IKNY3 for Hub to 3 Beam




Single-Sided Wire Manager (page 471)
- Can be used with any single-sided, dual-sided, Further Adaptive, freestanding post and beam, and fixed-height applications.
- Holds user wires and up to 30 system data cables on one side of a beam.
- Mounts into the continuous reveal on either side of a beam – mounting clips included.
- Single-sided version is recommended when nesting storage.
- The data manager without the 2½"D tray can be ordered separately to maximize space, or the tray can be removed in the field.
- Available from 36" to 78" widths in 6" increments.
- Includes mounting locations for Cord Management Chain when used with Adaptive supports or freestanding height-adjustable workstations.
- Specify 6" shorter than beam length when used with Adaptive supports.
- Two single-sided wire managers can be used on either side of beam to increase data capacity. (60 total)
- May be used in conjunction with beam mounted modesty screens.
- Includes 4 knockout port locations for data faceplates (2.7"W x 1.375"H) on all widths. Data faceplates ordered separately.




6 cables (.300" dia.)

Cord Management Chain (page 510)




- Used to route and conceal power/data cables from worksurface to beam power receptacles.
- Houses 6 cables at .300" diameter – see illustration left.
- Chain is 36" and must be used in conjunction with a single-sided wire manager. Specify wire manager to be 6" shorter than beam length.
- Chain can be mounted in two orientations – see illustrations left.
- Chain is plastic and comes in one color – Black.
- Recommended cord length for electrical accessories is 60".
- Maximum of two chains can be mounted to a wire manager tray that is 48" or greater.




AFDTRGH20

Flip-Down Wire Trough (page 510)



AFDTRGH32

- Mounts beneath a worksurface. Used to conceal extra cord slack and power strips.
- May be used in conjunction with quad tap unit APWR4TAP to reduce the number of cords routed from a worksurface to a beam.
- For any worksurface less than 58"W, a 20"W Flip-Down Trough is recommended.
- For worksurfaces 58"W and wider, a 20"W or 32"W Flip-Down Trough may be used.
- Flush-mount Radii Storages are not recommended to use in conjunction with Flip-Down Trough.
- Only AKTSHORT keyboard tray is recommended for use in conjunction with the Flip-Down Trough.




APWR4TAP

Power Module — Under Worksurface, Quad Tap (page 588)
- Under surface mounting can be used under any surface with a 5" x 5" x 1.5" clearance.
- 10' straight power cord only, no specification needed.
- 4 receptacles, unit is black finish only, no specification needed.

*For more power and wire management options, please visit the **Extensions** pages.*

Further™ Adaptive

For Adaptive specification information see pages 506-508.



Description	Model	List Price
Electrical & Data *(See pages 506-507 for specification and balance of electrical models.)*		
17" Jumper for Adaptive	**UN87J17** S	**$ 160**
19" Jumper for Adaptive	**UN87J19** S	**$ 164**
Wireway Grommet — pack of 6	**TAWG** S	**$ 195**

How to specify —

Select the Model Number from above.

1st Option:

Jumper Color *(if applicable)*:


P Black

. P

Example: **UN87J17.P**

S ***Shippable by small-package carrier.***


For Adaptive specification information see pages 506-508.



WKSWMC

Description	Model		List Price
Wire Management Chains			
36"	**A9CLWMC**	S	$ 383
58"	**WKSWMC**	S	$ 459


- Specify model A9CLWMC for 36" chain, specify model WKSWMC for 58" chain.
- A9CLWMC available in Black (E4), White (DW), or Silver (TI).
- WKSWMC available in Black only, no specification needed.
- *Example: A9CLWMC.DW or WKSWMC*




AFDTRGH20

Description	Model		List Price P1	P2	P3
Flip-Down Wire Management Trough					
20"W	**AFDTRGH20**	S	$ 245	N/A	N/A
32"W	**AFDTRGH32**	S	$ 447	N/A	N/A

- Available in 20" or 32" widths.
- Flip-Down Troughs available in Black only, specify "P" for Black.
- *Example: AFTRGH20.P*



Beam Mounted Wire Manager — Single Sided Stationary Painted Metal					
36"W Beam Mounted	**UN6SWMC36**		$ 451	$ 498	$ 567
42"W Beam Mounted	**UN6SWMC42**		$ 496	$ 548	$ 623
48"W Beam Mounted	**UN6SWMC48**		$ 549	$ 607	$ 688
54"W Beam Mounted	**UN6SWMC54**		$ 602	$ 662	$ 750
60"W Beam Mounted	**UN6SWMC60**		$ 661	$ 728	$ 830
66"W Beam Mounted	**UN6SWMC66**		$ 726	$ 799	$ 906
72"W Beam Mounted	**UN6SWMC72**		$ 799	$ 876	$ 988
78"W Beam Mounted	**UN6SWMC78**		$ 880	$ 961	$ 1080



Beam-Mounted Data Manager without Tray — Single-Sided Painted Metal					
36"W	**UN6SDMC36**	S	$ 361	$ 389	$ 427
42"W	**UN6SDMC42**	S	$ 397	$ 428	$ 471
48"W	**UN6SDMC48**	S	$ 437	$ 470	$ 519
54"W	**UN6SDMC54**	S	$ 483	$ 519	$ 572
60"W	**UN6SDMC60**	S	$ 529	$ 570	$ 626
66"W	**UN6SDMC66**	S	$ 583	$ 628	$ 689
72"W	**UN6SDMC72**	S	$ 639	$ 687	$ 757
78"W	**UN6SDMC78**		$ 704	$ 756	$ 833

How to specify —

Select the Model Number from above.


1st Option:


Paint Color *(if applicable)*:

P1 P2 P3

Examples: **A9CLWMC** **UN6SWMC36.PR6**


S *Shippable by small-package carrier.*






Storage (pages 487-491)

- Laminate shelves (24" & 30" W) can be mounted on Adaptive surfaces using worksurface mounted stanchion kits (U7HSK1).
- Storage below 26"H can be used underneath Adaptive surfaces when not directly underneath height-adjustable leg, otherwise storage must be below 23⅞"H. Taller storage units can be used if keypad with preset height capabilities (ATBCMC) is specified.
- Storage below 26"H can be used underneath fixed supports. Normal Further storage units may be used if positioned to not interfere with plates. See below.





Notes

Altitude® Benching

Specification and Price List

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature at 1-866-255-7833.
- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?

Please call us at: **888-ALLSTEEL**
888-255-7833

Paint Finishes, Laminates, Eased Edge 514
Power Rail Specifications 515-520
Power Rail and Supports 521-522
Power Rail Pole and Wire Management 523
Power Rail Screens 524
HAT to Panel Brackets 525
Worksurface Mounted Rail and Accessories 526

Altitude® Benching

Paint Finishes, Laminates, Eased Edge

BASE COLORS

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Nickel P8L
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Silver PR6

GRADE P3

Bullseye* ..... PJF
Regatta* P8M
***Altitude Basic is only offered in one finish, Silver (SVR)

POWER RAIL PAINT COLORS

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom*** P8K
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A
***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

A8 SCREEN BRACKET PAINT COLORS

GRADE P1

Black P71
Designer White ..... PJW

GRADE P2

Silver PR6

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

EASED EDGE LAMINATES

GRADE L1

Designer White LDW1
Loft LM11
Natural Maple ..... LWD

GRADE L2

Natural Recon LNR1

STRAIGHT/ROUNDED EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

ELECTRICAL & DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

METAL ACCESSORIES PAINT COLORS

GRADE P1

Black P71
Brownstone P7D
Charblack ..... CBK
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Platinum Metallic Texture P6H
Sage P095
Salt P8C
Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V
Titanium P8T
White PD8

GRADE P2

Champagne Metallic PR5
Graphite Metallic Texture P85
Gunmetal Metallic PR3
Matte Gold P8G
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Silver Generic ..... SVR
Silver Texture PR8
Solar Black P8X

GRADE P3


Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Regatta P8M
Succulent P8A
Ochre P093
Sienna P092

All of Allsteel's tables are level® – 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See www.levelcertified.org for more information.

NOTE: Refer to individual product pages for upcharges.


Altitude® Benching

Power Rail — Specification Information



GENERAL OVERVIEW

- Accommodates power and lay-in capacity for data cables.
- Available in 48", 54", 60", 66", and 72" lengths.
- Maximum of 2 duplexes and 2 data ports per side of rail.
- Models come equipped with hardware for in-line connections.
- Fiber optic cables can follow 90 degree turns at the intersection of the power rails.
- Power harnesses snap into electrical brackets within the power rail and accept duplex receptacles.
- Electrical power harness accepts up to 2 duplex receptacles per side of rail.
- End caps are required at an end-of-run, unless connected to an end-of-run power pole or a hub.
- Power rail can be set low to the floor using the floor legs or raised off the floor at 20½"H with elevated legs.




1) Power Rail
2) Power Rail Support
3) Universal Connector
4) End Cap


Altitude® Benching

Power Rail — Specification Information


Power Rail Typicals




Low Rail, (2) 60"W Rail
Linear Configuration




Raised Rail, (2) 60"W Rail
Linear Configuration




Low Rail, (3) 60"W Rail
T-Configuration



Raised Rail, (3) 60"W Rail
T-Configuration



Raised Rail, (4) 60"W Rail
X-Configuration with Screens



WORKING WITH ALTITUDE POWER RAILS

Low Rail with Floor Legs:

- Each power rail is supported by (2) floor legs.
- Floor legs have a leveling mechanism that can adjust up to 1¼"H.
- Legs are specified separately and come in qty of 1. Each leg is 7¼"D x 2¼"W.
- Leg is inset 2.8" from end of the power rail.
- Universal connector allows “L”, “T” and “X” configurations.
- Can connect directly to another power rail in linear applications without use of the universal connector.
- Cannot mount screens on the low rail.
- Power infeed can access the power rail in multiple ways:
  - through a receptacle position on the power rail (side infeed).
  - through the end cap on to the first power block.
  - through power pole using a power pole connector kit.

Raised Rail


- Power rails can be raised up to 20½"H using Elevated Legs and/or Hubs.
- Elevated Legs and Hubs can be used in conjunction to create the desired capability and aesthetic.
- Can be in Linear, L-, T- or X-configurations using Elevated Legs, Hubs or Universal Connector.
- Supports screens. See screens section for more details.
- Elevated Legs
  - Inset 2.8" from end of the power rail.
  - Can be shared in between the two rails in linear configuration.
  - Cannot route power and/or data.
  - Specified separately and come in qty of 1. Foot is included.
  - Leg is 15¼"D x 2¼"W x 17¾"H.
  - Order RFDRWAB separately to anchor to floor. Appropriate fasteners per floor type sourced locally.
- Support Hubs
  - Connect directly to the power rail.
  - Can be shared in between the two rails.
  - L-, T- and X-hubs can be shared in between power rails.
  - End of Run hub is only specified at end condition.
  - Can route power and/or data.
  - Can integrate power pole. Power Pole connector kit is specified separately and come in qty of 1. Foot is included.

Screens

- Constructed of painted steel material.
- Standard Allsteel paint options can be applied.
- Screen height is 20"H, provides overall height of 42"H above fixed floor.
- Painted steel is magnetic and cleanable. Refer to cleaning solutions page at Allsteel Office website.
- Attachment hardware included.

Altitude® Benching

Power Rail — Specification Information




Altitude Desk + 60"W Low Rail + WKSWMC

WORKING WITH CABLE MANAGEMENT

- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware.
- Houses 6 cables @ 0.300" diameter.
- Specify WKSWMC for 58" chain. Only comes in Black Finish. Recommended for use with Low Rail.
- Specify A9CLWMC for 36" chain. Comes in Black, White and Silver. Recommended for use with Raised Rail.
- Links the power rail to a height adjustable desk.
- Has two connecting points: Top section connects underneath the Height Adjustable Desk and the bottom section connects underneath the power rail using a double-sided tape. Hardware included.
- When mounting the chain to underneath the rail, an adapter link is required. Included in the hardware.



Altitude Desk + 60"W Raised Rail + A9CLWMC



WORKING WITH POWER RAIL ELECTRICALS

General Notes about Electrical and Circuitry:

- Power Rail offers a choice of four electrical systems:
  - Four-circuit, 3 + 1
  - Four-circuit, 2 + 2
  - Three-circuit, separate neutrals
  - Eight circuits; two four-circuit systems provided back to back.
  - See Altitude Pricer section "Working with Electrical" for a detailed explanation of each electrical system.
  - All four systems utilize an 8-wire electrical system, rated at 20 amps.
- Per circuit (15 amps Canadian) — 16 amps plannable in U.S.
  - Power Rail and electrical components are UL Listed. Electrical
- Components are also CSA certified.
  - Installation and use of the electrical system, the number of receptacles.
- Used on a given circuit and connections to the building power supply.
- Should follow all local and national electrical codes.

Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.
- Refer to rail supports for infeed access points.

Altitude® Benching


Power Rail — Specification Information

Routing Power


- Power infeed can access the raised power rail in multiple ways:
  - Through power pole using a power pole connector kit.
  - Through Support Hubs.
  - Through the infeed vertebrae.




Raised Rail & Low Rail




End of Run Hub




RFDRWCNPPE + UN2HPSQ
Connected to 60"W Rail




RFDRWHUBEND + RFDRWCNPP
UN2HPSQ connected to 60"W Rail




UN2HPSQ + RFDRWCNPPM
Connected to 60"W Rail



RFDRWWM
Connected to 60"W Rail



A876072 Infeed
Connected to 60"W Rail through
Receptacle Knockout




A877012 Infeed
Connected to 60"W Rail through End Cap


Altitude® Benching

Altitude® Power Rail and Supports


For specification information see pages 515-520.




Description	Model	Ship Weight	Cubes	List Price P1	List Price P2	List Price P3
Power Rail						
48"	**RFDRW48**	7	0.6	$ 678	$ 730	$ 805
54"	**RFDRW54**	8	0.6	$ 716	$ 771	$ 849
60"	**RFDRW60** (shown)	9	0.7	$ 824	$ 885	$ 976
66"	**RFDRW66**	10	0.8	$ 878	$ 943	$ 1038
72"	**RFDRW72**	11	0.9	$ 991	$ 1064	$ 1169




Power Rail End Cap	**FDRWEC**	1.5	0.1	$ 253	$ 273	$ 300




Power Rail Universal Connector	**FDRWUC**	3	0.1	$ 459	$ 492	$ 541




Electrical Port Cover						
2 Pack	**FDEPC2**	1	0.1	$ 69	$ 77	$ 83
12 Pack	**FDEPC12**	2	0.1	$ 237	$ 256	$ 281



Elevated Power Rail Legs 20.5"H	**RFDRWLEG**	5	0.1	$ 413	$ 418	$ 418



Floor Mount Legs	**FDRWLEG**	5	0.1	$ 91	$ 96	$ 98



Altitude Power Rail Floor Anchor Bracket	**RFDRWAB**	2	0.1	$ 60	$ 80	$ 88

How to specify —

Select the Model Number from above.

									.

1st Option:

Paint:

P1 P2 P3







See page 514 for selections and color codes.*

Examples:

Altitude® Benching

Altitude® Power Rail Supports

For specification information see pages 515-520.

	Description	Model	Ship Weight	Cubes	List Price P1	List Price P2	List Price P3
	Hubs						
	End of Run Linear Configuration	**RFDRWHUBEND**	10	4	**$ 1176**	**$ 1185**	**$ 1191**
	End of Run T-Configuration	**RFDRWHUBENDT**	10	4	**$ 1176**	**$ 1185**	**$ 1191**
	Inline Linear Configuration	**RFDRWHUBLIN**	14	4	**$ 1176**	**$ 1185**	**$ 1191**
	Inline X-Configuration	**RFDRWHUBX**	14	4	**$ 1176**	**$ 1185**	**$ 1191**
	Inline T-Configuration	**RFDRWHUBT**	13	4	**$ 1176**	**$ 1185**	**$ 1191**
	L-Configuration Hub	**RFDRWHUBL**	13	4	**$ 1176**	**$ 1185**	**$ 1191**

How to specify —

Select the Model Number from above.

												.

1st Option:

Paint:

P1 P2 P3

See page 514 for selections and color codes.*

Examples:

Altitude® Benching


Altitude® Power Rail Power Pole and Wire Management

For specification information see pages 515-520.


UN2HPSQ




UN2HPSQSK




RFDRWCNPP



RFDRWCNPPE



RFDRWCNPPM





Description	Model	Ship Weight	Cubes	List Price P1	List Price P2	List Price P3
Power Pole						
8' H Square Power Pole	**UN2HPSQ**	17	1	**$ 1184**	**$ 1204**	**$ 1218**
Square Power Pole Splicer Kit	**UN2HPSQSK**	0.5	0.1	**$ 130**	**$ 136**	**$ 137**
Power Pole Connector	**RFDRWCNPP**	1	0.1	**$ 254**	**$ 259**	**$ 261**
Power Pole Connector - End Condition	**RFDRWCNPPE**	1	0.1	**$ 254**	**$ 259**	**$ 261**
Power Pole Connector - Mid Condition	**RFDRWCNPPM**	1	0.1	**$ 254**	**$ 259**	**$ 261**
Wire Management						
Vertebrae Wire Manager	**RFDRWWM**	3	0.1	**$ 804**	**$ 824**	**$ 832**

*Includes connector for Power Rail attachment

*Vertebrae available in black only, connector available in 32 standard paints.

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3


See page 514 for selections and color codes.*

Examples:

Altitude® Benching

Altitude® Power Rail Screens

For specification information see pages 515-520.



Description	Model	Ship Weight	Cubes	List Price P1	List Price P2	List Price P3
Allsteel Metal Screen						
48"	**RFDRWSC48**	10	3.52	**$ 423**	**$ 435**	**$ 447**
54"	**RFDRWSC54**	11	3.84	**$ 449**	**$ 461**	**$ 473**
60"	**RFDRWSC60**	12	4.21	**$ 464**	**$ 478**	**$ 492**
66"	**RFDRWSC66**	13	4.58	**$ 474**	**$ 488**	**$ 502**
72"	**RFDRWSC72**	14	4.96	**$ 508**	**$ 522**	**$ 536**

How to specify —

Select the Model Number from above.

									.

1st Option:

Paint:


P1 P2 P3


See page 514 for selections and color codes.*


Examples:


HAT to Panel Brackets

HAT to Panel Bracket Pricing


ABKTR


ABKTL


AGBKT


AGBKTMP


Description	Model	List Price
HAT to Panel Bracket T-leg RH	**ABKTR**	**$ 277**
HAT to Panel Bracket T-leg LH	**ABKTL**	**$ 277**
HAT to Panel Bracket C-leg RH	**ABKCR**	**$ 277**
HAT to Panel Bracket C-leg LH	**ABKCL**	**$ 277**
HAT to Gallery Panel Bracket T-leg	**AGBKT**	**$ 277**
HAT to Gallery Panel Bracket C-leg	**AGBKC**	**$ 277**
HAT to Gallery Panel Install Template *(Black only, code P)*	**AGBKTMP**	**$ 68**

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint (if applicable):**
A _ _ _ _ _ _ . _ _	

Accessories

Altitude® Worksurface Mounted Rail and Accessories


For specification information see page 607.





Description	Model	List Price P1	P2	P3
Accessories Rail — Worksurface Mounted				
12"W	**U912WTR** S	$ 125	$ 135	$ 139
18"W	**U918WTR** S	$ 134	$ 144	$ 148
24"W	**U924WTR** S	$ 153	$ 163	$ 167
30"W	**U930WTR** S	$ 171	$ 184	$ 191
36"W	**U936WTR** S	$ 194	$ 207	$ 214
42"W	**U942WTR** S	$ 210	$ 223	$ 230
48"W	**U948WTR** S	$ 221	$ 238	$ 243
54"W	**U954WTR** S	$ 230	$ 248	$ 252
60"W	**U960WTR** S	$ 242	$ 261	$ 267
66"W	**U966WTR** S	$ 291	$ 310	$ 316
Rail Mounted Accessories				
Phone/Tablet Stand — 6½"H x 4¾"W	**U9TM** S	$ 189	$ 204	$ 214
Pencil Holder — 2½"H x 6"W x 3"D	**U9TP** S	$ 115	$ 128	$ 135
Shelf — 8"W x 4½"D; 2½" above top of worksurface	**U9TS** S	$ 138	$ 153	$ 163
Vertical Paper Tray — 12"H x 1⅜"W x12"D	**U9TF** S	$ 206	$ 221	$ 231
Cord Organizer				
4"W x ⅞"D Metal with 4 cable cutouts	**U9WTC** S	$ 204	$ 215	$ 222











How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 514 for selections and color codes.*

U 9 | | | | | . | | | |

Examples: **U912WTR.PR6** **U9TF.P7G**

S *Shippable by small-package carrier.*

Gallery Panels

Finishes and Panel Fabrics....528-529
Laminate and Paint Matching....530
Basic Characteristics and Dimensions....531-533
Working with Integrated Glass....534-535
Optimize™ System End Panels....536-538
Stride and Terrace - End Panel (Dual-Sided)....538.1
Stride and Terrace - End Panel (Single-Sided)....538.2
Stride and Terrace - Mid Panel....538.3
Gallery-to-Gallery Panels....539
Gallery Panels....539.1
Basic Characteristics....539.2
Dimensions....539.3
Working with Integrated Glass....539.4
Further - End Panel (Dual-Sided)....539.5
Further - End Panel (Single-Sided)....539.6
Benching....539.7
Mural — Planning Guidelines....539.8
Storage and Worksurface Connectors....539.9
Accessories - Tackboards....539.10
Freestanding Screens....540-541
Storage and Worksurface Connectors....542
Working with Accessories....543-545
Gallery Panels HAT Brackets....546
Gallery-to-Gallery Panels 30", 35", 42", 50", and 57½" Applications....547-551
Gallery-to Gallery Panels 30", 35", 42", 50", and 57½" for use with Glass....552-556
22", 30", 35", 42", 50", and 57½" Applications....556.1-561
30", 35", 42", 50", and 57½" for use with Glass....562-566
Radius Gallery Panels 22", 30", 35", 42½", 50", and 57½" Applications....566.1-566.12
Radius L Gallery-to-Gallery Panels 30", 35", 42½", 50", and 57½" Applications....566.13-566.22
Radius T Gallery-to-Gallery Panels 30", 35", 42½", 50", and 57½" Applications....566.23-566.27
Radius T Gallery-to-Gallery Panels: Non-Symmetrical Applications....566.28-566.29
Radius Split Gallery-to-Split 22", 30", 35", 42½", 50", and 57½" Applications....566.30-566.35
Optimize™ Connector Kits....567
Panel Systems Gallery Glass....572-574
Accessories....575-577

Gallery Panels

PAINT FINISHES

GRADE P1

Black P71
Brownstone P7D
Charblack ..... CBK
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Sage P095
Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Matte Gold PG8
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Silver Texture. PR8
Solar Black P8X

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

LAMINATES

GRADE L1

SOLID COLOR

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Plyband ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

Forest Stewardship Council (FSC) is a non-profit organization devoted to encouraging the responsible management of the world's forests. FSC sets high standards that ensure forestry is practiced in an environmentally responsible, socially beneficial, and economically viable way. Allsteel received its FSC Chain of Custody certification in 2010 and can offer FSC Certified products. Select wood-based products can be ordered as FSC certified, either by choosing the FSC option or selecting an FSC laminate or veneer finish at the time of order. For more information, please contact Customer Support at 888-255-7833. (FSC Trademark license code: FSC-CO14704.)

NOTE: Refer to individual product pages for upcharges.

Gallery Panels

GRADE A

APPOINT PANEL
100% Polyester

Artichoke	APN911
Blackberry	APN932
Bronze	APN922
Carbon	APN928
Chai	APN912
Cherry	APN930
Dark Pewter	APN917
Dune	APN915
Espresso	APN923
Framboise	APN931
Frost	APN934
Jet	APN927
Lawn	APN925
Mandarin	APN929
Morel	APN909
Nimbus	APN916
Platinum	APN924
Turquoise	APN926

BINARY †

Blush	BNRY12
Coal	BNRY06
Cream	BNRY01
Denim	BNRY08
Diamond	BNRY03
Graphite	BNRY05
Juniper	BNRY10
Lagoon	BNRY07
Lavendar	BNRY11
Mineral	BNRY04
Reef	BNRY09
Sand Dollar	BNRY02

CENTURION[W]
(Nanotex™ Stain-Resistant finish)

Apricot	CU47
Bark	CU25
Black	CU10
Espresso	CU49
Fog	CU03
Frost	CU22
Goldenrod	CU27
Indigo	CU06
Iris	CU50
Iron Ore	CU19
Jade	CU83
Marsala	CU63
Morel	CU24
Navy	CU98
Peacock	CU97
Pear	CU84
Ruby	CU67
Sapphire	CU09

CIRCUIT *(De-emphasized)* † ♣

Atlas	CIRC35
Dolphin	CIRC63
Island White	CIRC14
Moon	CIRC07
Night	CIRC49
Pacific	CIRC28
Quartz	CIRC01
Sienna	CIRC56
Silk	CIRC21
Snap Pea	CIRC42

ETCH
100% Polyester

Axis	ECH913
Blend	ECH914
Cast	ECH912
Highlight	ECH910
Midtone	ECH911
Outline	ECH908
Shade	ECH909
Tonal	ECH916
Vanish	ECH915

GRADE A – continued

EXCHANGE
100% Polyester

Iron	EXG916
Nickel	EXG914
Pistachio	EXG910
Root	EXG913
Rupee	EXG903
Shadow	EXG911
Silver	EXG915
Sisal	EXG917
Stone	EXG912

LANDSCAPE
100% Polyester

Cornsilk	LN15
Drift	LN05
Khaki	LN20
Sheen	LN10
Slate	LN35
Umber	LN25
Urban	LN30

LUCY
100% Recycled Polyester

Aspen	LC932
Cornsilk	LC930
Dusk	LC922
Fawn	LC933
Graphite	LC934
Mist	LC920
Neutra	LC924
Pewter	LC935
Snowdrop	LC928

NOBLE

Aegean	NBLE18
Amethyst	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom	NBLE21
Bluebell	NBLE22
Bordeaux	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile	NBLE23
Clementine	NBLE04
Conifer	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Denim	NBLE09
Desert Sand	NBLE27
Dewfall	NBLE28
Dusted Sage	NBLE29
Flax	NBLE30
Grass	NBLE07
Gunmetal	NBLE15
Harmony	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle	NBLE33
Inky	NBLE34
Iris	NBLE35
Jade	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager	NBLE42
Windy Day	NBLE43

GRADE A – continued

REFLECTIONS
100% Recycled Polyester

Galvanized	REF929
Ice	REF920
Loggia	REF921
Mistral	REF928
Moonstone	REF923
Pewter	REF922
Stainless	REF924
Vanilla	REF925
Winter	REF927

REFUGE
64% Recycled Polyester
36% Polyester

Artesian	RFG996
Dune	RFG992
Eclipse	RFG990
Frost †	RFG993
Glacier †	RFG991
Mineral	RFG998
Tidal	RFG994

SARTO ▼
100% Polyester (45% Recycled)

Ash	SRT988
Fog	SRT914
Lemongrass	SRT949
Mist	SRT945
Mushroom	SRT976
Oyster	SRT918
Reef	SRT964
Sesame	SRT993
Shale	SRT952

VAST

Vineyard	VST01
Garden	VST02
Grasslands	VST03
Bay	VST04
Open Air	VST05
Atmosphere	VST06
Ocean	VST07
Mountain Range	VST08
Highway	VST09
Tundra	VST10
Beach	VST11
Desert	VST12
Country Side	VST13

GRADE B

COAST † ♣
100% Antimony-Free Polyester

Channel	COA914
Dune	COA903
Headlands	COA910
Marsh	COA902
Pebble	COA912
Pier	COA913
Shoal	COA901
Silt	COA906
Tide	COA908

GRADE B – continued

DISPERSE †*
100% Polyester

Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
Emerald City	DISP08
Gold Rush	DISP02
Igloo	DISP11
Ink	DISP06
Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
Reservoir	DISP01
Rose	DISP04
Spring	DISP05
Steel	DISP16
Taupe	DISP14

SPIN PANEL
46% Recycled Polyester,
56% Polyester

Alabaster	SPIN02
Cavern	SPIN03
Cobblestone	SPIN04
Ember	SPIN06
Flame	SPIN07
Heron	SPIN13
Oat	SPIN01
Ocean	SPIN12
Plum	SPIN15
Pool	SPIN11
Raven	SPIN10
Rhubarb	SPIN14
Tropic	SPIN08
Willow	SPIN05

TEMPEST
100% Recycled Polyester

Dragonfly	TP930
Frost	TP915
Full Stream	TP980
Gold Rush	TP910
Slate	TP945
Tumbleweed	TP970
Wind Chill	TP940
Zebra	TP935

TERRAIN
52% Recycled Polyester,
48% Polyester

Bay	TRRN05
Bayou	TRRN35
Canyon	TRRN30
Cliff	TRRN45
Crest	TRRN25
Delta	TRRN10
Plateau	TRRN15
Ridge	TRRN20
Valley	TRRN40

[W] Limited to product 48"W or less.
▼ Panel fabric is not available on Further.
♣ Panel fabric is not available on Optimize®.
† Panel fabric is not available on Concensys®.
◆ Panel fabric is not available on Involve.
* Not available on 72"W.


Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating & Tables Price List.

Paint Recommendations for Gallery-to-Gallery Cover


Laminate	Code	Recommended Paint
Brownstone	LM13	Brownstone
Bungalow	LM12	Bungalow
Designer White 15051	LDW1	Designer White
Flint	LM16	Flint
Fossil Shale	LEH1	Fossil
Loft	LM11	Loft
Muslin	LM15	Muslin
Titanium	LTI1	Titanium
Florence Walnut	LFW1	Cinder, Brownstone, Flint
Kingswood Walnut	LKI1	Fossil, Flint, Loft
Natural Maple	LWD	Muslin
NeoWalnut	LNU1	Cinder
Shaker Cherry	LW7C	Black, Cinder
Beigewood	LWBE	Muslin, Loft, Fossil
Fawn Cypress	LFC1	Cinder, Brownstone, Flint
Lowell Ash	LLA1	Cinder
Mangalore Mango	LMM1	Cinder
Natural Recon	LNR1	Cinder, Brownstone
Phantom Charcoal	LPC1	Flint, Salt, Cinder
Phantom Ecru	LPE1	Flint, Brownstone, Muslin
Portico Teak	LPT1	Fossil, Brownstone, Pewter
Skyline Walnut	LSW1	Cinder, Flint, Fossil
Veranda Teak	LVT1	Fossil, Brownstone, Pewter
Natural Walnut	LWNW	Cinder

Gallery Panels


Gallery Panels are ideal for bringing natural wood elements to workstations and providing privacy. Allsteel Gallery Panels are designed to work universally across 5 product platforms. Please follow the product guidelines for proper specification.



End Panel (Dual-Sided)



End Panel (Single-Sided)




Mid Panel


Gallery Panels

- Available to connect to Frame & Tile, Monolithic, Benching systems, and other Gallery Panels
- Standard Gallery Panels connect to Benching, Frame & Tile, and Monolithic systems, and Gallery-to-Gallery panels connect to other Gallery Panels
- Gallery Panels can be used in freestanding applications. See page 540 for specification requirements.

Standard Gallery Panels


- Standard Gallery panels connect to Benching, Frame & Tile, and Monolithic systems and are available as End-of-Run Single and Mid Panels (panel systems only)
- Made of 1⅛" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 60"W. Horizontal grain is available on all sizes.
- Single Panel widths are available in 3" increments from 18"W to 84"W.
- Optimize panels can only be used with single panel Gallery panels, 18"W–84"W.
- Standard Gallery Panel sizes up to 84"W come as a single piece.
- Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Standard Gallery panel widths are true to size
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- All configurations are non-handed.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60" in gallery panel width (i.e. storage or worksurface tie-in)






Gallery Panels


Standard Gallery Panel Widths





Gallery Panel Heights


Gallery-to-Gallery Panel L/T Widths




Gallery Panels

Standard Gallery Panels

- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 1½" from each end of the panel.
- Single-piece Gallery Panels for use with integrated glass require glass 3" shorter than the panel width.
- For split Gallery Panels, specify glass for each piece separately.
- Split Gallery Panels for use with integrated glass require glass that is 4½" shorter than panel width (individual piece).
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in 7½"H, 13"H, and 15"H.
- Glass is available on all Gallery Panel widths.
- For benching systems, maximum allowable benching height cannot exceed 50"H with or without glass. Overall Gallery Panel height includes the glass.
- Specify glass models separate from Gallery Panel models.
- Glass Panels at 30"W and under are not UL listed.



Standard Single Panel with Glass




Standard Split Panel with Glass

Find the Gallery Glass width appropriate for your Gallery Panel width.

Shaded example: For the 18"W Gallery Panel, Gallery Glass should be ordered with width of 15".

Gallery Panel Width \ Gallery Glass Height	7.5"H, 13"H, 15"H
	Gallery Glass Order Width
18"W Gallery Panel	15"W
21"W Gallery Panel	18"W
24"W Gallery Panel	21"W
27"W Gallery Panel	24"W
30"W Gallery Panel	27"W
33"W Gallery Panel	30"W
36"W Gallery Panel	33"W
39"W Gallery Panel	36"W
42"W Gallery Panel	39"W
45"W Gallery Panel	42"W
48"W Gallery Panel	45"W
51"W Gallery Panel	48"W
54"W Gallery Panel	51"W
57"W Gallery Panel	54"W
60"W Gallery Panel	57"W
63"W Gallery Panel	60"W
66"W Gallery Panel	63"W
69"W Gallery Panel	66"W
72"W Gallery Panel	69"W
75"W Gallery Panel	72"W
78"W Gallery Panel	75"W
81"W Gallery Panel	78"W
84"W Gallery Panel	81"W
87"W Split Panel	39"W
93"W Split Panel	42"W
99"W Split Panel	45"W
105"W Split Panel	48"W
111"W Split Panel	51"W
117"W Split Panel	54"W
123"W Split Panel	57"W
129"W Split Panel	60"W
135"W Split Panel	63"W
141"W Split Panel	66"W
147"W Split Panel	69"W


NOTE: Integrated glass height will align with Frameless Glass on Stride and will sit ¼" higher than Frameless Glass on Terrace (see detail below).



Gallery Panels

Gallery-to-Gallery Panels


- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset ½" from each end of the panel.
- Gallery-to-Gallery Panels for use with integrated glass require glass equal to the panel width.
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in 7½"H, 13"H, and 15"H
- Glass is available on all Gallery Panel widths. Glass panels at 30"W and under are not UL listed.
- Specify glass models separate from Gallery Panel models



Gallery-to-Gallery Panel with Glass

Find the Gallery Glass width appropriate for your Gallery Panel width.

Gallery Panel Width \ Gallery Glass Height	7.5"H, 13"H, 15"H
	Gallery Glass Order Width
18"W Gallery Panel	18"W
21"W Gallery Panel	21"W
24"W Gallery Panel	24"W
27"W Gallery Panel	27"W
30"W Gallery Panel	30"W
36"W Gallery Panel	36"W
42"W Gallery Panel	42"W
48"W Gallery Panel	48"W
54"W Gallery Panel	54"W
60"W Gallery Panel	60"W
66"W Gallery Panel	66"W
72"W Gallery Panel	72"W
78"W Gallery Panel	78"W




Gallery Panels


Optimize™ System - End Panel (Dual-Sided)

- Provides privacy to one or both ends of the system in a dual sided application.
- Single piece End Panels can be used for off-modular planning. Connector kit location must be field measured.
- End Gallery Panels cannot be shorter than spine panel.
- Optimize Gallery End Panels without integrated glass connect using P3CONGE connector kit.
- Optimize Gallery End Panels with integrated glass that match the height of the spine panel connect using P3CONGEG connector kit. (P3CONGEG only for use with dual-sided end panels with glass.)
- Must follow Optimize panel stability rules.


Front edge of Gallery Panel will sit ½" proud of front edge of worksurface on Optimize.



Detail of P3CONGE
Invisible connection on standard panels




Detail of P3CONGEG
Visual of end connector on panels with integrated glass





Gallery Panels

Optimize™ System - End Panel (Single-Sided)

- Provides privacy to one or both ends of the system in a single sided application.
- Single-Sided End Panels cap over the System panel. Accommodate for 2⅛" frame thickness when planning with Optimize panel system.
- All Optimize End Panels (Single-Sided) require connector kit P3CONGE to attach to parent run.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- Due to thickness of the Optimize panel Single-Sided End Panel overhangs by approximately ⅞" in front of a worksurface.
- End Gallery Panels cannot be shorter than spine panel.
- Optimize Gallery Single-Sided End Panels both with and without integrated glass connect using P3CONGE connector kit.
- When using stackers on the spine, use stacker bracket provided with connector kit OR fixed worksurfaces with cantilevers must be tied to the Gallery Panels. (See detail 1 below.)








Gallery Panels


Optimize™ System - Mid Panel

- Mid panels do not overlap parent system panel.
- When specifying single-sided Mid panels, one gallery panel single-sided mid connector kit is required to space the System panels out 1⅛". Kits include: Connector post, connector strap, bracketry and a top cap.
- When specifying dual-sided Mid panels, one gallery panel dual-sided mid connector kit is required to space the System panels out 1⅛". Kits include: Connector post, connector strap, bracketry and a top cap.
- Connector models must match the height of the parent run.
- Specify one mid-connector kit per "t" or "x" connection.
- When using a Mid panel, both panel frames in spine must be of equal height.
- Mid Panels may not vary in height of parent run by more than 15".
- Trims can be painted to match the System panel trims.
- Mid Panels are available in 18"-84" widths in 3" increments.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- Spanning top cap available through Allsteel Tailored Solution Group.



Dual-sided


Single-sided



Gallery Panels


Stride® and Terrace® System - End Panel (Dual-Sided)

- Provides privacy to one or both ends of the system in a dual sided application.
- All Stride End Panels connect using GZCKP connector kit.
- All Terrace Single End Panels (Dual-Sided) connect using GTKCKP connector kit.
- All Terrace Split End Panels connect using GTSKCKP connector kit.
- GTKGK30 is required when a 30"H Terrace panel with frameless glass is attached to a Gallery Panel in an End configuration.
- Gallery Panel sizes 129"W or greater require storage or worksurface tie in on both sides of panel. Please reference storage and worksurface support sections for more details.
- When System panel is higher than the Gallery Panel, variable height System's trim must be specified to finish off exposed frame.
- Stride 30"H panel frames can be ordered via the Standard Specials catalog until available as standard.
- Single piece End Panels can be used for off-modular planning. Connector kit location must be field measured.
- Split End Panel seams must align with parent run.
- Split End Panels can be specified as asymmetrical. Contact Allsteel Tailored Solutions Group for details.




Single Panel Configuration

Split Panel Configuration



Single panel up to 84"W





Split panel 87"W and greater

Gallery Panels

Stride® and Terrace® System - End Panel (Single-Sided)

- Provides privacy to one or both ends of the system in a single sided application.
- Single-Sided End Panels cap over the System panel. Accommodate for 3" frame thickness when planning with Stride panel system and 2⅝" frame thickness when planning with Terrace panel system.
- All Stride End Panels (Single-Sided) require connector kit GZCKP to attach to parent run.
- All Terrace End Panels (Single-Sided) require connector kit GTKCKP to attach to parent run.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- When System panel is higher than the Gallery Panel, variable height system's trim must be specified to finish off exposed frame.
- Stride 30"H panel frames can be ordered via the Standard Specials catalog until available as standard.
- Due to thickness of the Terrace panel Single-Sided End Panel overhangs by approximately 3/16" on both sides.
- Accommodate for 2⅝" frame thickness planning when with Terrace panel system.
- GTKGK30 is required when a 30"H Terrace panel with frameless glass is attached to a Gallery Panel in an End configuration.






Gallery Panels


Stride® and Terrace® System - Mid Panel

- Mid panels do not overlap parent system panel.
- When specifying Mid panels, one gallery panel “block and trim” kit (GZ3CONxx for Stride, GTK3CONXX for Terrace) is required to space the System panels out 1⅛". Kits include: Connector blocks, vertical trim and a top cap.
- “Block and trim” models must match the height of the parent run.
- Specify one mid-connector kit (GCKPM) per gallery panel to attach to parent run. Gallery panel and mid-connector kit attach over “block and trim” kit. Dual sided application requires two connector kit models.
- When using a Mid panel, both panel frames in spine must be of equal height.
- Mid Panels may not exceed height of parent run by more than 15".
- Trims can be painted to match the System panel trims.
- Mid Panels are available in 18"-84" widths in 3" increments.
- Gallery Panel sizes 63"W or greater require storage or worksurface tie-in. Please reference storage and worksurface support sections for more details.
- Spanning top cap available through Allsteel Tailored Solution Group.




Dual-sided

Single-sided





Gallery-to-Gallery Panels


- Gallery-to-Gallery panels connect to other gallery panels and are available in L-, T-, and Nonsymmetrical T- configurations.
- When specifying Gallery-to-Gallery panels, the installation template (GTEMP) is required. The recommendation is 1 template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery panels cap over Standard Gallery panels and are oversized by 1⅛" to maintain true interior dimensions
- Gallery-to-Gallery panels must be of equal or lower height than the Standard Gallery panel attached. The Gallery-to-Gallery panel cannot be taller than the adjacent panel. If this is required, please reach out to TPG for a custom solution.
- Made of 1⅛" board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 54"W. Horizontal grain is available on all sizes.
- Gallery-to-Gallery panel widths are available in 3" increments from 18"W to 30"W and in 6" increments from 30"W to 78"W
- Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery panels are secured with an inset flat bracket under a painted metal cover.
- L- and Nonsymmetrical T- panels are handed.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60" in gallery panel width (i.e. storage or worksurface tie-in)
- Nonsymmetrical T Panels are specified in the format GTyyxxzz. Substitute yy as panel height, xx as LH nominal length, and zz as RH nominal length





Note: Gallery-to-Gallery Panels cap over standard Gallery Panels and are oversized by 1⅛" to maintain modular interior dimensions. (ex: 18" panel is actually 19⅛"W)


















Gallery Panels


Gallery Panels are ideal for bringing natural wood elements to workstations and providing privacy. Allsteel Gallery Panels are designed to work universally across 4 product platforms. Please follow the product guidelines for proper specification.



End Panel (Dual-Sided)



Gallery Bench



Gallery Panels
with Further Adaptive


Gallery Panels


Basic Characteristics

- Available in End configuration.
- Made of 1⅛" board with HPL laminate.
- Use 1⅛" thickness for space planning.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS.
- Available in woodgrain and solid laminates.
- Horizontal laminate available on all sizes. Vertical laminate is available on widths 18"W to 60"W, and 87"W to 117"W.
- Widths are available in 3" increments from 33"W to 87"W.
- Sizes up to 84"W come as a single piece. Sizes 87"W though 147"W are split panels and come in two-pieces.
- Standard benching Gallery Panels are specified in single-piece panels. Contact Allsteel Tailored Products Group for split panels.
- Grain matching is not available on split panels.
- Gallery Panels offer 2½" leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Gallery Panel widths are true to size.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Can be used with Single Sided Further adaptive for privacy and stability along the beam.
- All configurations are non-handed and secured using hidden fasteners.
- Please adhere to all standard systems specification guidelines.
- Gallery Panels are constructed of laminated particle board. Because of their nature, such components have a tendency to bow due to humidity and changes in climate.


Gallery Panels

Gallery Panel Widths






Gallery Panel Heights



Gallery Panels

Working with Integrated Glass

- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 1½" from each end of the panel.
- Single-piece Gallery Panels for use with integrated glass require glass 3" shorter than the panel width.
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in 7½"H, 13"H, 15"H.
- Glass is available on all Gallery Panel widths.
- For benching systems, maximum allowable benching height cannot exceed 50"H with or without glass. Overall Gallery Panel height includes the glass.
- Specify glass models separate from Gallery Panel models.
- Glass Panels at 30"W and under are not UL listed.




Single Panel with Glass


Find the Gallery Glass width appropriate for your Gallery Panel width.

Shaded example: For the 18"W Gallery Panel, Gallery Glass should be ordered with width of 15".

Gallery Glass Height / Gallery Panel Width	7.5"H
	Gallery Glass Order Width
18"W Gallery Panel	15"W
21"W Gallery Panel	18"W
24"W Gallery Panel	21"W
27"W Gallery Panel	24"W
30"W Gallery Panel	27"W
33"W Gallery Panel	30"W
36"W Gallery Panel	33"W
39"W Gallery Panel	36"W
42"W Gallery Panel	39"W
45"W Gallery Panel	42"W
48"W Gallery Panel	45"W
51"W Gallery Panel	48"W
54"W Gallery Panel	51"W
57"W Gallery Panel	54"W
60"W Gallery Panel	57"W
63"W Gallery Panel	60"W
66"W Gallery Panel	63"W
69"W Gallery Panel	66"W
72"W Gallery Panel	69"W
75"W Gallery Panel	72"W
78"W Gallery Panel	75"W
81"W Gallery Panel	78"W
84"W Gallery Panel	81"W



Split Panel with Glass




Gallery Panels

Further™ - End Panel (Dual-Sided)

- Gallery Panels provide support for beam and worksurfaces.
- Provides privacy to one or both ends of the system in a dual-sided application.
- End Panel sizes are available from 48"W to 84"W.
- Maximum overall height is 50"H. Integrated glass is included in overall height.
- All T-configurations connect using one of the following connector kits:
  - GFCKSH - standard-height tethered applications
  - GFCKA - Adaptive or standard-height freestanding beam applications.
  - GFCKLH - low freestanding beam applications
- Connector kits are infeed and data accessible.
- Chicago and NY electrical junction boxes are not compatible with the kits.
- Connector kits do not accept power poles.
- End Panel can be used for off-modular planning, connector kit location must be field-measured.
- In standard height tethered applications, use Z6LB bracket to tie worksurface to Gallery Panel.
- Gallery Panels line up with the edge of the worksurface.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.
- In a freestanding application, minimum beam run must total 98"W. This includes connector kit.


Front edge of worksurface is flush to Gallery Panel in End Panel configuration




Standard

Adaptive
(With Worksurfaces)

Freestanding



Standard Height (GFCKSH)



Standard Height
(GFCKSH)


Adaptive and
freestanding standard
height (GFCKA)

Low Fence
(GFCKLH)


Gallery Panels

Further™ - End Panel (Single-Sided)


- Gallery Panels provide support for beam and worksurface.
- Provides privacy to one or both ends of the system in a single-sided application.
- Single-Sided End Panel sizes are available from 33"W to 84"W.
- Maximum overall height is 50"H. Integrated glass is included in overall height.
- All Single-Sided End Panels connect using one of the following connector kits:
  - GFCKSH - standard-height tethered applications
  - GFCKA - Adaptive or standard-height freestanding beam applications.
  - GFCKLH - low freestanding beam applications
- Connector kits are infeed and data accessible. Connector kits do not accept power poles.
- Chicago and NY electrical junction boxes are not compatible with the kits.
- In standard height tethered applications, use Z6LB bracket to tie worksurface to Gallery Panel.
- Gallery Panels extend 1½" past front edge of the worksurface. Specify gallery panel 6" longer than the depth of worksurface.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.
- In a freestanding application, minimum beam run must total 98"W. This includes connector kit.
- Single-Sided End Panels may not utilize a single beam between two gallery panels.
- Gallery Panel sizes 66"W or greater require storage or worksurface tie in. Please reference storage and worksurface support sections for more details.
- Single-sided Adaptive requires a minimum of 42"H Gallery Panels along the beam run. Panel widths must match worksurface widths.
- One connector kit (U6GPSS) required for each gallery panel – ordered separately.
- Standard specification creates 1" gap between all gallery panels.
- End Gallery Panels may be specified to align with back panels.
- U3SSHAFA used to mount single-sided Adaptive supports to floor if Gallery panels are not desired.
- Kit includes brackets for 2 end supports and 2 mid-supports.
- Hardware for mounting to floor is not included.



Standard | Single-Sided Adaptive | Freestanding




Standard Height Single-Sided End Panel




Single-Sided Adaptive

Gallery Panels

- Provides privacy to one or both ends of the system.
- End Panel (Dual-Sided) sizes are available from 54"W to 84"W.
- End Panel (Single-Sided) sizes are available from 33"W to 84"W.
- Maximum overall height is 50"H. Integrated glass is included in overall height.




Front edge of panel sits 1¼" proud of worksurface in Single-Sided configuration



Single-Sided


Front edge of worksurface is flush to Gallery Panel in Dual-Sided configuration




Dual-Sided

Gallery Panels


Overview:
- Gallery Panels provide support for fence and worksurfaces.
- Provides privacy to one or both ends of the system in a dual-sided application.
- Gallery Panels line up with the edge of the worksurface.
- Freestanding Mural to Gallery Panels (no integrated tables) requires a minimum 98" of Mural system spine length OR gallery panels on both ends of spine.
- Maximum overall height is 50"H. Integrated glass is included in overall height.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.



End Panel:
- Dual-sided applications end of run available in all single and split gallery panel sizes.
- Single-sided applications available in all single gallery panel sizes.
- Mural end panels connect using GSCKP connector kit.
- When split gallery panels are specified, hardware kit must also be specified GSHW.
- Single End Panel sizes are available from 48"W to 84"W.
- Split End Panel seams must align with parent run.
- Gallery Panel sizes 129"W or greater require storage or worksurface tie in on both sides of panel. Please reference storage and worksurface support sections for more details.



Mid-Panel:
- Dual-sided applications with mid-placement available in all single gallery panel sizes.
- Single-sided applications available in all single gallery panel sizes.
- Mid-connector kit required per gallery panel to attach to fence.
- For dual-sided applications, specify GSCKPMD.
- For single-sided applications, specify GSCKPMS.
- Mid Panels are available in 18"-84" widths in 3" increments.
- Gallery panels 66"W and greater require worksurface or storage tie-in. Please reference storage and worksurface support section for details.




Connector Kits:
- Connector kits are infeed and data accessible.
- Connector kits do not accept power poles.
- End Panel can be used for off-modular planning, connector kit location must be field-measured.


Gallery Panels

- To connect to laminate storage use GSGKL or GSGKM for metal storage.
- To connect to worksurface use Z6LB bracket when used in perpendicular to parent run or use standard systems cantilever brackets when used in parallel to parent run in panel systems.
- Perpendicular surfaces connected to a Gallery Panel over 60"W require (2) Z6LB Brackets.


Panel Systems



Perpendicular panel system with L-bracket (Z6LB) and post leg.




Perpendicular panel system with storage support.




Panel system with cantilever support.


Further System



Further perpendicular with L-bracket (Z6LB), worksurface brackets, and post leg.




Further perpendicular with storage support and worksurface brackets.




Further perpendicular with L-bracket (Z6LB) and worksurface brackets.

Gallery Panels

- Provides tackable surface
- Comes with steel-painted trim
- Available in 36"W and in two heights: 11"H and 18½"H
- For use with a minimum 39"W Gallery Panel
- Mounts directly to Gallery Panel. Mounting hardware included.




Tackboard Accessory on Mid and End Gallery Panels. Example of the typical is illustrated using a Panel System.



Tackboard Accessory dimensions

Gallery Panel Stiffeners

- Required for single-piece panels 75"W and greater that are used in a wing or single-sided end condition and do not have a horizontally-mounted credenza.
- For panels 75"W and 78"W, order model (GSTFN7578). Stiffener width is 72".
- For panels 81"W and 84"W, order model (GSTFN8184). Stiffener width is 78".
- Attaches directly to one side of the Gallery Panel with a painted metal cover, attachment hardware included.
- Placement on panel face must be at least 18" above the floor but is not restricted to a specific location on the panel.
- Stiffener is 1½" x 1½".
- Available in any Allsteel standard paint color




Gallery Panels

Freestanding Screens can be specified using Standard Gallery panels and Gallery-to-Gallery (depicted by the shaded panels in the illustrations below). Overall height, including glass, cannot exceed 72.5". Gallery Panel sizes 63"W or greater require storage or worksurface tie-in.

Freestanding L-Screens


Parent	Minimum Return
18-24	Not Valid
30-36	30
39-60	36
63-84	42



NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Freestanding U-Screens

Parent	Minimum Return
18-21	Not Valid
24-48	24
51-60	27
63-84	30




NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Gallery Panels

Note: 24"W, 27"W, and 30"W T Gallery-to-Gallery panels with 4 rounded corners of any height are not to be specified in freestanding applications as they do not pass all stability tests due to their limited width.

Freestanding T-Screens

T-Return	Minimum Parent
18-21	Not Valid
24-36	30-84
42-60	36-84
66-78	42-84




NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.

Freestanding H-Screens


Parent	Minimum H-Return
30-84	18

NOTE: Increase minimum return length by 3" or next largest width of panel for every 7.5" variation in panel height.





Gallery Panels


Storage and Worksurface Connectors




Worksurface Mounting Bracket (page 575)
- Used to mount a fixed-height worksurface to a Gallery panel.
- Can be painted any Allsteel Standard Paint color.
- A worksurface stiffener is required for surfaces 60"W or greater.
- One bracket kit (GWSBK) is required for each worksurface end attached to Gallery Panels.
- One bracket kit (GWSBK) includes two large L- brackets and one small corner L- bracket.












Storage Ganging Kits (page 567)
- The laminate storage ganging kit (GSGKL) is used to connect a Gallery Panel to a laminate storage unit.
- The metal storage ganging kit (GSGKM) is used to connect a Gallery Panel to a metal storage unit.




Gallery Panel Stiffeners (page 567)
- Required for single-piece panels 75"W and greater that are used in a wing or single-sided end condition and do not have a horizontally-mounted credenza.
- For panels 75"W and 78"W, order model (GSTFN7578). Stiffener width is 72".
- For panels 81"W and 84"W, order model (GSTFN8184). Stiffener width is 78".
- Attaches directly to one side of the Gallery Panel with a painted metal cover, attachment hardware included.
- Placement on panel face must be at least 18" above the floor but is not restricted to a specific location on the panel.
- Stiffener is 1½" x 1½".
- Available in any Allsteel standard paint color




Tackboards (page 576)
- Provides tackable surface.
- Comes with steel-painted trim.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60".
  *Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Gallery Panel. Mounting hardware included. Will deface the panel.




Magnet or Marker Boards (page 576)
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Available in the following heights: 15", 22½"
- Available in the following *widths: 24", 30", 36", 42", 48", 54", 60".
  *Nominal widths, true width is undersized by ½"
- Depth of .45"
- Mounts directly to Gallery Panel. Mounting hardware included. Will deface the panel.




Tackboard Accessory on Mid and End Gallery Panels





Hanging Magnet or Marker Boards (page 576)
- Hangs over Gallery panel or sits on top of worksurface.
- Provides writable and magnetic surface when painted in marker board paint.
- Provides magnetic surface, NON-writable, when painted in other Allsteel paint colors.
- Cannot be installed back-to-back when hanging in the same location.
- Available in 30"W and in two heights: 20"H and 26"H.





Gallery Panel Foot (page 576)
- Single foot provides rigidity to large wing panel.
- Using two feet on a single Gallery Panel allows for a freestanding application on panels greater than 24"W.
- Available in any textured Allsteel paint.
- Foot extends 9" from either side of the panel.












Floating Laminate Shelves (page 577)
- 6" depth.
- ¾" thickness.
- Constructed of HPL laminate with 0.8mm ABS edgebanding.
- Available in solid or horizontal woodgrain laminate.
- Available with contrasting or matching edge.
- Widths available every 6" from 12" to 78"W.
- Widths from 54" to 78" satisfy a stiffener requirement and are meant to be mounted to a panel that is 6" wider than the shelf. (e.g., 84"W panel would accept a 78"W stiffener shelf.)
- Shelves narrower than 54"W do not act as a stiffener.
- Weight capacity is 10lbs per linear foot.




GACRL12


Accessory Rail and Paper Management (page 577)

- Accessory Rail provides mounting for paper management accessories, listed below.
- Rail is 2.6"H and is available in the following widths: 12", 18", 24", 30", 36".
- Rails can be installed in any location on the Gallery Panel, as long as the rail does not extend beyond the top of the panel, and can be placed in-line to span panel length.
- Rail and accessories can be painted any standard Allsteel paint color.
- Mounts directly to the Gallery panel, attachment hardware included.
- Extensions accessories are NOT compatible with the accessory rail.
- These accessories are compatible with panel system tool tiles and rails.
- Includes a rail cover to hide hardware and provide magnetic surface.
- Compatible Rail Accessories:
  - Coat Hook (Rail-based, a mounted version is also available to attach directly to the panel)
    - Rail Based dimensions: 4"x 3"x 1¾"
    - Mounted dimensions: 4"x 3" x 1½"
    - Weight limit: 25 lbs
  - Angle File (Triple, Dual, and Single heights)
    - Depth of 2"
    - Heights: Triple = 15⅓", Dual = 12⅓", Single = 9⅓"
  - Paper Tray (Triple, Dual, and Single heights)
    - Depth of 10"
    - Heights: Triple = 9⅓", Dual = 6⅓", Single = 3⅓"
  - Personal Shelf
    - 9⅓" x 24" x 10⅗"
    - Weight limit: 25 lbs
  - Binder Shelf
    - 12⅓" x 12" x 11⅓"
    - Weight limit: 25lbs


NOTE: When accessory tools are attached to freestanding Gallery Panel screens, excess weight may affect overall panel stability.




GCHRB




G2AGF



G1PTR



GWPSF




GBRSF



Wall Start (page 575)

- Wall Starts are 1⅛" by 1⅛" rectangular mounting posts that are meant to affix a Gallery Panel to a permanent building wall.
- Wall starts add 1⅛" to panel run.
- Attachment hardware not included.
- Must be specified at the same height as the connecting panel.




Countertop Brackets (page 575)


- Includes attachment hardware.
- Countertops are flush with the top of the panel and can be flush with the ends of the panel or shorter than the panel width.
- For straight countertops, two countertop brackets must be ordered.
- For corner countertops, three countertop brackets must be ordered.
- Will deface the Gallery Panel.
- May be used in conjunction with Stride, Terrace, or Optimize panels. When transitioning from a Panel spine to a Gallery Panel wing with a corner countertop, use countertop model of the panel system.

Height Adjustable Table Tie-In Brackets (Gallery Panels)

- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T leg HAT
- AGBKC to be specified for connection to a C leg HAT
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- Brackets used with a height adjustable table and an above/below screen may have interference when lowering the table to its lowest position. Please take this into consideration when planning as the gallery to panel bracket may need to be mounted lower to accommodate the screen.
- Can be used with Altitude MAX bases when attaching to Gallery panels or Fit panels.
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine.


SINGLE BRACKET
Gallery Panel Application:
Max Height (with Glass): 65"H
Max Width: 75"W; No top size restrictions





Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.


DUAL SIDED PANEL BENCH
Gallery Panel Application:
Max Height (with Glass): 65"H
Bracket Needed: Single Panel (75" max) with Brackets on each leg (placed at the same height)




Freestanding Gallery Panel Application

Gallery Panels

Gallery-to-Gallery Panels: 30"H Application




Right Hand




Left Hand

Description	Model	List Price L1	List Price L2	List Price L3
30"H L- Gallery-to-Gallery Panels				
18"W (RH)	GL3018R	$ 773	$ 803	$ 831
18"W (LH)	GL3018L	$ 773	$ 803	$ 831
21"W (RH)	GL3021R	$ 789	$ 819	$ 848
21"W (LH)	GL3021L	$ 789	$ 819	$ 848
24"W (RH)	GL3024R	$ 824	$ 855	$ 885
24"W (LH)	GL3024L	$ 824	$ 855	$ 885
27"W (RH)	GL3027R	$ 865	$ 898	$ 928
27"W (LH)	GL3027L	$ 865	$ 898	$ 928
30"W (RH)	GL3030R	$ 953	$ 988	$ 1023
30"W (LH)	GL3030L	$ 953	$ 988	$ 1023
36"W (RH)	GL3036R	$ 1031	$ 1071	$ 1107
36"W (LH)	GL3036L	$ 1031	$ 1071	$ 1107
42"W (RH)	GL3042R	$ 1127	$ 1171	$ 1211
42"W (LH)	GL3042L	$ 1127	$ 1171	$ 1211
48"W (RH)	GL3048R	$ 1259	$ 1306	$ 1351
48"W (LH)	GL3048L	$ 1259	$ 1306	$ 1351
54"W (RH)	GL3054R	$ 1330	$ 1379	$ 1427
54"W (LH)	GL3054L	$ 1330	$ 1379	$ 1427
60"W (RH)	GL3060R	$ 1434	$ 1488	$ 1537
60"W (LH)	GL3060L	$ 1434	$ 1488	$ 1537
66"W (RH)	GL3066R	$ 1478	$ 1533	$ 1585
66"W (LH)	GL3066L	$ 1478	$ 1533	$ 1585
72"W (RH)	GL3072R	$ 1608	$ 1668	$ 1726
72"W (LH)	GL3072L	$ 1608	$ 1668	$ 1726
78"W (RH)	GL3078R	$ 1856	$ 1923	$ 1990
78"W (LH)	GL3078L	$ 1856	$ 1923	$ 1990



30"H T- Gallery-to-Gallery Panels				
18"W	GT3018	$ 774	$ 804	$ 832
21"W	GT3021	$ 791	$ 821	$ 850
24"W	GT3024	$ 826	$ 857	$ 887
27"W	GT3027	$ 867	$ 900	$ 930
30"W	GT3030	$ 952	$ 987	$ 1022
36"W	GT3036	$ 1031	$ 1071	$ 1107
42"W	GT3042	$ 1130	$ 1174	$ 1214
48"W	GT3048	$ 1262	$ 1309	$ 1354
54"W	GT3054	$ 1328	$ 1377	$ 1425
60"W	GT3060	$ 1433	$ 1487	$ 1536
66"W	GT3066	$ 1481	$ 1536	$ 1588
72"W	GT3072	$ 1610	$ 1670	$ 1728
78"W	GT3078	$ 1857	$ 1924	$ 1991




30"H Nonsym T- Gallery-to-Gallery Panels				
42"W 18L 24R	GT301824	$ 1130	$ 1174	$ 1214
42"W 24L 18R	GT302418	$ 1130	$ 1174	$ 1214
48"W 18L 30R	GT301830	$ 1151	$ 1198	$ 1243
48"W 30L 18R	GT303018	$ 1151	$ 1198	$ 1243
54"W 24L 30R	GT302430	$ 1328	$ 1377	$ 1425
54"W 30L 24R	GT303024	$ 1328	$ 1377	$ 1425

Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G .	.	.	.	V .	.	G

Gallery Panels

Gallery-to-Gallery Panels: 35"H Application




Right Hand




Left Hand

Description	Model	List Price L1	List Price L2	List Price L3
35"H L- Gallery-to-Gallery Panels				
18"W (RH)	**GL3518R**	$ 872	$ 905	$ 936
18"W (LH)	**GL3518L**	$ 872	$ 905	$ 936
21"W (RH)	**GL3521R**	$ 891	$ 924	$ 956
21"W (LH)	**GL3521L**	$ 891	$ 924	$ 956
24"W (RH)	**GL3524R**	$ 931	$ 966	$ 998
24"W (LH)	**GL3524L**	$ 931	$ 966	$ 998
27"W (RH)	**GL3527R**	$ 967	$ 1003	$ 1038
27"W (LH)	**GL3527L**	$ 967	$ 1003	$ 1038
30"W (RH)	**GL3530R**	$ 1080	$ 1121	$ 1160
30"W (LH)	**GL3530L**	$ 1080	$ 1121	$ 1160
36"W (RH)	**GL3536R**	$ 1174	$ 1219	$ 1261
36"W (LH)	**GL3536L**	$ 1174	$ 1219	$ 1261
42"W (RH)	**GL3542R**	$ 1249	$ 1296	$ 1340
42"W (LH)	**GL3542L**	$ 1249	$ 1296	$ 1340
48"W (RH)	**GL3548R**	$ 1357	$ 1407	$ 1456
48"W (LH)	**GL3548L**	$ 1357	$ 1407	$ 1456
54"W (RH)	**GL3554R**	$ 1440	$ 1494	$ 1544
54"W (LH)	**GL3554L**	$ 1440	$ 1494	$ 1544
60"W (RH)	**GL3560R**	$ 1530	$ 1588	$ 1642
60"W (LH)	**GL3560L**	$ 1530	$ 1588	$ 1642
66"W (RH)	**GL3566R**	$ 1599	$ 1659	$ 1716
66"W (LH)	**GL3566L**	$ 1599	$ 1659	$ 1716
72"W (RH)	**GL3572R**	$ 1734	$ 1798	$ 1860
72"W (LH)	**GL3572L**	$ 1734	$ 1798	$ 1860
78"W (RH)	**GL3578R**	$ 1936	$ 2007	$ 2076
78"W (LH)	**GL3578L**	$ 1936	$ 2007	$ 2076



35"H T- Gallery-to-Gallery Panels				
18"W	**GT3518**	$ 872	$ 905	$ 936
21"W	**GT3521**	$ 893	$ 926	$ 958
24"W	**GT3524**	$ 934	$ 969	$ 1001
27"W	**GT3527**	$ 970	$ 1006	$ 1041
30"W	**GT3530**	$ 1082	$ 1123	$ 1162
36"W	**GT3536**	$ 1176	$ 1221	$ 1263
42"W	**GT3542**	$ 1250	$ 1297	$ 1341
48"W	**GT3548**	$ 1360	$ 1410	$ 1459
54"W	**GT3554**	$ 1442	$ 1496	$ 1546
60"W	**GT3560**	$ 1532	$ 1590	$ 1644
66"W	**GT3566**	$ 1600	$ 1660	$ 1717
72"W	**GT3572**	$ 1735	$ 1799	$ 1861
78"W	**GT3578**	$ 1936	$ 2007	$ 2076




35"H Nonsym T- Gallery-to-Gallery Panels		
42"W 18L 24R	**GT351824**	$ 1250	$ 1297	$ 1341
42"W 24L 18R	**GT352418**	$ 1250	$ 1297	$ 1341
48"W 18L 30R	**GT351830**	$ 1360	$ 1410	$ 1459
48"W 30L 18R	**GT353018**	$ 1360	$ 1410	$ 1459
54"W 24L 30R	**GT352430**	$ 1442	$ 1496	$ 1546
54"W 30L 24R	**GT353024**	$ 1442	$ 1496	$ 1546


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	**GTEMP**	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G .	.	.	.	**V** .	.	**G**


Gallery Panels


Gallery-to-Gallery Panels: 42"H Application


Right Hand


Left Hand

Description	Model	List Price L1	List Price L2	List Price L3
42"H L- Gallery-to-Gallery Panels				
18"W (RH)	**GL4218R**	$ 946	$ 981	$ 1015
18"W (LH)	**GL4218L**	$ 946	$ 981	$ 1015
21"W (RH)	**GL4221R**	$ 961	$ 997	$ 1031
21"W (LH)	**GL4221L**	$ 961	$ 997	$ 1031
24"W (RH)	**GL4224R**	$ 1011	$ 1049	$ 1085
24"W (LH)	**GL4224L**	$ 1011	$ 1049	$ 1085
27"W (RH)	**GL4227R**	$ 1056	$ 1096	$ 1134
27"W (LH)	**GL4227L**	$ 1056	$ 1096	$ 1134
30"W (RH)	**GL4230R**	$ 1176	$ 1221	$ 1263
30"W (LH)	**GL4230L**	$ 1176	$ 1221	$ 1263
36"W (RH)	**GL4236R**	$ 1284	$ 1332	$ 1377
36"W (LH)	**GL4236L**	$ 1284	$ 1332	$ 1377
42"W (RH)	**GL4242R**	$ 1372	$ 1423	$ 1472
42"W (LH)	**GL4242L**	$ 1372	$ 1423	$ 1472
48"W (RH)	**GL4248R**	$ 1459	$ 1513	$ 1565
48"W (LH)	**GL4248L**	$ 1459	$ 1513	$ 1565
54"W (RH)	**GL4254R**	$ 1578	$ 1637	$ 1694
54"W (LH)	**GL4254L**	$ 1578	$ 1637	$ 1694
60"W (RH)	**GL4260R**	$ 1663	$ 1724	$ 1784
60"W (LH)	**GL4260L**	$ 1663	$ 1724	$ 1784
66"W (RH)	**GL4266R**	$ 1749	$ 1813	$ 1876
66"W (LH)	**GL4266L**	$ 1749	$ 1813	$ 1876
72"W (RH)	**GL4272R**	$ 1871	$ 1940	$ 2006
72"W (LH)	**GL4272L**	$ 1871	$ 1940	$ 2006
78"W (RH)	**GL4278R**	$ 2037	$ 2113	$ 2184
78"W (LH)	**GL4278L**	$ 2037	$ 2113	$ 2184






Description	Model	List Price L1	List Price L2	List Price L3
42"H T- Gallery-to-Gallery Panels				
18"W	**GT4218**	$ 948	$ 983	$ 1017
21"W	**GT4221**	$ 964	$ 1000	$ 1034
24"W	**GT4224**	$ 1015	$ 1053	$ 1089
27"W	**GT4227**	$ 1057	$ 1097	$ 1135
30"W	**GT4230**	$ 1181	$ 1226	$ 1268
36"W	**GT4236**	$ 1286	$ 1334	$ 1379
42"W	**GT4242**	$ 1375	$ 1426	$ 1475
48"W	**GT4248**	$ 1464	$ 1518	$ 1570
54"W	**GT4254**	$ 1582	$ 1641	$ 1698
60"W	**GT4260**	$ 1666	$ 1727	$ 1787
66"W	**GT4266**	$ 1752	$ 1816	$ 1879
72"W	**GT4272**	$ 1873	$ 1942	$ 2008
78"W	**GT4278**	$ 2039	$ 2115	$ 2186
42"H Nonsym T- Gallery-to-Gallery Panels				
42"W 18L 24R	**GT421824**	$ 1375	$ 1426	$ 1475
42"W 24L 18R	**GT422418**	$ 1375	$ 1426	$ 1475
48"W 18L 30R	**GT421830**	$ 1464	$ 1518	$ 1570
48"W 30L 18R	**GT423018**	$ 1464	$ 1518	$ 1570
54"W 24L 30R	**GT422430**	$ 1582	$ 1641	$ 1698
54"W 30L 24R	**GT423024**	$ 1582	$ 1641	$ 1698


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	**GTEMP**	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G . .	.	.	.	V .	.	G


Gallery Panels

Gallery-to-Gallery Panels: 50"H Application





Description	Model	List Price L1	List Price L2	List Price L3
50"H L- Gallery-to-Gallery Panels				
18"W (RH)	GL5018R	$ 1062	$ 1103	$ 1140
18"W (LH)	GL5018L	$ 1062	$ 1103	$ 1140
21"W (RH)	GL5021R	$ 1086	$ 1127	$ 1167
21"W (LH)	GL5021L	$ 1086	$ 1127	$ 1167
24"W (RH)	GL5024R	$ 1127	$ 1171	$ 1211
24"W (LH)	GL5024L	$ 1127	$ 1171	$ 1211
27"W (RH)	GL5027R	$ 1173	$ 1218	$ 1260
27"W (LH)	GL5027L	$ 1173	$ 1218	$ 1260
30"W (RH)	GL5030R	$ 1279	$ 1327	$ 1372
30"W (LH)	GL5030L	$ 1279	$ 1327	$ 1372
36"W (RH)	GL5036R	$ 1389	$ 1440	$ 1490
36"W (LH)	GL5036L	$ 1389	$ 1440	$ 1490
42"W (RH)	GL5042R	$ 1488	$ 1543	$ 1595
42"W (LH)	GL5042L	$ 1488	$ 1543	$ 1595
48"W (RH)	GL5048R	$ 1615	$ 1675	$ 1733
48"W (LH)	GL5048L	$ 1615	$ 1675	$ 1733
54"W (RH)	GL5054R	$ 1710	$ 1773	$ 1835
54"W (LH)	GL5054L	$ 1710	$ 1773	$ 1835
60"W (RH)	GL5060R	$ 1794	$ 1859	$ 1924
60"W (LH)	GL5060L	$ 1794	$ 1859	$ 1924
66"W (RH)	GL5066R	$ 1872	$ 1941	$ 2007
66"W (LH)	GL5066L	$ 1872	$ 1941	$ 2007
72"W (RH)	GL5072R	$ 1968	$ 2041	$ 2110
72"W (LH)	GL5072L	$ 1968	$ 2041	$ 2110
78"W (RH)	GL5078R	$ 2266	$ 2350	$ 2431
78"W (LH)	GL5078L	$ 2266	$ 2350	$ 2431




Description	Model	List Price L1	List Price L2	List Price L3
50"H T- Gallery-to-Gallery Panels				
18"W	GT5018	$ 1065	$ 1106	$ 1143
21"W	GT5021	$ 1090	$ 1131	$ 1171
24"W	GT5024	$ 1130	$ 1174	$ 1214
27"W	GT5027	$ 1174	$ 1219	$ 1261
30"W	GT5030	$ 1279	$ 1327	$ 1372
36"W	GT5036	$ 1390	$ 1441	$ 1491
42"W	GT5042	$ 1490	$ 1545	$ 1597
48"W	GT5048	$ 1614	$ 1674	$ 1732
54"W	GT5054	$ 1713	$ 1776	$ 1838
60"W	GT5060	$ 1797	$ 1862	$ 1927
66"W	GT5066	$ 1877	$ 1946	$ 2012
72"W	GT5072	$ 1969	$ 2042	$ 2111
78"W	GT5078	$ 2267	$ 2351	$ 2432
50"H Nonsym T- Gallery-to-Gallery Panels				
42"W 18L 24R	GT501824	$ 1490	$ 1545	$ 1597
42"W 24L 18R	GT502418	$ 1490	$ 1545	$ 1597
48"W 18L 30R	GT501830	$ 1614	$ 1674	$ 1732
48"W 30L 18R	GT503018	$ 1614	$ 1674	$ 1732
54"W 24L 30R	GT502430	$ 1713	$ 1776	$ 1838
54"W 30L 24R	GT503024	$ 1713	$ 1776	$ 1838

Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G . .	.	.	.	V .	.	G

Gallery Panels


Gallery-to-Gallery Panels: 57½"H Application



Description	Model	List Price L1	List Price L2	List Price L3
57½"H L- Gallery-to-Gallery Panels				
18"W (RH)	GL5718R	$ 1238	$ 1285	$ 1329
18"W (LH)	GL5718L	$ 1238	$ 1285	$ 1329
21"W (RH)	GL5721R	$ 1260	$ 1307	$ 1352
21"W (LH)	GL5721L	$ 1260	$ 1307	$ 1352
24"W (RH)	GL5724R	$ 1302	$ 1351	$ 1396
24"W (LH)	GL5724L	$ 1302	$ 1351	$ 1396
27"W (RH)	GL5727R	$ 1348	$ 1398	$ 1446
27"W (LH)	GL5727L	$ 1348	$ 1398	$ 1446
30"W (RH)	GL5730R	$ 1453	$ 1507	$ 1557
30"W (LH)	GL5730L	$ 1453	$ 1507	$ 1557
36"W (RH)	GL5736R	$ 1563	$ 1621	$ 1678
36"W (LH)	GL5736L	$ 1563	$ 1621	$ 1678
42"W (RH)	GL5742R	$ 1662	$ 1723	$ 1783
42"W (LH)	GL5742L	$ 1662	$ 1723	$ 1783
48"W (RH)	GL5748R	$ 1789	$ 1854	$ 1918
48"W (LH)	GL5748L	$ 1789	$ 1854	$ 1918
54"W (RH)	GL5754R	$ 1887	$ 1956	$ 2024
54"W (LH)	GL5754L	$ 1887	$ 1956	$ 2024
60"W (RH)	GL5760R	$ 1970	$ 2043	$ 2112
60"W (LH)	GL5760L	$ 1970	$ 2043	$ 2112
66"W (RH)	GL5766R	$ 2050	$ 2126	$ 2198
66"W (LH)	GL5766L	$ 2050	$ 2126	$ 2198
72"W (RH)	GL5772R	$ 2144	$ 2224	$ 2299
72"W (LH)	GL5772L	$ 2144	$ 2224	$ 2299
78"W (RH)	GL5778R	$ 2440	$ 2530	$ 2616
78"W (LH)	GL5778L	$ 2440	$ 2530	$ 2616



Description	Model	List Price L1	List Price L2	List Price L3
57½"H T- Gallery-to-Gallery Panels				
18"W	GT5718	$ 1238	$ 1285	$ 1329
21"W	GT5721	$ 1264	$ 1311	$ 1356
24"W	GT5724	$ 1304	$ 1353	$ 1398
27"W	GT5727	$ 1350	$ 1400	$ 1448
30"W	GT5730	$ 1456	$ 1510	$ 1560
36"W	GT5736	$ 1564	$ 1622	$ 1679
42"W	GT5742	$ 1665	$ 1726	$ 1786
48"W	GT5748	$ 1792	$ 1857	$ 1921
54"W	GT5754	$ 1886	$ 1955	$ 2023
60"W	GT5760	$ 1970	$ 2043	$ 2112
66"W	GT5766	$ 2051	$ 2127	$ 2199
72"W	GT5772	$ 2144	$ 2224	$ 2299
78"W	GT5778	$ 2443	$ 2533	$ 2619




Description	Model	List Price L1	List Price L2	List Price L3
57½"H Nonsym T- Gallery-to-Gallery Panels				
42"W 18L 24R	GT571824	$ 1665	$ 1726	$ 1786
42"W 24L 18R	GT572418	$ 1665	$ 1726	$ 1786
48"W 18L 30R	GT571830	$ 1792	$ 1857	$ 1921
48"W 30L 18R	GT573018	$ 1792	$ 1857	$ 1921
54"W 24L 30R	GT572430	$ 1886	$ 1955	$ 2023
54"W 30L 24R	GT573024	$ 1886	$ 1955	$ 2023


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify — Select the Model Number from above.	*1st Option:* **FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	*2nd Option:* **Laminate:** (if applicable): See page 528 for finishes.	*3rd Option:* **Edge:** See page 528 for finishes.	*4th Option:* **Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	*5th Option:* **Paint** See page 528 for finishes.	*6th Option:* **Glide:** (if applicable):
G .	.	.	.	V .	.	G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 30" Application






Description	Model	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
30"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL3018RG	$ 1030	$ 1070	$ 1106	G4 ␣␣ 18GS
18"W (LH)	GL3018LG	$ 1030	$ 1070	$ 1106	G4 ␣␣ 18GS
21"W (RH)	GL3021RG	$ 1046	$ 1086	$ 1123	G4 ␣␣ 21GS
21"W (LH)	GL3021LG	$ 1046	$ 1086	$ 1123	G4 ␣␣ 21GS
24"W (RH)	GL3024RG	$ 1082	$ 1123	$ 1162	G4 ␣␣ 24GS
24"W (LH)	GL3024LG	$ 1082	$ 1123	$ 1162	G4 ␣␣ 24GS
27"W (RH)	GL3027RG	$ 1123	$ 1165	$ 1207	G4 ␣␣ 27GS
27"W (LH)	GL3027LG	$ 1123	$ 1165	$ 1207	G4 ␣␣ 27GS
30"W (RH)	GL3030RG	$ 1207	$ 1253	$ 1296	G4 ␣␣ 30GS
30"W (LH)	GL3030LG	$ 1207	$ 1253	$ 1296	G4 ␣␣ 30GS
36"W (RH)	GL3036RG	$ 1288	$ 1336	$ 1382	G4 ␣␣ 36GS
36"W (LH)	GL3036LG	$ 1288	$ 1336	$ 1382	G4 ␣␣ 36GS
42"W (RH)	GL3042RG	$ 1384	$ 1435	$ 1484	G4 ␣␣ 42GS
42"W (LH)	GL3042LG	$ 1384	$ 1435	$ 1484	G4 ␣␣ 42GS
48"W (RH)	GL3048RG	$ 1517	$ 1574	$ 1628	G4 ␣␣ 48GS
48"W (LH)	GL3048LG	$ 1517	$ 1574	$ 1628	G4 ␣␣ 48GS
54"W (RH)	GL3054RG	$ 1585	$ 1644	$ 1701	G4 ␣␣ 54GS
54"W (LH)	GL3054LG	$ 1585	$ 1644	$ 1701	G4 ␣␣ 54GS
60"W (RH)	GL3060RG	$ 1692	$ 1754	$ 1816	G4 ␣␣ 60GS
60"W (LH)	GL3060LG	$ 1692	$ 1754	$ 1816	G4 ␣␣ 60GS
66"W (RH)	GL3066RG	$ 1735	$ 1799	$ 1861	G4 ␣␣ 66GS
66"W (LH)	GL3066LG	$ 1735	$ 1799	$ 1861	G4 ␣␣ 66GS
72"W (RH)	GL3072RG	$ 1866	$ 1933	$ 2001	G4 ␣␣ 72GS
72"W (LH)	GL3072LG	$ 1866	$ 1933	$ 2001	G4 ␣␣ 72GS
78"W (RH)	GL3078RG	$ 2112	$ 2190	$ 2266	G4 ␣␣ 78GS
78"W (LH)	GL3078LG	$ 2112	$ 2190	$ 2266	G4 ␣␣ 78GS



30"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18"W	GT3018G	$ 1030	$ 1070	$ 1106	G4 ␣␣ 18GS
21"W	GT3021G	$ 1051	$ 1091	$ 1128	G4 ␣␣ 21GS
24"W	GT3024G	$ 1083	$ 1124	$ 1163	G4 ␣␣ 24GS
27"W	GT3027G	$ 1124	$ 1166	$ 1208	G4 ␣␣ 27GS
30"W	GT3030G	$ 1210	$ 1256	$ 1299	G4 ␣␣ 30GS
36"W	GT3036G	$ 1287	$ 1335	$ 1381	G4 ␣␣ 36GS
42"W	GT3042G	$ 1387	$ 1438	$ 1487	G4 ␣␣ 42GS
48"W	GT3048G	$ 1519	$ 1576	$ 1630	G4 ␣␣ 48GS
54"W	GT3054G	$ 1588	$ 1647	$ 1704	G4 ␣␣ 54GS
60"W	GT3060G	$ 1691	$ 1753	$ 1815	G4 ␣␣ 60GS
66"W	GT3066G	$ 1736	$ 1800	$ 1862	G4 ␣␣ 66GS
72"W	GT3072G	$ 1869	$ 1936	$ 2004	G4 ␣␣ 72GS
78"W	GT3078G	$ 2114	$ 2192	$ 2268	G4 ␣␣ 78GS



30"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42"W 18L 24R	GT301824G	$ 1387	$ 1438	$ 1487	G4 ␣␣ 42GS
42"W 24L 18R	GT302418G	$ 1387	$ 1438	$ 1487	G4 ␣␣ 42GS
48"W 18L 30R	GT301830G	$ 1519	$ 1576	$ 1630	G4 ␣␣ 48GS
48"W 30L 18R	GT303018G	$ 1519	$ 1576	$ 1630	G4 ␣␣ 48GS
54"W 24L 30R	GT302430G	$ 1588	$ 1647	$ 1704	G4 ␣␣ 54GS
54"W 30L 24R	GT303024G	$ 1588	$ 1647	$ 1704	G4 ␣␣ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.


07 7.5"H glass
13 13"H glass
15 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G ␣␣␣␣␣␣␣ . ␣ .	␣␣␣␣ .	␣␣␣ .	␣␣ .	V ␣␣ .	␣␣␣ .	G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 35" Application



Right Hand


Left Hand

Description	Model	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
35"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL3518RG	1127	1171	1211	G4 ␣␣ 18GS
18"W (LH)	GL3518LG	1127	1171	1211	G4 ␣␣ 18GS
21"W (RH)	GL3521RG	1150	1194	1235	G4 ␣␣ 21GS
21"W (LH)	GL3521LG	1150	1194	1235	G4 ␣␣ 21GS
24"W (RH)	GL3524RG	1190	1235	1278	G4 ␣␣ 24GS
24"W (LH)	GL3524LG	1190	1235	1278	G4 ␣␣ 24GS
27"W (RH)	GL3527RG	1226	1272	1316	G4 ␣␣ 27GS
27"W (LH)	GL3527LG	1226	1272	1316	G4 ␣␣ 27GS
30"W (RH)	GL3530RG	1336	1386	1433	G4 ␣␣ 30GS
30"W (LH)	GL3530LG	1336	1386	1433	G4 ␣␣ 30GS
36"W (RH)	GL3536RG	1432	1486	1535	G4 ␣␣ 36GS
36"W (LH)	GL3536LG	1432	1486	1535	G4 ␣␣ 36GS
42"W (RH)	GL3542RG	1503	1560	1614	G4 ␣␣ 42GS
42"W (LH)	GL3542LG	1503	1560	1614	G4 ␣␣ 42GS
48"W (RH)	GL3548RG	1615	1675	1733	G4 ␣␣ 48GS
48"W (LH)	GL3548LG	1615	1675	1733	G4 ␣␣ 48GS
54"W (RH)	GL3554RG	1696	1758	1820	G4 ␣␣ 54GS
54"W (LH)	GL3554LG	1696	1758	1820	G4 ␣␣ 54GS
60"W (RH)	GL3560RG	1787	1852	1916	G4 ␣␣ 60GS
60"W (LH)	GL3560LG	1787	1852	1916	G4 ␣␣ 60GS
66"W (RH)	GL3566RG	1856	1923	1990	G4 ␣␣ 66GS
66"W (LH)	GL3566LG	1856	1923	1990	G4 ␣␣ 66GS
72"W (RH)	GL3572RG	1990	2063	2133	G4 ␣␣ 72GS
72"W (LH)	GL3572LG	1990	2063	2133	G4 ␣␣ 72GS
78"W (RH)	GL3578RG	2193	2274	2352	G4 ␣␣ 78GS
78"W (LH)	GL3578LG	2193	2274	2352	G4 ␣␣ 78GS



35"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18"W	GT3518G	1130	1174	1214	G4 ␣␣ 18GS
21"W	GT3521G	1149	1193	1234	G4 ␣␣ 21GS
24"W	GT3524G	1191	1236	1279	G4 ␣␣ 24GS
27"W	GT3527G	1227	1273	1317	G4 ␣␣ 27GS
30"W	GT3530G	1339	1389	1436	G4 ␣␣ 30GS
36"W	GT3536G	1432	1486	1535	G4 ␣␣ 36GS
42"W	GT3542G	1507	1564	1618	G4 ␣␣ 42GS
48"W	GT3548G	1614	1674	1732	G4 ␣␣ 48GS
54"W	GT3554G	1698	1760	1822	G4 ␣␣ 54GS
60"W	GT3560G	1791	1856	1920	G4 ␣␣ 60GS
66"W	GT3566G	1857	1924	1991	G4 ␣␣ 66GS
72"W	GT3572G	1993	2066	2136	G4 ␣␣ 72GS
78"W	GT3578G	2192	2273	2351	G4 ␣␣ 78GS



35"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42"W 18L 24R	GT351824G	1507	1564	1618	G4 ␣␣ 42GS
42"W 24L 18R	GT352418G	1507	1564	1618	G4 ␣␣ 42GS
48"W 18L 30R	GT351830G	1614	1674	1732	G4 ␣␣ 48GS
48"W 30L 18R	GT353018G	1614	1674	1732	G4 ␣␣ 48GS
54"W 24L 30R	GT352430G	1698	1760	1822	G4 ␣␣ 54GS
54"W 30L 24R	GT353024G	1698	1760	1822	G4 ␣␣ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.


- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G ␣␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	␣␣␣ .	G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 42" Application



Right Hand


Left Hand

Description	Model	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
42"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL4218RG	1202	1248	1291	G4 ␣␣ 18GS
18"W (LH)	GL4218LG	1202	1248	1291	G4 ␣␣ 18GS
21"W (RH)	GL4221RG	1217	1263	1306	G4 ␣␣ 21GS
21"W (LH)	GL4221LG	1217	1263	1306	G4 ␣␣ 21GS
24"W (RH)	GL4224RG	1270	1318	1362	G4 ␣␣ 24GS
24"W (LH)	GL4224LG	1270	1318	1362	G4 ␣␣ 24GS
27"W (RH)	GL4227RG	1314	1363	1410	G4 ␣␣ 27GS
27"W (LH)	GL4227LG	1314	1363	1410	G4 ␣␣ 27GS
30"W (RH)	GL4230RG	1435	1489	1538	G4 ␣␣ 30GS
30"W (LH)	GL4230LG	1435	1489	1538	G4 ␣␣ 30GS
36"W (RH)	GL4236RG	1541	1599	1655	G4 ␣␣ 36GS
36"W (LH)	GL4236LG	1541	1599	1655	G4 ␣␣ 36GS
42"W (RH)	GL4242RG	1629	1689	1748	G4 ␣␣ 42GS
42"W (LH)	GL4242LG	1629	1689	1748	G4 ␣␣ 42GS
48"W (RH)	GL4248RG	1718	1781	1843	G4 ␣␣ 48GS
48"W (LH)	GL4248LG	1718	1781	1843	G4 ␣␣ 48GS
54"W (RH)	GL4254RG	1835	1902	1968	G4 ␣␣ 54GS
54"W (LH)	GL4254LG	1835	1902	1968	G4 ␣␣ 54GS
60"W (RH)	GL4260RG	1921	1991	2060	G4 ␣␣ 60GS
60"W (LH)	GL4260LG	1921	1991	2060	G4 ␣␣ 60GS
66"W (RH)	GL4266RG	2009	2083	2154	G4 ␣␣ 66GS
66"W (LH)	GL4266LG	2009	2083	2154	G4 ␣␣ 66GS
72"W (RH)	GL4272RG	2130	2208	2285	G4 ␣␣ 72GS
72"W (LH)	GL4272LG	2130	2208	2285	G4 ␣␣ 72GS
78"W (RH)	GL4278RG	2295	2380	2461	G4 ␣␣ 78GS
78"W (LH)	GL4278LG	2295	2380	2461	G4 ␣␣ 78GS



42"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18"W	GT4218G	1205	1251	1294	G4 ␣␣ 18GS
21"W	GT4221G	1222	1268	1311	G4 ␣␣ 21GS
24"W	GT4224G	1272	1320	1364	G4 ␣␣ 24GS
27"W	GT4227G	1313	1362	1409	G4 ␣␣ 27GS
30"W	GT4230G	1440	1494	1543	G4 ␣␣ 30GS
36"W	GT4236G	1545	1603	1659	G4 ␣␣ 36GS
42"W	GT4242G	1631	1691	1750	G4 ␣␣ 42GS
48"W	GT4248G	1719	1782	1844	G4 ␣␣ 48GS
54"W	GT4254G	1838	1905	1971	G4 ␣␣ 54GS
60"W	GT4260G	1923	1993	2062	G4 ␣␣ 60GS
66"W	GT4266G	2010	2084	2155	G4 ␣␣ 66GS
72"W	GT4272G	2131	2209	2286	G4 ␣␣ 72GS
78"W	GT4278G	2296	2381	2462	G4 ␣␣ 78GS



42"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42"W 18L 24R	GT421824G	1631	1691	1750	G4 ␣␣ 42GS
42"W 24L 18R	GT422418G	1631	1691	1750	G4 ␣␣ 42GS
48"W 18L 30R	GT421830G	1719	1782	1844	G4 ␣␣ 48GS
48"W 30L 18R	GT423018G	1719	1782	1844	G4 ␣␣ 48GS
54"W 24L 30R	GT422430G	1838	1905	1971	G4 ␣␣ 54GS
54"W 30L 24R	GT423024G	1838	1905	1971	G4 ␣␣ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.


- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G ␣␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	␣␣␣ .	G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 50" Application



Right Hand


Left Hand

Description	Model	List Price L1	L2	L3	Accepts Glass Models 7½"H, 13"H, 15"H
50"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL5018RG	1319	1368	1415	G4 ␣␣ 18GS
18"W (LH)	GL5018LG	1319	1368	1415	G4 ␣␣ 18GS
21"W (RH)	GL5021RG	1343	1393	1441	G4 ␣␣ 21GS
21"W (LH)	GL5021LG	1343	1393	1441	G4 ␣␣ 21GS
24"W (RH)	GL5024RG	1384	1435	1484	G4 ␣␣ 24GS
24"W (LH)	GL5024LG	1384	1435	1484	G4 ␣␣ 24GS
27"W (RH)	GL5027RG	1431	1485	1534	G4 ␣␣ 27GS
27"W (LH)	GL5027LG	1431	1485	1534	G4 ␣␣ 27GS
30"W (RH)	GL5030RG	1536	1594	1648	G4 ␣␣ 30GS
30"W (LH)	GL5030LG	1536	1594	1648	G4 ␣␣ 30GS
36"W (RH)	GL5036RG	1645	1706	1765	G4 ␣␣ 36GS
36"W (LH)	GL5036LG	1645	1706	1765	G4 ␣␣ 36GS
42"W (RH)	GL5042RG	1745	1809	1872	G4 ␣␣ 42GS
42"W (LH)	GL5042LG	1745	1809	1872	G4 ␣␣ 42GS
48"W (RH)	GL5048RG	1871	1940	2006	G4 ␣␣ 48GS
48"W (LH)	GL5048LG	1871	1940	2006	G4 ␣␣ 48GS
54"W (RH)	GL5054RG	1968	2041	2110	G4 ␣␣ 54GS
54"W (LH)	GL5054LG	1968	2041	2110	G4 ␣␣ 54GS
60"W (RH)	GL5060RG	2052	2128	2200	G4 ␣␣ 60GS
60"W (LH)	GL5060LG	2052	2128	2200	G4 ␣␣ 60GS
66"W (RH)	GL5066RG	2131	2209	2286	G4 ␣␣ 66GS
66"W (LH)	GL5066LG	2131	2209	2286	G4 ␣␣ 66GS
72"W (RH)	GL5072RG	2225	2307	2386	G4 ␣␣ 72GS
72"W (LH)	GL5072LG	2225	2307	2386	G4 ␣␣ 72GS
78"W (RH)	GL5078RG	2522	2614	2704	G4 ␣␣ 78GS
78"W (LH)	GL5078LG	2522	2614	2704	G4 ␣␣ 78GS



50"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18"W	GT5018G	1322	1371	1418	G4 ␣␣ 18GS
21"W	GT5021G	1345	1395	1443	G4 ␣␣ 21GS
24"W	GT5024G	1387	1438	1487	G4 ␣␣ 24GS
27"W	GT5027G	1431	1485	1534	G4 ␣␣ 27GS
30"W	GT5030G	1538	1596	1650	G4 ␣␣ 30GS
36"W	GT5036G	1647	1708	1767	G4 ␣␣ 36GS
42"W	GT5042G	1747	1811	1874	G4 ␣␣ 42GS
48"W	GT5048G	1873	1942	2008	G4 ␣␣ 48GS
54"W	GT5054G	1969	2042	2111	G4 ␣␣ 54GS
60"W	GT5060G	2053	2129	2201	G4 ␣␣ 60GS
66"W	GT5066G	2132	2210	2287	G4 ␣␣ 66GS
72"W	GT5072G	2227	2309	2388	G4 ␣␣ 72GS
78"W	GT5078G	2525	2617	2707	G4 ␣␣ 78GS



50"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42"W 18L 24R	GT501824G	1747	1811	1874	G4 ␣␣ 42GS
42"W 24L 18R	GT502418G	1747	1811	1874	G4 ␣␣ 42GS
48"W 18L 30R	GT501830G	1873	1942	2008	G4 ␣␣ 48GS
48"W 30L 18R	GT503018G	1873	1942	2008	G4 ␣␣ 48GS
54"W 24L 30R	GT502430G	1969	2042	2111	G4 ␣␣ 54GS
54"W 30L 24R	GT503024G	1969	2042	2111	G4 ␣␣ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.


- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify — Select the Model Number from above.	*1st Option:* **FSC:** (if applicable):	*2nd Option:* **Laminate:** (if applicable):	*3rd Option:* **Edge:**	*4th Option:* **Grain:** (if applicable):	*5th Option:* **Paint**	*6th Option:* **Glide:** (if applicable):
G ␣␣␣␣␣␣␣ .	**F** FSC Wood **X** Non-FSC Wood ␣ .	See page 528 for finishes. ␣␣␣␣ .	See page 528 for finishes. ␣␣ .	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W. V ␣␣ .	See page 528 for finishes. ␣␣␣ .	G


Gallery Panels

Gallery-to-Gallery Panels for use with Glass: 57½" Application






Description	Model	List Price L1	L2	L3	Accepts Glass Models 7½"H, 13"H, 15"H
57½"H L- Gallery-to-Gallery Panels For Use w/ Glass					
18"W (RH)	GL5718RG	1494	1549	1604	G4 ␣␣ 18GS
18"W (LH)	GL5718LG	1494	1549	1604	G4 ␣␣ 18GS
21"W (RH)	GL5721RG	1518	1575	1629	G4 ␣␣ 21GS
21"W (LH)	GL5721LG	1518	1575	1629	G4 ␣␣ 21GS
24"W (RH)	GL5724RG	1560	1618	1675	G4 ␣␣ 24GS
24"W (LH)	GL5724LG	1560	1618	1675	G4 ␣␣ 24GS
27"W (RH)	GL5727RG	1605	1665	1722	G4 ␣␣ 27GS
27"W (LH)	GL5727LG	1605	1665	1722	G4 ␣␣ 27GS
30"W (RH)	GL5730RG	1710	1773	1835	G4 ␣␣ 30GS
30"W (LH)	GL5730LG	1710	1773	1835	G4 ␣␣ 30GS
36"W (RH)	GL5736RG	1819	1885	1951	G4 ␣␣ 36GS
36"W (LH)	GL5736LG	1819	1885	1951	G4 ␣␣ 36GS
42"W (RH)	GL5742RG	1920	1990	2059	G4 ␣␣ 42GS
42"W (LH)	GL5742LG	1920	1990	2059	G4 ␣␣ 42GS
48"W (RH)	GL5748RG	2048	2124	2196	G4 ␣␣ 48GS
48"W (LH)	GL5748LG	2048	2124	2196	G4 ␣␣ 48GS
54"W (RH)	GL5754RG	2144	2224	2299	G4 ␣␣ 54GS
54"W (LH)	GL5754LG	2144	2224	2299	G4 ␣␣ 54GS
60"W (RH)	GL5760RG	2228	2310	2389	G4 ␣␣ 60GS
60"W (LH)	GL5760LG	2228	2310	2389	G4 ␣␣ 60GS
66"W (RH)	GL5766RG	2306	2392	2473	G4 ␣␣ 66GS
66"W (LH)	GL5766LG	2306	2392	2473	G4 ␣␣ 66GS
72"W (RH)	GL5772RG	2401	2489	2574	G4 ␣␣ 72GS
72"W (LH)	GL5772LG	2401	2489	2574	G4 ␣␣ 72GS
78"W (RH)	GL5778RG	2697	2795	2892	G4 ␣␣ 78GS
78"W (LH)	GL5778LG	2697	2795	2892	G4 ␣␣ 78GS



57½"H T- Gallery-to-Gallery Panels For Use w/ Glass					
18"W	GT5718G	1495	1550	1605	G4 ␣␣ 18GS
21"W	GT5721G	1520	1577	1631	G4 ␣␣ 21GS
24"W	GT5724G	1562	1620	1677	G4 ␣␣ 24GS
27"W	GT5727G	1607	1667	1724	G4 ␣␣ 27GS
30"W	GT5730G	1713	1776	1838	G4 ␣␣ 30GS
36"W	GT5736G	1821	1887	1953	G4 ␣␣ 36GS
42"W	GT5742G	1922	1992	2061	G4 ␣␣ 42GS
48"W	GT5748G	2049	2125	2197	G4 ␣␣ 48GS
54"W	GT5754G	2144	2224	2299	G4 ␣␣ 54GS
60"W	GT5760G	2229	2311	2390	G4 ␣␣ 60GS
66"W	GT5766G	2307	2393	2474	G4 ␣␣ 66GS
72"W	GT5772G	2402	2490	2575	G4 ␣␣ 72GS
78"W	GT5778G	2699	2797	2894	G4 ␣␣ 78GS



57½"H Nonsym T- Gallery-to-Gallery Panels For Use w/ Glass					
42"W 18L 24R	GT571824G	1922	1992	2061	G4 ␣␣ 42GS
42"W 24L 18R	GT572418G	1922	1992	2061	G4 ␣␣ 42GS
48"W 18L 30R	GT571830G	2049	2125	2197	G4 ␣␣ 48GS
48"W 30L 18R	GT573018G	2049	2125	2197	G4 ␣␣ 48GS
54"W 24L 30R	GT572430G	2144	2224	2299	G4 ␣␣ 54GS
54"W 30L 24R	GT573024G	2144	2224	2299	G4 ␣␣ 54GS

Note: Fill in model number blanks with one of the following options to determine glass height.

- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


Description	Model	List Price
Gallery-to-Gallery Installation Template *(Black only, code P)*	GTEMP	$ 86

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** (if applicable): **F** FSC Wood **X** Non-FSC Wood	**Laminate:** (if applicable): See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** (if applicable): **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Paint** See page 528 for finishes.	**Glide:** (if applicable):
G ␣␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	␣␣␣ .	G

Gallery Panels

22"H Application

For Gallery Panel connectors see page 568-569.



Description	Model	List Price L1	L2	L3
22"H Gallery Panels				
18"W	G2218	$ 462	$ 483	$ 503
21"W	G2221	$ 483	$ 505	$ 527
24"W	G2224	$ 511	$ 534	$ 557
27"W	G2227	$ 548	$ 572	$ 596
30"W	G2230	$ 624	$ 652	$ 678
33"W	G2233	$ 662	$ 692	$ 720
36"W	G2236	$ 695	$ 726	$ 755
39"W	G2239	$ 754	$ 787	$ 819
42"W	G2242	$ 817	$ 852	$ 887
45"W	G2245	$ 892	$ 932	$ 969
48"W	G2248	$ 933	$ 974	$ 1014
51"W	G2251	$ 950	$ 992	$ 1032
54"W	G2254	$ 994	$ 1039	$ 1080
57"W	G2257	$ 1040	$ 1086	$ 1129
60"W	G2260	$ 1089	$ 1137	$ 1182
63"W	G2263	$ 1106	$ 1155	$ 1200
66"W	G2266	$ 1130	$ 1179	$ 1227
69"W	G2269	$ 1210	$ 1262	$ 1312
72"W	G2272	$ 1246	$ 1300	$ 1352
75"W	G2275	$ 1414	$ 1475	$ 1534
78"W	G2278	$ 1468	$ 1531	$ 1593
81"W	G2281	$ 1521	$ 1586	$ 1650
87"W	G2287	$ 1551	$ 1627	$ 1699
93"W	G2293	$ 1603	$ 1681	$ 1756
99"W	G2299	$ 1627	$ 1705	$ 1782
105"W	G22105	$ 1662	$ 1743	$ 1820
84"W	G2284	$ 1669	$ 1740	$ 1810
111"W	G22111	$ 1754	$ 1839	$ 1920
117"W	G22117	$ 1805	$ 1892	$ 1974
123"W	G22123	$ 1819	$ 1906	$ 1989
129"W	G22129	$ 1868	$ 1957	$ 2042
135"W	G22135	$ 1954	$ 2046	$ 2136
141"W	G22141	$ 2051	$ 2147	$ 2242
147"W	G22147	$ 2161	$ 2261	$ 2360


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less.	
G22[ ][ ][ ][ ].	[ ].	[ ][ ][ ][ ].	[ ][ ].	V[ ][ ].	G

Example: **G2218.X.LTI1.TI.VLG.G**

Gallery Panels

22"H Application

For Gallery Panel connectors see page 568-569.



Description	Model	List Price L1	L2	L3
22"H Gallery Split Panels				
81"W	**GS2281**	$ 1443	$ 1505	$ 1567
87"W	**GS2287**	$ 1746	$ 1822	$ 1894
93"W	**GS2293**	$ 1798	$ 1876	$ 1951
99"W	**GS2299**	$ 1822	$ 1900	$ 1977
105"W	**GS22105**	$ 1857	$ 1938	$ 2015
111"W	**GS22111**	$ 1949	$ 2034	$ 2115
117"W	**GS22117**	$ 2000	$ 2087	$ 2169
123"W	**GS22123**	$ 2014	$ 2101	$ 2184
129"W	**GS22129**	$ 2063	$ 2152	$ 2237
135"W	**GS22135**	$ 2149	$ 2241	$ 2331
141"W	**GS22141**	$ 2246	$ 2342	$ 2437
147"W	**GS22147**	$ 2356	$ 2456	$ 2555


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less.	
GS22				**V . .**	**G**

Example: **GS2281.X.LTI1.TI.VLG.G**


Gallery Panels

30"H Application

For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3
30"H Gallery Panels					
18"W	**G3018**	Mid	$ 514	$ 534	$ 552
21"W	**G3021**	Mid	$ 534	$ 555	$ 574
24"W	**G3024**	Mid	$ 567	$ 589	$ 609
27"W	**G3027**	Mid	$ 609	$ 632	$ 655
30"W	**G3030**	Mid	$ 693	$ 718	$ 744
33"W	**G3033**	S, Mid	$ 735	$ 763	$ 789
36"W	**G3036**	S, Mid	$ 772	$ 802	$ 829
39"W	**G3039**	S, Mid	$ 839	$ 871	$ 900
42"W	**G3042**	S, Mid	$ 907	$ 940	$ 972
45"W	**G3045**	S, Mid	$ 990	$ 1026	$ 1061
48"W	**G3048**	S, Mid	$ 1037	$ 1075	$ 1113
51"W	**G3051**	D, S, Mid	$ 1054	$ 1094	$ 1131
54"W	**G3054**	D, S, Mid	$ 1104	$ 1145	$ 1185
57"W	**G3057**	D, S, Mid	$ 1154	$ 1198	$ 1238
60"W	**G3060**	D, S, Mid	$ 1209	$ 1254	$ 1297
63"W	**G3063**	D, S, Mid	$ 1231	$ 1277	$ 1320
66"W	**G3066**	D, S, Mid	$ 1258	$ 1305	$ 1348
69"W	**G3069**	D, S, Mid	$ 1346	$ 1395	$ 1443
72"W	**G3072**	D, S, Mid	$ 1385	$ 1435	$ 1484
75"W	**G3075**	D, S, Mid	$ 1570	$ 1628	$ 1684
78"W	**G3078**	D, S, Mid	$ 1631	$ 1691	$ 1748
81"W	**G3081**	D, S, Mid	$ 1688	$ 1749	$ 1809
84"W	**G3084**	D, S, Mid	$ 1855	$ 1921	$ 1987



30"H Gallery Split Panels *(model number includes two units)*					
81"W	**GS3081**	D	$ 1607	$ 1668	$ 1728
87"W	**GS3087**	D	$ 1940	$ 2010	$ 2078
93"W	**GS3093**	D	$ 2000	$ 2071	$ 2142
99"W	**GS3099**	D	$ 2025	$ 2098	$ 2168
105"W	**GS30105**	D	$ 2062	$ 2136	$ 2208
111"W	**GS30111**	D	$ 2162	$ 2240	$ 2316
117"W	**GS30117**	D	$ 2220	$ 2301	$ 2379
123"W	**GS30123**	D	$ 2239	$ 2320	$ 2399
129"W	**GS30129**	D	$ 2291	$ 2375	$ 2455
135"W	**GS30135**	D	$ 2387	$ 2474	$ 2556
141"W	**GS30141**	D	$ 2496	$ 2586	$ 2673
147"W	**GS30147**	D	$ 2617	$ 2710	$ 2804

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G .	.	.	.	V .	G

Example: **G3018.X.LTI1.TI.VLG.G**


Gallery Panels

35"H Application

For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3
35"H Gallery Panels					
18"W	**G3518**	Mid	$ 617	$ 641	$ 664
21"W	**G3521**	Mid	$ 637	$ 661	$ 685
24"W	**G3524**	Mid	$ 676	$ 702	$ 727
27"W	**G3527**	Mid	$ 714	$ 742	$ 768
30"W	**G3530**	Mid	$ 826	$ 858	$ 888
33"W	**G3533**	S, Mid	$ 870	$ 903	$ 934
36"W	**G3536**	S, Mid	$ 922	$ 957	$ 989
39"W	**G3539**	S, Mid	$ 984	$ 1022	$ 1057
42"W	**G3542**	S, Mid	$ 1028	$ 1068	$ 1105
45"W	**G3545**	S, Mid	$ 1091	$ 1133	$ 1172
48"W	**G3548**	S, Mid	$ 1138	$ 1182	$ 1223
51"W	**G3551**	D, S, Mid	$ 1177	$ 1222	$ 1264
54"W	**G3554**	D, S, Mid	$ 1220	$ 1267	$ 1310
57"W	**G3557**	D, S, Mid	$ 1269	$ 1317	$ 1362
60"W	**G3560**	D, S, Mid	$ 1310	$ 1359	$ 1406
63"W	**G3563**	D, S, Mid	$ 1340	$ 1390	$ 1438
66"W	**G3566**	D, S, Mid	$ 1378	$ 1429	$ 1478
69"W	**G3569**	D, S, Mid	$ 1445	$ 1499	$ 1549
72"W	**G3572**	D, S, Mid	$ 1513	$ 1570	$ 1624
75"W	**G3575**	D, S, Mid	$ 1630	$ 1691	$ 1749
78"W	**G3578**	D, S, Mid	$ 1714	$ 1777	$ 1839
81"W	**G3581**	D, S, Mid	$ 1843	$ 1910	$ 1977
84"W	**G3584**	D, S, Mid	$ 2018	$ 2092	$ 2164



35"H Gallery Split Panels *(model number includes two units)*					
81"W	**GS3581**	D	$ 1785	$ 1852	$ 1919
87"W	**GS3587**	D	$ 2098	$ 2176	$ 2251
93"W	**GS3593**	D	$ 2175	$ 2256	$ 2334
99"W	**GS3599**	D	$ 2263	$ 2348	$ 2428
105"W	**GS35105**	D	$ 2292	$ 2378	$ 2459
111"W	**GS35111**	D	$ 2375	$ 2463	$ 2546
117"W	**GS35117**	D	$ 2448	$ 2538	$ 2625
123"W	**GS35123**	D	$ 2511	$ 2603	$ 2693
129"W	**GS35129**	D	$ 2543	$ 2636	$ 2728
135"W	**GS35135**	D	$ 2658	$ 2755	$ 2851
141"W	**GS35141**	D	$ 2761	$ 2862	$ 2961
147"W	**GS35147**	D	$ 2834	$ 2937	$ 3039

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G[ ][ ][ ][ ][ ][ ]. [ ][ ].		[ ][ ][ ][ ].	[ ][ ].	V[ ][ ].	G

Example: **G3518.X.LTI1.TI.VLG.G**


Gallery Panels

42"H Application

For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3
42"H Gallery Panels					
18"W	**G4218**	Mid	$ 689	$ 714	$ 739
21"W	**G4221**	Mid	$ 708	$ 734	$ 759
24"W	**G4224**	Mid	$ 757	$ 785	$ 812
27"W	**G4227**	Mid	$ 800	$ 830	$ 859
30"W	**G4230**	Mid	$ 923	$ 957	$ 989
33"W	**G4233**	S, Mid	$ 972	$ 1007	$ 1042
36"W	**G4236**	S, Mid	$ 1028	$ 1066	$ 1102
39"W	**G4239**	S, Mid	$ 1101	$ 1142	$ 1181
42"W	**G4242**	S, Mid	$ 1149	$ 1193	$ 1233
45"W	**G4245**	S, Mid	$ 1190	$ 1235	$ 1277
48"W	**G4248**	S, Mid	$ 1238	$ 1284	$ 1327
51"W	**G4251**	D, S, Mid	$ 1316	$ 1364	$ 1410
54"W	**G4254**	D, S, Mid	$ 1357	$ 1407	$ 1454
57"W	**G4257**	D, S, Mid	$ 1390	$ 1441	$ 1489
60"W	**G4260**	D, S, Mid	$ 1443	$ 1495	$ 1545
63"W	**G4263**	D, S, Mid	$ 1481	$ 1535	$ 1587
66"W	**G4266**	D, S, Mid	$ 1529	$ 1586	$ 1639
69"W	**G4269**	D, S, Mid	$ 1559	$ 1617	$ 1671
72"W	**G4272**	D, S, Mid	$ 1649	$ 1709	$ 1767
75"W	**G4275**	D, S, Mid	$ 1707	$ 1769	$ 1829
78"W	**G4278**	D, S, Mid	$ 1814	$ 1879	$ 1943
81"W	**G4281**	D, S, Mid	$ 2026	$ 2099	$ 2169
84"W	**G4284**	D, S, Mid	$ 2182	$ 2262	$ 2337



42"H Gallery Split Panels *(model number includes two units)*					
81"W	**GS4281**	D	$ 1923	$ 1996	$ 2066
87"W	**GS4287**	D	$ 2226	$ 2307	$ 2385
93"W	**GS4293**	D	$ 2268	$ 2350	$ 2429
99"W	**GS4299**	D	$ 2369	$ 2455	$ 2537
105"W	**GS42105**	D	$ 2405	$ 2492	$ 2575
111"W	**GS42111**	D	$ 2465	$ 2554	$ 2639
117"W	**GS42117**	D	$ 2524	$ 2615	$ 2702
123"W	**GS42123**	D	$ 2587	$ 2679	$ 2771
129"W	**GS42129**	D	$ 2680	$ 2776	$ 2871
135"W	**GS42135**	D	$ 2789	$ 2888	$ 2987
141"W	**GS42141**	D	$ 2893	$ 2995	$ 3098
147"W	**GS42147**	D	$ 2954	$ 3058	$ 3162

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G[ ][ ][ ][ ][ ][ ].	[ ][ ].	[ ][ ][ ][ ].	[ ][ ].	V[ ][ ].	G

Example: **G4218.X.LTI1.TI.VLG.G**


Gallery Panels

50"H Application

For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3
50"H Gallery Panels					
18"W	**G5018**	Mid	$ 806	$ 837	$ 865
21"W	**G5021**	Mid	$ 831	$ 862	$ 892
24"W	**G5024**	Mid	$ 871	$ 903	$ 934
27"W	**G5027**	Mid	$ 919	$ 953	$ 985
30"W	**G5030**	Mid	$ 1024	$ 1062	$ 1098
33"W	**G5033**	S, Mid	$ 1078	$ 1118	$ 1156
36"W	**G5036**	S, Mid	$ 1130	$ 1172	$ 1212
39"W	**G5039**	S, Mid	$ 1200	$ 1245	$ 1287
42"W	**G5042**	S, Mid	$ 1264	$ 1311	$ 1355
45"W	**G5045**	S, Mid	$ 1357	$ 1407	$ 1454
48"W	**G5048**	S, Mid	$ 1390	$ 1441	$ 1489
51"W	**G5051**	D, S, Mid	$ 1427	$ 1479	$ 1528
54"W	**G5054**	D, S, Mid	$ 1488	$ 1542	$ 1594
57"W	**G5057**	D, S, Mid	$ 1526	$ 1583	$ 1636
60"W	**G5060**	D, S, Mid	$ 1571	$ 1629	$ 1685
63"W	**G5063**	D, S, Mid	$ 1605	$ 1664	$ 1721
66"W	**G5066**	D, S, Mid	$ 1650	$ 1710	$ 1768
69"W	**G5069**	D, S, Mid	$ 1699	$ 1761	$ 1820
72"W	**G5072**	D, S, Mid	$ 1745	$ 1808	$ 1870
75"W	**G5075**	D, S, Mid	$ 1862	$ 1928	$ 1995
78"W	**G5078**	D, S, Mid	$ 2044	$ 2118	$ 2189
81"W	**G5081**	D, S, Mid	$ 2218	$ 2299	$ 2377
84"W	**G5084**	D, S, Mid	$ 2371	$ 2457	$ 2539



50"H Gallery Split Panels *(model number includes two units)*					
81"W	**GS5081**	D	$ 2104	$ 2185	$ 2263
87"W	**GS5087**	D	$ 2413	$ 2500	$ 2584
93"W	**GS5093**	D	$ 2539	$ 2630	$ 2719
99"W	**GS5099**	D	$ 2592	$ 2685	$ 2776
105"W	**GS50105**	D	$ 2684	$ 2780	$ 2876
111"W	**GS50111**	D	$ 2721	$ 2818	$ 2915
117"W	**GS50117**	D	$ 2749	$ 2847	$ 2944
123"W	**GS50123**	D	$ 2777	$ 2876	$ 2974
129"W	**GS50129**	D	$ 2852	$ 2953	$ 3053
135"W	**GS50135**	D	$ 2905	$ 3008	$ 3111
141"W	**GS50141**	D	$ 2954	$ 3058	$ 3162
147"W	**GS50147**	D	$ 3059	$ 3169	$ 3277

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G _____ . ___ .		_____ .	___ .	**V** ___ .	**G**

Example: **G5018.X.LTI1.TI.VLG.G**


Gallery Panels

57½"H Application

For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	L2	L3
57½"H Gallery Panels					
18"W	**G5718**	Mid	$ 981	$ 1017	$ 1051
21"W	**G5721**	Mid	$ 1005	$ 1041	$ 1078
24"W	**G5724**	Mid	$ 1045	$ 1085	$ 1121
27"W	**G5727**	Mid	$ 1091	$ 1132	$ 1171
30"W	**G5730**	Mid	$ 1199	$ 1244	$ 1286
33"W	**G5733**	S, Mid	$ 1248	$ 1295	$ 1338
36"W	**G5736**	S, Mid	$ 1306	$ 1354	$ 1399
39"W	**G5739**	S, Mid	$ 1376	$ 1426	$ 1474
42"W	**G5742**	S, Mid	$ 1442	$ 1494	$ 1544
45"W	**G5745**	S, Mid	$ 1530	$ 1587	$ 1640
48"W	**G5748**	S, Mid	$ 1567	$ 1625	$ 1681
51"W	**G5751**	D, S, Mid	$ 1603	$ 1662	$ 1719
54"W	**G5754**	D, S, Mid	$ 1662	$ 1723	$ 1781
57"W	**G5757**	D, S, Mid	$ 1701	$ 1763	$ 1822
60"W	**G5760**	D, S, Mid	$ 1746	$ 1809	$ 1871
63"W	**G5763**	D, S, Mid	$ 1780	$ 1844	$ 1907
66"W	**G5766**	D, S, Mid	$ 1826	$ 1891	$ 1956
69"W	**G5769**	D, S, Mid	$ 1870	$ 1937	$ 2003
72"W	**G5772**	D, S, Mid	$ 1918	$ 1987	$ 2055
75"W	**G5775**	D, S, Mid	$ 2035	$ 2108	$ 2180
78"W	**G5778**	D, S, Mid	$ 2218	$ 2299	$ 2377
81"W	**G5781**	D, S, Mid	$ 2396	$ 2483	$ 2566
84"W	**G5784**	D, S, Mid	$ 2543	$ 2634	$ 2724



57½"H Gallery Split Panels *(model number includes two units)*					
81"W	**GS5781**	D	$ 2269	$ 2356	$ 2439
87"W	**GS5787**	D	$ 2591	$ 2684	$ 2775
93"W	**GS5793**	D	$ 2715	$ 2812	$ 2908
99"W	**GS5799**	D	$ 2763	$ 2862	$ 2959
105"W	**GS57105**	D	$ 2860	$ 2961	$ 3063
111"W	**GS57111**	D	$ 2897	$ 3000	$ 3102
117"W	**GS57117**	D	$ 2924	$ 3027	$ 3131
123"W	**GS57123**	D	$ 2954	$ 3058	$ 3162
129"W	**GS57129**	D	$ 3026	$ 3133	$ 3240
135"W	**GS57135**	D	$ 3081	$ 3192	$ 3300
141"W	**GS57141**	D	$ 3128	$ 3240	$ 3350
147"W	**GS57147**	D	$ 3234	$ 3350	$ 3464

Note: Configuration is not included in model number

Mid Mid Panel
S End Single Sided
D End Dual Sided


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G[ ][ ][ ][ ][ ][ ].	[ ][ ].	[ ][ ][ ][ ].	[ ][ ].	V[ ][ ].	G

Example: **G5718.X.LTI1.TI.VLG.G**


Gallery Panels

30"H Application for Use with Glass

For Gallery Panel Glass see page 572.
For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
30"H Gallery Panels with Glass						
18"W	**G3018G**	Mid	$ 776	$ 806	$ 833	G4 ␣ ␣ 15GS
21"W	**G3021G**	Mid	$ 796	$ 826	$ 855	G4 ␣ ␣ 18GS
24"W	**G3024G**	Mid	$ 831	$ 862	$ 892	G4 ␣ ␣ 21GS
27"W	**G3027G**	Mid	$ 871	$ 903	$ 934	G4 ␣ ␣ 24GS
30"W	**G3030G**	Mid	$ 958	$ 993	$ 1027	G4 ␣ ␣ 27GS
33"W	**G3033G**	S, Mid	$ 1000	$ 1036	$ 1071	G4 ␣ ␣ 30GS
36"W	**G3036G**	S, Mid	$ 1037	$ 1075	$ 1113	G4 ␣ ␣ 33GS
39"W	**G3039G**	S, Mid	$ 1101	$ 1142	$ 1181	G4 ␣ ␣ 36GS
42"W	**G3042G**	S, Mid	$ 1168	$ 1212	$ 1253	G4 ␣ ␣ 39GS
45"W	**G3045G**	S, Mid	$ 1250	$ 1297	$ 1340	G4 ␣ ␣ 42GS
48"W	**G3048G**	S, Mid	$ 1298	$ 1346	$ 1391	G4 ␣ ␣ 45GS
51"W	**G3051G**	D, S, Mid	$ 1316	$ 1364	$ 1410	G4 ␣ ␣ 48GS
54"W	**G3054G**	D, S, Mid	$ 1368	$ 1418	$ 1466	G4 ␣ ␣ 51GS
57"W	**G3057G**	D, S, Mid	$ 1416	$ 1467	$ 1517	G4 ␣ ␣ 54GS
60"W	**G3060G**	D, S, Mid	$ 1470	$ 1524	$ 1574	G4 ␣ ␣ 57GS
63"W	**G3063G**	D, S, Mid	$ 1491	$ 1546	$ 1597	G4 ␣ ␣ 60GS
66"W	**G3066G**	D, S, Mid	$ 1518	$ 1573	$ 1628	G4 ␣ ␣ 63GS
69"W	**G3069G**	D, S, Mid	$ 1609	$ 1668	$ 1725	G4 ␣ ␣ 66GS
72"W	**G3072G**	D, S, Mid	$ 1648	$ 1708	$ 1766	G4 ␣ ␣ 69GS
75"W	**G3075G**	D, S, Mid	$ 1831	$ 1897	$ 1961	G4 ␣ ␣ 72GS
78"W	**G3078G**	D, S, Mid	$ 1895	$ 1962	$ 2030	G4 ␣ ␣ 75GS
81"W	**G3081G**	D, S, Mid	$ 1953	$ 2023	$ 2092	G4 ␣ ␣ 78GS
84"W	**G3084G**	D, S, Mid	$ 2117	$ 2194	$ 2269	G4 ␣ ␣ 81GS



30"H Gallery Split Panels with Glass *(corresponding glass models must be ordered in quantities of 2 for split panels)*

81"W	**GS3081G**	D	$ 1853	$ 1923	$ 1992	G4 ␣ ␣ 36GS
87"W	**GS3087G**	D	$ 2202	$ 2282	$ 2360	G4 ␣ ␣ 39GS
93"W	**GS3093G**	D	$ 2263	$ 2345	$ 2424	G4 ␣ ␣ 42GS
99"W	**GS3099G**	D	$ 2287	$ 2371	$ 2451	G4 ␣ ␣ 45GS
105"W	**GS30105G**	D	$ 2323	$ 2408	$ 2489	G4 ␣ ␣ 48GS
111"W	**GS30111G**	D	$ 2424	$ 2512	$ 2596	G4 ␣ ␣ 51GS
117"W	**GS30117G**	D	$ 2483	$ 2572	$ 2659	G4 ␣ ␣ 54GS
123"W	**GS30123G**	D	$ 2500	$ 2590	$ 2677	G4 ␣ ␣ 57GS
129"W	**GS30129G**	D	$ 2554	$ 2646	$ 2735	G4 ␣ ␣ 60GS
135"W	**GS30135G**	D	$ 2647	$ 2741	$ 2836	G4 ␣ ␣ 63GS
141"W	**GS30141G**	D	$ 2757	$ 2855	$ 2953	G4 ␣ ␣ 66GS
147"W	**GS30147G**	D	$ 2879	$ 2981	$ 3083	G4 ␣ ␣ 69GS

Note: Configuration is not included in model number

- **Mid** Mid Panel
- **S** End Single Sided
- **D** End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
G ␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	G
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	

Example: **G3018G.X.LTI1.TI.VLG.G**

Gallery Panels

35"H Application for Use with Glass

For Gallery Panel Glass see page 572.
For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
35"H Gallery Panels with Glass						
18"W	G3518G	Mid	$ 873	$ 906	$ 937	G4 ␣ ␣ 15GS
21"W	G3521G	Mid	$ 895	$ 929	$ 961	G4 ␣ ␣ 18GS
24"W	G3524G	Mid	$ 934	$ 969	$ 1003	G4 ␣ ␣ 21GS
27"W	G3527G	Mid	$ 972	$ 1008	$ 1043	G4 ␣ ␣ 24GS
30"W	G3530G	Mid	$ 1082	$ 1124	$ 1163	G4 ␣ ␣ 27GS
33"W	G3533G	S, Mid	$ 1127	$ 1171	$ 1211	G4 ␣ ␣ 30GS
36"W	G3536G	S, Mid	$ 1179	$ 1225	$ 1267	G4 ␣ ␣ 33GS
39"W	G3539G	S, Mid	$ 1243	$ 1290	$ 1334	G4 ␣ ␣ 36GS
42"W	G3542G	S, Mid	$ 1285	$ 1334	$ 1379	G4 ␣ ␣ 39GS
45"W	G3545G	S, Mid	$ 1348	$ 1399	$ 1447	G4 ␣ ␣ 42GS
48"W	G3548G	S, Mid	$ 1392	$ 1444	$ 1493	G4 ␣ ␣ 45GS
51"W	G3551G	D, S, Mid	$ 1432	$ 1486	$ 1536	G4 ␣ ␣ 48GS
54"W	G3554G	D, S, Mid	$ 1479	$ 1534	$ 1586	G4 ␣ ␣ 51GS
57"W	G3557G	D, S, Mid	$ 1518	$ 1576	$ 1630	G4 ␣ ␣ 54GS
60"W	G3560G	D, S, Mid	$ 1571	$ 1630	$ 1687	G4 ␣ ␣ 57GS
63"W	G3563G	D, S, Mid	$ 1599	$ 1659	$ 1717	G4 ␣ ␣ 60GS
66"W	G3566G	D, S, Mid	$ 1637	$ 1698	$ 1757	G4 ␣ ␣ 63GS
69"W	G3569G	D, S, Mid	$ 1699	$ 1762	$ 1823	G4 ␣ ␣ 66GS
72"W	G3572G	D, S, Mid	$ 1760	$ 1825	$ 1888	G4 ␣ ␣ 69GS
75"W	G3575G	D, S, Mid	$ 1879	$ 1948	$ 2016	G4 ␣ ␣ 72GS
78"W	G3578G	D, S, Mid	$ 1962	$ 2035	$ 2104	G4 ␣ ␣ 75GS
81"W	G3581G	D, S, Mid	$ 2100	$ 2178	$ 2253	G4 ␣ ␣ 78GS
84"W	G3584G	D, S, Mid	$ 2275	$ 2360	$ 2441	G4 ␣ ␣ 81GS
35"H Gallery Split Panels with Glass *(corresponding glass models must be ordered in quantities of 2 for split panels)*						
81"W	GS3581G	D	$ 2032	$ 2110	$ 2185	G4 ␣ ␣ 36GS
87"W	GS3587G	D	$ 2355	$ 2442	$ 2525	G4 ␣ ␣ 39GS
93"W	GS3593G	D	$ 2433	$ 2523	$ 2609	G4 ␣ ␣ 42GS
99"W	GS3599G	D	$ 2519	$ 2611	$ 2701	G4 ␣ ␣ 45GS
105"W	GS35105G	D	$ 2549	$ 2642	$ 2734	G4 ␣ ␣ 48GS
111"W	GS35111G	D	$ 2608	$ 2704	$ 2797	G4 ␣ ␣ 51GS
117"W	GS35117G	D	$ 2706	$ 2805	$ 2902	G4 ␣ ␣ 54GS
123"W	GS35123G	D	$ 2768	$ 2869	$ 2968	G4 ␣ ␣ 57GS
129"W	GS35129G	D	$ 2800	$ 2902	$ 3003	G4 ␣ ␣ 60GS
135"W	GS35135G	D	$ 2917	$ 3023	$ 3128	G4 ␣ ␣ 63GS
141"W	GS35141G	D	$ 3019	$ 3130	$ 3238	G4 ␣ ␣ 66GS
147"W	GS35147G	D	$ 3091	$ 3205	$ 3315	G4 ␣ ␣ 69GS

Note: Configuration is not included in model number

- **Mid** Mid Panel
- **S** End Single Sided
- **D** End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


How to specify — Select the Model Number from above.	*1st Option:* FSC:	*2nd Option:* Laminate:	*3rd Option:* Edge:	*4th Option:* Grain:	*5th Option:* Glide:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G ␣␣␣␣␣␣␣.	␣.	␣␣␣␣.	␣␣.	V ␣␣.	G

Example: **G3518G.X.LTI1.TI.VLG.G**


Gallery Panels

42"H Application for Use with Glass

For Gallery Panel Glass see page 572.
For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
42"H Gallery Panels with Glass						
18"W	**G4218G**	Mid	$ 951	$ 986	$ 1020	G4 ␣ ␣ 15GS
21"W	**G4221G**	Mid	$ 969	$ 1004	$ 1039	G4 ␣ ␣ 18GS
24"W	**G4224G**	Mid	$ 1018	$ 1056	$ 1092	G4 ␣ ␣ 21GS
27"W	**G4227G**	Mid	$ 1062	$ 1102	$ 1139	G4 ␣ ␣ 24GS
30"W	**G4230G**	Mid	$ 1185	$ 1230	$ 1271	G4 ␣ ␣ 27GS
33"W	**G4233G**	S, Mid	$ 1234	$ 1280	$ 1323	G4 ␣ ␣ 30GS
36"W	**G4236G**	S, Mid	$ 1291	$ 1339	$ 1383	G4 ␣ ␣ 33GS
39"W	**G4239G**	S, Mid	$ 1365	$ 1415	$ 1463	G4 ␣ ␣ 36GS
42"W	**G4242G**	S, Mid	$ 1413	$ 1464	$ 1513	G4 ␣ ␣ 39GS
45"W	**G4245G**	S, Mid	$ 1452	$ 1504	$ 1555	G4 ␣ ␣ 42GS
48"W	**G4248G**	S, Mid	$ 1500	$ 1555	$ 1607	G4 ␣ ␣ 45GS
51"W	**G4251G**	D, S, Mid	$ 1578	$ 1636	$ 1692	G4 ␣ ␣ 48GS
54"W	**G4254G**	D, S, Mid	$ 1619	$ 1678	$ 1736	G4 ␣ ␣ 51GS
57"W	**G4257G**	D, S, Mid	$ 1655	$ 1715	$ 1774	G4 ␣ ␣ 54GS
60"W	**G4260G**	D, S, Mid	$ 1704	$ 1766	$ 1826	G4 ␣ ␣ 57GS
63"W	**G4263G**	D, S, Mid	$ 1742	$ 1805	$ 1867	G4 ␣ ␣ 60GS
66"W	**G4266G**	D, S, Mid	$ 1791	$ 1855	$ 1919	G4 ␣ ␣ 63GS
69"W	**G4269G**	D, S, Mid	$ 1822	$ 1887	$ 1951	G4 ␣ ␣ 66GS
72"W	**G4272G**	D, S, Mid	$ 1910	$ 1979	$ 2047	G4 ␣ ␣ 69GS
75"W	**G4275G**	D, S, Mid	$ 1968	$ 2039	$ 2108	G4 ␣ ␣ 72GS
78"W	**G4278G**	D, S, Mid	$ 2075	$ 2151	$ 2222	G4 ␣ ␣ 75GS
81"W	**G4281G**	D, S, Mid	$ 2290	$ 2374	$ 2454	G4 ␣ ␣ 78GS
84"W	**G4284G**	D, S, Mid	$ 2444	$ 2532	$ 2617	G4 ␣ ␣ 81GS



42"H Gallery Split Panels with Glass *(corresponding glass models must be ordered in quantities of 2 for split panels)*

81"W	**GS4281G**	D	$ 2170	$ 2254	$ 2334	G4 ␣ ␣ 36GS
87"W	**GS4287G**	D	$ 2488	$ 2578	$ 2664	G4 ␣ ␣ 39GS
93"W	**GS4293G**	D	$ 2529	$ 2620	$ 2709	G4 ␣ ␣ 42GS
99"W	**GS4299G**	D	$ 2632	$ 2726	$ 2820	G4 ␣ ␣ 45GS
105"W	**GS42105G**	D	$ 2669	$ 2765	$ 2860	G4 ␣ ␣ 48GS
111"W	**GS42111G**	D	$ 2728	$ 2826	$ 2922	G4 ␣ ␣ 51GS
117"W	**GS42117G**	D	$ 2787	$ 2886	$ 2985	G4 ␣ ␣ 54GS
123"W	**GS42123G**	D	$ 2850	$ 2951	$ 3051	G4 ␣ ␣ 57GS
129"W	**GS42129G**	D	$ 2941	$ 3045	$ 3149	G4 ␣ ␣ 60GS
135"W	**GS42135G**	D	$ 3051	$ 3161	$ 3268	G4 ␣ ␣ 63GS
141"W	**GS42141G**	D	$ 3155	$ 3269	$ 3379	G4 ␣ ␣ 66GS
147"W	**GS42147G**	D	$ 3215	$ 3331	$ 3443	G4 ␣ ␣ 69GS

Note: Configuration is not included in model number

- **Mid** Mid Panel
- **S** End Single Sided
- **D** End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.

- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
G ␣␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	G
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	

Example: **G4218G.X.LTI1.TI.VLG.G**


Gallery Panels

50"H Application for Use with Glass

For Gallery Panel Glass see page 572.
For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
50"H Gallery Panels with Glass						
18"W	G5018G	Mid	$ 1069	$ 1109	$ 1146	G4 ␣ ␣ 15GS
21"W	G5021G	Mid	$ 1091	$ 1132	$ 1171	G4 ␣ ␣ 18GS
24"W	G5024G	Mid	$ 1132	$ 1174	$ 1214	G4 ␣ ␣ 21GS
27"W	G5027G	Mid	$ 1182	$ 1226	$ 1268	G4 ␣ ␣ 24GS
30"W	G5030G	Mid	$ 1285	$ 1333	$ 1377	G4 ␣ ␣ 27GS
33"W	G5033G	S, Mid	$ 1339	$ 1388	$ 1435	G4 ␣ ␣ 30GS
36"W	G5036G	S, Mid	$ 1391	$ 1442	$ 1490	G4 ␣ ␣ 33GS
39"W	G5039G	S, Mid	$ 1462	$ 1516	$ 1565	G4 ␣ ␣ 36GS
42"W	G5042G	S, Mid	$ 1528	$ 1585	$ 1638	G4 ␣ ␣ 39GS
45"W	G5045G	S, Mid	$ 1619	$ 1678	$ 1736	G4 ␣ ␣ 42GS
48"W	G5048G	S, Mid	$ 1655	$ 1715	$ 1774	G4 ␣ ␣ 45GS
51"W	G5051G	D, S, Mid	$ 1690	$ 1751	$ 1811	G4 ␣ ␣ 48GS
54"W	G5054G	D, S, Mid	$ 1748	$ 1811	$ 1873	G4 ␣ ␣ 51GS
57"W	G5057G	D, S, Mid	$ 1788	$ 1852	$ 1915	G4 ␣ ␣ 54GS
60"W	G5060G	D, S, Mid	$ 1833	$ 1899	$ 1963	G4 ␣ ␣ 57GS
63"W	G5063G	D, S, Mid	$ 1867	$ 1934	$ 2000	G4 ␣ ␣ 60GS
66"W	G5066G	D, S, Mid	$ 1913	$ 1982	$ 2050	G4 ␣ ␣ 63GS
69"W	G5069G	D, S, Mid	$ 1960	$ 2030	$ 2099	G4 ␣ ␣ 66GS
72"W	G5072G	D, S, Mid	$ 2007	$ 2080	$ 2149	G4 ␣ ␣ 69GS
75"W	G5075G	D, S, Mid	$ 2122	$ 2199	$ 2274	G4 ␣ ␣ 72GS
78"W	G5078G	D, S, Mid	$ 2305	$ 2389	$ 2470	G4 ␣ ␣ 75GS
81"W	G5081G	D, S, Mid	$ 2482	$ 2571	$ 2658	G4 ␣ ␣ 78GS
84"W	G5084G	D, S, Mid	$ 2632	$ 2726	$ 2820	G4 ␣ ␣ 81GS



50"H Gallery Split Panels with Glass *(corresponding glass models must be ordered in quantities of 2 for split panels)*						
81"W	GS5081G	D	$ 2351	$ 2440	$ 2527	G4 ␣ ␣ 36GS
87"W	GS5087G	D	$ 2677	$ 2773	$ 2868	G4 ␣ ␣ 39GS
93"W	GS5093G	D	$ 2800	$ 2900	$ 2999	G4 ␣ ␣ 42GS
99"W	GS5099G	D	$ 2852	$ 2953	$ 3053	G4 ␣ ␣ 45GS
105"W	GS50105G	D	$ 2947	$ 3051	$ 3155	G4 ␣ ␣ 48GS
111"W	GS50111G	D	$ 2984	$ 3090	$ 3195	G4 ␣ ␣ 51GS
117"W	GS50117G	D	$ 3009	$ 3116	$ 3222	G4 ␣ ␣ 54GS
123"W	GS50123G	D	$ 3041	$ 3151	$ 3255	G4 ␣ ␣ 57GS
129"W	GS50129G	D	$ 3115	$ 3227	$ 3336	G4 ␣ ␣ 60GS
135"W	GS50135G	D	$ 3168	$ 3282	$ 3393	G4 ␣ ␣ 63GS
141"W	GS50141G	D	$ 3215	$ 3331	$ 3443	G4 ␣ ␣ 66GS
147"W	GS50147G	D	$ 3324	$ 3443	$ 3560	G4 ␣ ␣ 69GS

Note: Configuration is not included in model number
- **Mid** Mid Panel
- **S** End Single Sided
- **D** End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.
- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 528 for finishes.	**Edge:** See page 528 for finishes.	**Grain:** **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	**Glide:**
G ␣␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	G

Example: **G5018G.X.LTI1.TI.VLG.G**


Gallery Panels

57½"H Application for Use with Glass

For Gallery Panel Glass see page 572.
For Gallery Panel connectors see page 567.



Description	Model	Configuration	List Price L1	List Price L2	List Price L3	Accepts Glass Models 7½"H, 13"H, 15"H
57½"H Gallery Panels with Glass						
18"W	G5718G	Mid	$ 1244	$ 1290	$ 1334	G4 ␣ ␣ 15GS
21"W	G5721G	Mid	$ 1268	$ 1315	$ 1359	G4 ␣ ␣ 18GS
24"W	G5724G	Mid	$ 1308	$ 1356	$ 1401	G4 ␣ ␣ 21GS
27"W	G5727G	Mid	$ 1352	$ 1402	$ 1449	G4 ␣ ␣ 24GS
30"W	G5730G	Mid	$ 1461	$ 1515	$ 1564	G4 ␣ ␣ 27GS
33"W	G5733G	S, Mid	$ 1513	$ 1568	$ 1620	G4 ␣ ␣ 30GS
36"W	G5736G	S, Mid	$ 1569	$ 1627	$ 1683	G4 ␣ ␣ 33GS
39"W	G5739G	S, Mid	$ 1636	$ 1696	$ 1754	G4 ␣ ␣ 36GS
42"W	G5742G	S, Mid	$ 1703	$ 1765	$ 1824	G4 ␣ ␣ 39GS
45"W	G5745G	S, Mid	$ 1793	$ 1857	$ 1921	G4 ␣ ␣ 42GS
48"W	G5748G	S, Mid	$ 1829	$ 1894	$ 1959	G4 ␣ ␣ 45GS
51"W	G5751G	D, S, Mid	$ 1865	$ 1931	$ 1998	G4 ␣ ␣ 48GS
54"W	G5754G	D, S, Mid	$ 1923	$ 1992	$ 2060	G4 ␣ ␣ 51GS
57"W	G5757G	D, S, Mid	$ 1962	$ 2032	$ 2102	G4 ␣ ␣ 54GS
60"W	G5760G	D, S, Mid	$ 2008	$ 2081	$ 2150	G4 ␣ ␣ 57GS
63"W	G5763G	D, S, Mid	$ 2043	$ 2117	$ 2188	G4 ␣ ␣ 60GS
66"W	G5766G	D, S, Mid	$ 2086	$ 2162	$ 2234	G4 ␣ ␣ 63GS
69"W	G5769G	D, S, Mid	$ 2134	$ 2211	$ 2287	G4 ␣ ␣ 66GS
72"W	G5772G	D, S, Mid	$ 2182	$ 2262	$ 2337	G4 ␣ ␣ 69GS
75"W	G5775G	D, S, Mid	$ 2296	$ 2380	$ 2460	G4 ␣ ␣ 72GS
78"W	G5778G	D, S, Mid	$ 2482	$ 2571	$ 2658	G4 ␣ ␣ 75GS
81"W	G5781G	D, S, Mid	$ 2656	$ 2752	$ 2845	G4 ␣ ␣ 78GS
84"W	G5784G	D, S, Mid	$ 2808	$ 2908	$ 3007	G4 ␣ ␣ 81GS



57½"H Gallery Split Panels with Glass *(corresponding glass models must be ordered in quantities of 2 for split panels)*						
81"W	GS5781G	D	$ 2515	$ 2611	$ 2704	G4 ␣ ␣ 36GS
87"W	GS5787G	D	$ 2851	$ 2952	$ 3052	G4 ␣ ␣ 39GS
93"W	GS5793G	D	$ 2975	$ 3081	$ 3186	G4 ␣ ␣ 42GS
99"W	GS5799G	D	$ 3026	$ 3133	$ 3240	G4 ␣ ␣ 45GS
105"W	GS57105G	D	$ 3123	$ 3235	$ 3344	G4 ␣ ␣ 48GS
111"W	GS57111G	D	$ 3161	$ 3275	$ 3385	G4 ␣ ␣ 51GS
117"W	GS57117G	D	$ 3185	$ 3300	$ 3411	G4 ␣ ␣ 54GS
123"W	GS57123G	D	$ 3215	$ 3331	$ 3443	G4 ␣ ␣ 57GS
129"W	GS57129G	D	$ 3289	$ 3407	$ 3522	G4 ␣ ␣ 60GS
135"W	GS57135G	D	$ 3344	$ 3464	$ 3581	G4 ␣ ␣ 63GS
141"W	GS57141G	D	$ 3388	$ 3509	$ 3628	G4 ␣ ␣ 66GS
147"W	GS57147G	D	$ 3496	$ 3621	$ 3743	G4 ␣ ␣ 69GS

Note: Configuration is not included in model number
- **Mid** Mid Panel
- **S** End Single Sided
- **D** End Dual Sided

Note: Fill in model number blanks with one of the following options to determine glass height.
- **07** 7.5"H glass
- **13** 13"H glass
- **15** 15"H glass


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
G ␣␣␣␣␣␣ .	␣ .	␣␣␣␣ .	␣␣ .	V ␣␣ .	G
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	

Example: **G5718G.X.LTI1.TI.VLG.G**


Gallery Panels

Radius Gallery Panels: 22"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
22"H Radius Gallery Panels				
18"W – Top Corners Rounded	G2218RRSS	$ 532	$ 553	$ 573
18"W – One Top Corner and One Bottom Corner Rounded	G2218RSRS	$ 532	$ 553	$ 573
18"W – One Top Corner Rounded	G2218RSSS	$ 532	$ 553	$ 573
21"W – Top Corners Rounded	G2221RRSS	$ 556	$ 578	$ 600
21"W – One Top Corner and One Bottom Corner Rounded	G2221RSRS	$ 556	$ 578	$ 600
21"W – One Top Corner Rounded	G2221RSSS	$ 556	$ 578	$ 600
24"W – Top Corners Rounded	G2224RRSS	$ 588	$ 611	$ 634
24"W – One Top Corner and One Bottom Corner Rounded	G2224RSRS	$ 588	$ 611	$ 634
24"W – One Top Corner Rounded	G2224RSSS	$ 588	$ 611	$ 634
27"W – Top Corners Rounded	G2227RRSS	$ 631	$ 655	$ 679
27"W – One Top Corner and One Bottom Corner Rounded	G2227RSRS	$ 631	$ 655	$ 679
27"W – One Top Corner Rounded	G2227RSSS	$ 631	$ 655	$ 679
30"W – Top Corners Rounded	G2230RRSS	$ 718	$ 746	$ 772
30"W – One Top Corner and One Bottom Corner Rounded	G2230RSRS	$ 718	$ 746	$ 772
30"W – One Top Corner Rounded	G2230RSSS	$ 718	$ 746	$ 772
33"W – Top Corners Rounded	G2233RRSS	$ 762	$ 792	$ 820
33"W – One Top Corner and One Bottom Corner Rounded	G2233RSRS	$ 762	$ 792	$ 820
33"W – One Top Corner Rounded	G2233RSSS	$ 762	$ 792	$ 820
36"W – Top Corners Rounded	G2236RRSS	$ 800	$ 831	$ 860
36"W – One Top Corner and One Bottom Corner Rounded	G2236RSRS	$ 800	$ 831	$ 860
36"W – One Top Corner Rounded	G2236RSSS	$ 800	$ 831	$ 860
39"W – Top Corners Rounded	G2239RRSS	$ 868	$ 901	$ 933
39"W – One Top Corner and One Bottom Corner Rounded	G2239RSRS	$ 868	$ 901	$ 933
39"W – One Top Corner Rounded	G2239RSSS	$ 868	$ 901	$ 933
42"W – Top Corners Rounded	G2242RRSS	$ 940	$ 975	$ 1010
42"W – One Top Corner and One Bottom Corner Rounded	G2242RSRS	$ 940	$ 975	$ 1010
42"W – One Top Corner Rounded	G2242RSSS	$ 940	$ 975	$ 1010
45"W – Top Corners Rounded	G2245RRSS	$ 1026	$ 1066	$ 1103
45"W – One Top Corner and One Bottom Corner Rounded	G2245RSRS	$ 1026	$ 1066	$ 1103
45"W – One Top Corner Rounded	G2245RSSS	$ 1026	$ 1066	$ 1103
48"W – Top Corners Rounded	G2248RRSS	$ 1073	$ 1114	$ 1154
48"W – One Top Corner and One Bottom Corner Rounded	G2248RSRS	$ 1073	$ 1114	$ 1154
48"W – One Top Corner Rounded	G2248RSSS	$ 1073	$ 1114	$ 1154

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 2 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 22"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
22"H Radius Gallery Panels				
51"W – Top Corners Rounded	**G2251RRSS**	**$ 1093**	**$ 1135**	**$ 1175**
51"W – One Top Corner and One Bottom Corner Rounded	**G2251RSRS**	**$ 1093**	**$ 1135**	**$ 1175**
51"W – One Top Corner Rounded	**G2251RSSS**	**$ 1093**	**$ 1135**	**$ 1175**
54"W – Top Corners Rounded	**G2254RRSS**	**$ 1144**	**$ 1189**	**$ 1230**
54"W – One Top Corner and One Bottom Corner Rounded	**G2254RSRS**	**$ 1144**	**$ 1189**	**$ 1230**
54"W – One Top Corner Rounded	**G2254RSSS**	**$ 1144**	**$ 1189**	**$ 1230**
57"W – Top Corners Rounded	**G2257RRSS**	**$ 1196**	**$ 1242**	**$ 1285**
57"W – One Top Corner and One Bottom Corner Rounded	**G2257RSRS**	**$ 1196**	**$ 1242**	**$ 1285**
57"W – One Top Corner Rounded	**G2257RSSS**	**$ 1196**	**$ 1242**	**$ 1285**
60"W – Top Corners Rounded	**G2260RRSS**	**$ 1253**	**$ 1301**	**$ 1346**
60"W – One Top Corner and One Bottom Corner Rounded	**G2260RSRS**	**$ 1253**	**$ 1301**	**$ 1346**
60"W – One Top Corner Rounded	**G2260RSSS**	**$ 1253**	**$ 1301**	**$ 1346**
63"W – Top Corners Rounded	**G2263RRSS**	**$ 1272**	**$ 1321**	**$ 1366**
63"W – One Top Corner and One Bottom Corner Rounded	**G2263RSRS**	**$ 1272**	**$ 1321**	**$ 1366**
63"W – One Top Corner Rounded	**G2263RSSS**	**$ 1272**	**$ 1321**	**$ 1366**
66"W – Top Corners Rounded	**G2266RRSS**	**$ 1300**	**$ 1349**	**$ 1397**
66"W – One Top Corner and One Bottom Corner Rounded	**G2266RSRS**	**$ 1300**	**$ 1349**	**$ 1397**
66"W – One Top Corner Rounded	**G2266RSSS**	**$ 1300**	**$ 1349**	**$ 1397**
69"W – Top Corners Rounded	**G2269RRSS**	**$ 1392**	**$ 1444**	**$ 1494**
69"W – One Top Corner and One Bottom Corner Rounded	**G2269RSRS**	**$ 1392**	**$ 1444**	**$ 1494**
69"W – One Top Corner Rounded	**G2269RSSS**	**$ 1392**	**$ 1444**	**$ 1494**
72"W – Top Corners Rounded	**G2272RRSS**	**$ 1433**	**$ 1487**	**$ 1539**
72"W – One Top Corner and One Bottom Corner Rounded	**G2272RSRS**	**$ 1433**	**$ 1487**	**$ 1539**
72"W – One Top Corner Rounded	**G2272RSSS**	**$ 1433**	**$ 1487**	**$ 1539**
75"W – Top Corners Rounded	**G2275RRSS**	**$ 1627**	**$ 1688**	**$ 1747**
75"W – One Top Corner and One Bottom Corner Rounded	**G2275RSRS**	**$ 1627**	**$ 1688**	**$ 1747**
75"W – One Top Corner Rounded	**G2275RSSS**	**$ 1627**	**$ 1688**	**$ 1747**
78"W – Top Corners Rounded	**G2278RRSS**	**$ 1689**	**$ 1752**	**$ 1814**
78"W – One Top Corner and One Bottom Corner Rounded	**G2278RSRS**	**$ 1689**	**$ 1752**	**$ 1814**
78"W – One Top Corner Rounded	**G2278RSSS**	**$ 1689**	**$ 1752**	**$ 1814**
81"W – Top Corners Rounded	**G2281RRSS**	**$ 1750**	**$ 1815**	**$ 1879**
81"W – One Top Corner and One Bottom Corner Rounded	**G2281RSRS**	**$ 1750**	**$ 1815**	**$ 1879**
81"W – One Top Corner Rounded	**G2281RSSS**	**$ 1750**	**$ 1815**	**$ 1879**
84"W – Top Corners Rounded	**G2284RRSS**	**$ 1920**	**$ 1991**	**$ 2061**
84"W – One Top Corner and One Bottom Corner Rounded	**G2284RSRS**	**$ 1920**	**$ 1991**	**$ 2061**
84"W – One Top Corner Rounded	**G2284RSSS**	**$ 1920**	**$ 1991**	**$ 2061**

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 2 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 30"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
30"H Radius Gallery Panels				
18"W – Top Corners Rounded	G3018RRSS	$ 592	$ 612	$ 630
18"W – One Top Corner and One Bottom Corner Rounded	G3018RSRS	$ 592	$ 612	$ 630
18"W – One Top Corner Rounded	G3018RSSS	$ 592	$ 612	$ 630
21"W – Top Corners Rounded	G3021RRSS	$ 615	$ 636	$ 655
21"W – One Top Corner and One Bottom Corner Rounded	G3021RSRS	$ 615	$ 636	$ 655
21"W – One Top Corner Rounded	G3021RSSS	$ 615	$ 636	$ 655
24"W – Top Corners Rounded	G3024RRSS	$ 653	$ 675	$ 695
24"W – One Top Corner and One Bottom Corner Rounded	G3024RSRS	$ 653	$ 675	$ 695
24"W – One Top Corner Rounded	G3024RSSS	$ 653	$ 675	$ 695
27"W – Top Corners Rounded	G3027RRSS	$ 701	$ 724	$ 747
27"W – One Top Corner and One Bottom Corner Rounded	G3027RSRS	$ 701	$ 724	$ 747
27"W – One Top Corner Rounded	G3027RSSS	$ 701	$ 724	$ 747
30"W – Top Corners Rounded	G3030RRSS	$ 797	$ 822	$ 848
30"W – One Top Corner and One Bottom Corner Rounded	G3030RSRS	$ 797	$ 822	$ 848
30"W – One Top Corner Rounded	G3030RSSS	$ 797	$ 822	$ 848
33"W – Top Corners Rounded	G3033RRSS	$ 846	$ 874	$ 900
33"W – One Top Corner and One Bottom Corner Rounded	G3033RSRS	$ 846	$ 874	$ 900
33"W – One Top Corner Rounded	G3033RSSS	$ 846	$ 874	$ 900
36"W – Top Corners Rounded	G3036RRSS	$ 888	$ 918	$ 945
36"W – One Top Corner and One Bottom Corner Rounded	G3036RSRS	$ 888	$ 918	$ 945
36"W – One Top Corner Rounded	G3036RSSS	$ 888	$ 918	$ 945
39"W – Top Corners Rounded	G3039RRSS	$ 965	$ 997	$ 1026
39"W – One Top Corner and One Bottom Corner Rounded	G3039RSRS	$ 965	$ 997	$ 1026
39"W – One Top Corner Rounded	G3039RSSS	$ 965	$ 997	$ 1026
42"W – Top Corners Rounded	G3042RRSS	$ 1044	$ 1077	$ 1109
42"W – One Top Corner and One Bottom Corner Rounded	G3042RSRS	$ 1044	$ 1077	$ 1109
42"W – One Top Corner Rounded	G3042RSSS	$ 1044	$ 1077	$ 1109
45"W – Top Corners Rounded	G3045RRSS	$ 1139	$ 1175	$ 1210
45"W – One Top Corner and One Bottom Corner Rounded	G3045RSRS	$ 1139	$ 1175	$ 1210
45"W – One Top Corner Rounded	G3045RSSS	$ 1139	$ 1175	$ 1210
48"W – Top Corners Rounded	G3048RRSS	$ 1193	$ 1231	$ 1269
48"W – One Top Corner and One Bottom Corner Rounded	G3048RSRS	$ 1193	$ 1231	$ 1269
48"W – One Top Corner Rounded	G3048RSSS	$ 1193	$ 1231	$ 1269

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G30 .	.	.	.	V .	G

Example:


Gallery Panels

Radius Gallery Panels: 30"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
30"H Radius Gallery Panels				
51"W – Top Corners Rounded	**G3051RRSS**	**$ 1213**	**$ 1253**	**$ 1290**
51"W – One Top Corner and One Bottom Corner Rounded	**G3051RSRS**	**$ 1213**	**$ 1253**	**$ 1290**
51"W – One Top Corner Rounded	**G3051RSSS**	**$ 1213**	**$ 1253**	**$ 1290**
54"W – Top Corners Rounded	**G3054RRSS**	**$ 1270**	**$ 1311**	**$ 1351**
54"W – One Top Corner and One Bottom Corner Rounded	**G3054RSRS**	**$ 1270**	**$ 1311**	**$ 1351**
54"W – One Top Corner Rounded	**G3054RSSS**	**$ 1270**	**$ 1311**	**$ 1351**
57"W – Top Corners Rounded	**G3057RRSS**	**$ 1328**	**$ 1372**	**$ 1412**
57"W – One Top Corner and One Bottom Corner Rounded	**G3057RSRS**	**$ 1328**	**$ 1372**	**$ 1412**
57"W – One Top Corner Rounded	**G3057RSSS**	**$ 1328**	**$ 1372**	**$ 1412**
60"W – Top Corners Rounded	**G3060RRSS**	**$ 1391**	**$ 1436**	**$ 1479**
60"W – One Top Corner and One Bottom Corner Rounded	**G3060RSRS**	**$ 1391**	**$ 1436**	**$ 1479**
60"W – One Top Corner Rounded	**G3060RSSS**	**$ 1391**	**$ 1436**	**$ 1479**
63"W – Top Corners Rounded	**G3063RRSS**	**$ 1416**	**$ 1462**	**$ 1505**
63"W – One Top Corner and One Bottom Corner Rounded	**G3063RSRS**	**$ 1416**	**$ 1462**	**$ 1505**
63"W – One Top Corner Rounded	**G3063RSSS**	**$ 1416**	**$ 1462**	**$ 1505**
66"W – Top Corners Rounded	**G3066RRSS**	**$ 1447**	**$ 1494**	**$ 1537**
66"W – One Top Corner and One Bottom Corner Rounded	**G3066RSRS**	**$ 1447**	**$ 1494**	**$ 1537**
66"W – One Top Corner Rounded	**G3066RSSS**	**$ 1447**	**$ 1494**	**$ 1537**
69"W – Top Corners Rounded	**G3069RRSS**	**$ 1548**	**$ 1597**	**$ 1645**
69"W – One Top Corner and One Bottom Corner Rounded	**G3069RSRS**	**$ 1548**	**$ 1597**	**$ 1645**
69"W – One Top Corner Rounded	**G3069RSSS**	**$ 1548**	**$ 1597**	**$ 1645**
72"W – Top Corners Rounded	**G3072RRSS**	**$ 1593**	**$ 1643**	**$ 1692**
72"W – One Top Corner and One Bottom Corner Rounded	**G3072RSRS**	**$ 1593**	**$ 1643**	**$ 1692**
72"W – One Top Corner Rounded	**G3072RSSS**	**$ 1593**	**$ 1643**	**$ 1692**
75"W – Top Corners Rounded	**G3075RRSS**	**$ 1806**	**$ 1864**	**$ 1920**
75"W – One Top Corner and One Bottom Corner Rounded	**G3075RSRS**	**$ 1806**	**$ 1864**	**$ 1920**
75"W – One Top Corner Rounded	**G3075RSSS**	**$ 1806**	**$ 1864**	**$ 1920**
78"W – Top Corners Rounded	**G3078RRSS**	**$ 1876**	**$ 1936**	**$ 1993**
78"W – One Top Corner and One Bottom Corner Rounded	**G3078RSRS**	**$ 1876**	**$ 1936**	**$ 1993**
78"W – One Top Corner Rounded	**G3078RSSS**	**$ 1876**	**$ 1936**	**$ 1993**
81"W – Top Corners Rounded	**G3081RRSS**	**$ 1942**	**$ 2003**	**$ 2063**
81"W – One Top Corner and One Bottom Corner Rounded	**G3081RSRS**	**$ 1942**	**$ 2003**	**$ 2063**
81"W – One Top Corner Rounded	**G3081RSSS**	**$ 1942**	**$ 2003**	**$ 2063**
84"W – Top Corners Rounded	**G3084RRSS**	**$ 2134**	**$ 2200**	**$ 2266**
84"W – One Top Corner and One Bottom Corner Rounded	**G3084RSRS**	**$ 2134**	**$ 2200**	**$ 2266**
84"W – One Top Corner Rounded	**G3084RSSS**	**$ 2134**	**$ 2200**	**$ 2266**

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 3 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**

Example:


Gallery Panels

Radius Gallery Panels: 35"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	List Price L2	List Price L3
35"H Radius Gallery Panels				
18"W – Top Corners Rounded	G3518RRSS	$ 710	$ 734	$ 757
18"W – One Top Corner and One Bottom Corner Rounded	G3518RSRS	$ 710	$ 734	$ 757
18"W – One Top Corner Rounded	G3518RSSS	$ 710	$ 734	$ 757
21"W – Top Corners Rounded	G3521RRSS	$ 733	$ 757	$ 781
21"W – One Top Corner and One Bottom Corner Rounded	G3521RSRS	$ 733	$ 757	$ 781
21"W – One Top Corner Rounded	G3521RSSS	$ 733	$ 757	$ 781
24"W – Top Corners Rounded	G3524RRSS	$ 778	$ 804	$ 829
24"W – One Top Corner and One Bottom Corner Rounded	G3524RSRS	$ 778	$ 804	$ 829
24"W – One Top Corner Rounded	G3524RSSS	$ 778	$ 804	$ 829
27"W – Top Corners Rounded	G3527RRSS	$ 822	$ 850	$ 876
27"W – One Top Corner and One Bottom Corner Rounded	G3527RSRS	$ 822	$ 850	$ 876
27"W – One Top Corner Rounded	G3527RSSS	$ 822	$ 850	$ 876
30"W – Top Corners Rounded	G3530RRSS	$ 950	$ 982	$ 1012
30"W – One Top Corner and One Bottom Corner Rounded	G3530RSRS	$ 950	$ 982	$ 1012
30"W – One Top Corner Rounded	G3530RSSS	$ 950	$ 982	$ 1012
33"W – Top Corners Rounded	G3533RRSS	$ 1001	$ 1034	$ 1065
33"W – One Top Corner and One Bottom Corner Rounded	G3533RSRS	$ 1001	$ 1034	$ 1065
33"W – One Top Corner Rounded	G3533RSSS	$ 1001	$ 1034	$ 1065
36"W – Top Corners Rounded	G3536RRSS	$ 1061	$ 1096	$ 1128
36"W – One Top Corner and One Bottom Corner Rounded	G3536RSRS	$ 1061	$ 1096	$ 1128
36"W – One Top Corner Rounded	G3536RSSS	$ 1061	$ 1096	$ 1128
39"W – Top Corners Rounded	G3539RRSS	$ 1132	$ 1170	$ 1205
39"W – One Top Corner and One Bottom Corner Rounded	G3539RSRS	$ 1132	$ 1170	$ 1205
39"W – One Top Corner Rounded	G3539RSSS	$ 1132	$ 1170	$ 1205
42"W – Top Corners Rounded	G3542RRSS	$ 1183	$ 1223	$ 1260
42"W – One Top Corner and One Bottom Corner Rounded	G3542RSRS	$ 1183	$ 1223	$ 1260
42"W – One Top Corner Rounded	G3542RSSS	$ 1183	$ 1223	$ 1260
45"W – Top Corners Rounded	G3545RRSS	$ 1255	$ 1297	$ 1336
45"W – One Top Corner and One Bottom Corner Rounded	G3545RSRS	$ 1255	$ 1297	$ 1336
45"W – One Top Corner Rounded	G3545RSSS	$ 1255	$ 1297	$ 1336
48"W – Top Corners Rounded	G3548RRSS	$ 1309	$ 1353	$ 1394
48"W – One Top Corner and One Bottom Corner Rounded	G3548RSRS	$ 1309	$ 1353	$ 1394
48"W – One Top Corner Rounded	G3548RSSS	$ 1309	$ 1353	$ 1394

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 35"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
35"H Radius Gallery Panels				
51"W – Top Corners Rounded	G3551RRSS	$ 1354	$ 1399	$ 1441
51"W – One Top Corner and One Bottom Corner Rounded	G3551RSRS	$ 1354	$ 1399	$ 1441
51"W – One Top Corner Rounded	G3551RSSS	$ 1354	$ 1399	$ 1441
54"W – Top Corners Rounded	G3554RRSS	$ 1403	$ 1450	$ 1493
54"W – One Top Corner and One Bottom Corner Rounded	G3554RSRS	$ 1403	$ 1450	$ 1493
54"W – One Top Corner Rounded	G3554RSSS	$ 1403	$ 1450	$ 1493
57"W – Top Corners Rounded	G3557RRSS	$ 1460	$ 1508	$ 1553
57"W – One Top Corner and One Bottom Corner Rounded	G3557RSRS	$ 1460	$ 1508	$ 1553
57"W – One Top Corner Rounded	G3557RSSS	$ 1460	$ 1508	$ 1553
60"W – Top Corners Rounded	G3560RRSS	$ 1507	$ 1556	$ 1603
60"W – One Top Corner and One Bottom Corner Rounded	G3560RSRS	$ 1507	$ 1556	$ 1603
60"W – One Top Corner Rounded	G3560RSSS	$ 1507	$ 1556	$ 1603
63"W – Top Corners Rounded	G3563RRSS	$ 1541	$ 1591	$ 1639
63"W – One Top Corner and One Bottom Corner Rounded	G3563RSRS	$ 1541	$ 1591	$ 1639
63"W – One Top Corner Rounded	G3563RSSS	$ 1541	$ 1591	$ 1639
66"W – Top Corners Rounded	G3566RRSS	$ 1585	$ 1636	$ 1685
66"W – One Top Corner and One Bottom Corner Rounded	G3566RSRS	$ 1585	$ 1636	$ 1685
66"W – One Top Corner Rounded	G3566RSSS	$ 1585	$ 1636	$ 1685
69"W – Top Corners Rounded	G3569RRSS	$ 1662	$ 1716	$ 1766
69"W – One Top Corner and One Bottom Corner Rounded	G3569RSRS	$ 1662	$ 1716	$ 1766
69"W – One Top Corner Rounded	G3569RSSS	$ 1662	$ 1716	$ 1766
72"W – Top Corners Rounded	G3572RRSS	$ 1740	$ 1797	$ 1851
72"W – One Top Corner and One Bottom Corner Rounded	G3572RSRS	$ 1740	$ 1797	$ 1851
72"W – One Top Corner Rounded	G3572RSSS	$ 1740	$ 1797	$ 1851
75"W – Top Corners Rounded	G3575RRSS	$ 1875	$ 1936	$ 1994
75"W – One Top Corner and One Bottom Corner Rounded	G3575RSRS	$ 1875	$ 1936	$ 1994
75"W – One Top Corner Rounded	G3575RSSS	$ 1875	$ 1936	$ 1994
78"W – Top Corners Rounded	G3578RRSS	$ 1972	$ 2035	$ 2097
78"W – One Top Corner and One Bottom Corner Rounded	G3578RSRS	$ 1972	$ 2035	$ 2097
78"W – One Top Corner Rounded	G3578RSSS	$ 1972	$ 2035	$ 2097
81"W – Top Corners Rounded	G3581RRSS	$ 2120	$ 2187	$ 2254
81"W – One Top Corner and One Bottom Corner Rounded	G3581RSRS	$ 2120	$ 2187	$ 2254
81"W – One Top Corner Rounded	G3581RSSS	$ 2120	$ 2187	$ 2254
84"W – Top Corners Rounded	G3584RRSS	$ 2321	$ 2395	$ 2467
84"W – One Top Corner and One Bottom Corner Rounded	G3584RSRS	$ 2321	$ 2395	$ 2467
84"W – One Top Corner Rounded	G3584RSSS	$ 2321	$ 2395	$ 2467

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 42½"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
42½"H Radius Gallery Panels				
18"W – Top Corners Rounded	**G4218RRSS**	$ 793	$ 818	$ 843
18"W – One Top Corner and One Bottom Corner Rounded	**G4218RSRS**	$ 793	$ 818	$ 843
18"W – One Top Corner Rounded	**G4218RSSS**	$ 793	$ 818	$ 843
21"W – Top Corners Rounded	**G4221RRSS**	$ 815	$ 841	$ 866
21"W – One Top Corner and One Bottom Corner Rounded	**G4221RSRS**	$ 815	$ 841	$ 866
21"W – One Top Corner Rounded	**G4221RSSS**	$ 815	$ 841	$ 866
24"W – Top Corners Rounded	**G4224RRSS**	$ 871	$ 899	$ 926
24"W – One Top Corner and One Bottom Corner Rounded	**G4224RSRS**	$ 871	$ 899	$ 926
24"W – One Top Corner Rounded	**G4224RSSS**	$ 871	$ 899	$ 926
27"W – Top Corners Rounded	**G4227RRSS**	$ 920	$ 950	$ 979
27"W – One Top Corner and One Bottom Corner Rounded	**G4227RSRS**	$ 920	$ 950	$ 979
27"W – One Top Corner Rounded	**G4227RSSS**	$ 920	$ 950	$ 979
30"W – Top Corners Rounded	**G4230RRSS**	$ 1062	$ 1096	$ 1128
30"W – One Top Corner and One Bottom Corner Rounded	**G4230RSRS**	$ 1062	$ 1096	$ 1128
30"W – One Top Corner Rounded	**G4230RSSS**	$ 1062	$ 1096	$ 1128
33"W – Top Corners Rounded	**G4233RRSS**	$ 1118	$ 1153	$ 1188
33"W – One Top Corner and One Bottom Corner Rounded	**G4233RSRS**	$ 1118	$ 1153	$ 1188
33"W – One Top Corner Rounded	**G4233RSSS**	$ 1118	$ 1153	$ 1188
36"W – Top Corners Rounded	**G4236RRSS**	$ 1183	$ 1221	$ 1257
36"W – One Top Corner and One Bottom Corner Rounded	**G4236RSRS**	$ 1183	$ 1221	$ 1257
36"W – One Top Corner Rounded	**G4236RSSS**	$ 1183	$ 1221	$ 1257
39"W – Top Corners Rounded	**G4239RRSS**	$ 1267	$ 1308	$ 1347
39"W – One Top Corner and One Bottom Corner Rounded	**G4239RSRS**	$ 1267	$ 1308	$ 1347
39"W – One Top Corner Rounded	**G4239RSSS**	$ 1267	$ 1308	$ 1347
42"W – Top Corners Rounded	**G4242RRSS**	$ 1322	$ 1366	$ 1406
42"W – One Top Corner and One Bottom Corner Rounded	**G4242RSRS**	$ 1322	$ 1366	$ 1406
42"W – One Top Corner Rounded	**G4242RSSS**	$ 1322	$ 1366	$ 1406
45"W – Top Corners Rounded	**G4245RRSS**	$ 1369	$ 1414	$ 1456
45"W – One Top Corner and One Bottom Corner Rounded	**G4245RSRS**	$ 1369	$ 1414	$ 1456
45"W – One Top Corner Rounded	**G4245RSSS**	$ 1369	$ 1414	$ 1456
48"W – Top Corners Rounded	**G4248RRSS**	$ 1424	$ 1470	$ 1513
48"W – One Top Corner and One Bottom Corner Rounded	**G4248RSRS**	$ 1424	$ 1470	$ 1513
48"W – One Top Corner Rounded	**G4248RSSS**	$ 1424	$ 1470	$ 1513

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G42 _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 42½"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
42½"H Radius Gallery Panels				
51"W – Top Corners Rounded	**G4251RRSS**	**$ 1514**	**$ 1562**	**$ 1608**
51"W – One Top Corner and One Bottom Corner Rounded	**G4251RSRS**	**$ 1514**	**$ 1562**	**$ 1608**
51"W – One Top Corner Rounded	**G4251RSSS**	**$ 1514**	**$ 1562**	**$ 1608**
54"W – Top Corners Rounded	**G4254RRSS**	**$ 1561**	**$ 1611**	**$ 1658**
54"W – One Top Corner and One Bottom Corner Rounded	**G4254RSRS**	**$ 1561**	**$ 1611**	**$ 1658**
54"W – One Top Corner Rounded	**G4254RSSS**	**$ 1561**	**$ 1611**	**$ 1658**
57"W – Top Corners Rounded	**G4257RRSS**	**$ 1599**	**$ 1650**	**$ 1698**
57"W – One Top Corner and One Bottom Corner Rounded	**G4257RSRS**	**$ 1599**	**$ 1650**	**$ 1698**
57"W – One Top Corner Rounded	**G4257RSSS**	**$ 1599**	**$ 1650**	**$ 1698**
60"W – Top Corners Rounded	**G4260RRSS**	**$ 1660**	**$ 1712**	**$ 1762**
60"W – One Top Corner and One Bottom Corner Rounded	**G4260RSRS**	**$ 1660**	**$ 1712**	**$ 1762**
60"W – One Top Corner Rounded	**G4260RSSS**	**$ 1660**	**$ 1712**	**$ 1762**
63"W – Top Corners Rounded	**G4263RRSS**	**$ 1704**	**$ 1758**	**$ 1810**
63"W – One Top Corner and One Bottom Corner Rounded	**G4263RSRS**	**$ 1704**	**$ 1758**	**$ 1810**
63"W – One Top Corner Rounded	**G4263RSSS**	**$ 1704**	**$ 1758**	**$ 1810**
66"W – Top Corners Rounded	**G4266RRSS**	**$ 1759**	**$ 1816**	**$ 1869**
66"W – One Top Corner and One Bottom Corner Rounded	**G4266RSRS**	**$ 1759**	**$ 1816**	**$ 1869**
66"W – One Top Corner Rounded	**G4266RSSS**	**$ 1759**	**$ 1816**	**$ 1869**
69"W – Top Corners Rounded	**G4269RRSS**	**$ 1793**	**$ 1851**	**$ 1905**
69"W – One Top Corner and One Bottom Corner Rounded	**G4269RSRS**	**$ 1793**	**$ 1851**	**$ 1905**
69"W – One Top Corner Rounded	**G4269RSSS**	**$ 1793**	**$ 1851**	**$ 1905**
72"W – Top Corners Rounded	**G4272RRSS**	**$ 1897**	**$ 1957**	**$ 2015**
72"W – One Top Corner and One Bottom Corner Rounded	**G4272RSRS**	**$ 1897**	**$ 1957**	**$ 2015**
72"W – One Top Corner Rounded	**G4272RSSS**	**$ 1897**	**$ 1957**	**$ 2015**
75"W – Top Corners Rounded	**G4275RRSS**	**$ 1964**	**$ 2026**	**$ 2086**
75"W – One Top Corner and One Bottom Corner Rounded	**G4275RSRS**	**$ 1964**	**$ 2026**	**$ 2086**
75"W – One Top Corner Rounded	**G4275RSSS**	**$ 1964**	**$ 2026**	**$ 2086**
78"W – Top Corners Rounded	**G4278RRSS**	**$ 2087**	**$ 2152**	**$ 2216**
78"W – One Top Corner and One Bottom Corner Rounded	**G4278RSRS**	**$ 2087**	**$ 2152**	**$ 2216**
78"W – One Top Corner Rounded	**G4278RSSS**	**$ 2087**	**$ 2152**	**$ 2216**
81"W – Top Corners Rounded	**G4281RRSS**	**$ 2330**	**$ 2403**	**$ 2473**
81"W – One Top Corner and One Bottom Corner Rounded	**G4281RSRS**	**$ 2330**	**$ 2403**	**$ 2473**
81"W – One Top Corner Rounded	**G4281RSSS**	**$ 2330**	**$ 2403**	**$ 2473**
84"W – Top Corners Rounded	**G4284RRSS**	**$ 2510**	**$ 2590**	**$ 2665**
84"W – One Top Corner and One Bottom Corner Rounded	**G4284RSRS**	**$ 2510**	**$ 2590**	**$ 2665**
84"W – One Top Corner Rounded	**G4284RSSS**	**$ 2510**	**$ 2590**	**$ 2665**

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 4 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**

Example:


Gallery Panels

Radius Gallery Panels: 50"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
50"H Radius Gallery Panels				
18"W – Top Corners Rounded	G5018RRSS	$ 927	$ 958	$ 986
18"W – One Top Corner and One Bottom Corner Rounded	G5018RSRS	$ 927	$ 958	$ 986
18"W – One Top Corner Rounded	G5018RSSS	$ 927	$ 958	$ 986
21"W – Top Corners Rounded	G5021RRSS	$ 956	$ 987	$ 1017
21"W – One Top Corner and One Bottom Corner Rounded	G5021RSRS	$ 956	$ 987	$ 1017
21"W – One Top Corner Rounded	G5021RSSS	$ 956	$ 987	$ 1017
24"W – Top Corners Rounded	G5024RRSS	$ 1002	$ 1034	$ 1065
24"W – One Top Corner and One Bottom Corner Rounded	G5024RSRS	$ 1002	$ 1034	$ 1065
24"W – One Top Corner Rounded	G5024RSSS	$ 1002	$ 1034	$ 1065
27"W – Top Corners Rounded	G5027RRSS	$ 1057	$ 1091	$ 1123
27"W – One Top Corner and One Bottom Corner Rounded	G5027RSRS	$ 1057	$ 1091	$ 1123
27"W – One Top Corner Rounded	G5027RSSS	$ 1057	$ 1091	$ 1123
30"W – Top Corners Rounded	G5030RRSS	$ 1178	$ 1216	$ 1252
30"W – One Top Corner and One Bottom Corner Rounded	G5030RSRS	$ 1178	$ 1216	$ 1252
30"W – One Top Corner Rounded	G5030RSSS	$ 1178	$ 1216	$ 1252
33"W – Top Corners Rounded	G5033RRSS	$ 1240	$ 1280	$ 1318
33"W – One Top Corner and One Bottom Corner Rounded	G5033RSRS	$ 1240	$ 1280	$ 1318
33"W – One Top Corner Rounded	G5033RSSS	$ 1240	$ 1280	$ 1318
36"W – Top Corners Rounded	G5036RRSS	$ 1300	$ 1342	$ 1382
36"W – One Top Corner and One Bottom Corner Rounded	G5036RSRS	$ 1300	$ 1342	$ 1382
36"W – One Top Corner Rounded	G5036RSSS	$ 1300	$ 1342	$ 1382
39"W – Top Corners Rounded	G5039RRSS	$ 1380	$ 1425	$ 1467
39"W – One Top Corner and One Bottom Corner Rounded	G5039RSRS	$ 1380	$ 1425	$ 1467
39"W – One Top Corner Rounded	G5039RSSS	$ 1380	$ 1425	$ 1467
42"W – Top Corners Rounded	G5042RRSS	$ 1454	$ 1501	$ 1545
42"W – One Top Corner and One Bottom Corner Rounded	G5042RSRS	$ 1454	$ 1501	$ 1545
42"W – One Top Corner Rounded	G5042RSSS	$ 1454	$ 1501	$ 1545
45"W – Top Corners Rounded	G5045RRSS	$ 1561	$ 1611	$ 1658
45"W – One Top Corner and One Bottom Corner Rounded	G5045RSRS	$ 1561	$ 1611	$ 1658
45"W – One Top Corner Rounded	G5045RSSS	$ 1561	$ 1611	$ 1658
48"W – Top Corners Rounded	G5048RRSS	$ 1599	$ 1650	$ 1698
48"W – One Top Corner and One Bottom Corner Rounded	G5048RSRS	$ 1599	$ 1650	$ 1698
48"W – One Top Corner Rounded	G5048RSSS	$ 1599	$ 1650	$ 1698

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 5 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 50"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
50"H Radius Gallery Panels				
51"W – Top Corners Rounded	G5051RRSS	$ 1642	$ 1694	$ 1743
51"W – One Top Corner and One Bottom Corner Rounded	G5051RSRS	$ 1642	$ 1694	$ 1743
51"W – One Top Corner Rounded	G5051RSSS	$ 1642	$ 1694	$ 1743
54"W – Top Corners Rounded	G5054RRSS	$ 1712	$ 1766	$ 1818
54"W – One Top Corner and One Bottom Corner Rounded	G5054RSRS	$ 1712	$ 1766	$ 1818
54"W – One Top Corner Rounded	G5054RSSS	$ 1712	$ 1766	$ 1818
57"W – Top Corners Rounded	G5057RRSS	$ 1755	$ 1812	$ 1865
57"W – One Top Corner and One Bottom Corner Rounded	G5057RSRS	$ 1755	$ 1812	$ 1865
57"W – One Top Corner Rounded	G5057RSSS	$ 1755	$ 1812	$ 1865
60"W – Top Corners Rounded	G5060RRSS	$ 1807	$ 1865	$ 1921
60"W – One Top Corner and One Bottom Corner Rounded	G5060RSRS	$ 1807	$ 1865	$ 1921
60"W – One Top Corner Rounded	G5060RSSS	$ 1807	$ 1865	$ 1921
63"W – Top Corners Rounded	G5063RRSS	$ 1846	$ 1905	$ 1962
63"W – One Top Corner and One Bottom Corner Rounded	G5063RSRS	$ 1846	$ 1905	$ 1962
63"W – One Top Corner Rounded	G5063RSSS	$ 1846	$ 1905	$ 1962
66"W – Top Corners Rounded	G5066RRSS	$ 1898	$ 1958	$ 2016
66"W – One Top Corner and One Bottom Corner Rounded	G5066RSRS	$ 1898	$ 1958	$ 2016
66"W – One Top Corner Rounded	G5066RSSS	$ 1898	$ 1958	$ 2016
69"W – Top Corners Rounded	G5069RRSS	$ 1954	$ 2016	$ 2075
69"W – One Top Corner and One Bottom Corner Rounded	G5069RSRS	$ 1954	$ 2016	$ 2075
69"W – One Top Corner Rounded	G5069RSSS	$ 1954	$ 2016	$ 2075
72"W – Top Corners Rounded	G5072RRSS	$ 2007	$ 2070	$ 2132
72"W – One Top Corner and One Bottom Corner Rounded	G5072RSRS	$ 2007	$ 2070	$ 2132
72"W – One Top Corner Rounded	G5072RSSS	$ 2007	$ 2070	$ 2132
75"W – Top Corners Rounded	G5075RRSS	$ 2142	$ 2208	$ 2275
75"W – One Top Corner and One Bottom Corner Rounded	G5075RSRS	$ 2142	$ 2208	$ 2275
75"W – One Top Corner Rounded	G5075RSSS	$ 2142	$ 2208	$ 2275
78"W – Top Corners Rounded	G5078RRSS	$ 2351	$ 2425	$ 2496
78"W – One Top Corner and One Bottom Corner Rounded	G5078RSRS	$ 2351	$ 2425	$ 2496
78"W – One Top Corner Rounded	G5078RSSS	$ 2351	$ 2425	$ 2496
81"W – Top Corners Rounded	G5081RRSS	$ 2551	$ 2632	$ 2710
81"W – One Top Corner and One Bottom Corner Rounded	G5081RSRS	$ 2551	$ 2632	$ 2710
81"W – One Top Corner Rounded	G5081RSSS	$ 2551	$ 2632	$ 2710
84"W – Top Corners Rounded	G5084RRSS	$ 2727	$ 2813	$ 2895
84"W – One Top Corner and One Bottom Corner Rounded	G5084RSRS	$ 2727	$ 2813	$ 2895
84"W – One Top Corner Rounded	G5084RSSS	$ 2727	$ 2813	$ 2895

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 5 0 _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 57½"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
57½"H Radius Gallery Panels				
18"W – Top Corners Rounded	**G5718RRSS**	**$ 1129**	**$ 1165**	**$ 1199**
18"W – One Top Corner and One Bottom Corner Rounded	**G5718RSRS**	**$ 1129**	**$ 1165**	**$ 1199**
18"W – One Top Corner Rounded	**G5718RSSS**	**$ 1129**	**$ 1165**	**$ 1199**
21"W – Top Corners Rounded	**G5721RRSS**	**$ 1156**	**$ 1192**	**$ 1229**
21"W – One Top Corner and One Bottom Corner Rounded	**G5721RSRS**	**$ 1156**	**$ 1192**	**$ 1229**
21"W – One Top Corner Rounded	**G5721RSSS**	**$ 1156**	**$ 1192**	**$ 1229**
24"W – Top Corners Rounded	**G5724RRSS**	**$ 1202**	**$ 1242**	**$ 1278**
24"W – One Top Corner and One Bottom Corner Rounded	**G5724RSRS**	**$ 1202**	**$ 1242**	**$ 1278**
24"W – One Top Corner Rounded	**G5724RSSS**	**$ 1202**	**$ 1242**	**$ 1278**
27"W – Top Corners Rounded	**G5727RRSS**	**$ 1255**	**$ 1296**	**$ 1335**
27"W – One Top Corner and One Bottom Corner Rounded	**G5727RSRS**	**$ 1255**	**$ 1296**	**$ 1335**
27"W – One Top Corner Rounded	**G5727RSSS**	**$ 1255**	**$ 1296**	**$ 1335**
30"W – Top Corners Rounded	**G5730RRSS**	**$ 1379**	**$ 1424**	**$ 1466**
30"W – One Top Corner and One Bottom Corner Rounded	**G5730RSRS**	**$ 1379**	**$ 1424**	**$ 1466**
30"W – One Top Corner Rounded	**G5730RSSS**	**$ 1379**	**$ 1424**	**$ 1466**
33"W – Top Corners Rounded	**G5733RRSS**	**$ 1436**	**$ 1483**	**$ 1526**
33"W – One Top Corner and One Bottom Corner Rounded	**G5733RSRS**	**$ 1436**	**$ 1483**	**$ 1526**
33"W – One Top Corner Rounded	**G5733RSSS**	**$ 1436**	**$ 1483**	**$ 1526**
36"W – Top Corners Rounded	**G5736RRSS**	**$ 1502**	**$ 1550**	**$ 1595**
36"W – One Top Corner and One Bottom Corner Rounded	**G5736RSRS**	**$ 1502**	**$ 1550**	**$ 1595**
36"W – One Top Corner Rounded	**G5736RSSS**	**$ 1502**	**$ 1550**	**$ 1595**
39"W – Top Corners Rounded	**G5739RRSS**	**$ 1583**	**$ 1633**	**$ 1681**
39"W – One Top Corner and One Bottom Corner Rounded	**G5739RSRS**	**$ 1583**	**$ 1633**	**$ 1681**
39"W – One Top Corner Rounded	**G5739RSSS**	**$ 1583**	**$ 1633**	**$ 1681**
42"W – Top Corners Rounded	**G5742RRSS**	**$ 1659**	**$ 1711**	**$ 1761**
42"W – One Top Corner and One Bottom Corner Rounded	**G5742RSRS**	**$ 1659**	**$ 1711**	**$ 1761**
42"W – One Top Corner Rounded	**G5742RSSS**	**$ 1659**	**$ 1711**	**$ 1761**
45"W – Top Corners Rounded	**G5745RRSS**	**$ 1760**	**$ 1817**	**$ 1870**
45"W – One Top Corner and One Bottom Corner Rounded	**G5745RSRS**	**$ 1760**	**$ 1817**	**$ 1870**
45"W – One Top Corner Rounded	**G5745RSSS**	**$ 1760**	**$ 1817**	**$ 1870**
48"W – Top Corners Rounded	**G5748RRSS**	**$ 1803**	**$ 1861**	**$ 1917**
48"W – One Top Corner and One Bottom Corner Rounded	**G5748RSRS**	**$ 1803**	**$ 1861**	**$ 1917**
48"W – One Top Corner Rounded	**G5748RSSS**	**$ 1803**	**$ 1861**	**$ 1917**

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 5 7 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Gallery Panels: 57½"H Application


For Gallery Panel connectors see page 567.



Both Top Corners Rounded (RRSS models)



Top and Bottom Corner Rounded (RSRS models)



Top Corner Rounded (RSSS models)

Description	Model	List Price L1	L2	L3
57½"H Radius Gallery Panels				
51"W – Top Corners Rounded	G5751RRSS	$ 1844	$ 1903	$ 1960
51"W – One Top Corner and One Bottom Corner Rounded	G5751RSRS	$ 1844	$ 1903	$ 1960
51"W – One Top Corner Rounded	G5751RSSS	$ 1844	$ 1903	$ 1960
54"W – Top Corners Rounded	G5754RRSS	$ 1912	$ 1973	$ 2031
54"W – One Top Corner and One Bottom Corner Rounded	G5754RSRS	$ 1912	$ 1973	$ 2031
54"W – One Top Corner Rounded	G5754RSSS	$ 1912	$ 1973	$ 2031
57"W – Top Corners Rounded	G5757RRSS	$ 1957	$ 2019	$ 2078
57"W – One Top Corner and One Bottom Corner Rounded	G5757RSRS	$ 1957	$ 2019	$ 2078
57"W – One Top Corner Rounded	G5757RSSS	$ 1957	$ 2019	$ 2078
60"W – Top Corners Rounded	G5760RRSS	$ 2008	$ 2071	$ 2133
60"W – One Top Corner and One Bottom Corner Rounded	G5760RSRS	$ 2008	$ 2071	$ 2133
60"W – One Top Corner Rounded	G5760RSSS	$ 2008	$ 2071	$ 2133
63"W – Top Corners Rounded	G5763RRSS	$ 2047	$ 2111	$ 2174
63"W – One Top Corner and One Bottom Corner Rounded	G5763RSRS	$ 2047	$ 2111	$ 2174
63"W – One Top Corner Rounded	G5763RSSS	$ 2047	$ 2111	$ 2174
66"W – Top Corners Rounded	G5766RRSS	$ 2100	$ 2165	$ 2230
66"W – One Top Corner and One Bottom Corner Rounded	G5766RSRS	$ 2100	$ 2165	$ 2230
66"W – One Top Corner Rounded	G5766RSSS	$ 2100	$ 2165	$ 2230
69"W – Top Corners Rounded	G5769RRSS	$ 2151	$ 2218	$ 2284
69"W – One Top Corner and One Bottom Corner Rounded	G5769RSRS	$ 2151	$ 2218	$ 2284
69"W – One Top Corner Rounded	G5769RSSS	$ 2151	$ 2218	$ 2284
72"W – Top Corners Rounded	G5772RRSS	$ 2206	$ 2275	$ 2343
72"W – One Top Corner and One Bottom Corner Rounded	G5772RSRS	$ 2206	$ 2275	$ 2343
72"W – One Top Corner Rounded	G5772RSSS	$ 2206	$ 2275	$ 2343
75"W – Top Corners Rounded	G5775RRSS	$ 2341	$ 2414	$ 2486
75"W – One Top Corner and One Bottom Corner Rounded	G5775RSRS	$ 2341	$ 2414	$ 2486
75"W – One Top Corner Rounded	G5775RSSS	$ 2341	$ 2414	$ 2486
78"W – Top Corners Rounded	G5778RRSS	$ 2551	$ 2632	$ 2710
78"W – One Top Corner and One Bottom Corner Rounded	G5778RSRS	$ 2551	$ 2632	$ 2710
78"W – One Top Corner Rounded	G5778RSSS	$ 2551	$ 2632	$ 2710
81"W – Top Corners Rounded	G5781RRSS	$ 2756	$ 2843	$ 2926
81"W – One Top Corner and One Bottom Corner Rounded	G5781RSRS	$ 2756	$ 2843	$ 2926
81"W – One Top Corner Rounded	G5781RSSS	$ 2756	$ 2843	$ 2926
84"W – Top Corners Rounded	G5784RRSS	$ 2925	$ 3016	$ 3106
84"W – One Top Corner and One Bottom Corner Rounded	G5784RSRS	$ 2925	$ 3016	$ 3106
84"W – One Top Corner Rounded	G5784RSSS	$ 2925	$ 3016	$ 3106

Note: Radius Gallery Panels can be used for both Left and Right hand applications.
Note: The radius corners are a 3" Radius.
Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.
Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide:**
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G 5 7 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius L – Gallery-to-Gallery Panels: 30"H Application


For Gallery Panel connectors see page 567.




Top Left and Bottom Left Corners Rounded (LRSRS models)



Top Right & Bottom Right Corners Rounded (RSRSR models)



Top Left Corner Rounded (LRSSS models)



Top Right Corner Rounded (RSRSS models)

Description	Model	List Price L1	L2	L3
30"H Radius L – Gallery-to-Gallery Panels				
18"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3018LRSRS**	$ 873	$ 898	$ 922
18"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3018RSRSR**	$ 873	$ 898	$ 922
18"W (LH) – Top Left Corner Rounded	**GL3018LRSSS**	$ 873	$ 898	$ 922
18"W (RH) – Top Right Corner Rounded	**GL3018RSRSS**	$ 873	$ 898	$ 922
21"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3021LRSRS**	$ 891	$ 916	$ 941
21"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3021RSRSR**	$ 891	$ 916	$ 941
21"W (LH) – Top Left Corner Rounded	**GL3021LRSSS**	$ 891	$ 916	$ 941
21"W (RH) – Top Right Corner Rounded	**GL3021RSRSS**	$ 891	$ 916	$ 941
24"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3024LRSRS**	$ 931	$ 957	$ 983
24"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3024RSRSR**	$ 931	$ 957	$ 983
24"W (LH) – Top Left Corner Rounded	**GL3024LRSSS**	$ 931	$ 957	$ 983
24"W (RH) – Top Right Corner Rounded	**GL3024RSRSS**	$ 931	$ 957	$ 983
27"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3027LRSRS**	$ 979	$ 1007	$ 1036
27"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3027RSRSR**	$ 979	$ 1007	$ 1036
27"W (LH) – Top Left Corner Rounded	**GL3027LRSSS**	$ 979	$ 1007	$ 1036
27"W (RH) – Top Right Corner Rounded	**GL3027RSRSS**	$ 979	$ 1007	$ 1036
30"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3030LRSRS**	$ 1080	$ 1112	$ 1142
30"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3030RSRSR**	$ 1080	$ 1112	$ 1142
30"W (LH) – Top Left Corner Rounded	**GL3030LRSSS**	$ 1080	$ 1112	$ 1142
30"W (RH) – Top Right Corner Rounded	**GL3030RSRSS**	$ 1080	$ 1112	$ 1142
36"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3036LRSRS**	$ 1169	$ 1203	$ 1236
36"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3036RSRSR**	$ 1169	$ 1203	$ 1236
36"W (LH) – Top Left Corner Rounded	**GL3036LRSSS**	$ 1169	$ 1203	$ 1236
36"W (RH) – Top Right Corner Rounded	**GL3036RSRSS**	$ 1169	$ 1203	$ 1236
42"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3042LRSRS**	$ 1280	$ 1318	$ 1356
42"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3042RSRSR**	$ 1280	$ 1318	$ 1356
42"W (LH) – Top Left Corner Rounded	**GL3042LRSSS**	$ 1280	$ 1318	$ 1356
42"W (RH) – Top Right Corner Rounded	**GL3042RSRSS**	$ 1280	$ 1318	$ 1356
48"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3048LRSRS**	$ 1432	$ 1476	$ 1517
48"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3048RSRSR**	$ 1432	$ 1476	$ 1517
48"W (LH) – Top Left Corner Rounded	**GL3048LRSSS**	$ 1432	$ 1476	$ 1517
48"W (RH) – Top Right Corner Rounded	**GL3048RSRSS**	$ 1432	$ 1476	$ 1517
54"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3054LRSRS**	$ 1513	$ 1559	$ 1602
54"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3054RSRSR**	$ 1513	$ 1559	$ 1602
54"W (LH) – Top Left Corner Rounded	**GL3054LRSSS**	$ 1513	$ 1559	$ 1602
54"W (RH) – Top Right Corner Rounded	**GL3054RSRSS**	$ 1513	$ 1559	$ 1602

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:

Gallery Panels

Radius L – Gallery-to-Gallery Panels: 30"H Application

For Gallery Panel connectors see page 567.

Description	Model	List Price L1	L2	L3
30"H Radius L – Gallery-to-Gallery Panels				
60"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3060LRSRS**	**$ 1633**	**$ 1682**	**$ 1730**
60"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3060RSRSR**	**$ 1633**	**$ 1682**	**$ 1730**
60"W (LH) – Top Left Corner Rounded	**GL3060LRSSS**	**$ 1633**	**$ 1682**	**$ 1730**
60"W (RH) – Top Right Corner Rounded	**GL3060RSRSS**	**$ 1633**	**$ 1682**	**$ 1730**
66"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3066LRSRS**	**$ 1684**	**$ 1735**	**$ 1783**
66"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3066RSRSR**	**$ 1684**	**$ 1735**	**$ 1783**
66"W (LH) – Top Left Corner Rounded	**GL3066LRSSS**	**$ 1684**	**$ 1735**	**$ 1783**
66"W (RH) – Top Right Corner Rounded	**GL3066RSRSS**	**$ 1684**	**$ 1735**	**$ 1783**
72"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3072LRSRS**	**$ 1833**	**$ 1890**	**$ 1943**
72"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3072RSRSR**	**$ 1833**	**$ 1890**	**$ 1943**
72"W (LH) – Top Left Corner Rounded	**GL3072LRSSS**	**$ 1833**	**$ 1890**	**$ 1943**
72"W (RH) – Top Right Corner Rounded	**GL3072RSRSS**	**$ 1833**	**$ 1890**	**$ 1943**
78"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3078LRSRS**	**$ 2118**	**$ 2182**	**$ 2245**
78"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3078RSRSR**	**$ 2118**	**$ 2182**	**$ 2245**
78"W (LH) – Top Left Corner Rounded	**GL3078LRSSS**	**$ 2118**	**$ 2182**	**$ 2245**
78"W (RH) – Top Right Corner Rounded	**GL3078RSRSS**	**$ 2118**	**$ 2182**	**$ 2245**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius L – Gallery-to-Gallery Panels: 35"H Application


For Gallery Panel connectors see page 567.




Top Left and Bottom Left Corners Rounded (LRSRS models)



Top Right & Bottom Right Corners Rounded (RSRSR models)



Top Left Corner Rounded (LRSSS models)



Top Right Corner Rounded (RSRSS models)

Description	Model	List Price L1	L2	L3
35"H Radius L – Gallery-to-Gallery Panels				
18"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3518LRSRS**	$ 987	$ 1017	$ 1044
18"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3518RSRSR**	$ 987	$ 1017	$ 1044
18"W (LH) – Top Left Corner Rounded	**GL3518LRSSS**	$ 987	$ 1017	$ 1044
18"W (RH) – Top Right Corner Rounded	**GL3518RSRSS**	$ 987	$ 1017	$ 1044
21"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3521LRSRS**	$ 1008	$ 1038	$ 1066
21"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3521RSRSR**	$ 1008	$ 1038	$ 1066
21"W (LH) – Top Left Corner Rounded	**GL3521LRSSS**	$ 1008	$ 1038	$ 1066
21"W (RH) – Top Right Corner Rounded	**GL3521RSRSS**	$ 1008	$ 1038	$ 1066
24"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3524LRSRS**	$ 1054	$ 1085	$ 1115
24"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3524RSRSR**	$ 1054	$ 1085	$ 1115
24"W (LH) – Top Left Corner Rounded	**GL3524LRSSS**	$ 1054	$ 1085	$ 1115
24"W (RH) – Top Right Corner Rounded	**GL3524RSRSS**	$ 1054	$ 1085	$ 1115
27"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3527LRSRS**	$ 1096	$ 1129	$ 1159
27"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3527RSRSR**	$ 1096	$ 1129	$ 1159
27"W (LH) – Top Left Corner Rounded	**GL3527LRSSS**	$ 1096	$ 1129	$ 1159
27"W (RH) – Top Right Corner Rounded	**GL3527RSRSS**	$ 1096	$ 1129	$ 1159
30"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3530LRSRS**	$ 1226	$ 1262	$ 1297
30"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3530RSRSR**	$ 1226	$ 1262	$ 1297
30"W (LH) – Top Left Corner Rounded	**GL3530LRSSS**	$ 1226	$ 1262	$ 1297
30"W (RH) – Top Right Corner Rounded	**GL3530RSRSS**	$ 1226	$ 1262	$ 1297
36"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3536LRSRS**	$ 1334	$ 1375	$ 1412
36"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3536RSRSR**	$ 1334	$ 1375	$ 1412
36"W (LH) – Top Left Corner Rounded	**GL3536LRSSS**	$ 1334	$ 1375	$ 1412
36"W (RH) – Top Right Corner Rounded	**GL3536RSRSS**	$ 1334	$ 1375	$ 1412
42"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3542LRSRS**	$ 1420	$ 1464	$ 1505
42"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3542RSRSR**	$ 1420	$ 1464	$ 1505
42"W (LH) – Top Left Corner Rounded	**GL3542LRSSS**	$ 1420	$ 1464	$ 1505
42"W (RH) – Top Right Corner Rounded	**GL3542RSRSS**	$ 1420	$ 1464	$ 1505
48"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3548LRSRS**	$ 1544	$ 1591	$ 1635
48"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3548RSRSR**	$ 1544	$ 1591	$ 1635
48"W (LH) – Top Left Corner Rounded	**GL3548LRSSS**	$ 1544	$ 1591	$ 1635
48"W (RH) – Top Right Corner Rounded	**GL3548RSRSS**	$ 1544	$ 1591	$ 1635
54"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3554LRSRS**	$ 1640	$ 1690	$ 1737
54"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3554RSRSR**	$ 1640	$ 1690	$ 1737
54"W (LH) – Top Left Corner Rounded	**GL3554LRSSS**	$ 1640	$ 1690	$ 1737
54"W (RH) – Top Right Corner Rounded	**GL3554RSRSS**	$ 1640	$ 1690	$ 1737

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:

Gallery Panels

Radius L – Gallery-to-Gallery Panels: 35"H Application

For Gallery Panel connectors see page 567.

Description	Model	List Price L1	L2	L3
35"H Radius L – Gallery-to-Gallery Panels				
60"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3560LRSRS**	**$ 1743**	**$ 1795**	**$ 1846**
60"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3560RSRSR**	**$ 1743**	**$ 1795**	**$ 1846**
60"W (LH) – Top Left Corner Rounded	**GL3560LRSSS**	**$ 1743**	**$ 1795**	**$ 1846**
60"W (RH) – Top Right Corner Rounded	**GL3560RSRSS**	**$ 1743**	**$ 1795**	**$ 1846**
66"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3566LRSRS**	**$ 1823**	**$ 1878**	**$ 1933**
66"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3566RSRSR**	**$ 1823**	**$ 1878**	**$ 1933**
66"W (LH) – Top Left Corner Rounded	**GL3566LRSSS**	**$ 1823**	**$ 1878**	**$ 1933**
66"W (RH) – Top Right Corner Rounded	**GL3566RSRSS**	**$ 1823**	**$ 1878**	**$ 1933**
72"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3572LRSRS**	**$ 1978**	**$ 2038**	**$ 2097**
72"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3572RSRSR**	**$ 1978**	**$ 2038**	**$ 2097**
72"W (LH) – Top Left Corner Rounded	**GL3572LRSSS**	**$ 1978**	**$ 2038**	**$ 2097**
72"W (RH) – Top Right Corner Rounded	**GL3572RSRSS**	**$ 1978**	**$ 2038**	**$ 2097**
78"W (LH) – Top Left & Bottom Left Corners Rounded	**GL3578LRSRS**	**$ 2210**	**$ 2276**	**$ 2343**
78"W (RH) – Top Right & Bottom Right Corners Rounded	**GL3578RSRSR**	**$ 2210**	**$ 2276**	**$ 2343**
78"W (LH) – Top Left Corner Rounded	**GL3578LRSSS**	**$ 2210**	**$ 2276**	**$ 2343**
78"W (RH) – Top Right Corner Rounded	**GL3578RSRSS**	**$ 2210**	**$ 2276**	**$ 2343**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius L – Gallery-to-Gallery Panels: 42½"H Application


For Gallery Panel connectors see page 567.




Top Left and Bottom Left Corners Rounded (LRSRS models)



Top Right & Bottom Right Corners Rounded (RSRSR models)



Top Left Corner Rounded (LRSSS models)



Top Right Corner Rounded (RSRSS models)

Description	Model	List Price L1	L2	L3
42½"H Radius L – Gallery-to-Gallery Panels				
18"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4218LRSRS**	$ 1072	$ 1104	$ 1134
18"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4218RSRSR**	$ 1072	$ 1104	$ 1134
18"W (LH) – Top Left Corner Rounded	**GL4218LRSSS**	$ 1072	$ 1104	$ 1134
18"W (RH) – Top Right Corner Rounded	**GL4218RSRSS**	$ 1072	$ 1104	$ 1134
21"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4221LRSRS**	$ 1089	$ 1121	$ 1152
21"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4221RSRSR**	$ 1089	$ 1121	$ 1152
21"W (LH) – Top Left Corner Rounded	**GL4221LRSSS**	$ 1089	$ 1121	$ 1152
21"W (RH) – Top Right Corner Rounded	**GL4221RSRSS**	$ 1089	$ 1121	$ 1152
24"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4224LRSRS**	$ 1146	$ 1180	$ 1212
24"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4224RSRSR**	$ 1146	$ 1180	$ 1212
24"W (LH) – Top Left Corner Rounded	**GL4224LRSSS**	$ 1146	$ 1180	$ 1212
24"W (RH) – Top Right Corner Rounded	**GL4224RSRSS**	$ 1146	$ 1180	$ 1212
27"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4227LRSRS**	$ 1198	$ 1233	$ 1267
27"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4227RSRSR**	$ 1198	$ 1233	$ 1267
27"W (LH) – Top Left Corner Rounded	**GL4227LRSSS**	$ 1198	$ 1233	$ 1267
27"W (RH) – Top Right Corner Rounded	**GL4227RSRSS**	$ 1198	$ 1233	$ 1267
30"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4230LRSRS**	$ 1336	$ 1377	$ 1416
30"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4230RSRSR**	$ 1336	$ 1377	$ 1416
30"W (LH) – Top Left Corner Rounded	**GL4230LRSSS**	$ 1336	$ 1377	$ 1416
30"W (RH) – Top Right Corner Rounded	**GL4230RSRSS**	$ 1336	$ 1377	$ 1416
36"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4236LRSRS**	$ 1460	$ 1505	$ 1547
36"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4236RSRSR**	$ 1460	$ 1505	$ 1547
36"W (LH) – Top Left Corner Rounded	**GL4236LRSSS**	$ 1460	$ 1505	$ 1547
36"W (RH) – Top Right Corner Rounded	**GL4236RSRSS**	$ 1460	$ 1505	$ 1547
42"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4242LRSRS**	$ 1562	$ 1610	$ 1654
42"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4242RSRSR**	$ 1562	$ 1610	$ 1654
42"W (LH) – Top Left Corner Rounded	**GL4242LRSSS**	$ 1562	$ 1610	$ 1654
42"W (RH) – Top Right Corner Rounded	**GL4242RSRSS**	$ 1562	$ 1610	$ 1654
48"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4248LRSRS**	$ 1662	$ 1712	$ 1760
48"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4248RSRSR**	$ 1662	$ 1712	$ 1760
48"W (LH) – Top Left Corner Rounded	**GL4248LRSSS**	$ 1662	$ 1712	$ 1760
48"W (RH) – Top Right Corner Rounded	**GL4248RSRSS**	$ 1662	$ 1712	$ 1760
54"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4254LRSRS**	$ 1799	$ 1854	$ 1905
54"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4254RSRSR**	$ 1799	$ 1854	$ 1905
54"W (LH) – Top Left Corner Rounded	**GL4254LRSSS**	$ 1799	$ 1854	$ 1905
54"W (RH) – Top Right Corner Rounded	**GL4254RSRSS**	$ 1799	$ 1854	$ 1905

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 4 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:

Gallery Panels

Radius L – Gallery-to-Gallery Panels: 42½"H Application

For Gallery Panel connectors see page 567.

Description	Model	List Price L1	L2	L3
42½"H Radius L – Gallery-to-Gallery Panels				
60"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4260LRSRS**	**$ 1896**	**$ 1954**	**$ 2010**
60"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4260RSRSR**	**$ 1896**	**$ 1954**	**$ 2010**
60"W (LH) – Top Left Corner Rounded	**GL4260LRSSS**	**$ 1896**	**$ 1954**	**$ 2010**
60"W (RH) – Top Right Corner Rounded	**GL4260RSRSS**	**$ 1896**	**$ 1954**	**$ 2010**
66"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4266LRSRS**	**$ 1995**	**$ 2056**	**$ 2115**
66"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4266RSRSR**	**$ 1995**	**$ 2056**	**$ 2115**
66"W (LH) – Top Left Corner Rounded	**GL4266LRSSS**	**$ 1995**	**$ 2056**	**$ 2115**
66"W (RH) – Top Right Corner Rounded	**GL4266RSRSS**	**$ 1995**	**$ 2056**	**$ 2115**
72"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4272LRSRS**	**$ 2135**	**$ 2199**	**$ 2263**
72"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4272RSRSR**	**$ 2135**	**$ 2199**	**$ 2263**
72"W (LH) – Top Left Corner Rounded	**GL4272LRSSS**	**$ 2135**	**$ 2199**	**$ 2263**
72"W (RH) – Top Right Corner Rounded	**GL4272RSRSS**	**$ 2135**	**$ 2199**	**$ 2263**
78"W (LH) – Top Left & Bottom Left Corners Rounded	**GL4278LRSRS**	**$ 2326**	**$ 2396**	**$ 2466**
78"W (RH) – Top Right & Bottom Right Corners Rounded	**GL4278RSRSR**	**$ 2326**	**$ 2396**	**$ 2466**
78"W (LH) – Top Left Corner Rounded	**GL4278LRSSS**	**$ 2326**	**$ 2396**	**$ 2466**
78"W (RH) – Top Right Corner Rounded	**GL4278RSRSS**	**$ 2326**	**$ 2396**	**$ 2466**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 4 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**

Example:


Gallery Panels

Radius L – Gallery-to-Gallery Panels: 50"H Application


For Gallery Panel connectors see page 567.




Top Left and Bottom Left Corners Rounded (LRSRS models)



Top Right & Bottom Right Corners Rounded (RSRSR models)



Top Left Corner Rounded (LRSSS models)



Top Right Corner Rounded (RSRSS models)

Description	Model	List Price L1	L2	L3
50"H Radius L – Gallery-to-Gallery Panels				
18"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5018LRSRS**	$ 1205	$ 1240	$ 1275
18"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5018RSRSR**	$ 1205	$ 1240	$ 1275
18"W (LH) – Top Left Corner Rounded	**GL5018LRSSS**	$ 1205	$ 1240	$ 1275
18"W (RH) – Top Right Corner Rounded	**GL5018RSRSS**	$ 1205	$ 1240	$ 1275
21"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5021LRSRS**	$ 1233	$ 1269	$ 1304
21"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5021RSRSR**	$ 1233	$ 1269	$ 1304
21"W (LH) – Top Left Corner Rounded	**GL5021LRSSS**	$ 1233	$ 1269	$ 1304
21"W (RH) – Top Right Corner Rounded	**GL5021RSRSS**	$ 1233	$ 1269	$ 1304
24"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5024LRSRS**	$ 1280	$ 1318	$ 1356
24"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5024RSRSR**	$ 1280	$ 1318	$ 1356
24"W (LH) – Top Left Corner Rounded	**GL5024LRSSS**	$ 1280	$ 1318	$ 1356
24"W (RH) – Top Right Corner Rounded	**GL5024RSRSS**	$ 1280	$ 1318	$ 1356
27"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5027LRSRS**	$ 1333	$ 1374	$ 1411
27"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5027RSRSR**	$ 1333	$ 1374	$ 1411
27"W (LH) – Top Left Corner Rounded	**GL5027LRSSS**	$ 1333	$ 1374	$ 1411
27"W (RH) – Top Right Corner Rounded	**GL5027RSRSS**	$ 1333	$ 1374	$ 1411
30"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5030LRSRS**	$ 1455	$ 1500	$ 1542
30"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5030RSRSR**	$ 1455	$ 1500	$ 1542
30"W (LH) – Top Left Corner Rounded	**GL5030LRSSS**	$ 1455	$ 1500	$ 1542
30"W (RH) – Top Right Corner Rounded	**GL5030RSRSS**	$ 1455	$ 1500	$ 1542
36"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5036LRSRS**	$ 1581	$ 1629	$ 1674
36"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5036RSRSR**	$ 1581	$ 1629	$ 1674
36"W (LH) – Top Left Corner Rounded	**GL5036LRSSS**	$ 1581	$ 1629	$ 1674
36"W (RH) – Top Right Corner Rounded	**GL5036RSRSS**	$ 1581	$ 1629	$ 1674
42"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5042LRSRS**	$ 1695	$ 1746	$ 1795
42"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5042RSRSR**	$ 1695	$ 1746	$ 1795
42"W (LH) – Top Left Corner Rounded	**GL5042LRSSS**	$ 1695	$ 1746	$ 1795
42"W (RH) – Top Right Corner Rounded	**GL5042RSRSS**	$ 1695	$ 1746	$ 1795
48"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5048LRSRS**	$ 1841	$ 1898	$ 1952
48"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5048RSRSR**	$ 1841	$ 1898	$ 1952
48"W (LH) – Top Left Corner Rounded	**GL5048LRSSS**	$ 1841	$ 1898	$ 1952
48"W (RH) – Top Right Corner Rounded	**GL5048RSRSS**	$ 1841	$ 1898	$ 1952
54"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5054LRSRS**	$ 1950	$ 2010	$ 2067
54"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5054RSRSR**	$ 1950	$ 2010	$ 2067
54"W (LH) – Top Left Corner Rounded	**GL5054LRSSS**	$ 1950	$ 2010	$ 2067
54"W (RH) – Top Right Corner Rounded	**GL5054RSRSS**	$ 1950	$ 2010	$ 2067

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 5 0 _ _ _ _ _ _ _ .	_ _ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:

Gallery Panels

Radius L – Gallery-to-Gallery Panels: 50"H Application

For Gallery Panel connectors see page 567.

Description	Model	List Price L1	L2	L3
50"H Radius L – Gallery-to-Gallery Panels				
60"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5060LRSRS**	**$ 2047**	**$ 2109**	**$ 2169**
60"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5060RSRSR**	**$ 2047**	**$ 2109**	**$ 2169**
60"W (LH) – Top Left Corner Rounded	**GL5060LRSSS**	**$ 2047**	**$ 2109**	**$ 2169**
60"W (RH) – Top Right Corner Rounded	**GL5060RSRSS**	**$ 2047**	**$ 2109**	**$ 2169**
66"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5066LRSRS**	**$ 2137**	**$ 2201**	**$ 2265**
66"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5066RSRSR**	**$ 2137**	**$ 2201**	**$ 2265**
66"W (LH) – Top Left Corner Rounded	**GL5066LRSSS**	**$ 2137**	**$ 2201**	**$ 2265**
66"W (RH) – Top Right Corner Rounded	**GL5066RSRSS**	**$ 2137**	**$ 2201**	**$ 2265**
72"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5072LRSRS**	**$ 2247**	**$ 2314**	**$ 2382**
72"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5072RSRSR**	**$ 2247**	**$ 2314**	**$ 2382**
72"W (LH) – Top Left Corner Rounded	**GL5072LRSSS**	**$ 2247**	**$ 2314**	**$ 2382**
72"W (RH) – Top Right Corner Rounded	**GL5072RSRSS**	**$ 2247**	**$ 2314**	**$ 2382**
78"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5078LRSRS**	**$ 2590**	**$ 2670**	**$ 2746**
78"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5078RSRSR**	**$ 2590**	**$ 2670**	**$ 2746**
78"W (LH) – Top Left Corner Rounded	**GL5078LRSSS**	**$ 2590**	**$ 2670**	**$ 2746**
78"W (RH) – Top Right Corner Rounded	**GL5078RSRSS**	**$ 2590**	**$ 2670**	**$ 2746**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
GL50_____.	__.	____.	__.	**V**__.	**G**

Example:


Gallery Panels

Radius L – Gallery-to-Gallery Panels: 57½"H Application


For Gallery Panel connectors see page 567.




Top Left and Bottom Left Corners Rounded (LRSRS models)



Top Right & Bottom Right Corners Rounded (RSRSR models)



Top Left Corner Rounded (LRSSS models)



Top Right Corner Rounded (RSRSS models)

Description	Model	List Price L1	L2	L3
57½"H Radius L – Gallery-to-Gallery Panels				
18"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5718LRSRS**	$ 1408	$ 1452	$ 1492
18"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5718RSRSR**	$ 1408	$ 1452	$ 1492
18"W (LH) – Top Left Corner Rounded	**GL5718LRSSS**	$ 1408	$ 1452	$ 1492
18"W (RH) – Top Right Corner Rounded	**GL5718RSRSS**	$ 1408	$ 1452	$ 1492
21"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5721LRSRS**	$ 1433	$ 1477	$ 1518
21"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5721RSRSR**	$ 1433	$ 1477	$ 1518
21"W (LH) – Top Left Corner Rounded	**GL5721LRSSS**	$ 1433	$ 1477	$ 1518
21"W (RH) – Top Right Corner Rounded	**GL5721RSRSS**	$ 1433	$ 1477	$ 1518
24"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5724LRSRS**	$ 1481	$ 1526	$ 1569
24"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5724RSRSR**	$ 1481	$ 1526	$ 1569
24"W (LH) – Top Left Corner Rounded	**GL5724LRSSS**	$ 1481	$ 1526	$ 1569
24"W (RH) – Top Right Corner Rounded	**GL5724RSRSS**	$ 1481	$ 1526	$ 1569
27"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5727LRSRS**	$ 1534	$ 1581	$ 1625
27"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5727RSRSR**	$ 1534	$ 1581	$ 1625
27"W (LH) – Top Left Corner Rounded	**GL5727LRSSS**	$ 1534	$ 1581	$ 1625
27"W (RH) – Top Right Corner Rounded	**GL5727RSRSS**	$ 1534	$ 1581	$ 1625
30"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5730LRSRS**	$ 1655	$ 1705	$ 1753
30"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5730RSRSR**	$ 1655	$ 1705	$ 1753
30"W (LH) – Top Left Corner Rounded	**GL5730LRSSS**	$ 1655	$ 1705	$ 1753
30"W (RH) – Top Right Corner Rounded	**GL5730RSRSS**	$ 1655	$ 1705	$ 1753
36"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5736LRSRS**	$ 1781	$ 1835	$ 1885
36"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5736RSRSR**	$ 1781	$ 1835	$ 1885
36"W (LH) – Top Left Corner Rounded	**GL5736LRSSS**	$ 1781	$ 1835	$ 1885
36"W (RH) – Top Right Corner Rounded	**GL5736RSRSS**	$ 1781	$ 1835	$ 1885
42"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5742LRSRS**	$ 1895	$ 1953	$ 2009
42"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5742RSRSR**	$ 1895	$ 1953	$ 2009
42"W (LH) – Top Left Corner Rounded	**GL5742LRSSS**	$ 1895	$ 1953	$ 2009
42"W (RH) – Top Right Corner Rounded	**GL5742RSRSS**	$ 1895	$ 1953	$ 2009
48"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5748LRSRS**	$ 2041	$ 2103	$ 2163
48"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5748RSRSR**	$ 2041	$ 2103	$ 2163
48"W (LH) – Top Left Corner Rounded	**GL5748LRSSS**	$ 2041	$ 2103	$ 2163
48"W (RH) – Top Right Corner Rounded	**GL5748RSRSS**	$ 2041	$ 2103	$ 2163
54"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5754LRSRS**	$ 2154	$ 2219	$ 2283
54"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5754RSRSR**	$ 2154	$ 2219	$ 2283
54"W (LH) – Top Left Corner Rounded	**GL5754LRSSS**	$ 2154	$ 2219	$ 2283
54"W (RH) – Top Right Corner Rounded	**GL5754RSRSS**	$ 2154	$ 2219	$ 2283

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 5 7 _ _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:

Gallery Panels

Radius L – Gallery-to-Gallery Panels: 57½"H Application

For Gallery Panel connectors see page 567.

Description	Model	List Price L1	L2	L3
57½"H Radius L – Gallery-to-Gallery Panels				
60"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5760LRSRS**	**$ 2249**	**$ 2316**	**$ 2384**
60"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5760RSRSR**	**$ 2249**	**$ 2316**	**$ 2384**
60"W (LH) – Top Left Corner Rounded	**GL5760LRSSS**	**$ 2249**	**$ 2316**	**$ 2384**
60"W (RH) – Top Right Corner Rounded	**GL5760RSRSS**	**$ 2249**	**$ 2316**	**$ 2384**
66"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5766LRSRS**	**$ 2341**	**$ 2412**	**$ 2481**
66"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5766RSRSR**	**$ 2341**	**$ 2412**	**$ 2481**
66"W (LH) – Top Left Corner Rounded	**GL5766LRSSS**	**$ 2341**	**$ 2412**	**$ 2481**
66"W (RH) – Top Right Corner Rounded	**GL5766RSRSS**	**$ 2341**	**$ 2412**	**$ 2481**
72"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5772LRSRS**	**$ 2449**	**$ 2523**	**$ 2596**
72"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5772RSRSR**	**$ 2449**	**$ 2523**	**$ 2596**
72"W (LH) – Top Left Corner Rounded	**GL5772LRSSS**	**$ 2449**	**$ 2523**	**$ 2596**
72"W (RH) – Top Right Corner Rounded	**GL5772RSRSS**	**$ 2449**	**$ 2523**	**$ 2596**
78"W (LH) – Top Left & Bottom Left Corners Rounded	**GL5778LRSRS**	**$ 2790**	**$ 2876**	**$ 2959**
78"W (RH) – Top Right & Bottom Right Corners Rounded	**GL5778RSRSR**	**$ 2790**	**$ 2876**	**$ 2959**
78"W (LH) – Top Left Corner Rounded	**GL5778LRSSS**	**$ 2790**	**$ 2876**	**$ 2959**
78"W (RH) – Top Right Corner Rounded	**GL5778RSRSS**	**$ 2790**	**$ 2876**	**$ 2959**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 5 7 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: 30"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded (RRRR models)



Top Corners Rounded (RRSS models)

Description	Model	List Price L1	L2	L3
30"H Radius T – Gallery-to-Gallery Panels				
18"W – Top Corners Rounded	**GT3018RRSS**	$ 857	$ 878	$ 899
21"W – Top Corners Rounded	**GT3021RRSS**	$ 877	$ 899	$ 921
24"W – All Corners Rounded	**GT3024RRRR**	$ 917	$ 940	$ 963
24"W – Top Corners Rounded	**GT3024RRSS**	$ 917	$ 940	$ 963
27"W – All Corners Rounded	**GT3027RRRR**	$ 964	$ 988	$ 1012
27"W – Top Corners Rounded	**GT3027RRSS**	$ 964	$ 988	$ 1012
30"W – All Corners Rounded	**GT3030RRRR**	$ 1062	$ 1090	$ 1117
30"W – Top Corners Rounded	**GT3030RRSS**	$ 1062	$ 1090	$ 1117
36"W – All Corners Rounded	**GT3036RRRR**	$ 1153	$ 1184	$ 1213
36"W – Top Corners Rounded	**GT3036RRSS**	$ 1153	$ 1184	$ 1213
42"W – All Corners Rounded	**GT3042RRRR**	$ 1267	$ 1301	$ 1333
42"W – Top Corners Rounded	**GT3042RRSS**	$ 1267	$ 1301	$ 1333
48"W – All Corners Rounded	**GT3048RRRR**	$ 1418	$ 1458	$ 1495
48"W – Top Corners Rounded	**GT3048RRSS**	$ 1418	$ 1458	$ 1495
54"W – All Corners Rounded	**GT3054RRRR**	$ 1494	$ 1536	$ 1576
54"W – Top Corners Rounded	**GT3054RRSS**	$ 1494	$ 1536	$ 1576
60"W – All Corners Rounded	**GT3060RRRR**	$ 1615	$ 1661	$ 1704
60"W – Top Corners Rounded	**GT3060RRSS**	$ 1615	$ 1661	$ 1704
66"W – All Corners Rounded	**GT3066RRRR**	$ 1670	$ 1717	$ 1762
66"W – Top Corners Rounded	**GT3066RRSS**	$ 1670	$ 1717	$ 1762
72"W – All Corners Rounded	**GT3072RRRR**	$ 1819	$ 1870	$ 1920
72"W – Top Corners Rounded	**GT3072RRSS**	$ 1819	$ 1870	$ 1920
78"W – All Corners Rounded	**GT3078RRRR**	$ 2103	$ 2164	$ 2222
78"W – Top Corners Rounded	**GT3078RRSS**	$ 2103	$ 2164	$ 2222

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: 35"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded (RRRR models)



Top Corners Rounded (RRSS models)

Description	Model	List Price L1	L2	L3
35"H Radius T – Gallery-to-Gallery Panels				
18"W – Top Corners Rounded	**GT3518RRSS**	**$ 970**	**$ 994**	**$ 1019**
21"W – Top Corners Rounded	**GT3521RRSS**	**$ 994**	**$ 1019**	**$ 1044**
24"W – All Corners Rounded	**GT3524RRRR**	**$ 1041**	**$ 1067**	**$ 1093**
24"W – Top Corners Rounded	**GT3524RRSS**	**$ 1041**	**$ 1067**	**$ 1093**
27"W – All Corners Rounded	**GT3527RRRR**	**$ 1083**	**$ 1111**	**$ 1140**
27"W – Top Corners Rounded	**GT3527RRSS**	**$ 1083**	**$ 1111**	**$ 1140**
30"W – All Corners Rounded	**GT3530RRRR**	**$ 1211**	**$ 1244**	**$ 1274**
30"W – Top Corners Rounded	**GT3530RRSS**	**$ 1211**	**$ 1244**	**$ 1274**
36"W – All Corners Rounded	**GT3536RRRR**	**$ 1320**	**$ 1355**	**$ 1390**
36"W – Top Corners Rounded	**GT3536RRSS**	**$ 1320**	**$ 1355**	**$ 1390**
42"W – All Corners Rounded	**GT3542RRRR**	**$ 1405**	**$ 1445**	**$ 1481**
42"W – Top Corners Rounded	**GT3542RRSS**	**$ 1405**	**$ 1445**	**$ 1481**
48"W – All Corners Rounded	**GT3548RRRR**	**$ 1531**	**$ 1575**	**$ 1616**
48"W – Top Corners Rounded	**GT3548RRSS**	**$ 1531**	**$ 1575**	**$ 1616**
54"W – All Corners Rounded	**GT3554RRRR**	**$ 1625**	**$ 1671**	**$ 1715**
54"W – Top Corners Rounded	**GT3554RRSS**	**$ 1625**	**$ 1671**	**$ 1715**
60"W – All Corners Rounded	**GT3560RRRR**	**$ 1729**	**$ 1778**	**$ 1825**
60"W – Top Corners Rounded	**GT3560RRSS**	**$ 1729**	**$ 1778**	**$ 1825**
66"W – All Corners Rounded	**GT3566RRRR**	**$ 1807**	**$ 1858**	**$ 1907**
66"W – Top Corners Rounded	**GT3566RRSS**	**$ 1807**	**$ 1858**	**$ 1907**
72"W – All Corners Rounded	**GT3572RRRR**	**$ 1962**	**$ 2019**	**$ 2073**
72"W – Top Corners Rounded	**GT3572RRSS**	**$ 1962**	**$ 2019**	**$ 2073**
78"W – All Corners Rounded	**GT3578RRRR**	**$ 2194**	**$ 2257**	**$ 2319**
78"W – Top Corners Rounded	**GT3578RRSS**	**$ 2194**	**$ 2257**	**$ 2319**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: 42½"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
42½"H Radius T – Gallery-to-Gallery Panels				
18"W – Top Corners Rounded	**GT4218RRSS**	**$ 1057**	**$ 1085**	**$ 1111**
21"W – Top Corners Rounded	**GT4221RRSS**	**$ 1076**	**$ 1104**	**$ 1131**
24"W – All Corners Rounded	**GT4224RRRR**	**$ 1134**	**$ 1165**	**$ 1193**
24"W – Top Corners Rounded	**GT4224RRSS**	**$ 1134**	**$ 1165**	**$ 1193**
27"W – All Corners Rounded	**GT4227RRRR**	**$ 1183**	**$ 1215**	**$ 1245**
27"W – Top Corners Rounded	**GT4227RRSS**	**$ 1183**	**$ 1215**	**$ 1245**
30"W – All Corners Rounded	**GT4230RRRR**	**$ 1325**	**$ 1361**	**$ 1395**
30"W – Top Corners Rounded	**GT4230RRSS**	**$ 1325**	**$ 1361**	**$ 1395**
36"W – All Corners Rounded	**GT4236RRRR**	**$ 1446**	**$ 1487**	**$ 1524**
36"W – Top Corners Rounded	**GT4236RRSS**	**$ 1446**	**$ 1487**	**$ 1524**
42"W – All Corners Rounded	**GT4242RRRR**	**$ 1548**	**$ 1592**	**$ 1634**
42"W – Top Corners Rounded	**GT4242RRSS**	**$ 1548**	**$ 1592**	**$ 1634**
48"W – All Corners Rounded	**GT4248RRRR**	**$ 1651**	**$ 1698**	**$ 1742**
48"W – Top Corners Rounded	**GT4248RRSS**	**$ 1651**	**$ 1698**	**$ 1742**
54"W – All Corners Rounded	**GT4254RRRR**	**$ 1786**	**$ 1836**	**$ 1885**
54"W – Top Corners Rounded	**GT4254RRSS**	**$ 1786**	**$ 1836**	**$ 1885**
60"W – All Corners Rounded	**GT4260RRRR**	**$ 1883**	**$ 1937**	**$ 1987**
60"W – Top Corners Rounded	**GT4260RRSS**	**$ 1883**	**$ 1937**	**$ 1987**
66"W – All Corners Rounded	**GT4266RRRR**	**$ 1982**	**$ 2040**	**$ 2094**
66"W – Top Corners Rounded	**GT4266RRSS**	**$ 1982**	**$ 2040**	**$ 2094**
72"W – All Corners Rounded	**GT4272RRRR**	**$ 2121**	**$ 2182**	**$ 2241**
72"W – Top Corners Rounded	**GT4272RRSS**	**$ 2121**	**$ 2182**	**$ 2241**
78"W – All Corners Rounded	**GT4278RRRR**	**$ 2312**	**$ 2378**	**$ 2444**
78"W – Top Corners Rounded	**GT4278RRSS**	**$ 2312**	**$ 2378**	**$ 2444**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 4 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: 50"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded (RRRR models)



Top Corners Rounded (RRSS models)

Description	Model	List Price L1	L2	L3
50"H Radius T – Gallery-to-Gallery Panels				
18"W – Top Corners Rounded	**GT5018RRSS**	**$ 1192**	**$ 1224**	**$ 1254**
21"W – Top Corners Rounded	**GT5021RRSS**	**$ 1221**	**$ 1254**	**$ 1285**
24"W – All Corners Rounded	**GT5024RRRR**	**$ 1267**	**$ 1301**	**$ 1333**
24"W – Top Corners Rounded	**GT5024RRSS**	**$ 1267**	**$ 1301**	**$ 1333**
27"W – All Corners Rounded	**GT5027RRRR**	**$ 1317**	**$ 1352**	**$ 1387**
27"W – Top Corners Rounded	**GT5027RRSS**	**$ 1317**	**$ 1352**	**$ 1387**
30"W – All Corners Rounded	**GT5030RRRR**	**$ 1438**	**$ 1479**	**$ 1516**
30"W – Top Corners Rounded	**GT5030RRSS**	**$ 1438**	**$ 1479**	**$ 1516**
36"W – All Corners Rounded	**GT5036RRRR**	**$ 1566**	**$ 1611**	**$ 1653**
36"W – Top Corners Rounded	**GT5036RRSS**	**$ 1566**	**$ 1611**	**$ 1653**
42"W – All Corners Rounded	**GT5042RRRR**	**$ 1681**	**$ 1729**	**$ 1773**
42"W – Top Corners Rounded	**GT5042RRSS**	**$ 1681**	**$ 1729**	**$ 1773**
48"W – All Corners Rounded	**GT5048RRRR**	**$ 1823**	**$ 1875**	**$ 1924**
48"W – Top Corners Rounded	**GT5048RRSS**	**$ 1823**	**$ 1875**	**$ 1924**
54"W – All Corners Rounded	**GT5054RRRR**	**$ 1937**	**$ 1992**	**$ 2047**
54"W – Top Corners Rounded	**GT5054RRSS**	**$ 1937**	**$ 1992**	**$ 2047**
60"W – All Corners Rounded	**GT5060RRRR**	**$ 2034**	**$ 2093**	**$ 2150**
60"W – Top Corners Rounded	**GT5060RRSS**	**$ 2034**	**$ 2093**	**$ 2150**
66"W – All Corners Rounded	**GT5066RRRR**	**$ 2126**	**$ 2187**	**$ 2246**
66"W – Top Corners Rounded	**GT5066RRSS**	**$ 2126**	**$ 2187**	**$ 2246**
72"W – All Corners Rounded	**GT5072RRRR**	**$ 2232**	**$ 2296**	**$ 2359**
72"W – Top Corners Rounded	**GT5072RRSS**	**$ 2232**	**$ 2296**	**$ 2359**
78"W – All Corners Rounded	**GT5078RRRR**	**$ 2574**	**$ 2650**	**$ 2722**
78"W – Top Corners Rounded	**GT5078RRSS**	**$ 2574**	**$ 2650**	**$ 2722**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 5 0 _ _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	**V** _ _ .	**G**

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: 57½"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
57½"H Radius T – Gallery-to-Gallery Panels				
18"W – Top Corners Rounded	**GT5718RRSS**	**$ 1391**	**$ 1429**	**$ 1467**
21"W – Top Corners Rounded	**GT5721RRSS**	**$ 1421**	**$ 1461**	**$ 1498**
24"W – All Corners Rounded	**GT5724RRRR**	**$ 1467**	**$ 1508**	**$ 1547**
24"W – Top Corners Rounded	**GT5724RRSS**	**$ 1467**	**$ 1508**	**$ 1547**
27"W – All Corners Rounded	**GT5727RRRR**	**$ 1520**	**$ 1564**	**$ 1604**
27"W – Top Corners Rounded	**GT5727RRSS**	**$ 1520**	**$ 1564**	**$ 1604**
30"W – All Corners Rounded	**GT5730RRRR**	**$ 1642**	**$ 1689**	**$ 1732**
30"W – Top Corners Rounded	**GT5730RRSS**	**$ 1642**	**$ 1689**	**$ 1732**
36"W – All Corners Rounded	**GT5736RRRR**	**$ 1766**	**$ 1816**	**$ 1864**
36"W – Top Corners Rounded	**GT5736RRSS**	**$ 1766**	**$ 1816**	**$ 1864**
42"W – All Corners Rounded	**GT5742RRRR**	**$ 1882**	**$ 1936**	**$ 1986**
42"W – Top Corners Rounded	**GT5742RRSS**	**$ 1882**	**$ 1936**	**$ 1986**
48"W – All Corners Rounded	**GT5748RRRR**	**$ 2028**	**$ 2087**	**$ 2143**
48"W – Top Corners Rounded	**GT5748RRSS**	**$ 2028**	**$ 2087**	**$ 2143**
54"W – All Corners Rounded	**GT5754RRRR**	**$ 2136**	**$ 2198**	**$ 2257**
54"W – Top Corners Rounded	**GT5754RRSS**	**$ 2136**	**$ 2198**	**$ 2257**
60"W – All Corners Rounded	**GT5760RRRR**	**$ 2233**	**$ 2297**	**$ 2360**
60"W – Top Corners Rounded	**GT5760RRSS**	**$ 2233**	**$ 2297**	**$ 2360**
66"W – All Corners Rounded	**GT5766RRRR**	**$ 2326**	**$ 2392**	**$ 2459**
66"W – Top Corners Rounded	**GT5766RRSS**	**$ 2326**	**$ 2392**	**$ 2459**
72"W – All Corners Rounded	**GT5772RRRR**	**$ 2433**	**$ 2503**	**$ 2572**
72"W – Top Corners Rounded	**GT5772RRSS**	**$ 2433**	**$ 2503**	**$ 2572**
78"W – All Corners Rounded	**GT5778RRRR**	**$ 2777**	**$ 2859**	**$ 2938**
78"W – Top Corners Rounded	**GT5778RRSS**	**$ 2777**	**$ 2859**	**$ 2938**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G L 5 7 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: Non-Symmetrical

For Gallery Panel connectors see page 567.




All Corners Rounded (RRRR models)




Top Corners Rounded (RRSS models)

Description	Model	List Price L1	L2	L3
30"H Radius T – Gallery-to-Gallery Panels – Non-Symmetrical				
30"H x 42"W x 18"L x 24"R – All Corners Rounded	**GT301824RRRR**	$ 1267	$ 1301	$ 1333
30"H x 42"W x 18"L x 24"R – Top Corners Rounded	**GT301824RRSS**	$ 1267	$ 1301	$ 1333
30"H x 42"W x 24"L x 18"R – All Corners Rounded	**GT302418RRRR**	$ 1267	$ 1301	$ 1333
30"H x 42"W x 24"L x 18"R – Top Corners Rounded	**GT302418RRSS**	$ 1267	$ 1301	$ 1333
30"H x 48"W x 18"L x 30"R – All Corners Rounded	**GT301830RRRR**	$ 1418	$ 1458	$ 1495
30"H x 48"W x 18"L x 30"R – Top Corners Rounded	**GT301830RRSS**	$ 1418	$ 1458	$ 1495
30"H x 48"W x 30"L x 18"R – All Corners Rounded	**GT303018RRRR**	$ 1418	$ 1458	$ 1495
30"H x 48"W x 30"L x 18"R – Top Corners Rounded	**GT303018RRSS**	$ 1418	$ 1458	$ 1495
30"H x 54"W x 24"L x 30"R – All Corners Rounded	**GT302430RRRR**	$ 1494	$ 1536	$ 1576
30"H x 54"W x 24"L x 30"R – Top Corners Rounded	**GT302430RRSS**	$ 1494	$ 1536	$ 1576
30"H x 54"W x 30"L x 24"R – All Corners Rounded	**GT303024RRRR**	$ 1494	$ 1536	$ 1576
30"H x 54"W x 30"L x 24"R – Top Corners Rounded	**GT303024RRSS**	$ 1494	$ 1536	$ 1576




All Corners Rounded (RRRR models)




Top Corners Rounded (RRSS models)

35"H Radius T – Gallery-to-Gallery Panels – Non-Symmetrical				
35"H x 42"W x 18"L x 24"R – All Corners Rounded	**GT351824RRRR**	$ 1405	$ 1445	$ 1481
35"H x 42"W x 18"L x 24"R – Top Corners Rounded	**GT351824RRSS**	$ 1405	$ 1445	$ 1481
35"H x 42"W x 24"L x 18"R – All Corners Rounded	**GT352418RRRR**	$ 1405	$ 1445	$ 1481
35"H x 42"W x 24"L x 18"R – Top Corners Rounded	**GT352418RRSS**	$ 1405	$ 1445	$ 1481
35"H x 48"W x 18"L x 30"R – All Corners Rounded	**GT351830RRRR**	$ 1531	$ 1575	$ 1616
35"H x 48"W x 18"L x 30"R – Top Corners Rounded	**GT351830RRSS**	$ 1531	$ 1575	$ 1616
35"H x 48"W x 30"L x 18"R – All Corners Rounded	**GT353018RRRR**	$ 1531	$ 1575	$ 1616
35"H x 48"W x 30"L x 18"R – Top Corners Rounded	**GT353018RRSS**	$ 1531	$ 1575	$ 1616
35"H x 54"W x 24"L x 30"R – All Corners Rounded	**GT352430RRRR**	$ 1625	$ 1671	$ 1715
35"H x 54"W x 24"L x 30"R – Top Corners Rounded	**GT352430RRSS**	$ 1625	$ 1671	$ 1715
35"H x 54"W x 30"L x 24"R – All Corners Rounded	**GT353024RRRR**	$ 1625	$ 1671	$ 1715
35"H x 54"W x 30"L x 24"R – Top Corners Rounded	**GT353024RRSS**	$ 1625	$ 1671	$ 1715



All Corners Rounded (RRRR models)



Top Corners Rounded (RRSS models)

42½"H Radius T – Gallery-to-Gallery Panels – Non-Symmetrical				
42½"H x 42"W x 18"L x 24"R – All Corners Rounded	**GT421824RRRR**	$ 1548	$ 1592	$ 1634
42½"H x 42"W x 18"L x 24"R – Top Corners Rounded	**GT421824RRSS**	$ 1548	$ 1592	$ 1634
42½"H x 42"W x 24"L x 18"R – All Corners Rounded	**GT422418RRRR**	$ 1548	$ 1592	$ 1634
42½"H x 42"W x 24"L x 18"R – Top Corners Rounded	**GT422418RRSS**	$ 1548	$ 1592	$ 1634
42½"H x 48"W x 18"L x 30"R – All Corners Rounded	**GT421830RRRR**	$ 1651	$ 1698	$ 1742
42½"H x 48"W x 18"L x 30"R – Top Corners Rounded	**GT421830RRSS**	$ 1651	$ 1698	$ 1742
42½"H x 48"W x 30"L x 18"R – All Corners Rounded	**GT423018RRRR**	$ 1651	$ 1698	$ 1742
42½"H x 48"W x 30"L x 18"R – Top Corners Rounded	**GT423018RRSS**	$ 1651	$ 1698	$ 1742
42½"H x 54"W x 24"L x 30"R – All Corners Rounded	**GT422430RRRR**	$ 1786	$ 1836	$ 1885
42½"H x 54"W x 24"L x 30"R – Top Corners Rounded	**GT422430RRSS**	$ 1786	$ 1836	$ 1885
42½"H x 54"W x 30"L x 24"R – All Corners Rounded	**GT423024RRRR**	$ 1786	$ 1836	$ 1885
42½"H x 54"W x 30"L x 24"R – Top Corners Rounded	**GT423024RRSS**	$ 1786	$ 1836	$ 1885

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G T . .	.	.	.	**V** .	**G**

Example:


Gallery Panels

Radius T – Gallery-to-Gallery Panels: Non-Symmetrical

For Gallery Panel connectors see page 567.




All Corners Rounded
(RRRR models)




Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
50"H Radius T – Gallery-to-Gallery Panels – Non-Symmetrical				
50"H x 42"W x 18"L x 24"R – All Corners Rounded	**GT501824RRRR**	**$ 1681**	**$ 1729**	**$ 1773**
50"H x 42"W x 18"L x 24"R – Top Corners Rounded	**GT501824RRSS**	**$ 1681**	**$ 1729**	**$ 1773**
50"H x 42"W x 24"L x 18"R – All Corners Rounded	**GT502418RRRR**	**$ 1681**	**$ 1729**	**$ 1773**
50"H x 42"W x 24"L x 18"R – Top Corners Rounded	**GT502418RRSS**	**$ 1681**	**$ 1729**	**$ 1773**
50"H x 48"W x 18"L x 30"R – All Corners Rounded	**GT501830RRRR**	**$ 1823**	**$ 1875**	**$ 1924**
50"H x 48"W x 18"L x 30"R – Top Corners Rounded	**GT501830RRSS**	**$ 1823**	**$ 1875**	**$ 1924**
50"H x 48"W x 30"L x 18"R – All Corners Rounded	**GT503018RRRR**	**$ 1823**	**$ 1875**	**$ 1924**
50"H x 48"W x 30"L x 18"R – Top Corners Rounded	**GT503018RRSS**	**$ 1823**	**$ 1875**	**$ 1924**
50"H x 54"W x 24"L x 30"R – All Corners Rounded	**GT502430RRRR**	**$ 1937**	**$ 1992**	**$ 2047**
50"H x 54"W x 24"L x 30"R – Top Corners Rounded	**GT502430RRSS**	**$ 1937**	**$ 1992**	**$ 2047**
50"H x 54"W x 30"L x 24"R – All Corners Rounded	**GT503024RRRR**	**$ 1937**	**$ 1992**	**$ 2047**
50"H x 54"W x 30"L x 24"R – Top Corners Rounded	**GT503024RRSS**	**$ 1937**	**$ 1992**	**$ 2047**



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

57½"H Radius T – Gallery-to-Gallery Panels – Non-Symmetrical				
57½"H x 42"W x 18"L x 24"R – All Corners Rounded	**GT571824RRRR**	**$ 1882**	**$ 1936**	**$ 1986**
57½"H x 42"W x 18"L x 24"R – Top Corners Rounded	**GT571824RRSS**	**$ 1882**	**$ 1936**	**$ 1986**
57½"H x 42"W x 24"L x 18"R – All Corners Rounded	**GT572418RRRR**	**$ 1882**	**$ 1936**	**$ 1986**
57½"H x 42"W x 24"L x 18"R – Top Corners Rounded	**GT572418RRSS**	**$ 1882**	**$ 1936**	**$ 1986**
57½"H x 48"W x 18"L x 30"R – All Corners Rounded	**GT571830RRRR**	**$ 2028**	**$ 2087**	**$ 2143**
57½"H x 48"W x 18"L x 30"R – Top Corners Rounded	**GT571830RRSS**	**$ 2028**	**$ 2087**	**$ 2143**
57½"H x 48"W x 30"L x 18"R – All Corners Rounded	**GT573018RRRR**	**$ 2028**	**$ 2087**	**$ 2143**
57½"H x 48"W x 30"L x 18"R – Top Corners Rounded	**GT573018RRSS**	**$ 2028**	**$ 2087**	**$ 2143**
57½"H x 54"W x 24"L x 30"R – All Corners Rounded	**GT572430RRRR**	**$ 2136**	**$ 2198**	**$ 2257**
57½"H x 54"W x 24"L x 30"R – Top Corners Rounded	**GT572430RRSS**	**$ 2136**	**$ 2198**	**$ 2257**
57½"H x 54"W x 30"L x 24"R – All Corners Rounded	**GT573024RRRR**	**$ 2136**	**$ 2198**	**$ 2257**
57½"H x 54"W x 30"L x 24"R – Top Corners Rounded	**GT573024RRSS**	**$ 2136**	**$ 2198**	**$ 2257**

Note: Radius Gallery-to-Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G T .	.	.	.	V .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 22"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
22"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners Rounded)	**GS2281RRRR**	$ 1631	$ 1693	$ 1755
81"W (Top Corners Rounded)	**GS2281RRSS**	$ 1631	$ 1693	$ 1755
87"W (All Corners Rounded)	**GS2287RRRR**	$ 1979	$ 2055	$ 2127
87"W (Top Corners Rounded)	**GS2287RRSS**	$ 1979	$ 2055	$ 2127
93"W (All Corners Rounded)	**GS2293RRRR**	$ 2039	$ 2117	$ 2192
93"W (Top Corners Rounded)	**GS2293RRSS**	$ 2039	$ 2117	$ 2192
99"W (All Corners Rounded)	**GS2299RRRR**	$ 2067	$ 2145	$ 2222
99"W (Top Corners Rounded)	**GS2299RRSS**	$ 2067	$ 2145	$ 2222
105"W (All Corners Rounded)	**GS22105RRRR**	$ 2107	$ 2188	$ 2265
105"W (Top Corners Rounded)	**GS22105RRSS**	$ 2107	$ 2188	$ 2265
111"W (All Corners Rounded)	**GS22111RRRR**	$ 2213	$ 2298	$ 2379
111"W (Top Corners Rounded)	**GS22111RRSS**	$ 2213	$ 2298	$ 2379
117"W (All Corners Rounded)	**GS22117RRRR**	$ 2271	$ 2358	$ 2440
117"W (Top Corners Rounded)	**GS22117RRSS**	$ 2271	$ 2358	$ 2440
123"W (All Corners Rounded)	**GS22123RRRR**	$ 2287	$ 2374	$ 2457
123"W (Top Corners Rounded)	**GS22123RRSS**	$ 2287	$ 2374	$ 2457
129"W (All Corners Rounded)	**GS22129RRRR**	$ 2344	$ 2433	$ 2518
129"W (Top Corners Rounded)	**GS22129RRSS**	$ 2344	$ 2433	$ 2518
135"W (All Corners Rounded)	**GS22135RRRR**	$ 2443	$ 2535	$ 2625
135"W (Top Corners Rounded)	**GS22135RRSS**	$ 2443	$ 2535	$ 2625
141"W (All Corners Rounded)	**GS22141RRRR**	$ 2554	$ 2650	$ 2745
141"W (Top Corners Rounded)	**GS22141RRSS**	$ 2554	$ 2650	$ 2745
147"W (All Corners Rounded)	**GS22147RRRR**	$ 2681	$ 2781	$ 2880
147"W (Top Corners Rounded)	**GS22147RRSS**	$ 2681	$ 2781	$ 2880

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G S 2 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 30"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
30"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners Rounded)	**GS3081RRRR**	$ 1819	$ 1880	$ 1940
81"W (Top Corners Rounded)	**GS3081RRSS**	$ 1819	$ 1880	$ 1940
87"W (All Corners Rounded)	**GS3087RRRR**	$ 2202	$ 2272	$ 2340
87"W (Top Corners Rounded)	**GS3087RRSS**	$ 2202	$ 2272	$ 2340
93"W (All Corners Rounded)	**GS3093RRRR**	$ 2271	$ 2342	$ 2413
93"W (Top Corners Rounded)	**GS3093RRSS**	$ 2271	$ 2342	$ 2413
99"W (All Corners Rounded)	**GS3099RRRR**	$ 2300	$ 2373	$ 2443
99"W (Top Corners Rounded)	**GS3099RRSS**	$ 2300	$ 2373	$ 2443
105"W (All Corners Rounded)	**GS30105RRRR**	$ 2343	$ 2417	$ 2489
105"W (Top Corners Rounded)	**GS30105RRSS**	$ 2343	$ 2417	$ 2489
111"W (All Corners Rounded)	**GS30111RRRR**	$ 2458	$ 2536	$ 2612
111"W (Top Corners Rounded)	**GS30111RRSS**	$ 2458	$ 2536	$ 2612
117"W (All Corners Rounded)	**GS30117RRRR**	$ 2524	$ 2605	$ 2683
117"W (Top Corners Rounded)	**GS30117RRSS**	$ 2524	$ 2605	$ 2683
123"W (All Corners Rounded)	**GS30123RRRR**	$ 2546	$ 2627	$ 2706
123"W (Top Corners Rounded)	**GS30123RRSS**	$ 2546	$ 2627	$ 2706
129"W (All Corners Rounded)	**GS30129RRRR**	$ 2606	$ 2690	$ 2770
129"W (Top Corners Rounded)	**GS30129RRSS**	$ 2606	$ 2690	$ 2770
135"W (All Corners Rounded)	**GS30135RRRR**	$ 2716	$ 2803	$ 2885
135"W (Top Corners Rounded)	**GS30135RRSS**	$ 2716	$ 2803	$ 2885
141"W (All Corners Rounded)	**GS30141RRRR**	$ 2842	$ 2932	$ 3019
141"W (Top Corners Rounded)	**GS30141RRSS**	$ 2842	$ 2932	$ 3019
147"W (All Corners Rounded)	**GS30147RRRR**	$ 2981	$ 3074	$ 3168
147"W (Top Corners Rounded)	**GS30147RRSS**	$ 2981	$ 3074	$ 3168

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G S 3 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 35"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
35"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners Rounded)	**GS3581RRRR**	$ 2024	$ 2091	$ 2158
81"W (Top Corners Rounded)	**GS3581RRSS**	$ 2024	$ 2091	$ 2158
87"W (All Corners Rounded)	**GS3587RRRR**	$ 2384	$ 2462	$ 2537
87"W (Top Corners Rounded)	**GS3587RRSS**	$ 2384	$ 2462	$ 2537
93"W (All Corners Rounded)	**GS3593RRRR**	$ 2472	$ 2553	$ 2631
93"W (Top Corners Rounded)	**GS3593RRSS**	$ 2472	$ 2553	$ 2631
99"W (All Corners Rounded)	**GS3599RRRR**	$ 2574	$ 2659	$ 2739
99"W (Top Corners Rounded)	**GS3599RRSS**	$ 2574	$ 2659	$ 2739
105"W (All Corners Rounded)	**GS35105RRRR**	$ 2607	$ 2693	$ 2774
105"W (Top Corners Rounded)	**GS35105RRSS**	$ 2607	$ 2693	$ 2774
111"W (All Corners Rounded)	**GS35111RRRR**	$ 2702	$ 2790	$ 2873
111"W (Top Corners Rounded)	**GS35111RRSS**	$ 2702	$ 2790	$ 2873
117"W (All Corners Rounded)	**GS35117RRRR**	$ 2786	$ 2876	$ 2963
117"W (Top Corners Rounded)	**GS35117RRSS**	$ 2786	$ 2876	$ 2963
123"W (All Corners Rounded)	**GS35123RRRR**	$ 2859	$ 2951	$ 3041
123"W (Top Corners Rounded)	**GS35123RRSS**	$ 2859	$ 2951	$ 3041
129"W (All Corners Rounded)	**GS35129RRRR**	$ 2896	$ 2989	$ 3081
129"W (Top Corners Rounded)	**GS35129RRSS**	$ 2896	$ 2989	$ 3081
135"W (All Corners Rounded)	**GS35135RRRR**	$ 3028	$ 3125	$ 3221
135"W (Top Corners Rounded)	**GS35135RRSS**	$ 3028	$ 3125	$ 3221
141"W (All Corners Rounded)	**GS35141RRRR**	$ 3146	$ 3247	$ 3346
141"W (Top Corners Rounded)	**GS35141RRSS**	$ 3146	$ 3247	$ 3346
147"W (All Corners Rounded)	**GS35147RRRR**	$ 3230	$ 3333	$ 3435
147"W (Top Corners Rounded)	**GS35147RRSS**	$ 3230	$ 3333	$ 3435

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G S 3 5 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ .	V _ .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 42½"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
42½"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners Rounded)	**GS4281RRRR**	$ 2183	$ 2256	$ 2326
81"W (Top Corners Rounded)	**GS4281RRSS**	$ 2183	$ 2256	$ 2326
87"W (All Corners Rounded)	**GS4287RRRR**	$ 2531	$ 2612	$ 2690
87"W (Top Corners Rounded)	**GS4287RRSS**	$ 2531	$ 2612	$ 2690
93"W (All Corners Rounded)	**GS4293RRRR**	$ 2579	$ 2661	$ 2740
93"W (Top Corners Rounded)	**GS4293RRSS**	$ 2579	$ 2661	$ 2740
99"W (All Corners Rounded)	**GS4299RRRR**	$ 2696	$ 2782	$ 2864
99"W (Top Corners Rounded)	**GS4299RRSS**	$ 2696	$ 2782	$ 2864
105"W (All Corners Rounded)	**GS42105RRRR**	$ 2737	$ 2824	$ 2907
105"W (Top Corners Rounded)	**GS42105RRSS**	$ 2737	$ 2824	$ 2907
111"W (All Corners Rounded)	**GS42111RRRR**	$ 2806	$ 2895	$ 2980
111"W (Top Corners Rounded)	**GS42111RRSS**	$ 2806	$ 2895	$ 2980
117"W (All Corners Rounded)	**GS42117RRRR**	$ 2874	$ 2965	$ 3052
117"W (Top Corners Rounded)	**GS42117RRSS**	$ 2874	$ 2965	$ 3052
123"W (All Corners Rounded)	**GS42123RRRR**	$ 2946	$ 3038	$ 3130
123"W (Top Corners Rounded)	**GS42123RRSS**	$ 2946	$ 3038	$ 3130
129"W (All Corners Rounded)	**GS42129RRRR**	$ 3053	$ 3149	$ 3244
129"W (Top Corners Rounded)	**GS42129RRSS**	$ 3053	$ 3149	$ 3244
135"W (All Corners Rounded)	**GS42135RRRR**	$ 3179	$ 3278	$ 3377
135"W (Top Corners Rounded)	**GS42135RRSS**	$ 3179	$ 3278	$ 3377
141"W (All Corners Rounded)	**GS42141RRRR**	$ 3298	$ 3400	$ 3503
141"W (Top Corners Rounded)	**GS42141RRSS**	$ 3298	$ 3400	$ 3503
147"W (All Corners Rounded)	**GS42147RRRR**	$ 3368	$ 3472	$ 3576
147"W (Top Corners Rounded)	**GS42147RRSS**	$ 3368	$ 3472	$ 3576

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:** **F** FSC Wood **X** Non-FSC Wood	*2nd Option:* **Laminate:** See page 528 for finishes.	*3rd Option:* **Edge:** See page 528 for finishes.	*4th Option:* **Grain:** **VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	*5th Option:* **Glide** *(if applicable)*:
G S 4 2 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 50"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
50"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners)	**GS5081RRRR**	$ 2391	$ 2472	$ 2550
81"W (Top Corners)	**GS5081RRSS**	$ 2391	$ 2472	$ 2550
87"W (All Corners Rounded)	**GS5087RRRR**	$ 2746	$ 2833	$ 2917
87"W (Top Corners Rounded)	**GS5087RRSS**	$ 2746	$ 2833	$ 2917
93"W (All Corners Rounded)	**GS5093RRRR**	$ 2891	$ 2982	$ 3071
93"W (Top Corners Rounded)	**GS5093RRSS**	$ 2891	$ 2982	$ 3071
99"W (All Corners Rounded)	**GS5099RRRR**	$ 2952	$ 3045	$ 3136
99"W (Top Corners Rounded)	**GS5099RRSS**	$ 2952	$ 3045	$ 3136
105"W (All Corners Rounded)	**GS50105RRRR**	$ 3058	$ 3154	$ 3250
105"W (Top Corners Rounded)	**GS50105RRSS**	$ 3058	$ 3154	$ 3250
111"W (All Corners Rounded)	**GS50111RRRR**	$ 3100	$ 3197	$ 3294
111"W (Top Corners Rounded)	**GS50111RRSS**	$ 3100	$ 3197	$ 3294
117"W (All Corners Rounded)	**GS50117RRRR**	$ 3133	$ 3231	$ 3328
117"W (Top Corners Rounded)	**GS50117RRSS**	$ 3133	$ 3231	$ 3328
123"W (All Corners Rounded)	**GS50123RRRR**	$ 3165	$ 3264	$ 3362
123"W (Top Corners Rounded)	**GS50123RRSS**	$ 3165	$ 3264	$ 3362
129"W (All Corners Rounded)	**GS50129RRRR**	$ 3251	$ 3352	$ 3452
129"W (Top Corners Rounded)	**GS50129RRSS**	$ 3251	$ 3352	$ 3452
135"W (All Corners Rounded)	**GS50135RRRR**	$ 3312	$ 3415	$ 3518
135"W (Top Corners Rounded)	**GS50135RRSS**	$ 3312	$ 3415	$ 3518
141"W (All Corners Rounded)	**GS50141RRRR**	$ 3368	$ 3472	$ 3576
141"W (Top Corners Rounded)	**GS50141RRSS**	$ 3368	$ 3472	$ 3576
147"W (All Corners Rounded)	**GS50147RRRR**	$ 3489	$ 3599	$ 3707
147"W (Top Corners Rounded)	**GS50147RRSS**	$ 3489	$ 3599	$ 3707

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.

Note: Radius Gallery Panels cannot be used on mid-run Fit applications.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G S 5 0 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ .	V _ .	G

Example:


Gallery Panels

Radius Split Gallery-to-Split: 57½"H Application

For Gallery Panel connectors see page 567.



All Corners Rounded
(RRRR models)



Top Corners Rounded
(RRSS models)

Description	Model	List Price L1	L2	L3
57½"H Radius Split Gallery-to-Split Gallery Panels				
81"W (All Corners Rounded)	**GS5781RRRR**	$ 2581	$ 2668	$ 2751
81"W (Top Corners Rounded)	**GS5781RRSS**	$ 2581	$ 2668	$ 2751
87"W (All Corners Rounded)	**GS5787RRRR**	$ 2951	$ 3044	$ 3135
87"W (Top Corners Rounded)	**GS5787RRSS**	$ 2951	$ 3044	$ 3135
93"W (All Corners Rounded)	**GS5793RRRR**	$ 3093	$ 3190	$ 3286
93"W (Top Corners Rounded)	**GS5793RRSS**	$ 3093	$ 3190	$ 3286
99"W (All Corners Rounded)	**GS5799RRRR**	$ 3149	$ 3248	$ 3345
99"W (Top Corners Rounded)	**GS5799RRSS**	$ 3149	$ 3248	$ 3345
105"W (All Corners Rounded)	**GS57105RRRR**	$ 3260	$ 3361	$ 3463
105"W (Top Corners Rounded)	**GS57105RRSS**	$ 3260	$ 3361	$ 3463
111"W (All Corners Rounded)	**GS57111RRRR**	$ 3303	$ 3406	$ 3508
111"W (Top Corners Rounded)	**GS57111RRSS**	$ 3303	$ 3406	$ 3508
117"W (All Corners Rounded)	**GS57117RRRR**	$ 3334	$ 3437	$ 3541
117"W (Top Corners Rounded)	**GS57117RRSS**	$ 3334	$ 3437	$ 3541
123"W (All Corners Rounded)	**GS57123RRRR**	$ 3368	$ 3472	$ 3576
123"W (Top Corners Rounded)	**GS57123RRSS**	$ 3368	$ 3472	$ 3576
129"W (All Corners Rounded)	**GS57129RRRR**	$ 3451	$ 3558	$ 3665
129"W (Top Corners Rounded)	**GS57129RRSS**	$ 3451	$ 3558	$ 3665
135"W (All Corners Rounded)	**GS57135RRRR**	$ 3514	$ 3625	$ 3733
135"W (Top Corners Rounded)	**GS57135RRSS**	$ 3514	$ 3625	$ 3733
141"W (All Corners Rounded)	**GS57141RRRR**	$ 3568	$ 3680	$ 3790
141"W (Top Corners Rounded)	**GS57141RRSS**	$ 3568	$ 3680	$ 3790
147"W (All Corners Rounded)	**GS57147RRRR**	$ 3690	$ 3806	$ 3920
147"W (Top Corners Rounded)	**GS57147RRSS**	$ 3690	$ 3806	$ 3920

Note: Radius Split Gallery Panels can be used for both Left and Right hand applications.

Note: The radius corners are a 3" Radius.

Note: When specifying radius corners adjacent to storage or worksurfaces, it is recommended to use gallery panels that are 3" longer than original depth to help conceal any exposed corners that may otherwise be visible.


Note: Radius Gallery Panels cannot be used on mid-run Fit applications.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain:**	*5th Option:* **Glide** *(if applicable)*:
	F FSC Wood **X** Non-FSC Wood	See page 528 for finishes.	See page 528 for finishes.	**VLG** Horizontal grain or Solid only. **VST** Vertical Grain (available only for single panels 60"W or less, and for split panels between 87"W and 117"W.	
G S 5 7 _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	G

Example:


Gallery Panel Connectors

Optimize™ Connector Kits



P3CONGE

P3CONGEG


Description	Model	List Price P1	P2	P3
Optimize Connector Kit				
End Panel Connector Kit for Optimize System	**P3CONGE**	$ 176	$ 186	$ 193
Glass End Panel connector kit for Optimize System	**P3CONGEG**	$ 356	$ 373	$ 388




Optimize Single-Sided Mid-Connector				
35" Single-Sided Mid	**P3CONGM35S**	$ 311	$ 326	$ 339
42" Single-Sided Mid	**P3CONGM42S**	$ 311	$ 326	$ 339
50" Single-Sided Mid	**P3CONGM50S**	$ 356	$ 373	$ 388
57.5" Single-Sided Mid	**P3CONGM57S**	$ 356	$ 373	$ 388
65" Single-Sided Mid	**P3CONGM65S**	$ 418	$ 438	$ 454
72" Single-Sided Mid	**P3CONGM72S**	$ 418	$ 438	$ 454



Optimize Dual-Sided Mid-Connector				
35" Dual-Sided Mid	**P3CONGM35D**	$ 311	$ 326	$ 339
42" Dual-Sided Mid	**P3CONGM42D**	$ 311	$ 326	$ 339
50" Dual-Sided Mid	**P3CONGM50D**	$ 356	$ 373	$ 388
57.5" Dual-Sided Mid	**P3CONGM57D**	$ 356	$ 373	$ 388
65" Dual-Sided Mid	**P3CONGM65D**	$ 418	$ 438	$ 454
72" Dual-Sided Mid	**P3CONGM72D**	$ 418	$ 438	$ 454


GSGKL GSGKM

Storage Mounting Brackets				
Gallery Laminate Storage Ganging Kit	**GSGKL**	$ 87	N/A	N/A
Gallery Metal Storage Ganging Kit	**GSGKM**	$ 21	N/A	N/A



Gallery Panel Stiffener				
Stiffener for 75"W/78"W Panels	**GSTFN7578**	$ 195	$ 212	$ 233
Stiffener for 81"W/84"W Panels	**GSTFN8184**	$ 218	$ 237	$ 262

How to specify —

Select the Model Number from above.

1st Option:

Paint for Connector Kits and Brackets *(if available)*:

P1 P2 P3


See page 528 for finishes.

_____ . _____


Examples: **P3CONGM35S.P71 GSGKL GSGKM**

Gallery Panel Connectors


Further™ Connector Kits




Description	Model	List Price P1	P2	P3
Further Benching Connector Kit				
Further Tethered Standard Height Connector	GFCKSH	$ 553	$ 594	$ 652
Further Adaptive and Freestanding Standard Height Connector	GFCKA	$ 545	$ 586	$ 643
Further Low Height Connector (Freestanding)	GFCKLH	$ 624	$ 670	$ 736



Single-Sided Adaptive Kits				
For Adaptive Gallery Panel in Single Sided Applications	U6GPSS	$ 170	$ 185	$ 202
For Single Sided applications without Gallery Panels	U3SSHAFA	$ 82	$ 92	$ 99




Storage Mounting Brackets				
Gallery Laminate Storage Ganging Kit	GSGKL	$ 87	N/A	N/A
Gallery Metal Storage Ganging Kit	GSGKM	$ 21	N/A	N/A



Gallery Panel Stiffener				
Stiffener for 75"W/78"W Panels	GSTFN7578	$ 195	$ 212	$ 233
Stiffener for 81"W/84"W Panels	GSTFN8184	$ 218	$ 237	$ 262

Mural Connector Kits				
Gallery Panel End Connector	GSCKP	$ 156	$ 165	$ 171
Gallery Panel Mid Connector Dual Sided	GSCKPMD	$ 182	$ 192	$ 200
Gallery Panel Mid Connector Single Sided	GSCKPMS	$ 217	$ 229	$ 237
Split Gallery Panel Hardware Kit Dowel	GSHW	$ 195	N/A	N/A



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Tackable Accessory							
11"H x 36"W	ZS42SF [S]	$ 551	$ 584	$ 615	$ 667	$ 718	$ 770
18½"H x 36"W	ZS50SF	$ 653	$ 703	$ 750	$ 829	$ 908	$ 988


[S] *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint for Connector Kits and Brackets** *(if available)*: (P1) (P2) (P3) See page 528 for finishes.	**Fabric for Cantilevered Storage Accessory:** See page 529 for fabrics.	**Trim Paint for Cantilevered Storage Accessory:** (P1) (P2) (P3) See page 528 for finishes.
_____ .	___	_____ .	P ___

Examples: **GZCKP.P71 GCKPM.P71 GZ3CON30.P71 GSGKL GSGKM ZS50SF.EXG903.P27**


Gallery Panel Connectors

Further™ Connector Kits




GSGKL GSGKM

Description	Model	List Price P1	P2	P3
Storage Mounting Brackets				
Gallery Laminate Storage Ganging Kit	**GSGKL**	$ 87	N/A	N/A
Gallery Metal Storage Ganging Kit	**GSGKM**	$ 21	N/A	N/A



Description	Model	List Price P1	P2	P3
Gallery Panel Stiffener				
Stiffener for 75"W/78"W Panels	**GSTFN7578**	$ 195	$ 212	$ 233
Stiffener for 81"W/84"W Panels	**GSTFN8184**	$ 218	$ 237	$ 262



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Tackable Accessory							
11"H x 36"W	**ZS42SF** S	$ 551	$ 584	$ 615	$ 667	$ 718	$ 770
18½"H x 36"W	**ZS50SF**	$ 653	$ 703	$ 750	$ 829	$ 908	$ 988


S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint for Connector Kits and Brackets** *(if available)*: P1 P2 P3 See page 528 for finishes.	**Fabric for Cantilevered Storage Accessory:** See page 529 for fabrics.	**Trim Paint for Cantilevered Storage Accessory:** P1 P2 P3 See page 528 for finishes.
_____ .	_____	_____ .	P _____

Examples: **GZCKP.P71 GCKPM.P71 GZ3CON30.P71 GSGKL GSGKM ZS50SF.EXG903.P27**

Gallery Panel Connectors


Stride® Connector Kits




Description	Model	List Price P1	P2	P3
Stride Connector Kit				
End Panel Connector Kit for Stride System	**GZCKP**	$ 156	$ 169	$ 186
Intermediate Mid connector	**GCKPM**	$ 182	$ 197	$ 215



Stride Mid-Connector Block and Trim				
30" – Block & Trim	**GZ3CON30**	$ 252	$ 283	$ 322
35" – Block & Trim	**GZ3CON35**	$ 260	$ 291	$ 333
42" – Block & Trim	**GZ3CON42**	$ 296	$ 331	$ 384
50" – Block & Trim	**GZ3CON50**	$ 308	$ 346	$ 398
57" – Block & Trim	**GZ3CON57**	$ 318	$ 356	$ 410
65" – Block & Trim	**GZ3CON65**	$ 350	$ 391	$ 447
72" – Block & Trim	**GZ3CON72**	$ 386	$ 434	$ 503
80" – Block & Trim	**GZ3CON80**	$ 418	$ 468	$ 539
87" – Block & Trim	**GZ3CON87**	$ 426	$ 478	$ 556



Storage Mounting Brackets				
Gallery Laminate Storage Ganging Kit	**GSGKL**	$ 87	N/A	N/A
Gallery Metal Storage Ganging Kit	**GSGKM**	$ 21	N/A	N/A



Gallery Panel Stiffener				
Stiffener for 75"W/78"W Panels	**GSTFN7578**	$ 195	$ 212	$ 233
Stiffener for 81"W/84"W Panels	**GSTFN8184**	$ 218	$ 237	$ 262


S *Shippable by small-package carrier.*


How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint for Connector Kits and Brackets** *(if available)*: P1 P2 P3 See page 528 for finishes.	**Fabric for Cantilevered Storage Accessory:** See page 529 for fabrics.	**Trim Paint for Cantilevered Storage Accessory:** P1 P2 P3 See page 528 for finishes.
_____ .	_____	_____ .	P _____


Examples: **GZCKP.P71** **GCKPM.P71** **GZ3CON30.P71** **GSGKL** **GSGKM**

Gallery Panel Connectors


Terrace® Connector Kits





GTKGK30


GTK3CON42F


GTK3CON42R






Description	Model	List Price P1	P2	P3
Terrace Connector Kit				
End Panel Connector Kit for Terrace System (black only)	**GTKCKP**	$ 156	N/A	N/A
Split Connector Kit (black only)	**GTSKCKP**	$ 177	N/A	N/A
Intermediate Mid connector	**GCKPM**	$ 182	$ 197	$ 215
Panel Glass Kit for 30"H Panel	**GTKGK30**	$ 86	N/A	N/A
Terrace Connector Kit for Flat Trim				
30" – Flat Trim	**GTK3CON30F**	$ 243	$ 274	$ 313
35" – Flat Trim	**GTK3CON35F**	$ 324	$ 331	$ 339
42" – Flat Trim	**GTK3CON42F**	$ 390	$ 408	$ 322
50" – Flat Trim	**GTK3CON50F**	$ 337	$ 389	$ 397
57½" – Flat Trim	**GTK3CON57F**	$ 409	$ 421	$ 439
65" – Flat Trim	**GTK3CON65F**	$ 476	$ 389	$ 458
72½" – Flat Trim	**GTK3CON72F**	$ 498	$ 509	$ 522
80" – Flat Trim	**GTK3CON80F**	$ 564	$ 590	$ 461
87½" – Flat Trim	**GTK3CON87F**	$ 417	$ 447	$ 490
Terrace Connector Kit for Radius Trim				
30" – Radius Trim	**GTK3CON30R**	$ 274	$ 313	$ 320
35" – Radius Trim	**GTK3CON35R**	$ 331	$ 339	$ 352
42" – Radius Trim	**GTK3CON42R**	$ 408	$ 325	$ 377
50" – Radius Trim	**GTK3CON50R**	$ 391	$ 399	$ 411
57½" – Radius Trim	**GTK3CON57R**	$ 426	$ 444	$ 350
65" – Radius Trim	**GTK3CON65R**	$ 389	$ 458	$ 468
72½" – Radius Trim	**GTK3CON72R**	$ 509	$ 522	$ 546
80" – Radius Trim	**GTK3CON80R**	$ 590	$ 437	$ 476
87½" – Radius Trim	**GTK3CON87R**	$ 417	$ 447	$ 490
Storage Mounting Brackets				
Gallery Laminate Storage Ganging Kit	**GSGKL**	$ 87	N/A	N/A
Gallery Metal Storage Ganging Kit	**GSGKM**	$ 21	N/A	N/A
Gallery Panel Stiffener				
Stiffener for 75"W/78"W Panels	**GSTFN7578**	$ 195	$ 212	$ 233
Stiffener for 81"W/84"W Panels	**GSTFN8184**	$ 218	$ 237	$ 262

S *Shippable by small-package carrier.*

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint for Connector Kits and Brackets** *(if available)*: P1 P2 P3 See page 528 for finishes.	**Fabric for Cantilevered Storage Accessory:** See page 529 for fabrics.	**Trim Paint for Cantilevered Storage Accessory:** P1 P2 P3 See page 528 for finishes.
_____ .	___	_____ .	P ___

Examples: **GTKCKP.P71 GCKPM.P71 GT3CON30F.PJW GSGKL GSGKM**

Gallery Glass



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
7½"H Gallery Glass — Single Panel				
15"W	G40715GS	$ 228	$ 251	$ 259
18"W	G40718GS	$ 234	$ 258	$ 266
21"W	G40721GS	$ 239	$ 263	$ 272
24"W	G40724GS	$ 243	$ 268	$ 276
27"W	G40727GS	$ 265	$ 291	$ 300
30"W	G40730GS	$ 282	$ 312	$ 320
33"W	G40733GS	$ 310	$ 342	$ 352
36"W	G40736GS	$ 349	$ 384	$ 396
39"W	G40739GS	$ 378	$ 416	$ 429
42"W	G40742GS	$ 423	$ 467	$ 480
45"W	G40745GS	$ 459	$ 506	$ 520
48"W	G40748GS	$ 499	$ 549	$ 564
51"W	G40751GS	$ 510	$ 561	$ 577
54"W	G40754GS	$ 552	$ 607	$ 625
57"W	G40757GS	$ 611	$ 672	$ 692
60"W	G40760GS	$ 716	$ 786	$ 810
63"W	G40763GS	$ 832	$ 916	$ 942
66"W	G40766GS	$ 900	$ 989	$ 1018
69"W	G40769GS	$ 984	$ 1081	$ 1112
72"W	G40772GS	$ 1053	$ 1156	$ 1191
75"W	G40775GS	$ 1126	$ 1237	$ 1273
78"W	G40778GS	$ 1239	$ 1360	$ 1401
81"W	G40781GS	$ 1303	$ 1431	$ 1472

How to specify —

Select the Model Number from above.

1st Option:


Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 0 7 | | | | . | | | | .

Example: **G40715GS.LC**

Gallery Glass



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
13"H Gallery Glass — Single Panel				
24"W	**G41324GS**	$ 553	$ 615	$ 635
27"W	**G41327GS**	$ 603	$ 669	$ 692
30"W	**G41330GS**	$ 648	$ 719	$ 742
33"W	**G41333GS**	$ 682	$ 758	$ 782
36"W	**G41336GS**	$ 722	$ 803	$ 826
39"W	**G41339GS**	$ 778	$ 865	$ 893
42"W	**G41342GS**	$ 804	$ 893	$ 922
45"W	**G41345GS**	$ 821	$ 912	$ 941
48"W	**G41348GS**	$ 848	$ 941	$ 972
51"W	**G41351GS**	$ 863	$ 957	$ 989
54"W	**G41354GS**	$ 923	$ 1024	$ 1057
57"W	**G41357GS**	$ 944	$ 1047	$ 1082
60"W	**G41360GS**	$ 971	$ 1077	$ 1112
63"W	**G41363GS**	$ 1040	$ 1155	$ 1192
66"W	**G41366GS**	$ 1128	$ 1252	$ 1293
69"W	**G41369GS**	$ 1193	$ 1323	$ 1366
72"W	**G41372GS**	$ 1279	$ 1419	$ 1466
75"W	**G41375GS**	$ 1373	$ 1524	$ 1572
78"W	**G41378GS**	$ 1461	$ 1621	$ 1673
81"W	**G41381GS**	$ 1542	$ 1710	$ 1766

How to specify —

Select the Model Number from above.

1st Option:


Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 3 | | | | . | | | | .

Example: **G41324GS.LC**

Gallery Glass



Description	Model	List Price Clear Glass	Frosted Glass	Smoked Glass
15"H Gallery Glass — Single Panel				
15"W	G41515GS	$ 578	$ 642	$ 664
18"W	G41518GS	$ 603	$ 669	$ 692
21"W	G41521GS	$ 631	$ 701	$ 723
24"W	G41524GS	$ 663	$ 736	$ 760
27"W	G41527GS	$ 685	$ 761	$ 785
30"W	G41530GS	$ 712	$ 792	$ 815
33"W	G41533GS	$ 747	$ 831	$ 857
36"W	G41536GS	$ 814	$ 904	$ 933
39"W	G41539GS	$ 851	$ 944	$ 976
42"W	G41542GS	$ 873	$ 969	$ 1000
45"W	G41545GS	$ 888	$ 986	$ 1017
48"W	G41548GS	$ 909	$ 1009	$ 1042
51"W	G41551GS	$ 930	$ 1031	$ 1065
54"W	G41554GS	$ 988	$ 1098	$ 1131
57"W	G41557GS	$ 1003	$ 1114	$ 1149
60"W	G41560GS	$ 1011	$ 1123	$ 1158
63"W	G41563GS	$ 1072	$ 1190	$ 1228
66"W	G41566GS	$ 1161	$ 1288	$ 1330
69"W	G41569GS	$ 1221	$ 1355	$ 1398
72"W	G41572GS	$ 1306	$ 1448	$ 1497
75"W	G41575GS	$ 1410	$ 1564	$ 1615
78"W	G41578GS	$ 1486	$ 1648	$ 1700
81"W	G41581GS	$ 1573	$ 1744	$ 1801

How to specify —

Select the Model Number from above.

1st Option:


Glass:

LC Clear Glass
LF Frosted Glass
GSM1 Smoked Glass

G 4 1 5 _ _ _ _ . _ _ _ _ .

Example: **G41515GS.LC**


Gallery Panels



GCTKS

Description	Model	P1 List Price	P2 List Price	P3 List Price
Countertop Bracket				
Countertop Connector Bracket	**GCTKS**	$ 130	$ 139	$ 143

Note: 2 brackets needed for straight countertops, 3 brackets are needed for corner countertops








Flat Edge

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Straight Countertops — must order 2 sets of brackets per surface				
24"W x 15"D	**851524M**	$ 415	$ 435	$ 449
30"W x 15"D	**851530M**	$ 460	$ 481	$ 496
36"W x 15"D	**851536M**	$ 517	$ 539	$ 558
42"W x 15"D	**851542M**	$ 535	$ 557	$ 577
48"W x 15"D	**851548M**	$ 566	$ 589	$ 610
54"W x 15"D	**851554M**	$ 641	$ 666	$ 688
60"W x 15"D	**851560M**	$ 716	$ 738	$ 757
66"W x 15"D	**851566M**	$ 741	$ 773	$ 793
72"W x 15"D	**851572M**	$ 770	$ 803	$ 824
Corner Countertops 15"D at ends — must order 3 sets of brackets per surface				
24"W x 24"W	**852424M**	$ 809	$ 843	$ 866
30"W x 30"W	**853030M**	$ 941	$ 979	$ 1005
36"W x 36"W	**853636M**	$ 1044	$ 1085	$ 1115
42"W x 42"W	**854242M**	$ 1132	$ 1176	$ 1212




Description	Model	P1 List Price	P2 List Price	P3 List Price
Gallery Panel Wall Start				
30"H Wall Start	**GWS30**	$ 134	$ 143	$ 147
35"H Wall Start	**GWS35**	$ 153	$ 162	$ 168
42"H Wall Start	**GWS42**	$ 166	$ 176	$ 181
50"H Wall Start	**GWS50**	$ 191	$ 202	$ 209
57½"H Wall Start	**GWS57**	$ 204	$ 215	$ 223




Description	Model	List Price
Worksurface Mounting Bracket Kit		
Worksurface Mounting Bracket	**GWSBK**	$ 87

Note: Ships with 2 brackets.



AGBKT



AGBKTMP

Description	Model	P1 List Price	P2 List Price	P3 List Price
HAT Bracket				
HAT to Fit Panel Bracket T-Leg	**AGBKT** (shown)	$ 277	$ 301	$ 332
HAT to Fit Panel Bracket C-Leg	**AGBKC**	$ 277	$ 301	$ 332
HAT to Fit Panel Installation Template (Black only, code P)	**AGBKTMP** (shown)	$ 68		

How to specify —

Select the Model Number from above.

	.	

1st Option:


Paint:

P1 P2 P3


See page 528 for finishes.

Examples:


Gallery Panels




Description	Model	P1 List Price	P2 List Price	P3 List Price
Tackboards				
Tackboard 15"H x 24"W	**GTB1524**	$ 377	$ 395	$ 410
Tackboard 15"H x 30"W	**GTB1530**	$ 410	$ 429	$ 445
Tackboard 15"H x 36"W	**GTB1536**	$ 454	$ 475	$ 495
Tackboard 15"H x 42"W	**GTB1542**	$ 473	$ 494	$ 515
Tackboard 15"H x 48"W	**GTB1548**	$ 483	$ 505	$ 527
Tackboard 15"H x 54"W	**GTB1554**	$ 506	$ 529	$ 551
Tackboard 15"H x 60"W	**GTB1560**	$ 513	$ 536	$ 559
Tackboard 22.5"H x 24"W	**GTB2224**	$ 424	$ 444	$ 460
Tackboard 22.5"H x 30"W	**GTB2230**	$ 460	$ 481	$ 501
Tackboard 22.5"H x 36"W	**GTB2236** (shown)	$ 503	$ 525	$ 548
Tackboard 22.5"H x 42"W	**GTB2242**	$ 513	$ 536	$ 559
Tackboard 22.5"H x 48"W	**GTB2248**	$ 553	$ 577	$ 601
Tackboard 22.5"H x 54"W	**GTB2254**	$ 581	$ 606	$ 631
Tackboard 22.5"H x 60"W	**GTB2260**	$ 596	$ 622	$ 648



Magnet/Marker Boards				
Magnet/Marker Board 15"H x 24"W	**GMB1524**	$ 498	$ 520	$ 543
Magnet/Marker Board 15"H x 30"W	**GMB1530**	$ 538	$ 562	$ 585
Magnet/Marker Board 15"H x 36"W	**GMB1536**	$ 571	$ 596	$ 621
Magnet/Marker Board 15"H x 42"W	**GMB1542**	$ 601	$ 627	$ 653
Magnet/Marker Board 15"H x 48"W	**GMB1548**	$ 630	$ 658	$ 685
Magnet/Marker Board 15"H x 54"W	**GMB1554**	$ 648	$ 678	$ 705
Magnet/Marker Board 15"H x 60"W	**GMB1560**	$ 685	$ 716	$ 745
Magnet/Marker Board 22.5"H x 24"W	**GMB2224**	$ 614	$ 640	$ 668
Magnet/Marker Board 22.5"H x 30"W	**GMB2230**	$ 645	$ 673	$ 702
Magnet/Marker Board 22.5"H x 36"W	**GMB2236**	$ 671	$ 701	$ 730
Magnet/Marker Board 22.5"H x 42"W	**GMB2242**	$ 704	$ 735	$ 765
Magnet/Marker Board 22.5"H x 48"W	**GMB2248** (shown)	$ 738	$ 771	$ 801
Magnet/Marker Board 22.5"H x 54"W	**GMB2254**	$ 761	$ 794	$ 826
Magnet/Marker Board 22.5"H x 60"W	**GMB2260**	$ 788	$ 822	$ 855



Hanging Magnet/Marker Boards & Blotter				
Hanging Magnet/Marker Board or Blotter 20"H x 30"W	**GHMB2030** (shown)	$ 392	$ 411	$ 426
Hanging Magnet/Marker Board or Blotter 26"H x 30"W	**GHMB2630**	$ 544	$ 568	$ 592




Gallery Panel Foot				
Gallery Panel Foot (Single)	**GFT1**	$ 373	$ 391	$ 406
Gallery Panel Foot (Dual)	**GFT2**	$ 744	$ 777	$ 808

Note: Available in textured paint only


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 528 for finishes.	**Fabric** *(if applicable)*: See page 529 for fabrics.
G _____ .	_____ .	_____ .

Examples:


Gallery Panels




Description	Model	L1 List Price	L2 List Price	L3 List Price
Laminate Floating Shelves				
12"W Floating Shelf	**GSTF12**	$ 292	$ 306	$ 317
18"W Floating Shelf	**GSTF18**	$ 325	$ 340	$ 355
24"W Floating Shelf	**GSTF24**	$ 356	$ 373	$ 388
30"W Floating Shelf	**GSTF30**	$ 388	$ 407	$ 422
36"W Floating Shelf	**GSTF36**	$ 422	$ 442	$ 458
42"W Floating Shelf	**GSTF42**	$ 454	$ 475	$ 495
48"W Floating Shelf	**GSTF48**	$ 486	$ 508	$ 530
54"W Floating Stiffener Shelf	**GSTF54**	$ 518	$ 541	$ 564
60"W Floating Stiffener Shelf	**GSTF60**	$ 551	$ 575	$ 599
66"W Floating Stiffener Shelf	**GSTF66** (shown)	$ 583	$ 608	$ 634
72"W Floating Stiffener Shelf	**GSTF72**	$ 614	$ 640	$ 668
78"W Floating Stiffener Shelf	**GSTF78**	$ 648	$ 678	$ 705
Accessory Rail & Paper Management				
Gallery Panel 12"W Accessory Rail	**GACRL12** (shown)	$ 256	$ 269	$ 279
Gallery Panel 18"W Accessory Rail	**GACRL18**	$ 274	$ 288	$ 298
Gallery Panel 24"W Accessory Rail	**GACRL24**	$ 276	$ 290	$ 300
Gallery Panel 30"W Accessory Rail	**GACRL30**	$ 292	$ 306	$ 317
Gallery Panel 36"W Accessory Rail	**GACRL36**	$ 307	$ 322	$ 333
Triple Angle File	**G3AGF**	$ 243	$ 255	$ 265
Double Angle File	**G2AGF** (shown)	$ 204	$ 215	$ 223
Single Angle File	**G1AGF**	$ 167	$ 177	$ 184
Triple Paper Tray	**G3PTR**	$ 243	$ 255	$ 265
Double Paper Tray	**G2PTR**	$ 204	$ 215	$ 223
Single Paper Tray	**G1PTR** (shown)	$ 167	$ 177	$ 184
Personal Shelf	**GWPSF** (shown)	$ 204	$ 215	$ 223
Binder Shelf	**GBRSF** (shown)	$ 204	$ 215	$ 223
Coat Hook Rail-Based	**GCHRB** (shown)	$ 84	$ 91	$ 94
Coat Hook Mounted	**GCHMT**	$ 97	$ 104	$ 108




GACRL12




G2AGF




G1PTR



GWPSF



GBRSF



GCHRB

How to specify —	*1st Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 528 for finishes.
_____ .	____

Examples:

Notes

Altitude® HAT Tables

Specification and Price List

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature at 1-866-255-7833.
- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?

Please call us at: **888-ALLSTEEL**
888-255-7833

Paint Finishes, Laminates, Eased Edge 580
Fabrics 581
Working with Height-Adjustable Tables 582-589
Screens and Power Module 590
Metal Screens 591-592
Power Rail Specifications 593-599
Working with Electrical and Data 600-604
HAT to Panel Brackets 605-606
Working with Organization Rail & Accessories & Screens 607
Altitude Height-Adjustable Tops, Bases, & Accessories 608-616
- Altitude – A6 608-609
- Worksurfaces for Height-Adjustable Bases 610-612
- Cable Management 613-616

Power Rail – Electrical Components 617-619
Metal Screens and Tackboard Accessories 620-621

Altitude® HAT Tables

Paint Finishes, Laminates, Eased Edge

BASE COLORS

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Nickel P8L
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Silver PR6

GRADE P3

Bullseye* ..... PJF
Regatta* P8M
***Altitude Basic is only offered in one finish, Silver (SVR)

POWER RAIL PAINT COLORS

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom*** P8K
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A
***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

A8 SCREEN BRACKET PAINT COLORS

GRADE P1

Black P71
Designer White ..... PJW

GRADE P2

Silver PR6

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

EASED EDGE LAMINATES

GRADE L1

Designer White LDW1
Loft LM11
Natural Maple ..... LWD

GRADE L2

Natural Recon LNR1

STRAIGHT/ROUNDED EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

ELECTRICAL & DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

METAL ACCESSORIES PAINT COLORS

GRADE P1

Black P71
Brownstone P7D
Charblack ..... CBK
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Platinum Metallic Texture P6H
Sage P095
Salt P8C
Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V
Titanium P8T
White PD8

GRADE P2

Champagne Metallic PR5
Graphite Metallic Texture P85
Gunmetal Metallic PR3
Matte Gold P8G
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Silver Generic ..... SVR
Silver Texture PR8
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Regatta P8M
Succulent P8A
Ochre P093
Sienna P092

All of Allsteel's tables are level® – 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See www.levelcertified.org for more information.

NOTE: Refer to individual product pages for upcharges.

Altitude® HAT Fabrics

For use with Screen Kits.

GRADE A

NOBLE

Aegean NBLE18
Amethyst NBLE19
Aspen NBLE14
Aster NBLE20
Blossom NBLE21
Bluebell NBLE22
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Chamomile NBLE23
Clementine NBLE04
Conifer NBLE24
Cottage NBLE25
Darkness NBLE26
Dawn NBLE13
Denim NBLE09
Desert Sand NBLE27
Dewfall NBLE28
Dusted Sage NBLE29
Flax NBLE30
Grass NBLE07
Gunmetal NBLE15
Harmony NBLE31
Harvest NBLE12
Ice Caves NBLE32
Icicle NBLE33
Inky NBLE34
Iris NBLE35
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Monarch NBLE36
Pacific NBLE08
Pitch NBLE37
Queen Bee NBLE38
Rainforest NBLE05
Regal NBLE11
Sandcastle NBLE39
Sedona NBLE40
Stormy NBLE16
Sunbeam NBLE41
Voyager NBLE42
Windy Day NBLE43

GRADE D

BLAZER LITE

(100% Pure New Wool)


Angel LTH49
Aspire LTH52
Balance LTH41
Bliss LTH48
Buddha LTH56
Cuddle LTH62
Dainty LTH64
Daydream LTH46
Devoted LTH58
Faith LTH68
Freedom LTH69
Graceful LTH51
Happy LTH55
Harmony LTH63
Haven LTH40
Hope LTH50
Hush LTH42
Love LTH47
Mood LTH44
Pamper LTH66
Pastel LTH65
Pillow LTH43
Praise LTH54
Retreat LTH39
Shelter LTH60
Solace LTH70
Tender LTH53
True LTH61
Verity LTH57
Wish LTH67
Worship LTH59

Altitude® HAT Tables


Height-Adjustable Tops and Bases

Altitude height-adjustable bases are available in five styles:


A6




T-leg with Rectangular Worksurface




T-leg with Corner Cove Worksurface




C-leg with Rectangular Worksurface




C-leg with Corner Cove Worksurface




Altitude HAT with Undermount Radii Console




Altitude HAT with Flush Undermount Radii



Altitude HAT with Freestanding Mobile Alcove Radii




Altitude HAT with Freestanding Mobile Alcove Radii




Altitude HAT with Freestanding Mobile Radii Caddy


A8 Screens




U Screen Kit



L Screen Kit (Left)



L Screen Kit (Right)



Rectangular Screen Kit

Metal Screens




L Screen (Left)




L Screen (Right)



U Screen




Straight




Tackboard Accessory

Altitude Power Rail



Altitude Power Rail




Altitude Rail Screen

Altitude® HAT Tables


A6 Height-Adjustable Tops and Bases

A6 Clearance Dimensions




Base Style:	A6-T Base				A6-C Base			
Dimension Location:	**E1**	**W1**	**W2**	**E2**	**E1**	**W1**	**W2**	**E2**
Altitude Top: (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle*	2½"	35¼"	—	10⅝"	2½"	35¼"	—	14⅛"
24" x 54" Rectangle	2½"	41¼"	—	10⅝"	2½"	41¼"	—	14⅛"
24" x 60" Rectangle	2½"	47¼"	—	10⅝"	2½"	47¼"	—	14⅛"
24" x 66" Rectangle	2½"	53¼"	—	10⅝"	2½"	53¼"	—	14⅛"
24" x 72" Rectangle	2½"	59¼"	—	10⅝"	2½"	59¼"	—	14⅛"
30" x 48" Rectangle	2½"	35¼"	—	13⅜"	2½"	35¼"	—	17⅛"
30" x 54" Rectangle	2½"	41¼"	—	13⅜"	2½"	41¼"	—	17⅛"
30" x 60" Rectangle	2½"	47¼"	—	13⅜"	2½"	47¼"	—	17⅛"
30" x 66" Rectangle	2½"	53¼"	—	13⅜"	2½"	53¼"	—	17⅛"
30" x 72" Rectangle	2½"	59¼"	—	13⅜"	2½"	59¼"	—	17⅛"
60" x 36" Corner Cove	2½"	43"	26"	10⅝"	2½"	43"	29½"	14⅛"
60" x 48" Corner Cove	2½"	43"	32"	10⅝"	2½"	43"	35½"	14⅛"
72" x 36" Corner Cove	2½"	55"	26"	10⅝"	2½"	55"	29½"	14⅛"
72" x 48" Corner Cove	2½"	55"	32"	10⅝"	2½"	55"	35½"	14⅛"

Bottom Views



A6-C Base



A6-T Base

Feature	Altitude Basic	A6
Range Adjustment	26¼" – 43½"H + Adjustable Glide	2-Stage 26½" to 45¾" + ½" Adjustable Glide
Base Only, Without Work Surface		3-Stage 21¾" to 47½" + ½" Adjustable Glide
Range Adjustment	27⅜" to 44⅝"H + Adjustable Glide	2-Stage 27⅜" to 46⅞" + ½" Adjustable Glide
Includes Standard Allsteel 1⅛" Work Surface		3-Stage 22⅞" to 48⅝" + ½" Adjustable Glide
Foot Configuration	• T Foot • Standard leveling glide	• T Foot or C Foot • Standard options include leveling glide, slide glides, and casters
Leg Options	2 leg	2 and 3 leg
UL Certified Weight Rating	180 lbs	• 250 lbs for 2-leg • 350 lbs for 2-leg Max • 375 lbs for 3-leg • 500 lbs for 3-leg Max
Cross Bar Design	Yes	A6 models ordered prior to 4/5/2021 have cross bar understructure, A6 models ordered after 4/5/2021 do not
Colors	Silver Only	20 Allsteel Paint Finishes offered, see Altitude Tables Finishes page
Control Pad	Up/down only	Basic up/down, memory preset, paddle, foot pedal
Wire Management	Allsteel standard options available Hinged trough not recommended	Allsteel standard options available
Power Access	Desktop power modules available	Desktop power modules available
Warranty	5 years	If Purchased Before 3/1/2021: 10 Years Metal Base, 7 Years Electronics If Purchased After 3/1/2021: 10 Years for Entire Product

Height-Adjustable Worksurfaces, Bases, and Controls

Height-Adjustable Worksurfaces (page 610)

- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side) and worksurface depths are reduced by ¾". Corner cove depth is nominal, actual is 1" less.
- Rectangular undersized worksurface models' (model number ending in -U) actual widths and depths are reduced by 2".
- Corner Cove undersized worksurface models' (model number ending in -LD) actual dimensions are reduced by 2".
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- Certain two-piece top configurations may require two stiffeners depending on the footprint of your station.
- 2-leg standard bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 72"W.
- 2-leg Max bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 96"W.
- 3-Leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.
- 3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.
- Altitude A6 bases specified with a work surface 60"W and greater require the use of an external stiffener. An external stiffener is included in Altitude work surface models 60"W and greater (all models ending with letter -D). If a non-Altitude work surface is being used, an external stiffener may need to be specified separately.

Height-Adjustable Bases (pages 608-609)


- Electronic height-adjustable base units are available in six styles: A6-T Base with 2 legs, A6-C Base with 2 legs, A6-T Base with 3 legs, A6-C Base with 3 legs, A6-T Max Base with 2 legs, A6-C Max Base with 2 legs, A6-T Max Base with 3 legs, and A6-C Max Base with 3 legs.
- A6 2-stage and 3-stage have a travel speed of 1.25"/second. A-6 Max bases have a travel speed of 1.96"/second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on A6-T models are 9'.
- Pedestals taller than 24½" for 2-stage models and 19½" for 3-stage models when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 583.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ½" adjustment on A6.
- Slide glides offered as a .option and model level. Only available on 2-leg bases.
- Casters available on model level for retrofitting on 2-Leg Bases ONLY.
- Altitude A6 tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- A6 load capacity is 250 lbs for 2-leg models, 375 lbs for 3-leg models, 350 lbs for 2-leg Max models, and 500 lbs for 3-leg Max models. This includes the weight of the worksurface.
- G1 Glide enables the A63-stage height adjustable bases to reach the BIFMA G1 height requirements. Glides come in a pack of 4. Glide is always black.


Note: Not TAA compliant unless ordered with a TAA compliant configurable end product.


A6 Control Options

- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Bluetooth Capability: A6 optional Bluetooth capability is sold as accessory model A6BLUETOOTH. Bluetooth is enabled through smartphone app AiDesk. Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will **not** work with 3-leg A6 tables. No additional controls are required for use, but they can be used in addition to the bluetooth control (bluetooth plug in uses different port than other controls).

Note: HAT-to-Panel bracket does not work with the Max Base.







Altitude® HAT Tables

Worksurfaces for Height-Adjustable Bases

For specification information see page 584.

Rectangular Laminate Tops – 24"D

Base Model(s)	Actual Dimensions
AF5RS4824, AVF5RS4824	46"W x 23¼"D
AF5RS5424, AVF5RS5424	52"W x 23¼"D
AF5RS6024D, AVF5RS6024D	58"W x 23¼"D
AF5RS6624D, AVF5RS6624D	64"W x 23¼"D
AF5RS7224D, AVF5RS7224D	70"W x 23¼"D
AF5RS7824D	76"W x 23¼"D
AF5RS8424D	82"W x 23¼"D
AF5RS9024D	88"W x 23¼"D
AF5RS9624D	94"W x 23¼"D

Rounded Corner Laminate Tops – 24"D

Base Model(s)	Actual Dimensions
AF5RND4824	46"W x 23¼"D
AF5RND5424	52"W x 23¼"D
AF5RND6024D	58"W x 23¼"D
AF5RND6624D	64"W x 23¼"D
AF5RND7224D	70"W x 23¼"D
AF5RND7824D	76"W x 23¼"D
AF5RND8424D	82"W x 23¼"D
AF5RND9024D	88"W x 23¼"D
AF5RND9624D	94"W x 23¼"D

Rectangular Laminate Tops – 30"D

Base Model(s)	Actual Dimensions
AF5RS4830, AVF5RS4830	46"W x 29¼"D
AF5RS5430, AVF5RS5430	52"W x 29¼"D
AF5RS6030D, AVF5RS6030D	58"W x 29¼"D
AF5RS6630D, AVF5RS6630D	64"W x 29¼"D
AF5RS7230D, AVF5RS7230D	70"W x 29¼"D
AF5RS7830D	76"W x 29¼"D
AF5RS8430D	82"W x 29¼"D
AF5RS9030D	88"W x 29¼"D
AF5RS9630D	94"W x 29¼"D

Rounded Corner Laminate Tops – 30"D

Base Model(s)	Actual Dimensions
AF5RND4830	46"W x 29¼"D
AF5RND5430	52"W x 29¼"D
AF5RND6030D	58"W x 29¼"D
AF5RND6630D	64"W x 29¼"D
AF5RND7230D	70"W x 29¼"D
AF5RND7830D	76"W x 29¼"D
AF5RND8430D	82"W x 29¼"D
AF5RND9030D	88"W x 29¼"D
AF5RND9630D	94"W x 29¼"D

Undersized Rectangular Worksurface – 24"D

Base Model(s)	Actual Dimensions
AF5RS3624U	34"W x 22"D
AF5RS4224U	40"W x 22"D
AF5RS4824U	46"W x 22"D
AF5RS5424U	52"W x 22"D
AF5RS6024UD	58"W x 22"D
AF5RS6624UD	64"W x 22"D
AF5RS7224UD	70"W x 22"D
AF5RS7824UD	76"W x 22"D
AF5RS8424UD	82"W x 22"D
AF5RS9024UD	88"W x 22"D
AF5RS9624UD	94"W x 22"D

Undersized Rectangular Worksurface – 30"D

Base Model(s)	Actual Dimensions
AF5RS3630U	34"W x 28"D
AF5RS4230U	40"W x 28"D
AF5RS4830U	46"W x 28"D
AF5RS5430U	52"W x 28"D
AF5RS6030UD	58"W x 28"D
AF5RS6630UD	64"W x 28"D
AF5RS7230UD	70"W x 28"D
AF5RS7830UD	76"W x 28"D
AF5RS8430UD	82"W x 28"D
AF5RS9030UD	88"W x 28"D
AF5RS9630UD	94"W x 28"D

120 Degree Corner Worksurface – 24"D

Base Model(s)	Actual Dimensions
AF5120S4224D	22"A x 40"B x 40"C x 22"D
AF5120S4824D	22"A x 46"B x 46"C x 22"D
AF5120S5424D	22"A x 52"B x 52"C x 22"D

120 Degree Corner Worksurface – 30"D

Base Model(s)	Actual Dimensions
AF5120S4224D	28"A x 40"B x 40"C x 28"D
AF5120S4824D	28"A x 46"B x 46"C x 28"D
AF5120S5424D	28"A x 52"B x 52"C x 28"D

Altitude® HAT Tables

Worksurfaces for Height-Adjustable Bases

For specification information see page 584.

Corner Cove Laminate Tops – 24"D Extended Left

Base Model(s)	Actual Dimensions
A5822ELS	23¼"A x 58¼"B x 34½"C x 23¼"D
A5622ELS	23¼"A x 58¼"B x 46¼"C x 23¼"D
A5922ELS	23¼"A x 70¼"B x 34½"C x 23¼"D
A7222ELS	23¼"A x 70¼"B x 46¼"C x 23¼"D

Corner Cove Laminate Tops – 24"D Extended Right

Base Model(s)	Actual Dimensions
A5822ERS	23¼"A x 58¼"B x 34½"C x 23¼"D
A5622ERS	23¼"A x 58¼"B x 46¼"C x 23¼"D
A5922ERS	23¼"A x 70¼"B x 34½"C x 23¼"D
A7222ERS	23¼"A x 70¼"B x 46¼"C x 23¼"D

Undersized Corner Cove Worksurface, Left Hand – 24"D

Base Model(s)	Actual Dimensions
AF5CCS603624LD	22"A x 58"B x 34"C x 22"D
AF5CCS604824LD	22"A x 58"B x 46"C x 22"D
AF5CCS723624LD	22"A x 70"B x 34"C x 22"D
AF6CCS724824LD	22"A x 70"B x 46"C x 22"D

Undersized Corner Cove Worksurface, Right Hand – 24"D

Base Model(s)	Actual Dimensions
AF5CCS603624RD	22"A x 58"B x 34"C x 22"D
AF5CCS604824RD	22"A x 58"B x 46"C x 22"D
AF5CCS723624RD	22"A x 70"B x 34"C x 22"D
AF6CCS724824RD	22"A x 70"B x 46"C x 22"D


Undersized Corner Cove Worksurface, Left Hand – 30"D

Base Model(s)	Actual Dimensions
AF5CCS604830LD	28"A x 58"B x 46"C x 28"D
AF5CCS724830LD	28"A x 70"B x 46"C x 28"D

Undersized Corner Cove Worksurface, Right Hand – 30"D


Base Model(s)	Actual Dimensions
AF5CCS604830RD	28"A x 58"B x 46"C x 28"D
AF5CCS724830RD	28"A x 70"B x 46"C x 28"D

Cable & Wire Management




AJTRGH24 or AJTRGH36

Cable Management Tray (page 613)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.
- Limited paint offering. Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B).




AWRSTRIP

Wire Management Strips/Channels (page 613)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in^2. Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in^2.




A9CLWMC or WKSWMC

Cord Management Chains (page 613)
- Works with Approach and Altitude A6-units.
- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware and a plate to secure to a leveling glide.
- Houses 6 cables at 0.300" diameter.
- Made of plastic chain with plastic attachment brackets at each end.
- Specify WKSWMC for 58" chain. Only comes in Black finish.
- Specify A9CLWMC for 36" chain. Comes in Black, White, and Silver.
- Has two connecting points: Top section connects underneath a worksurface and bottom section can connect underneath power rails or to panel raceways using double-sided tape. Hardware included.




APWRTRGH17 or
APWRTRGH36

Under Worksurface Trough (page 613)
- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs. Ships flat and is bent to desired shape.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.



AFDTRGH20



AFDTRGH32


Flip-Down Wire Trough (page 613)
- Mounts beneath a worksurface. Used to conceal extra cord slack and power strips.
- May be used in conjunction with quad tap unit APWR4TAP to reduce the number of cords routed from a worksurface to a beam.
- For any worksurface less than 58"W, a 20"W Flip-Down Trough is recommended.
- For worksurfaces 58"W and wider, a 20"W or 32"W Flip-Down Trough may be used.
- Flush-mount Radii Storages are not recommended to use in conjunction with Flip-Down Trough.
- Only AKTSHORT keyboard tray is recommended for use in conjunction with the Flip-Down Trough.



AWIRECLT

Metal Wire Cleat (page 613)
- Supplied with screws and VHB tape for attachment to various surface types.
- For wood/particle board/MDF surfaces, use screw attachment.
- For painted metal/glass/non-porous surfaces, use VHB tape.
- Example use cases:
  1) Used alongside telescoping/fabric HAT wire chases to secure excess length of cord at plug-end.
  2) Secured to wall next to TV monitor in meeting room to manage HDMI cable when not in use.
  3) Screwed underneath worksurface to provide quick and easy management of excess length of cords and cabling.


Cable & Wire Management



APWRMODEST36 or APWRMODEST48

Fabric Power Modesty (page 615)


- Fabric Power Modesty presents as modesty panel hanging by leather straps under a worksurface; inner compartment conceals cords and power strips as a wire management application.
- Recommended worksurface width pairings:
  1) 48-60"W Desk — Use APWRMODEST36 Centered.
  2) 66-72"W Desk — Use APWRMODEST48 Centered or APWRMODEST36 offset.
  3) 84"W Desk — Use APWRMODEST48 offset.
- Modesty fills 11.5 inches below the bottom of the worksurface with space for cords to enter/exit between the worksurface and the top of the Power Modesty.
- Two entry/exit points for cords are located at the bottom of the Power Modesty unit.
- Modesty panel is designed to present as a thin modesty panel from the front, but provides 3" depth cavity for wires, power strips, etc.
- Maximum weight capacity for Power Modesty is 25 lbs.
- Modesty panel not to be used to store electronics that require airflow for thermal management (computers).
- Users can access interior of panel (to modify wire placement) via "wings" on either side of product, secured via user-operable Velcro connection.
- Users may also dismount Power Modesty from leather straps by unlooping leather straps from button attachments.
- Leather straps on Power Modesty always come in medium brown color.
- Power Modesty available in Appoint, Binary, Centurion, Noble, Reflections, Disperse, and Spin fabric series.



APWR4TAP

Power Module — Under Worksurface, Quad Tap (page 614)


- Under surface mounting, used on any worksurface with a 5" x 5" x 1.5" clearance.
- 10' Power cord. UL Listed.
- May be used in conjunction with Flip-Down Trough to reduce the number of cords routed from a worksurface to a beam.
- 4 receptacles, unit is black finish only, no specification needed.




FDPWRC, CFDPWRC, FDPWRSC, or CFDPWRSC

Concealed Power Module (page 614)

- Contains 5 simplex outlets, 1 USB-A, and 1 USB-C.
- Available in plastic or metal. Metal power module is required for Chicago code.
- Cord options include straight and curly.
  – Straight cord is 144"
  – Curly cord is 120"
- If desired application is to set power module inside an under worksurface trough, MUST be specified with SPLA-ALT-BEAMA (contact Allsteel TPG for more information).
- Cannot be attached directly to the bottom of the worksurface.



AABPWRMOD.AC.Q




AABPWRMOD.AC.S

Power Module — Above/Below Worksurface (page 615)

- Above/Below power module provides access to power on the desktop and below the worksurface.
- Desktop mount can be used on any surface with a 6"W x 3"D clearance along the worksurface edge.
- Under surface mounting can be used with a 12"W x 3"D x 2"H clearance under the surface.
- Plugs will take additional depth (approx. 3").
- Two wire management "P-Clips" included with mounting hardware.
- Below worksurface power strip supplies six grounded A/C receptacles, desktop unit supplies two receptacles, 1 USB-A port, and 1 USB-C port.
- Desktop and under worksurface units are connected by a 2' long straight cord and cannot be disconnected.
- Power cord choices include a 6' straight cord or a coiled cord that is 6' long uncoiled, approximately 8" long coiled (compressed).
- Desktop unit available in White and Gray finishes.
- Under worksurface unit available in black only, no specification needed.
- UL 962A and UL 111 Listed. UL 1310 Recognized.


Cable & Wire Management



AHATPWRMOD2S or AHATPWRMOD3S

Metal Telescoping HAT Wire Management (page 616)


- Separate models available for use on either 2-Stage or 3-Stage Altitude A6 Tables. Not compatible with Altitude A3, A5, or A8.
- Equipped with 2-Stage or 3-Stage Telescoping Wire Chase and custom Above/Below Power Module intended for cord management on 2- and 3-Stage height adjustable tables.
- Telescoping chase includes a unique Above/Below Power Module and is NOT compatible with any other power module.
- Above/Below Power Module supplies 6 grounded A/C receptacles below the worksurface and 2 receptacles, 1 USB-A, and 1 USB-C port above the worksurface on the desktop unit. Desktop power module available in White and Gray finishes, below-worksurface power strip only available in black only.
- Telescoping Chase available in the same paint finishes as the Altitude height adjustable bases except for "Nickel."
- To match Metal Telescoping Chase to HAT base, specify matching paint color as HAT base. To match Telescoping Chase to a "Nickel" HAT base, specify "Platinum Metallic," or "PR2."
- Two "P-Clips" included for wire management between desktop power module and under worksurface power strip.




AHATPWRMODF

Fabric Elastic HAT Wire Management (page 616)


- Model compatible for use on either 2-Stage or 3-Stage Altitude A6 Tables. Not compatible with Altitude A3, A5, or A8.
- Equipped with Fabric Elastic Wire Chase and custom Above/Below Power Module intended for cord management on 2- and 3-Stage height adjustable tables.
- Fabric Elastic Chase includes a unique Above/Below Power Module and is NOT compatible with any other power module.
- Above/Below Power Module supplies 6 grounded A/C receptacles below the worksurface and 2 receptacles, 1 USB-A, and 1 USB-C port above the worksurface on the desktop unit.
- Desktop power module available in White and Gray finishes, below-worksurface power strip only available in black only.
- Fabric Elastic Chase available in Light, Medium, and Dark fabric finishes.
- Includes a metal foot and an under worksurface mounting bracket to attach Fabric Elastic Chase along the side of a HAT leg.
- To match metal brackets to HAT base, specify matching paint color as HAT base. To match brackets to a "Nickel" HAT base, specify "Platinum Metallic," or "PR2."
- Two "P-Clips" included for wire management between desktop power module and under worksurface power strip.



2-Stage Metal Telescoping HAT Wire Management




3-Stage Metal Telescoping HAT Wire Management



2 or 3-stage Fabric Elastic HAT Wire Management


*For more power and wire management options, please visit the **Extensions** pages.*

Screens




- See Table 1 for overall table width and depth for each screen shape.
- Adding a screen adds 3" to depth of the table.
- Adding a screen adds 1" to the width of the table per return wing.
- RH L-screens have return wing on user's right; LH opposite.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.


Altitude® HAT Tables




Straight



L-Shape



U-Shape




Size Reference Matrix

Models	A Under Desk Height	B Wing to Front	C1 Wing Width STD	C2 Wing Width EXT	D Left Leg to Edge	E Right Leg to Edge	F Left Side Panel to Support	G1 Distance Between Supports	G2 Distance Between Center/ Right Support	H Right Side Panel to Support	I Overall Width	J1 Desktop To Base of Panel	J2 Desktop to Top of Panel	K Cable Drop Space
AMS2048LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	2.9	20.0	1.0
AMS2054LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	2.9	20.0	1.0
AMS2060LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	2.9	20.0	1.0
AMS2066LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	2.9	20.0	1.0
AMS2072LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	2.9	20.0	1.0
AMS2048RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	2.9	20.0	1.0
AMS2054RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	2.9	20.0	1.0
AMS2060RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	2.9	20.0	1.0
AMS2066RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	2.9	20.0	1.0
AMS2072RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	2.9	20.0	1.0
AMS3248LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	10.0	20.0	1.0
AMS3254LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	10.0	20.0	1.0
AMS3260LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	10.0	20.0	1.0
AMS3266LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	10.0	20.0	1.0
AMS3272LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	10.0	20.0	1.0
AMS3248RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	10.0	20.0	1.0
AMS3254RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	10.0	20.0	1.0
AMS3260RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	10.0	20.0	1.0
AMS3266RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	10.0	20.0	1.0
AMS3272RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	10.0	20.0	1.0
AMS2048US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	2.9	20.0	1.0
AMS2054US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	2.9	20.0	1.0
AMS2060US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	2.9	20.0	1.0
AMS2066US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	2.9	20.0	1.0
AMS2072US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	2.9	20.0	1.0
AMS3248US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	10.0	20.0	1.0
AMS3254US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	10.0	20.0	1.0
AMS3260US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	10.0	20.0	1.0
AMS3266US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	10.0	20.0	1.0
AMS3272US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	10.0	20.0	1.0
AMS2048SS	24.7	-	-		2.0	2.0	5.0	32.0	-	5.0	46.0	2.9	20.0	1.0
AMS2054SS	24.7	-	-		2.0	2.0	5.0	38.0	-	5.0	52.0	2.9	20.0	1.0
AMS2060SS	24.7	-	-		2.0	2.0	5.0	44.0	-	5.0	58.0	2.9	20.0	1.0
AMS2066SS	24.7	-	-		2.0	2.0	5.0	24.0	24.0	5.0	64.0	2.9	20.0	1.0
AMS2072SS	24.7	-	-		2.0	2.0	5.0	27.0	27.0	5.0	70.0	2.9	20.0	1.0
AMS3248SS	17.5	-	-		2.0	2.0	5.0	32.0	-	5.0	46.0	10.0	20.0	1.0
AMS3254SS	17.5	-	-		2.0	2.0	5.0	38.0	-	5.0	52.0	10.0	20.0	1.0
AMS3260SS	17.5	-	-		2.0	2.0	5.0	44.0	-	5.0	58.0	10.0	20.0	1.0
AMS3266SS	17.5	-	-		2.0	2.0	5.0	24.0	24.0	5.0	64.0	10.0	20.0	1.0
AMS3272SS	17.5	-	-		2.0	2.0	5.0	27.0	27.0	5.0	70.0	10.0	20.0	1.0


Altitude — Metal Screens (page 620)
- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides 1" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above and Above/Below desk applications.
- L- and U-Shape screens are not compatible with shrouded Height Adjustable Table legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with an L-Bracket.
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Radii undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.

Size Reference Matrix

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2




Accessories — Tackboard (page 621)
- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).




Accessories — Radii (page 621)
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.

Accessories — Further Worksurface Rail Mount (page 526)
- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.




GENERAL OVERVIEW


- Accommodates power and lay-in capacity for data cables.
- Available in 48", 54", 60", 66", and 72" lengths.
- Maximum of 2 duplexes and 2 data ports per side of rail.
- Models come equipped with hardware for in-line connections.
- Fiber optic cables can follow 90 degree turns at the intersection of the power rails.
- Power harnesses snap into electrical brackets within the power rail and accept duplex receptacles.
- Electrical power harness accepts up to 2 duplex receptacles per side of rail.
- End caps are required at an end-of-run, unless connected to an end-of-run power pole or a hub.
- Power rail can be set low to the floor using the floor legs or raised off the floor at 20½"H with elevated legs.




Power Rail Typicals




Low Rail, (2) 60"W Rail
Linear Configuration




Raised Rail, (2) 60"W Rail
Linear Configuration




Low Rail, (3) 60"W Rail
T-Configuration



Raised Rail, (3) 60"W Rail
T-Configuration



Raised Rail, (4) 60"W Rail
X-Configuration with Screens



WORKING WITH ALTITUDE POWER RAILS

Low Rail with Floor Legs:


- Each power rail is supported by (2) floor legs.
- Floor legs have a leveling mechanism that can adjust up to 1¼"H.
- Legs are specified separately and come in qty of 1. Each leg is 7¼"D x 2¼"W.
- Leg is inset 2.8" from end of the power rail.
- Universal connector allows “L”, “T” and “X” configurations.
- Can connect directly to another power rail in linear applications without use of the universal connector.
- Cannot mount screens on the low rail.
- Power infeed can access the power rail in multiple ways:
  - through a receptacle position on the power rail (side infeed).
  - through the end cap on to the first power block.
  - through power pole using a power pole connector kit.

Raised Rail

- Power rails can be raised up to 20½"H using Elevated Legs and/or Hubs.
- Elevated Legs and Hubs can be used in conjunction to create the desired capability and aesthetic.
- Can be in Linear, L-, T- or X-configurations using Elevated Legs, Hubs or Universal Connector.
- Supports screens. See screens section for more details.
- Elevated Legs
  - Inset 2.8" from end of the power rail.
  - Can be shared in between the two rails in linear configuration.
  - Cannot route power and/or data.
  - Specified separately and come in qty of 1. Foot is included.
  - Leg is 15¼"D x 2¼"W x 17¾"H.
  - Order RFDRWAB separately to anchor to floor. Appropriate fasteners per floor type sourced locally.
- Support Hubs
  - Connect directly to the power rail.
  - Can be shared in between the two rails.
  - L-, T- and X-hubs can be shared in between power rails.
  - End of Run hub is only specified at end condition.
  - Can route power and/or data.
  - Can integrate power pole. Power Pole connector kit is specified separately and come in qty of 1. Foot is included.

Screens

- Constructed of painted steel material.
- Standard Allsteel paint options can be applied.
- Screen height is 20"H, provides overall height of 42"H above fixed floor.
- Painted steel is magnetic and cleanable. Refer to cleaning solutions page at Allsteel Office website.
- Attachment hardware included.




Altitude Desk + 60"W Low Rail + WKSWMC

WORKING WITH CABLE MANAGEMENT

- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware.
- Houses 6 cables @ 0.300" diameter.
- Specify WKSWMC for 58" chain. Only comes in Black Finish. Recommended for use with Low Rail.
- Specify A9CLWMC for 36" chain. Comes in Black, White and Silver. Recommended for use with Raised Rail.
- Links the power rail to a height adjustable desk.
- Has two connecting points: Top section connects underneath the Height Adjustable Desk and the bottom section connects underneath the power rail using a double-sided tape. Hardware included.
- When mounting the chain to underneath the rail, an adapter link is required. Included in the hardware.



Altitude Desk + 60"W Raised Rail + A9CLWMC



WORKING WITH POWER RAIL ELECTRICALS

General Notes about Electrical and Circuitry:


- Power Rail offers a choice of four electrical systems:
  - Four-circuit, 3 + 1
  - Four-circuit, 2 + 2
  - Three-circuit, separate neutrals
  - Eight circuits; two four-circuit systems provided back to back.
  - See Altitude Pricer section "Working with Electrical" for a detailed explanation of each electrical system.
  - All four systems utilize an 8-wire electrical system, rated at 20 amps.
- Per circuit (15 amps Canadian) — 16 amps plannable in U.S.
  - Power Rail and electrical components are UL Listed. Electrical
- Components are also CSA certified.
  - Installation and use of the electrical system, the number of receptacles.
- Used on a given circuit and connections to the building power supply.
- Should follow all local and national electrical codes.

Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.
- Refer to rail supports for infeed access points.

Routing Power


- Power infeed can access the raised power rail in multiple ways:
  - Through power pole using a power pole connector kit.
  - Through Support Hubs.
  - Through the infeed vertebrae.




Raised Rail & Low Rail




End of Run Hub




RFDRWCNPPE + UN2HPSQ
Connected to 60"W Rail




RFDRWHUBEND + RFDRWCNPP
UN2HPSQ connected to 60"W Rail




UN2HPSQ + RFDRWCNPPM
Connected to 60"W Rail



RFDRWWM
Connected to 60"W Rail



A876072 Infeed
Connected to 60"W Rail through
Receptacle Knockout



A877012 Infeed
Connected to 60"W Rail through End Cap

Electrical Systems


General Notes about Electric, Circuitry, and Chicago Code:

- Power Rail offers a choice of four electrical systems:
  - Four-circuit, 3 + 1
  - Four-circuit, 2 + 2
  - Three-circuit, separate neutrals
  - Eight circuits; two four-circuit systems provided back to back.
- See pages 600-601 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian) — 16 amps plannable in U.S.
- Power Rail and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.

Note: No more than one conduit that is connected to a harness mounted to horizontal can be routed through the same cut out in the same horizontal at beltline. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.


Hardwire New York Code (page 618)



- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 48"W to 72"W.
- Unit must connect to a power harness.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.
- For NY infeed through the end cap:
  - Order 24" pass-thru harness with power block A871124.
  - Will not have power at first cut-out from infeed.
- For NY infeed through a power rail cut-out:
  - Order 48"-72" pass-thru harness with power block. *Harness width must match power rail width.*
  - Will not have power at cut-out location used for infeed.
- For any power rail not used for infeed, order standard electrical power harness.

Hardwire Chicago Code (page 619)


- Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- The base pathway, junction box (model 873600) clips directly into receptacle locations and can be used both single- and double-sided.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.
- Power entry can be routed from the floor into a junction box (model 873600).



Electrical Infeeds


- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.

Base Infeed (page 618)




- Sealtight base pathway power infeed mounts into any receptacle position in the base pathway area.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.
- A jumper is required to connect base pathway power to beltline.

Sealtight Electrical Infeed (page 618)



- Sealtight electrical infeed cable is used with footed panels.
- Should not be ordered prior to installation to have pre-wired as infeed must be routed from inside of panel out to be connected to power.
- Cannot be connected to power harness in panel frame that infeed is brought into unless additional pass-thru harness without power block is used to feed from below beltline to above beltline.

Power Infeed (page 618)



- Power infeed connects to a prewired electrical harness in the power rail.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.

Electrical & Data

To Order:

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
     - 3 + 1 option
     - 2 + 2 option
   - The three-circuit system (3-Hot/3-Neutral/2-Ground)
   - The eight-circuit system (back-to-back four-circuit systems)
2. Determine location, quantity, and circuit of duplexes.
3. Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
4. Specify appropriate power harnesses* and pass-thru cables.*
5. Determine the location, quantity, and type of power infeed needed.

* Select power harness models (A8712XX), with the last two digits corresponding with the panel width into which the component is to be positioned.
The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.

Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an “A” suffix and appear in a gray box in this pricer.


All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.

ALTITUDE
HAT TABLES


Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




Four-circuit, 2 + 2 Receptacle Option




The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



Three-circuit, separate neutrals



The three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/ dedicated. The three-circuit components have model numbers with an "A" suffix.



Altitude System Receptacle Usage

Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered					
Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	**3 + 1**	Common Circuit-1 **A873501**	Common Circuit-2 (1) **A873502**	Common C ircuit-3 **A873503**	Iso/Dedicated Circuit-4 **A873504**
	2 + 2	Common Circuit-1 **A873501**	Common Cir- cuit-2 **A873502**	Isolated Circuit-3 **A873506**	Isolated Circuit-4 **A873504**
Three-circuit 3-Hot/3-Neutral/2-Ground	**w/separate neutrals**	Common Circuit-1 **A871501A**	Common Circuit-2 **A871502A**	Iso/Dedicated Circuit-3 **A871503A**	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel model numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust-colored.


Duplex Receptacle



15 amp receptacle


Infeeds

- Power infeed cables deliver power from building to Power Rail's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of infeed cables depending on individual power requirements.



Base Infeed:


- Sealtight base pathway power infeed mounts into any receptacle position in the power rail housing.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.



Sealtight Electrical Infeed:

- Sealtight electrical infeed is used for power entering through the end cap.
- Should not be ordered prior to installation to have pre-wired as infeed must be routed from inside of the power rail out to be connected to power.

Power Harness




Electrical power harnesses are used to distribute power in the power rail. **Power blocks** on electrical power harness accept duplex receptacles.

- Electrical power harnesses are used to distribute power in Power Rails. Harnesses must be installed in each power rail housing.
- Specify harness length to match rail housing length. Each power harness accepts four duplex receptacles (two on each side of power rail housing).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in power rail housing.

Power Blocks

- Power blocks snap directly onto brackets in the power rail and accept receptacles (sold separately) on each side of harness.

Duplexes




Duplex Receptacles

Receptacle Color Recommended to Coordinate with Paint Color


Paint Color	Receptacle Color
Champagne Metallic — PR5	Muslin — EU
Cinder — P7Q	Brownstone — EY
Fossil — P28	Flint — E9
Gunmetal Metallic — PR3	Brownstone — EY
Pebble — P8R	Loft — EV
Pewter — P8D	Flint — E9
Platinum — PR2	Loft — EV
Platinum Metallic — P42	Silver — E5
Salt — P8C	Silver — E5
Titanium — P8T	Silver — E5

- Duplex receptacles snap into power blocks of power harnesses.
- Duplexes are available in multiple colors. See inside front cover for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3 or 4.
- Duplexes are model specific to support either 3 + 1 and 2 + 2 electrical infeed; or have an "A" suffix and are designed to support a three-circuit separate neutral electrical infeed.
- At least one duplex must be installed in upper housing side of rail housing assembly (see page 604, "Working with Electrical and Data").


Data



Voice/Data Receptacle




ATADF3



ATADF4


Data Faceplates:

- Fit into data port openings in Power Rail Housing.
- Due to rail housing depth, data modules should not be used back-to-back.




- Ports 1 and 4 accept duplexes, port covers and base infeeds.
- Ports 2 and 3 accept data and port covers.
- Either U1 or U4 must always contain a duplex.
- Data cannot be back-to-back (data in L2 + U2 or L3 + U3 combinations are not permitted).

Port Cover




- Port covers must be used where no duplex or data faceplate is present.
- Fits into Power Rail port locations in place of duplex receptacles and data faceplates.
- Does not fit into port sizes of other product lines.

Cable Capacity



- The power rail housing allows continuous voice and data lines to run without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Lower cavity allows 6 voice/data cables (¼" dia).
- Upper cavity lay-in allows 6 voice/data cables (¼" dia).

Power Rail Receptacle Locations




- For example, in a four-circuit system:
  Circuit 1 — calculators, fans, etc.
  Circuit 2 — task lights (could be wired to wall switch)
  Circuit 3 — CRT or flat screen monitors
  Circuit 4 — CPUs
- Use circuit 4 for power-sensitive electronic equipment.

Placement of pedestals and lateral files may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.

HAT to Panel Brackets


Height Adjustable Table Tie-In Brackets (Gallery Panels)

- Improves panel rigidity. Does not function as a panel stability solution.
- AGBKT to be specified for connection to a T leg HAT
- AGBKC to be specified for connection to a C leg HAT
- Reusable mounting template is required and must be ordered separately (AGBKTMP).
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- Can be used with Altitude MAX bases when attaching to Gallery panels or Fit panels.
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine.




Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.

SINGLE BRACKET
Gallery Panel Application:
Max Height (with Glass): 65"H
Max Width: 75"W; No top size restrictions



DUAL SIDED PANEL BENCH
Gallery Panel Application:
Max Height (with Glass): 65"H
Bracket Needed: Single Panel (75" max) with Brackets on each leg (placed at the same height)




Freestanding Gallery Panel Application


HAT to Panel Brackets

Height Adjustable Table Tie-In Brackets (Optimize, Stride, and Terrace)

- Improves panel rigidity.
- ABKTL to be specified for connection to a LH T-leg HAT
- ABKTR to be specified for connection to a RH T-leg HAT
- ABKCL to be specified for connection to a LH C-leg HAT
- ABKCR to be specified for connection to a RH C-let HAT
- Brackets mount into slotted standard.
- Brackets telescope to account for 24" and 30" worksurface depths and screen attachments.
- A6 C legs with a 30"D worksurface and a screen must be specified with T leg brackets
- NOT compatible with Altitude MAX bases
- Height adjustable table brackets must be installed to both sides of the panel to substitute for a return panel in a dual-sided panel bench application. When a single bracket is connected to a wing panel as shown in the 4-pack image, the HAT bracket can substitute for a return panel.
- Freestanding panel can be connected to height adjustable table if it is supported by HAT brackets on both sides of the table and panel spine for A8, A3, and A6.
- Dual sided A5 tables cannot support a freestanding panel. (A5 was discontinued on 12/31/2020)



Note: Wire chain cannot be installed on the same leg as a HAT tie-in bracket.




SINGLE BRACKET

Systems Application (not compatible with Concensys):

Max Height (with Glass): 65"H

Max Width: 96"W; Note: tops greater than 72"W will not align.

Overheads cannot be used without return panel




DUAL SIDED PANEL BENCH


Systems Application (not compatible with Concensys):

Max Height (with Glass): 65"H

Bracket Needed: Every 96" on both sides (placed at the same height). Note: tops greater than 72"W will not align.


Overheads cannot be used without return panel





Accessories

Working with Organization Rail & Accessories and Screens




Worksurface Mounted Rail (page 526)
- Aluminum extrusion designed to mount to flat edge worksurfaces. Comes with rail and hardware for mounting.
- Mounted rail extends ¾" on underside of worksurface which may interfere with the mounting of storage and screens.
- Widths available for Altitude tables 12" through 66" in 6" increments. Can pass across seams of ganged worksurfaces in tethered applications.
- Passes behind worksurface bracket on tethered applications.
- For freestanding applications rail should be 6" shorter than worksurface (i.e. 54" rail for 60" worksurface).

Rail Accessories


Side View



Top View



Phone/ Tablet Stand | Pencil Holder | Rail Mounted Shelf | Vertical Paper Tray



Front View

Rail Mounted Accessories


Not recommended for use on panel systems with attached worksurfaces due to fit up issues created with worksurface and panel. Adding accessory rail shifts worksurface — 3/16" away from panel along that edge. Forcing worksurface into place crushes fabric tile and with tiles of other material (steel, marker board, etc) is likely to scratch, dent, or otherwise damage tile during installation.




U9TM Phone/Tablet Stand (page 526)
- 6⅝"H x 4¾"W and angles back 1¾".
- Has a ¼" x 1" slot in bottom flange to allow for routing cables. Requires 1¾" space behind worksurface edge in order to be used.



U9TP Pencil Holder (page 526)
- 2⅝"H x 6"W x 3"D.
- Holds approximately twenty #2 pencils.



U9TS Rail Mounted Shelf (page 526)
- 8"W x 4½"D and sits 2⅝" higher than top of worksurface.
- Holds up to 8 pounds.









U9TF Vertical Paper Tray (page 526)
- Sits 12"H x 1½"W x 12"D from back of worksurface.
- Folder front stands 9" high from worksurface top, 1¼" space holds about 280 sheets of copy paper.



U9WTC Cord Organizer (page 526)
- Can attach to both bottom of worksurface or slides into rail.
- 4"W x ⅞"D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 – .250" diameter and 2 – 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.




Universal Hook (page 526)
- Mounts to underside of worksurface and provides storage for bags, coats and purses. Can be used as a horizontal wire manager.


	Description	Model	List Price P1	P2	P3
	**2-Stage**				
	2 Stage, 2 Leg Rectangle T Foot	**A6REC2S2LTF**	**$ 2305**	**$ 2492**	**$ 2767**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–72"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–72"W				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
	2 Stage, 2 Leg Rectangle C Foot	**A6REC2S2LCF**	**$ 2305**	**$ 2492**	**$ 2767**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–72"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–72"W				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
	**3-Stage**				
	A6 3 Stage, 2 Leg Rectangle T Foot	**A6REC3S2LTF**	**$ 2586**	**$ 2794**	**$ 3105**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–72"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–72"W				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
	A6 3 Stage, 2 Leg Rectangle C Foot	**A6REC3S2LCF**	**$ 2586**	**$ 2794**	**$ 3105**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–72"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–72"W				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
	A6 Max 3 Stage, 2 Leg T Foot	**A6MREC3S2LTF**	**$ 3588**	**$ 3877**	**$ 4308**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–96"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–96"W				
	*350 LB Max Lift Capacity				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
	A6 Max 3 Stage, 2 Leg C Foot	**A6MREC3S2LCF**	**$ 3588**	**$ 3877**	**$ 4308**
	*Bases purchased in April 2021 or later accommodate 24"D–30"D Rectangular Worksurfaces 24"W–96"W, bases purchased prior to this date accommodate 24"D–30"D Rectangular Worksurfaces 48"W–96"W				
	*350 LB Max Lift Capacity				
	*Not TAA compliant unless ordered with a TAA compliant configurable end product.				

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Select the Base Paint Color** *(if applicable)*: P1 P2 P3 See page 580 for paint finishes.	**Select Feet Options** *(if applicable)*: **X** Standard Glides **S** Slide Glides ($165 extra)	**Select the Keypad** *(if applicable)*: **UD** Basic Up/Down **MEM** Memory Preset **PDL** Paddle
_____ .	_____ .	_____ .	_____


Example: **A6RND3S2LCF.P8L.X.PDL**




Description	Model	List Price P1	P2	P3
2-Stage				
A6 2 Stage, 3 Leg Rectangle T Foot	**A6REC2S3LTF**	**$ 3729**	**$ 4104**	**$ 4663**
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
A6 2 Stage, 3 Leg Rectangle C Foot	**A6REC2S3LCF**	**$ 3729**	**$ 4104**	**$ 4663**
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				



3-Stage				
A6 3 Stage, 3 Leg Rectangle T Foot	**A6REC3S3LTF**	**$ 4063**	**$ 4390**	**$ 4878**
*3-leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.				
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
A6 3 Stage, 3 Leg Rectangle C Foot	**A6REC3S3LCF**	**$ 4063**	**$ 4390**	**$ 4878**
*3-leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.				
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				



A6 Max 3 Stage, 3 Leg Rectangle T Foot	**A6MREC3S3LTF**	**$ 4691**	**$ 5163**	**$ 5865**
*3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.				
*500 lb Max Lift Capacity				
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				
A6 Max 3 Stage, 3 Leg Rectangle C Foot	**A6MREC3S3LCF**	**$ 4691**	**$ 5163**	**$ 5865**
*3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.				
*500 lb Max Lift Capacity				
*Not TAA compliant unless ordered with a TAA compliant configurable end product.				




Foot Retrofit Options				
Casters (Use on 2-leg bases ONLY)	**A6CASTER***	**$ 298**	**N/A**	**N/A**
* A6 casters are intended for use with Allsteel A6 height-adjustable tables. When purchased separately and used without Allsteel furniture, the A6 casters marked by (*) are considered Open Market.				
Slide Glides (Use on 2-leg bases ONLY)	**A6SLDGLIDE**	**$ 217**	**N/A**	**N/A**
G1 Glide (4-Pack)	**A6G1GLIDE**	**$ 226**	**N/A**	**N/A**
*Glide enables 3-stage base to reach G1 requirement heights.				

Bluetooth Control			
A6 Bluetooth Accessory	**A6BLUETOOTH**	**$ 153**	**N/A**	**N/A**
* Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will **not** work with 3-leg A6 tables.			


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Select the Base Paint Color** *(if applicable)*: P1 P2 P3 See page 580 for paint finishes.	**Select Feet Options** *(if applicable)*: **X** Standard Glides	**Select the Keypad** *(if applicable)*: **UD** Basic Up/Down **MEM** Memory Preset **PDL** Paddle
_____ .	_____ .	_ .	_____

Example: **A6RND3S3LCF.P8L.X.PDL**


For specification information see page 584.



Description	Laminate w/Flat Edge Model	Veneer w/Square Edge Model	Ship Weight	List Price Laminate w/Flat Edge L1	L2	L3	List Price Veneer w/Square Edge V2	V3
Rectangular Laminate Tops — 24"D (60" to 96" ships with stiffener)								
78"W – 96"W Tops can ONLY be used with Altitude MAX Base								
48"W	**AF5RS4824**	**AVF5RS4824**	46	$ 671	$ 699	$ 720	$ 2150	$ 2345
54"W	**AF5RS5424**	**AVF5RS5424**	48	$ 728	$ 758	$ 780	$ 2251	$ 2456
60"W	**AF5RS6024D**	**AVF5RS6024D**	53	$ 907	$ 938	$ 962	$ 2511	$ 2739
66"W	**AF5RS6624D**	**AVF5RS6624D**	74	$ 942	$ 974	$ 999	$ 2504	$ 2719
72"W	**AF5RS7224D**	**AVF5RS7224D**	82	$ 967	$ 999	$ 1024	$ 2622	$ 2846
78"W	**AF5RS7824D**		76	$ 1001	$ 1021	$ 1039	—	—
84"W	**AF5RS8424D**		81	$ 901	$ 921	$ 939	—	—
90"W	**AF5RS9024D**		86	$ 1136	$ 1156	$ 1174	—	—
96"W	**AF5RS9624D**		91	$ 1072	$ 1092	$ 1110	—	—
Rounded Corner Laminate Tops — 24"D (60" to 96" ships with stiffener)								
78"W – 96"W Tops can ONLY be used with Altitude MAX Base								
48"W	**AF5RND4824**		46	$ 772	$ 792	$ 810	—	—
54"W	**AF5RND5424**		48	$ 838	$ 858	$ 876	—	—
60"W	**AF5RND6024D**		53	$ 1023	$ 1043	$ 1061	—	—
66"W	**AF5RND6624D**		78	$ 1077	$ 1097	$ 1115	—	—
72"W	**AF5RND7224D**		85	$ 1110	$ 1130	$ 1148	—	—
78"W	**AF5RND7824D**		76	$ 1148	$ 1168	$ 1186	—	—
84"W	**AF5RND8424D**		81	$ 1051	$ 1071	$ 1089	—	—
90"W	**AF5RND9024D**		86	$ 1291	$ 1311	$ 1329	—	—
96"W	**AF5RND9624D**		91	$ 1231	$ 1251	$ 1269	—	—



Rectangular Laminate Tops — 30"D (60" to 96" ships with stiffener)								
78"W – 96"W Tops can ONLY be used with Altitude MAX Base								
48"W	**AF5RS4830**	**AVF5RS4830**	52	$ 756	$ 786	$ 810	$ 2364	$ 2578
54"W	**AF5RS5430**	**AVF5RS5430**	59	$ 855	$ 887	$ 915	$ 2468	$ 2692
60"W	**AF5RS6030D**	**AVF5RS6030D**	63	$ 1014	$ 1048	$ 1074	$ 2722	$ 2970
66"W	**AF5RS6630D**	**AVF5RS6630D**	78	$ 1076	$ 1111	$ 1139	$ 2718	$ 2953
72"W	**AF5RS7230D**	**AVF5RS7230D**	87	$ 1102	$ 1137	$ 1166	$ 2833	$ 3076
78"W	**AF5RS7830D**		92	$ 1140	$ 1160	$ 1178	—	—
84"W	**AF5RS8430D**		98	$ 1043	$ 1063	$ 1081	—	—
90"W	**AF5RS9030D**		105	$ 1284	$ 1304	$ 1322	—	—
96"W	**AF5RS9630D**		111	$ 1226	$ 1246	$ 1264	—	—




Rounded Corner Laminate Tops — 30"D (60" to 96" ships with stiffener)								
78"W – 96"W Tops can ONLY be used with Altitude MAX Base								
48"W	**AF5RND4830**		52	$ 867	$ 887	$ 905	—	—
54"W	**AF5RND5430**		59	$ 982	$ 1002	$ 1020	—	—
60"W	**AF5RND6030D**		63	$ 1149	$ 1169	$ 1187	—	—
66"W	**AF5RND6630D**		82	$ 1237	$ 1257	$ 1275	—	—
72"W	**AF5RND7230D**		90	$ 1266	$ 1286	$ 1304	—	—
78"W	**AF5RND7830D**		92	$ 1308	$ 1328	$ 1346	—	—
84"W	**AF5RND8430D**		98	$ 1219	$ 1239	$ 1257	—	—
90"W	**AF5RND9030D**		105	$ 1463	$ 1483	$ 1501	—	—
96"W	**AF5RND9630D**		111	$ 1409	$ 1429	$ 1447	—	—

Note: Height-adjustable worksurface dimensions are nominal. Actual widths are reduced by 2" (1" on each side, and worksurface depths are reduced by 3/4". Corner cove depth is nominal, actual is 1" less. This is to allow for pinch-points and unobstructed table movement.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*
Select the Model Number from above.	**Laminate or Veneer Type and Finish** *(if applicable)*: See page 580 for finishes.	**Laminate Edge Color** *(if applicable)*: See page 580 for finishes.	**Grommet Location** *(if applicable)*: **GC** Grommet Center **G0** No Grommet	**Grommet Type** *(if applicable)*: **P** Oval Plastic **M** Oval Metal **S** Square Metal (Add $15 per grommet for metal.)	**Grommet Color (Metal only)**: **EL** Matte Silver Plastic grommet color determined by worksurface finish.
_____ .	_____ .	_____ .	_____	_____	_____

Examples: **AF5RS4824.LM14EW.GO** **AVF5RS4824.SC777.GC.SEL**

For specification information see page 584.




Description	Laminate w/Flat Edge Model	Ship Weight	List Price Laminate w/Flat Edge L1	L2	L3
Undersized Rectangular Worksurface - 24"D (60" to 96" ships with stiffener)					
78"W - 96"W Tops can ONLY be used with Altitude MAX base.					
36"W	**AF5RS3624U**	23	**$ 549**	**$ 577**	**$ 603**
42"W	**AF5RS4224U**	27	**$ 598**	**$ 629**	**$ 657**
48"W	**AF5RS4824U**	31	**$ 671**	**$ 705**	**$ 736**
54"W	**AF5RS5424U**	35	**$ 728**	**$ 764**	**$ 798**
60"W	**AF5RS6024UD**	49	**$ 962**	**$ 1008**	**$ 1050**
66"W	**AF5RS6624UD**	53	**$ 1005**	**$ 1052**	**$ 1096**
72"W	**AF5RS7224UD**	57	**$ 1037**	**$ 1085**	**$ 1130**
78"W	**AF5RS7824UD**	62	**$ 1083**	**$ 1132**	**$ 1179**
84"W	**AF5RS8424UD**	66	**$ 986**	**$ 1031**	**$ 1073**
90"W	**AF5RS9024UD**	70	**$ 1144**	**$ 1195**	**$ 1244**
96"W	**AF5RS9624UD**	74	**$ 1180**	**$ 1232**	**$ 1282**
Undersized Rectangular Worksurface - 30"D (60" to 96" ships with stiffener)					
78"W - 96"W Tops can ONLY be used with Altitude MAX base.					
36"W	**AF5RS3630U**	29	**$ 610**	**$ 641**	**$ 670**
42"W	**AF5RS4230U**	35	**$ 648**	**$ 681**	**$ 711**
48"W	**AF5RS4830U**	40	**$ 756**	**$ 794**	**$ 829**
54"W	**AF5RS5430U**	45	**$ 855**	**$ 899**	**$ 939**
60"W	**AF5RS6030UD**	60	**$ 1070**	**$ 1120**	**$ 1167**
66"W	**AF5RS6630UD**	65	**$ 1140**	**$ 1192**	**$ 1242**
72"W	**AF5RS7230UD**	70	**$ 1174**	**$ 1228**	**$ 1278**
78"W	**AF5RS7830UD**	76	**$ 1220**	**$ 1277**	**$ 1330**
84"W	**AF5RS8430UD**	81	**$ 1129**	**$ 1180**	**$ 1229**
90"W	**AF5RS9030UD**	86	**$ 1292**	**$ 1351**	**$ 1408**
96"W	**AF5RS9630UD**	91	**$ 1332**	**$ 1392**	**$ 1450**

Note: Undersized worksurface dimensions are nominal. Actual widths and depths are undersized by 2". (Example: 24"D x 36"W = 22"D x 34"W)



120 Degree Corner Worksurface - 24"D					
24"A x 42"B x 42"C x 24"D	**AF5120S4224D**	59	**$ 1152**	**$ 1206**	**$ 1256**
24"A x 48"B x 48"C x 24"D	**AF5120S4824D**	69	**$ 1361**	**$ 1420**	**$ 1477**
24"A x 54"B x 54"C x 24"D	**AF5120S5424D**	79	**$ 1612**	**$ 1681**	**$ 1747**
120 Degree Corner Worksurface - 30"D					
30"A x 42"B x 42"C x 30"D	**AF5120S4230D**	68	**$ 1152**	**$ 1206**	**$ 1256**
30"A x 48"B x 48"C x 30"D	**AF5120S4830D**	79	**$ 1707**	**$ 1783**	**$ 1854**
30"A x 54"B x 54"C x 30"D	**AF5120S5430D**	92	**$ 1958**	**$ 2044**	**$ 2126**




Symmetrical Corner Cove Worksurface — 24"D					
24"A x 54"B x 54"C x 24"D	**AF5CCS5424**	56	**$ 1276**	**$ 1338**	**$ 1398**
Symmetrical Corner Cove Worksurface — 30"D					
30"A x 54"B x 54"C x 30"D	**AF5CCS5430**	66	**$ 1393**	**$ 1460**	**$ 1526**


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Laminate:**	*3rd Option:* **Laminate Edge Color:**	*4th Option:* **Grommet Location** *(if applicable)*:	*5th Option:* **Grommet Type** *(if applicable)*:	*6th Option:* **Grommet Color (Metal only):**
	FSC FSC Mixed Credit **X** Standard Wood	See page 580 for finishes.	See page 580 for finishes.	**GC** Grommet Center **G0** No Grommet	**P** Oval Plastic **M** Oval Metal **S** Square Metal (Add $15 per grommet for metal.)	**EL** Matte Silver Plastic grommet color determined by worksurface finish.
_____ .	_____ .	_____	_____ .	_____	_____	_____

Example:

For specification information see page 584.




Description	Laminate w/Flat Edge Model	Ship Weight	List Price Laminate w/Flat Edge L1	L2	L3
Corner Cove Laminate Tops — 24"D Extended Left					
24"A x 60"B x 36"C x 24"D	**A5822ELS**	54	**$ 1217**	**$ 1257**	**$ 1293**
24"A x 60"B x 48"C x 24"D	**A5622ELS**	75	**$ 1324**	**$ 1368**	**$ 1408**
24"A x 72"B x 36"C x 24"D	**A5922ELS**	63	**$ 1365**	**$ 1409**	**$ 1449**
24"A x 72"B x 48"C x 24"D	**A5722ELS**	86	**$ 1679**	**$ 1733**	**$ 1781**




Corner Cove Laminate Tops — 24"D Extended Right					
24"A x 60"B x 36"C x 24"D	**A5822ERS**	54	**$ 1217**	**$ 1257**	**$ 1293**
24"A x 60"B x 48"C x 24"D	**A5622ERS**	75	**$ 1324**	**$ 1368**	**$ 1408**
24"A x 72"B x 36"C x 24"D	**A5922ERS**	63	**$ 1365**	**$ 1409**	**$ 1449**
24"A x 72"B x 48"C x 24"D	**A5722ERS**	86	**$ 1679**	**$ 1733**	**$ 1781**

Note: Height-adjustable worksurface dimensions are nominal. Actual widths are reduced by 2" (1" on each side" and worksurface depths are reduced by ¾". Corner cove depth is nominal, actual is 1" less. This is to allow for pinch-points and unobstructed table movement.



Left Hand

Undersized Corner Cove Worksurface, Left Hand — 24"D					
24"A x 60"B x 36"C x 24"D	**AF5CCS603624LD**	58	**$ 1179**	**$ 1234**	**$ 1286**
24"A x 60"B x 48"C x 24"D	**AF5CCS604824LD**	67	**$ 1287**	**$ 1347**	**$ 1405**
24"A x 72"B x 36"C x 24"D	**AF5CCS723624LD**	66	**$ 1327**	**$ 1388**	**$ 1447**
24"A x 72"B x 48"C x 24"D	**AF5CCS724824LD**	75	**$ 1638**	**$ 1714**	**$ 1786**



Right Hand

Undersized Corner Cove Worksurface, Right Hand — 24"D					
24"A x 60"B x 36"C x 24"D	**AF5CCS603624RD**	58	**$ 1179**	**$ 1234**	**$ 1286**
24"A x 60"B x 48"C x 24"D	**AF5CCS604824RD**	67	**$ 1287**	**$ 1347**	**$ 1405**
24"A x 72"B x 36"C x 24"D	**AF5CCS723624RD**	66	**$ 1327**	**$ 1388**	**$ 1447**
24"A x 72"B x 48"C x 24"D	**AF5CCS724824RD**	75	**$ 1638**	**$ 1714**	**$ 1786**

Undersized Corner Cove Worksurface, Left Hand — 30"D					
30"A x 60"B x 48"C x 30"D	**AF5CCS604830LD**	77	**$ 1375**	**$ 1439**	**$ 1501**
30"A x 72"B x 48"C x 30"D	**AF5CCS724830LD**	88	**$ 1734**	**$ 1815**	**$ 1893**


Undersized Corner Cove Worksurface, Right Hand — 30"D					
30"A x 60"B x 48"C x 30"D	**AF5CCS604830RD**	77	**$ 1375**	**$ 1439**	**$ 1501**
30"A x 72"B x 48"C x 30"D	**AF5CCS724830RD**	88	**$ 1734**	**$ 1815**	**$ 1893**

Note: Undersized worksurface dimensions are nominal. Actual widths and depths are reduced by 2".
(Example: 24" x 60" x 36" x 24" = 22" x 58" x 34" x 22")

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Laminate or Veneer Type and Finish** *(if applicable)*: See page 580 for finishes.	**Paint** *(if applicable)*: See page 580 for finishes.	**Laminate Edge Color** *(if applicable)*: See page 580 for finishes.	**Grommet Location and Type:** **GC** Center **P** Oval Plastic **M** Oval Metal **GB** Grommet LH/RH **P** Oval Plastic **M** Oval Metal **S** Square Metal **G0** No Grommet
_ _ _ _ _ _ _ _ _ .	_ _ _ _ _ _ .	_ _ _	_ _ _ .	_ _ _

Examples:


For specification information see page 587.



AJTRGH24

Description	Model	List Price P1	P2	P3
Cable Management Trays				
24"W	**AJTRGH24** S	$ 128	$ 142	N/A
36"W	**AJTRGH36** S	$ 153	$ 169	N/A


- Available in 24" or 36" widths.
- Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B). Specify desired finish.
- *Example: AJTRGH24.PJW*



AWRSTRIP

Wire Management Strips/Channels				
	AWRSTRIP S	$ 281	N/A	N/A


- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*



WKSWMC

Wire Management Chains				
36"	**A9CLWMC** S	$ 383	N/A	N/A
58"	**WKSWMC** S	$ 459	N/A	N/A


- Specify model A9CLWMC for 36" chain, specify model WKSWMC for 58" chain.
- A9CLWMC available in Black (E4), White (DW), or Silver (TI).
- WKSWMC available in Black only, no specification needed.
- *Example: A9CLWMC.DW or WKSWMC*



APWRTRGH17

Under Worksurface Troughs				
17"W	**APWRTRGH17** S	$ 113	N/A	N/A
36"W	**APWRTRGH36** S	$ 197	N/A	N/A

- Available in 17" or 36" widths.
- Under Worksurface Troughs available in Black only, no specification needed.
- *Example: APWRTRGH17*



AFDTRGH20

Flip-Down Wire Management Trough				
20"W	**AFDTRGH20** S	$ 245	N/A	N/A
32"W	**AFDTRGH32** S	$ 447	N/A	N/A

- Available in 20" or 32" widths.
- Flip-Down Troughs available in Black only, specify "P" for Black.
- *Example: AFTRGH20.P*



AWIRECLT

Metal Wire Cleat				
	AWIRECLT S	$ 394	$ 409	$ 415

- Available in standard metal paint finishes, see page 580 for options and specify desired finish.
- *Example: AWIRECLT.PJW*

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

See page 580 for finishes.


Plastics
(if applicable):

DW White
TI Silver
E4 Black

Examples: **AJTRGH24.PJW** **A9CLWMC.DW** **AWIRECLT.PR6**

S *Shippable by small-package carrier.*


For specification information see page 588.



APWR4TAP

Description	Model	List Price
Power Module — Under Worksurface, Quad Tap		
7"W x 12"D x 3"H	**APWR4TAP** S	**$ 475**

- 4 receptacles.
- 10' Straight cord only, no specification needed.
- Available in Black only, no specification needed.
- *Example: APWR4TAP*



FDPWRC

Concealed Power Module		
Corded, 1 USB-A, 1 USB-C	**FDPWRC** S	**$ 821**
Corded Chicago Code, 1 USB-A, 1 USB-C	**CFDPWRC** S	**$ 1400**
Spiral Cord, 1 USB-A, 1 USB-C	**FDPWRSC** S	**$ 865**
Spiral Cord Chicago Code, 1 USB-A, 1 USB-C	**CFDPWRSC** S	**$ 1435**

- FDPWRC is plastic, straight cord unit with 4 receptacles, 1 USB-A and 1 USB-C port.
- CFDPWRC is metal, straight cord Chicago Code unit with 4 receptacles, 1 USB-A and 1 USB-C port.
- FDPWRSC is plastic, coiled cord unit with 4 receptacles, 1 USB-A and 1-USB-C port.
- CFDPWRSC is metal, coiled cord unit with 4 receptacles, 1 USB-A and 1 USB-C port.
- Available in Storm (STRM) only, specify Storm.
- *Example: FDPWRC.STRM*

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):


STRM Storm

_____ . _____

Examples: **APWR4TAP** **FDPWRC.STRM**

S *Shippable by small-package carrier.*

For specification information see page 588.




APWRMODEST36

Description	Model	List Price A	List Price B
Fabric Power Modesty			
	APWRMODEST36 S	**$ 1209**	**$ 1247**
	APWRMODEST48 S	**$ 1309**	**$ 1352**

- Available in Appoint, Binary, Centurion, Noble, Reflections, Disperse, and Spin panel fabric series.
- Specify desired fabric.
- *Example: APWRMODEST36.NBLE16*

How to specify —	*1st Option:*
Select the Model Number from above.	**Fabric** *(if applicable)*: See page 16 for fabrics.
_____ .	___

Example: **APWRMODEST36.NBLE16**



AABPWRMOD.AC.S

Description	Model	List Price
Power Module — Above/Below Worksurface		
8¼"W x 16"D x 4½"H	**AABPWRMOD** S	**$ 1284**


- Desktop unit includes 2 receptacles, 1 USB-A, & 1 USB-C (AC).
- Under worksurface unit include 6 receptacles.
- Power cord choices include a 6' Straight cord (S) or Coiled cord (Q).
- Desktop unit available in White (DWT) or Gray (DGY).
- *Example: AABPWRMOD.AC.S.DWT*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Ports** *(Final port option if applicable)*: **AC** USB-A+C	**Cord Type** *(Power Module cord type if applicable)*: **S** Straight Cord **Q** Coiled Cord	**Color Option** *(if applicable)*: **DWT** White **DGY** Gray
AABPWRMOD .	AC .	.	

Example: **AABPWRMOD.AC.Q.DWT**

S *Shippable by small-package carrier.*


For specification information see page 589.



AHATPWRMOD2S or AHATPWRMOD3S

Description	Model		List Price P1	P2	P3
Metal Telescoping HAT Wire Management					
	AHATPWRMOD2S	S	$ 1680	$ 1724	$ 1746
	AHATPWRMOD3S	S	$ 1713	$ 1761	$ 1783

- AHATPWRMOD2S pairs with 2-stage HAT bases.
- AHATPWRMOD3S pairs with 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Metal Telescoping Chase available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMOD2S.AC.DWT.PJW*



AHATPWRMOD2S or AHATPWRMOD3S

Fabric HAT Wire Management					
	AHATPWRMODF	S	$ 1536	$ 1566	$ 1580

- AHATPWRMODF pairs with 2-stage and 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USBA, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Fabric HAT Chase available in three fabric finishes of Light (LGT), Medium (MDD), and Dark (DRK), specify desired fabric finish.
- Fabric HAT mounting brackets available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMODF.AC.DGY.LGT.PR5*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Ports** *(Final port option if applicable)*: **AC** USB-A+C	**Power Module Color Option** *(if applicable)*: **DWT** White **DGY** Gray	**Fabric Chase Finish** *(if applicable)*: **LGT** Light **MDD** Medium **DRK** Dark	**Metal Paint Option** *(if applicable)*: See page 580 for finishes.
AHATPWRMOD[ ][ ].	AC.	D[ ][ ].	[ ][ ][ ].	[ ][ ][ ]


Example: **AHATPWRMOD3S.AC.DWT.P8C**
AHATPWRMODF.AC.DGY.LGT.PR5

S *Shippable by small-package carrier.*

Electrical & Data


Power Rail — Electrical Components

For specification information see page 602.



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Electrical Power Harnesses					
For 48"W Frames	2	**A871248***	**A871248A**	S	$ 447
For 54"W Frames	2	**A871254***	**A871254A**	S	$ 431
For 60"W Frames	2	**A871260***	**A871260A**	S	$ 447
For 66"W Frames	2	**A871266***	**A871266A**	S	$ 431
For 72"W Frames	2	**A871272***	**A871272A**	S	$ 448

Note: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.



Electrical Pass-Thru Harnesses with Power Block					
For 24"W Frames**	1	**A871124**	**A871124A**	S	$ 257
For 48"W Frames†	1	**A871148***	**A871148A**	S	$ 274
For 60"W Frames†	1	**A871160***	**A871160A**	S	$ 274
For 72"W Frames†	1	**A871172**	**A871172A**	S	$ 367

*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (*) are considered Open Market.

**Only used with NY Infeed through End Cap.

†48"-72" are only used with NY infeed through power rail cut-out.

S *Shippable by small-package carrier.*


How to specify —	*1st Option:*
Select the Model Number from above.	**Color:** **P** Black
_____ .	

Examples: **A871248.P** **A871224.P** **A871224A.P** **A871124.P** **A8710144A.P** **A2-8CIR36.P**


Electrical & Data

Power Rail — Electrical Components


For specification information see page 602.




Duplex Receptacle




Electrical Infeed Cables



Ceiling Electrical Infeed



Electrical Infeed Cable



Hardwire Power Infeed

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
Duplex Receptacles for Beltline or Base Pathway — Altitude (specify color)				
Circuit 1	**A873501**	**A871501A**	S	$ 78
Circuit 2	**A873502**	**A871502A**	S	$ 78
Circuit 3 (3+1)	**A873503**	**A871503A**	S	$ 78
Circuit 3 (2+2)	**A873506**	**N/A**	S	$ 78
Circuit 4 — iso/dedicated	**A873504**	**N/A**	S	$ 78
Circuit 1, 20 AMP	**A871601**	**A871601A**	S	$ 78
Electrical Infeed Cables				
6' Sealtight Cable for Terrace Receptacle	**A876072**	**A876072A**	S	$ 472
Ceiling Electrical Infeed Cables				
6' Flex Cable	**A871972**	**A871972A**	S	$ 355
12' Flex Cable	**A871912**	**A871912A**	S	$ 482
18' Flex Cable	**A871918**	**A871918A**	S	$ 606
Electrical Infeed Cables (for use with footed panels)				
12' Sealtight Cable Power Infeed	**A877012**	**N/A**	S	$ 587
Hardwire Power Infeed (New York Code)				
For 48"–72"W rails	**A871400**	**A871400A**	S	$ 462

Note: Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.

How to specify —	*1st Option:*
Select the Model Number from above.	**Electrical Receptacle Color** *(if applicable)*: See page 580 for finishes.
_ _ _ _ _ _ _ _ .	E S

Example: **A873501.E4**


For specification information see page 602.



Description	Model	List Price
Hardwire (Chicago Code) (Black only)		
Altitude Base Pathway Junction Box (Pack of 6)	**873600** S	**$ 1228**

For specification information see page 603.

ATADF3




ATADF4

Description	Model	P1 Paint List Price
Data Faceplates		
Three-Port Flex-Mode Faceplate, Black (E4)	**ATADF3** S	**$ 46**
Four-Port Flex-Mode Faceplate, Black (E4)	**ATADF4** S	**$ 46**

Notes: ATADF3 can install up to 3 jacks (CAT 3, 5E, or 6). ATADF4 can install 4 jacks (CAT 3, 5E, or 6).
ATADF models are compatible with ports in Altitude tiles.
Allsteel's data faceplates are designed for use with the jacks listed below. We do not guarantee compatibility with other manufacturers' product. A faceplate adapter is available for use with alternatively sourced data jacks, see the Standard Specials catalog for details.

ATADJ5



Jacks		
RJ45 CAT 5E Jack — Black only Toolless	**ATADJ5** S	**$ 81**
RJ45 CAT 6 Jack — Black only Requires Tool	**ATADJ6** S	**$ 106**

How to specify —

Select the Model Number from above.

						.

Example: **873600**

How to specify —

Select the Model Number from above.

A	T	A	D			.	E	4

1st Option:

Data Faceplate Color:

E4 Black

Example: **ATADF4.E4**

S *Shippable by small-package carrier.*

Altitude®

Metal Screens

For specification information see pages 591-592.




Extended




Extended Slots *Slots*

Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
20"H Metal L-Screen				
48"W	**AMS2048LH**	$ 893	$ 929	$ 964
54"W	**AMS2054LH**	$ 972	$ 1012	$ 1050
60"W	**AMS2060LH**	$ 1087	$ 1132	$ 1174
66"W	**AMS2066LH**	$ 1189	$ 1237	$ 1283
72"W	**AMS2072LH**	$ 1243	$ 1293	$ 1341
48"W	**AMS2048RH** (shown)	$ 893	$ 929	$ 964
54"W	**AMS2054RH**	$ 972	$ 1012	$ 1050
60"W	**AMS2060RH**	$ 1087	$ 1132	$ 1174
66"W	**AMS2066RH**	$ 1189	$ 1237	$ 1283
72"W	**AMS2072RH**	$ 1243	$ 1293	$ 1341




Extended





Extended Slots *Slots*



30"H Metal L-Screen				
48"W	**AMS3248LH**	$ 1159	$ 1206	$ 1251
54"W	**AMS3254LH**	$ 1228	$ 1278	$ 1325
60"W	**AMS3260LH**	$ 1282	$ 1333	$ 1383
66"W	**AMS3266LH**	$ 1407	$ 1464	$ 1519
72"W	**AMS3272LH**	$ 1461	$ 1520	$ 1577
48"W	**AMS3248RH** (shown)	$ 1159	$ 1206	$ 1251
54"W	**AMS3254RH**	$ 1228	$ 1278	$ 1325
60"W	**AMS3260RH**	$ 1282	$ 1333	$ 1383
66"W	**AMS3266RH**	$ 1407	$ 1464	$ 1519
72"W	**AMS3272RH**	$ 1461	$ 1520	$ 1577





Extended



Extended Slots *Slots*

20"H Metal U-Screen				
48"W	**AMS2048US** (shown)	$ 1164	$ 1212	$ 1256
54"W	**AMS2054US**	$ 1228	$ 1278	$ 1325
60"W	**AMS2060US**	$ 1282	$ 1333	$ 1383
66"W	**AMS2066US**	$ 1407	$ 1464	$ 1519
72"W	**AMS2072US**	$ 1476	$ 1536	$ 1593



Extended



Extended Slots *Slots*


30"H Metal U-Screen				
48"W	**AMS3248US** (shown)	$ 1398	$ 1455	$ 1509
54"W	**AMS3254US**	$ 1473	$ 1532	$ 1590
60"W	**AMS3260US**	$ 1539	$ 1601	$ 1660
66"W	**AMS3266US**	$ 1687	$ 1753	$ 1820
72"W	**AMS3272US**	$ 1772	$ 1842	$ 1911


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Wing Type :** **STD** Standard **EXT** Extended	**Accessories Slots:** **X** No Accessory Cut Out **SLT** Accessory Cut Out	**Paint Option:** P1 P2 P3 See page 580 for finishes.	**Paint Option:** **NA** Screen
_____ .	___ .	___ .	P___ .	NA


Examples: **AMS2048LH.STD.SLT.PR6.NA** **AMS2048SS.PR6.NA**

S *Shippable by small-package carrier.*

For specification information see pages 591-592.







Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
20"H Metal Rectangular Screen				
48"W	**AMS2048SS** (shown)	$ 762	$ 794	$ 823
54"W	**AMS2054SS**	$ 800	$ 833	$ 864
60"W	**AMS2060SS**	$ 853	$ 888	$ 920
66"W	**AMS2066SS**	$ 972	$ 1012	$ 1050
72"W	**AMS2072SS**	$ 1049	$ 1093	$ 1134
30"H Metal Rectangular Screen				
48"W	**AMS3248SS** (shown)	$ 933	$ 971	$ 1007
54"W	**AMS3254SS**	$ 972	$ 1012	$ 1050
60"W	**AMS3260SS**	$ 1033	$ 1075	$ 1117
66"W	**AMS3266SS**	$ 1164	$ 1212	$ 1256
72"W	**AMS3272SS**	$ 1228	$ 1278	$ 1325
15"H Tackboard Accessories				
20"W	**AAS1520** S	$ 332	$ 347	$ 358
48"W	**AAS1548** S (shown)	$ 395	$ 413	$ 427
54"W	**AAS1554** S	$ 436	$ 455	$ 471
60"W	**AAS1560** S	$ 454	$ 474	$ 490
66"W	**AAS1566** S	$ 662	$ 688	$ 716
72"W	**AAS1572** S	$ 724	$ 754	$ 783

How to specify — Select the Model Number from above.	*1st Option:* Wing Type :	*2nd Option:* Accessories Slots:	*3rd Option:* Paint Option:	*4th Option:* Paint Option:	*5th Option:* Accessories Color *(if applicable)*:
_____.	____.	____.	P__.	NA.	__
	STD Standard **EXT** Extended	**X** No Accessory Cut Out **SLT** Accessory Cut Out	P1 P2 P3 See page 580 for finishes.	**NA** Screen	**DW** Designer White **E9** Flint

Examples: **AAS1548.PR6.APN911** **AFAMS2048LH.STD.SLT.PR6.NA**
AFAMS2048SS.PR6.NA

Work Tools







Description	Model	List Price
Hot File (Designer White Only)		
9½"H x 12¼"W x 3⅞"D	**AEHF**	$ 69
Side Saddle (Designer White Only)		
4"H x 12¼"W x 2⅛"D	**AESS**	$ 58
Bag or Coat Hook (Designer White Only)		
3¼"H x 1⅛"W x 2¼"D	**AECH**	$ 45

How to specify — Select the Model Number from above.	*1st Option:* Paint Option *(if applicable)*:	*2nd Option:* Fabric Option *(if applicable)*:	*3rd Option:* Paint Option:	*4th Option:* Accessories Color *(if applicable)*:
____.	P__.	____.	NA.	__
	P1 P2 P3 See page 580 for finishes.	See page 581 for fabric options.	**NA** Screen	**DW** Designer White **E9** Flint


Example: **AEHF.PJW**

S *Shippable by small-package carrier.*


Space Division — Altitude®

A8 Screen Kits


For specification information see page 590.
(See page 1006 for COM pricing on fabric grades G-J.)



Description	Model	Ship Weight	Cubes	List Price A	List Price D
U Screen Kit					
48"	FDSC48U	30.0	16.6	$ 2177	$ 2312
54"	FDSC54U	31.0	18.6	$ 2253	$ 2393
60"	FDSC60U (shown)	32.0	20.6	$ 2318	$ 2463
66"	FDSC66U	33.0	22.6	$ 2454	$ 2609
72"	FDSC72U	34.0	24.6	$ 2639	$ 2806



L Screen Kit					
Left Hand 48"	FDSC48LL	26.5	16.6	$ 1417	$ 1497
Right Hand 48"	FDSC48LR	26.5	16.6	$ 1417	$ 1497
Left Hand 54"	FDSC54LL	27.5	18.6	$ 1660	$ 1754
Right Hand 54"	FDSC54LR	27.5	18.6	$ 1660	$ 1754
Left Hand 60"	FDSC60LL (shown)	28.5	20.6	$ 1735	$ 1835
Right Hand 60"	FDSC60LR (shown)	28.5	20.6	$ 1735	$ 1835
Left Hand 66"	FDSC66LL	29.5	22.6	$ 2066	$ 2194
Right Hand 66"	FDSC66LR	29.5	22.6	$ 2066	$ 2194
Left Hand 72"	FDSC72LL	30.5	24.6	$ 2175	$ 2310
Right Hand 72"	FDSC72LR	30.5	24.6	$ 2175	$ 2310



Rectangular Screen Kit					
48"	FDSC48R	23.0	3.7	$ 1371	$ 1448
54"	FDSC54R	24.0	4.1	$ 1404	$ 1484
60"	FDSC60R (shown)	25.0	4.6	$ 1508	$ 1594
66"	FDSC66R	26.0	5.0	$ 1733	$ 1837
72"	FDSC72R	27.0	5.6	$ 1844	$ 1958

Note: Installation brackets are now attached to the screen from the factory.

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Select the Screen Fabric:** See page 581 for selections and color codes.	**Select the Screen Bracket Paint:** P1 P2 See page 580 for selections and color codes.* **P2** ($18 extra)
_____ .	_____ .	_____

Example: **FDSC48U.PCAMBLT40.P71** **FDSC48LL.PCAMBLT70.P71** **FDSC48R.PCAMBLT39.P71**

Space Division — Daybook™

Finishes 624-625
Introduction/Overview 626
Statement of Line 627
Specification Details 628-629
Frames 630
Laminate, Metal, and Slotted Inserts 631-633
Fabric Inserts 634
Glass Inserts 635
Shelves & Bookcases 636
Planters 637
Work Tools 638

FRAME, METAL INSERT, SLOTTED METAL INSERT

GRADE P1

Black P71
Brownstone P7D
Carbon P4Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Textured Designer White PK7
Textured Flint P7A
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent P8A

LAMINATE INSERT, LAMINATE SHELF

L1 SOLID

Black ..... P
Designer White LDW1
Flint LM16
Loft ..... LOFT

L1 WOODGRAIN

Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry ..... F

L2 WOODGRAIN

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Natural Recon LNR1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

LAMINATE EDGE

Beigewood ..... DE
Belair ..... BA
Black E4
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Phantom Ecru ..... PE
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

SHELF, BOOKCASE, PLANTER PAINT

GRADE P1

Black P71
Brownstone P7D
Carbon P4Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Textured Designer White PK7
Textured Flint P7A
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent P8A

GRADE A

APPOINT PANEL

100% Polyester

Artichoke APN911
Blackberry APN932
Bronze APN922
Carbon APN928
Chai APN912
Cherry APN930
Dark Pewter APN917
Dune APN915
Espresso APN923
Framboise APN931
Frost APN934
Jet APN927
Lawn APN925
Mandarin APN929
Morel APN909
Nimbus APN916
Platinum APN924
Turquoise APN926

BINARY †

Blush BNRY12
Coal BNRY06
Cream BNRY01
Denim BNRY08
Diamond BNRY03
Graphite BNRY05
Juniper BNRY10
Lagoon BNRY07
Lavendar BNRY11
Mineral BNRY04
Reef BNRY09
Sand Dollar BNRY02

*CENTURION™

(Nanotex™ Stain-Resistant finish)

Apricot CU47
Bark CU25
Black CU10
Espresso CU49
Fog CU03
Frost CU22
Goldenrod CU27
Indigo CU06
Iris CU50
Iron Ore CU19
Jade CU83
Marsala CU63
Morel CU24
Navy CU98
Peacock CU97
Pear CU84
Ruby CU67
Sapphire CU09

ETCH

100% Polyester

Axis ECH913
Blend ECH914
Cast ECH912
Highlight ECH910
Midtone ECH911
Outline ECH908
Shade ECH909
Tonal ECH916
Vanish ECH915

EXCHANGE

100% Polyester

Iron EXG916
Nickel EXG914
Pistachio EXG910
Root EXG913
Rupee EXG903
Shadow EXG911
Silver EXG915
Sisal EXG917
Stone EXG912

GRADE A – continued

LANDSCAPE

100% Polyester

Cornsilk LN15
Drift LN05
Khaki LN20
Sheen LN10
Slate LN35
Umber LN25
Urban LN30

LUCY

100% Recycled Polyester

Aspen LC932
Cornsilk LC930
Dusk LC922
Fawn LC933
Graphite LC934
Mist LC920
Neutra LC924
Pewter LC935
Snowdrop LC928

NOBLE

Aegean NBLE18
Amethyst NBLE19
Aspen NBLE14
Aster NBLE20
Blossom NBLE21
Bluebell NBLE22
Bordeaux NBLE01
Brick NBLE02
Chambray NBLE10
Chamomile NBLE23
Clementine NBLE04
Conifer NBLE24
Cottage NBLE25
Darkness NBLE26
Dawn NBLE13
Denim NBLE09
Desert Sand NBLE27
Dewfall NBLE28
Dusted Sage NBLE29
Flax NBLE30
Grass NBLE07
Gunmetal NBLE15
Harmony NBLE31
Harvest NBLE12
Ice Caves NBLE32
Icicle NBLE33
Inky NBLE34
Iris NBLE35
Jade NBLE06
Knight NBLE17
Mesa NBLE03
Monarch NBLE36
Pacific NBLE08
Pitch NBLE37
Queen Bee NBLE38
Rainforest NBLE05
Regal NBLE11
Sandcastle NBLE39
Sedona NBLE40
Stormy NBLE16
Sunbeam NBLE41
Voyager NBLE42
Windy Day NBLE43

GRADE A – continued

REFLECTIONS
100% Recycled Polyester
Galvanized REF929
Ice REF920
Loggia REF921
Mistral REF928
Moonstone REF923
Pewter REF922
Stainless REF924
Vanilla REF925
Winter REF927

REFUGE
64% Recycled Polyester
36% Polyester
Artesian RFG996
Dune RFG992
Eclipse RFG990
Frost † RFG993
Glacier † RFG991
Mineral RFG998
Tidal RFG994

SARTO ▼
100% Polyester (45% Recycled)
Ash SRT988
Fog SRT914
Lemongrass SRT949
Mist SRT945
Mushroom SRT976
Oyster SRT918
Reef SRT964
Sesame SRT993
Shale SRT952

VAST
Vineyard VST01
Garden VST02
Grasslands VST03
Bay VST04
Open Air VST05
Atmosphere VST06
Ocean VST07
Mountain Range VST08
Highway VST09
Tundra VST10
Beach VST11
Desert VST12
Country Side VST13

GRADE B

COAST † ♣
100% Antimony-Free Polyester
Channel COA914
Dune COA903
Headlands COA910
Marsh COA902
Pebble COA912
Pier COA913
Shoal COA901
Silt COA906
Tide COA908

TEMPEST
100% Recycled Polyester
Dragonfly TP930
Frost TP915
Full Stream TP980
Gold Rush TP910
Slate TP945
Tumbleweed TP970
Wind Chill TP940
Zebra TP935

Space Division — Daybook™

In the open plan, organizations are looking for ways to create spaces to flex with the needs of teams. Daybook creates division and collaboration for adjacent neighborhoods. Inserts can be customized to team needs — from a place to brainstorm to a celebration of project milestones. As teams change and new "neighbors" are added, the partition can be reconfigured to meet the needs of today and tomorrow.

	Top	Middle	Bottom
Metal	X	X	X
Laminate	X		X
Slotted Metal	X	X	X
Fabric	X	X	X
Glass Markerboard		X	
Planter		X	
Shelf		X	
Bookcase			X

Daybook is a furniture partition product, not a structural wall. It cannot support a door or other wall elements. It is anchored to the floor and ceiling/deck (or customer-provided structure) at the top and bottom of each vertical. When installing in a seismic zone, it is up to the trade partner (dealer/installer) managing the site to assess what is needed to be compliant with local codes.

Neighborhood Division

Creates neighborhood division by visibly *dividing space* and *harnessing local collaboration*. Permeable privacy is created through open-air inserts and a floor-to-ceiling design.

Team Culture


Drive team culture through *user choice* and *ownership* of product/space. A variety of materials and finishes enables designers to give teams their own flair and function without straying from corporate standards. The product can be a shared resource, but intuitively can feel owned by groups due to location or application.

Flexible Design

Daybook's flexible design allows it to be used in an *adaptive workplace*. Meaningful applications exist throughout the office; complementing different team and individual settings. Inserts and accessories can be easily swapped out to adjust to changes in team needs.


Space Division — Daybook™


Frame



Base Frame



Frame Extension

Fabric Panel Inserts


Top/Bottom Fabric Insert, Front


Top/Bottom Fabric Insert, Back


Middle Fabric Insert, Front



Middle Fabric Insert, Back


Laminate Panel Inserts


Top/Bottom Laminate Insert, Front



Top/Bottom Laminate Insert, Back


Metal Panel Inserts



Top/Bottom Metal Insert, Front



Top/Bottom Metal Insert, Back



Top/Bottom Slotted Metal Insert, Front


Top/Bottom Slotted Metal Insert, Back



Middle Metal Insert, Front



Middle Metal Insert, Back


Middle Slotted Metal Insert, Front


Middle Slotted Metal Insert, Back

Glass Panel Inserts


Glass MB Insert, Front


Glass MB Insert, Back

Storage & Shelving


Laminate Shelf


Laminate Bookcase


Steel Planter

Radii Tools


Hot File


Side Saddle


Bag or Coat Hook

Space Division — Daybook™


Frame (page 630)
- Frame is available in standard finishes.
- Recommended 5-6 sections per run (1 base frame, 3-4 frame extensions). Maximum run will depend on slope of floor. Floor must have less than 2" of height variance across the total run of the Daybook partition. Failure to meet this requirement could cause lack of stability resulting in product damage, property damage, or serious bodily injury.
- Every 36" requires ceiling attachment and floor attachment, these attachments come with NHBRHDFRM (base frame) and NHBRHDFRMEXT (frame extension) for simple specification. Hardware not included.
- Hardware finish is always black.
- Linear configurations only. Any configurations needing non-linear runs will need to be separate units on either side of the turn and will not be ganged or connected to each other.
- To add frame extensions after initial installation, you must disassemble frame and add extension pieces to the middle (NHBRHDFRM will always be on outside).

Ceiling Attachment (page 630)
- Attachment brackets ship with frame. Hardware is not included.
- Matches frame color specification.
- Ceiling brackets can be positioned on either side of the partition.
- Above ceiling bracket can mount directly to deck, but can also be mounted to built-out ceiling structure.
- Hardware is not included. Fasteners will vary depending on ceiling construction. Choose fasteners specific for your application.
- Grommets/shrouds for ceiling attachment must be sourced separately.
- "HI" spec: targeted mounting height 162" (13.5') to 207" (17') from floor.
- "MED" spec: targeted mounting height 138" (11.5') to 162" (13.25') from floor.
- "LO" spec: targeted mounting height 109" (9.125'), 126" (10.5') – 138" (11.25').
- For custom heights, please contact the Allsteel Tailored Products Group.






Floor Attachment (page 630)
- Attachment brackets ship with frame. Hardware is not included.
- Matches frame color specification.
- Foot design accepts customer-provided floor fastener up to ⅜" diameter.
- Finished floor anchor overall height maximum 7/16".




Inserts (pages 631-635)
- Top/Bottom inserts and middle inserts available to create customizable solution.
- Every partition has a "front" and a "back" and models must be specified as such to allow for proper attachment clips.
- Day 2 insert customers will only need to order "back" models for tile to tile retrofit opportunities.
- All front and back inserts can be different to match application need.
- Slotted metal inserts will show back of tile through the slots depending on what insert it is being used with. Weight capacity for slotted metal inserts/Radii tools: 50 lbs. distributed.
- Weight capacity for slotted metal inserts/Radii tools: 50 lbs. distributed.
- Top/Bottom Inserts feature Metal, Slotted Metal, Fabric, and Laminate materials.
- Middle inserts feature Metal, Slotted Metal, Fabric, and Glass Marker Board.
- Laminate inserts have a vertical grain direction. For fabric inserts, all Allsteel standard paints are available for the pan.
- Must install frame before installing inserts. Order in which inserts are installed does not matter.

Floating Shelf/Bookcase (page 636)
- Laminate shelf perfect for team displays and collaboration tools.
- Available in Allsteel standard laminates.
- 20 lbs. (distributed) load capacity per shelf.
- Floating shelf utilizes universal brackets.
- Bookshelf utilizes hardware for frame attachment. Available in Allsteel standard paint finishes.
- Shelves and bookcases are dual-sided inserts. Only one is required within specification (does not require a front and back model, like other inserts).
- Maximum of three shelves per middle section.
- Shelves can only be used as a middle inserts. Bookcases can only be used as a bottom insert.


Planter (page 637)
- Planter can be used for light storage or to introduce biophilia into a space.
- Painted steel planter available in Allsteel standard paints. Brackets will match paint specified with planter.
- Plant liner must be sourced separately, standard sizes available in the market.
- Planters can only be used as a middle insert.
- 30 lbs. weight capacity (distributed).
- Maximum of three planters per middle section.
- Planters are dual-sided inserts. Only one is required within specification (does not require a front and back model, like other inserts).



Deck Visual Details




Visual from Top Side




Visual from Bottom Side

Structure Connected to Deck Visual Details




Visual from Top Side




Visual from Bottom Side

Grid Ceiling Visual Details




Visual from Top Side



Visual from Bottom Side


Space Division — Daybook™

For specification information see page 628.



Description	Model	List Price
Daybook Frame		
Base Frame	**NHBRHDFRM**	**$ 7687**

NOTE: For custom heights, please contact the Allsteel Tailored Products Group.



Frame Extension	**NHBRHDFRMEXT**	**$ 3487**

NOTE: For custom heights, please contact the Allsteel Tailored Products Group.

DAYBOOK


How to specify —	*1st Option:*	*2nd Option*
Select the Model Number from above.	**Select the Base Paint Color** *(if applicable)*: P1 P2 P3 See page 624 for paint finishes.	**Select Ceiling Attachment:** **L** Low Ceiling Attachment **M** Medium Ceiling Attachment **H** High Ceiling Attachment
_____ .	_____ .	_____

Example: **NHBRHDFRM.P71.L**

Space Division — Daybook™

Laminate Inserts

For specification information see page 628.



Description	Model	List Price
Daybook Insert		
Top/Bottom Laminate Insert, Front	**NHBRHDTBILF**	**$ 880**
Top/Bottom Laminate Insert, Back	**NHBRHDTBILB**	**$ 674**

Note: Laminate inserts have a vertical grain direction.


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Select Laminate:** See page 624 for finishes.	**FSC Wood:** **F** FSC Wood **X** Non-FSC Wood (Omit)
_____ .	_____ .	_____

Example: **NHBRHDTBILF.P.F**


Space Division — Daybook™

Metal Inserts

For specification information see page 628.



Description	Model	List Price
Daybook Insert		
Top/Bottom Metal Insert, Front	**NHBRHDTBIMF**	**$ 424**
Top/Bottom Metal Insert, Back	**NHBRHDTBIMB**	**$ 218**



Middle Metal Insert, Front	**NHBRHDMIMF**	**$ 1027**
Middle Metal Insert, Back	**NHBRHDMIMB**	**$ 712**

Note: Specify marker board paint to make it a writable surface.

How to specify —	*1st Option:*
Select the Model Number from above.	**Select the Paint Color:** P1 P2 P3 See page 624 for paint finishes.


_____ . _____

Example: **NHBRHDTBIMF.P71**


Space Division — Daybook™

Slotted Metal Inserts

For specification information see page 628.



Description	Model	List Price by Paint Grade P1	P2
Daybook Insert			
Top/Bottom Slotted Metal Insert, Front	**NHBRHDTBIPMF**	$ 574	$ 607
Top/Bottom Slotted Metal Insert, Back	**NHBRHDTBIPMB**	$ 434	$ 459



Middle Slotted Metal Insert, Front	**NHBRHDMIPMF**	$ 1170	$ 1235
Middle Slotted Metal Insert, Back	**NHBRHDMIPMB**	$ 853	$ 902

DAYBOOK

How to specify —

Select the Model Number from above.

1st Option:

Select the Paint Color:

P1 P2 P3


See page 624 for paint finishes.

Example: **NHBRHDTBIPMF.P71**


Space Division — Daybook™

Fabric Inserts

For specification information see page 628.



Description	Model	List Price by Fabric Grade A	B
Daybook Insert			
Top/Bottom Fabric Insert, Front	**NHBRHDTBIFF**	$ 929	$ 999
Top/Bottom Fabric Insert, Back	**NHBRHDTBIFB**	$ 723	$ 775



Middle Fabric Insert, Front	**NHBRHDMIFF**	$ 1819	$ 1957
Middle Fabric Insert, Back	**NHBRHDMIFB**	$ 1504	$ 1610


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Select the Paint Color:** P1 P2 P3 See page 624 for paint finishes.	**Select Fabric:** See pages 624-625 for fabrics.
_____ .	_____ .	_____

Example: **NHBRHDTBIFF.P71.APN911**

Space Division — Daybook™

Glass Inserts

For specification information see page 628.



Description	Model	List Price
Daybook Insert		
Middle Glass Marker Board Insert, Front	**NHBRHDMIGMBF**	**$ 4385**
Middle Glass Marker Board Insert, Back	**NHBRHDMIGMBB**	**$ 4117**

How to specify —


Select the Model Number from above.

													.

Example: **NHRBRHDMIGMBF**

Space Division — Daybook™


For specification information see page 628.



Description	Model	List Price
Daybook Shelves		
Laminate Shelf	**NHBRHDSHELF**	**$ 408**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Select Laminate:** See page 624 for finishes.	**Select Laminate Edge:** See page 624 for finishes.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Select the Paint Color:** P1 P2 P3 See page 624 for paint finishes.
_____.	_____.	_____.	_____.	_____

Example: **NHBRHDSHELF.P.E4.F.P71**




Laminate Bookcase	**NHBRHDBKCSE**	**$ 1638**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Select Laminate:** See page 624 for finishes.	**Select Laminate Edge:** See page 624 for finishes.	**FSC:** **F** FSC Wood **X** Non-FSC Wood
_____.	_____.	_____.	_____

Example: **NHBRHDBKCSE.P.E4.F**

Space Division — Daybook™

For specification information see page 628.



Description	Model	List Price
Daybook Planter		
Steel Planter	NHBRHDPLANT	$ 674

How to specify —	*1st Option:*
Select the Model Number from above.	**Select the Paint Color:** P1 P2 P3 See page 624 for paint finishes.

Example: **NHBRHDPLANT.P71**

Space Division — Daybook™

Work Tools










Description	Model	List Price
Hot File		
9½"H x 12¼"W x 3⅞"D	**AEHF**	**$ 69**
Side Saddle		
4"H x 12¼"W x 2⅛"D	**AESS**	**$ 58**
Bag or Coat Hook		
3¼"H x 1⅝"W x 2¼"D	**AECH**	**$ 45**

Space Division — Further™ Screens






Beam Mounted Screen




Beam Mounted Screens (pages 641 and 643)

- Attach to the top or bottom of a beam, available in 6" increments at 13"H and 20½"H.
- Options available for tackable fabric up to 60"W, and glass up to 96"W.
- Fabric required when mounting screen to the bottom of a beam.
- Mounting top trim required to use screens on the top of a beam.
- May pass over a hub, h-leg, or in-line support without the use of split top trim.
- Beam mounted storage may be used on the same beam as a screen. Subtract the width of the storage unit from the screen.
- Worksurface mounted modesty screens are possible, but will interfere with cord management.
- Beam mounted modesty panels must be specified 6" shorter than beams when with Further Adaptive.



Elevated Version





Flush Mount


Table Mounted Screens (pages 642 and 643)

- Attach to the edge of a worksurface, available in 6" increments at 13" and 20½"H from 30"- 60"W.
- Flush-mounted option available in tackable fabric and glass.
- Glass screens only allowed on 27" deep worksurfaces.
- Elevated option available in fabric only.
- Elevated screens provide 1¼" clearance for routing cords and attachment of monitor arms.
- Flush-mounted screens should be specified 12" shorter than width of worksurface when used between Table legs – see example left.


Space Division — Further™ Screens








U6BL1221ML



U6BL1221MR



Side View of Lateral Screen Attached to a Worksurface

Close-up of Attachment — Without Accessories Rail and With Accessories Rail

Table Mounted Modesty (page 642)

- Attaches to the underside of a worksurface, available in 6" increments at 13"H from 18"- 60"W.
- Specify 13" shorter than width of worksurface when used between Table legs – see example left.
- Must be inset at least 3" from back edge of worksurface if used with table mounted or user movable screens.

User Movable Screen (page 644)

- Mounts to the edge of a worksurface and may be transferred to other locations with ease. Available in 6" increments at 13"H from 18"-60"W.
- Specify 12" shorter than worksurface edge when used between Table legs – see example left.
- Cannot be placed on mid support edge of worksurface when used with Further Adaptive.


Lateral Screen (page 644)

- Clamps to back edge of worksurface at 12"H.
- 20" or 26"D models available. Screen is designed to sit back from front edge of worksurface.
- Space for folders is 1½" and holds approximately 340 sheets of paper.
- Folder storage is one-sided – LH and RH options available.
- Cannot be located right above run off support beams on Adaptive worksurfaces.

Screens


Further™ — Fabric Screens and Modesty Panels

For specification information see page 639.



U6BC1336F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Beam Center Screens — Fabric							
24"W Beam Mounted	**U6BC1324F** S	$ 855	$ 881	$ 907	$ 951	$ 993	$ 1035
30"W Beam Mounted	**U6BC1330F** S	$ 892	$ 922	$ 949	$ 993	$ 1038	$ 1085
36"W Beam Mounted	**U6BC1336F** S	$ 928	$ 962	$ 994	$ 1049	$ 1102	$ 1158
42"W Beam Mounted	**U6BC1342F** S	$ 975	$ 1016	$ 1053	$ 1116	$ 1179	$ 1243
48"W Beam Mounted	**U6BC1348F** S	$ 1006	$ 1052	$ 1095	$ 1167	$ 1239	$ 1311
54"W Beam Mounted	**U6BC1354F** S	$ 1057	$ 1108	$ 1156	$ 1238	$ 1320	$ 1401
60"W Beam Mounted	**U6BC1360F** S	$ 1129	$ 1186	$ 1240	$ 1329	$ 1420	$ 1510



U6BC2036F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
20½"H Beam Center Screens — Fabric							
24"W Beam Mounted	**U6BC2024F** S	$ 974	$ 1009	$ 1043	$ 1099	$ 1155	$ 1211
30"W Beam Mounted	**U6BC2030F** S	$ 1012	$ 1057	$ 1099	$ 1170	$ 1239	$ 1311
36"W Beam Mounted	**U6BC2036F** S	$ 1048	$ 1100	$ 1151	$ 1237	$ 1322	$ 1405
42"W Beam Mounted	**U6BC2042F** S	$ 1092	$ 1153	$ 1212	$ 1311	$ 1409	$ 1506
48"W Beam Mounted	**U6BC2048F** S	$ 1164	$ 1233	$ 1302	$ 1413	$ 1526	$ 1640
54"W Beam Mounted	**U6BC2054F** S	$ 1255	$ 1333	$ 1410	$ 1536	$ 1665	$ 1790
60"W Beam Mounted	**U6BC2060F** S	$ 1319	$ 1406	$ 1489	$ 1631	$ 1772	$ 1913

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric:**	**Center Screens End Cap Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Paint Color:** P1 P2 P3 See page 422 for finishes.
U 6 B _ _ _ _ F .	_ _ _ _ _ .	_ _ _ .	_ _ _


Example: **U6BC1324F.APN911.PR6.PR6**

S *Shippable by small-package carrier.*

Screens


Further™ — Fabric Screens and Modesty Panels

For specification information see pages 639-640.




U6TS1336F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Table Mounted Screens — Fabric							
30"W Table Mounted	U6TS1330F S	$ 892	$ 922	$ 949	$ 993	$ 1038	$ 1085
36"W Table Mounted	U6TS1336F S	$ 930	$ 964	$ 996	$ 1051	$ 1104	$ 1160
42"W Table Mounted	U6TS1342F S	$ 973	$ 1014	$ 1051	$ 1114	$ 1177	$ 1241
48"W Table Mounted	U6TS1348F S	$ 1006	$ 1052	$ 1095	$ 1167	$ 1239	$ 1311
54"W Table Mounted	U6TS1354F S	$ 1057	$ 1108	$ 1156	$ 1238	$ 1320	$ 1401
60"W Table Mounted	U6TS1360F S	$ 1129	$ 1186	$ 1240	$ 1329	$ 1420	$ 1510




U6TS2036F


20½"H Table Mounted Screens — Fabric							
30"W Table Mounted	U6TS2030F S	$ 1012	$ 1057	$ 1099	$ 1170	$ 1239	$ 1311
36"W Table Mounted	U6TS2036F S	$ 1050	$ 1102	$ 1153	$ 1239	$ 1324	$ 1407
42"W Table Mounted	U6TS2042F S	$ 1090	$ 1151	$ 1210	$ 1309	$ 1407	$ 1504
48"W Table Mounted	U6TS2048F S	$ 1164	$ 1233	$ 1302	$ 1413	$ 1526	$ 1640
54"W Table Mounted	U6TS2054F S	$ 1255	$ 1333	$ 1410	$ 1536	$ 1665	$ 1790
60"W Table Mounted	U6TS2060F S	$ 1319	$ 1406	$ 1489	$ 1631	$ 1772	$ 1913



13"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric							
30"W	U6TTS1330F	$ 957	$ 987	$ 1015	$ 1060	$ 1109	$ 1154
36"W	U6TTS1336F	$ 996	$ 1028	$ 1057	$ 1107	$ 1156	$ 1204
42"W	U6TTS1342F	$ 1042	$ 1078	$ 1112	$ 1170	$ 1227	$ 1284
48"W	U6TTS1348F	$ 1085	$ 1127	$ 1167	$ 1232	$ 1298	$ 1364
54"W	U6TTS1354F	$ 1137	$ 1184	$ 1228	$ 1303	$ 1376	$ 1451
60"W	U6TTS1360F	$ 1206	$ 1257	$ 1306	$ 1388	$ 1472	$ 1553



20½"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric							
30"W	U6TTS2030F	$ 1085	$ 1126	$ 1166	$ 1228	$ 1293	$ 1359
36"W	U6TTS2036F	$ 1122	$ 1171	$ 1218	$ 1295	$ 1374	$ 1452
42"W	U6TTS2042F	$ 1165	$ 1222	$ 1277	$ 1366	$ 1458	$ 1549
48"W	U6TTS2048F	$ 1250	$ 1314	$ 1377	$ 1481	$ 1584	$ 1687
54"W	U6TTS2054F	$ 1346	$ 1417	$ 1487	$ 1604	$ 1721	$ 1837
60"W	U6TTS2060F	$ 1409	$ 1490	$ 1568	$ 1698	$ 1828	$ 1957



U6TM36F

13"H Table Mounted Modesty — Fabric							
18"W Table Mounted	U6TM18F S	$ 681	$ 702	$ 722	$ 754	$ 784	$ 818
24"W Table Mounted	U6TM24F S	$ 722	$ 747	$ 772	$ 813	$ 852	$ 893
30"W Table Mounted	U6TM30F S	$ 748	$ 780	$ 811	$ 863	$ 913	$ 962
36"W Table Mounted	U6TM36F S	$ 813	$ 851	$ 889	$ 950	$ 1010	$ 1071
42"W Table Mounted	U6TM42F S	$ 853	$ 899	$ 941	$ 1013	$ 1084	$ 1155
48"W Table Mounted	U6TM48F S	$ 915	$ 965	$ 1014	$ 1095	$ 1177	$ 1257
54"W Table Mounted	U6TM54F S	$ 980	$ 1037	$ 1092	$ 1183	$ 1273	$ 1364
60"W Table Mounted	U6TM60F S	$ 1064	$ 1124	$ 1182	$ 1277	$ 1374	$ 1471

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric:**	**Mounted Screens End Cap Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Paint Color:** See page 422 for finishes.

U 6 T _ _ _ _ _ F . _ _ _ _ . _ _ _ . _ _ _


Examples: **U6TS1330F.APN911.PR6.PR6** **U6TM18F.APN911.PR6**


S *Shippable by small-package carrier.*


Screens


Further™ — Glass Screens

For specification information see page 639.


U6BC1336G


U6BC2036G


U6TS1336G


U6TS2036G

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Beam Center Screens — Glass									
24"W Beam Mounted	U6BC1324G S	$ 1049	$ 1108	$ 1156	$ 1161	$ 1069	$ 1128	$ 1176	$ 1181
30"W Beam Mounted	U6BC1330G S	$ 1081	$ 1143	$ 1198	$ 1196	$ 1101	$ 1163	$ 1218	$ 1216
36"W Beam Mounted	U6BC1336G S	$ 1136	$ 1203	$ 1264	$ 1256	$ 1156	$ 1223	$ 1284	$ 1276
42"W Beam Mounted	U6BC1342G S	$ 1226	$ 1300	$ 1369	$ 1355	$ 1246	$ 1320	$ 1389	$ 1375
48"W Beam Mounted	U6BC1348G S	$ 1260	$ 1344	$ 1420	$ 1393	$ 1280	$ 1364	$ 1440	$ 1413
54"W Beam Mounted	U6BC1354G S	$ 1354	$ 1443	$ 1520	$ 1500	$ 1374	$ 1463	$ 1540	$ 1520
60"W Beam Mounted	U6BC1360G S	$ 1430	$ 1527	$ 1607	$ 1583	$ 1450	$ 1547	$ 1627	$ 1603
66"W Beam Mounted	U6BC1366G S	$ 1602	$ 1704	$ 1798	$ 1774	$ 1627	$ 1729	$ 1823	$ 1799
72"W Beam Mounted	U6BC1372G S	$ 1759	$ 1871	$ 1970	$ 1937	$ 1784	$ 1896	$ 1995	$ 1962
78"W Beam Mounted	U6BC1378G S	$ 2009	$ 2128	$ 2231	$ 2219	$ 2034	$ 2153	$ 2256	$ 2244
84"W Beam Mounted	U6BC1384G S	$ 2083	$ 2211	$ 2329	$ 2297	$ 2108	$ 2236	$ 2354	$ 2322
90"W Beam Mounted	U6BC1390G S	$ 2164	$ 2307	$ 2430	$ 2389	$ 2189	$ 2332	$ 2455	$ 2414
96"W Beam Mounted	U6BC1396G S	$ 2280	$ 2431	$ 2572	$ 2518	$ 2305	$ 2456	$ 2597	$ 2543
20½"H Beam Center Screens — Glass									
24"W Beam Mounted	U6BC2024G S	$ 1132	$ 1206	$ 1275	$ 1254	$ 1152	$ 1226	$ 1295	$ 1274
30"W Beam Mounted	U6BC2030G S	$ 1163	$ 1248	$ 1324	$ 1288	$ 1183	$ 1268	$ 1344	$ 1308
36"W Beam Mounted	U6BC2036G S	$ 1221	$ 1311	$ 1393	$ 1353	$ 1241	$ 1331	$ 1413	$ 1373
42"W Beam Mounted	U6BC2042G S	$ 1355	$ 1452	$ 1544	$ 1503	$ 1375	$ 1472	$ 1564	$ 1523
48"W Beam Mounted	U6BC2048G S	$ 1444	$ 1546	$ 1648	$ 1604	$ 1464	$ 1566	$ 1668	$ 1624
54"W Beam Mounted	U6BC2054G S	$ 1551	$ 1663	$ 1769	$ 1723	$ 1571	$ 1683	$ 1789	$ 1743
60"W Beam Mounted	U6BC2060G S	$ 1654	$ 1774	$ 1886	$ 1838	$ 1674	$ 1794	$ 1906	$ 1858
66"W Beam Mounted	U6BC2066G S	$ 1819	$ 1945	$ 2066	$ 2022	$ 1844	$ 1970	$ 2091	$ 2047
72"W Beam Mounted	U6BC2072G S	$ 1968	$ 2100	$ 2226	$ 2175	$ 1993	$ 2125	$ 2251	$ 2200
78"W Beam Mounted	U6BC2078G S	$ 2474	$ 2625	$ 2765	$ 2749	$ 2499	$ 2650	$ 2790	$ 2774
84"W Beam Mounted	U6BC2084G S	$ 2593	$ 2759	$ 2911	$ 2881	$ 2618	$ 2784	$ 2936	$ 2906
90"W Beam Mounted	U6BC2090G S	$ 2746	$ 2917	$ 3077	$ 3051	$ 2771	$ 2942	$ 3102	$ 3076
96"W Beam Mounted	U6BC2096G S	$ 3100	$ 3277	$ 3447	$ 3451	$ 3125	$ 3302	$ 3472	$ 3476
13"H Table Mounted Screens — Glass									
30"W Table Mounted	U6TS1330G S	$ 1081	$ 1143	$ 1198	$ 1196	$ 1101	$ 1163	$ 1218	$ 1216
36"W Table Mounted	U6TS1336G S	$ 1138	$ 1205	$ 1266	$ 1258	$ 1158	$ 1225	$ 1286	$ 1278
42"W Table Mounted	U6TS1342G S	$ 1224	$ 1298	$ 1367	$ 1353	$ 1244	$ 1318	$ 1387	$ 1373
48"W Table Mounted	U6TS1348G S	$ 1260	$ 1344	$ 1420	$ 1393	$ 1280	$ 1364	$ 1440	$ 1413
54"W Table Mounted	U6TS1354G S	$ 1354	$ 1443	$ 1520	$ 1500	$ 1374	$ 1463	$ 1540	$ 1520
60"W Table Mounted	U6TS1360G S	$ 1430	$ 1527	$ 1607	$ 1583	$ 1450	$ 1547	$ 1627	$ 1603
20½"H Table Mounted Screens — Glass									
30"W Table Mounted	U6TS2030G S	$ 1163	$ 1248	$ 1324	$ 1288	$ 1183	$ 1268	$ 1344	$ 1308
36"W Table Mounted	U6TS2036G S	$ 1223	$ 1313	$ 1395	$ 1355	$ 1243	$ 1333	$ 1415	$ 1375
42"W Table Mounted	U6TS2042G S	$ 1353	$ 1450	$ 1542	$ 1501	$ 1373	$ 1470	$ 1562	$ 1521
48"W Table Mounted	U6TS2048G S	$ 1444	$ 1546	$ 1648	$ 1604	$ 1464	$ 1566	$ 1668	$ 1624
54"W Table Mounted	U6TS2054G S	$ 1551	$ 1663	$ 1769	$ 1723	$ 1571	$ 1683	$ 1789	$ 1743
60"W Table Mounted	U6TS2060G S	$ 1654	$ 1774	$ 1886	$ 1838	$ 1674	$ 1794	$ 1906	$ 1858

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

U 6 . L .


Examples: **U6BC1324G.LF.PR6** **U6TS1330G.LC.PR6**

S *Shippable by small-package carrier.*

Screens


Further™ — User Movable Screens

For specification information see page 640.




U6TU1336F

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H User Movable Screens — Fabric							
18"W Movable	**U6TU1318F** S	$ 815	$ 835	$ 853	$ 884	$ 914	$ 944
24"W Movable	**U6TU1324F** S	$ 856	$ 880	$ 904	$ 942	$ 980	$ 1018
30"W Movable	**U6TU1330F** S	$ 918	$ 949	$ 978	$ 1024	$ 1073	$ 1121
36"W Movable	**U6TU1336F** S	$ 962	$ 998	$ 1032	$ 1090	$ 1149	$ 1206
42"W Movable	**U6TU1342F** S	$ 1004	$ 1048	$ 1088	$ 1155	$ 1222	$ 1288
48"W Movable	**U6TU1348F** S	$ 1042	$ 1090	$ 1136	$ 1213	$ 1290	$ 1368
54"W Movable	**U6TU1354F** S	$ 1097	$ 1151	$ 1203	$ 1291	$ 1376	$ 1464
60"W Movable	**U6TU1360F** S	$ 1167	$ 1224	$ 1279	$ 1370	$ 1460	$ 1551



U6BL1221ML



U6BL1221MR


Description	Model	List Price P1	P2	P3
12"H Lateral Screens — Metal				
20"D Left	**U6BL1221ML** S	$ 579	$ 602	$ 624
26"D Left	**U6BL1227ML** S	$ 616	$ 639	$ 661
20"D Right	**U6BL1221MR** S	$ 579	$ 602	$ 624
26"D Right	**U6BL1227MR** S	$ 616	$ 639	$ 661

FURTHER

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Fabric** *(if applicable)*:	**Movable Screen End Cap or Lateral Screen Paint Color** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Movable Screen Mounting Bracket Paint Color:** P1 P2 P3 See page 422 for finishes.
U 6 .	.	.	

Examples: **U6TU1324F.APN911.PR6.PR6** **U6BL1221ML.PR6**

S *Shippable by small-package carrier.*



Straight L-Shape U-Shape

Size Reference Matrix


Models	A Under Desk Height	B Wing to Front	C1 Wing Width STD	C2 Wing Width EXT	D Left Leg to Edge	E Right Leg to Edge	F Left Side Panel to Support	G1 Distance Between Supports	G2 Distance Between Center/ Right Support	H Right Side Panel to Support	I Overall Width	J1 Desktop to Base of Panel	J2 Desktop to Top of Panel	K Cable Drop Space
AFAMS2048LH	26.8	6.8	21.1	24.3	4.1	-	6.9	29.7	-	6.4	48.1	-	22.9	0.7
AFAMS2054LH	26.8	6.8	21.1	24.3	4.1	-	6.9	35.7	-	6.4	54.1	-	22.9	0.7
AFAMS2060LH	26.8	6.8	21.1	24.3	4.1	-	6.9	41.7	-	6.4	60.1	-	22.9	0.7
AFAMS2066LH	26.8	6.8	21.1	24.3	4.1	-	6.9	22.8	22.8	6.4	66.1	-	22.9	0.7
AFAMS2072LH	26.8	6.8	21.1	24.3	4.1	-	6.9	25.8	25.8	6.4	72.1	-	22.9	0.7
AFAMS2048RH	26.8	6.8	21.1	24.3	4.0	-	6.4	29.7	-	6.9	48.1	-	22.9	0.7
AFAMS2054RH	26.8	6.8	21.1	24.3	4.0	-	6.4	35.7	-	6.9	54.1	-	22.9	0.7
AFAMS2060RH	26.8	6.8	21.1	24.3	4.0	-	6.4	41.7	-	6.9	60.1	-	22.9	0.7
AFAMS2066RH	26.8	6.8	21.1	24.3	4.0	-	6.4	22.8	22.8	6.9	66.1	-	22.9	0.7
AFAMS2072RH	26.8	6.8	21.1	24.3	4.0	-	6.4	25.8	25.8	6.9	72.1	-	22.9	0.7
AFAMS2048US	26.8	6.8	21.1	24.3	4.1	-	6.9	30.3	-	6.9	48.1	-	22.9	0.7
AFAMS2054US	26.8	6.8	21.1	24.3	4.1	-	6.9	36.3	-	6.9	54.1	-	22.9	0.7
AFAMS2060US	26.8	6.8	21.1	24.3	4.1	-	6.9	42.3	-	6.9	60.1	-	22.9	0.7
AFAMS2066US	26.8	6.8	21.1	24.3	4.1	-	6.9	23.1	23.1	6.9	66.1	-	22.9	0.7
AFAMS2072US	26.8	6.8	21.1	24.3	4.1	-	6.9	26.1	26.1	6.9	72.1	-	22.9	0.7
AFAMS2048SS	26.8	-	-	-	4.0	-	5.0	32.0	-	5.0	48.0	-	22.9	0.7
AFAMS2054SS	26.8	-	-	-	4.0	-	5.0	38.0	-	5.0	54.0	-	22.9	0.7
AFAMS2060SS	26.8	-	-	-	4.0	-	5.0	44.0	-	5.0	60.0	-	22.9	0.7
AFAMS2066SS	26.8	-	-	-	4.0	-	5.0	24.0	24.0	5.0	66.0	-	22.9	0.7
AFAMS2072SS	26.8	-	-C1	-	4.0	-	5.0	27.0	27.0	5.0	72.0	-	22.9	0.7

Space Division — Further™ Screens

Stride® — Working with Benching Screens


Lateral Divider Screens (page 648)

- Optional addition to the bench that provides space division and privacy. Lateral divider screens run perpendicular to the center trough.
- Lateral divider screens are sized to match worksurface depth, however it is not required that they are used on worksurface of the same depth.
- Standard depth screens will overhang worksurface ½".
- There are three types of lateral divider screens: tackable fabric, Frosted or Clear glass, and writable glass.
- Lateral divider screens attach to the underside on the back of the worksurface anywhere along the length of the bench within 7½" of each end.
- Lateral divider screens do not have to be mounted at the worksurface seam.
- Lateral divider screens may be used on standard systems worksurfaces, however, the screen mounts and aligns with the back edge of the worksurface. Not to be used on standard rabbet edge worksurfaces.
- Specify a shorter depth screen if using a lateral screen on a Stride Sit-to-Stand surface.
- Screens that match surface depths are available through Allsteel Tailored Products.



Tackable Fabric Lateral Divider Screens (page 648)

- ¾" thick tackable fabric
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are 22¾"D, 25¾"D, and 31¾"D.




Glass Lateral Divider Screens (page 648)

- ⅜" thick laminated clear or frosted glass.
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are 22¾"D, 25¾"D, and 31¾"D.


Further Adaptive — Metal Screens (page 649)
- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides ½" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above the desk only.
- L- and U-Shape screens are compatible with shrouded Further Adaptive Desk legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with a VHB tape (included in hardware).
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Radii undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.

Size Reference Matrix

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2



Accessories — Tackboard (page 649)
- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).




Accessories — Radii (page 650)
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.

Accessories — Further Worksurface Rail Mount (page 526)
- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.


Screens

Stride® — Lateral Divider Screens

For specification information see page 646.
(See page 1006 for COM pricing on fabric Grades G-J for Fabric Screens.)



Description	Model	Clear List Price	Frosted List Price	Smoked List Price
8"H Lateral Divider Screen — ⅜" Thick Glass				
27"D	**Z6BL0827G** S	$ 986	$ 1036	$ 1113
30"D	**Z6BL0830G** S	$ 1034	$ 1092	$ 1167
36"D	**Z6BL0836G** S	$ 1085	$ 1149	$ 1225



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
8"H Lateral Divider Screen — ¾" Thick Tackable Fabric							
27"D	**Z6BL0827F** S	$ 884	$ 896	$ 906	$ 924	$ 941	$ 957
30"D	**Z6BL0830F** S	$ 910	$ 923	$ 934	$ 954	$ 972	$ 991
36"D	**Z6BL0836F** S	$ 1005	$ 1020	$ 1033	$ 1056	$ 1078	$ 1101

FURTHER

How to specify —	*1st Option:*	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Fabric** *(if applicable)*: See page 16 for fabrics.	**Glass** *(if applicable)*: **LC** Clear **LF** Frosted **GSM1** Smoked	**Paint** *(if applicable)*: P1 P2 P3 See page 422 for finishes.
_____ . P__		_____ . L__ .		P__


Examples: **Z6BL0836F.IMP905.P02** **Z6BL0827G.LC.P28**


S *Shippable by small-package carrier.*


Screens



Further™ Adaptive — Metal Screens / Tackboard Accessories


For specification information see pages 645-647.




Extended



Extended Slots



Slots



Extended


Extended Slots


Slots





Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
22"H Metal L-Screen				
48"W	**AFAMS2048LH** (shown)	$ 893	$ 929	$ 964
54"W	**AFAMS2054LH**	$ 972	$ 1012	$ 1050
60"W	**AFAMS2060LH**	$ 1087	$ 1132	$ 1174
66"W	**AFAMS2066LH**	$ 1189	$ 1237	$ 1283
72"W	**AFAMS2072LH**	$ 1243	$ 1293	$ 1341
48"W	**AFAMS2048RH**	$ 893	$ 929	$ 964
54"W	**AFAMS2054RH**	$ 972	$ 1012	$ 1050
60"W	**AFAMS2060RH**	$ 1087	$ 1132	$ 1174
66"W	**AFAMS2066RH**	$ 1189	$ 1237	$ 1283
72"W	**AFAMS2072RH**	$ 1243	$ 1293	$ 1341
22"H Metal U-Screen				
48"W	**AFAMS2048US** (shown)	$ 1164	$ 1212	$ 1256
54"W	**AFAMS2054US**	$ 1228	$ 1278	$ 1325
60"W	**AFAMS2060US**	$ 1282	$ 1333	$ 1383
66"W	**AFAMS2066US**	$ 1407	$ 1464	$ 1519
72"W	**AFAMS2072US**	$ 1476	$ 1536	$ 1593
22"H Metal Straight Screen				
48"W	**AFAMS2048SS** (shown)	$ 762	$ 794	$ 823
54"W	**AFAMS2054SS**	$ 800	$ 833	$ 864
60"W	**AFAMS2060SS**	$ 853	$ 888	$ 920
66"W	**AFAMS2066SS**	$ 972	$ 1012	$ 1050
72"W	**AFAMS2072SS**	$ 1049	$ 1093	$ 1134
15"H Tackboard Accessories				
20"W	**AAS1520** S	$ 332	$ 347	$ 358
48"W	**AAS1548** S (shown)	$ 395	$ 413	$ 427
54"W	**AAS1554** S	$ 436	$ 455	$ 471
60"W	**AAS1560** S	$ 454	$ 474	$ 490
66"W	**AAS1566** S	$ 662	$ 688	$ 716
72"W	**AAS1572** S	$ 724	$ 754	$ 783

S *Shippable by small-package carrier.*

How to specify — Select the Model Number from above.	*1st Option:* Wing Type :	*2nd Option:* Accessories Slots:	*3rd Option:* Paint Option:	*4th Option:* Paint Option:	*5th Option:* Accessories Color *(if applicable)*:
	STD Standard **EXT** Extended	**X** No Accessory Cut Out **SLT** Accessory Cut Out	P1 P2 P3 See page 422 for finishes.	**NA** Screen	**DW** Designer White **E9** Flint
_____.	____.	____.	P___.	NA.	__

Examples: **AAS1548.PR6.APN911** **AFAMS2048LH.STD.SLT.PR6.NA** **AFAMS2048SS.PR6.NA**

Screens

Further™ Adaptive — Tackboard Accessories

For specification information see pages 645-647.

Work Tools







Description	Model	List Price
Hot File (Designer White Only)		
9½"H x 12¼"W x 3⅞"D	**AEHF**	**$ 69**
Side Saddle (Designer White Only)		
4"H x 12¼"W x 2⅛"D	**AESS**	**$ 58**
Bag or Coat Hook (Designer White Only)		
3¼"H x 1⅝"W x 2¼"D	**AECH**	**$ 45**

FURTHER

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Paint Option** *(if applicable)*: P1 P2 P3 See page 422 for finishes.	**Fabric Option** *(if applicable)*: See page 15 for fabric options.	**Accessories Color** *(if applicable)*: **DW** Designer White **E9** Flint
____.	P___.	___.	___

Examples: **AEHF.PJW**

Space Division — Universal Screens

Finishes and Upholstery 652-653
Specification Details 654-657
Fabric Screens
Beam Mounted Screens 658
Elevated Screens 659
Above/Below Screens 660
Lateral Screens 661-663
Adjustable HAT Screens 664
Modesty Screens 665
Sit-on-Surface Screens 666
Glass Screens
Beam Mounted Screens 667
Elevated Screens 668
Above/Below Screens 669
Lateral Screens 670-671
Side Screens 672
Modesty Screens 673
Acrylic Screens
Beam Mounted Screens 674
Elevated Screens 675
Above/Below Screens 676
Lateral Screens 677-678
Side Screens 679
Modesty Screens 680
Sit-on-Surface Screens 681
Laminate Screens
Beam Mounted Screens 682
Elevated Screens 683
Above/Below Screens 684
Lateral Screens 685-686
Side Screens 687
Modesty Screens 688
Metal Organizers 689

Space Division — Universal Screens

PAINT FINISHES

GRADE P1

Black	P71
Brownstone	P7D
Cinder	P7Q
Cove	P096
Designer White	PJW
Dune	P094
Flint	P02
Fossil	P28
Harbor	P097
Loft	P7B
Muslin	P4J
Pebble	P8R
Pewter	P8D
Sage	P095
Salt	P8C
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Matte Gold	P8G
Night Bronze	P8B
Platinum Metallic	PR2
Pyrite	PJE
Silver	PR6
Solar Black	P8X

GRADE P3

Atom	P8S
Blossom	P8K
Bullseye	PJF
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent	P8A

GRADE P6

Markerboard	MKP

LAMINATE FINISHES

GRADE L1

Black	P
Bourbon Cherry	H
Charcoal	S
Cognac	COGN
Designer White	LDW1
Field Elm	LWFE
Florence Walnut	LFW1
Handspun Chestnut	LAHC
Handspun Dove	LAHD
Handspun Pearl	LAHP
Handspun Slate	LAHS
Harvest	C
Kingswood Walnut	LKI1
Loft	LOFT
Mahogany	N
Mocha	MOCH
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Silver Mesh	B9
Sterling Ash	LSA1

GRADE L2

Beigewood	LWBE
Fawn Cypress	LFC1
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1

EDGE FINISHES

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	DR
Natural Walnut	DN
NeoWalnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecru	PE
Pinnacle	PI
Platinum Metallic	EP
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

GRADE A

APPOINT PANEL

100% Polyester

Artichoke	APN911
Blackberry	APN932
Bronze	APN922
Carbon	APN928
Chai	APN912
Cherry	APN930
Dark Pewter	APN917
Dune	APN915
Espresso	APN923
Frost	APN934
Framboise	APN931
Jet	APN927
Lawn	APN925
Mandarin	APN929
Morel	APN909
Nimbus	APN916
Platinum	APN924
Turquoise	APN926

BINARY

83% Polyester, 17% Post-Consumer Recycled Polyester

Blush	BNRY12
Coal	BNRY06
Cream	BNRY01
Denim	BNRY08
Diamond	BNRY03
Graphite	BNRY05
Juniper	BNRY10
Lagoon	BNRY07
Lavender	BNRY11
Mineral	BNRY04
Reef	BNRY09
Sand Dollar	BNRY02

ETCH

100% Polyester

Axis	ECH913
Blend	ECH914
Cast	ECH912
Highlight	ECH910
Midtone	ECH911
Outline	ECH908
Shade	ECH909
Tonal	ECH916
Vanish	ECH915

LANDSCAPE

48% Post-Consumer Recycled Polyester, 40% Pre-Consumer Recycled Polyester, 12% Polyester

Cornsilk	LN15
Drift	LN05
Khaki	LN20
Sheen	LN10
Slate	LN35
Umber	LN25
Urban	LN30

GRADE A – continued

NOBLE NBLE

60% Post-Consumer Recycled Polyester

Aegean	NBLE18
Amethyst	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom	NBLE21
Bluebell	NBLE22
Bordeaux	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile	NBLE23
Clementine	NBLE04
Conifer	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Denim	NBLE09
Desert Sand	NBLE27
Dewfall	NBLE28
Dusted Sage	NBLE29
Flax	NBLE30
Grass	NBLE07
Gunmetal	NBLE15
Harmony	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle	NBLE33
Inky	NBLE34
Iris	NBLE35
Jade	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager	NBLE42
Windy Day	NBLE43

REFLECTIONS

56% Pre-Consumer Recycled Polyester, 44% Post-Consumer Recycled Polyester

Galvanized	REF929
Ice	REF920
Loggia	REF921
Mistral	REF928
Moonstone	REF923
Pewter	REF922
Stainless	REF924
Vanilla	REF925
Winter	REF927

REFUGE

46% Polyester, 35% Pre-Consumer Recycled Polyester, 19% Post-Consumer Recycled Polyester

Artesian	RFG996
Dune	RFG992
Eclipse	RFG990
Frost †	RFG993
Glacier †	RFG991
Mineral	RFG998
Tidal	RFG994

[w] Limited to 48"W or less

Space Division — Universal Screens

GRADE B

DISPERSE
100% Polyester

Autumn....DISP03
Branch....DISP10
Coffee Bean....DISP13
Dusk....DISP09
Emerald City....DISP08
Gold Rush....DISP02
Igloo....DISP11
Ink....DISP06
Mist....DISP12
Oatmeal....DISP15
Prince....DISP07
Reservoir....DISP01
Rose....DISP04
Spring....DISP05
Steel....DISP16
Taupe....DISP14

SPIN PANEL
54% Polyester, 30% Pre-Consumer Recycled Polyester, 16% Post-Consumer Recycled Polyester

Alabaster....SPIN02
Cavern....SPIN03
Cobblestone....SPIN04
Ember....SPIN06
Flame....SPIN07
Heron....SPIN13
Oat....SPIN01
Ocean....SPIN12
Plum....SPIN15
Pool....SPIN11
Raven....SPIN10
Rhubarb....SPIN14
Tropic....SPIN08
Willow....SPIN05

TEMPEST
73% Pre-Consumer Recycled Polyester, 27% Post-Consumer Recycled Polyester

Dragonfly....TP930
Frost....TP915
Full Stream....TP980
Gold Rush....TP910
Slate....TP945
Tumbleweed....TP970
Wind Chill....TP940
Zebra....TP935

TERRAIN
48% Polyester, 34% Pre-Consumer Recycled Polyester, 18% Post-Consumer Recycled Polyester

Bay....TRRN05
Bayou....TRRN35
Canyon....TRRN30
Cliff....TRRN45
Crest....TRRN25
Delta....TRRN10
Plateau....TRRN15
Ridge....TRRN20
Valley....TRRN40

SEATING – GRADE 1

CENTURION[W]
100% Polyester

Apricot....CU47
Bark....CU25
Black....CU10
Espresso....CU49
Fog....CU03
Frost....CU22
Goldenrod....CU27
Indigo....CU06
Iris....CU50
Iron Ore....CU19
Jade....CU83
Marsala....CU63
Morel....CU24
Navy....CU98
Peacock....CU97
Pear....CU84
Ruby....CU67
Sapphire....CU09

DAPPER[W]
100% Polyester

Ash....DAPR20
Breeze....DAPR06
Canvas....DAPR25
Charcoal....DAPR01
Clover....DAPR22
Currant....DAPR00
Fawn....DAPR35
Fern....DAPR85
Gerbera....DAPR16
Grape....DAPR33
Jewel....DAPR08
Marigold....DAPR65
Onyx....DAPR10
Orchid....DAPR90
Parrot....DAPR59
Poppy....DAPR19
Sapphire....DAPR07
Scarlet....DAPR45
Sepia....DAPR30
Sky....DAPR44
Slate....DAPR15
Sorbet....DAPR55
Spring....DAPR80
Terracotta....DAPR13
Titanium....DAPR17
Varsity....DAPR09
Zest....DAPR70

DENIM WASH

Aged Indigo....DMNW05
Amethyst....DMNW06
Cerulean....DMNW04
Earthy....DMNW10
Forest Green....DMNW03
Golden....DMNW02
Grey Fox....DMNW09
Obsidian....DMNW12
Sand....DMNW08
Steel Grey....DMNW11
Terracotta....DMNW01
Violet Shades....DMNW07

[W] Limited to 48"W or less

AVAILABLE SCREEN MATERIALS, MOUNTING METHODS, AND SIZES

Desktop Mounted Screens

		Elevated	Top Mount	Side Mount	F-2-B	S.O.S.	Lat Org	Modesty
Acrylic	H	13, 20	12, 20, 27	13, 20, 27	13, 20, 27	13, 20		13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	36, 42, 48, 54, 60, 66, 72		30, 36, 42, 48, 54, 60, 66, 72
Fabric	H	13, 20, 27	13, 20	13, 20	13, 20, 27	13, 20		13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	36, 42, 48, 54, 60, 66, 72		30, 36, 42, 48, 54, 60, 66, 72
Laminate	H	13, 20	13, 20, 27	13, 20, 27	13, 20, 27			13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36			30, 36, 42, 48, 54, 60, 66, 72
Glass	H	13, 20	13, 20	13, 20	13, 20			11
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36			36, 42, 48, 54, 60
Metal	H						20	
	W						21, 27	

Above/Below Screens

		Movable A/B	Fixed A/B
Acrylic	H		27
	W		34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Fabric	H	27, 34	27, 34
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Laminate	H		27
	W		34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Glass	H		25
	W		36, 42, 48, 54, 60

Series-Specific Screens

		Further	Further Modesty
Acrylic	H	13, 20, 28	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	
Fabric	H	13, 20, 28	13, 20
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	24, 30, 36, 42, 48, 54, 60, 66, 72
Laminate	H	13, 20, 28	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	
Glass	H	13, 20	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	


SUPPORT CLEARANCE RULES

	Above/ Below Movable	Above/Below Fixed	Elevated Mount	Top Mount	Side Mount	Front-to-Back	Sit-on-Surface	Modesty*
	Recommended Inset from Edge of Worksurface							
Approach O-Leg	>9"	No Inset	No Inset	No Inset	Not Compatible	2"	No Inset	6"
Approach Splay Leg	>9"	No Inset	No Inset	No Inset	Not Compatible	Not Compatible	No Inset	6"
End Panel Leg	18"	6"	12"	No Inset	Not Compatible	Not Compatible	No Inset	6"
Huddle Post Leg	9"	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	6"
Altitude Base	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset
Approach Shroud	6"	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	6"
Pedestal	>Ped Width	Ped Width -12"	Ped Width - 6"	No Inset	Not Compatible	Not Compatible	No Inset	Ped Width

* Recommended mounting location for modesty screens is inset 3-6" from approach edge of worksurface. Screens can be mounted flush to the edge if desired. When using modesty panels, please check for interference with worksurface supports based on inset location.


SCREEN MOUNTING TECH AND SPEC INFORMATION

Movable Above/Below




- Available in Fabric only.
- Screen is offset from edge of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to underside of worksurface.
- Screen is secured to brackets with thumb screws, allowing users to adjust height up/down.
- Min. height above or below worksurface is 6".
- Brackets are secured on the outside edge of the screen.
- Brackets are available in standard paint options and ship uninstalled.

Sit-on-Surface Screen




- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Brackets come with anti-slip neoprene foam pads and do not physically attach to worksurface.
- Brackets are designed to be rotated 90 degrees when needed.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Brackets are available in standard paint options and ship uninstalled.

Top Mount Screen




- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Mounting brackets attach to the top of the worksurface with either double-sided tape or wood screws.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Brackets are available in standard paint options and ship uninstalled.

Fixed Above/Below




- Available in Fabric, Acrylic, or Laminate.
- Screen is offset from edge of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to underside of worksurface.
- Fabric Screens are secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in black paint only and ship installed.
- Acrylic Screens are secured to brackets via a metal fastener. Brackets are located on edge of screen. Brackets are available in standard paint options and ship uninstalled.
- Laminate Screens are secured to brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets are available in black paint only and ship uninstalled.

Side Mount Screen



- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Mounting brackets wrap around the side edge of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.


Elevated Screen



- Available in Fabric, Acrylic, or Glass.
- Screen is offset from top of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.


SCREEN MOUNTING TECH AND SPEC INFORMATION

Front-to-Back Screen




- Available in Fabric, Acrylic, or Glass.
- Screen is slightly offset from top of worksurface.
- Mounting brackets wrap around front and rear edge of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location is fixed on either side of the screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.

Modesty Panel



- Available in Fabric, Acrylic, or Laminate.
- Mounting brackets attach to the underside of the worksurface.
- Fabric modesty is secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in black paint only and ship installed.
- Acrylic modesty is secured to brackets via metal fasteners through predrilled holes in modesty panel. Brackets are inset 10" (36"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in standard paint options and ship uninstalled.
- Laminate modesty is secured to brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets are available in black paint only and ship uninstalled.

Further Beam Mount




- Available in Fabric, Glass, Acrylic, or Laminate.
- Mounting brackets secure to slot in center of beam.
- Screens will provide access between screen and rear edge of worksurface for access to power rail or for mounting worksurface accessories.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- For Further Adaptive applications select a desktop-mounted screen.
- Brackets are available in standard paint options and ship uninstalled.

Universal Screens


Beam Mounted Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Beam Mounted Center Screen — Fabric							
24"W	AFS1324BSF	$ 695	$ 728	$ 758	$ 789	$ 832	$ 872
30"W	AFS1330BSF	$ 747	$ 783	$ 817	$ 851	$ 900	$ 945
36"W	AFS1336BSF	$ 783	$ 823	$ 860	$ 897	$ 947	$ 995
42"W	AFS1342BSF	$ 823	$ 865	$ 905	$ 944	$ 997	$ 1050
48"W	AFS1348BSF	$ 865	$ 911	$ 953	$ 995	$ 1053	$ 1110
54"W	AFS1354BSF	$ 910	$ 958	$ 1003	$ 1049	$ 1111	$ 1173
60"W	AFS1360BSF	$ 950	$ 1000	$ 1049	$ 1097	$ 1162	$ 1227
66"W	AFS1366BSF	$ 998	$ 1052	$ 1102	$ 1157	$ 1226	$ 1296
72"W	AFS1372BSF	$ 1053	$ 1111	$ 1168	$ 1222	$ 1297	$ 1370
20"H Beam Mounted Center Screen — Fabric							
24"W	AFS2024BSF	$ 798	$ 839	$ 876	$ 915	$ 966	$ 1017
30"W	AFS2030BSF	$ 850	$ 895	$ 936	$ 977	$ 1034	$ 1089
36"W	AFS2036BSF	$ 888	$ 935	$ 979	$ 1023	$ 1083	$ 1141
42"W	AFS2042BSF	$ 929	$ 978	$ 1025	$ 1071	$ 1135	$ 1198
48"W	AFS2048BSF	$ 971	$ 1023	$ 1072	$ 1124	$ 1191	$ 1256
54"W	AFS2054BSF	$ 1017	$ 1072	$ 1124	$ 1179	$ 1250	$ 1321
60"W	AFS2060BSF	$ 1065	$ 1124	$ 1181	$ 1236	$ 1312	$ 1389
66"W	AFS2066BSF	$ 1123	$ 1185	$ 1247	$ 1307	$ 1389	$ 1469
72"W	AFS2072BSF	$ 1187	$ 1253	$ 1319	$ 1384	$ 1471	$ 1558
28"H Beam Mounted Center Screen — Fabric							
24"W	AFS2824BSF	$ 899	$ 946	$ 991	$ 1036	$ 1097	$ 1156
30"W	AFS2830BSF	$ 959	$ 1010	$ 1059	$ 1110	$ 1176	$ 1239
36"W	AFS2836BSF	$ 1005	$ 1060	$ 1111	$ 1165	$ 1235	$ 1305
42"W	AFS2842BSF	$ 1053	$ 1111	$ 1168	$ 1222	$ 1297	$ 1370
48"W	AFS2848BSF	$ 1101	$ 1162	$ 1221	$ 1279	$ 1361	$ 1439
54"W	AFS2854BSF	$ 1157	$ 1221	$ 1284	$ 1349	$ 1432	$ 1514
60"W	AFS2860BSF	$ 1214	$ 1283	$ 1349	$ 1417	$ 1506	$ 1595
66"W	AFS2866BSF	$ 1219	$ 1288	$ 1356	$ 1423	$ 1513	$ 1602
72"W	AFS2872BSF	$ 1289	$ 1363	$ 1435	$ 1507	$ 1604	$ 1699



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Beam Mounted Modesty Screen — Fabric							
24"W	AFS1324BMF	$ 563	$ 596	$ 626	$ 657	$ 700	$ 740
30"W	AFS1330BMF	$ 615	$ 651	$ 685	$ 719	$ 768	$ 813
36"W	AFS1336BMF	$ 651	$ 691	$ 728	$ 765	$ 815	$ 863
42"W	AFS1342BMF	$ 691	$ 733	$ 773	$ 812	$ 865	$ 918
48"W	AFS1348BMF	$ 733	$ 779	$ 821	$ 863	$ 921	$ 978
54"W	AFS1354BMF	$ 778	$ 826	$ 871	$ 917	$ 979	$ 1041
60"W	AFS1360BMF	$ 818	$ 868	$ 917	$ 965	$ 1030	$ 1095
66"W	AFS1366BMF	$ 866	$ 920	$ 970	$ 1025	$ 1094	$ 1164
72"W	AFS1372BMF	$ 921	$ 979	$ 1036	$ 1090	$ 1165	$ 1238
20"H Beam Mounted Modesty Screen — Fabric							
24"W	AFS2024BMF	$ 666	$ 707	$ 744	$ 783	$ 834	$ 885
30"W	AFS2030BMF	$ 718	$ 763	$ 804	$ 845	$ 902	$ 957
36"W	AFS2036BMF	$ 756	$ 803	$ 847	$ 891	$ 951	$ 1009
42"W	AFS2042BMF	$ 797	$ 846	$ 893	$ 939	$ 1003	$ 1066
48"W	AFS2048BMF	$ 839	$ 891	$ 940	$ 992	$ 1059	$ 1124
54"W	AFS2054BMF	$ 885	$ 940	$ 992	$ 1047	$ 1118	$ 1189
60"W	AFS2060BMF	$ 933	$ 992	$ 1049	$ 1104	$ 1180	$ 1257
66"W	AFS2066BMF	$ 991	$ 1053	$ 1115	$ 1175	$ 1257	$ 1337
72"W	AFS2072BMF	$ 1055	$ 1121	$ 1187	$ 1252	$ 1339	$ 1426

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See pages 652-653 for fabrics.	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A F S _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ _ _


Example:

Universal Screens

Elevated Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Elevated Screen — Fabric							
36"W	AFS1336DFS	$ 744	$ 777	$ 809	$ 841	$ 884	$ 926
42"W	AFS1342DFS	$ 778	$ 813	$ 848	$ 881	$ 929	$ 974
48"W	AFS1348DFS	$ 812	$ 850	$ 888	$ 924	$ 973	$ 1020
54"W	AFS1354DFS	$ 849	$ 891	$ 930	$ 969	$ 1020	$ 1073
60"W	AFS1360DFS	$ 891	$ 936	$ 978	$ 1019	$ 1076	$ 1131
66"W	AFS1366DFS	$ 935	$ 982	$ 1027	$ 1072	$ 1132	$ 1192
72"W	AFS1372DFS	$ 979	$ 1029	$ 1077	$ 1125	$ 1190	$ 1254
20"H Elevated Screen — Fabric							
36"W	AFS2036DFS	$ 873	$ 917	$ 958	$ 998	$ 1051	$ 1106
42"W	AFS2042DFS	$ 916	$ 962	$ 1006	$ 1049	$ 1109	$ 1165
48"W	AFS2048DFS	$ 965	$ 1014	$ 1061	$ 1107	$ 1171	$ 1234
54"W	AFS2054DFS	$ 1013	$ 1065	$ 1115	$ 1166	$ 1234	$ 1301
60"W	AFS2060DFS	$ 1070	$ 1127	$ 1181	$ 1235	$ 1308	$ 1380
66"W	AFS2066DFS	$ 1118	$ 1178	$ 1236	$ 1292	$ 1370	$ 1447
72"W	AFS2072DFS	$ 1156	$ 1218	$ 1278	$ 1338	$ 1421	$ 1500
27"H Elevated Screen — Fabric							
36"W	AFS2736DFS	$ 948	$ 996	$ 1041	$ 1087	$ 1149	$ 1211
42"W	AFS2742DFS	$ 990	$ 1041	$ 1089	$ 1138	$ 1203	$ 1268
48"W	AFS2748DFS	$ 1034	$ 1088	$ 1138	$ 1192	$ 1261	$ 1332
54"W	AFS2754DFS	$ 1081	$ 1139	$ 1195	$ 1248	$ 1322	$ 1396
60"W	AFS2760DFS	$ 1131	$ 1192	$ 1250	$ 1308	$ 1388	$ 1465
66"W	AFS2766DFS	$ 1190	$ 1254	$ 1317	$ 1381	$ 1464	$ 1546
72"W	AFS2772DFS	$ 1256	$ 1325	$ 1393	$ 1460	$ 1550	$ 1639

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Elevated HAT Screen — Fabric							
34"W	AFS1334DFS	$ 729	$ 762	$ 792	$ 823	$ 864	$ 905
40"W	AFS1340DFS	$ 760	$ 794	$ 827	$ 860	$ 905	$ 949
46"W	AFS1346DFS	$ 795	$ 831	$ 868	$ 902	$ 951	$ 998
52"W	AFS1352DFS	$ 832	$ 872	$ 910	$ 948	$ 999	$ 1049
58"W	AFS1358DFS	$ 870	$ 914	$ 954	$ 994	$ 1047	$ 1102
64"W	AFS1364DFS	$ 912	$ 958	$ 1001	$ 1044	$ 1104	$ 1160
70"W	AFS1370DFS	$ 955	$ 1004	$ 1049	$ 1096	$ 1159	$ 1221
20"H Elevated HAT Screen — Fabric							
34"W	AFS2034DFS	$ 851	$ 893	$ 932	$ 971	$ 1023	$ 1076
40"W	AFS2040DFS	$ 895	$ 940	$ 982	$ 1023	$ 1080	$ 1136
46"W	AFS2046DFS	$ 940	$ 988	$ 1032	$ 1078	$ 1139	$ 1200
52"W	AFS2052DFS	$ 988	$ 1038	$ 1087	$ 1135	$ 1201	$ 1265
58"W	AFS2058DFS	$ 1046	$ 1101	$ 1153	$ 1206	$ 1277	$ 1347
64"W	AFS2064DFS	$ 1093	$ 1151	$ 1208	$ 1262	$ 1338	$ 1412
70"W	AFS2070DFS	$ 1147	$ 1209	$ 1268	$ 1328	$ 1409	$ 1488
27"H Elevated HAT Screen — Fabric							
34"W	AFS2734DFS	$ 928	$ 975	$ 1019	$ 1063	$ 1124	$ 1182
40"W	AFS2740DFS	$ 968	$ 1017	$ 1065	$ 1111	$ 1175	$ 1239
46"W	AFS2746DFS	$ 1012	$ 1064	$ 1114	$ 1165	$ 1233	$ 1300
52"W	AFS2752DFS	$ 1056	$ 1111	$ 1166	$ 1218	$ 1290	$ 1361
58"W	AFS2758DFS	$ 1106	$ 1165	$ 1222	$ 1278	$ 1354	$ 1431
64"W	AFS2764DFS	$ 1160	$ 1222	$ 1284	$ 1344	$ 1426	$ 1506
70"W	AFS2770DFS	$ 1224	$ 1290	$ 1356	$ 1421	$ 1508	$ 1595

How to specify —

Select the Model Number from above.

A F S | | | | | | | | . | | | | | | . | | | |

Example:

1st Option:

Fabric:

See pages 652-653 for fabrics.

2nd Option:

Paint Color:

P1 P2 P3


See page 652 for finishes.

Universal Screens

Above/Below Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
27"H Above/Below Screen — Fabric							
36"W	AFS2736DTS	$ 1006	$ 1055	$ 1103	$ 1149	$ 1214	$ 1278
42"W	AFS2742DTS	$ 1049	$ 1101	$ 1151	$ 1203	$ 1270	$ 1338
48"W	AFS2748DTS	$ 1095	$ 1152	$ 1205	$ 1259	$ 1331	$ 1401
54"W	AFS2754DTS	$ 1144	$ 1203	$ 1261	$ 1316	$ 1393	$ 1470
60"W	AFS2760DTS	$ 1194	$ 1256	$ 1318	$ 1378	$ 1460	$ 1540
66"W	AFS2766DTS	$ 1258	$ 1324	$ 1390	$ 1455	$ 1542	$ 1629
72"W	AFS2772DTS	$ 1324	$ 1395	$ 1465	$ 1534	$ 1628	$ 1721
34"H Above/Below Screen — Fabric							
36"W	AFS3436DTS	$ 968	$ 1015	$ 1060	$ 1105	$ 1165	$ 1223
42"W	AFS3442DTS	$ 1007	$ 1057	$ 1104	$ 1152	$ 1215	$ 1279
48"W	AFS3448DTS	$ 1050	$ 1102	$ 1152	$ 1204	$ 1272	$ 1339
54"W	AFS3454DTS	$ 1377	$ 1453	$ 1525	$ 1598	$ 1696	$ 1795
60"W	AFS3460DTS	$ 1440	$ 1520	$ 1598	$ 1674	$ 1780	$ 1880
66"W	AFS3466DTS	$ 1521	$ 1607	$ 1689	$ 1771	$ 1883	$ 1995
72"W	AFS3472DTS	$ 1567	$ 1656	$ 1740	$ 1829	$ 1945	$ 2058


Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
27"H Above/Below HAT Screen — Fabric							
34"W	AFS2734DTS	$ 984	$ 1032	$ 1078	$ 1124	$ 1185	$ 1248
40"W	AFS2740DTS	$ 1027	$ 1078	$ 1126	$ 1175	$ 1241	$ 1306
46"W	AFS2746DTS	$ 1071	$ 1125	$ 1175	$ 1230	$ 1299	$ 1369
52"W	AFS2752DTS	$ 1120	$ 1178	$ 1234	$ 1288	$ 1362	$ 1436
58"W	AFS2758DTS	$ 1168	$ 1229	$ 1288	$ 1346	$ 1425	$ 1503
64"W	AFS2764DTS	$ 1226	$ 1290	$ 1353	$ 1417	$ 1500	$ 1582
70"W	AFS2770DTS	$ 1291	$ 1360	$ 1428	$ 1495	$ 1585	$ 1674
34"H Above/Below HAT Screen — Fabric							
34"W	AFS3434DTS	$ 947	$ 993	$ 1036	$ 1079	$ 1139	$ 1195
40"W	AFS3440DTS	$ 986	$ 1034	$ 1080	$ 1126	$ 1189	$ 1251
46"W	AFS3446DTS	$ 1029	$ 1080	$ 1129	$ 1177	$ 1243	$ 1309
52"W	AFS3452DTS	$ 1345	$ 1418	$ 1488	$ 1559	$ 1655	$ 1750
58"W	AFS3458DTS	$ 1410	$ 1488	$ 1563	$ 1638	$ 1739	$ 1841
64"W	AFS3464DTS	$ 1479	$ 1563	$ 1641	$ 1721	$ 1830	$ 1936
70"W	AFS3470DTS	$ 1525	$ 1611	$ 1694	$ 1777	$ 1889	$ 2000

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See pages 652-653 for fabrics.	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A F S _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ _ _

Example:

Universal Screens

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Front-to-Back — Fabric							
21"W	AFS1321LDF	$ 691	$ 717	$ 745	$ 771	$ 806	$ 838
24"W	AFS1324LDF	$ 718	$ 748	$ 776	$ 804	$ 839	$ 877
27"W	AFS1327LDF	$ 732	$ 763	$ 791	$ 820	$ 858	$ 897
30"W	AFS1330LDF	$ 764	$ 796	$ 827	$ 857	$ 899	$ 940
36"W	AFS1336LDF	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
20"H Front-to-Back — Fabric							
21"W	AFS2021LDF	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
24"W	AFS2024LDF	$ 824	$ 860	$ 895	$ 930	$ 978	$ 1023
27"W	AFS2027LDF	$ 841	$ 879	$ 915	$ 952	$ 1000	$ 1047
30"W	AFS2030LDF	$ 868	$ 908	$ 946	$ 984	$ 1035	$ 1085
36"W	AFS2036LDF	$ 906	$ 950	$ 990	$ 1030	$ 1083	$ 1138
27"H Front-to-Back — Fabric							
21"W	AFS2721LDF	$ 875	$ 916	$ 955	$ 993	$ 1044	$ 1095
24"W	AFS2724LDF	$ 910	$ 954	$ 995	$ 1035	$ 1088	$ 1143
27"W	AFS2727LDF	$ 928	$ 973	$ 1015	$ 1056	$ 1113	$ 1168
30"W	AFS2730LDF	$ 966	$ 1013	$ 1057	$ 1101	$ 1162	$ 1221
36"W	AFS2736LDF	$ 1008	$ 1057	$ 1105	$ 1151	$ 1216	$ 1280

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Front-to-Back HAT Screen — Fabric							
22"W	AFS1322LHF	$ 703	$ 731	$ 758	$ 785	$ 821	$ 856
28"W	AFS1328LHF	$ 749	$ 781	$ 810	$ 840	$ 879	$ 919
20"H Front-to-Back HAT Screen — Fabric							
22"W	AFS2022LHF	$ 808	$ 843	$ 877	$ 910	$ 956	$ 1002
28"W	AFS2028LHF	$ 848	$ 886	$ 924	$ 960	$ 1009	$ 1056
27"H Front-to-Back HAT Screen — Fabric							
22"W	AFS2722LHF	$ 893	$ 935	$ 975	$ 1014	$ 1066	$ 1119
28"W	AFS2728LHF	$ 947	$ 993	$ 1036	$ 1079	$ 1138	$ 1194

How to specify —

Select the Model Number from above.

A F S | | | | | | | | . | | | | | | . | | | |

Example:

1st Option:

Fabric:

See pages 652-653 for fabrics.

2nd Option:

Paint Color:

P1 P2 P3


See page 652 for finishes.

Universal Screens

Lateral Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Top Mount Screen — Fabric							
21"W	AFS1321LDT	$ 691	$ 717	$ 745	$ 771	$ 806	$ 838
24"W	AFS1324LDT	$ 718	$ 748	$ 776	$ 804	$ 839	$ 877
27"W	AFS1327LDT	$ 732	$ 763	$ 791	$ 820	$ 858	$ 897
30"W	AFS1330LDT	$ 764	$ 796	$ 827	$ 857	$ 899	$ 940
36"W	AFS1336LDT	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
20"H Top Mount Screen — Fabric							
21"W	AFS2021LDT	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
24"W	AFS2024LDT	$ 824	$ 860	$ 895	$ 930	$ 978	$ 1023
27"W	AFS2027LDT	$ 841	$ 879	$ 915	$ 952	$ 1000	$ 1047
30"W	AFS2030LDT	$ 868	$ 908	$ 946	$ 984	$ 1035	$ 1085
36"W	AFS2036LDT	$ 906	$ 950	$ 990	$ 1030	$ 1083	$ 1138

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Top Mount HAT Screen — Fabric							
22"W	AFS1322LHT	$ 703	$ 731	$ 758	$ 785	$ 821	$ 856
28"W	AFS1328LHT	$ 749	$ 781	$ 810	$ 840	$ 879	$ 919
20"H Top Mount HAT Screen — Fabric							
22"W	AFS2022LHT	$ 808	$ 843	$ 877	$ 910	$ 956	$ 1002
28"W	AFS2028LHT	$ 848	$ 886	$ 924	$ 960	$ 1009	$ 1056
27"H Top Mount HAT Screen — Fabric							
22"W	AFS2722LHT	$ 893	$ 935	$ 975	$ 1014	$ 1066	$ 1119
28"W	AFS2728LHT	$ 947	$ 993	$ 1036	$ 1079	$ 1138	$ 1194

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See pages 652-653 for fabrics.	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A F S .	.	


Example:

Universal Screens

Lateral Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Side Mount Screen — Fabric							
21"W	AFS1321LDS	$ 691	$ 717	$ 745	$ 771	$ 806	$ 838
24"W	AFS1324LDS	$ 718	$ 748	$ 776	$ 804	$ 839	$ 877
27"W	AFS1327LDS	$ 732	$ 763	$ 791	$ 820	$ 858	$ 897
30"W	AFS1330LDS	$ 764	$ 796	$ 827	$ 857	$ 899	$ 940
36"W	AFS1336LDS	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
20"H Side Mount Screen — Fabric							
21"W	AFS2021LDS	$ 795	$ 829	$ 862	$ 895	$ 940	$ 984
24"W	AFS2024LDS	$ 824	$ 860	$ 895	$ 930	$ 978	$ 1023
27"W	AFS2027LDS	$ 841	$ 879	$ 915	$ 952	$ 1000	$ 1047
30"W	AFS2030LDS	$ 868	$ 908	$ 946	$ 984	$ 1035	$ 1085
36"W	AFS2036LDS	$ 906	$ 950	$ 990	$ 1030	$ 1083	$ 1138

Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Side Mount HAT Screen — Fabric							
22"W	AFS1322LHS	$ 703	$ 731	$ 758	$ 785	$ 821	$ 856
28"W	AFS1328LHS	$ 749	$ 781	$ 810	$ 840	$ 879	$ 919
20"H Side Mount HAT Screen — Fabric							
22"W	AFS2022LHS	$ 808	$ 843	$ 877	$ 910	$ 956	$ 1002
28"W	AFS2028LHS	$ 848	$ 886	$ 924	$ 960	$ 1009	$ 1056
27"H Side Mount HAT Screen — Fabric							
22"W	AFS2722LHS	$ 893	$ 935	$ 975	$ 1014	$ 1066	$ 1119
28"W	AFS2728LHS	$ 947	$ 993	$ 1036	$ 1079	$ 1138	$ 1194

How to specify —

Select the Model Number from above.

A F S | | | | | | | . | | | | | . | | | |

Example:

1st Option:

Fabric:

See pages 652-653 for fabrics.

2nd Option:

Paint Color:

P1 P2 P3


See page 652 for finishes.

Universal Screens


Adjustable HAT Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
27"H Above/Below Screen — Fabric							
36"W	**AFS2736DAS**	$ 958	$ 1007	$ 1055	$ 1101	$ 1166	$ 1230
42"W	**AFS2742DAS**	$ 1001	$ 1053	$ 1103	$ 1155	$ 1222	$ 1290
48"W	**AFS2748DAS**	$ 1045	$ 1102	$ 1155	$ 1209	$ 1281	$ 1351
54"W	**AFS2754DAS**	$ 1095	$ 1154	$ 1212	$ 1267	$ 1344	$ 1421
60"W	**AFS2760DAS**	$ 1146	$ 1208	$ 1270	$ 1330	$ 1412	$ 1492
66"W	**AFS2766DAS**	$ 1210	$ 1276	$ 1342	$ 1407	$ 1494	$ 1581
72"W	**AFS2772DAS**	$ 1276	$ 1347	$ 1417	$ 1486	$ 1580	$ 1673
34"H Above/Below Screen - Fabric							
36"W	**AFS3436DAS**	$ 920	$ 967	$ 1012	$ 1057	$ 1117	$ 1175
42"W	**AFS3442DAS**	$ 959	$ 1009	$ 1056	$ 1104	$ 1167	$ 1231
48"W	**AFS3448DAS**	$ 1002	$ 1054	$ 1104	$ 1156	$ 1224	$ 1291
54"W	**AFS3454DAS**	$ 1328	$ 1404	$ 1476	$ 1549	$ 1647	$ 1746
60"W	**AFS3460DAS**	$ 1392	$ 1472	$ 1550	$ 1626	$ 1732	$ 1832
66"W	**AFS3466DAS**	$ 1472	$ 1558	$ 1640	$ 1722	$ 1834	$ 1946
72"W	**AFS3472DAS**	$ 1520	$ 1609	$ 1693	$ 1782	$ 1898	$ 2011



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
27"H Above/Below Adjustable HAT Screen — Fabric							
34"W	**AFS2734DAS**	$ 936	$ 984	$ 1030	$ 1076	$ 1137	$ 1200
40"W	**AFS2740DAS**	$ 978	$ 1029	$ 1077	$ 1126	$ 1192	$ 1257
46"W	**AFS2746DAS**	$ 1024	$ 1078	$ 1128	$ 1183	$ 1252	$ 1322
52"W	**AFS2752DAS**	$ 1070	$ 1128	$ 1184	$ 1238	$ 1312	$ 1386
58"W	**AFS2758DAS**	$ 1120	$ 1181	$ 1240	$ 1298	$ 1377	$ 1455
64"W	**AFS2764DAS**	$ 1176	$ 1240	$ 1303	$ 1367	$ 1450	$ 1532
70"W	**AFS2770DAS**	$ 1242	$ 1311	$ 1379	$ 1446	$ 1536	$ 1625
34"H Above/Below Adjustable HAT Screen — Fabric							
34"W	**AFS3434DAS**	$ 899	$ 945	$ 988	$ 1031	$ 1091	$ 1147
40"W	**AFS3440DAS**	$ 938	$ 986	$ 1032	$ 1078	$ 1141	$ 1203
46"W	**AFS3446DAS**	$ 980	$ 1031	$ 1080	$ 1128	$ 1194	$ 1260
52"W	**AFS3452DAS**	$ 1297	$ 1370	$ 1440	$ 1511	$ 1607	$ 1702
58"W	**AFS3458DAS**	$ 1362	$ 1440	$ 1515	$ 1590	$ 1691	$ 1793
64"W	**AFS3464DAS**	$ 1431	$ 1515	$ 1593	$ 1673	$ 1782	$ 1888
70"W	**AFS3470DAS**	$ 1477	$ 1563	$ 1646	$ 1729	$ 1841	$ 1952

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See pages 652-653 for fabrics.	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A F S _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ _ _


Example:

Universal Screens

Modesty Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Modesty Screen — Fabric							
30"W	**AFS1330MPD**	$ 817	$ 853	$ 887	$ 921	$ 970	$ 1015
36"W	**AFS1336MPD**	$ 853	$ 893	$ 930	$ 967	$ 1017	$ 1065
42"W	**AFS1342MPD**	$ 893	$ 935	$ 975	$ 1014	$ 1067	$ 1120
48"W	**AFS1348MPD**	$ 938	$ 984	$ 1026	$ 1068	$ 1126	$ 1183
54"W	**AFS1354MPD**	$ 981	$ 1029	$ 1074	$ 1120	$ 1182	$ 1244
60"W	**AFS1360MPD**	$ 1021	$ 1071	$ 1120	$ 1168	$ 1233	$ 1298
66"W	**AFS1366MPD**	$ 1070	$ 1124	$ 1174	$ 1229	$ 1298	$ 1368
72"W	**AFS1372MPD**	$ 1124	$ 1182	$ 1239	$ 1293	$ 1368	$ 1441

How to specify —

Select the Model Number from above.

A F S | | | | | | | | . | | | | | . | | | |

Example:

1st Option:

Fabric:

See pages 652-653 for fabrics.

2nd Option:

Paint Color:

P1 P2 P3


See page 652 for finishes.

Universal Screens

Sit-on-Surface Screens

Fabric

For specification information see pages 654-657.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
13"H Sit-on-Surface Screen — Fabric							
36"W	**AFS1336SFS**	$ 677	$ 711	$ 744	$ 777	$ 822	$ 866
42"W	**AFS1342SFS**	$ 711	$ 747	$ 782	$ 818	$ 866	$ 912
48"W	**AFS1348SFS**	$ 748	$ 788	$ 826	$ 864	$ 914	$ 965
54"W	**AFS1354SFS**	$ 785	$ 829	$ 869	$ 909	$ 962	$ 1016
60"W	**AFS1360SFS**	$ 828	$ 874	$ 917	$ 960	$ 1019	$ 1075
66"W	**AFS1366SFS**	$ 871	$ 919	$ 965	$ 1011	$ 1074	$ 1136
72"W	**AFS1372SFS**	$ 920	$ 971	$ 1020	$ 1072	$ 1138	$ 1203
20"H Sit-on-Surface Screen — Fabric							
36"W	**AFS2036SFS**	$ 788	$ 832	$ 872	$ 912	$ 965	$ 1020
42"W	**AFS2042SFS**	$ 830	$ 876	$ 919	$ 962	$ 1022	$ 1078
48"W	**AFS2048SFS**	$ 873	$ 922	$ 967	$ 1014	$ 1077	$ 1139
54"W	**AFS2054SFS**	$ 922	$ 973	$ 1023	$ 1074	$ 1141	$ 1206
60"W	**AFS2060SFS**	$ 973	$ 1028	$ 1083	$ 1135	$ 1207	$ 1277
66"W	**AFS2066SFS**	$ 1028	$ 1087	$ 1145	$ 1200	$ 1277	$ 1354
72"W	**AFS2072SFS**	$ 1088	$ 1151	$ 1213	$ 1275	$ 1356	$ 1438

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Fabric:** See pages 652-653 for fabrics.	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A F S _ _ _ _ _ _ _ .	_ _ _ _ _ .	_ _ _


Example:

Universal Screens

Beam Mounted Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Beam Mounted Center Screen — Glass									
24"W	AGS1324BSF	$ 966	$ 1080	$ 1080	$ 1060	$ 980	$ 1094	$ 1094	$ 1074
30"W	AGS1330BSF	$ 981	$ 1097	$ 1097	$ 1078	$ 995	$ 1111	$ 1111	$ 1092
36"W	AGS1336BSF	$ 1028	$ 1150	$ 1150	$ 1130	$ 1042	$ 1164	$ 1164	$ 1144
42"W	AGS1342BSF	$ 1093	$ 1226	$ 1226	$ 1205	$ 1107	$ 1240	$ 1240	$ 1219
48"W	AGS1348BSF	$ 1117	$ 1254	$ 1254	$ 1232	$ 1131	$ 1268	$ 1268	$ 1246
54"W	AGS1354BSF	$ 1193	$ 1341	$ 1341	$ 1317	$ 1207	$ 1355	$ 1355	$ 1331
60"W	AGS1360BSF	$ 1238	$ 1393	$ 1393	$ 1367	$ 1252	$ 1407	$ 1407	$ 1381
66"W	AGS1366BSF	$ 1374	$ 1550	$ 1550	$ 1521	$ 1388	$ 1564	$ 1564	$ 1535
72"W	AGS1372BSF	$ 1412	$ 1594	$ 1594	$ 1565	$ 1426	$ 1608	$ 1608	$ 1579
78"W	AGS1378BSF	$ 1530	$ 1730	$ 1730	$ 1698	$ 1544	$ 1744	$ 1744	$ 1712
84"W	AGS1384BSF	$ 1655	$ 1875	$ 1875	$ 1839	$ 1669	$ 1889	$ 1889	$ 1853
90"W	AGS1390BSF	$ 1714	$ 1942	$ 1942	$ 1906	$ 1728	$ 1956	$ 1956	$ 1920
96"W	AGS1396BSF	$ 1797	$ 2038	$ 2038	$ 1998	$ 1811	$ 2052	$ 2052	$ 2012
20"H Beam Mounted Center Screen — Glass									
24"W	AGS2024BSF	$ 1042	$ 1167	$ 1167	$ 1145	$ 1056	$ 1181	$ 1181	$ 1159
30"W	AGS2030BSF	$ 1056	$ 1183	$ 1183	$ 1162	$ 1070	$ 1197	$ 1197	$ 1176
36"W	AGS2036BSF	$ 1105	$ 1239	$ 1239	$ 1219	$ 1119	$ 1253	$ 1253	$ 1233
42"W	AGS2042BSF	$ 1212	$ 1364	$ 1364	$ 1338	$ 1226	$ 1378	$ 1378	$ 1352
48"W	AGS2048BSF	$ 1287	$ 1451	$ 1451	$ 1422	$ 1301	$ 1465	$ 1465	$ 1436
54"W	AGS2054BSF	$ 1373	$ 1549	$ 1549	$ 1520	$ 1387	$ 1563	$ 1563	$ 1534
60"W	AGS2060BSF	$ 1444	$ 1632	$ 1632	$ 1600	$ 1458	$ 1646	$ 1646	$ 1614
66"W	AGS2066BSF	$ 1574	$ 1780	$ 1780	$ 1746	$ 1588	$ 1794	$ 1794	$ 1760
72"W	AGS2072BSF	$ 1605	$ 1816	$ 1816	$ 1781	$ 1619	$ 1830	$ 1830	$ 1795
78"W	AGS2078BSF	$ 2045	$ 2324	$ 2324	$ 2279	$ 2059	$ 2338	$ 2338	$ 2293
84"W	AGS2084BSF	$ 2124	$ 2416	$ 2416	$ 2368	$ 2138	$ 2430	$ 2430	$ 2382
90"W	AGS2090BSF	$ 2247	$ 2558	$ 2558	$ 2507	$ 2261	$ 2572	$ 2572	$ 2521
96"W	AGS2096BSF	$ 2550	$ 2907	$ 2907	$ 2850	$ 2564	$ 2921	$ 2921	$ 2864

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

See page 652 for finishes.

A G S . .


Example:

Universal Screens

Elevated Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Elevated Mount Screen — Glass									
36"W	**AGS1336DFS**	$ 1070	$ 1191	$ 1191	$ 1171	$ 1088	$ 1209	$ 1209	$ 1189
42"W	**AGS1342DFS**	$ 1135	$ 1265	$ 1265	$ 1246	$ 1153	$ 1283	$ 1283	$ 1264
48"W	**AGS1348DFS**	$ 1159	$ 1293	$ 1293	$ 1273	$ 1177	$ 1311	$ 1311	$ 1291
54"W	**AGS1354DFS**	$ 1235	$ 1381	$ 1381	$ 1357	$ 1253	$ 1399	$ 1399	$ 1375
60"W	**AGS1360DFS**	$ 1278	$ 1432	$ 1432	$ 1406	$ 1296	$ 1450	$ 1450	$ 1424
66"W	**AGS1366DFS**	$ 1412	$ 1585	$ 1585	$ 1557	$ 1430	$ 1603	$ 1603	$ 1575
72"W	**AGS1372DFS**	$ 1451	$ 1631	$ 1631	$ 1602	$ 1469	$ 1649	$ 1649	$ 1620
20"H Elevated Mount Screen — Glass									
36"W	**AGS2036DFS**	$ 1118	$ 1246	$ 1246	$ 1225	$ 1136	$ 1264	$ 1264	$ 1243
42"W	**AGS2042DFS**	$ 1204	$ 1345	$ 1345	$ 1323	$ 1222	$ 1363	$ 1363	$ 1341
48"W	**AGS2048DFS**	$ 1253	$ 1404	$ 1404	$ 1378	$ 1271	$ 1422	$ 1422	$ 1396
54"W	**AGS2054DFS**	$ 1335	$ 1497	$ 1497	$ 1470	$ 1353	$ 1515	$ 1515	$ 1488
60"W	**AGS2060DFS**	$ 1393	$ 1564	$ 1564	$ 1535	$ 1411	$ 1582	$ 1582	$ 1553
66"W	**AGS2066DFS**	$ 1526	$ 1719	$ 1719	$ 1686	$ 1544	$ 1737	$ 1737	$ 1704
72"W	**AGS2072DFS**	$ 1561	$ 1758	$ 1758	$ 1726	$ 1579	$ 1776	$ 1776	$ 1744

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Elevated HAT Screen — Glass									
34"W	**AGS1334DFS**	$ 1070	$ 1191	$ 1191	$ 1171	$ 1088	$ 1209	$ 1209	$ 1189
40"W	**AGS1340DFS**	$ 1135	$ 1265	$ 1265	$ 1246	$ 1153	$ 1283	$ 1283	$ 1264
46"W	**AGS1346DFS**	$ 1159	$ 1293	$ 1293	$ 1273	$ 1177	$ 1311	$ 1311	$ 1291
52"W	**AGS1352DFS**	$ 1235	$ 1381	$ 1381	$ 1357	$ 1253	$ 1399	$ 1399	$ 1375
58"W	**AGS1358DFS**	$ 1278	$ 1432	$ 1432	$ 1406	$ 1296	$ 1450	$ 1450	$ 1424
64"W	**AGS1364DFS**	$ 1412	$ 1585	$ 1585	$ 1557	$ 1430	$ 1603	$ 1603	$ 1575
70"W	**AGS1370DFS**	$ 1451	$ 1631	$ 1631	$ 1602	$ 1469	$ 1649	$ 1649	$ 1620
20"H Elevated HAT Screen — Glass									
34"W	**AGS2034DFS**	$ 1118	$ 1246	$ 1246	$ 1225	$ 1136	$ 1264	$ 1264	$ 1243
40"W	**AGS2040DFS**	$ 1204	$ 1345	$ 1345	$ 1323	$ 1222	$ 1363	$ 1363	$ 1341
46"W	**AGS2046DFS**	$ 1253	$ 1404	$ 1404	$ 1378	$ 1271	$ 1422	$ 1422	$ 1396
52"W	**AGS2052DFS**	$ 1335	$ 1497	$ 1497	$ 1470	$ 1353	$ 1515	$ 1515	$ 1488
58"W	**AGS2058DFS**	$ 1393	$ 1564	$ 1564	$ 1535	$ 1411	$ 1582	$ 1582	$ 1553
64"W	**AGS2064DFS**	$ 1526	$ 1719	$ 1719	$ 1686	$ 1544	$ 1737	$ 1737	$ 1704
70"W	**AGS2070DFS**	$ 1561	$ 1758	$ 1758	$ 1726	$ 1579	$ 1776	$ 1776	$ 1744

NOTE: Glass screens cannot be used with height adjustable tables.

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Glass:** **LC** Clear **LF** Frosted **LM** Writable **GSM1** Smoked	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A G S _ _ _ _ _ _ _ .	_ _ _ _ .	_ _ _


Example:

Universal Screens

Above/Below Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
25"H Above/Below Screen — Glass									
36"W	**AGS2536DFS**	$ 1170	$ 1311	$ 1311	$ 1288	$ 1185	$ 1326	$ 1326	$ 1303
42"W	**AGS2542DFS**	$ 1282	$ 1441	$ 1441	$ 1414	$ 1297	$ 1456	$ 1456	$ 1429
48"W	**AGS2548DFS**	$ 1362	$ 1532	$ 1532	$ 1504	$ 1377	$ 1547	$ 1547	$ 1519
54"W	**AGS2554DFS**	$ 1453	$ 1638	$ 1638	$ 1608	$ 1468	$ 1653	$ 1653	$ 1623
60"W	**AGS2560DFS**	$ 1526	$ 1722	$ 1722	$ 1691	$ 1541	$ 1737	$ 1737	$ 1706

NOTE: Glass screens cannot be used with height adjustable tables.

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

See page 652 for finishes.

A G S | | | | | | | | . | | | | | . | | | |


Example:

Universal Screens

Lateral Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Front-to-Back Screen — Glass									
21"W	AGS1321LDF	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
24"W	AGS1324LDF	$ 1036	$ 1150	$ 1150	$ 1130	$ 1055	$ 1169	$ 1169	$ 1149
27"W	AGS1327LDF	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
30"W	AGS1330LDF	$ 1049	$ 1165	$ 1165	$ 1145	$ 1068	$ 1184	$ 1184	$ 1164
36"W	AGS1336LDF	$ 1091	$ 1212	$ 1212	$ 1192	$ 1110	$ 1231	$ 1231	$ 1211
20"H Front-to-Back Screen — Glass									
21"W	AGS2021LDF	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
24"W	AGS2024LDF	$ 1115	$ 1240	$ 1240	$ 1218	$ 1134	$ 1259	$ 1259	$ 1237
27"W	AGS2027LDF	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245
30"W	AGS2030LDF	$ 1129	$ 1256	$ 1256	$ 1235	$ 1148	$ 1275	$ 1275	$ 1254
36"W	AGS2036LDF	$ 1178	$ 1312	$ 1312	$ 1292	$ 1197	$ 1331	$ 1331	$ 1311

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Front-to-Back HAT Screen — Glass									
22"W	AGS1322LHF	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
28"W	AGS1328LHF	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
20"H Front-to-Back HAT Screen — Glass									
22"W	AGS2022LHF	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
28"W	AGS2028LHF	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

See page 652 for finishes.

A G S . .


Example:

Universal Screens

Lateral Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Top Mount Screen — Glass									
21"W	AGS1321LDT	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
24"W	AGS1324LDT	$ 1036	$ 1150	$ 1150	$ 1130	$ 1055	$ 1169	$ 1169	$ 1149
27"W	AGS1327LDT	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
30"W	AGS1330LDT	$ 1049	$ 1165	$ 1165	$ 1145	$ 1068	$ 1184	$ 1184	$ 1164
36"W	AGS1336LDT	$ 1091	$ 1212	$ 1212	$ 1192	$ 1110	$ 1231	$ 1231	$ 1211
20"H Top Mount Screen — Glass									
21"W	AGS2021LDT	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
24"W	AGS2024LDT	$ 1115	$ 1240	$ 1240	$ 1218	$ 1134	$ 1259	$ 1259	$ 1237
27"W	AGS2027LDT	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245
30"W	AGS2030LDT	$ 1129	$ 1256	$ 1256	$ 1235	$ 1148	$ 1275	$ 1275	$ 1254
36"W	AGS2036LDT	$ 1178	$ 1312	$ 1312	$ 1292	$ 1197	$ 1331	$ 1331	$ 1311

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Top Mount HAT Screen — Glass									
22"W	AGS1322LHT	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
28"W	AGS1328LHT	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
20"H Top Mount HAT Screen — Glass									
22"W	AGS2022LHT	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
28"W	AGS2028LHT	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Glass:** **LC** Clear **LF** Frosted **LM** Writable **GSM1** Smoked	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A G S _ _ _ _ _ _ _ .	_ _ _ _ .	_ _ _


Example:

Universal Screens

Side Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Side Mount Screen — Glass									
21"W	AGS1321LDS	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
24"W	AGS1324LDS	$ 1036	$ 1150	$ 1150	$ 1130	$ 1055	$ 1169	$ 1169	$ 1149
27"W	AGS1327LDS	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
30"W	AGS1330LDS	$ 1049	$ 1165	$ 1165	$ 1145	$ 1068	$ 1184	$ 1184	$ 1164
36"W	AGS1336LDS	$ 1091	$ 1212	$ 1212	$ 1192	$ 1110	$ 1231	$ 1231	$ 1211
20"H Side Mount Screen — Glass									
21"W	AGS2021LDS	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
24"W	AGS2024LDS	$ 1115	$ 1240	$ 1240	$ 1218	$ 1134	$ 1259	$ 1259	$ 1237
27"W	AGS2027LDS	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245
30"W	AGS2030LDS	$ 1129	$ 1256	$ 1256	$ 1235	$ 1148	$ 1275	$ 1275	$ 1254
36"W	AGS2036LDS	$ 1178	$ 1312	$ 1312	$ 1292	$ 1197	$ 1331	$ 1331	$ 1311

Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
13"H Side Mount HAT Screen — Glass									
22"W	AGS1322LHS	$ 1009	$ 1119	$ 1119	$ 1100	$ 1028	$ 1138	$ 1138	$ 1119
28"W	AGS1328LHS	$ 1042	$ 1157	$ 1157	$ 1136	$ 1061	$ 1176	$ 1176	$ 1155
20"H Side Mount HAT Screen — Glass									
22"W	AGS2022LHS	$ 1084	$ 1204	$ 1204	$ 1184	$ 1103	$ 1223	$ 1223	$ 1203
28"W	AGS2028LHS	$ 1122	$ 1248	$ 1248	$ 1226	$ 1141	$ 1267	$ 1267	$ 1245

How to specify —

Select the Model Number from above.

1st Option:

Glass:

LC Clear
LF Frosted
LM Writable
GSM1 Smoked

2nd Option:

Paint Color:

P1 P2 P3

See page 652 for finishes.

A G S | | | | | | | . | | | | . | | | |


Example:

Universal Screens

Modesty Screens

Glass

For specification information see pages 654-657.



Description	Model	P1 Paint Clear	P1 Paint Frosted	P1 Paint Writable	P1 Paint Smoked	P2 Paint Clear	P2 Paint Frosted	P2 Paint Writable	P2 Paint Smoked
11"H Modesty Screen — Glass									
36"W	**AGS1136MPD**	$ 1041	$ 1162	$ 1162	$ 1142	$ 1056	$ 1177	$ 1177	$ 1157
42"W	**AGS1142MPD**	$ 1106	$ 1236	$ 1236	$ 1217	$ 1121	$ 1251	$ 1251	$ 1232
48"W	**AGS1148MPD**	$ 1130	$ 1264	$ 1264	$ 1244	$ 1145	$ 1279	$ 1279	$ 1259
54"W	**AGS1154MPD**	$ 1206	$ 1352	$ 1352	$ 1328	$ 1221	$ 1367	$ 1367	$ 1343
60"W	**AGS1160MPD**	$ 1249	$ 1403	$ 1403	$ 1377	$ 1264	$ 1418	$ 1418	$ 1392

NOTE: Glass screens cannot be used with height adjustable tables.

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Glass:** **LC** Clear **LF** Frosted **LM** Writable **GSM1** Smoked	**Paint Color:** P1 P2 P3 See page 652 for finishes.
A G S _ _ _ _ _ _ _ .	_ _ _ _ .	_ _ _


Example:

Universal Screens

Beam Mounted Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Beam Mounted Center Screen — Acrylic			
24"W	AAS1324BSF	$ 483	$ 684
30"W	AAS1330BSF	$ 527	$ 796
36"W	AAS1336BSF	$ 537	$ 812
42"W	AAS1342BSF	$ 632	$ 1003
48"W	AAS1348BSF	$ 657	$ 1028
54"W	AAS1354BSF	$ 729	$ 1188
60"W	AAS1360BSF	$ 754	$ 1202
66"W	AAS1366BSF	$ 826	$ 1359
72"W	AAS1372BSF	$ 850	$ 1383
20"H Beam Mounted Center Screen — Acrylic			
24"W	AAS2024BSF	$ 666	$ 1070
30"W	AAS2030BSF	$ 737	$ 1067
36"W	AAS2036BSF	$ 754	$ 1232
42"W	AAS2042BSF	$ 921	$ 1569
48"W	AAS2048BSF	$ 946	$ 1580
54"W	AAS2054BSF	$ 1091	$ 1891
60"W	AAS2060BSF	$ 1101	$ 1915
66"W	AAS2066BSF	$ 1259	$ 2214
72"W	AAS2072BSF	$ 1283	$ 2227
28"H Beam Mounted Center Screen — Acrylic			
24"W	AAS2824BSF	$ 697	$ 1129
30"W	AAS2830BSF	$ 834	$ 1343
36"W	AAS2836BSF	$ 921	$ 1559
42"W	AAS2842BSF	$ 1148	$ 2010
48"W	AAS2848BSF	$ 1171	$ 2034
54"W	AAS2854BSF	$ 1372	$ 2262
60"W	AAS2860BSF	$ 1397	$ 2287
66"W	AAS2866BSF	$ 1597	$ 2657
72"W	AAS2872BSF	$ 1622	$ 2682

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Elevated Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Elevated Screen — Acrylic			
11"H x 36"W	AAS1336DFS	$ 564	$ 805
11"H x 42"W	AAS1342DFS	$ 637	$ 962
11"H x 48"W	AAS1348DFS	$ 673	$ 984
11"H x 54"W	AAS1354DFS	$ 733	$ 1134
11"H x 60"W	AAS1360DFS	$ 771	$ 1158
11"H x 66"W	AAS1366DFS	$ 816	$ 1295
11"H x 72"W	AAS1372DFS	$ 854	$ 1320
20"H Elevated Screen — Acrylic			
18"H x 36"W	AAS2036DFS	$ 729	$ 1101
18"H x 42"W	AAS2042DFS	$ 874	$ 1357
18"H x 48"W	AAS2048DFS	$ 911	$ 1382
18"H x 54"W	AAS2054DFS	$ 987	$ 1628
18"H x 60"W	AAS2060DFS	$ 1010	$ 1651
18"H x 66"W	AAS2066DFS	$ 1122	$ 1887
18"H x 72"W	AAS2072DFS	$ 1146	$ 1922

Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Elevated HAT Screen — Acrylic			
11"H x 34"W	AAS1334DFS	$ 552	$ 792
11"H x 40"W	AAS1340DFS	$ 599	$ 888
11"H x 46"W	AAS1346DFS	$ 648	$ 973
11"H x 52"W	AAS1352DFS	$ 721	$ 1122
11"H x 58"W	AAS1358DFS	$ 746	$ 1147
11"H x 64"W	AAS1364DFS	$ 806	$ 1284
11"H x 70"W	AAS1370DFS	$ 841	$ 1307
20"H Elevated HAT Screen — Acrylic			
18"H x 34"W	AAS2034DFS	$ 704	$ 1087
18"H x 40"W	AAS2040DFS	$ 861	$ 1320
18"H x 46"W	AAS2046DFS	$ 886	$ 1368
18"H x 52"W	AAS2052DFS	$ 973	$ 1614
18"H x 58"W	AAS2058DFS	$ 997	$ 1638
18"H x 64"W	AAS2064DFS	$ 1109	$ 1874
18"H x 70"W	AAS2070DFS	$ 1134	$ 1912

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Above/Below Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price
27"H Above/Below Screen — Acrylic		
27"H x 36"W	**AAS2736DFS**	**$ 1095**
27"H x 42"W	**AAS2742DFS**	**$ 1219**
27"H x 48"W	**AAS2748DFS**	**$ 1242**
27"H x 54"W	**AAS2754DFS**	**$ 1444**
27"H x 60"W	**AAS2760DFS**	**$ 1469**
27"H x 66"W	**AAS2766DFS**	**$ 1669**
27"H x 72"W	**AAS2772DFS**	**$ 1694**

Description	Model	List Price
27"H Above/Below HAT Screen — Acrylic		
27"H x 34"W	**AAS2734DFS**	**$ 1062**
27"H x 40"W	**AAS2740DFS**	**$ 1158**
27"H x 46"W	**AAS2746DFS**	**$ 1231**
27"H x 52"W	**AAS2752DFS**	**$ 1343**
27"H x 58"W	**AAS2758DFS**	**$ 1456**
27"H x 64"W	**AAS2764DFS**	**$ 1568**
27"H x 70"W	**AAS2770DFS**	**$ 1681**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Lateral Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Front-to-Back Screen — Acrylic			
21"W	AAS1321LDF	$ 531	$ 732
24"W	AAS1324LDF	$ 556	$ 757
27"W	AAS1327LDF	$ 565	$ 791
30"W	AAS1330LDF	$ 600	$ 869
36"W	AAS1336LDF	$ 610	$ 885
20"H Front-to-Back Screen — Acrylic			
21"W	AAS2021LDF	$ 680	$ 1020
24"W	AAS2024LDF	$ 739	$ 1143
27"W	AAS2027LDF	$ 786	$ 1235
30"W	AAS2030LDF	$ 810	$ 1140
36"W	AAS2036LDF	$ 827	$ 1305
27"H Front-to-Back Screen — Acrylic			
21"W	AAS2721LDF	$ 749	$ 1157
24"W	AAS2724LDF	$ 770	$ 1202
27"W	AAS2727LDF	$ 882	$ 1416
30"W	AAS2730LDF	$ 907	$ 1441
36"W	AAS2736LDF	$ 1095	$ 1255

Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Front-to-Back HAT Screen — Acrylic			
13"H x 22"W	AAS1322LHF	$ 543	$ 744
13"H x 28"W	AAS1328LHF	$ 577	$ 803
20"H Front-to-Back HAT Screen — Acrylic			
20"H x 22"W	AAS2022LHF	$ 690	$ 1050
20"H x 28"W	AAS2028LHF	$ 799	$ 1465
27"H Front-to-Back HAT Screen — Acrylic			
27"H x 22"W	AAS2722LHF	$ 754	$ 1168
27"H x 28"W	AAS2728LHF	$ 896	$ 1430

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Lateral Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Top Mount Screen — Acrylic			
21"W	AAS1321LDT	$ 531	$ 732
24"W	AAS1324LDT	$ 556	$ 757
27"W	AAS1327LDT	$ 565	$ 791
30"W	AAS1330LDT	$ 600	$ 869
36"W	AAS1336LDT	$ 610	$ 885
20"H Top Mount Screen — Acrylic			
21"W	AAS2021LDT	$ 680	$ 1020
24"W	AAS2024LDT	$ 739	$ 1143
27"W	AAS2027LDT	$ 786	$ 1235
30"W	AAS2030LDT	$ 810	$ 1140
36"W	AAS2036LDT	$ 827	$ 1305
27"H Top Mount Screen — Acrylic			
21"W	AAS2721LDT	$ 749	$ 1157
24"W	AAS2724LDT	$ 770	$ 1202
27"W	AAS2727LDT	$ 882	$ 1416
30"W	AAS2730LDT	$ 907	$ 1441
36"W	AAS2736LDT	$ 1095	$ 1255

Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Top Mount HAT Screen — Acrylic			
13"H x 22"W	AAS1322LHT	$ 543	$ 744
13"H x 28"W	AAS1328LHT	$ 577	$ 803
20"H Top Mount HAT Screen — Acrylic			
20"H x 22"W	AAS2022LHT	$ 690	$ 1050
20"H x 28"W	AAS2028LHT	$ 799	$ 1465
27"H Top Mount HAT Screen — Acrylic			
27"H x 22"W	AAS2722LHT	$ 754	$ 1168
27"H x 28"W	AAS2728LHT	$ 896	$ 1430

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Side Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Side Mount Screen — Acrylic			
21"W	AAS1321LDS	$ 531	$ 732
24"W	AAS1324LDS	$ 556	$ 757
27"W	AAS1327LDS	$ 565	$ 791
30"W	AAS1330LDS	$ 600	$ 869
36"W	AAS1336LDS	$ 610	$ 885
20"H Side Mount Screen — Acrylic			
21"W	AAS2021LDS	$ 680	$ 1020
24"W	AAS2024LDS	$ 739	$ 1143
27"W	AAS2027LDS	$ 786	$ 1235
30"W	AAS2030LDS	$ 810	$ 1140
36"W	AAS2036LDS	$ 827	$ 1305
27"H Side Mount Screen — Acrylic			
21"W	AAS2721LDS	$ 749	$ 1157
24"W	AAS2724LDS	$ 770	$ 1202
27"W	AAS2727LDS	$ 882	$ 1416
30"W	AAS2730LDS	$ 907	$ 1441
36"W	AAS2736LDS	$ 1095	$ 1255

Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Side Mount HAT Screen — Acrylic			
13"H x 22"W	AAS1322LHS	$ 543	$ 744
13"H x 28"W	AAS1328LHS	$ 577	$ 803
20"H Side Mount HAT Screen — Acrylic			
20"H x 22"W	AAS2022LHS	$ 690	$ 1050
20"H x 28"W	AAS2028LHS	$ 799	$ 1465
27"H Side Mount HAT Screen — Acrylic			
27"H x 22"W	AAS2722LHS	$ 754	$ 1168
27"H x 28"W	AAS2728LHS	$ 896	$ 1430

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Modesty Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Modesty Screen — Acrylic			
13"H x 30"W	**AAS1330MPD**	**$ 443**	**$ 443**
13"H x 36"W	**AAS1336MPD**	**$ 453**	**$ 453**
13"H x 42"W	**AAS1342MPD**	**$ 548**	**$ 548**
13"H x 48"W	**AAS1348MPD**	**$ 573**	**$ 573**
13"H x 54"W	**AAS1354MPD**	**$ 645**	**$ 645**
13"H x 60"W	**AAS1360MPD**	**$ 670**	**$ 670**
13"H x 66"W	**AAS1366MPD**	**$ 742**	**$ 742**
13"H x 72"W	**AAS1372MPD**	**$ 766**	**$ 766**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Sit-on-Surface Screens

Acrylic

For specification information see pages 654-657.



Description	Model	List Price by Acrylic Type Clear	Frosted
13"H Sit-on-Surface Screen — Acrylic			
13"H x 36"W	**AAS1336SFS**	**$ 587**	**$ 862**
13"H x 42"W	**AAS1342SFS**	**$ 682**	**$ 1053**
13"H x 48"W	**AAS1348SFS**	**$ 695**	**$ 1078**
13"H x 54"W	**AAS1354SFS**	**$ 779**	**$ 1238**
13"H x 60"W	**AAS1360SFS**	**$ 804**	**$ 1252**
13"H x 66"W	**AAS1366SFS**	**$ 876**	**$ 1409**
13"H x 72"W	**AAS1372SFS**	**$ 900**	**$ 1433**
20"H Sit-on-Surface Screen — Acrylic			
20"H x 36"W	**AAS2036SFS**	**$ 718**	**$ 1284**
20"H x 42"W	**AAS2042SFS**	**$ 971**	**$ 1619**
20"H x 48"W	**AAS2048SFS**	**$ 985**	**$ 1632**
20"H x 54"W	**AAS2054SFS**	**$ 1141**	**$ 1941**
20"H x 60"W	**AAS2060SFS**	**$ 1151**	**$ 1965**
20"H x 66"W	**AAS2066SFS**	**$ 1309**	**$ 2264**
20"H x 72"W	**AAS2072SFS**	**$ 1333**	**$ 2277**

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Acrylic:** **ASC** Clear **ASF** Frosted	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A A S _ _ _ _ _ _ _ .	_ _ _ .	_ _ _ .	_ _


Example:

Universal Screens

Beam Mounted Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
13"H Beam Mounted Center Screen — Laminate				
24"W	ALS1324BSF	$ 426	$ 438	$ 443
30"W	ALS1330BSF	$ 446	$ 459	$ 465
36"W	ALS1336BSF	$ 445	$ 458	$ 464
42"W	ALS1342BSF	$ 455	$ 469	$ 474
48"W	ALS1348BSF	$ 464	$ 478	$ 484
54"W	ALS1354BSF	$ 546	$ 565	$ 572
60"W	ALS1360BSF	$ 556	$ 576	$ 584
66"W	ALS1366BSF	$ 650	$ 674	$ 685
72"W	ALS1372BSF	$ 670	$ 695	$ 706
20"H Beam Mounted Center Screen — Laminate				
24"W	ALS2024BSF	$ 527	$ 545	$ 552
30"W	ALS2030BSF	$ 540	$ 559	$ 565
36"W	ALS2036BSF	$ 550	$ 569	$ 576
42"W	ALS2042BSF	$ 561	$ 581	$ 589
48"W	ALS2048BSF	$ 573	$ 593	$ 603
54"W	ALS2054BSF	$ 665	$ 690	$ 701
60"W	ALS2060BSF	$ 677	$ 702	$ 715
66"W	ALS2066BSF	$ 808	$ 841	$ 857
72"W	ALS2072BSF	$ 821	$ 855	$ 871
28"H Beam Mounted Center Screen — Laminate				
24"W	ALS2824BSF	$ 613	$ 635	$ 645
30"W	ALS2830BSF	$ 624	$ 647	$ 657
36"W	ALS2836BSF	$ 637	$ 660	$ 671
42"W	ALS2842BSF	$ 648	$ 672	$ 683
48"W	ALS2848BSF	$ 660	$ 685	$ 696
54"W	ALS2854BSF	$ 975	$ 1019	$ 1037
60"W	ALS2860BSF	$ 987	$ 1032	$ 1050
66"W	ALS2866BSF	$ 1248	$ 1307	$ 1334
72"W	ALS2872BSF	$ 1270	$ 1330	$ 1358

How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain Direction:**	*5th Option:* **Paint Color:**	*6th Option:* **Corner:**
	F FSC Wood **X** Non-FSC Wood	See page 652 for finishes.	See page 652 for finishes.	**VLG** Horizontal **VST** Vertical	P1 P2 P3 See page 652 for finishes.	**SQ** Square **RD** Round
A L S _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	_ .	_ _


Example:

Universal Screens

Elevated Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
13"H Elevated Screen — Laminate				
36"W	ALS1336DFS	$ 477	$ 489	$ 494
42"W	ALS1342DFS	$ 487	$ 500	$ 505
48"W	ALS1348DFS	$ 496	$ 509	$ 515
54"W	ALS1354DFS	$ 544	$ 561	$ 566
60"W	ALS1360DFS	$ 554	$ 571	$ 577
66"W	ALS1366DFS	$ 626	$ 646	$ 656
72"W	ALS1372DFS	$ 646	$ 667	$ 677
20"H Elevated Screen — Laminate				
36"W	ALS2036DFS	$ 556	$ 573	$ 579
42"W	ALS2042DFS	$ 567	$ 585	$ 591
48"W	ALS2048DFS	$ 577	$ 595	$ 601
54"W	ALS2054DFS	$ 710	$ 734	$ 746
60"W	ALS2060DFS	$ 721	$ 746	$ 757
66"W	ALS2066DFS	$ 855	$ 888	$ 904
72"W	ALS2072DFS	$ 878	$ 912	$ 928

Description	Model	List Price L1	L2	L3
13"H Elevated HAT Screen — Laminate				
34"W	ALS1334DFS	$ 489	$ 502	$ 507
40"W	ALS1340DFS	$ 484	$ 497	$ 502
46"W	ALS1346DFS	$ 492	$ 505	$ 510
52"W	ALS1352DFS	$ 542	$ 557	$ 564
58"W	ALS1358DFS	$ 552	$ 569	$ 575
64"W	ALS1364DFS	$ 622	$ 642	$ 650
70"W	ALS1370DFS	$ 643	$ 664	$ 674
20"H Elevated HAT Screen — Laminate				
34"W	ALS2034DFS	$ 553	$ 570	$ 576
40"W	ALS2040DFS	$ 564	$ 581	$ 587
46"W	ALS2046DFS	$ 574	$ 592	$ 598
52"W	ALS2052DFS	$ 743	$ 769	$ 783
58"W	ALS2058DFS	$ 718	$ 743	$ 754
64"W	ALS2064DFS	$ 852	$ 885	$ 900
70"W	ALS2070DFS	$ 875	$ 909	$ 925

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 652 for finishes.	**Edge:** See page 652 for finishes.	**Grain Direction:** **VLG** Horizontal **VST** Vertical	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A L S _ _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	_ .	_ _


Example:

Universal Screens

Above/Below Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
27"H Above/Below Screen — Laminate				
36"W	**ALS2736DFS**	$ 706	$ 729	$ 740
42"W	**ALS2742DFS**	$ 724	$ 748	$ 759
48"W	**ALS2748DFS**	$ 745	$ 770	$ 783
54"W	**ALS2754DFS**	$ 766	$ 792	$ 806
60"W	**ALS2760DFS**	$ 789	$ 817	$ 831
66"W	**ALS2766DFS**	$ 812	$ 842	$ 856
72"W	**ALS2772DFS**	$ 837	$ 868	$ 883

Description	Model	List Price L1	L2	L3
27"H Above/Below HAT Screen — Laminate				
34"W	**ALS2734DFS**	$ 701	$ 724	$ 735
40"W	**ALS2740DFS**	$ 714	$ 738	$ 749
46"W	**ALS2746DFS**	$ 735	$ 760	$ 771
52"W	**ALS2752DFS**	$ 757	$ 783	$ 795
58"W	**ALS2758DFS**	$ 776	$ 804	$ 817
64"W	**ALS2764DFS**	$ 800	$ 830	$ 842
70"W	**ALS2770DFS**	$ 825	$ 856	$ 870

NOTE: Laminate Above/Below screens cannot be used with height adjustable tables unless paired with a Radii undermount pedestal.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain Direction:**	*5th Option:* **Paint Color:**	*6th Option:* **Corner:**
	F FSC Wood **X** Non-FSC Wood	See page 652 for finishes.	See page 652 for finishes.	**VLG** Horizontal **VST** Vertical	P1 P2 P3 See page 652 for finishes.	**SQ** Square **RD** Round
A L S _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	_ .	_ _


Example:

Universal Screens

Lateral Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
13"H Front-to-Back Screen — Laminate				
21"W	ALS1321LDF	$ 433	$ 442	$ 445
24"W	ALS1324LDF	$ 496	$ 508	$ 513
27"W	ALS1327LDF	$ 503	$ 516	$ 521
30"W	ALS1330LDF	$ 507	$ 520	$ 525
36"W	ALS1336LDF	$ 516	$ 529	$ 535
20"H Front-to-Back Screen — Laminate				
21"W	ALS2021LDF	$ 506	$ 519	$ 524
24"W	ALS2024LDF	$ 598	$ 616	$ 622
27"W	ALS2027LDF	$ 603	$ 621	$ 628
30"W	ALS2030LDF	$ 611	$ 630	$ 636
36"W	ALS2036LDF	$ 621	$ 640	$ 647
27"H Front-to-Back Screen — Laminate				
21"W	ALS2721LDF	$ 539	$ 553	$ 559
24"W	ALS2724LDF	$ 682	$ 704	$ 714
27"W	ALS2727LDF	$ 689	$ 711	$ 722
30"W	ALS2730LDF	$ 694	$ 717	$ 727
36"W	ALS2736LDF	$ 706	$ 729	$ 740

Description	Model	List Price L1	L2	L3
13"H Front-to-Back HAT Screen — Laminate				
22"W	ALS1322LHF	$ 435	$ 444	$ 447
28"W	ALS1328LHF	$ 504	$ 517	$ 522
20"H Front-to-Back HAT Screen — Laminate				
22"W	ALS2022LHF	$ 492	$ 504	$ 509
28"W	ALS2028LHF	$ 608	$ 627	$ 633
27"H Front-to-Back HAT Screen — Laminate				
22"W	ALS2722LHF	$ 555	$ 570	$ 576
28"W	ALS2728LHF	$ 691	$ 713	$ 724

How to specify — Select the Model Number from above.	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain Direction:**	*5th Option:* **Paint Color:**	*6th Option:* **Corner:**
	F FSC Wood **X** Non-FSC Wood	See page 652 for finishes.	See page 652 for finishes.	**VLG** Horizontal **VST** Vertical	P1 P2 P3 See page 652 for finishes.	**SQ** Square **RD** Round
A L S _ _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	_ .	_ _


Example:

Universal Screens

Lateral Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
13"H Top Mount Screen — Laminate				
21"W	ALS1321LDT	$ 433	$ 442	$ 445
24"W	ALS1324LDT	$ 496	$ 508	$ 513
27"W	ALS1327LDT	$ 503	$ 516	$ 521
30"W	ALS1330LDT	$ 507	$ 520	$ 525
36"W	ALS1336LDT	$ 516	$ 529	$ 535
20"H Top Mount Screen — Laminate				
21"W	ALS2021LDT	$ 506	$ 519	$ 524
24"W	ALS2024LDT	$ 598	$ 616	$ 622
27"W	ALS2027LDT	$ 603	$ 621	$ 628
30"W	ALS2030LDT	$ 611	$ 630	$ 636
36"W	ALS2036LDT	$ 621	$ 640	$ 647
27"H Top Mount Screen — Laminate				
21"W	ALS2721LDT	$ 539	$ 553	$ 559
24"W	ALS2724LDT	$ 682	$ 704	$ 714
27"W	ALS2727LDT	$ 689	$ 711	$ 722
30"W	ALS2730LDT	$ 694	$ 717	$ 727
36"W	ALS2736LDT	$ 706	$ 729	$ 740

Description	Model	List Price L1	L2	L3
13"H Top Mount HAT Screen — Laminate				
22"W	ALS1322LHT	$ 435	$ 444	$ 447
28"W	ALS1328LHT	$ 504	$ 517	$ 522
20"H Top Mount HAT Screen — Laminate				
22"W	ALS2022LHT	$ 492	$ 504	$ 509
28"W	ALS2028LHT	$ 608	$ 627	$ 633
27"H Top Mount HAT Screen — Laminate				
22"W	ALS2722LHT	$ 555	$ 570	$ 576
28"W	ALS2728LHT	$ 691	$ 713	$ 724

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 652 for finishes.	**Edge:** See page 652 for finishes.	**Grain Direction:** **VLG** Horizontal **VST** Vertical	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A L S .	.	.	.	V .	.	


Example:

Universal Screens

Side Screens

Laminate

For specification information see pages 654-657.



Description	Model	List Price L1	L2	L3
13"H Side Mount Screen — Laminate				
21"W	ALS1321LDS	$ 433	$ 442	$ 445
24"W	ALS1324LDS	$ 496	$ 508	$ 513
27"W	ALS1327LDS	$ 503	$ 516	$ 521
30"W	ALS1330LDS	$ 507	$ 520	$ 525
36"W	ALS1336LDS	$ 516	$ 529	$ 535
20"H Side Mount Screen — Laminate				
21"W	ALS2021LDS	$ 506	$ 519	$ 524
24"W	ALS2024LDS	$ 598	$ 616	$ 622
27"W	ALS2027LDS	$ 603	$ 621	$ 628
30"W	ALS2030LDS	$ 611	$ 630	$ 636
36"W	ALS2036LDS	$ 621	$ 640	$ 647
27"H Side Mount Screen — Laminate				
21"W	ALS2721LDS	$ 539	$ 553	$ 559
24"W	ALS2724LDS	$ 682	$ 704	$ 714
27"W	ALS2727LDS	$ 689	$ 711	$ 722
30"W	ALS2730LDS	$ 694	$ 717	$ 727
36"W	ALS2736LDS	$ 706	$ 729	$ 740

Description	Model	List Price L1	L2	L3
13"H Side Mount HAT Screen — Laminate				
22"W	ALS1322LHS	$ 435	$ 444	$ 447
28"W	ALS1328LHS	$ 504	$ 517	$ 522
20"H Side Mount HAT Screen — Laminate				
22"W	ALS2022LHS	$ 492	$ 504	$ 509
28"W	ALS2028LHS	$ 608	$ 627	$ 633
27"H Side Mount HAT Screen — Laminate				
22"W	ALS2722LHS	$ 555	$ 570	$ 576
28"W	ALS2728LHS	$ 691	$ 713	$ 724

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*
Select the Model Number from above.	**FSC:** **F** FSC Wood **X** Non-FSC Wood	**Laminate:** See page 652 for finishes.	**Edge:** See page 652 for finishes.	**Grain Direction:** **VLG** Horizontal **VST** Vertical	**Paint Color:** P1 P2 P3 See page 652 for finishes.	**Corner:** **SQ** Square **RD** Round
A L S .	.	.	.	V .	.	


Example:

Universal Screens

Modesty Screens

Laminate


For specification information see pages 654-657.




Description	Model	List Price L1	List Price L2	List Price L3
13"H Modesty Screen — Laminate				
30"W	**ALS1330MPD**	**$ 517**	**$ 530**	**$ 536**
36"W	**ALS1336MPD**	**$ 516**	**$ 529**	**$ 535**
42"W	**ALS1342MPD**	**$ 526**	**$ 540**	**$ 545**
48"W	**ALS1348MPD**	**$ 535**	**$ 549**	**$ 555**
54"W	**ALS1354MPD**	**$ 617**	**$ 636**	**$ 643**
60"W	**ALS1360MPD**	**$ 629**	**$ 649**	**$ 657**
66"W	**ALS1366MPD**	**$ 721**	**$ 745**	**$ 756**
72"W	**ALS1372MPD**	**$ 742**	**$ 767**	**$ 778**

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC:**	*2nd Option:* **Laminate:**	*3rd Option:* **Edge:**	*4th Option:* **Grain Direction:**	*5th Option:* **Paint Color:**	*6th Option:* **Corner:**
	F FSC Wood **X** Non-FSC Wood	See page 652 for finishes.	See page 652 for finishes.	**VLG** Horizontal **VST** Vertical	P1 P2 P3 See page 652 for finishes.	**SQ** Square **RD** Round
A L S _ _ _ _ _ _ .	_ .	_ _ _ _ .	_ _ .	V _ _ .	_ .	_ _

Example:



Left shown



Right shown

Description	Model	List Price P1	P2	P3
Metal Lateral Organizers				
20"H x 20"W, Left Handed	**U6BL2021ML**	**$ 607**	**$ 640**	**$ 671**
20"H x 20"W, Right Handed	**U6BL2021MR**	**$ 607**	**$ 640**	**$ 671**
27"H x 20"W, Left Handed	**U6BL2027ML**	**$ 646**	**$ 679**	**$ 710**
27"H x 20"W, Right Handed	**U6BL2027MR**	**$ 646**	**$ 679**	**$ 710**

Notes: Clamps to back edge of worksurface at 20"H and 27"H.
Screen is designed to sit back from front edge of worksurface.
Space for folders is 1½" and holds approximately 340 sheets of paper.
Folder storage is one-sided — LH and RH options available.

Notes

Casegoods — Approach™

Introduction 691-692
Statement of Line and Typicals 693-702
Grain Direction, Features, and Dimensions 703-714
Locks and File Capacity 715-716
Finishes 717
Laminate Storage Brackets 718
Approach™ and Involve® Laminate Wood Storage 719-720
Storage Open Plan Supports 721-722
Working with Approach 723-745
Desks 746-748
Pedestals 749-750
Credenzas 751-761
Storage Back Panels 762
Lateral Files 763
Bookcases 764
False Peds / Wall Access Panels / Bridges 765
Table Tops 766
Worksurfaces and Supports 767-770
Modesty Panels — Laminate 771
Towers and Wardrobes 772-781
Overheads and Stack on Storage 782-785
Tackboards & Writable Boards 786-787
Counterweights & Accessories 788
Altitude® Height-Adjustable 789-792
Collaborative Table Surface-Mounted Power Modules 796


Casegoods — Approach™


A new way to optimize the private office.

Many executives spend more time outside their offices than in them. When they do touch down for focused work, they want to feel like they've reached home base. An office for the way they work. Confidential files stored securely, coffee mug in its rightful place.

Offices may be getting smaller, but they can't be less functional. Approach provides a portfolio of modular options that inspires you to rethink how the private office can be designed to address today's needs, change over time, and even serve more than one purpose.


Approach complements Allsteel's open-plan solutions for a cohesive aesthetic throughout the space.





Adaptability

Two planning dimensions – 18" and 24" deep worksurfaces – allow you to design Approach to fit the space. Unique configurability options, like the ability to expand a simple "L" setup or change an "L" to a "U" setup, make it easy to efficiently use a single set of components throughout the workspace.




Clean Wire and Cable Management


Wires run and plug in behind worksurfaces and out of the way in an integrated trough designed into storage units, eliminating the need for worksurface grommets. A removable access panel cleanly hides cords plugging into the wall beneath the worksurface.

Casegoods — Approach™


Approach Pre-configured Desks & Tables — height-adjustable 27¾"-47⅜"H, fixed height 29½"H, left and right configurations




Height-Adjustable w/Storage
72", 66"W x 36", 30"D



Height-Adjustable w/ and w/o Modesty
72"-48"W x 36", 30"D



Shell Desk
60, 66, 72"W x 30"D



Racetrack Top w/Column, End Panel, and Modesty
72", 66"W x 30"D







Table Desk with "O" Legs
72", 66"W x 30"D




With End Panel
84"–48"W x 30"D




With "O" leg
84"–48"W x 30"D




Racetrack Top w/Column
60", 54", 48"W x 30"D




With Pedestal
72"–48"W x 30"D




Single 15"W Ped Desk
60, 66, 72"W x 30"D



Double Ped Desk
72"W x 36"D



Single Slim Ped Desk
72", 66", 60"W x 36", 30"D



Credenza for Integrated HAT
60, 72"W
18, 24"D

Approach Credenzas — 28"H (shown) x 18"D or 24"D, 24"H x 18"D; most available to-the-floor base or feet with or without troughs.



Multi File
30"W




Lateral File
Only 28"H x 36", 30"W




Box/Box/File 28"H
Box/File 24"H
36", 30"W



Open/Box/File
Only 28"H x 36", 30"W




Open and Adjustable Shelf
36", 30"W



Hinged Doors and Adjustable Shelf
36", 30"W


Approach 28"H Double Credenzas — 18" or 24"D, left and right configurations, available to-the-floor base or feet with or without troughs.




Open/Box/File
42"–48"W
18", 24"D




Lateral File/Lateral File
72", 60"W



Lateral File/Open Shelf
72", 60"W




Lateral File/Hinged Doors
72", 60"W




Four Hinged Doors
72", 60"W


Approach 24"H Double Credenzas — 24"H x 18"D; left and right configurations, most available to-the-floor base or feet with or without troughs.




Open/Box/File
42"–48"W
18", 24"D




Box File/Box File
To-the-floor 72", 60"W




Box File/Box File
With Feet 72", 60"W



Box File/Open Shelf
72", 60"W



Box File/Hinged Doors
72", 60"W




Hinged Doors/Hinged Doors
72", 60"W

Casegoods — Approach™

Approach Pedestals — Mobile models have recessed casters




Mobile Box/File
21½"H x 16"W x 20"D




Support Pedestal
w/o Trough
28"H x 15"W
24, 30"D




Support Box/File
24"H x 18"W x 18"D




Support Box/Box/File and
File/File w/Troughs
28"H x 18"W x 18", 24"D



Support Slim Box/Box/File
and File/File w/Back Panel
28"H x 9½"W x 24", 30"D




Support Left- and Right-Hand
Hinged Door w/Troughs
28"H x 18"W x 18", 24"D




Height-Adjustable Slim
Ped & Shroud Kit
14¼"W x 30"D

Approach False Peds, Wall Access Panels, Bridges, and Back Panels




Height-Adjustable Shroud Kit
Non-handed
5¼"W x 30"D
27¾"–47⅞"H



False Ped Left/Right
28"H x 12"W x
14, 18", 24"D




Wall Access Panel
28"H x 18", 24", 30", 36",
42", 48"W




Bridge w/14"H Modesty
42", 48"W x 24"D



Back Panels 28", 24", 20"H
18", 30", 36", 60" 72"W




Modesty Panels
14"H x 30"–72"W




Full Height Modesty
42"–72"W


Approach Tops, Worksurfaces, and Supports — End Panels left- and right-handed




Cushion Tops for Mobile Ped
& Credenzas
16"x 20" / 30", 36"x 18"




True and Shortened Depth
Laminate Tops
18"D, 24"D x 18"W–96"W




Round & Square Table Tops
36" / 42" / 48"




Laminate Worksurfaces
24"D, 30"D x 30"W–96"W
36"D x 72"W–84"W



Double Sight line Wksfc.
36"–24"D x 60"–72"W
42"–30"D x 60"–72"W



End Panels, O-Legs, Column &
Splay Leg Supports 28"H
14", 24", 30", 36"D




Stanchions & Support
Channel
3"H, 4"H x 12"D, 18"D
& 30"W–72"W

Casegoods — Approach™

Statement of Line


Approach Lateral Files, Bookcases, and Cubby — Laterals are 30" or 36"W x 18⅛"D, Bookcases are 30"W x 14¼"D, Cubby 7"H x 14"D




2-Drawer Lateral
29½"H




3-Drawer Lateral
42¼"H




4-Drawer Lateral
56⅝"H




2-High Bookcase
29½"H



3-High Bookcase
42¼"H




4-High Bookcase
56⅝"H



5-High Bookcase
71⅛"H




Cubby Storage
18", 24", 30"W




8"D Floating Shelf
30"–78"


Approach Towers & Stack-On Storage — Towers 18"D, 24"D; Storage w/doors & Side Access 15"D, Open units 14½"D




Wardrobe
42"–72"H
12", 18", 24"W
18", 24"D




Side Access
42"–72"H
18", 24"W
18", 24"D




Combination
42"–72"H
18", 24"W
18", 24"D




Pull Out Towers
42", 50"H
24", 30"D




Tower w/Hinged Doors
30"W x 57½", 72"H



Combo Tower File/File
L- and R-Handed
30"W x 72"H




Stack-On w/Doors
18", 30", 36"W
x 29⅛, 42⅛"H




Stack-On Open
18", 30", 36"W
x 29⅛, 42⅛"H

Casegoods — Approach™


Approach Overhead Storage — 15⅛"H x 15⅞"D with doors, open units 15⅛"D




Hinged Doors
30"– 78"W




Writable Doors
30", 36", 60", 72"W



Frosted Glass Doors
30"–78"W




Open
30", 36"W



Sliding Door
48"–78"W




Overhead Mounting Kit
for Beyond Walls




35"H Hutch
Lam. or Frosty Doors
48"–72"W


Approach Tackboards, Writable Boards, and Accessories — Tackboards and Writable Boards 30", 34", 45", 49"H




Tackboards for Hutches
48"W–72"W




Tackboards
30"W–96"W



Writable Boards
30"W–96"W



Counterweights
25, 35, 50, 60 lbs.




Mini Tap Power
6' Cord




End Cap


Altitude® Height-Adjustable Tops, Bases, and Accessories for Approach




Altitude Tops
24", 30", 36"D x
48"-72"W




A6 T-leg Base 2-stage
22¾"H-48½"H for
24"-30"D x 48"-84"W Tops



A6 C-leg Base 2-stage
27⅜"H-47⅜"H for
24"-30"D x 48"-72"W Tops




Cable Management
Channel, Tray, and Trough




Power Modules
Power & USB

Extensions for Approach




Monitor Arms
21"




Articulating Keyboard
25"W x 10½"D



CPU Hammock
CPU 3–6"W x 16–23"H





Under Cabinet LED Lights
17" & 31"



Link™ and Wand™ LED Lights
Base or Clamp


Casegoods — Approach™







Functional Design

Sit-to-stand worksurfaces enable users to vary their posture throughout the day, while promoting wellness in the workplace. Height-adjustable legs are concealed within a shroud or pedestal storage. Smart storage, like a side-access tower, credenzas in multiple configurations at two heights, stack-ons and wall-mounted overheads with marker board fronts, and a slim pedestal, provide options for any storage need.








Aesthetic Choices

Approach offers a to-the-floor base or a lighter-scale footed design. Choose from eight solid and woodgrain laminate colors, numerous fabrics for tackboards and pedestal seat cushions, and five storage pull styles. Approach offers a mix of materials to support the design vision.


Casegoods — Approach™

Typicals




Traditional L — Desking Runoff & Ped 78" x 78"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 54"W x 30"D LH w/BBF Half Mod Panel	**WKDRFN295430LH-BBF**	$	3524
2	False Ped 12"W x 24"D LH	**WKFPFN281224LH**	$	1101
3	Wall Access Panel 28"H x 48"W Full Height	**WKHP2848**	$	1311
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	**WKPSFN281824-FF**	$	2224
5	Credenza Top 78"W x 24"D for use w/Trough	**WKWSCW7824**	$	951
6	48"W External Support Channel for 60"W Worksurface	**Z5SC60**	$	119
		TOTAL	$	9,230




Traditional L — Desking Runoff & Ped 78" x 78"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 54"W x 30"D RH w/BBF Half Mod Panel	**WKDRFN295430RH-BBF**	$	3524
2	False Ped 12"W x 24"D RH	**WKFPFN281224RH**	$	1101
3	Wall Access Panel 28"H x 48"W Full Height	**WKHP2848**	$	1311
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	**WKPSFN281824-FF**	$	2224
5	Credenza Top 78"W x 24"D for use w/Trough	**WKWSCW7824**	$	951
6	48"W External Support Channel for 60"W Worksurface	**Z5SC60**	$	119
		TOTAL	$	9,230



Traditional L — Desking Runoff & Ped 72" x 78"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 48"W x 30"D LH w/BBF Half Mod Panel	**WKDRFN294830LH-BBF**	$	3403
2	False Ped 12"W x 24"D LH	**WKFPFN281224LH**	$	1101
3	Wall Access Panel 28"H x 48"W Full Height	**WKHP2848**	$	1311
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	**WKPSFN281824-FF**	$	2224
5	Credenza Top 78"W x 24"D for use w/Trough	**WKWSCW7824**	$	951
6	48"W External Support Channel for 60"W Worksurface	**Z5SC60**	$	119
		TOTAL	$	9,109




Traditional L — Desking Runoff & Ped 78" x 72"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 48"W x 30"D RH w/BBF Half Mod Panel	**WKDRFN294830RH-BBF**	$	3403
2	False Ped 12"W x 24"D RH	**WKFPFN281224RH**	$	1101
3	Wall Access Panel 28"H x 48"W Full Height	**WKHP2848**	$	1311
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	**WKPSFN281824-FF**	$	2224
5	Credenza Top 78"W x 24"D for use w/Trough	**WKWSCW7824**	$	951
6	48"W External Support Channel for 60"W Worksurface	**Z5SC60**	$	119
		TOTAL	$	9,109


Casegoods — Approach™

Typicals




Traditional L — Desking Runoff & Ped 78" x 72"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 54"W x 30"D LH w/BBF Half Mod Panel	WKDRFN295430LH-BBF	$	3524
2	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
3	Wall Access Panel 28"H x 42"W Full Height	WKHP2842	$	1259
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	WKPSFN281824-FF	$	2224
5	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
6	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	9,097




Traditional L — Desking Runoff & Ped 72" x 78"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 54"W x 30"D RH w/BBF Half Mod Panel	WKDRFN295430RH-BBF	$	3524
2	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
3	Wall Access Panel 28"H x 42"W Full Height	WKHP2842	$	1259
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	WKPSFN281824-FF	$	2224
5	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
6	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	9,097



Traditional L — Desking Runoff & Ped 72" x 72"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 48"W x 30"D LH w/BBF Half Mod Panel	WKDRFN294830LH-BBF	$	3403
2	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
3	Wall Access Panel 28"H x 42"W Full Height	WKHP2842	$	1259
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	WKPSFN281824-FF	$	2224
5	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
6	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	8,976




Traditional L — Desking Runoff & Ped 72" x 72"

Line Item	Product Description	Model Number		List Price
1	Desking Runoff 48"W x 30"D RH w/BBF Half Mod Panel	WKDRFN294830RH-BBF	$	3403
2	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
3	Wall Access Panel 28"H x 42"W Full Height	WKHP2842	$	1259
4	Support Ped 18"W x 24"D FF w/Trough Cut No Bk Panel	WKPSFN281824-FF	$	2224
5	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
6	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	8,976


Casegoods — Approach™

Typicals




Traditional U — Single Ped Desk & Credenza 108" x 72"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x36"D LH BBF w/Mod Panel	WKDUFN297236LH-BBF	$	4689
2	Bridge 48"W x 24"D w/Half Mod Panel	WKAUBG4824	$	1389
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,651




Traditional U — Single Ped Desk & Credenza 72" x 108"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x36"D RH BBF w/Mod Panel	WKDUFN297236RH-BBF	$	4689
2	Bridge 48"W x 24"D w/Half Mod Panel	WKAUBG4824	$	1389
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,651



Traditional U — Single Ped Desk & Credenza 102" x 72"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x36"D LH BBF w/Mod Panel	WKDUFN297236LH-BBF	$	4689
2	Bridge 42"W x 24"D w/Half Mod Panel	WKAUBG4224	$	1337
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,599




Traditional U — Single Ped Desk & Credenza 72" x 102"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x36"D RH BBF w/Mod Panel	WKDUFN297236RH-BBF	$	4689
2	Bridge 42"W x 24"D w/Half Mod Panel	WKAUBG4224	$	1337
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,599


Casegoods — Approach™

Typicals




Traditional U — Single Ped Desk & Credenza 102" x 72"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x30"D LH BBF w/Mod Panel	WKDUFN297230LH-BBF	$	4391
2	Bridge 48"W x 24"D w/Half Mod Panel	WKAUBG4824	$	1389
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,353




Traditional U — Single Ped Desk & Credenza 72" x 96"

Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 72"W x30"D RH BBF w/Mod Panel	WKDUFN297230RH-BBF	$	4391
2	Bridge 42"W x 24"D w/Half Mod Panel	WKAUBG4224	$	1337
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
5	Wall Access Panel 28"H x 42"W Full Ht	WKHP2842	$	1259
6	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
7	42"W External Support Channel for 54"W Worksurface	Z5SC54	$	111
		TOTAL	$	11,301



Traditional U — Single Ped Desk & Credenza 102" x 66"


Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 66"W x30"D LH BBF w/Mod Panel	WKDUFN296630LH-BBF	$	4328
2	Bridge 48"W x 24"D w/Half Mod Panel	WKAUBG4824	$	1389
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D LH	WKFPFN281224LH	$	1101
5	Wall Access Panel 28"H x 36"W Full Ht	WKHP2836	$	1218
6	Credenza Top 66"W x 24"D for use w/Trough	WKWSCW6624	$	829
7	36"W External Support Channel for 48"W Worksurface	Z5SC48	$	96
		TOTAL	$	11,185



Traditional U — Single Ped Desk & Credenza 96" x 66"


Line Item	Product Description	Model Number		List Price
1	Single Ped Desk 66"W x30"D RH BBF w/Mod Panel	WKDUFN296630RH-BBF	$	4328
2	Bridge 42"W x 24"D w/Half Mod Panel	WKAUBG4224	$	1337
3	Support Ped 18"W x 24"D FF w/Trough Cut No Back Panel	WKPSFN281824-FF	$	2224
4	False Ped 12"W x 24"D RH	WKFPFN281224RH	$	1101
5	Wall Access Panel 28"H x 36"W Full Ht	WKHP2836	$	1218
6	Credenza Top 66"W x 24"D for use w/Trough	WKWSCW6624	$	829
7	36"W External Support Channel for 48"W Worksurface	Z5SC48	$	96
		TOTAL	$	11,133

Casegoods — Approach™




Light Scale L — Table Desk & Credenza 102" x 72"

Line Item	Product Description	Model Number		List Price
1	Table Desk 72"W x 30"D with O-Legs	WKTDOL297230	$	3440
2	Credenza 72"W x 24"D Lateral File / Open Shelf w/Trough	WKCUFY287224-LFOS	$	4853
3	Credenza Top 72"W x 24"D for use w/Trough	WKWSCW7224	$	878
		TOTAL	$	9,171




Light Scale L — Table Desk & Credenza 66" x 102"

Line Item	Product Description	Model Number		List Price
1	Table Desk 66"W x 30"D with O-Legs	WKTDOL296630	$	3344
2	Credenza 72"W x 18"D Open Shelf / Lateral File w/Trough	WKCUFY287218-OSLF	$	4739
3	Credenza Top 72"W x 18"D for use w/Trough	WKWSCW7218	$	829
		TOTAL	$	8,912



Light Scale L — Table Desk & Credenza 90" x 66"

Line Item	Product Description	Model Number		List Price
1	Table Desk 66"W x 30"D with O-Legs	WKTDOL296630	$	3344
2	Credenza 60"W x 24"D Lateral File / Open Shelf w/Trough	WKCUFY286024-LFOS	$	4690
3	Credenza Top 60"W x 24"D for use w/Trough	WKWSCW6024	$	797
		TOTAL	$	8,831




Light Scale L — Table Desk & Credenza 66" x 90"

Line Item	Product Description	Model Number		List Price
1	Table Desk 66"W x 30"D with O-Legs	WKTDOL296630	$	3344
2	Credenza 60"W x 18"D Open Shelf / Lateral File w/Trough	WKCUFY286018-OSLF	$	4578
3	Credenza Top 60"W x 18"D for use w/Trough	WKWSCW6018	$	756
		TOTAL	$	8,678


Casegoods — Approach™

Grain Direction


Grain direction of woodgrain laminate is indicated below.




Desks




Desking Runoff




Credenzas




Pedestals




Wall Access Panel




Tops & Shelf




Modesty Panels
& Finished Backs




Wood
Splay Legs




Bridges




Cubby Storage




Wall Cabinet
Overheads




Lateral Files




Bookcases




Towers



Stack-On Storage



Height-Adjustable
Shrouded Desk



Height-Adjustable
Table

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Shell Desk		29"	60"	30"		57½"	27⅞"	26⅛"
		29"	66"	30"		63½"	27⅞"	26⅛"
		29"	72"	30"		69½"	27⅞"	26⅛"
Credenza	Open/Hinged Door	28⅜"	30" / 60"*	17¼" / 18"	Total	26⅜"	28⅜"	14⅜"
Full Height			36" / 72"*	23¼" / 24"	Above shelf	12⅝"	34⅜"	19"
Non-footed					Below shelf	12¾"		
		28⅜"	42"*	18"	Total	26⅜"	22½"	16⅜"
					Above Shelf	12¾"		
					Below Shelf	12¾"		
				24"				22⅜"
			48"*	18"	Total	26⅜"	28½"	16⅜"
					Above Shelf	12¾"		
					Below Shelf	12¾"		
				24"				22⅜"
	Lateral File	28⅜"	30" / 60"*	18"	Top Drawer (Lat)	12⅛"	26⅜"	12⅛"
			36" / 72"*	24"	Bottom Drawer (Lat)	12⅜"	32⅜"	15"
		28⅜"	42"* / 48"*	18" / 24"	Top Drawer (File)	8¾"	14⅜"	12⅛"
					Bottom Drawer (File)	8¾"	14⅜"	12⅛"
	Multi File	28⅜"	30" (Shelf)	18" (Shelf)	Cubby Shelf	6⅛"	13⅞"	14⅜"
				24" (Shelf)				19"
			30" (Drawers)	Box	Top Drawer (Box)	5⅛"	26⅜"	13"
				18" (Lat)	Bottom Drawer (Lat)	12⅜"		12⅛"
				24" (Lat)				15"
	Open shelf/Box/File	28⅜"	30" (Shelf)	18" (Shelf)	Top shelf	6⅛"	28½"	14½"
			36" (Shelf)	24" (Shelf)			34½"	19"
			30" (Drawers)	Box	Top Drawer (Box)	5⅛"	26⅜"	13"
			36" (Drawers)	18" (Lat)	Bottom Drawer (Lat)	12⅜"	32⅜"	12"
				24" (Lat)				15"
Credenza	Open/Hinged Door	28⅜"	30" / 60"*	17¼" / 18"	Total	22½"	28½"	14½"
Full Height			36" / 72"*	23¼" / 24"	Above shelf	10⅞"	34½"	19"
Footed					Below shelf	10⅞"		
		28⅜"	42"*	18"	Total	22⅝"	22½"	16⅜"
					Above Shelf	11"		
					Below Shelf	11"		
				24"				22⅜"
				18"	Total	22⅝"	28½"	16⅜"
					Above Shelf	11"		
			48"*		Below Shelf	11"		
				24"				22⅜"
	Lateral File	28⅜"	30" / 60"*	18"	Top Drawer (Lat)	10⅜"	26⅜"	12"
			36" / 72"*	24"	Bottom Drawer (Lat)	10⅜"	32⅜"	15"
		28⅜"	42"* / 48"*	18" / 24"	Top Drawer (File)	8¾"	14⅜"	12⅛"
					Bottom Drawer (File)	8¾"	14⅜"	12⅛"
	Box/Box/File	28⅜"	30"	Box	Top Drawer (Box)	4⅜"	26⅜"	13"
			36"		Middle Drawer (Box)	4⅜"	32⅜"	
				18" (Lat)	Bottom Drawer (Lat)	10⅜"		12"
				24" (Lat)				15"
	Multi File	28⅜"	30" (Shelf)	18" (Shelf)	Cubby Shelf	4⅜"	13⅞"	14½"
				24" (Shelf)				19"
			30" (Drawers)	Box	Top Drawer (Box)	4⅜	26⅜"	13"
				18" (Lat)	Bottom Drawer (Lat)	10⅜"		12"
				24" (Lat)				15"

*On 42"W, 48"W, 60"W, & 72"W units internal dimensions apply to each side of center support.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Credenza	Open/Hinged Door	24¾"	30" / 60"*	17¼" / 18"	Total	22½"	28½"	14½"
Layered Height			36" / 72"*		Above shelf	9"	34½"	
Non-Footed					Below shelf	12¾"		
		24¾"	42"*	18"	Total	22⅜"	22½"	16⅜"
					Above Shelf	9⅛"		
					Below Shelf	12¾"		
				24"				22⅜"
			48"*	18"	Total	22⅜"	28½"	16⅜"
					Above Shelf	9⅛"		
					Below Shelf	12¾"		
				24"				22⅜"
	Lateral File	24¾"	42"* / 48"*	18"	Top Drawer (Box)	2⅞"	14⅜"	12⅛"
					Bottom Drawer (File)	8¾"	14⅜"	12⅛"
	Box/File	24¾"	30" / 60"* (Drawers)	Box	Top Drawer (Box)	8⅜"	26⅜"	13"
			36" / 72"* (Drawers)	18" (Lat)	Bottom Drawer (Lat)	12⅜"	32⅜"	12"
	Multi File	24¾"	30" (Shelf)	18" (Shelf)	Cubby Shelf	4⅜"	13¾"	14⅜"
			30" (Drawers)	Depth	Top Drawer (Box)	3¼"	26⅜"	13"
				18" (Lat)	Bottom Drawer (Lat)	12⅜"		12"
	Box/File / Pullout drawer	24¾"	30"	18"	Top Drawer (Box)	8½"	14¼"	12"
					Bottom Drawer (File)	12"	14¼"	12"
					Pullout Drawer	21½"	8"	15"
		24¾"	36"	18"	Top Drawer (Box)	8½"	19¾"	12"
					Bottom Drawer (File)	12"	19¾"	12"
					Pullout Drawer	21½"	8"	15"
	Open Shelf /	24¾"	30"	18"	Total	22½"	16½"	16¼"
	Pullout Drawer				Above Shelf	9¼"	16½"	16¼"
					Below Shelf	12½"	16½"	16¼"
					Pullout Drawer	21½"	8"	15"
		24¾"	36"	18"	Total	22½"	22½"	16¼"
					Above Shelf	9¼"	22½"	16¼"
					Below Shelf	12½"	22½"	16¼"
					Pullout Drawer	21½"	8"	15"
	Box/File / Hinged Door	24¾"	30"	18"	Top Drawer (Box)	8½"	14¼"	12"
					Bottom Drawer (File)	12"	14¼"	12"
					Hinged Door	22½"	10½"	14¼"
		24¾"	36"	18"	Top Drawer (Box)	8½"	19¾"	12"
					Bottom Drawer (File)	12"	19¾"	12"
					Hinged Door	22½"	10½"	14¼"
	Open Shelf /	24¾"	30"	18"	Total	22½"	16½"	14¼"
	Hinged Door				Above Shelf	9¼"	16½"	14¼"
					Below Shelf	12½"	16½"	14¼"
					Hinged Door	22½"	10½"	14¼"
		24¾"	36"	18"	Total	22½"	22½"	14¼"
					Above Shelf	9¼"	22½"	14¼"
					Below Shelf	12½"	22½"	14¼"
					Hinged Door	22½"	10½"	14¼"
	Box/File / Open Cubby	24¾"	30"	18"	Top Drawer (Box)	8½"	14¼"	12"
					Bottom Drawer (File)	12"	14¼"	12"
					Open Cubby	22½"	10½"	14¼"
		24¾"	36"	18"	Top Drawer (Box)	8½"	19¾"	12"
					Bottom Drawer (File)	12"	19¾"	12"
					Open Cubby	22½"	10½"	14¼"
	Open Shelf / Open Cubby	24¾"	30"	17¼"	Total	22½"	16½"	14¼"
					Above Shelf	9¼"	16½"	14¼"
					Below Shelf	12½"	16½"	14¼"
					Open Cubby	22½"	10½"	14¼"
		24¾"	36"	17¼"	Total	22½"	22½"	14¼"
					Above Shelf	9¼"	22½"	14¼"
					Below Shelf	12½"	22½"	14¼"
					Open Cubby	22½"	10½"	14¼"

*On 42"W, 48"W, 60"W, & 72"W units internal dimensions apply to each side of center support.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Credenza Layered Height Footed	Open/Hinged Door	24¾"	30" / 60"*	17¼" / 18"	Total	19"	28½"	14⅜"
			36" / 72"*		Above shelf	7¼"	34½"	
					Below shelf	10⅞"		
		24¾"	42"*	18"	Total	19	22½"	16⅜"
					Above Shelf	7¼"		
					Below Shelf	11"		
				24"				22⅜"
			48"*	18"	Total	19	28½"	16⅜"
					Above Shelf	7¼"		
					Below Shelf	11"		
				24"				22⅜"
	Lateral File	24¾"	42"* / 48"*	18"	Top Drawer (Box)	2⅞"	14⅜"	12⅛"
					Bottom Drawer (File)	8¾"	14⅜"	12⅛"
	Box/File	24¾"	30" / 60"*(Drawers)	Box	Top Drawer (Box)	6"	26⅜"	13"
			36" / 72"* (Drawers)	18" (Lat)	Bottom Drawer (Lat)	10⅜"	32⅛"	12"
Credenza for Integrated HAT Full Height Non-footed	Open Shelf Portion	24¾"	60"*	18"	Open Shelf Total	21⅞"	28½"	10½"
					Above Shelf	8"		
					Below Shelf	12 3/8"		
				24"				16½"
			72"*	18"	Open Shelf Total	21⅞"	34½"	10½"
					Above Shelf	8"		
					Below Shelf	12⅜"		
				24"				16½"
	Box/File Portion	24¾"	60"*	18"/24"	Top Drawer (Box)	2⅞"	26⅜"	13"
					Bottom Drawer (File)	8⅞"	25⅞"	12"
			72"*	18"/24"	Top Drawer (Box)	2⅞"	32⅛"	13"
					Bottom Drawer (File)	8⅞"	31⅞"	12"
Approach Dimensions 12"W Pedestal	Pullout Drawer	24¾"	18"	17¼"	Pullout Drawer	21½"	8"	15"
	Hinged Door	24¾"	18"	17¼"	Hinged Door	22½"	10½"	14¼"
	Open Cubby	24¾"	18"	17¼"	Open Cubby	22½"	10½"	14¼"
Skinny Pedestals	File/File	28⅜"	9½"	23¾" (File)	Top Drawer (File)	11½"	5¾"	15½"
				29¾" (File)	Bottom Drawer (File)	12¼"		25⅜"
	Box/Box/File	28⅜"	9½"	Box	Top Drawer (Box)	5¼"	5¾"	15½"
				23¾" (File)	Middle Drawer (Box)	6"		15½"
				29¾" (File)	Bottom Drawer (File)	12¼"		25⅜"
15"W Support Ped	File/File - Non-Footed	28"	15"	24"	Top Drawer (File)	12⅛"	12"	15"
		28"	15"	30"	Bottom Drawer (File)	12⅛"	12"	15"
	File/File - Footed	24"	15"	24"	Top Drawer (File)	10⅜"	12"	15"
		24"	15"	30"	Bottom Drawer (File)	10⅜"	12"	15"
	Box/Box/File Non-Footed	28"	15"	24"	Top Drawer (Box)	5¼"	12"	15"
		28"	15"	30"	Mid Drawer (Box)	6"	12"	15"
					Bottom Drawer (File)	12⅛"	12"	15"
	Box/Box/File Footed	24"	15"	24"	Top Drawer (Box)	4⅜"	12"	15"
		24"	15"	30"	Mid Drawer (Box)	5"	12"	15"
					Bottom Drawer (File)	10⅜"	12"	15"

*On 42"W, 48"W, 60"W, & 72"W units internal dimensions apply to each side of center support.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	**Style**	**Height**	**Width**	**Depth**	**Location**	**Height**	**Width**	**Depth**
Height-Adjustable	File/File	24"	14¼"	30"	See Skinny Ped			
Fixed Laminate	48"W Modesty	24"	37.359"					
Modesty and	54"W Modesty		43.359"					
Metal Hanging	60"W Modesty		49.359"					
Modesty for HAT	66"W Modesty		55.359"					
Note: Metal modesty is ⅛" less in width than shown above.	72"W Modesty		61.359"					
Ped Desk w/		29"	60"	30"	See 15"W Pedestal for	27⅞"	42⅞"	26⅛"
15"W Ped			66"		Configuration		48⅞"	
			72"				54⅞"	
Pedestals	Hinged Door	28⅜"	18"	18"	Total	26¼"	16½"	14⅜"
18"W – Full				24"	Above shelf	12⅝"		19
Height					Below shelf	12¼"		
	File/File	28⅜"	18"	18"	Top Drawer (File)	12⅛"	14⅜"	12"
				24"	Bottom Drawer (File)	12¼"		15"
	Box/Box/File	28⅜"	18"	18" (Box)	Top Drawer (Box)	5⅛"	14⅜"	12"
				24" (Box)	Middle Drawer (Box)	6"		15"
				18" (File)	Bottom Drawer (File)	12¼"		12"
				24" (File)				15"
Ped 18"W –	Box/File	24¾"	18"	18" (Box)	Top Drawer (Box)	8½"	14⅜"	12"
Layered Height				18" (File)	Bottom Drawer (File)	12¼"		12"
Mobile Ped	Box/File	21½"	15¾"	20⅛" (Box)	Top Drawer (Box)	4½"	12"	14⅜"
				20⅛" (File)	Bottom Drawer (File)	10⅝"		15"
Full-Height	¾" Thick	28"	48"	¾"				
Modesty			54"					
			60"					
			66"					
			72"					
Pull-Out Tower		42"	12"	24"	Wardrobe	35¼"	8⅛"	6"
					File	10⅓"	7½"	12⅛"
					Bottom Shelf (Adjustable)	12"	8⅛"	15½"
					Top Shelf (Fixed)	6"	8⅛"	15½"
		50"			Wardrobe	36"	8⅛"	6"
					File	10⅓"	7½"	12⅛"
					Bottom Shelf (Adjustable)	8"	8⅛"	15½"
					Mid Shelf (Adjustable)	8"	8⅛"	15½"
					Top Shelf (Fixed)	6"	8⅛"	21¼"
		42"		30"	Wardrobe	35¼"	8⅛"	8"
					File	10⅓"	7½"	12⅛"
					Bottom Shelf (Adjustable)	12"	8⅛"	19¼"
					Top Shelf (Adjustable	6"	8⅛"	19¼"
		50"			Wardrobe	36"	8⅛"	8"
					File	10⅓"	7½"	12⅛"
					Bottom Shelf (Adjustable)	8"	8⅛"	19¼"
					Mid Shelf (Adjustable)	8"	8⅛"	19¼"
					Top Shelf (Fixed)	6"	8⅛"	27¼"

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Towers	Non-footed	42½"	12"	18"	3H - Bottom Shelf	14⅜"	10⅜"	16⅛"
Hinged Door		42½"	18"	18"	3H - Second Shelf (Adjustable)	12⅝"	16⅜"	16⅛"
		42½"	24"	18"	3H - Top Shelf (Fixed)	11"	22⅜"	16⅛"
		42½"	12"	24"			10⅜"	22⅛"
		42½"	18"	24"			16⅜"	22⅛"
		42½"	24"	24"			22⅜"	22⅛"
		50"	12"	18"	3H - Bottom Shelf	17⅞"	10⅜"	16⅛"
		50"	18"	18"	3H - Second Shelf (Adjustable)	12⅝"	16⅜"	16⅛"
		50"	24"	18"	3H - Top Shelf (Fixed)	15"	22⅜"	16⅛"
		50"	12"	24"			10⅜"	22⅛"
		50"	18"	24"			16⅜"	22⅛"
		50"	24"	24"			22⅜"	22⅛"
		57½"	12"	18"	4H - Bottom Shelf	17½"	10⅜"	16⅛"
		57½"	18"	18"	4H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		57½"	24"	18"	4H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		57½"	12"	24"	4H - Top Shelf (Fixed)	11"	10⅜"	22⅛"
		57½"	18"	24"			16⅜"	22⅛"
		57½"	24"	24"			22⅜"	22⅛"
		65"	12"	18"	5H - Bottom Shelf	17½"	10⅜"	16⅛"
		65"	18"	18"	5H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		65"	24"	18"	5H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		65"	12"	24"	5H - Fourth Shelf (Fixed)	7⅛"	10⅜"	22⅛"
		65"	18"	24"	5H - Top Shelf (Adjustable)	11"	16⅜"	22⅛"
		65"	24"	24"			22⅜"	22⅛"
		72½"	12"	18"	5H - Bottom Shelf	17½"	10⅜"	16⅛"
		72½"	18"	18"	5H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		72½"	24"	18"	5H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		72½"	12"	24"	5H - Fourth Shelf (Fixed)	11⅛"	10⅜"	22⅛"
		72½"	18"	24"	5H - Top Shelf (Adjustable)	11"	16⅜"	22⅛"
		72½"	24"	24"			22⅜"	22⅛"
	Footed	42½"	12"	18"	3H - Bottom Shelf	10¾"	10⅜"	16⅛"
		42½"	18"	18"	3H - Second Shelf (Adjustable)	12⅝"	16⅜"	16⅛"
		42½"	24"	18"	3H - Top Shelf (Fixed)	11"	22⅜"	16⅛"
		42½"	12"	24"			10⅜"	22⅛"
		42½"	18"	24"			16⅜"	22⅛"
		42½"	24"	24"			22⅜"	22⅛"
		50"	12"	18"	3H - Bottom Shelf	14¼"	10⅜"	16⅛"
		50"	18"	18"	3H - Second Shelf (Adjustable)	12⅝"	16⅜"	16⅛"
		50"	24"	18"	3H - Top Shelf (Fixed)	14⅞"	22⅜"	16⅛"
		50"	12"	24"			10⅜"	22⅛"
		50"	18"	24"			16⅜"	22⅛"
		50"	24"	24"			22⅜"	22⅛"
		57½"	12"	18"	4H - Bottom Shelf	13⅞"	10⅜"	16⅛"
		57½"	18"	18"	4H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		57½"	24"	18"	4H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		57½"	12"	24"	4H - Top Shelf (Fixed)	11"	10⅜"	22⅛"
		57½"	18"	24"			16⅜"	22⅛"
		57½"	24"	24"			22⅜"	22⅛"
		65"	12"	18"	5H - Bottom Shelf	13⅞"	10⅜"	16⅛"
		65"	18"	18"	5H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		65"	24"	18"	5H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		65"	12"	24"	5H - Fourth Shelf (Fixed)	6⅛"	10⅜"	22⅛"
		65"	18"	24"	5H - Top Shelf (Adjustable)	13"	16⅜"	22⅛"
		65"	24"	24"			22⅜"	22⅛"
		72½"	12"	18"	5H - Bottom Shelf	13⅞"	10⅜"	16⅛"
		72½"	18"	18"	5H - Second Shelf (Adjustable)	11⅛"	16⅜"	16⅛"
		72½"	24"	18"	5H - Third Shelf (Adjustable)	11⅛"	22⅜"	16⅛"
		72½"	12"	24"	5H - Fourth Shelf (Fixed)	11⅛"	10⅜"	22⅛"
		72½"	18"	24"	5H - Top Shelf (Adjustable)	13"	16⅜"	22⅛"
		72½"	24"	24"			22⅜"	22⅛"

*Blanks are replicas of the same tower height 18"D model above.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Combination Towers	Non-Footed	50"	18"	18"	Fixed Shelf	6⅝"	16⅜"	16⅜"
		50"	18"	24"				22⅜"
	File/File &	50"	24"	18"	Adjustable Shelf	12⅝"	16⅜"	16⅜"
	Box/Box/File	50"	24"	24"				22⅜"
	available, see ped				Wardrobe (24"W ONLY)	47"	5¼"	16⅜"
	specs for details							22⅜"
		57½"	18"	18"	Fixed Shelf	14⅛"	16⅜"	16⅜"
	LH/RH Versions	57½"	18"	24"				22⅜"
	available	57½"	24"	18"	Adjustable Shelf	12⅝"	16⅜"	16⅜"
		57½"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	54½"	5¼"	16⅜"
								22⅜"
		65"	18"	18"	Fixed Shelf	8⅝"	16⅜"	16⅜"
		65"	18"	24"				22⅜"
		65"	24"	18"	Lower Adjustable Shelf	12¼"	16⅜"	16⅜"
		65"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	16⅜"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	62"	5¼"	16⅜"
								22⅜"
		72½"	18"	18"	Fixed Shelf	16⅛"	16⅜"	16⅜"
		72½"	18"	24"				22⅜"
		72½"	24"	18"	Lower Adjustable Shelf	12¼"	16⅜"	16⅜"
		72½"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	16⅜"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	69½"	5¼"	16⅜"
								22⅜"
	Footed	50"	18"	18"	Fixed Shelf	6⅝"	16⅜"	16⅜"
		50"	18"	24"				22⅜"
	File/File &	50"	24"	18"	Adjustable Shelf	12⅝"	16⅜"	16⅜"
	Box/Box/File	50"	24"	24"				22⅜"
	available, see ped				Wardrobe (24"W ONLY)	47	5¼"	16⅜"
	specs for details							22⅜"
		57½"	18"	18"	Fixed Shelf	14⅛"	16⅜"	16⅜"
	RH/LH Models	57½"	18"	24"				22⅜"
	available	57½"	24"	18"	Adjustable Shelf	12⅝"	16⅜"	16⅜"
		57½"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	54½"	5¼"	16⅜"
								22⅜"
		65"	18"	18"	Fixed Shelf	8⅝"	16⅜"	16⅜"
		65"	18"	24"				22⅜"
		65"	24"	18"	Lower Adjustable Shelf	12¼"	16⅜"	16⅜"
		65"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	16⅜"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	62"	5¼"	16⅜"
								22⅜"
		72½"	18"	18"	Fixed Shelf	16⅛"	16⅜"	16⅜"
		72½"	18"	24"				22⅜"
		72½"	24"	18"	Lower Adjustable Shelf	12¼"	16⅜"	16⅜"
		72½"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	16⅜"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	69½"	5¼"	16⅜"
								22⅜"

*Blanks are replicas of the same tower height 18"D model above.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Side Access Towers	Non-Footed	50"	18"	18"	Worksurface Height Shelf	5½"	17¼"	16⅜"
		50"	18"	24"				22⅜"
	File/File & Box/Box/File available, see ped specs for details	50"	24"	18"	Adjustable Shelf	12⅝"	17¼"	16⅜"
		50"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	47"	5¼"	16⅜"
								22⅜"
		57½"	18"	18"	Worksurface Height Shelf	13"	17¼"	16⅜"
	LH/RH Versions available	57½"	18"	24"				22⅜"
		57½"	24"	18"	Adjustable Shelf	12⅝"	17¼"	16⅜"
		57½"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	54½"	5¼"	16⅜"
								22⅜"
		65"	18"	18"	Worksurface Height Shelf	7½"	17¼"	16⅜"
		65"	18"	24"				22⅜"
		65"	24"	18"	Lower Adjustable Shelf	12¼"	17¼"	16⅜"
		65"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	17¼"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	62"	5¼"	16⅜"
								22⅜"
		72½"	18"	18"	Worksurface Height Shelf	15"	17¼"	16⅜"
		72½"	18"	24"				22⅜"
		72½"	24"	18"	Lower Adjustable Shelf	12¼"	17¼"	16⅜"
		72½"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	17¼"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	69½"	5¼"	16⅜"
								22⅜"
	Footed	50"	18"	18"	Worksurface Height Shelf	5½"	17¼"	16⅜"
		50"	18"	24"				22⅜"
	File/File & Box/Box/File available, see ped specs for details	50"	24"	18"	Adjustable Shelf	12⅝"	17¼"	16⅜"
		50"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	47"	5¼"	16⅜"
								22⅜"
		57½"	18"	18"	Worksurface Height Shelf	13"	17¼"	16⅜"
	RH/LH Models available	57½"	18"	24"				22⅜"
		57½"	24"	18"	Adjustable Shelf	12⅝"	17¼"	16⅜"
		57½"	24"	24"				22⅜"
					Wardrobe (24"W ONLY)	54½"	5¼"	16⅜"
								22⅜"
		65"	18"	18"	Worksurface Height Shelf	7½"	17¼"	16⅜"
		65"	18"	24"				22⅜"
		65"	24"	18"	Lower Adjustable Shelf	12¼"	17¼"	16⅜"
		65"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	17¼"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	62	5¼"	16⅜"
								22⅜"
		72½"	18"	18"	Worksurface Height Shelf	15	17¼"	16⅜"
		72½"	18"	24"				22⅜"
		72½"	24"	18"	Lower Adjustable Shelf	12¼"	17¼"	16⅜"
		72½"	24"	24"				22⅜"
					Upper Adjustable Shelf	12⅝"	17¼"	16⅜"
								22⅜"
					Wardrobe (24"W ONLY)	69½"	5¼"	16⅜"
								22⅜"
Stack-On Storage Hinged Door		29⅛"	18"	15"	4H – Top Shelf	12⅝"	16½"	13⅜"
			30"		4H – Bottom Shelf	12⅛"	28½"	
		42⅛"	36"		5H – Top Shelf	12⅝"	34½"	
					5H – Middle Shelf	12⅝"		
					5H – Bottom Shelf	13¾"		

*Blanks are replicas of the same tower height 18"D model above.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Stack-On Storage Open Shelf		29⅛"	18"	14¼"	4H – Top Shelf	12⅝"	16½"	13⅜"
			30"		4H – Bottom Shelf	12⅛"	28½"	
		42⅛"	36"		5H – Top Shelf	12⅝"	34½"	
					5H – Middle Shelf	12⅝"		
					5H – Bottom Shelf	13¾"		
Stack-On Storage Side Access		29⅛"	18"	15"	4H – Top Shelf	13"	17¼"	13⅜"
					4H – Bottom Shelf	11¾"		
		42⅛"			5H – Top Shelf	13"		
					5H – Middle Shelf	13"		
					5H – Bottom Shelf	13"		
Hutch	Hinged Doors Available in Laminate and Frosted Glass Doors	35"	48"	14"	Workspace Clearance	20"	46⅜"	13⅜"
					Left Storage Area	12⅝"	30⅛"	13⅜"
					Right Storage Area	12⅝"	14⅛"	13⅜"
		35"	60"	14"	Workspace Clearance	20"	58⅜"	13⅜"
					Left Storage Area	12⅝"	28⅛"	13⅜"
					Right Storage Area	12⅝"	28⅛"	13⅜"
		35"	66"	14"	Workspace Clearance	20"	64⅜"	13⅜"
					Left Storage Area	12⅝"	31⅛"	13⅜"
					Right Storage Area	12⅝"	31⅛"	13⅜"
		35"	72"	14"	Workspace Clearance	20"	70⅜"	13⅜"
					Left Storage Area	12⅝"	34⅛"	13⅜"
					Right Storage Area	12⅝"	34⅛"	13⅜"
Floating Shelf	Laminate shelf without exposed brackets	1⅛"	30"	8"				
		1⅛"	36"	8"				
		1⅛"	42"	8"				
		1⅛"	48"	8"				
		1⅛"	54"	8"				
		1⅛"	60"	8"				
		1⅛"	66"	8"				
		1⅛"	72"	8"				
		1⅛"	78"	8"				
Lateral Files	2H	29½"	30"	18⅛"	2H – Top Drawer	13"	26⅜"	12"
			36"	24⅛"	2H – Top Drawer	12⅜"	32⅜"	15"
	3H	42¼"	30"	18"	3H- Top Drawer	12¼"	26⅜"	12"
			36"	24"	3H – Middle Drawer	12⅜"	32⅜"	15"
					3H – Bottom Shelf	12⅜"		
	4H	56⅜"	30"	18"	4H – Top Drawer	12⅜"	26⅜"	12"
			36"	24"	4H – 2nd Drawer	12⅜"	32⅜"	15"
					4H – 3rd Drawer	13"		
					4H – Bottom Drawer	12⅜"		
Bookcases Open Shelf	2H	29½"	30"	14¼"	2H – Top Shelf	13⅛"	28½"	13⅜"
					2H – Bottom Shelf	13⅛"		
	3H	42¼"	30"	14¼"	3H – Top Shelf	11⅞"	28½"	13⅜"
					3H – Middle Shelf	13½"		
					3H – Bottom Shelf	13⅛"		
	4H	56⅜"	30"	14¼"	4H – Top Shelf	12⅝"	28½"	13⅜"
					4H – 2nd Shelf	12⅞"		
					4H – 3rd Shelf	13½"		
					4H – Bottom Shelf	13⅜"		
	5H	71⅜"	30"	14¼"	5H – Top Shelf	12⅝"	28½"	13⅜"
					5H – 2nd Shelf	12⅝"		
					5H – 3rd Shelf	14½"		
					5H – 4th Shelf	13½"		
					5H – Bottom Shelf	13⅛"		
Overheads Hinged Door & Open Shelf	Hinged 15"D	15"	30"	See depth dimensions by style at left		12⅝"	28⅜"	13⅜"
	Glass 15¼"D		36"				34⅜"	
	Open 14⅜"D		42"				40⅜"	
			48"				45¼"	
			60"*				28½"	
			66"*				31½"	
			72"*				34½"	
			78"*				37½"	

*Blanks are replicas of the same tower height 18"D model above.

Casegoods — Approach™

Features and Dimensions

APPROACH DIMENSIONS		EXTERNAL DIMENSIONS				INTERNAL DIMENSIONS		
Description	Style	Height	Width	Depth	Location	Height	Width	Depth
Sliding Door	Sliding 15"D	15"	48"*			12⅛"	22¾"	12¼"
			60"*				28¾"	
			66"*				31¾"	
			72"*				34¾"	
			78"*				37¾"	

*Wider units internal dimensions apply to each side of center support.

Casegoods — Approach™

Features and Dimensions

Load Capacity for Approach Laminate Wood Storage

Unit	Style	Height	Width	Depth	Load Capacity	Location
28"H Credenza Non-Footed	Open/ Hinged Door	28	30	18	88 lbs.	Shelf
				24	117 lbs.	Shelf
			36	18	107 lbs.	Shelf
				24	142 lbs.	Shelf
			42	18	79 lbs.	Top Shelf
				24	109 lbs.	Top Shelf
			48	18	101 lbs.	Top Shelf
				24	138 lbs.	Top Shelf
	Lateral File	28	30	18	66 lbs.	File
				24	82 lbs.	File
			36	18	81 lbs.	File
				24	100 lbs.	File
			42	18	36 lbs.	File
				24	36 lbs.	File
			48	18	36 lbs.	File
				24	36 lbs.	File
	Multi-File	28	30	18	21 lbs.	Cubby shelf
				24	28 lbs.	Cubby shelf
				18	30 lbs.	Box
				24	30 lbs.	Box
				18	67 lbs.	File
				24	83 lbs.	File
	Open Shelf/ Box/File	28	30	18	43 lbs.	Top Shelf
				24	57 lbs.	Top Shelf
			36	18	52 lbs.	Top Shelf
				24	69 lbs.	Top Shelf
			30	18	30 lbs.	Box
				24	30 lbs.	Box
			36	18	37 lbs.	Box
				24	37 lbs.	Box
			30	18	67 lbs.	File
				24	83 lbs.	File
			36	18	82 lbs.	File
				24	102 lbs.	File
28"H Full-Height Footed	Open/ Hinged Door	28	30	18	75 lbs.	Shelf
				24	100 lbs.	Shelf
			36	18	91 lbs.	Shelf
				24	121 lbs.	Shelf
			42	18	68 lbs.	Top Shelf
				24	93 lbs.	Top Shelf
			48	18	86 lbs.	Top Shelf
				24	118 lbs.	Top Shelf
	Lateral File	28	30	18	56 lbs.	File
				24	70 lbs.	File
			36	18	69 lbs.	File
				24	86 lbs.	File
			42	18	31 lbs.	File
				24	31 lbs.	File
			48	18	31 lbs.	File
				24	31 lbs.	File
	Box/Box/File	28	30	18	25 lbs.	Box
				24	25 lbs.	Box
			36	18	31 lbs.	Box
				24	31 lbs.	Box
			30	18	56 lbs.	File
				24	70 lbs.	File
			36	18	69 lbs.	File
				24	86 lbs.	File
	Multi-File	28	30	18	15 lbs.	Cubby Shelf
				24	20 lbs.	Cubby shelf
				18	26 lbs.	Box
				24	26 lbs.	Box
				18	56 lbs.	File
				24	70 lbs.	File

Unit	Style	Height	Width	Depth	Load Capacity	Location
24"H Credenza Non-Footed	Open/ Hinged Door	24	30	18	63 lbs.	Shelf
			36	18	76 lbs.	Shelf
			42	18	57 lbs.	Shelf
			48	18	72 lbs.	Shelf
	Box/File	24	30	18	50 lbs.	Box
			36	18	61 lbs.	Box
			42	18	25 lbs.	Box
			48	18	25 lbs.	Box
			30	18	67 lbs.	File
			36	18	82 lbs.	File
			42	18	36 lbs.	File
			48	18	36 lbs.	File
	Multi-File	24	30	18	15 lbs.	Cubby Shelf
				18	19 lbs.	Box
				18	67 lbs.	File
24"H Credenza Footed	Open Shelf/ Hinged Door	24	30	18	50 lbs.	Shelf
			36	18	61 lbs.	Shelf
			42	18	45 lbs.	Shelf
			48	18	57 lbs.	Shelf
	Box/File	24	30	18	35 lbs.	Box
			36	18	43 lbs.	Box
			42	18	20 lbs.	Box
			48	18	20 lbs.	Box
		24	30	18	56 lbs.	File
			36	18	69 lbs.	File
			42	18	31 lbs.	File
			48	18	31 lbs.	File
Pedestals	Slim 28"H File/File	28	9.5	24	18 lbs.	File
				30	29 lbs.	File
	Slim 28"H Box/Box/File	28	9.5	24	8 lbs.	Box
				30	31 lbs.	File
	18"W x 28"H Hinged Door	28	18	18	51 lbs.	Shelf
				24	68 lbs.	Shelf
	18"W x 28"H File/File	28	18	18	36 lbs.	File
				24	45 lbs.	File
	18"W x 28"H Box/Box/File	28	18	18	15 lbs.	Box
				24	19 lbs.	Box
				18	36 lbs.	File
				24	45 lbs.	File
Overheads and Stack-Ons	Hinged Door & Open Shelf	15	30	15	81 lbs.	
			36	15	98 lbs.	
			42	15	115 lbs.	
			48	15	66 lbs.	
			60	15	82 lbs.	
			66	15	90 lbs.	
			72	15	99 lbs.	
			78	15	108 lbs.	
	Sliding Door	15	48	15	60 lbs.	
			60	15	76 lbs.	
			66	15	84 lbs.	
			72	15	92 lbs.	
			78	15	99 lbs.	
Cubby	18"W	7	18	14	23 lbs.	
	24"W		24	14	31 lbs.	
	30"W		30	14	39 lbs.	

Casegoods — Approach™

Features and Dimensions

Unit	Style	Height	Width	Depth	Load Capacity	Location
HAT Integrated Credenzas	Open Shelf	24	30	18	42 lbs.	Shelf
			36	18	51 lbs.	Shelf
			30	24	66 lbs.	Shelf
			36	24	80 lbs.	Shelf
	Box/File	24	30	18	45 lbs.	Box
			36	18	57 lbs.	Box
			30	18	31 lbs.	File
			36	18	80 lbs.	File
			30	24	31 lbs.	Box
			36	24	57 lbs.	Box
			30	24	45 lbs.	File
			36	24	80 lbs.	File
Wardrobe Towers		42½	12	18	34 lbs.	Fixed & Adjustable Shelf
		50		24	47 lbs.	
		57½	18	18	54 lbs.	
		65		24	74 lbs.	
		72½	24	18	74 lbs.	
				24	101 lbs.	
Combo/Side Access Towers	Open Shelf	50	18	18	57 lbs.	Adjustable Shelf
		57½		24	77 lbs.	
		65	24	18	57 lbs.	
		72½		24	77 lbs.	
	Box/File		18 & 24	18	36 lbs.	File
				24	45 lbs.	File
				18	15 lbs.	Box
				24	19 lbs.	Box
				18	36 lbs.	File
				24	45 lbs.	File
Open Access Towers		57½	18	18	57 lbs.	Shelf
		72½		24	77 lbs.	
Hutches	Left Storage	12⅛	48	13⅜	88 lbs.	Shelf
	Right Storage	12⅛			42 lbs.	Shelf
	Left Storage	12⅛	60	13⅜	82 lbs.	Shelf
	Right Storage	12⅛			82 lbs.	Shelf
	Left Storage	12⅛	66	13⅜	91 lbs.	Shelf
	Right Storage	12⅛			91 lbs.	Shelf
	Left Storage	12⅛	72	13⅜	99 lbs.	Shelf
	Right Storage	12⅛			99 lbs.	Shelf

Casegoods — Approach™

Locks on Approach Storage

Product	Style	9½"W	12"W	18"W	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
28"H Credenzas	Open Shelves					N/A	N/A					
	Box/Box/File						1 lock					
	Hinged Door					1 lock	1 lock					
	Hinged Door / Hinged Door									2 locks		2 locks
	Hinged Door / Lateral File									2 locks		2 locks
	Lateral File					1 lock	1 lock					
	Lateral File / Hinged Door									2 locks		2 locks
	Lateral File / Lateral File									2 locks		2 locks
	Lateral File / Open Shelves							1 lock	1 lock	1 lock		1 lock
	Multi File					1 lock						
	Open Shelves / Box File					1 lock	1 lock					
	Open Shelves / Lateral File							1 lock	1 lock	1 lock		1 lock
24"H Credenzas	Open Shelves											
	Box/Box/File						1 lock					
	Box/File					1 lock	1 lock					
	Box File / Box File									2 locks		2 locks
	Box File / Hinged Door									2 locks		2 locks
	Box File / Open Shelves							1 lock	1 lock	1 lock		1 lock
	Hinged Door					1 lock	1 lock					
	Hinged Door / Box File									2 locks		2 locks
	Lateral File					1 lock	1 lock					
	Multi File					1 lock						
	Open Shelves / Box File							1 lock	1 lock	1 lock		1 lock
	Box/File / Pullout drawer					2 locks	2 locks					
	Open Shelf / Pullout Drawer					1 lock	1 lock					
	Box/File / Hinged Door					2 locks	2 locks					
	Open Shelf / Hinged Door					1 lock	1 lock					
	Box/File / Open Cubby					1 lock	1 lock					
	Open Shelf / Open Cubby											
Desks	Box/Box/File					1 lock						
	File/File					1 lock						
	Box Box File / File File					2 locks						
Laterals	2-High					1 lock	1 lock					
	3-High					1 lock	1 lock					
	4-High					1 lock	1 lock					
24"H Pedestals	Box/File			1 lock								
	Mobile Box/File		1 lock									
	Pullout Drawer		1 lock									
	Hinged Door		1 lock									
	Open Cubby											
28"H Support Pedestals	Box/Box/File	1 lock		1 lock								
	File/File	1 lock		1 lock								
	False Pedestal											
Hinged Door Towers	Hinged Door Laminate			1 lock	1 lock							
Height – 42½", 50", 57½", 65½", 72½"	Hinged Door Writable											
Depth – 18", 24"												
Side Access and Combo Towers	Side Access Laminate			1 lock	2 locks							
	Side Access Writable											
Heights – 50", 57½", 65", 72½"	Combo Tower Laminate											
	Combo Tower Writable											
Depths – 18", 24"												
Hutches	Laminate Door								1 lock	2 locks	2 locks	2 locks
Heights – 35"	Frosted Door											
Widths – 48", 60", 66", 72"												

Product	Style	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W
Overheads	Hinged Door Laminate (HDL)	1 lock	1 lock	1 lock	1 lock	2 locks	2 locks	2 locks	2 locks
	Hinged Door Writable (HDM)								
	Hinged Door Glass Front (HDG)								
	Open Shelf, No Door Laminate (NDL)								
	Sliding Door Laminate (SDL)				1 lock	1 lock	1 lock	1 lock	1 lock

Casegoods — Approach™

Filing Capacity

CREDENZAS


30"W or 60" W (2-30"W columns)

36"W or 72"W (2-36"W columns)


Front-to-Back Filing*

Outside tabs of folders rest on drawer sides.
Inside tabs of folders rest on filing bars included with unit.

Letter Size Hanging File Folders
(8½ x 11" documents)




18"D Units – 24" of letter filing.
24"D Units – 30" of letter filing.




18"D Units – 24" of letter front-to-back filing, plus 8" of letter side-to-side filing.
24"D Units – 30" of letter front-to-back filing, plus 8" of legal side-to-side filing.

Legal Size Hanging File Folders
(8½ x 14" documents)




18"D Units – 12" of legal filing, plus 11" of letter side-to-side filing.
24"D Units – 26" of legal filing both front-to-back and side-to-side.




18"D Units – 24" of legal filing.
24"D Units – 30" of legal filing.

Side-to-Side Filing

Front folder tabs rest on drawer front. Back folder tabs rest on back of drawer on 18"D units for letter and 24"D units for legal; letter filing on 24"D, tabs rest on 2-12" filing bars resting on front-to-back bars (all 4 filing bars included with unit).



18"D Units – 26⅜"of letter filing.
24"D Units – 24" of letter or 26⅜" of legal filing.




18"D Units – 32⅜"of letter filing.
24"D Units – 24" of letter or 32⅜" of legal filing.


PEDESTALS

Side-to-Side Filing

15" W




Letter Front-to-Back
18"D Mobile –
14½" of filing
24"D Support –
19" of filing




Legal Side-to-Side
24"D Support –
12" of filing


Slim 24"D



Slim 30"D




18"W x 18"D




18"D Units – 14⅜" of letter filing

18"W x 24"D




24"D Units – 14⅜" of letter or legal filing

Front-to-Back Filing



18"D Units – 12" of letter filing, plus 2" of side-to-side letter filing



24"D Units – 15" of letter filing, plus 2" of legal side-to-side filing

Casegoods — Approach™

Finishes

PAINT FINISHES

GRADE P1

Black* P27
Brownstone P7D
Cinder P7Q
Designer White* ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T
White PD8

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver* PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

*Column, End Cap, Foot, and Leg models are only available in these three colors.

*** These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

FOOT

FOOT TYPE

Blade Foot ..... BF
- Black P27
- Designer White ..... PJW
- Silver PR6

Post Foot ..... PF
- Designer White ..... PJW
- Flint P02
- Loft P7B
- Silver PR6
- Pyrite ..... PJE
- Solar Black P8X

LAMINATES

SOLID COLORS

GRADE L1

Black ..... P
Designer White LDW1
Flint LM16
Loft LM11

WOODGRAIN

GRADE L1

Bourbon Cherry ..... H
Cognac ..... COGN
Field Elm ..... LWFE
Florence Walnut LFW1
Harvest C
Kingswood Walnut LKI1
Mocha ..... MOCH
Natural Maple ..... LWD
Neo Walnut LNU1
Pinnacle ..... PINC
Shaker Cherry ..... F
Sterling Ash LSA1

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Natural Recon LNR1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

PLASTIC GROMMETS

FOR WORKSURFACES

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Fossil ..... EH
Loft ..... EV
Muslin ..... EU

PLASTIC GROMMETS WITH WOODGRAIN EDGE

If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Kingswood Walnut and Neowalnut ..... Brownstone EY
Fawn Cypress and Natural Recon ..... Muslin EU
Phantom Ecru ..... Loft EV
Portico Teak ..... Fossil EH
Skyline Walnut ..... Flint E9
All other woodgrains options ..... Black E4

LAMINATE EDGE COLORS

Beigewood ..... DE
Black E4
Bourbon Cherry ..... H
Cognac ..... CN
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Harvest ..... XEDC
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mocha ..... MO
Natural Maple ..... DD
Natural Recon ..... NR
Neo Walnut ..... NU
Phantom Ecru ..... PE
Pinnacle ..... PI
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Sterling Ash ..... SA
Veranda Teak ..... VT

METAL ACCESSORIES PAINT COLORS

GRADE P1

Black P71
Brownstone P7D
Charblack ..... CBK
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Platinum Metallic Texture P6H
Sage P095
Salt P8C
Textured Brownstone P7J
Textured Designer White PK7
Textured Flint P7A
Textured Loft P7L
Textured Muslin P7M
Textured Pebble P8Y
Textured Salt P8Z
Textured Titanium P8V
Titanium P8T
White PD8

GRADE P2

Champagne Metallic PR5
Graphite Metallic Texture P85
Gunmetal Metallic PR3
Matte Gold P8G
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Silver Generic ..... SVR
Silver Texture PR8
Solar Black P8X

GRADE P3

Atom P8S
Blossom P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Regatta P8M
Succulent P8A
Ochre P093
Sienna P092


NOTE: Refer to individual product pages for upcharges.



FSC Certified Wood at Allsteel



See page 1007 for more information.

BACK

Approach™ Laminate Storage Brackets

WORKING WITH LAMINATE BRACKETS		
Product Line	**Brackets Which Work with All Laminate and Wood Storage**	**Model:**
Involve 	Panel mounting kit – Compatible with all laminate storage with inset back	K6_ _PBK_
Involve 	O-Leg to Panel bracket – Compatible any 28"H O-Legs	KOLGBRK_FT
Terrace 	Flat Bracket 12D, 24D, or 30D – Compatible with all laminate storage	T6_ _FB

Product Line	**Brackets Which Potentially Work with Multiple Lines**	**Model:**
Stride 	"L" Bracket for Worksurface connections – Stride & Further have pilot holes, theoretically could be used with all laminate storage.	Z6LB
Gallery 	Storage to Gallery Panel ganging kit – Involve finished back units have pilot holes, theoretically could be used with all finished back laminate storage.	GSGKL


Product Line	**Brackets Which Work with All Laminate and Wood Storage**	**Model:**
Involve	Involve Tower to Overhead kit – Involve and Stride overheads as they have flat base panels, not Approach as it has a recessed bottom for integrated lighting.	K6TBK
Approach 	Approach mini tap bracket – Made for use with Approach Mini Tap – could be used to attach the Mini Tap to other storage products. *Note:* Any other storage units do not have pilot holes.	WKMTMB
	Individual pull packs include 2 or 3 pulls and hardware compatible with Approach, Involve, Further, Align, and Radii.	YPPULL2/3

Approach™ and Involve® Laminate Wood Storage Storage with Panel Frames

Leg or plinth base models available. Leg base units are shown below.


Side-mounted Credenzas

Use 1 storage-to-panel bracket per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 18"D.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".




Back-mounted Credenzas — Modular

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 24"D.
The maximum panel run between back-mounted credenzas is 72".
Overheads and shelves cannot be used with 24"H back mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".





Back-mounted Credenzas — Off-Modular Ends

Use 1 storage-to-panel bracket per credenza — 1 LH and 1 RH.
The minimum credenza size is 24"H x 36"W x 24"D.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H back mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".



Note: Storage with unfinished metal backs require storage-to-panel bracket kit in order to mount to a panel. Left- or right-handed storage-to-panel bracket is determined by slots on panel — left-handed bracket required when attaching to left panel slots and right-handed bracket required when attaching to right panel slots.






An example of a 2D CAD symbol for Involve is shown at left. Note the dashed line that represents the unfinished metal back. The pound sign indicates that counterweight kits may need to be added depending on the application. *See page 814 for counterweight specification rules.*

Approach™ and Involve® Laminate Wood Storage Storage with Panel Frames

Leg or Plinth Base models available. Leg base units are shown below.


Side-mounted Credenzas — Modular for Overheads and Worksurfaces

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
28"H side mounted credenzas must be mounted modular when using overheads and worksurfaces on panels.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".




Back-mounted Credenzas — Modular for Overheads and Worksurfaces

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
Full back units without trough due to stability, only troughless Approach or Involve allowed.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
The maximum panel run between back-mounted credenzas is 72".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".



Side-mounted Credenzas — with Return Panel


Use 1 storage-to-panel bracket on credenza.
The minimum credenza size is 24"H x 36"W x 18"D.
The minimum size for panel return is 35"H x 36"W.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 24"H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".



Note: This example would use a left-hand storage-to-panel bracket.


Side-mounted Credenzas — Modular for Overheads and Worksurfaces

Use 2 storage-to-panel brackets per credenza — 1 LH and 1 RH.
The minimum credenza size is 28"H x 36"W x 24"D.
The minimum size for panel return is 50"H x 36"W.
28"H side mounted credenzas must be mounted modular when using overheads and worksurfaces on panels.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 72".
Overheads, shelves, and worksurfaces must be mounted on the same side of the parent run as the credenzas.
Maximum overhead height is 15".
Panel frame maximum height is 65".



Casegoods — Approach™

28"H Storage Open Plan Supports




Approach components utilize Involve storage to panel brackets to tie storage into panel slotted standards. (Will not attach to Concensys panel system.)

28"H BACK-MOUNTED CREDENZAS


28"H Plinth Base
Finished Back
No Trough
K630PBKL + K630PBKR






28"H Footed
Finished Back
No Trough
K624PBKL + K624PBKR







28"H Plinth Base
Un-Finished Back
With Trough
K630PBKML + K630PBKMR






28"H Footed
Un-Finished Back
With Trough
K624PBKML + K624PBKMR







28"H SIDE-MOUNTED CREDENZAS


28"H Plinth Base
Finished Back
With Trough
K630PBKL + K630PBKR






28"H Footed
Finished Back
With Trough
K624PBKL + K624PBKR





Casegoods — Approach™

24"H Storage Open Plan Supports




Approach components utilize Involve storage to panel brackets to tie storage into panel slotted standards. (Will not attach to Concensys panel system.)

24"H BACK-MOUNTED CREDENZAS


24"H Plinth Base
Finished Back
No Trough
K624PBKL + K624PBKR






24"H Footed
Finished Back
No Trough
K624PBKL + K624PBKR







24"H Plinth Base
Un-Finished Back
With Trough
K624PBKML + K624PBKMR






24"H Footed
Un-Finished Back
With Trough
K624PBKML + K624PBKMR







24"H SIDE-MOUNTED CREDENZAS


24"H Plinth Base
Finished Back
With Trough
K624PBKL + K624PBKR






24"H Footed
Finished Back
With Trough
K624PBKL + K624PBKR





Approach General Construction

- Cases are made of ¾" particle board with 0.5mm edgeband. Worksurfaces and end supports are made of 1⅛" particle board with 2mm edgeband and laminate on both sides of all surfaces.
- Matching laminate fronts — all vertically stacked sets have grain matched parts. Horizontally adjacent units do not match.
- Box and file drawers are miter fold, ½" thick particle board.
- All Drawers lock
  - Lock is located in the top right corner of upper drawer on credenzas, desks, and skinny peds. Drawer locks all drawers in the vertical stack.
  - Mobile ped lock is in upper right corner of bottom drawer.
  - Omit core and keyed alike options. Omit core option ships with standard lock cores installed, customer is credited to order keyed alike cores to be replaced at installation.
  - Lock core color is Matte Silver.
- For door-locking, see product categories for details.
- All drawer units have holes drilled for pulls
  - User selects pull choice of beam, halo, square, arch, or bar. Beam and Halo available in Designer White, Silver, Pyrite, and Solar Black. Square pull available in Designer White, Flint, Loft, Matte Silver, Pyrite, and Solar Black. Bar pull available in Designer White, Silver, or Black.
  - Pulls are 1" to hole center from top of drawer.
  - Drawer bodies are light woodgrain finish with Black hangrails.
- Adjustable shelves are ¾" laminate and have 3 hole adjustable positions with 1¼" (32mm) hole spacing. One above and one below location specified in internal dimensioning table.
- Left-hand (LH) hinged units have hinges located on the left of the unit, right-hand (RH) hinged units have hinges on the right.
- Case end panels are the same depth regardless if fronts are assembled.
- Some models require counterweight — see specification table on pages 724-725.



Counterweights

Counterweight(s) may need to be added to Approach credenzas and storage depending on configuration and usage. Models that may require counterweights are flagged with a number sign # following the model number in the pricing section. Reference model and intended usage column in chart below. Some models require two counterweights. Open shelf and hinged door models do not require counterweights and are not listed.

Approach Counterweight Kits — See page 788

Model	Description	List Price
WKCACW25	25 lb. Counterweight Kit	$ 337
WKCACW35	35 lb. Counterweight Kit	$ 451
WKCACW50	50 lb. Counterweight Kit	$ 507
WKCACW65	65 lb. Counterweight Kit	$ 600

Model #	*Freestanding Unit Needs	**Freestanding With Worksurface Needs	***Connected by Worksurface Needs
Full-Height Single Credenzas (28"H x 30"W)			
WKCST ⌴ WKCSFN283018-LF	50	50	
WKCST ⌴ WKCSFN283018-MF	50	35	
WKCST ⌴ WKCSFN283018-OSBF	65	50	
WKCST ⌴ WKCSFY283018-BBF	65+50	50+50	
WKCST ⌴ WKCSFY283018-LF	50+50	50+35	
WKCST ⌴ WKCSFY283018-MF	50	35	
WKCST ⌴ WKCSFN283024-LF	65	50	
WKCST ⌴ WKCSFN283024-MF	50	35	
WKCST ⌴ WKCSFN283024-OSBF	65	50	
WKCST ⌴ WKCSFY283024-BBF	50+35	50+25	
WKCST ⌴ WKCSFY283024-LF	35	25	
WKCST ⌴ WKCSFY283024-MF	50	35	
Full-Height Single Credenzas (28"H x 36"W)			
WKCST ⌴ WKCSFN283618-LF	50	35	
WKCST ⌴ WKCSFN283618-OSBF	50	35	
WKCST ⌴ WKCSFY283618-BBF	65+50	50+50	
WKCST ⌴ WKCSFY283618-LF	50	35	
WKCST ⌴ WKCSFN283624-LF	60	50	
WKCST ⌴ WKCSFN283624-OSBF	50	35	
WKCST ⌴ WKCSFY283624-BBF	50+35	50+25	
WKCST ⌴ WKCSFY283624-LF	65	50	
Full-Height Double Credenzas (28"H x 60"W)			
WKCUT/WKCUFN286018-HDLF	25	25	
WKCUT/WKCUFN286018-LFHD	25	25	
WKCUT/WKCUFN286018-LFLF	50+50	65	
WKCUT/WKCUFN286018-LFOS	25	25	
WKCUT/WKCUFN286018-OSLF	25	25	
WKCUT/WKCUFY286018-HDLF	35	25	
WKCUT/WKCUFY286018-LFHD	35	25	
WKCUT/WKCUFY286018-LFLF	50+50	50+35	25
WKCUT/WKCUFY286018-LFOS	35	25	
WKCUT/WKCUFY286018-OSLF	35	25	
WKCUT/WKCUFN286024-HDLF	25	25	
WKCUT/WKCUFN286024-LFHD	25	25	
WKCUT/WKCUFN286024-LFLF	65	50	
WKCUT/WKCUFN286024-LFOS	25	25	
WKCUT/WKCUFN286024-OSLF	25	25	
WKCUT/WKCUFY286024-HDLF	25		
WKCUT/WKCUFY286024-LFHD	25		
WKCUT/WKCUFY286024-LFLF	65+65	50+25	25
WKCUT/WKCUFY286024-LFOS	25		
WKCUT/WKCUFY286024-OSLF	25		

* Freestanding unit is considered a unit only in contact with the floor via the glides/feet

** Freestanding with worksurface is considered a freestanding unit with a worksurface the same width and depth as the unit itself. (i.e., 30W x 24D unit with a 30W x 24D credenza worksurface applied to the top.

*** Connected by worksurface refers to a 30/36W credenza unit, connected to another credenza unit that is non-drawered via properly installed worksurface.

 # For No-Trough Units (WKCSTXXXXXXX-XXXX and WKCUTXXXXXXX-XXXX), reduce counterweights by 25 lbs. Round up to closest counterweight set if needed, unless zero. Troughless 42" - 48" wide credenzas do not require counterweight.

Casegoods — Approach™

Working with Approach


Model #	*Freestanding Unit Needs	**Freestanding With Worksurface Needs	***Connected by Worksurface Needs
Full-Height Double Credenzas (28"H x 72"W)			
WKCUT/WKCUFN287218-HDLF	25	25	
WKCUT/WKCUFN287218-LFHD	25	25	
WKCUT/WKCUFN287218-LFLF	50+25	50	
WKCUT/WKCUFN287218-LFOS	25	25	
WKCUT/WKCUFN287218-OSLF	25	25	
WKCUT/WKCUFY287218-HDLF	25	25	
WKCUT/WKCUFY287218-LFHD	25	25	
WKCUT/WKCUFY287218-LFLF	65+65	50+50	25
WKCUT/WKCUFY287218-LFOS	25	25	
WKCUT/WKCUFY287218-OSLF	25	25	
WKCUT/WKCUFN287224-HDLF	25	25	
WKCUT/WKCUFN287224-LFHD	25	25	
WKCUT/WKCUFN287224-LFLF	50+25	50	
WKCUT/WKCUFN287224-LFOS	25	25	
WKCUT/WKCUFN287224-OSLF	25	25	
WKCUT/WKCUFY287224-HDLF	25		
WKCUT/WKCUFY287224-LFHD	25		
WKCUT/WKCUFY287224-LFLF	50+50	65	25
WKCUT/WKCUFY287224-LFOS	25		
WKCUT/WKCUFY287224-OSLF	25		
Low-Height Single Credenzas (24"H x 30-36"W)			
WKCST/WKCSFN243018-BF	50	35	
WKCST/WKCSFN243018-MF	65	50	
WKCST/WKCSFN243618-BF	50+25	65	
WKCST/WKCSFY243018-BF	35+25	50	
WKCST/WKCSFY243618-BF	35+25	50	
WKCUT/WKCUFY246018-OSBF	50	35	
Low-Height Double Credenzas (24"H x 60"W)			
WKCUT/WKCUFN246018-BFBF	50+50	65	25
WKCUT/WKCUFN246018-BFHD	35	25	
WKCUT/WKCUFN246018-BFOS	35	25	
WKCUT/WKCUFN246018-HDBF	35	25	
WKCUT/WKCUFN246018-OSBF	35	25	
WKCUT/WKCUFY246018-BFBF	65+65	50+50	25
WKCUT/WKCUFY246018-BFHD	50	35	
WKCUT/WKCUFY246018-BFOS	50	35	
WKCUT/WKCUFY246018-HDBF	50	35	
Low-Height Double Credenzas (24"H x 72"W)			
WKCUT/WKCUFN247218-BFBF	65+65	50+50	25
WKCUT/WKCUFN247218-BFHD	25	25	
WKCUT/WKCUFN247218-BFOS	25	25	
WKCUT/WKCUFN247218-HDBF	25	25	
WKCUT/WKCUFN247218-OSBF	25	25	
WKCUT/WKCUFY247218-BFBF	65+65	50+50	25
WKCUT/WKCUFY247218-BFHD	35	25	
WKCUT/WKCUFY247218-BFOS	35	25	
WKCUT/WKCUFY247218-HDBF	35	25	
WKCUT/WKCUFY247218-OSBF	35	25	
Pedestals (28"H x 18"W)			
WKPSFN281818-BBF	25		
WKPSFN281824-BBF	25		
WKPSFN281818-FF	25		
WKPSFN281824-FF	25		

* Freestanding unit is considered a unit only in contact with the floor via the glides/feet

** Freestanding with worksurface is considered a freestanding unit with a worksurface the same width and depth as the unit itself. (i.e., 30W x 24D unit with a 30W x 24D credenza worksurface applied to the top.


*** Connected by worksurface refers to a 30/36W credenza unit, connected to another credenza unit that is non-drawered via properly installed worksurface.

 # For No-Trough Units (WKCSTXXXXXXX-XXXX and WKCUTXXXXXXX-XXXX), reduce counterweights by 25 lbs. Round up to closest counterweight set if needed, unless zero. Troughless 42" - 48" wide credenzas do not require counterweight.



Pedestal/Shroud Height-Adjustable Desk (page 746)


- New models available April 2021 for A6 2 stage compatibility, see specification page for model transition.
- Available in RH and LH orientations, hand is determined by location of ped, RH Ped = RH Desk.
- 72"W x 36"D, 72"W x 30"D, and 66"W x 30"D desks available.
- Both depths include same 30"D support shroud and RH or LH pedestal shroud.
- Desk footprint dimensions are nominal. Example: 72"W x 30"D required for space planning. Worksurfaces are undersized by 1" on all sides to prevent pinch points when raising and lowering worksurface.
- Load capacity is 250 pounds, including the worksurface and metal shrouds.
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- No slide glide option due to application.
- Single order desk models include HAT bases which are PR6 silver.
- Laminate shroud remains on the ground with 2" of leveling.
- Metal shroud, available in standard paint colors, attaches to and rises with worksurface.
- Laminate File/File ped is fixed with ¾" of leveling.
- Both drawers lock via side lock.
- Height-adjustable mechanism provides 27¾"-47⅜" min/max adjustability.
- Height-adjustable mechanism is same as used on A6 Altitude® tables. Reference the Altitude series for additional specification information.
- Standard up/down control shipped with unit.
- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Foot Control: Basic up/down wireless, hands free control. Can be paired with hand controls for multi-control option.
- Ships flat in multiple cartons for field assembly.
- Specify optional floating worksurface modesty panel 24" shorter than worksurface width.
- Modesties are non-handed and mount to the external stiffener included with the unit.
- Anti collision available on desking models April 2021.



Double Shroud Height-Adjustable Desk (page 746)


- New models available April 2021 for A6 2 stage compatibility, see specification page for model transition.
- 72"W x 36"D, 72"W x 30"D, and 66"W x 30"D desks available.
- Both depths use same 30"D support shroud.
- Desk footprint dimensions are nominal. Example: 72"W x 30"D required for space planning. Worksurfaces are undersized by 1" on all sides to prevent pinch points when raising and lowering worksurface.
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Laminate shroud is fixed with 2" of leveling.
- Metal shrouds available in standard paint colors, attach to and rise with worksurface.
- Height-adjustable mechanism provides 27¾"-47⅜" min/max adjustability.
- Height-adjustable mechanism is same as used on A6 Altitude® tables. Reference the Altitude series for additional specification information.
- Standard up/down control shipped with unit.
- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.

- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Foot Control: Basic up/down wireless, hands free control. Can be paired with hand controls for multi-control option.
- Ships flat in multiple cartons for field assembly.
- Specify optional floating worksurface modesty panel 12" shorter than worksurface width.
- Modesties are non-handed and mount to the external stiffener included with the unit.
- Anti collision available on desking models April 2021.




Fixed Layered Height Modesty For Height Adjustable Desks:

- Fixed laminate modesty for height adjustable table (24"H AFF) and metal hanging backdrop modesty compatible with double shroud height adjustable desks.
- Fixed laminate modesty for height adjustable tables is inset 3" between standard shrouds with a bracket visible under the work surface on the user side.
- Connection bracket is available in Allsteel standard paints.




Metal Hanging Modesty for Height Adjustable Desks:


- Metal hanging modesty (offered in Flint) mounts to the worksurface nested to the stiffener and has 1" distance from fixed laminate modesty.
- Metal hanging modesty is 8¼" less in width than the worksurface to avoid interference has reveal on each side between shroud metal and metal modesty.
- Metal modesty has bent side folds for a clean curved aesthetic from the guest side.



24"D Height-Adjustable Work Wall Desk with Full-Height Modesty Panel (page 746)


- New models available April 2021 for A6 2 stage compatibility, see specification page for model transition.
- Specifically designed for wall facing application to keep cords hidden from sight.
- True shroud depth of 22" and worksurface depth of 21".
- 48", 54", 60", 66", and 72"W desks available.
- Desk footprint dimensions are nominal. Example: 72"W x 24"D required for space planning. Worksurfaces are undersized by 1" on all sides to prevent pinch points when raising and lowering worksurface.
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Includes laminate shrouds fixed with 2" of leveling.
- Metal shrouds available in all standard Allsteel paint colors attach to and rise with worksurface.
- Laminate modesty ties into the laminate shrouds and remains on the ground. Modesty has unfinished back and is intended to be used against a wall.
- Metal modesty (Flint only) attaches and rises with the worksurface.
- Height-adjustable mechanism provides 27¾"-47⅜" min/max adjustability.
- Height-adjustable mechanism is same as used on A6 Altitude® tables. Reference the Altitude series for additional specification information.
- Standard up/down control shipped with unit.
- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Foot Control: Basic up/down wireless, hands free control. Can be paired with hand controls for multi-control option.
- Ships flat in multiple cartons for field assembly.
- Anti collision available on desking models April 2021.







Credenza for Integrated Height Adjustable Table (page 751)

- 60"W and 72"W x 18"D and 24"D sizes available.
- Laminate finish options include top, chassis, and front.
- Credenzas for HAT are non-handed and configurable at installation. The three units included in these Credenzas are shipped separately (open credenza, box/file credenza, and top).
- User can adjust credenza orientation by reversing top and credenzas of base model at install. Example: Top scallop and open file on right side or top scallop and open file on left side.
- Credenzas for HAT compatible with 2-stage C and T base HAT tables to be ordered separately.
- Height-adjustable mechanism chosen should provide 27¾" as it's minimum.
- Altitude tables height-adjustable mechanism is compatible. Reference the Altitude series for additional specification information.
- Credenzas for HAT are non-footed with finished backs and no trough.
- Drawer stacked units have mechanical interlock, allowing only one drawer to open at a time.
- Shortest distance from edge of scallop is consistent across all tops. Scallop dimensions the same across all HAT tops. Depth of Scallop is 5".
- Compatible with A6
- Footed units come with a black recessed center foot.




Shell Desks (page 747)
- Units ship knocked down for field assembly.
- Units are 29"H x 30"D, available in 60", 66" and 72"W.
- Laminate finish is the same for top, end panels and modesty.
- Only full-height modesty options available.
- Standard worksurface grommet options and placement.
- Full height laminate modesty is inset 3½" on guest side.







Racetrack Top Desks with End Panel, Half-Height Modesty, and Column Base (page 747)
- 30"D, non-handed.
- 72" and 66"W models have end panel support, 29½"H support column, and bracket to attach to a worksurface or desk.
- 48", 54", and 60"W models have 29½"H support column.
- Column support end has 3" round corners.
- Racetrack modesty is 18" shorter than worksurface length.
- Ships flat in multiple cartons for field assembly.



O-leg Table Desks (page 747)
- 30"D x 66" or 72"W.
- A variety of standard Allsteel paint colors.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- O-legs installed on both ends of worksurface are inset ¼" from end of worksurface.
- See notes on O-leg for leveling and dimensions.
- 14"H half-height modesty is 12" shorter than worksurface width. Attaches to external stiffener on worksurface.
- Ships flat in multiple cartons for field assembly.




Double Ped Desk (page 748)
- 36"D x 72"W, ped base is 29¾"D.
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Box/Box/File on left and File/File on right from main user view.
- Full height modesty, ties into both ped end panels 9" from back of worksurface. Modesties go to the floor and match end panel height.



Single Ped Desks (page 748)
- Right- and left-hand versions
- RH = ped on right side from main user view
- LH = ped on left side from main user view
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Ped Desks available with 9"W and 15"W Ped Options.
- Box/Box/File only — slim peds (9½" width), see notes on slim peds for dimensions and leveling.
- Box/Box/File and File/File configurations available for the 15"W Pedestal.
- Panel base (1⅛" thick) is opposite the storage.
- 14"H half- or full-height modesty panel options, designated by dot option. Modesty panel ties into both end panel and pedestal.
- 30"D x 60", 66", or 72"W
  - Ped and panel base are both 29¾" in depth.
  - Modesty panel is 3" from back of worksurface.
- 36"D x 72"W
  - 36"D X 72"W available with 9"W Ped ONLY.
  - Ped base is 29¾" deep. Panel base is 35¾" deep.
  - Modesty panel is 9" from back of worksurface.

GROMMET SPECIFICATIONS




Grommets


Plastic grommets are made of durable ABS plastic and match edge color of laminate worksurfaces. Metal grommets are available in oval or square in Matte Silver.


Grommet Position Option Codes

B Both Left and Right — Pair of grommets each 10" from side edge – 5⅞" from approach side to grommet edge; 7¼" from rear to grommet center.
C Centered Side-to-Side — One grommet 5⅞" from approach side to grommet edge; 7¼" from approach side to grommet center.
L 10" from Left Side — 5⅞" from approach side to grommet edge; 7¼" from approach side to grommet center.
R 10" from Right Side — 5⅞" from approach side to grommet edge; 7¼" from approach side to grommet center.
X No grommet.

Note: On 36"D tops, approach side to grommets is 11⅜". See 36"D illustration below.









Credenza Top


Grommet positions other than those shown above are considered non-standard. Location allows ease of install for offered support, i.e. O-Leg, Column, and Panel.



Support Panel Run-off Desks (page 747)
- 30"D x 48", 54", 60", 66", and 72"W
- Right- and left-hand models.
- Laminate finish options include top and chassis.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Support Panel is 1⅛" thick.
- 14"H half-height modesty attaches to end panel, 3" from back of worksurface. Modesty is ¼" short on opposite end of support.
- Run-off desks are able to attach to existing single ped desk or racetrack top desk with end panel.
- Ships flat in multiple cartons for field assembly.




O-leg Run-off Desks (page 747)
- 30"D x 48", 54", 60", 66", 72", 78", and 84"W
- Non-handed, O-leg can be installed on either side of worksurface.
- Laminate finish options include top and chassis.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- See notes on O-leg for leveling and dimensions.
- 14"H half-height modesty is 12" shorter than worksurface width. Attaches to external stiffener included with worksurface.
- Ships flat in multiple cartons for field assembly.




Pedestal Run-off Desks (page 748)
- 30"D x 48", 54", 60", 66", or 72"W
- Right- and left-hand models.
- Laminate finish options include top, chassis, and front.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- Box/Box/File only — slim peds (9½" width), see notes on slim peds for dimensions and leveling.
- 14"H half-height modesty panel attaches to ped end of panel 3" in from back of worksurface. Modesty is ¼" short on opposite end of support.
- Run-off desk can attach to existing single ped desk or racetrack top desk with end panel.

Casegoods — Approach™

Working with Credenzas & Pedestals





Credenzas (pages 751-759)

- 30"W and 36"W units contain single column of drawers, open cavity or hinged doors. 42", 48", 60", and 72"W units contain two columns of drawers, open cavities, hinged doors, or a combination of both.
- Full height 28⅜"H, footed and non-footed, 18"D and 24"D. 29½"H with added credenza worksurface.
- Layered height 24¾"H, footed and non-footed, 18"D. 25⅞"H with added credenza worksurface.
- Trough credenzas have inset top construction where no-trough credenzas have top over construction.
- Laminate finish options include chassis and front.
- Multi File units feature a cubby at the top left of the top project drawer with lateral drawer front. This allows for many applications and concealed storage.
- All credenza units contain 1½" adjustable glides
- All units can be standalone with or without credenza top.
- Full extension file drawers extend 13¼" on 18"D models, and 17¼" on 24"D models.
- Some models require counterweight – see specification table on pages 724-725.
- Vertically stacked units have mechanical interlock, allowing only one drawer to open at a time. Exception is Box/Box/File which allows bottom file drawer and top box drawers to open at the same time.
- Trough available for power application and no-trough available for open plan applications.
- Wire management trough
  - Trough is 2"D x 3⅜"H with tackboard, see illustration at left.
  - Accessories available (ordered separately): Byrne mini tap, monitor arm, clamp style, light.
- No-trough credenzas have top over construction and have finished backs.
- Finish height is consistent across both trough and no-trough units, example both troughed and no-trough 28"H units are the same height.
- All other credenza models have a finished back option available for order. See page 762.
- Two styles of feet are available, post and blade feet.
  - Blade Feet are receded 6" in from each side on 30" and 36" units, and 8½"-9½" in from each side on 42"-72" units.
  - Post feet are inset 1⅛" from each side of unit across all units.
- Center stability foot is included on units 60"W and larger.
- No ganging option available.
- Unit's ship assembled except for feet and pulls.




Mobile Pedestal (page 749)

- 21½"H x 15¾"W x 20"D.
- Laminate finish options include chassis and front.
- Box/File drawer configuration.
- Front-to-back filing capable without use of rails.
- Side-to-side filing available with use of file hangrails (included).
- Casters are recessed to provide clean aesthetic.
- Units ship assembled except casters and pulls.




24"H Pedestal (page 749)


- 24¾"H x 18"W x 18"D.
- 25⅞"H with added laminate worksurface.
- Laminate finish options include chassis and front.
- Box/File drawer configuration.
- Front-to-back letter filing capable with use of file hangrail (included).
- Side-to-side letter filing available without use of rails.
- No interlock between drawers.
- Counterweight may be needed. See pages 724-725.
- Finished backs available, see page 762.
- Units ship assembled except pulls.




Support Pedestals (page 749)
- 28⅜"H x 18"W x 18" or 24"D.
- Box/Box/File and File/File drawer configurations.
- Laminate finish options include chassis and front.
- Same construction as credenza units.
- Support Pedestals with wire management trough do not have back panels.
- No interlock between drawers.
- Counterweight may be needed. See pages 724-725.
- Finished backs available, see page 762.
- Units ship assembled except pulls.




15"W Support Pedestal (page 750)
- 28⅜"H x 15"W x 24" or 30"D.
- Box/Box/File or File/File configurations available.
- Laminate finish options include chassis & front.
- Units must be mounted under worksurface, hardware included.
- Units have finished backs.
- Footed & Non-Footed configurations available. Overall Heights remain the same.
- No interlock between drawers.
- Glides provide 1½" adjustment.
- Units Ship assembled except pulls.




Slim Pedestals for Freestanding Desks (page 749)
- 28⅜"H x 9½"W x 24" or 30"D.
- Box/Box/File and File/File drawer configurations.
- Laminate finish options include chassis and front.
- Units must be mounted under worksurface, hardware included.
- Support Pedestals without wire management trough have back panels.
- Side-to-side filing available with hangrail (included). Narrow width does not permit front-to-back filing.
- Glides provide ¾" of adjustment
- Units ship assembled except pulls.




Slim Pedestal Shroud Kits (page 749)
- New models available April 2021 for A6 2 stage compatibility, see specification page for model transition.
- File/File only drawer configuration, available in left- and right-hand options determined from the primary user perspective.
- Both drawers lock via side lock.
- Includes laminate pedestal that remains on the ground and metal shroud, available in all standard Allsteel paint colors, that rises with the worksurface. Requires Altitude® 2-stage, A6 C-leg or A6 T-leg electric powered base purchased separately, see page 791.
- Pedestal is 14¼"W x 30"D x 24"H with ¾" of leveling.
- Metal shroud elevates with worksurface 27¾"–47⅜"H.
- Can be used in any combination of supports: Open T-Leg, C-Leg, Laminate Shroud, Slim Pedestal Shroud.
- The shroud fits over the height-adjustable leg of a 2" x 3" column.
- In order to have the desk line up flush, T-Leg must be specified.




15W Box Drawer Pedestals and Accessory (page 750)
- Box drawers do not include pencil tray.
- Order pencil tray separately - A2280-000




False Ped (page 765)
- 12"W x 28⅜"H
- End panel depth is 14", 18", or 24"D.
- LH and RH options.
- Designed to be used adjacent to wall access panel.
- Aligns with wall access panel.
- Used to continue wire trough and to support the end of credenza top.
- 14"D false ped worksurface must be supported on opposite end by a full-depth support.
- Maximum unsupported worksurface span is 48" with 14"D models, and 72" with 18"D and 24"D models.
- Metal wire trough ships separately and attaches directly to worksurface.



Height-Adjustable Shroud Kits (page 791)
- New models available April 2021 for A6 2 stage compatibility, see specification page for model transition.
- Available in non-handed for simple specification and optimal reconfigurability.
- Includes laminate shroud that remains on the ground and metal shroud, available in standard Allsteel paints, that rises with the worksurface. Requires Altitude® 2-stage, A6 C-leg or A6 T-leg electric powered base purchased separately, see page 791.
- Laminate shroud is 5⅜" x 30"D x 24"H with 2" of leveling.
- Metal shroud elevates with worksurface 27¾"–47⅜"H.
- Can be used in any combination of supports: Open T-Leg, C-Leg, Laminate Shroud, Slim Pedestal Shroud.
- The shroud fits over the height-adjustable leg of a 2" x 3" column purchased separately.
- Models available April 2021 for A6 height adjustable 2-stage bases.
- In order to have the desk line up flush, T-Leg must be specified.




Wall Access Panel (page 765)
- Designed to be used adjacent to false ped or supported by another unit such as tower or credenza and is non-handed.
- 18-48"W x 6½"D x 28⅜"H.
- ¾" removable front.
- Metal wire trough ships separately and attaches directly to worksurface.



Bridge (page 765)
- 24"D x 42"W or 48"W.
- 48"W bridge ships with external support stiffener.
- Comes with 14"H half-height modesty panel, which is 12" wider than the worksurface.
- Flat brackets onto both sides of fixed height adjacent units.
- To mount, use a flat bracket on both sides fixed to an adjacent unit. Flat brackets are included for ease of installation.


Casegoods — Approach™

Working with Credenzas & Pedestals




Back Panels (page 762)

- All credenzas have a finished back option available for order, see page 762.
  - All back panels are inset of credenza end panels.
  - Back panels include a filler piece for a clean back. Specify color options at time of order entry (colors are Black, Designer White and Silver to match pull or feet colors).
- 3 Heights available.
  - 20" is used on 24"H footed models, ex: **WKCSFY243018-BF**
  - 24" is used on 24"H non-footed models, ex: **WKCSFN243018-BF**
  - 24" is used on 28"H footed models, ex: **WKCSFY283624-LF**
  - 28" is used on 28"H non-footed models, ex: **WKCSFN283624-LF**



Credenza and Pedestal Tops (page 760)

- Tops are 1⅛" thick with 2mm Edgeband.
- Tops ship with double sided tape supplied in hardware packs.
- Double sided tape attach tops to top of credenza and pedestal units.
- Tops must cover at least one storage unit and may span multiple.
- External stiffeners need to be added to credenza tops if they are spanning a distance greater than 60".
- Shortened Tops for Trough Units
  - Depth is shortened by 2½" less than listed to accommodate wire management trough.
  - 18"D models are 15½"D (2½" less than actual).
  - 24"D models are 21½"D (2½" less than actual).
- Full Depth Tops
  - Width & Depth is nominal to size, (example 24"–24.0").
  - Optional Grommet locations allow user access to the trough.
  - 18"–36"W tops have center grommet option only.
  - 42"–96"W tops can specify grommet locations (L Left, R Right, B Both, C Center, X None).
  - Grommets available in Oval plastic, Square Metal, or Oval Metal.
  - Use for covering trough or top for troughless units.




Credenza and Pedestal Cushions (page 760)


- A seat cushion can be placed on top of credenzas or 20"D mobile pedestals.
- Designed to fit flush with front of drawer fronts.
- Credenza cushions are undersized by 3" in depth to accommodate wire management trough, 18"D are actually 15"D.
- Seat cushion adds approximately 2"H to credenza or pedestal.

Casegoods — Approach™

Working with Worksurfaces & Supports



Primary Worksurfaces (page 768)
- All Worksurfaces are 1⅛" thick with 2MM edgeband.
- Width and depth are nominal to size, (example 24"W or 24"D = 24.000").
- Units 48"W or greater ship with external support stiffener.
- User can specify grommet locations (L Left, R Right, B Both, C Centered, X None). See page 730.
- User can specify grommet material (Plastic Oval, Metal Oval, Metal Rectangular).
- Plastic oval grommets automatically match worksurface edgeband selection.
- Includes pilot holes for standard supports and modesty panel locations.



Double Sightline Surfaces (page 767)
- Double Sightline Surfaces: 6 sizes, measure as (Width, Depth 1, Depth 2).
- Reference the table base specifications in Seating & Tables price list for applicable models and size limitations
- Utilized mainly in team spaces, collaboration touch points, and/or a useful space division in the workplace if set with O-Leg or end-panel supports from a storage support.







Table Top Worksurfaces (page 766)
- All Worksurfaces are 1⅛" thick with 2MM Edgeband
- Reference table base specifications in Seating & Tables price list for applicable models and size limitations
- Square Surfaces: 36", 42", and 48" available.
- Round Surfaces: 36", 42", and 48" available.
- Approved with splay legs.




End Panels (page 771)
- 1⅛" particleboard with laminate on both surfaces.
- 2MM edge band on all edges.
- End panels are used to create run-off set-ups.
- 14", 24", 30", and 36" depths. Actual depths are 13¾", 23¾", 29¾", and 35¾"D.
- RH and LH options used separately. Model supports one side of a worksurface, not both unless using a full height modesty.
- 14"D end panels can only be used with 24"D primary worksurfaces.
- 24"D, 30"D and 36" end panels require primary worksurface depths to match the end panel.
- Maximum worksurface length is 48" with 14" end panel, and 72" with 24", 30" and 36" end panels.
- Attaches to worksurface with cam/pin/dowel mechanical fastener, providing strength and stability to desking application.
- Must order same hand modesty panel to tie into support and worksurface.






O-legs (page 769)
- 28⅜"H x 24"D or 30"D.
- 1" x 2" steel tube construction welded to mounting brackets.
- Leveling glides with 2" of adjustability.
- Actual Depth is 23¾" and 29¾".
- Mounting plate width is 6", visual width is 2".






Stanchions (page 770)
- 12" and 18"D in two heights:
  - 24"D worksurface uses 12"D stanchion.
  - 30"D worksurface uses 18"D stanchion.
  - 36"D worksurface uses 2–12"D stanchions.
  - 4"H — credenza to primary worksurface
  - 3"H — credenza with top to primary worksurface
- Formed sheet metal construction, P02 Flint only.
- Attaches to upper worksurface with screws and industrial VHB tape to lower worksurface/credenza. See illustration at left. Stanchion is centered on credenza and when paired with a blade foot gives a floating aesthetic.



Modesty Panels (page 771)
- Horizontal Grain Direction:
  - 14"H x 30", 36", 42", 48", 54", 60", 66", and 72"W.
  - 28"H x 48", 54", 60", 66", 72"W.
  - 14"H Modular, RH modesty panel and LH modesty panel version for laminate end panel, non-handed 14"H modesties used in all other applications.
  - 14"H Modular mounts to worksurface stiffener with worksurface.
  - RH and LH modesty panels must attach to RH or LH laminate end panel. Specify same hand as end panel.
  - 28"H Modular, non-handed modesty panel version for laminate left and right end panel.


Splay Legs

Wood Splay Legs (page 769)




- Includes pair of legs (non-handed, mounted to top plate) and attaching hardware.
- Available in oak and walnut toned wood.
- Natural wood has variance between color and wood grain which is not the same visual as woodgrain laminate. Allsteel does not guarantee the exact matching of grain, pattern or color.
- Shroud available in standard paint selection.
- Used to support one corner of a worksurface or table.
- Standard worksurface support height
- Height adjustable legs provide a 1⅞" range of adjustment.
- Splay legs are for use on worksurface spans up to 72"W.
- Height adjustable leveling feature requires common tools to adjust height.
- Optional push-pin glide and felt pad included in hardware pack.


Metal Splay Legs (page 769)



- Includes pair of legs (non-handed, mounted to top plate) and attaching hardware.
- Standard paint finish options include leg and shroud.
- Used to support one corner of a worksurface or table.
- Standard worksurface support height.
- Height adjustable legs provide a 1⅞" range of adjustment.
- Splay legs are for use on worksurface spans up to 72"W.
- Height adjustable leveling feature requires common tools to adjust height.
- Floor protection provides ½" of additional adjustment.
- Approved for runoff or freestanding applications up to 72"W.





Freestanding Laterals (page 763)
- Laminate finish options include chassis and front.
- Ships assembled except for pulls.
- No footed option available.
- Outside overall dimensions:
  - Heights: 2H = 29½"H, 3H = 42¼"H, 4H = 56⅝"H
  - Widths and Depths: 30"W and 36"W; 18"D and 24"D with the exception of 2H which is 18⅛"D and 24⅛"D.
- 2H has 1⅛" top built-in to case construction. Cannot be used under a spanning top workwall of 28"H units.
- All units include interlock drawers.
- Inner drawer dimensions and filing configurations are the same as credenzas. See page 716.
- Full extension file drawers: 13¼"D on 18"D, and 17¼"D on 24"D models.
- Drawer unit ships with hangrail to accommodate side-to-side filing.



Freestanding Bookcase (page 764)

- Laminate finish options include chassis.
- Outside overall dimensions:
  - Width is nominal to dimension (i.e. 30"W = 30") with the exception of 2H which is 30.04"W
  - Heights: 2H = 29½"H, 3H = 42¼"H, 4H = 56⅝"H, 5H = 71⅛"H.
  - Depth: 15"D = 14¼"D actual.
- Shelves:
  - 2H – 1 adjustable shelf
  - 3H – 2 adjustable shelves
  - 4H – 2 adjustable, 1 fixed shelf at worksurface height
  - 5H – 3 adjustable, 1 fixed shelf at worksurface height
  - Internal shelves are ¾" laminate and adjustable to three levels.
- 2H bookcase has built-in 1⅛" top. Cannot be used under a spanning top workwall of 28"H units.
- 1½" adjustable glides
- Pin-and-cam fasteners visible from the front are covered with cam covers.
- No footed option available for bookcases.







Left

All Towers (page 781)


- Laminate finish options include chassis and front.
- Ships assembled except for pulls and side access towers which are assembled in field.
- 1½" adjustable glides on all except Open Access which have ½" adjustment.
- Footed and Non Footed Options Available.
  - Tower/Wardrobe models ending in HDL/H-HDL/CFL are available without feet only.
- 24"D x 24"W and 24"D x 30"W non-footed wardrobes and towers can be freestanding. Pullout towers can also be freestanding. All other wardrobes and towers are not for use in freestanding applications and must be ganged to adjoining units. All footed wardrobes and towers must be ganged to adjoining units.
  - Use included attachment hardware pack to attach through adjoining end panels utilizing the pilot holes underneath bottom-most shelf of wardrobe tower.
  - See instruction manual for installation steps.



Left





Left





Left


- Hinged door
  - Sizes Available:
    Heights – 42½", 50", 57½", 65½", 72"
    Widths – 12", 18" & 24"
    Depths – 18" & 24"
  - 18"D Towers have 2 coat hooks in unit
    24"D Towers have a coat rod in unit, except models ending in HDL
  - 12" & 18" Wide have RH and LH configurations
    12" & 18" Wide towers have single door, 24" Wide has two doors non-handed
  - Shelving:
    42½" & 50" – 1 adjustable, 1 fixed
    57½" – 2 adjustable, 1 fixed
    65" & 72" – 3 adjustable, 1 fixed
  - Refer to page 708 for interior dimensions.



Right


Right


Right


Right


Left


Right


Towers—continued (pages 773-776 and 781)


- Personal Combination and Side Access
  - Sizes:
    Heights – 50", 57½", 65½", 72"
    Widths – 18", 24"
    Depths – 18", 24"
  - Personal combination and side access towers 24"W coat hanging options under fixed shelf are two coat hooks in 18"D models and a coat rod in 24"D units for hangers.
  - Available in right-hand and left-hand configurations
  - Push latch wardrobe door on 18 and 24 wide combo and side access units
  - Side access opening is at 29½" to line up with worksurface
  - 2 adjustable shelves behind hinged door
  - Shelving behind hinged door or in open cavity:
    50" & 57½" – 1 Shelf
    65½" & 72" – 2 shelves
  - Refer to pages 709-710 for interior dimensions.
  - Combo Towers have hinged door on front of unit
    Side Access Towers have open shelving on side of unit
  - File drawer interior dimensions and filing are the same as 18"W ped
  - Box/Box/File and File/File configurations available
    30"W Combo tower has File/File configuration only with pulls on all doors and drawers
  - Interior Dimensions for Box/Box/File and File/File are the same as 18"W Ped
- 30"W Wardrobe
  - 5H only
  - Depth: 24"D.
  - Shelves:
  - 3 adjustable, 1 fixed
  - Refer to page 708 for interior dimensions.



Cubby Storage (page 777)


- 7"H x 14"D x 18", 24", or 30"W.
- Installs under a worksurface, hardware included.
- Ships flat for field assembly.



RH




Pullout Towers (page 772)


- Tower ships fully assembled.
- Laminate finish options include chassis, front, and drawer.
  - Drawer finish options limited to Loft, Flint, and Designer White
- Sizes Available:
  - Heights – 42½", 50"
  - Widths – 12"
  - Depths – 24", 30"
- LH & RH configurations available.
- Tower Drawer contains two coat hooks.
- Shelving (See page 711 for specifications):
  - 42½"H – 1 adjustable & 1 fixed shelf
  - Adjustable shelf has 2½" height adjustment
  - 50"H – 2 adjustable & 1 fixed shelf
  - Bottom adjustable shelf has 4⅝" adjustment
  - Top adjustable shelf has 2½" adjustment
- Tower Drawer contains file capabilities (See page 707 for specifications).
- Case height contains 1½" adjustable glides.
- Tower Drawer contains 1½" adjustable caster.






Floating Shelf (page 783)
- 30"–78" Widths available.
- Shelf is 8" in depth.
- Brackets ship with shelf.
- Maximum 10 lbs. per linear foot load capacity. Shelf can be mounted to any surface. Hardware to mount shelf not included and specified by contractor.






Stack-On Storage (pages 783-785)
- Ships assembled except for pulls.
- Outside overall dimensions:
  - Width is nominal to dimension (i.e. 18"W = 18")
  - Heights: 4H = 29⅛", 5H = 42⅛"
  - Depths: 15"D = 15" from drawer front to rear edge of end panel. Open shelf units subtract ¾" for front thickness.
- Laminate finish options include chassis and front on hinged door units and chassis on open and side access units.
- Shelves:
  - 4H = 1 adjustable
  - 5H = 2 adjustable
- Pin-and-cam fasteners visible from the front are covered with cam covers
- 18"W hinged door available in right- and left-hand configurations.
- Side access available in right- and left-hand configurations.
- Writable front models available.
- Units must be placed on top of 1¼" thick worksurface and are attached with industrial VHB tape.



Hutches (page 785)
- Sizes:
  - Height – 35"
  - Width – 48", 60", 66", 72", 78"
  - Depth – 14"
- Fully enclosed back; includes a 1¼", full width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valence hides task light.
- Vertical clearance for computer monitor is 20".
- Available with laminate or frosted glass/silver doors.
- Units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For tackboards, see page 785.
- For task lights, see page 991.
- Units attach to worksurface using double sided tape.

Overheads (page 782)
- Ship fully assembled.
- Laminate finish options include chassis and front.
- Wall mounted – standard – ships with hardware for unit connection to bracket. Hardware for bracket connection to wall is not included.
- Outside overall dimensions:
  - Widths: 30"W = 29⅞", 36"W = 35⅞", 60"W = 59⅞", 72"W = 71⅞".
  - Heights: 15"H = 15⅛"
  - Depths: 15"H = 15⅛" open case depth; 15⅞" for overheads with doors.
- Pin-and-cam fasteners visible from the front are covered with cam covers



- Hinged door — laminate
  - 30"W, 36"W and 42"W (2 doors, 1 lock)
  - 48"W (3 doors, 1 lock)
  - 60"W, 66"W, 72"W and 78"W (4 doors, 2 locks)
  - Locking — standard, omit, and non-locking options.
- Hinged door with frosted glass
  - 30"W, 36"W and 42"W (2 doors)
  - 48"W (3 doors)
  - 60"W, 66"W, 72"W and 78"W (4 doors)
  - Non-locking
- Open
  - 30"W and 36"W
- Sliding door — one half-width laminate door
  - 48"W, 60"W, 66"W, 72"W, and 78"W cabinets.
  - Locking on left side only.
- Specify low profile LED task lights to mount beneath laminate overhead cabinets. See pages 989-992.




Overhead Mounting Kit for Beyond Walls (page 782)

- Able to mount Approach overheads onto beyond frame wall.
- Need to order beyond slotted standard bracket, model **BFSFHB.L**.
- Able to mount off-modular, maximum 6" total for 30"–48"W units, and 12" total for 60"–78"W overheads.
- WKOHBW30AK includes 2 brackets.
- WKOHBW60AK includes 3 brackets. Required for 78" overheads and any setup that spans 2 or more glass sections.


Casegoods — Approach™

Working with Tackboards & Writable Boards




Tackboards and Writable Boards (pages 786-787)

- Available in upholstered tackboards and writable surface boards.
- Available to match 4H and 5H storage heights at layered and full height applications.
- Available 30"W - 96"W at 6" increments.
- Models greater than 60"W consist of multiple segments.
- If 4H tower unit is specified then use 4H board. Select height based on layered or full height credenza. See illustration at bottom.
- If 5H tower unit is specified then use 5H board. Select height based on layered or full height credenza. See illustration at bottom.
- If 5H tower unit is specified with an overhead unit then use 4H board. Select height based on layered or full height credenza. See illustration at bottom.
- Units are wall mounted using 'Z-Mounting' bracket.
- Tackboards and writable surface boards are not meant to be used with finished back credenza kits.
- Tackboards and writable board heights are in alignment with Trough heights.
- Troughless units are for open plan/workstations and will need tackboard to raise 3" or set behind credenza. Or contact tailored products group.



Casegoods — Approach™

Working with Counterweights & Accessories




Counterweight Kits (page 788)
- Counterweight is attached to the back of a pedestal or credenza to inhibit tipping. See illustration at left.
- Kits must be ordered separately (see pages 724-725) based on type and depth of unit and are field-installed.
- Units that may require counterweight kits, depending on how they are configured, are flagged with a pound sign # after the model number listing on pages 749 and 757.

Mini-tap Power (page 788)
- Installs into back bracket of unit on 18"D models. See illustration at left. Includes 6' black power cord.
- Units available as 2 Power or 1 Power/1 USB.
- Requires additional mounting bracket WKMTMB (ordered separately) on 24"D models and wall access panels.
- 12"W, 18"W, 24"W, 30"W, and 36"W units have 1 knockout; 42"W, 48"W, 60"W, and 72"W units have 2 knockouts for mini-tap power modules.

End Cap (page 788)
- Used to finish trough at end of run.
- Branded with Allsteel Logo.
- Available in Black, Designer White, and Silver.
- Specify Full Height or Enclosed Height end caps based on top specified.
- **Credenza Top is required.**
- For Open Trough Tops specify Full Height End Caps.
- For Closed Trough Tops specify enclosed Shortened Height End Caps.

*Note: Top will cover top of end cap.


Wire Manager for Height-Adjustable Trough (page 788)
- 30"W, Flint only.
- Installs onto height-adjustable laminate shroud. See below.
- Spans two credenzas on either end of height-adjustable desk.
- Height-adjustable table must be perpendicular to wall.



BACK

Casegoods — Approach™ Working with Altitude® Height-Adjustable Tops and Bases

Altitude height-adjustable bases are available in two styles for Approach:




A6 T & C Electric Base
with Rectangular Worksurface

Compatible with Credenza
for Integrated leg new shroud
models available April 2021


Clearance Dimensions


Rectangle



Base Style:	A6 T Base			A5 2-Stage C-Leg Base			
Dimension Location:	**E1**	**W**	**E2**	**E1**	**W1**	**W2**	**E2**
Altitude Top: (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Edge of table to the outside of leg	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle*	—	—	—	2"	38"	—	12⅞"
24" x 54" Rectangle	2½"	41¼"	10⅜"	2"	44"	—	12⅞"
24" x 60" Rectangle	2½"	47¼"	10⅜"	2"	50"	—	12⅞"
24" x 66" Rectangle	2½"	53¼"	10⅜"	2"	56"	—	12⅞"
24" x 72" Rectangle	2½"	59¼"	10⅜"	2"	62"	—	12⅞"
30" x 48" Rectangle	—	—	—	2"	38"	—	17⅞"
30" x 54" Rectangle	2½"	41¼"	13⅜"	2"	44"	—	17⅞"
30" x 60" Rectangle	2½"	47¼"	13⅜"	2"	50"	—	17⅞"
30" x 66" Rectangle	2½"	53¼"	13⅜"	2"	56"	—	17⅞"
30" x 72" Rectangle	2½"	59¼"	13⅜"	2"	62"	—	17⅞"

Bottom Views





2-Stage
with C-Legs

Height-Adjustable Worksurfaces, Bases, and Controls

Height-Adjustable Worksurfaces (page 789)
- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side). Corner cove depth is nominal, actual is 1" less.
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Any open span 60" and greater requires an external support channel. Altitude 66"-72"W rectangular worksurfaces include an external support channel.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- C-Leg load capacity is 300 pounds for 2-leg model including weight of worksurface. A3-T load capacity is 250 pounds for 2-leg model including weight of worksurface.

Height-Adjustable Bases (page 791)
- Electric height-adjustable base units are available in two styles for Approach: A6 with T-Leg or A6 with C-Leg.
- A6 models are available in Black, Brownstone, Cinder, Designer White, Flint, Fossil, Loft, Muslin, Nickel, Parchment, Pebble, Pewter, Salt, Titanium, Champagne Metallic, Gunmetal Metallic, Night Bronze, Platinum Metallic, and Silver.
- A6 models travel at 1.2" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is <0.1 Watts. Power cords on A6-T models are 9'.
- Pedestals taller than 24½" for 2-stage models and 19½" for 3-stage models when placed under table will limit range in lower position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 707.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ½" adjustment on A6.
- Altitude A6 tables feature anti-collision, a feature designed to stop table travel when the table detects an obstacle.
- Altitude A6 bases specified with a worksurface 60"W and greater require the use of an external stiffener. An external stiffener is included in Altitude worksurface models 60"W and greater. If a non-Altitude worksurface is being used, an external stiffener may need to be specified separately.
- A6 2-stage models (2-leg and 3-leg) can be used with shrouds.


Shrouds (page 791)
- A6 2-stage models (2-leg and 3-leg) can be used with shrouds.
- A6 3-stage standard and Max bases cannot be used with shrouds. The shrouds interfere with the reset of the base as it is not able to reach its lowest setting.

Cable & Wire Management

Cable Management Tray (page 789)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.
- Limited paint offering. Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B).

Wire Management Strips/Channels (page 789)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in². Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in².

Cord Management Chain (page 789)
- Works with Approach and Altitude A3 and A5-Series product.
- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware and a plate to secure to a leveling glide.
- Houses 6 cables @ 0.300" diameter.
- Made of plastic chain with plastic attachment brackets at each end. Only comes in Black finish.




6 cables (.300" dia.)


Under Worksurface Trough (page 789)
- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs — see illustrations below.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.

Panel Mounted Wire Chase (page 789)
- Attaches between panels on Stride, Terrace, and Optimize via a slotted standard.
- Designed to sit below a worksurface and provide additional cord management from the base rail to beltline/under-worksurface height.
- Available in standard metal paint finishes.


Cross-sectional Area Inside Under Worksurface Troughs




Minimum trough height




Median trough height




Maximum trough height



Minimum trough height



Median trough height




Maximum trough height


*For more power and wire management options, please visit the **Extensions** pages.*


Approach™


Desks

For specification information see pages 726-731.









Description	Model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis Top	L2 Laminate Chassis Front
Desk w/Height-Adjustable Top (27¾"– 47⅜"H) and File/File Storage Left					
72"W x 36"D	**WKDAFNJ297236LH-FF**	1	**$10169**	**$ 204**	**$ 104**	**$ 51**
72"W x 30"D (shown)	**WKDAFNJ297230LH-FF**	1	**$ 9872**	**$ 201**	**$ 104**	**$ 51**
66"W x 30"D	**WKDAFNJ296630LH-FF**	1	**$ 9804**	**$ 200**	**$ 104**	**$ 51**
*Half height modesty option only *Not TAA compliant unless ordered with a TAA compliant configurable end product.					
Desk w/Height-Adjustable Top (27¾"– 47⅜"H) and File/File Storage Right					
72"W x 36"D	**WKDAFNJ297236RH-FF**	1	**$10169**	**$ 204**	**$ 104**	**$ 51**
72"W x 30"D (shown)	**WKDAFNJ297230RH-FF**	1	**$ 9872**	**$ 201**	**$ 104**	**$ 51**
66"W x 30"D	**WKDAFNJ296630RH-FF**	1	**$ 9804**	**$ 200**	**$ 104**	**$ 51**
*Half height modesty option only *Not TAA compliant unless ordered with a TAA compliant configurable end product.					
Desk w/Height-Adjustable Shrouds (27¾"– 47⅜"H) and No Modesty Panel					
72"W x 36"D	**WKDAFNJ297236**	—	**$ 7563**	**$ 204**	**$ 62**	**N/A**
72"W x 30"D (shown)	**WKDAFNJ297230**	—	**$ 7266**	**$ 201**	**$ 62**	**N/A**
66"W x 30"D	**WKDAFNJ296630**	—	**$ 7198**	**$ 200**	**$ 62**	**N/A**
*Half height modesty option within model or modular 24"H modesty see page 771 *Not TAA compliant unless ordered with a TAA compliant configurable end product.					
Wall Bridge w/Height-Adjustable Shrouds (27¾"– 47⅜"H) and Full-Height Modesty Panel Only					
72"W x 24"D	**WKDAFNJ297224**	—	**$ 7481**	**$ 107**	**$ 64**	**N/A**
66"W x 24"D	**WKDAFNJ296624**	—	**$ 7390**	**$ 107**	**$ 63**	**N/A**
60"W x 24"D (shown)	**WKDAFNJ296024**	—	**$ 7277**	**$ 104**	**$ 62**	**N/A**
54"W x 24"D	**WKDAFNJ295424**	—	**$ 7161**	**$ 103**	**$ 61**	**N/A**
48"W x 24"D	**WKDAFNJ294824**	—	**$ 7074**	**$ 102**	**$ 60**	**N/A**

*Nominal depth of shroud is 22" and worksurface is 21" deep
*Bridge models are for wall facing applications.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
*New anti collision control on new models
*Not TAA compliant unless ordered with a TAA compliant configurable end product.

How to specify —

Select the Model Number from above.

W K D A F N J 2 9 - _ _ _ _ _ . _ . _ _ _ _ _ . _ _ _ _ _ . _ _ _ _ _ . _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Top Laminate and Predefined Edge *(if applicable)*:

See page 717 for finishes.

3rd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

4th Option:

Front Laminate and Predefined Edge *(if applicable)*:

5th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

5th Option (continued):

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

AP Arch
- **PR0** Anodized Silver

P2 upcharge +$19/pull

BP Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

SP Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

6th Option:

Grommet Location *(if applicable)*:

See page 730.

B Both Left and Right
C Centered
L Left
R Right
X No Grommet

7th Option:

Grommet Type *(if applicable)*:

P Oval Plastic (will match edge trim)
M Oval Metal (Add $15 per grommet)
S Square Metal (Add $15 per grommet)

Grommet Color (Metal only) *(if applicable)*:

EL Matte Silver

8th Option:

Metal Sleeve Paint *(if applicable)*:

P1 P2 P3

See page 717 for finishes.
P2 $19/shroud
P3 $44/shroud

9th Option:

Height Adjustable Base *(if applicable)*:

P R 6 .

10th Option:

Height Adjustable Base Keypad *(if applicable)*:

UD Basic Up/Down
MEM Memory Preset
PDL Paddle

11th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


Example: **WKDAFNJ297236RH-FF.X.LM14EW.LSW1SW.OPP8X.STD**


Approach™


Desks


For specification information see pages 726-731.












Left Shown



Description	Model Add "L" for Left-hand model Add "R" for Right-hand model	L1 Laminate List Price	UPCHARGES* L2 Laminate
Shell Desk 29½"H x 30"D			
60"W (shown)	**WKSHL296030**	**$ 2615**	**$ 96**
66"W	**WKSHL296630**	**$ 2718**	**$ 99**
72"W	**WKSHL297230**	**$ 2854**	**$ 103**

Racetrack Top w/End Panel, 14"H Half-Height Modesty, and Column Base 29½"H			Top	L2 Laminate Chassis	Modesty
72"W x 30"D (shown)	**WKDTCB297230**	**$ 3766**	**$ 71**	**$ 24**	**$ 0**
66"W x 30"D	**WKDTCB296630**	**$ 3735**	**$ 58**	**$ 24**	**$ 0**
Racetrack Top w/Runoff, 14"H Half-Height Modesty and Column Base 29½"H					
60"W x 30"D (shown)	**WKDTCB296030**	**$ 2848**	**$ 65**	**N/A**	**$ 42**
54"W x 30"D	**WKDTCB295430**	**$ 2735**	**$ 60**	**N/A**	**$ 41**
48"W x 30"D	**WKDTCB294830**	**$ 2629**	**$ 57**	**N/A**	**$ 36**
Table Desk with 14"H Half-Height Modesty Panel and "O" Legs 29½"H					
72"W x 30"D (shown)	**WKTDOL297230**	**$ 3440**	**$ 64**	**N/A**	**$ 42**
66"W x 30"D	**WKTDOL296630**	**$ 3344**	**$ 61**	**N/A**	**$ 40**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

Runoff 29½"H — Panel Base with 14"H Half-Height Modesty Panel			Top	Modesty
78"W x 30"D	**WKDRPB297830 ⌴ H**	**$ 2813**	**$ 32**	**$ 69**
72"W x 30"D (shown)	**WKDRPB297230 ⌴ H**	**$ 2698**	**$ 31**	**$ 66**
66"W x 30"D	**WKDRPB296630 ⌴ H**	**$ 2576**	**$ 30**	**$ 63**
60"W x 30"D	**WKDRPB296030 ⌴ H**	**$ 2463**	**$ 30**	**$ 61**
54"W x 30"D	**WKDRPB295430 ⌴ H**	**$ 2337**	**$ 26**	**$ 59**
48"W x 30"D	**WKDRPB294830 ⌴ H**	**$ 2219**	**$ 26**	**$ 57**

Example of left-hand model shown: **WKDRPB297230LH**

Runoff 29½"H — "O" Leg with 14"H Half-Height Modesty (Non-handed)				
84"W x 30"D	**WKDRTL298430**	**$ 2835**	**$ 73**	**$ 45**
78"W x 30"D	**WKDRTL297830**	**$ 2706**	**$ 69**	**$ 44**
72"W x 30"D	**WKDRTL297230**	**$ 2589**	**$ 64**	**$ 42**
60"W x 30"D (shown)	**WKDRTL296030**	**$ 2369**	**$ 58**	**$ 38**
54"W x 30"D	**WKDRTL295430**	**$ 2246**	**$ 54**	**$ 32**
48"W x 30"D	**WKDRTL294830**	**$ 2161**	**$ 49**	**$ 28**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WK _ _ _ _ _ _ _ _ _ _ . _ . _ _ _ _ _ _ . _ _ _ . _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Top Laminate and Predefined Edge *(if applicable)*:

See page 717 for finishes.

3rd Option:

Metal Leg *(if applicable)*:

P1 P2 P3

See page 717 for finishes.
P2 upcharge $33 per leg
P3 upcharge $60 per leg

4th Option:

Grommet Location *(if applicable)*:

See page 730.

B Both Left and Right
C Centered
L Left
R Right
X No Grommet

5th Option:

Grommet Type *(if applicable)*:

P Oval Plastic(will match edge trim)
M Oval Metal (Add $15 per grommet)
S Square Metal (Add $15 per grommet)

6th Option:

Grommet Color (Metal only):

EL Silver

E L .

7th Option:

Modesty Panel Height:


HM Half
FM Full


Example: **WKDUFN296030LH-BBF.F.LM14EW.LM14EW.LSW1SW.APPR6.CP.HM.STD**


Approach™


Desks


For specification information see pages 726-731.


Right Shown


Left Shown




Left Shown


Left Shown

Description	Model Add "L" for Left-hand model Add "R" for Right-hand model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Top	L2 Laminate Chassis	L2 Laminate Front
29½"H Desk with 15"W Box/Box/File Pedestal						
30"D x 60"W Right Hand Ped Desk BBF (shown)	**WKUP296030RH-BBF**	1	$ 4182	$ 48	$ 62	$ 48
30"D x 60"W Left Hand Ped Desk BBF	**WKUP296030LH-BBF**	1	$ 4182	$ 48	$ 62	$ 48
30"D x 66"W Right Hand Ped Desk BBF	**WKUP296630RH-BBF**	1	$ 4303	$ 49	$ 64	$ 49
30"D x 66"W Left Hand Ped Desk BBF	**WKUP296630LH-BBF**	1	$ 4303	$ 49	$ 64	$ 49
30"D x 72"W Right Hand Ped Desk BBF	**WKUP297230RH-BBF**	1	$ 4426	$ 50	$ 65	$ 50
30"D x 72"W Left Hand Ped Desk BBF	**WKUP297230LH-BBF**	1	$ 4426	$ 50	$ 65	$ 50
29½"H Desk with 15"W File/File Pedestal						
30"D x 60"W Right Hand Ped Desk FF	**WKUP296030RH-FF**	1	$ 4015	$ 46	$ 60	$ 46
30"D x 60"W Left Hand Ped Desk FF (shown)	**WKUP296030LH-FF**	1	$ 4015	$ 46	$ 60	$ 46
30"D x 66"W Right Hand Ped Desk FF	**WKUP296630RH-FF**	1	$ 4136	$ 47	$ 62	$ 47
30"D x 66"W Left Hand Ped Desk FF	**WKUP296630LH-FF**	1	$ 4136	$ 47	$ 62	$ 47
30"D x 72"W Right Hand Ped Desk FF	**WKUP297230RH-FF**	1	$ 4257	$ 48	$ 63	$ 48
30"D x 72"W Left Hand Ped Desk FF	**WKUP297230LH-FF**	1	$ 4257	$ 48	$ 63	$ 48
Double Ped Desk 29½"H — Box/Box/File Left and File/File Right with Full Height Modesty Panel						
72"W x 36"D	**WKDUFN297236-BBFFF**	2	$ 5419	$ 58	$ 77	$ 58
Single Ped Desk 29½"H — Box/Box/File with Full- or 14"H Half-Height Modesty Panel						
72"W x 36"D	**WKDUFN297236 ␣ H-BBF**	1	$ 4689	$ 51	$ 65	$ 51
72"W x 30"D (shown)	**WKDUFN297230 ␣ H-BBF**	1	$ 4391	$ 48	$ 62	$ 48
66"W x 30"D	**WKDUFN296630 ␣ H-BBF**	1	$ 4328	$ 48	$ 61	$ 48
60"W x 30"D	**WKDUFN296030 ␣ H-BBF**	1	$ 4253	$ 47	$ 61	$ 47
Example of left-hand model shown: **WKDUFN297230LH-BBF**						
Runoff 29½"H — Box/Box/File Pedestal with 14"H Half-Height Modesty Panel						
72"W x 30"D	**WKDRFN297230 ␣ H-BBF**	1	$ 3886	$ 44	$ 57	$ 44
66"W x 30"D	**WKDRFN296630 ␣ H-BBF**	1	$ 3761	$ 42	$ 54	$ 42
60"W x 30"D (shown)	**WKDRFN296030 ␣ H-BBF**	1	$ 3653	$ 41	$ 52	$ 41
54"W x 30"D	**WKDRFN295430 ␣ H-BBF**	1	$ 3524	$ 40	$ 51	$ 40
48"W x 30"D	**WKDRFN294830 ␣ H-BBF**	1	$ 3403	$ 38	$ 49	$ 38
Example of left-hand model shown: **WKDRFN296030LH-BBF**						

How to specify —

Select the Model Number from above.

WK _ _ _ _ _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_ .

2nd Option:

Top Laminate and Predefined Edge *(if applicable)*:

See page 717 for finishes.

_ _ _ _ _ _ _ _ _ _ .

3rd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

_ _ _ _ _ _ _ _ _ _ .

4th Option:

Front Laminate and Predefined Edge:

_ _ _ _ _ _ _ _ _ _ .

5th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_ _ .

6th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

AP Arch
- **PR0** Anodized Silver

P2 upcharge +$19/pull

BP Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

SP Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

7th Option:

Grommet Location *(if applicable)*:

See page 730.

B Both Left and Right
C Centered
L Left
R Right
X No Grommet

_ .

8th Option:

Grommet Type *(if applicable)*:

P Oval Plastic (will match edge trim)
M Oval Metal (Add $15 per grommet)
S Square Metal (Add $15 per grommet)

Grommet Color (Metal only) *(if applicable)*:

EL Matte Silver

_ _ _ .

9th Option:

Modesty Panel Height:

HM Half
FM Full

_ _ .

10th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


_ _ _ .


Example: **WKUP296630RH-BBF.X.LM14EW.LM14EW.LSW1SW.BPPR6.BP.STD**


Approach™


Pedestals


For specification information see pages 732-735.











Description	Model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
21½"H Mobile Pedestal — Box / File					
16"W x 20"D	**WKPMFN241620-BF**	1	**$ 2141**	**$ 54**	**$ 25**
24"H Support Pedestal — Box / File					
18"W x 18"D	**WKPLFN241818-BF**	1	**$ 1995**	**$ 50**	**$ 24**
28"H Support Pedestal — Box / Box / File with Trough (No Back Panel)					
18"W x 18"D	**WKPSFN281818-BBF #**	1	**$ 2169**	**$ 55**	**$ 25**
18"W x 24"D	**WKPSFN281824-BBF #**	1	**$ 2412**	**$ 58**	**$ 26**
28"H Support Pedestal — File / File with Trough (No Back Panel)					
18"W x 18"D	**WKPSFN281818-FF #**	1	**$ 2131**	**$ 54**	**$ 25**
18"W x 24"D	**WKPSFN281824-FF #**	1	**$ 2224**	**$ 57**	**$ 26**
28"H Support Slim Pedestal — Box / Box / File with Back Panel					
9½"W x 24"D	**WKPSFN28924-BBF**	1	**$ 1909**	**$ 47**	**$ 22**
9½"W x 30"D	**WKPSFN28930-BBF**	1	**$ 1958**	**$ 50**	**$ 23**
28"H Support Slim Pedestal — File / File with Back Panel					
9½"W x 24"D	**WKPSFN28924-FF**	1	**$ 1876**	**$ 47**	**$ 22**
9½"W x 30"D	**WKPSFN28930-FF**	1	**$ 1919**	**$ 49**	**$ 23**
Height-Adjustable* Slim Pedestal & Shroud Kit — File / File					
14¼"W x 30"D Left-hand	**WKPSFNJ2830LH-HS**	1	**$ 3755**	**$ 76**	**$ 51**
14¼"W x 30"D Right-hand	**WKPSFNJ2830RH-HS**	1	**$ 3755**	**$ 76**	**$ 51**
28"H Support Pedestal — Left Hand Hinged Door with Trough (No Back Panel)					
18"W x 18"D	**WKPSFN281818LH-HD**	1	**$ 1978**	**$ 50**	**$ 24**
18"W x 24"D	**WKPSFN281824LH-HD**	1	**$ 2110**	**$ 51**	**$ 24**
28"H Support Pedestal — Right Hand Hinged Door with Trough (No Back Panel)					
18"W x 18"D	**WKPSFN281818RH-HD**	1	**$ 1978**	**$ 50**	**$ 24**
18"W x 24"D	**WKPSFN281824RH-HD**	1	**$ 2110**	**$ 51**	**$ 24**

*27¼ – 47⅞"H. Requires 2-Stage T-Leg Powered Base purchased separately. See page 791.

*New models are compatible with A6 height adjustable bases

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

#Unit may require counterweight kits, see pages 724-725.

How to specify —

Select the Model Number from above.

WK _ _ _ _ . _ . _ _ _ _ _ _ _ . _ _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Chassis Laminate and Predefined Edge:

See inside front cover for finishes.

3rd Option:

Front Laminate and Predefined Edge:

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

6th Option:

Metal Sleeve Paint *(if applicable)*:

P1 P2 P3

See page 717 for finishes.

P2 $19/shroud
P3 $44/shroud

7th Option:

Height Adjustable Base *(if applicable)*:

P R 6 .

8th Option:

Height Adjustable Base Keypad *(if applicable)*:

UD Basic Up/Down
MEM Memory Preset
PDL Paddle

9th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


Example: **WKPMFY241620-BF.F.LM14EW.LSW1SW.APPR6.STD**


Approach™


Pedestals

For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.










Description	Troughless only Model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
Support Pedestal 28"H — Box / Box/File without a trough					
15"W x 24"D BBF*	**WK ⌴ SP281524-BBF**	1	**$ 1685**	**$ 25**	**$ 20**
15"W x 30"D BBF*	**WK ⌴ SP281530-BBF**	1	**$ 2023**	**$ 23**	**$ 23**
*15W Box drawers compatible with A2280-000 pencil tray.					
Support Pedestal 28"H — File / File without a trough					
15"W x 24"D FF	**WK ⌴ SP281524-FF**	1	**$ 1518**	**$ 19**	**$ 19**
15"W x 30"D FF	**WK ⌴ SP281530-FF**	1	**$ 1854**	**$ 22**	**$ 22**
24"H Support Pedestal — Hinged Door					
12"W x 18"D	**WKPL ⌴ N241218RH-HD**	1	**$ 1642**	**$ 45**	**$ 20**
12"W x 18"D	**WKPL ⌴ N241218LH-HD**	1	**$ 1642**	**$ 45**	**$ 20**
24"H Support Pedestal — Open Cubby					
12"W x 18"D	**WKPL ⌴ N241218-OC**	1	**$ 1349**	**$ 50**	**N/A**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.



Description	Model	List Price
Box Drawer Accessories		
Pencil Tray (Black only)	**A2280-000** S	**$ 52**

How to specify —
Select the Model Number from above.

WK _____ . _____ .

1st Option:
FSC Certified Wood:
F FSC Certified
X No FSC

_____ .

2nd Option:
Chassis Laminate and Predefined Edge:
See inside front cover for finishes.

_____ .

3rd Option:
Front Laminate and Predefined Edge:

_____ .

4th Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
AP Arch
BP Bar
SP Square
See matrix on page 20.

_____

5th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull
BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

_____ .

6th Option:
Foot Type *(if applicable)*:
PF Post Foot

Foot Color *(if applicable)*:
PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P F P _____ .

7th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


_____

Examples: **WKYSP281530-BBF.X.LM14EW.LSW1SW.APPR6.PFPJE.STD**
WKPLCDFN241218RH-HD.X.LSW1SW.LSW1SW.MPPJE.STD

Approach™

24"H Credenzas

For specification information see pages 732-735.





Description	Model	Locks	L1 Laminate List Price	UPCHARGES* Top	L2 Laminate Chassis	Front
24"H Credenza for Integrated HAT Leg Troughless and Non-Footed Available						
60"W x 18"D (shown)	**WKHATN246018**	1	**$ 5560**	**$ 101**	**$ 69**	**$ 28**
60"W x 24"D (shown)	**WKHATN246024**	1	**$ 5733**	**$ 103**	**$ 70**	**$ 30**
72"W x 18"D	**WKHATN247218**	1	**$ 5782**	**$ 104**	**$ 71**	**$ 30**
72"W x 24"D	**WKHATN247224**	1	**$ 5962**	**$ 110**	**$ 73**	**$ 30**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

*Compatible with 2-stage T-Leg A6 height adjustable tables. All height adjustable bases are purchased separately.

*Universal top finished on both sides makes models non-handed.





How to specify —

Select the Model Number from above.

W K H A T N 2 4 _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_ .

2nd Option:

Top Laminate and Predefined Edge *(if applicable)*:

See page 717 for finishes.

_ _ _ _ _ _ .

3rd Option:

Chassis Laminate and Predefined Edge *(if applicable)*:

See page 717 for finishes.

_ _ _ _ _ _ .

4th Option:

Front Laminate and Predefined Edge:

_ _ _ _ _ _ .

5th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_ _ .

6th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_ _ _ .

7th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_ _ _

Example: **WKHATN247218.X.LM14EW.LM14EW.LSW1SW.BPPR6.STD**

Approach™

24"H Credenzas

For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.

Description	Model	Lock	L1 Laminate List Price Non-Footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
24"H Credenzas — Multi File					
30"W x 18"D (shown)	**WKCS ␣ N243018-MF**	1	**$ 2823**	**$ 33**	**$ 33**
24"H Credenzas - Box/File			**Non-Footed Troughless**		
36"W x 18"D	**WKCS ␣ ␣ 243618-BF**	1	**$ 2518**	**$ 30**	**$ 30**
30"W x 18"D (shown)	**WKCS ␣ ␣ 243018-BF**	1	**$ 2453**	**$ 28**	**$ 28**
24"H Credenzas — Open with Adjustable Shelf					
36"W x 18"D	**WKCS ␣ ␣ 243618-OS**	—	**$ 1944**	**$ 23**	**N/A**
30"W x 18"D (shown)	**WKCS ␣ ␣ 243018-OS**	—	**$ 1896**	**$ 22**	**N/A**
24"H Credenzas —Hinged Doors with Adjustable Shelf					
36"W x 18"D	**WKCS ␣ ␣ 243618-HD**	1	**$ 2344**	**$ 26**	**$ 26**
30"W x 18"D (shown)	**WKCS ␣ ␣ 243018-HD**	1	**$ 2284**	**$ 26**	**$ 26**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WKCS ___ . ___ ___ ___ ___ ___ ___ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

___ .

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

___ ___ ___ ___ ___ ___ .

3rd Option:

Front Laminate and Predefined Edge:

___ ___ ___ ___ ___ ___ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

___ ___

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

AP Arch
- **PR0** Anodized Silver

P2 upcharge +$19/pull

BP Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

SP Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

___ ___ ___ .

6th Option:

Blade Foot: BF
Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122)
Color:
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

___ ___ ___ ___ ___ .

7th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


___ ___ ___


Example: **WKCSFY243618-BF.F.LM14EW.LSW1SW.APPR6.P27.STD**

Approach™

24"H Credenzas

For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.





Description	Model	Locks	L1 Laminate List Price Non-Footed Only	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
24"H Credenzas — Box/File / Hinged Door					
36"W x 18"D (shown)	**WKCD ␣ N243618-BFHD**	2	**$ 3093**	**$ 81**	**$ 35**
30"W x 18"D	**WKCD ␣ N243018-BFHD**	2	**$ 3020**	**$ 78**	**$ 34**
24"H Credenzas — Hinged Door / Box/File					
36"W x 18"D	**WKCD ␣ N243618-HDBF**	2	**$ 3093**	**$ 81**	**$ 35**
30"W x 18"D (shown)	**WKCD ␣ N243018-HDBF**	2	**$ 3020**	**$ 78**	**$ 34**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

W K C D _ _ _ - _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_ .

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

_ _ _ _ _ _ .

3rd Option:

Front Laminate and Predefined Edge:

_ _ _ _ _ _ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_ _

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_ _ _ .

6th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_ _ _

Example:

Approach™

24"H Credenzas

For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.

Description	Model	Locks	L1 Laminate List Price Non-Footed Only	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
24"H Credenzas — Open Shelf / Hinged Door					
36"W x 18"D (shown)	**WKCD ␣ N243618-OSHD**	1	**$ 2558**	**$ 66**	**30**
30"W x 18"D	**WKCD ␣ N243018-OSHD**	1	**$ 2486**	**$ 64**	**30**
24"H Credenzas — Hinged Door / Open Shelf					
36"W x 18"D	**WKCD ␣ N243618-HDOS**	1	**$ 2558**	**$ 66**	**30**
30"W x 18"D (shown)	**WKCD ␣ N243018-HDOS**	1	**$ 2486**	**$ 64**	**30**
24"H Credenzas — Box/File / Open Cubby					
36"W x 18"D (shown)	**WKCD ␣ N243618-BFOC**	1	**$ 2794**	**$ 71**	**32**
30"W x 18"D	**WKCD ␣ N243018-BFOC**	1	**$ 2727**	**$ 70**	**32**
24"H Credenzas — Open Cubby / Box/File					
36"W x 18"D	**WKCD ␣ N243618-OCBF**	1	**$ 2794**	**$ 71**	**32**
30"W x 18"D (shown)	**WKCD ␣ N243018-OCBF**	1	**$ 2727**	**$ 70**	**32**
24"H Credenzas — Open Shelf / Open Cubby					
36"W x 18"D (shown)	**WKCD ␣ N243618-OSOC**		**$ 2259**	**$ 84**	**N/A**
30"W x 18"D	**WKCD ␣ N243018-OSOC**		**$ 2193**	**$ 81**	**N/A**
24"H Credenzas — Open Cubby / Open Shelf					
36"W x 18"D	**WKCD ␣ N243618-OCOS**		**$ 2259**	**$ 84**	**N/A**
30"W x 18"D (shown)	**WKCD ␣ N243018-OCOS**		**$ 2193**	**$ 81**	**N/A**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WKCD _ _ _ _ - _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_ .

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

_ _ _ _ _ _ .

3rd Option:

Front Laminate and Predefined Edge:

_ _ _ _ _ _ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_ _

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

_ _ _ .

6th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


_ _ _

Example: **WKYSP281530-BBF.X.LM14EW.LSW1SW.APPR6.PFPJE.STD**


Approach™

24"H Credenzas


For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.




Description	Model	Locks	L1 Laminate List Price Non-footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
24"H Credenzas — Box/File / Open Shelf					
48"W x 18"D	**WKCUT ⌴ 244818-BFOS**	1	**$ 3870**	**$ 49**	**$ 49**
42"W x 18"D (shown)	**WKCUT ⌴ 244218-BFOS**	1	**$ 3794**	**$ 48**	**$ 48**



24"H Credenzas — Open Shelf / Box/File					
48"W x 18"D	**WKCUT ⌴ 244818-OSBF**	1	**$ 3870**	**$ 49**	**$ 49**
42"W x 18"D (shown)	**WKCUT ⌴ 244218-OSBF**	1	**$ 3794**	**$ 48**	**$ 48**



24"H Credenzas — Box/File / Box/File					
72"W x 18"D	**WKCU ⌴ ⌴ 247218-BFBF**	2	**$ 4482**	**$ 50**	**$ 50**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 246018-BFBF**	2	**$ 4328**	**$ 49**	**$ 49**



24"H Credenzas — Box/File / Open Shelf					
72"W x 18"D	**WKCU ⌴ ⌴ 247218-BFOS**	1	**$ 4306**	**$ 49**	**$ 49**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 246018-BFOS**	1	**$ 4154**	**$ 47**	**$ 47**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WKCU _____ . _____

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_____ .

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

_____ .

3rd Option:

Front Laminate and Predefined Edge:

_____ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_____

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

_____ .

6th Option:

Blade Foot: BF
Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122)
Color:
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

_____ .

7th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_____


Example: **WKCUFY246018-BFBF.F.LM14EW.LSW1SW.BPPR6.P27.OMT**

BACK


Approach™

24"H Credenzas


For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.



Description	Model	Locks	L1 Laminate List Price Non-footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
24"H Credenzas — Open Shelf / Box/File					
72"W x 18"D	**WKCU ␣ ␣ 247218-OSBF**	1	**$ 4306**	**$ 49**	**$ 49**
60"W x 18"D (shown)	**WKCU ␣ ␣ 246018-OSBF**	1	**$ 4154**	**$ 47**	**$ 47**




24"H Credenzas — Box/File / Hinged Doors					
72"W x 18"D	**WKCU ␣ ␣ 247218-BFHD**	2	**$ 4401**	**$ 50**	**$ 50**
60"W x 18"D (shown)	**WKCU ␣ ␣ 246018-BFHD**	2	**$ 4245**	**$ 48**	**$ 48**



24"H Credenzas — Hinged Doors / Box/File					
72"W x 18"D	**WKCU ␣ ␣ 247218-HDBF**	2	**$ 4401**	**$ 50**	**$ 50**
60"W x 18"D (shown)	**WKCU ␣ ␣ 246018-HDBF**	2	**$ 4245**	**$ 48**	**$ 48**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.



24"H Credenzas — Hinged Doors with Adjustable Shelves					
72"W x 18"D	**WKCU ␣ ␣ 247218-HDHD**		**$ 4299**	**$ 49**	**$ 49**
60"W x 18"D	**WKCU ␣ ␣ 246018-HDHD**		**$ 4188**	**$ 48**	**$ 48**

How to specify —

Select the Model Number from above.

WKCU ____ . ____

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

. ____

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

. ____

3rd Option:

Front Laminate and Predefined Edge:

. ____

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

____

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

. ____

6th Option:

Blade Foot: BF
Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122)
Color:
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

. ____

7th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


____


Example: **WKCUFY246018-OSBF.F.LM14EW.LSW1SW.BPPR6.P27.OMT**


Approach™


28"H Credenzas


For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.














Description	Model	Locks	L1 Laminate List Price Non-footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
28"H Credenzas — Multi File					
30"W x 18"D (shown)	**WKCS ⌴ ⌴ 283018-MF**	1	$ 2885	$ 33	$ 33
30"W x 24"D	**WKCS ⌴ ⌴ 283024-MF**	1	$ 2973	$ 34	$ 34
28"H Credenzas — Lateral File					
36"W x 18"D	**WKCS ⌴ ⌴ 283618-LF**	1	$ 2569	$ 30	$ 30
36"W x 24"D	**WKCS ⌴ ⌴ 283624-LF**	1	$ 2697	$ 31	$ 31
30"W x 18"D (shown)	**WKCS ⌴ ⌴ 283018-LF**	1	$ 2507	$ 30	$ 30
30"W x 24"D	**WKCS ⌴ ⌴ 283024-LF**	1	$ 2556	$ 30	$ 30
28"H Credenza — Box/Box/File *(footed only)*					
36"W x 18"D	**WKCS ⌴ Y283618-BBF #**	1	$ 3189	$ 35	$ 35
36"W x 24"D	**WKCS ⌴ Y283624-BBF #**	1	$ 3160	$ 36	$ 36
30"W x 18"D	**WKCS ⌴ Y283018-BBF #**	1	$ 2996	$ 34	$ 34
30"W x 24"D	**WKCS ⌴ Y283024-BBF #**	1	$ 3208	$ 35	$ 35
28"H Credenza — Open/Box/File					
36"W x 18"D	**WKCS ⌴ N283618-OSBF #**	1	$ 2898	$ 33	$ 33
36"W x 24"D	**WKCS ⌴ N283624-OSBF #**	1	$ 2990	$ 34	$ 34
30"W x 18"D	**WKCS ⌴ N283018-OSBF #**	1	$ 2827	$ 33	$ 33
30"W x 24"D	**WKCS ⌴ N283024-OSBF #**	1	$ 2917	$ 33	$ 33
28"H Credenzas — Open with Adjustable Shelf					
36"W x 18"D	**WKCS ⌴ ⌴ 283618-OS**	—	$ 1974	$ 23	N/A
36"W x 24"D	**WKCS ⌴ ⌴ 283624-OS**	—	$ 2020	$ 23	N/A
30"W x 18"D (shown)	**WKCS ⌴ ⌴ 283018-OS**	—	$ 1924	$ 23	N/A
30"W x 24"D	**WKCS ⌴ ⌴ 283024-OS**	—	$ 1969	$ 23	N/A
28"H Credenzas — Hinged Doors with Adjustable Shelf					
36"W x 18"D	**WKCS ⌴ ⌴ 283618-HD**	1	$ 2387	$ 28	$ 28
36"W x 24"D	**WKCS ⌴ ⌴ 283624-HD**	1	$ 2438	$ 28	$ 28
30"W x 18"D (shown)	**WKCS ⌴ ⌴ 283018-HD**	1	$ 2333	$ 26	$ 26
30"W x 24"D	**WKCS ⌴ ⌴ 283024-HD**	1	$ 2376	$ 28	$ 28

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
#Unit may require counterweight kits, see page 724.

How to specify —

Select the Model Number from above.

W K C S _ _ _ _ _ _ _ _ . _ . _ _ _ _ _ _ . _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

3rd Option:

Front Laminate and Predefined Edge:

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

6th Option:

Blade Foot: BF
Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122)
Color:
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

7th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

Example: **WKCSFY283018-LF.F.LM14EW.LSW1SW.APPR6.P27.STD**


Approach™

28"H Credenzas


For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.




Description	Model	Locks	L1 Laminate List Price Non-footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
28"H Credenzas — Lateral File Open Shelf					
48"W x 18"D	**WKCUT ⌴ 284818-LFOS**	1	**$ 3994**	**$ 50**	**$ 50**
48"W x 24"D	**WKCUT ⌴ 284824-LFOS**	1	**$ 4114**	**$ 51**	**$ 51**
42"W x 18"D (shown)	**WKCUT ⌴ 284218-LFOS**	1	**$ 3876**	**$ 49**	**$ 49**
42"W x 24"D	**WKCUT ⌴ 284224-LFOS**	1	**$ 4004**	**$ 50**	**$ 50**



28"H Credenzas — Open Shelf Lateral File					
48"W x 18"D	**WKCUT ⌴ 284818-OSLF**	1	**$ 3994**	**$ 50**	**$ 50**
48"W x 24"D	**WKCUT ⌴ 284824-OSLF**	1	**$ 4114**	**$ 51**	**$ 51**
42"W x 18"D (shown)	**WKCUT ⌴ 284218-OSLF**	1	**$ 3876**	**$ 49**	**$ 49**
42"W x 24"D	**WKCUT ⌴ 284224-OSLF**	1	**$ 4004**	**$ 50**	**$ 50**



28"H Credenzas — Lateral File Lateral File					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-LFLF**	2	**$ 4699**	**$ 52**	**$ 52**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-LFLF**	2	**$ 4775**	**$ 54**	**$ 54**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-LFLF**	2	**$ 4595**	**$ 51**	**$ 51**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-LFLF**	2	**$ 4669**	**$ 52**	**$ 52**



28"H Credenzas — Lateral File Open Shelf					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-LFOS**	1	**$ 4498**	**$ 51**	**$ 51**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-LFOS**	1	**$ 4614**	**$ 52**	**$ 52**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-LFOS**	1	**$ 4336**	**$ 49**	**$ 49**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-LFOS**	1	**$ 4449**	**$ 50**	**$ 50**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

W K C U _ _ _ _ _ _ _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_ .

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

_ _ _ _ _ _ .

3rd Option:

Front Laminate and Predefined Edge:

_ _ _ _ _ _ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_ _

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_ _ _ .

6th Option:

Blade Foot: BF
Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122)
Color:
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

_ _ _ _ _ .

7th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


_ _ _

Example: **WKCUFY286018-LFLF.F.LM14EW.LSW1SW.APPR6.P27.STD**


Approach™

28"H Credenzas


For specification information see pages 732-735.
First, select Trough (F) or Troughless (T). If trough, add $100 from listed price.
Next, select Footed (Y) or Non-footed (N). If footed, add $100 from listed price.




Description	Model	Locks	L1 Laminate List Price Non-footed Troughless	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
28"H Credenzas — Open Shelf Lateral File					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-OSLF**	1	**$ 4498**	**$ 51**	**$ 51**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-OSLF**	1	**$ 4614**	**$ 52**	**$ 52**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-OSLF**	1	**$ 4336**	**$ 49**	**$ 49**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-OSLF**	1	**$ 4449**	**$ 50**	**$ 50**



28"H Credenzas — Lateral File Hinged Door					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-LFHD**	2	**$ 4650**	**$ 52**	**$ 52**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-LFHD**	2	**$ 4768**	**$ 54**	**$ 54**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-LFHD**	2	**$ 4485**	**$ 50**	**$ 50**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-LFHD**	2	**$ 4600**	**$ 51**	**$ 51**



28"H Credenzas — Hinged Door Lateral File					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-HDLF**	2	**$ 4650**	**$ 52**	**$ 52**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-HDLF**	2	**$ 4768**	**$ 54**	**$ 54**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-HDLF**	2	**$ 4485**	**$ 50**	**$ 50**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-HDLF**	2	**$ 4600**	**$ 51**	**$ 51**



28"H Credenzas — Hinged Door					
72"W x 18"D	**WKCU ⌴ ⌴ 287218-HDHD**	2	**$ 4430**	**$ 50**	**$ 50**
72"W x 24"D	**WKCU ⌴ ⌴ 287224-HDHD**	2	**$ 4498**	**$ 51**	**$ 51**
60"W x 18"D (shown)	**WKCU ⌴ ⌴ 286018-HDHD**	2	**$ 4330**	**$ 49**	**$ 49**
60"W x 24"D	**WKCU ⌴ ⌴ 286024-HDHD**	2	**$ 4401**	**$ 50**	**$ 50**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WKCU _ _ _ _ . _ . _ _ _ _ _ _ . _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Chassis Laminate and Predefined Edge:

See page 717 for finishes.

3rd Option:

Front Laminate and Predefined Edge:

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

6th Option:

Blade Foot: BF Color:
PJW Designer White
P27 Black
PR6 Silver

Post Foot: PF (+$122) **Color:**
PJW Designer White
P02 Flint
P7B Loft
PR6 Silver
PJE Pyrite (+$15)
P8X Solar Black (+$15)

7th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

Example: **WKCUFY286018-OSLF.F.LM14EW.LSW1SW.APPR6.P27.STD**


Approach™

Credenza and Ped Tops and Cushions for Trough Units

For specification information see pages 732-735.




Description	Model	List Price L1	List Price L2
18"D Laminate Tops for use with Trough (Actual 15⅜"D)			
18"W	**WKWSPT1818**	$ 401	$ 419
30"W	**WKWSCW3018**	$ 520	$ 541
36"W	**WKWSCW3618**	$ 559	$ 581
42"W	**WKWSCW4218**	$ 595	$ 618
48"W	**WKWSCW4818**	$ 639	$ 664
54"W	**WKWSCW5418**	$ 688	$ 714
60"W	**WKWSCW6018**	$ 756	$ 786
66"W	**WKWSCW6618**	$ 783	$ 813
72"W	**WKWSCW7218**	$ 829	$ 861
78"W	**WKWSCW7818**	$ 900	$ 933
84"W	**WKWSCW8418**	$ 980	$ 1016
90"W	**WKWSCW9018**	$ 1054	$ 1094
96"W	**WKWSCW9618**	$ 1135	$ 1177
24"D Laminate Tops for use with Trough (Actual 21⅜"D)			
18"W	**WKWSPT1824**	$ 420	$ 439
30"W	**WKWSCW3024**	$ 552	$ 574
36"W	**WKWSCW3624**	$ 592	$ 615
42"W	**WKWSCW4224**	$ 632	$ 656
48"W	**WKWSCW4824**	$ 678	$ 704
54"W	**WKWSCW5424**	$ 733	$ 761
60"W	**WKWSCW6024**	$ 797	$ 828
66"W	**WKWSCW6624**	$ 829	$ 861
72"W	**WKWSCW7224**	$ 878	$ 911
78"W	**WKWSCW7824**	$ 951	$ 986
84"W	**WKWSCW8424**	$ 1039	$ 1077
90"W	**WKWSCW9024**	$ 1118	$ 1159
96"W	**WKWSCW9624**	$ 1201	$ 1246





Flat Edge



Description	Model	List Price by Upholstery Grade 1	2	3	4	5	6	7	8
Seat Cushions — Specify Seating Upholstery (Credenza models are for use with trough, actual 15"D)									
30"W x 18"D Credenza	**WKFC3018**	$ 463	$ 505	$ 545	$ 584	$ 637	$ 691	$ 743	$ 797
36"W x 18"D Credenza	**WKFC3618**	$ 511	$ 561	$ 609	$ 656	$ 719	$ 785	$ 849	$ 912
16"W x 20"D Mobile Pedestal	**WKFC1620**	$ 380	$ 405	$ 430	$ 454	$ 484	$ 518	$ 549	$ 581

* Any unsupported span greater than 72" requires a floor support.


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*: **F** FSC Certified **X** No FSC	**Top Laminate and Predefined Edge** *(if applicable)*: See page 717 for finishes.	**Upholstery** *(if applicable)*: Specify Seating Upholstery
WK _____ . ___ .		_____	_____

Examples: **WKWSCW3018.F.LM14EW** **WKWSCW3024.X.LM14EW** **WKFC1620.APN911**


Approach™

Credenza and Ped Tops & Cushions


For specification information see pages 732-735.



Description	Model	List Price L1	List Price L2
18"D Laminate Full Depth Tops for use without Trough			
18"W	**WKWSCWFD1818**	$ 426	$ 444
30"W	**WKWSCWFD3018**	$ 552	$ 574
36"W (shown)	**WKWSCWFD3618**	$ 595	$ 618
42"W	**WKWSCWFD4218**	$ 635	$ 659
48"W	**WKWSCWFD4818**	$ 683	$ 708
54"W	**WKWSCWFD5418**	$ 728	$ 756
60"W	**WKWSCWFD6018**	$ 804	$ 835
66"W	**WKWSCWFD6618**	$ 835	$ 867
72"W	**WKWSCWFD7218**	$ 881	$ 914
78"W	**WKWSCWFD7818**	$ 956	$ 991
84"W	**WKWSCWFD8418**	$ 1046	$ 1086
90"W	**WKWSCWFD9018**	$ 1123	$ 1165
96"W	**WKWSCWFD9618**	$ 1210	$ 1256



Description	Model	List Price L1	List Price L2
24"D Laminate Tops for use without Trough			
18"W	**WKWSCWFD1824**	$ 447	$ 465
30"W	**WKWSCWFD3024**	$ 571	$ 593
36"W (shown)	**WKWSCWFD3624**	$ 618	$ 641
42"W	**WKWSCWFD4224**	$ 658	$ 683
48"W	**WKWSCWFD4824**	$ 707	$ 733
54"W	**WKWSCWFD5424**	$ 760	$ 790
60"W	**WKWSCWFD6024**	$ 832	$ 864
66"W	**WKWSCWFD6624**	$ 864	$ 897
72"W	**WKWSCWFD7224**	$ 914	$ 948
78"W	**WKWSCWFD7824**	$ 988	$ 1024
84"W	**WKWSCWFD8424**	$ 1081	$ 1122
90"W	**WKWSCWFD9024**	$ 1162	$ 1206
96"W	**WKWSCWFD9624**	$ 1252	$ 1299



Description	Model	List Price by Upholstery Grade 1	2	3	4	5	6	7	8
Credenza/Lateral Cushion — Specify Seating Upholstery									
30"W x 24"D Credenza	**WKFC3024**	$ 606	$ 631	$ 656	$ 680	$ 710	$ 744	$ 776	$ 807
36"W x 24"D Credenza	**WKFC3624**	$ 727	$ 758	$ 787	$ 816	$ 854	$ 893	$ 930	$ 968

* Any unsupported span greater than 72" requires a floor support.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*:	**Top Laminate and Predefined Edge** *(if applicable)*:	**Grommet Location** *(if applicable)*:	**Upholstery** *(if applicable)*:
	F FSC Certified **X** No FSC	See page 717 for finishes.	See page 730. **B** Both Left and Right **C** Centered **L** Left **R** Right **X** No Grommet **Grommet Type** *(if applicable)*: **P** Oval Plastic (will match edge trim) **M** Oval Metal (+ $15 per grommet) **S** Square Metal (+ $15 per grommet) **Grommet Color** (Metal only) *(if applicable)*: **EL** Matte Silver	See page 717 for finishes.
W K W S C W . . .				

Examples: **WKWSCW3018.F.LM14EW** **WKWSCW3024.X.LM14EW** **WKFC1620.APN911**

Approach™

Storage Back Panels

For specification information see pages 736-737.







Description	Model	Laminate List Price L1	Laminate List Price L2
Back Panel 28"H			
18"W for Pedestals	**WKBP2818**	$ 314	$ 329
30"W for Credenza	**WKBP2830**	$ 369	$ 387
36"W for Credenza (shown)	**WKBP2836**	$ 431	$ 450
60"W for Credenza	**WKBP2860**	$ 599	$ 623
72"W for Credenza	**WKBP2872**	$ 699	$ 725
Back Panel 24"H			
18"W for Pedestals	**WKBP2418**	$ 306	$ 321
30"W for Credenza	**WKBP2430**	$ 360	$ 377
36"W for Credenza (shown)	**WKBP2436**	$ 404	$ 423
60"W for Credenza	**WKBP2460**	$ 583	$ 606
72"W for Credenza	**WKBP2472**	$ 679	$ 705
Back Panel 20"H			
18"W for Pedestals	**WKBP2018**	$ 299	$ 314
30"W for Credenza	**WKBP2030**	$ 351	$ 368
36"W for Credenza (shown)	**WKBP2036**	$ 395	$ 413
60"W for Credenza	**WKBP2060**	$ 567	$ 590
72"W for Credenza	**WKBP2072**	$ 666	$ 692


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Chassis Laminate and Predefined Edge** *(if applicable)*: See page 717 for finishes.	**End Cap Paint Color:** **P27** Black **PJW** Designer White **PR6** Silver
WK _____ . ___ .		_____ .	___

Example: **WKBP2818.X.LM16E9.P02**


Approach™

Lateral Files

For specification information see pages 737-741.







Description	Model	Locks	L1 Laminate List Price	UPCHARGES* Top	L2 Laminate Chassis	Front
29½"H Two Drawer Lateral File with Finished Back						
30"W x 18⅛"D (shown)	**WKLFFN2H3018**	1	**$ 2507**	**$ 28**	**$ 60**	**$ 28**
30"W x 24⅛"D	**WKLFFN2H3024**	1	**$ 2576**	**$ 30**	**$ 61**	**$ 30**
36"W x 18⅛"D	**WKLFFN2H3618**	1	**$ 2546**	**$ 28**	**$ 61**	**$ 28**
36"W x 24⅛"D	**WKLFFN2H3624**	1	**$ 2645**	**$ 31**	**$ 63**	**$ 30**
42¼"H Three Drawer Lateral File						
30"W x 18⅛"D (shown)	**WKLFFN3H3018**	1	**$ 4521**	**N/A**	**$ 110**	**$ 49**
30"W x 24⅛"D	**WKLFFN3H3024**	1	**$ 4657**	**N/A**	**$ 115**	**$ 50**
36"W x 18⅛"D	**WKLFFN3H3618**	1	**$ 4662**	**N/A**	**$ 115**	**$ 50**
36"W x 24⅛"D	**WKLFFN3H3624**	1	**$ 4801**	**N/A**	**$ 117**	**$ 51**
56⅝"H Four Drawer Lateral File						
30"W x 18⅛"D (shown)	**WKLFFN4H3018**	1	**$ 4976**	**N/A**	**$ 121**	**$ 55**
30"W x 24⅛"D	**WKLFFN4H3024**	1	**$ 5117**	**N/A**	**$ 126**	**$ 57**
36"W x 18⅛"D	**WKLFFN4H3618**	1	**$ 5381**	**N/A**	**$ 130**	**$ 58**
36"W x 24⅛"D	**WKLFFN4H3624**	1	**$ 5540**	**N/A**	**$ 134**	**$ 59**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
#Unit may require counterweight kits see pages 724-725.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Top Laminate and Predefined Edge** *(if applicable)*:	*3rd Option:* **Chassis Laminate and Predefined Edge:**	*4th Option:* **Front Laminate and Predefined Edge:**
WK _ _ _ _ _ _ _ _ .	_ .	_ _ _ _ _ _ .	_ _ _ _ _ _ .	_ _ _ _ _ _ .
	F FSC Certified **X** No FSC			


5th Option: **Pull Type** *(if applicable)*:	*6th Option:* **Pull Color** *(if applicable)*:	*7th Option:* **Lock** *(if applicable)*:
_ _	_ _ _ .	_ _
MP Beam **OP** Halo **AP** Arch **BP** Bar **SP** Square See matrix on page 20.	**MP** Beam / **OP** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver P2 upcharge +$19/pull **BP** Bar **P27** Black **PJW** Designer White **PR6** Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	**STD** Standard **OMT** Omit Lock Core (Deduct $20)

Example: **WKLFFN2H3018.F.LM14EW.LM14EW.LSW1SW.APPR6.STD**

Approach™

Bookcases

For specification information see pages 737-741.



Description	Model	L1 Laminate List Price	UPCHARGES* Top	L2 Laminate Chassis	Front
29½"H Bookcase with 1 Adjustable Shelf and Top Fin Back					
30"W x 14¼"D (shown)	**WKBKFN2H3015**	**$ 1536**	**$ 20**	**$ 55**	**N/A**
42¼"H Bookcase with 2 Adjustable Shelves					
30"W x 14¼"D (shown)	**WKBKFN3H3015**	**$ 1793**	**N/A**	**$ 63**	**N/A**
56⅝"H Bookcase with 1 Fixed and 2 Adjustable Shelves					
30"W x 14¼"D (shown)	**WKBKFN4H3015**	**$ 2054**	**N/A**	**$ 71**	**N/A**
71⅝"H Bookcase with 1 Fixed and 3 Adjustable Shelves					
30"W x 14¼"D (shown)	**WKBKFN5H3015**	**$ 2274**	**N/A**	**$ 81**	**N/A**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.


How to specify — Select the Model Number from above.	*1st Option:* FSC Certified Wood: F FSC Certified X No FSC	*2nd Option:* Laminate and Predefined Edge:
WK _ _ _ _ _ _ _ .	_ .	_ _ _ _ _


Example: **WKLFFN2H3018.X.LM14EW**

Approach™


False Peds / Wall Access Panels / Bridges

For specification information see pages 732-735.






Description	Model		L1 Laminate List Price	UPCHARGES* L2 Laminate Top	L2 Laminate Chassis	L2 Laminate Front
False Ped 28"H						
12"W x 14"D Left-hand	**WKFPFN281214LH**		**$ 1058**	**N/A**	**$ 41**	**N/A**
12"W x 14"D Right-hand	**WKFPFN281214RH**		**$ 1058**	**N/A**	**$ 41**	**N/A**
12"W x 18"D Left-hand (shown)	**WKFPFN281218LH**		**$ 1079**	**N/A**	**$ 41**	**N/A**
12"W x 18"D Right-hand	**WKFPFN281218RH**		**$ 1079**	**N/A**	**$ 41**	**N/A**
12"W x 24"D Left-hand	**WKFPFN281224LH**		**$ 1101**	**N/A**	**$ 41**	**N/A**
12"W x 24"D Right-hand (shown)	**WKFPFN281224RH**		**$ 1101**	**N/A**	**$ 41**	**N/A**
28"H Support Slim Pedestal — File / File with Back Panel						
9½"W x 24"D	**WKPSFN28924-FF**	1	**$ 1876**	**N/A**	**$ 47**	**$ 22**
9½"W x 30"D	**WKPSFN28930-FF**	1	**$ 1919**	**N/A**	**$ 49**	**$ 23**
Wall Access Panel 28"H						
18"W Full Height	**WKHP2818**		**$ 1090**	**N/A**	**$ 41**	**N/A**
24"W Full Height	**WKHP2824**		**$ 1126**	**N/A**	**$ 42**	**N/A**
30"W Full Height	**WKHP2830**		**$ 1189**	**N/A**	**$ 45**	**N/A**
36"W Full Height (shown)	**WKHP2836**		**$ 1218**	**N/A**	**$ 46**	**N/A**
42"W Full Height	**WKHP2842**		**$ 1259**	**N/A**	**$ 47**	**N/A**
48"W Full Height	**WKHP2848**		**$ 1311**	**N/A**	**$ 48**	**N/A**
Bridge 24"D with 14"H Half-Height Modesty Panel						
42"W	**WKAUBG4224**		**$ 1337**	**N/A**	**$ 50**	**$ 50**
48"W	**WKAUBG4824**		**$ 1389**	**N/A**	**$ 54**	**$ 54**



Approach™

Table Tops

For specification information see page 736.



Description	Model	List Price L1	List Price L2
Round Laminate Table Tops with Flat Edge			
36" Diameter	**WKTTRD36**	**$ 1034**	**$ 1074**
42" Diameter	**WKTTRD42**	**$ 1245**	**$ 1291**
48" Diameter	**WKTTRD48**	**$ 1381**	**$ 1431**

Note: Reference table base specifications in the Seating & Tables price list for applicable models and size limitations.

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*: **F** FSC Certified **X** No FSC	**Top Laminate and Predefined Edge** *(if applicable)*: See page 717 for finishes.


W K T T _ _ _ _ . _ _ . _ _ _ _ _ _

Example: **WKTTRD36.F.LM14EW**

Approach™

Laminate Worksurfaces

For specification information see page 736. Grommet location information on page 730.





Flat Edge

Description	Model	List Price L1	List Price L2
Double Sightline Laminate Worksurfaces (non-handed and no grommet option)			
60"W x 36"D - 24"D	**WKWSDS6024**	**$ 1462**	**$ 1514**
66"W x 36"D - 24"D	**WKWSDS6624**	**$ 1591**	**$ 1639**
72"W x 36"D - 24"D	**WKWSDS7224**	**$ 1729**	**$ 1790**
60"W x 42"D - 30"D	**WKWSDS6030**	**$ 1551**	**$ 1606**
66"W x 42"D - 30"D	**WKWSDS6630**	**$ 1685**	**$ 1735**
72"W x 42"D - 30"D	**WKWSDS7230**	**$ 1829**	**$ 1893**


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Top Laminate and Predefined Edge:** See page 717 for finishes.
WKWS _____ . __ .		_____

Example: **WKWSDS7230.X.LM14EW**


Approach™

Laminate Worksurfaces

For specification information see page 736. Grommet location information on page 730.




Description	Model	List Price L1	List Price L2
24"D Laminate Worksurfaces with Grommets			
30"W*	**WKWSRS3024**	$ 600	$ 623
36"W*	**WKWSRS3624**	$ 620	$ 644
42"W	**WKWSRS4224**	$ 688	$ 713
48"W	**WKWSRS4824**	$ 711	$ 739
54"W	**WKWSRS5424**	$ 763	$ 793
60"W	**WKWSRS6024**	$ 837	$ 869
66"W	**WKWSRS6624**	$ 870	$ 903
72"W	**WKWSRS7224**	$ 920	$ 954
78"W	**WKWSRS7824**	$ 996	$ 1034
84"W	**WKWSRS8424**	$ 1090	$ 1131
90"W	**WKWSRS9024**	$ 1172	$ 1216
96"W	**WKWSRS9624**	$ 1312	$ 1359





Flat Edge

30"D Laminate Worksurfaces with Grommets			
30"W*	**WKWSRS3030**	$ 624	$ 649
36"W*	**WKWSRS3630**	$ 707	$ 733
42"W	**WKWSRS4230**	$ 746	$ 776
48"W	**WKWSRS4830**	$ 838	$ 869
54"W	**WKWSRS5430**	$ 865	$ 898
60"W	**WKWSRS6030**	$ 920	$ 954
66"W	**WKWSRS6630**	$ 993	$ 1029
72"W	**WKWSRS7230**	$ 1060	$ 1100
78"W	**WKWSRS7830**	$ 1146	$ 1190
84"W	**WKWSRS8430**	$ 1242	$ 1288
90"W	**WKWSRS9030**	$ 1331	$ 1380
96"W	**WKWSRS9630**	$ 1386	$ 1436



36"D Laminate Worksurfaces with Grommets			
72"W	**WKWSRS7236**	$ 1414	$ 1463
78"W	**WKWSRS7836**	$ 1467	$ 1519
84"W	**WKWSRS8436**	$ 1595	$ 1653

* Grommet location on 30"W and 36"W worksurfaces is limited to C Center position.

* Any unsupported span greater than 72" requires a floor support.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Top Laminate and Predefined Edge:**	*3rd Option:* **Grommet Location** *(if applicable)*:	*4th Option:* **Grommet Type** *(if applicable)*:	*5th Option:* **Grommet Color (Metal only)** *(if applicable)*:
	F FSC Certified **X** No FSC	See page 717 for finishes.	*See page 730.* **B** Both Left and Right **C** Centered **L** Left **R** Right **X** No Grommet	**P** Oval Plastic (will match edge trim) **M** Oval Metal (Add $15 per grommet) **S** Square Metal (Add $15 per grommet)	**EL** Matte Silver
WKWS _____ . __ .		_____	__ .	__	**EL**

Example: **WKWSRS3024.F.LM14EW.C.MEL**


Approach™

Worksurface Supports


For specification information see pages 736-737.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Support Column				
29"H	**WKAUCB29**	**$ 1324**	**$ 1324**	**$ 1324**



O-Leg — 29"H (non-handed, painted metal)				
24"D	**WKTBTL2824**	**$ 784**	**$ 815**	**$ 841**
30"D	**WKTBTL2830**	**$ 851**	**$ 884**	**$ 911**



Splay Leg (sold in pairs, 2 legs per model)				
Approach Splay Legs – Wood	**WKSPLYWD**	**$ 1349**	**$ 1359**	**$ 1369**
Approach Splay Legs – Metal	**WKSPLYMT**	**$ 1013**	**$ 1023**	**$ 1033**

*Natural wood has inherent variations in color, grain, and texture Allsteel does not guarantee the exact matching of grain, pattern and color.

**Model includes a pair of legs with shroud included.

How to specify —

Select the Model Number from above.

_____ .

1st Option:

Wood Toned Wood Legs *(if applicable)*:

LL302 Natural Oak Wood
LL500 Natural Walnut Wood

_____ .

2nd Option:

Shroud Paint:

P1 P2 P3

See page 717 for finishes.

P2 paint upcharge $10 (except PR6)
P3 paint upcharge $20

_____ .

3rd Option:

Metal Leg *(if applicable)*:

P1 P2 P3

See page 717 for finishes.

P2 paint upcharge $17
P3 paint upcharge $38

_____

Example: **WKTBTL2824.PJW**


Approach™

Worksurface Supports

For specification information see pages 736-737.




Description	Model	List Price
Worksurface Stanchions (non-handed; P02 Flint only, not specified)		
3"H x 12"D	**WKST312**	**$ 401**
3"H x 18"D	**WKST318**	**$ 445**
4"H x 12"DZ6PL40H	**WKST412**	**$ 424**
4"H x 18"D	**WKST418**	**$ 462**



For use with open, non-supported tops

External Worksurface Support Channel (no color option for stiffener) — 1½"H		
30"W for use on 42"W Worksurface	**Z5SC42**	**$ 93**
36"W for use on 48"W Worksurface	**Z5SC48**	**$ 96**
42"W for use on 54"W Worksurface	**Z5SC54**	**$ 111**
48"W for use on 60"W Worksurface	**Z5SC60**	**$ 119**
54"W for use on 66"W Worksurface	**Z5SC66**	**$ 138**
60"W for use on 72"W Worksurface	**Z5SC72**	**$ 148**
66"W for use on 78"W Worksurface	**Z5SC78**	**$ 162**
72"W for use on 84"W Worksurface	**Z5SC84**	**$ 177**

Note: Width of support channel may need to be reduced to accommodate width of storage.



Cantilever Worksurface Support		
15"W	**ACAP-WCB15**	**$ 253**
20"W	**ACAP-WCB20**	**$ 271**

How to specify —


Select the Model Number from above.

Examples: **WKST312** **Z5SC42**

Approach™


Modesty Panels — Laminate

For specification information see pages 736-737.




Description	Model	List Price L1	List Price L2
End Panel Supports — 28"H			
14"D Left-Hand	**WKEP2814LH**	**$ 624**	**$ 649**
14"D Right-Hand	**WKEP2814RH**	**$ 624**	**$ 649**
24"D Left-Hand	**WKEP2824LH**	**$ 655**	**$ 680**
24"D Right-Hand	**WKEP2824RH**	**$ 655**	**$ 680**
30"D Left-Hand	**WKEP2830LH**	**$ 721**	**$ 749**
30"D Right-Hand	**WKEP2830RH**	**$ 721**	**$ 749**
36"D Left-Hand	**WKEP2836LH**	**$ 838**	**$ 870**
36"D Right-Hand	**WKEP2836RH**	**$ 838**	**$ 870**


Note: Must order handed half modesty or full modesty panel. See below.



Description	Model	List Price L1	List Price L2
28"H Full-Height Laminate Modesty Panels (non-handed)			
nominal height 27.861"			
48" W	**WKMP2848**	**$ 973**	**$ 1009**
54" W	**WKMP2854**	**$ 1092**	**$ 1134**
60" W (shown)	**WKMP2860**	**$ 1212**	**$ 1258**
66" W	**WKMP2866**	**$ 1336**	**$ 1386**
72" W	**WKMP2872**	**$ 1455**	**$ 1510**



Description	MODEL – Handed Models: Add "L" for Left-hand model Add "R" for Right-hand model	List Price L1	List Price L2
14"H Half-Height Laminate Modesty Panels (non-handed)			
30"W*	**WKMP1430**	**$ 419**	**$ 438**
36"W*	**WKMP1436**	**$ 472**	**$ 492**
42"W	**WKMP1442**	**$ 530**	**$ 552**
48"W	**WKMP1448**	**$ 598**	**$ 622**
54"W	**WKMP1454**	**$ 649**	**$ 674**
60"W	**WKMP1460**	**$ 678**	**$ 704**
66"W	**WKMP1466**	**$ 709**	**$ 737**
72"W	**WKMP1472**	**$ 742**	**$ 772**
14"H Half-Height Laminate Modesty Panels (handed)			
36"W*	**WKMP1436 ␣ H**	**$ 486**	**$ 507**
42"W	**WKMP1442 ␣ H**	**$ 545**	**$ 567**
48"W	**WKMP1448 ␣ H**	**$ 612**	**$ 636**
54"W	**WKMP1454 ␣ H**	**$ 667**	**$ 693**
60"W	**WKMP1460 ␣ H**	**$ 698**	**$ 726**
66"W	**WKMP1466 ␣ H**	**$ 731**	**$ 759**
72"W	**WKMP1472 ␣ H**	**$ 762**	**$ 792**



Handed models are designed for use with laminate end panel supports, see above.

Example of left-hand model shown: **WKMP1448LH**


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*: **F** FSC Certified **X** No FSC	**Top Laminate and Predefined Edge** *(if applicable)*:
WK _____ . ___ .		_____


Examples: **WKMP1430.F.LM14EW** **WKMP1436LH.X.LM14EW**

Approach™


Pullout Tower


For specification information see pages 738-741.


Right


Left

Side View





Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* Front
12"W Pullout Tower					
42½"H x 24"D – Left	**WKPT421224LH**	1	**$ 3598**	**$ 41**	**$ 41**
42½"H x 24"D – Right (shown)	**WKPT421224RH**	1	**$ 3598**	**$ 41**	**$ 41**
42½"H x 30"D – Left	**WKPT421230LH**	1	**$ 4026**	**$ 46**	**$ 46**
42½"H x 30"D – Right	**WKPT421230RH**	1	**$ 4026**	**$ 46**	**$ 46**
50"H x 24"D – Left	**WKPT501224LH**	1	**$ 4283**	**$ 48**	**$ 48**
50"H x 24"D – Right (shown)	**WKPT501224RH**	1	**$ 4283**	**$ 48**	**$ 48**
50"H x 30"D – Left (shown)	**WKPT501230LH**	1	**$ 4796**	**$ 52**	**$ 52**
50"H x 30"D – Right	**WKPT501230RH**	1	**$ 4796**	**$ 52**	**$ 52**

Radii Small Tray for 10"W model available in Designer White (.DW) See page 964.

1½"H x 8½"W x 14⅞"D	**AEST**	**$ 69**

How to specify —

Select the Model Number from above.

WKPT _ _ _ _ _ _ . _ . _ _ _ _ _ _ . _ _ _ _ _ _ . _ _ _ _ _ _ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Chassis Laminate and Predefined Edge:

3rd Option:

Front Laminate and Predefined Edge:

4th Option:

Drawer Laminate and Predefined Edge *(if applicable)*:

LM11 Loft
LM16 Flint
LDW1 Designer White

5th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

6th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

AP Arch
- **PR0** Anodized Silver

P2 upcharge +$19/pull

BP Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

SP Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

7th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


Examples: **WKPT501224RH. X.LM14EW.LM14EW.LSW1SW.BPPJW.STD AEST.DW**

Approach™

18"W Towers Combination

For specification information see pages 738-741.
First, select Post foot (Y) or Non-footed (N), if footed add $100 to listed price.
Next, select Left (L) or Right (R) before configuration of tower.





Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
50"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ␣ T501818 ␣ BBF	1	$ 3961	$ 46	$ 46
18"D Combination Tower L/R Door/File/File (shown)	WK ␣ T501818 ␣ FF	1	$ 3876	$ 45	$ 45
24"D Combination Tower L/R Door/File/File	WK ␣ T501824 ␣ FF	1	$ 4130	$ 47	$ 47
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ T501824 ␣ BBF	1	$ 4299	$ 49	$ 49
57½"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ␣ T571818 ␣ BBF	1	$ 4214	$ 48	$ 48
18"D Combination Tower L/R Door/File/File	WK ␣ T571818 ␣ FF	1	$ 4046	$ 46	$ 46
24"D Combination Tower L/R Door/File/File	WK ␣ T571824 ␣ FF	1	$ 4299	$ 49	$ 49
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ T571824 ␣ BBF	1	$ 4468	$ 50	$ 50
65"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ␣ T651818 ␣ BBF	1	$ 4552	$ 51	$ 51
18"D Combination Tower L/R Door/File/File	WK ␣ T651818 ␣ FF	1	$ 4384	$ 49	$ 49
24"D Combination Tower L/R Door/File/File (shown)	WK ␣ T651824 ␣ FF	1	$ 4637	$ 52	$ 52
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ T651824 ␣ BBF	1	$ 4804	$ 54	$ 54
72"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ␣ T721818 ␣ BBF	1	$ 4890	$ 55	$ 55
18"D Combination Tower L/R Door/File/File	WK ␣ T721818 ␣ FF	1	$ 4890	$ 55	$ 55
24"D Combination Tower L/R Door/File/File	WK ␣ T721824 ␣ FF	1	$ 5140	$ 58	$ 58
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ T721824 ␣ BBF	1	$ 5140	$ 58	$ 58

All units ship with hardware to gang as individual models must be connected to an adjacent unit.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —
Select the Model Number from above.

WK T _ _ _ _ _ _ _ . _ .

1st Option:
FSC Certified Wood:
- **F** FSC Certified
- **X** No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

_ _ _ _ _ _ _ .

3rd Option:
Front Laminate and Predefined Edge:

_ _ _ _ _ _ _ .

4th Option:
Pull Type *(if applicable)*:
- **MP** Beam
- **OP** Halo
- **AP** Arch
- **BP** Bar
- **SP** Square

See matrix on page 20.

_ _ _ _ _ .

5th Option:
Pull Color *(if applicable)*:
- **MP** Beam / **OP** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **BP** Bar
  - **P27** Black
  - **PJW** Designer White
  - **PR6** Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

6th Option:
Foot Type *(if applicable)*:
- **PF** Post Foot

Foot Color *(if applicable)*:
- **PJW** Designer White
- **PR6** Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite (+$15)
- **P8X** Solar Black (+$15)

P F P _ _ _ .

7th Option:
Lock *(if applicable)*:
- **STD** Standard
- **OMT** Omit Lock Core (Deduct $20 per lock)


_ _ _


Example: **WKYT651818RBBF.X.LM14EW.LM14EW.BPPJW.PFPJW.STD**

Approach™

18"W Side Access Towers

For specification information see pages 738-741.
First, select Post foot (Y) or Non-footed (N), if footed add $100 to listed price.
Next, select Left (L) or Right (R) before configuration of tower.





Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
50"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ⌴ ST501818 ⌴ BBF	1	$ 3961	$ 46	$ 46
18"D Combination Tower L/R Door/File/File	WK ⌴ ST501818 ⌴ FF	1	$ 3876	$ 45	$ 45
24"D Combination Tower L/R Door/File/File (shown)	WK ⌴ ST501824 ⌴ FF	1	$ 4130	$ 47	$ 47
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST501824 ⌴ BBF	1	$ 4299	$ 49	$ 49
57½"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST571818 ⌴ BBF	1	$ 4214	$ 48	$ 48
18"D Combination Tower L/R Door/File/File	WK ⌴ ST571818 ⌴ FF	1	$ 4046	$ 46	$ 46
24"D Combination Tower L/R Door/File/File	WK ⌴ ST571824 ⌴ FF	1	$ 4299	$ 49	$ 49
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST571824 ⌴ BBF	1	$ 4468	$ 50	$ 50
65"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ⌴ ST651818 ⌴ BBF	1	$ 4552	$ 51	$ 51
18"D Combination Tower L/R Door/File/File	WK ⌴ ST651818 ⌴ FF	1	$ 4384	$ 49	$ 49
24"D Combination Tower L/R Door/File/File (shown)	WK ⌴ ST651824 ⌴ FF	1	$ 4637	$ 52	$ 52
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST651824 ⌴ BBF	1	$ 4804	$ 54	$ 54
72"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST721818 ⌴ BBF	1	$ 4890	$ 55	$ 55
18"D Combination Tower L/R Door/File/File	WK ⌴ ST721818 ⌴ FF	1	$ 4890	$ 55	$ 55
24"D Combination Tower L/R Door/File/File	WK ⌴ ST721824 ⌴ FF	1	$ 5140	$ 58	$ 58
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ ST721824 ⌴ BBF	1	$ 5140	$ 58	$ 58

All units ship with hardware to gang as individual models must be connected to an adjacent unit.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WK ST ___ . ___ . ___ . ___ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

2nd Option:

Chassis Laminate and Predefined Edge:

3rd Option:

Front Laminate and Predefined Edge:

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

6th Option:

Foot Type *(if applicable)*:

PF Post Foot

Foot Color *(if applicable)*:

PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite (+$15)
P8X Solar Black (+$15)

P F P ___ .

7th Option:

Lock *(if applicable)*:


STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

Example: **WKYST651824RBBF.X.LM14EW.LM14EW.BPPJW.PFP8X.STD**


Approach™

24"W Combination Towers

For specification information see pages 738-741.
First, select Post foot (Y) or Non-footed (N), if footed add $100 to listed price.
Next, select Left (L) or Right (R) before configuration of tower.



Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
50"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ⌴ T502418 ⌴ BBF	2	$ 4214	$ 48	$ 48
18"D Combination Tower L/R Door/File/File	WK ⌴ T502418 ⌴ FF	2	$ 4214	$ 48	$ 48
24"D Combination Tower L/R Door/File/File (shown)	WK ⌴ T502424 ⌴ FF	2	$ 4552	$ 51	$ 51
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T502424 ⌴ BBF	2	$ 4674	$ 52	$ 52
57½"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T572418 ⌴ BBF	2	$ 4384	$ 49	$ 49
18"D Combination Tower L/R Door/File/File	WK ⌴ T572418 ⌴ FF	2	$ 4384	$ 49	$ 49
24"D Combination Tower L/R Door/File/File	WK ⌴ T572424 ⌴ FF	2	$ 4719	$ 52	$ 52
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T572424 ⌴ BBF	2	$ 4890	$ 55	$ 55
65"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ⌴ T652418 ⌴ BBF	2	$ 4719	$ 52	$ 52
18"D Combination Tower L/R Door/File/File	WK ⌴ T652418 ⌴ FF	2	$ 4719	$ 52	$ 52
24"D Combination Tower L/R Door/File/File (shown)	WK ⌴ T652424 ⌴ FF	2	$ 5509	$ 62	$ 62
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T652424 ⌴ BBF	2	$ 5676	$ 63	$ 63
72"H Personal Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T722418 ⌴ BBF	2	$ 5058	$ 57	$ 57
18"D Combination Tower L/R Door/File/File	WK ⌴ T722418 ⌴ FF	2	$ 5229	$ 59	$ 59
24"D Combination Tower L/R Door/File/File	WK ⌴ T722424 ⌴ FF	2	$ 5731	$ 63	$ 63
24"D Combination Tower L/R Door/Box/Box/File	WK ⌴ T722424 ⌴ BBF	2	$ 5731	$ 63	$ 63



All units ship with hardware to gang as individual models must be connected to an adjacent unit. Exception: 24"D x 24"W non-footed units can be freestanding and do not require ganging.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
All towers have a hang feature included, 18"D units have coat hooks and 24"D units have coat rods.

How to specify —
Select the Model Number from above.

WK T . .

1st Option:
FSC Certified Wood:
F FSC Certified
X No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

3rd Option:
Front Laminate and Predefined Edge:

4th Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
AP Arch
BP Bar
SP Square
See matrix on page 20.

5th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull
BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

6th Option:
Foot Type *(if applicable)*:
PF Post Foot
Foot Color *(if applicable)*:
PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite (+$15)
P8X Solar Black (+$15)

P F P . .


7th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


Example: **WKNT501824RBBF.X.LM14EW.LM14EW.LSW1SW.BPPJW.STD**


Approach™

24"W Side Access Towers

For specification information see pages 738-741.
First, select Post foot (Y) or Non-footed (N), if footed add $100 to listed price.
Next, select Left (L) or Right (R) before configuration of tower.


Left Right


Left Right


Left Right

Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
50"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ␣ ST502418 ␣ BBF	2	$ 4214	$ 48	$ 48
18"D Combination Tower L/R Door/File/File	WK ␣ ST502418 ␣ FF	2	$ 4214	$ 48	$ 48
24"D Combination Tower L/R Door/File/File (shown)	WK ␣ ST502424 ␣ FF	2	$ 4552	$ 51	$ 51
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ ST502424 ␣ BBF	2	$ 4674	$ 52	$ 52
57½"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ␣ ST572418 ␣ BBF	2	$ 4384	$ 49	$ 49
18"D Combination Tower L/R Door/File/File	WK ␣ ST572418 ␣ FF	2	$ 4384	$ 49	$ 49
24"D Combination Tower L/R Door/File/File (shown)	WK ␣ ST572424 ␣ FF	2	$ 4719	$ 52	$ 52
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ ST572424 ␣ BBF	2	$ 4890	$ 55	$ 55
65"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File (shown)	WK ␣ ST652418 ␣ BBF	2	$ 4719	$ 52	$ 52
18"D Combination Tower L/R Door/File/File	WK ␣ ST652418 ␣ FF	2	$ 4719	$ 52	$ 52
24"D Combination Tower L/R Door/File/File (shown)	WK ␣ ST652424 ␣ FF	2	$ 5058	$ 57	$ 57
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ ST652424 ␣ BBF	2	$ 5229	$ 59	$ 59
72"H Side Access Tower					
18"D Combination Tower L/R Door/Box/Box/File	WK ␣ ST722418 ␣ BBF	2	$ 5058	$ 57	$ 57
18"D Combination Tower L/R Door/File/File	WK ␣ ST722418 ␣ FF	2	$ 5229	$ 59	$ 59
24"D Combination Tower L/R Door/File/File	WK ␣ ST722424 ␣ FF	2	$ 5731	$ 63	$ 63
24"D Combination Tower L/R Door/Box/Box/File	WK ␣ ST722424 ␣ BBF	2	$ 5731	$ 63	$ 63

All units ship with hardware to gang as individual models must be connected to an adjacent unit. Exception: 24"D x 24"W non-footed units can be freestanding and do not require ganging.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
All towers have a hang feature included, 18"D units have coat hooks and 24"D units have coat rods.

How to specify —
Select the Model Number from above.

WK ST _ _ _ . _ . _ _ _ _ _ _ . _ _ _ _ _ _ .

1st Option:
FSC Certified Wood:
- **F** FSC Certified
- **X** No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

3rd Option:
Front Laminate and Predefined Edge:

4th Option:
Pull Type *(if applicable)*:
- **MP** Beam
- **OP** Halo
- **AP** Arch
- **BP** Bar
- **SP** Square

See matrix on page 20.

5th Option:
Pull Color *(if applicable)*:
- **MP** Beam / **OP** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **BP** Bar
  - **P27** Black
  - **PJW** Designer White
  - **PR6** Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

6th Option:
Foot Type *(if applicable)*:
- **PF** Post Foot

Foot Color *(if applicable)*:
- **PJW** Designer White
- **PR6** Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite (+$15)
- **P8X** Solar Black (+$15)

P F P _ _ _ .

7th Option:
Lock *(if applicable)*:
- **STD** Standard
- **OMT** Omit Lock Core (Deduct $20 per lock)

Example: **WKNST651824RBBF.X.LM14EW.LM14EW.BPPJW.STD**

Approach™

Cubby Storage

For specification information see page 739.



Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate
Cubby Storage 7"H x 14"D (non-handed)			
18"W	**WKWC1814-SH**	**$ 799**	**$ 31**
24"W	**WKWC2414-SH**	**$ 856**	**$ 33**
30"W	**WKWC3014-SH**	**$ 915**	**$ 34**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate:**
WK		


Example:


Approach™

12"W Wardrobes

For specification information see pages 738-741.
Post Foot (Y/N) add $100 to listed price on footed option.


Left Right


Left Right


Left Right

Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
42½"H Wardrobe					
18"D Wardrobe Hinges on Left (shown)	**WK ⌴ T421218L**	1	**$ 2807**	**$ 32**	**$ 32**
18"D Wardrobe Hinges on Right (shown)	**WK ⌴ T421218R**	1	**$ 2807**	**$ 32**	**$ 32**
24"D Wardrobe Hinges on Left	**WK ⌴ T421224L**	1	**$ 2850**	**$ 33**	**$ 33**
24"D Wardrobe Hinges on Right	**WK ⌴ T421224R**	1	**$ 2850**	**$ 33**	**$ 33**
*Includes one adjustable shelf and location for a second adjustable shelf.					
50"H Wardrobe					
18"D Wardrobe Hinges on Left	**WK ⌴ T501218L**	1	**$ 2891**	**$ 33**	**$ 33**
18"D Wardrobe Hinges on Right	**WK ⌴ T501218R**	1	**$ 2891**	**$ 33**	**$ 33**
24"D Wardrobe Hinges on Left	**WK ⌴ T501224L**	1	**$ 2951**	**$ 34**	**$ 34**
24"D Wardrobe Hinges on Right	**WK ⌴ T501224R**	1	**$ 2951**	**$ 34**	**$ 34**
*Includes one adjustable shelf and location for a second adjustable shelf.					
57½"H Wardrobe					
18"D Wardrobe Hinges on Left (shown)	**WK ⌴ T571218L**	1	**$ 3019**	**$ 34**	**$ 34**
18"D Wardrobe Hinges on Right (shown)	**WK ⌴ T571218R**	1	**$ 3019**	**$ 34**	**$ 34**
24"D Wardrobe Hinges on Left	**WK ⌴ T571224L**	1	**$ 3034**	**$ 34**	**$ 34**
24"D Wardrobe Hinges on Right	**WK ⌴ T571224R**	1	**$ 3034**	**$ 34**	**$ 34**
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel.					
65"H Wardrobe					
18"D Wardrobe Hinges on Left	**WK ⌴ T651218L**	1	**$ 3060**	**$ 35**	**$ 35**
18"D Wardrobe Hinges on Right	**WK ⌴ T651218R**	1	**$ 3060**	**$ 35**	**$ 35**
24"D Wardrobe Hinges on Left	**WK ⌴ T651224L**	1	**$ 3077**	**$ 35**	**$ 35**
24"D Wardrobe Hinges on Right	**WK ⌴ T651224R**	1	**$ 3077**	**$ 35**	**$ 35**
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel.					
72"H Wardrobe					
18"D Wardrobe Hinges on Left (shown)	**WK ⌴ T721218L**	1	**$ 3213**	**$ 36**	**$ 36**
18"D Wardrobe Hinges on Right (shown)	**WK ⌴ T721218R**	1	**$ 3213**	**$ 36**	**$ 36**
24"D Wardrobe Hinges on Left	**WK ⌴ T721224L**	1	**$ 3308**	**$ 38**	**$ 38**
24"D Wardrobe Hinges on Right	**WK ⌴ T721224R**	1	**$ 3308**	**$ 38**	**$ 38**
*Includes three adjustable shelf locations and one fixed shelf 13" above base panel.					

All units ship with hardware to gang as individual models must be connected to an adjacent unit.
All towers have a hang feature included, 18"D units have coat hooks and 24"D units have coat rods.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WK T . .

1st Option:
FSC Certified Wood:
F FSC Certified
X No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

3rd Option:
Front Laminate and Predefined Edge:

4th Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
AP Arch
BP Bar
SP Square
See matrix on page 20.

5th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull
BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

6th Option:
Foot Type *(if applicable)*:
PF Post Foot
Foot Color *(if applicable)*:
PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite (+$15)
P8X Solar Black (+$15)
P F P . .


7th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


Example: **WKYST651824RBBF.X.LM14EW.LM14EW.BPPJW.PFP8X.OMT**


Approach™

18"W Wardrobes

For specification information see pages 738-741.
Post Foot (Y/N) add $100 to listed price on footed option.


Left Right


Left Right


Left Right

Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* L2 Laminate Front
42½"H Wardrobe					
18"D Wardrobe Hinges on Left	WK ␣ T421818L	1	$ 2976	$ 34	$ 34
18"D Wardrobe Hinges on Right (shown)	WK ␣ T421818R	1	$ 2976	$ 34	$ 34
24"D Wardrobe Hinges on Left	WK ␣ T421824L	1	$ 3064	$ 35	$ 35
24"D Wardrobe Hinges on Right	WK ␣ T421824R	1	$ 3064	$ 35	$ 35
*Includes one adjustable shelf and location for a second adjustable shelf.					
50"H Wardrobe					
18"D Wardrobe Hinges on Left	WK ␣ T501818L	1	$ 2925	$ 34	$ 34
18"D Wardrobe Hinges on Right	WK ␣ T501818R	1	$ 2925	$ 34	$ 34
24"D Wardrobe Hinges on Left	WK ␣ T501824L	1	$ 3012	$ 34	$ 34
24"D Wardrobe Hinges on Right	WK ␣ T501824R	1	$ 3012	$ 34	$ 34
*Includes one adjustable shelf and location for a second adjustable shelf.					
57½"H Wardrobe					
18"D Wardrobe Hinges on Left (shown)	WK ␣ T571818L	1	$ 3237	$ 36	$ 36
18"D Wardrobe Hinges on Right (shown)	WK ␣ T571818R	1	$ 3237	$ 36	$ 36
24"D Wardrobe Hinges on Left	WK ␣ T571824L	1	$ 3335	$ 38	$ 38
24"D Wardrobe Hinges on Right	WK ␣ T571824R	1	$ 3335	$ 38	$ 38
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel.					
65"H Wardrobe					
18"D Wardrobe Hinges on Left	WK ␣ T651818L	1	$ 3305	$ 38	$ 38
18"D Wardrobe Hinges on Right	WK ␣ T651818R	1	$ 3305	$ 38	$ 38
24"D Wardrobe Hinges on Left	WK ␣ T651824L	1	$ 3403	$ 40	$ 40
24"D Wardrobe Hinges on Right	WK ␣ T651824R	1	$ 3403	$ 40	$ 40
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel.					
72"H Wardrobe					
18"D Wardrobe Hinges on Left (shown)	WK ␣ T721818L	1	$ 3508	$ 41	$ 41
18"D Wardrobe Hinges on Right (shown)	WK ␣ T721818R	1	$ 3508	$ 41	$ 41
24"D Wardrobe Hinges on Left	WK ␣ T721824L	1	$ 3614	$ 42	$ 42
24"D Wardrobe Hinges on Right	WK ␣ T721824R	1	$ 3614	$ 42	$ 42
*Includes three adjustable shelf locations and one fixed shelf 13" above base panel.					

All units ship with hardware to gang as individual models must be connected to an adjacent unit.
All towers have a hang feature included, 18"D units have coat hooks and 24"D units have coat rods.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

WK T . .

1st Option:
FSC Certified Wood:
- **F** FSC Certified
- **X** No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

3rd Option:
Front Laminate and Predefined Edge:

4th Option:
Pull Type *(if applicable)*:
- **MP** Beam
- **OP** Halo
- **AP** Arch
- **BP** Bar
- **SP** Square

See matrix on page 20.

5th Option:
Pull Color *(if applicable)*:
- **MP** Beam / **OP** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **BP** Bar
  - **P27** Black
  - **PJW** Designer White
  - **PR6** Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

6th Option:
Foot Type *(if applicable)*:
- **PF** Post Foot

Foot Color *(if applicable)*:
- **PJW** Designer White
- **PR6** Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite (+$15)
- **P8X** Solar Black (+$15)

P F P .


7th Option:
Lock *(if applicable)*:
- **STD** Standard
- **OMT** Omit Lock Core (Deduct $20 per lock)

Example: **WKYT721818L.X.LM14EW.LM14EW.BPP27.PFP8X.STD**


Approach™

24"W Wardrobes are Non-Handed


For specification information see pages 738-741.
Post Foot (Y/N) add $100 to listed price on footed option.



Description	Model	Lock	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	L2 Laminate Front
42½"H Wardrobe					
18"D Wardrobe Double Door	**WK ⌴ T422418**	1	**$ 3204**	**$ 36**	**$ 36**
24"D Wardrobe Double Door (shown)	**WK ⌴ T422424**	1	**$ 3299**	**$ 38**	**$ 38**
*Includes one adjustable shelf and location for a second adjustable shelf **on right side of unit with left side being an open wardrobe.**					
50"H Wardrobe					
18"D Wardrobe Double Door	**WK ⌴ T502418**	1	**$ 3178**	**$ 36**	**$ 36**
24"D Wardrobe Double Door	**WK ⌴ T502424**	1	**$ 3273**	**$ 38**	**$ 38**
*Includes one adjustable shelf and location for a second adjustable shelf **on right side of unit with left side being an open wardrobe.**					



57½"H Wardrobe					
18"D Wardrobe Double Door (shown)	**WK ⌴ T572418**	1	**$ 3498**	**$ 41**	**$ 41**
24"D Wardrobe Double Door (shown)	**WK ⌴ T572424**	1	**$ 3602**	**$ 42**	**$ 42**
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel **on right side of unit with left side being an open wardrobe.**					
65"H Wardrobe					
18"D Wardrobe Double Door	**WK ⌴ T652418**	1	**$ 3581**	**$ 41**	**$ 41**
24"D Wardrobe Double Door	**WK ⌴ T652424**	1	**$ 4481**	**$ 50**	**$ 50**
*Includes two adjustable shelf locations and one fixed shelf 13" above base panel **on right side of unit with left side being an open wardrobe.**					



72"H Wardrobe					
18"D Wardrobe Double Door (shown)	**WK ⌴ T722418**	1	**$ 3809**	**$ 44**	**$ 44**
24"D Wardrobe Double Door (shown)	**WK ⌴ T722424**	1	**$ 3924**	**$ 45**	**$ 45**
*Includes three adjustable shelf locations and one fixed shelf 13" above base panel **on right side of unit with left side being an open wardrobe.**					

All units ship with hardware to gang as individual models must be connected to an adjacent unit. Exception: 24"D x 24"W non-footed units can be freestanding and do not require ganging.
All towers have a hang feature included, 18"D units have coat hooks and 24"D units have coat rods.
*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify —
Select the Model Number from above.

W K | | T | | | | | . | | . | | | | | | . | | | | | | .

1st Option:
FSC Certified Wood:
F FSC Certified
X No FSC

2nd Option:
Chassis Laminate and Predefined Edge:

3rd Option:
Front Laminate and Predefined Edge:

4th Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
AP Arch
BP Bar
SP Square
See matrix on page 20.

5th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

6th Option:
Foot Type *(if applicable)*:
PF Post Foot

Foot Color *(if applicable)*:
PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite (+$15)
P8X Solar Black (+$15)

P F P | | .


7th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

Example: **WKYT572418R.X.LM14EW.LM14EW.BPP27.PFP8X.STD**

Approach™

Combo and Wardrobe Towers

For specification information see pages 738-741.




Description	MODEL – Handed Models: Add "L" for Left-hand model Add "R" for Right-hand model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* Front
18"W Tower with Hinged Door (handed)					
56⅝"H x 18"D Laminate Door	**WKCLFN4H1818 ␣ H-HDL**	1	**$ 3058**	**$ 74**	**$ 34**
56⅝"H x 24"D Laminate Door	**WKCLFN4H1824 ␣ H-HDL**	1	**$ 3119**	**$ 78**	**$ 35**
71⅝"H x 18"D Laminate Door	**WKCLFN5H1818 ␣ H-HDL**	1	**$ 3176**	**$ 80**	**$ 35**
71⅝"H x 24"D Laminate Door	**WKCLFN5H1824 ␣ H-HDL**	1	**$ 3231**	**$ 81**	**$ 36**

Example of right-hand model shown: **WKCLFN4H1818RH-HDL**

All units ship with hardware to gang as individual models must be connected to an adjacent unit.

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
*All doors and drawers have pulls.

For specification information see pages 723-745.
Select Post Foot "Y" or Non-footed "N" (add $100 for footed option). Next (Handed Models): select left-hand "L" or right-hand "R."



Description	MODEL – Handed Models: Add "L" for Left-hand model Add "R" for Right-hand model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* Front
30"W Personal Tower (handed)					
72"H x 18"D Combination Tower L/R Door/File/File	**WK ␣ T723018 ␣ FF**	2	**$ 5341**	**$ 122**	**$ 84**
72"H x 24"D Combination Tower L/R Door/File/File	**WK ␣ T723024 ␣ FF**	2	**$ 6008**	**$ 138**	**$ 92**
Example of left-hand model shown: **WKYT723018LFF**					
30"W Wardrobe (non-handed)					
72"H x 18"D Laminate Front	**WK ␣ T723018**	1	**$ 4105**	**$ 94**	**$ 63**
72"H x 24"D Laminate Front	**WK ␣ T723024**	1	**$ 4219**	**$ 97**	**$ 65**

All units ship with hardware to gang as individual models must be connected to an adjacent unit. Exception: 24"D x 30"W non-footed units can be freestanding and do not require ganging.

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.
*All doors and drawers have pulls.

How to specify —
Select the Model Number from above.

WK _____ .

1st Option:
FSC Certified Wood:

F FSC Certified
X No FSC

_____ .

2nd Option:
Chassis Laminate and Predefined Edge:

_____ .

3rd Option:
Front Laminate and Predefined Edge:

_____ .

4th Option:
Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_____ .

5th Option:
Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

_____ .

6th Option:
Foot Type *(if applicable)*:

PF Post Foot

Foot Color *(if applicable)*:

PJW Designer White
PR6 Silver
P02 Flint
P7B Loft
PJE Pyrite (+$15)
P8X Solar Black (+$15)

P F P _____ .

7th Option:
Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)


_____


Example: **WKCLFN4H1818LH-HDL.F.LM14EW.LM13EY.APPR6.STD**


Approach™


Overheads

For specification information see pages 740-741.










Description	Model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* Front
Overhead Storage — Laminate Hinged Doors — 15⅛"H x 15⅞"D					
30"W with 2 Doors	**WKOH153015-HDL**	1	**$ 1906**	**$ 49**	**$ 23**
36"W with 2 Doors	**WKOH153615-HDL**	1	**$ 2082**	**$ 52**	**$ 24**
42"W with 2 Doors	**WKOH154215-HDL**	1	**$ 2334**	**$ 59**	**$ 28**
48"W with 3 Doors	**WKOH154815-HDL**	1	**$ 2612**	**$ 64**	**$ 31**
60"W with 4 Doors	**WKOH156015-HDL**	2	**$ 2860**	**$ 70**	**$ 33**
66"W with 4 Doors	**WKOH156615-HDL**	2	**$ 2990**	**$ 74**	**$ 34**
72"W with 4 Doors	**WKOH157215-HDL**	2	**$ 3126**	**$ 78**	**$ 35**
78"W with 4 Doors	**WKOH157815-HDL**	2	**$ 3365**	**$ 82**	**$ 38**
Overhead Storage — Frosted Glass Hinged Doors — 15⅛"H x 15⅞"D					
30"W with 2 Doors	**WKOH153015-HDG**	—	**$ 2860**	**$ 70**	**N/A**
36"W with 2 Doors	**WKOH153615-HDG**	—	**$ 3125**	**$ 78**	**N/A**
42"W with 2 Doors	**WKOH154215-HDG**	—	**$ 3487**	**$ 87**	**N/A**
48"W with 3 Doors	**WKOH154815-HDG**	—	**$ 3904**	**$ 96**	**N/A**
60"W with 4 Doors	**WKOH156015-HDG**	—	**$ 4289**	**$ 103**	**N/A**
66"W with 4 Doors	**WKOH156615-HDG**	—	**$ 4475**	**$ 110**	**N/A**
72"W with 4 Doors	**WKOH157215-HDG**	—	**$ 4689**	**$ 115**	**N/A**
78"W with 4 Doors	**WKOH157815-HDG**	—	**$ 5025**	**$ 120**	**N/A**
Overhead Storage — Open Bin — 15⅛"H x 15⅛"D					
30"W	**WKOH153015-NDL**	—	**$ 1526**	**$ 38**	**N/A**
36"W	**WKOH153615-NDL**	—	**$ 1516**	**$ 40**	**N/A**
Overhead Storage — Laminate Sliding Door — 15⅛"H x 15⅞"D					
48"W with 1 Doors	**WKOH154815-SDL**	1	**$ 2142**	**$ 52**	**$ 25**
60"W with 1 Doors	**WKOH156015-SDL**	1	**$ 2214**	**$ 55**	**$ 26**
66"W with 1 Door	**WKOH156615-SDL**	1	**$ 2569**	**$ 64**	**$ 31**
72"W with 1 Door	**WKOH157215-SDL**	1	**$ 2966**	**$ 73**	**$ 33**
78"W with 1 Door	**WKOH157815-SDL**	1	**$ 3354**	**$ 82**	**$ 36**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.



Description	Model	List Price P1
Overhead Mounting Kit for Beyond Wall		
For 30"W to 48"W	**WKOHBW30AK**	**$ 238**
For 60"W to 78"W	**WKOHBW60AK**	**$ 360**

*Compatible for use with overheads on Terrace and Stride panels, except 57.5"H panel due to flex point.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood** *(if applicable)*:	*2nd Option:* **Chassis Laminate and Predefined Edge** *(if applicable)*:	*3rd Option:* **Front Laminate and Predefined Edge** *(if applicable)*:	*4th Option:* **Lock** *(if applicable)*:	*5th Option:* **Paint** *(if applicable)*:
W K O H	**F** FSC Certified **X** No FSC			**STD** Standard **OMT** Omit Lock Core (Deduct $20 per lock) **LN** No Lock HDL models only	


Examples: **WKOH153015-HDL.F.LM14EW.LSW1SW.STD** **WKOHBW30AK.P02**

Approach™


Stack-On Storage


For specification information see pages 740-741.






Description	Model	List Price L1	List Price L2
8"D Floating Shelf			
30" W	**WKFS30**	**$ 1371**	**$ 1422**
36" W	**WKFS36**	**$ 1441**	**$ 1495**
42" W (shown)	**WKFS42**	**$ 1508**	**$ 1565**
48" W	**WKFS48**	**$ 1577**	**$ 1636**
54" W	**WKFS54**	**$ 1648**	**$ 1709**
60" W (shown)	**WKFS60**	**$ 1716**	**$ 1779**
66" W	**WKFS66**	**$ 1787**	**$ 1852**
72" W	**WKFS72**	**$ 1854**	**$ 1921**
78" W	**WKFS78**	**$ 1923**	**$ 1994**







Description	MODEL – Handed Models: Add "L" for Left-hand model Add "R" for Right-hand model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	UPCHARGES* Front
18"W x 15"D Stack-On Storage with Hinged Door (handed)					
27⅛"H Laminate Door	**WKTWFN4H1815 ⌴ H-HDL**	1	**$ 1793**	**$ 46**	**$ 22**
42⅛"H Laminate Door	**WKTWFN5H1815 ⌴ H-HDL**	1	**$ 2015**	**$ 49**	**$ 23**
Example of right-hand model shown: **WKTWFN4H1815RH-HDL**					
30"W x 15"D Stack-On Storage with Hinged Doors (non-handed)					
27⅛"H Laminate Door	**WKTWFN4H3015-HDL**	1	**$ 2267**	**$ 55**	**$ 25**
42⅛"H Laminate Door	**WKTWFN5H3015-HDL**	1	**$ 2458**	**$ 59**	**$ 28**
36"W x 15"D Stack-On Storage with Hinged Doors (non-handed)					
27⅛"H Laminate Door	**WKTWFN4H3615-HDL**	1	**$ 2243**	**$ 57**	**$ 26**
42⅛"H Laminate Door	**WKTWFN5H3615-HDL**	1	**$ 2671**	**$ 63**	**$ 30**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Chassis Laminate and Predefined Edge** *(if applicable)*:	*2nd Option:* **Top Laminate and Predefined Edge on Floating Shelf** *(if applicable)*:	*3rd Option:* **Front Laminate and Predefined Edge** *(if applicable)*:
WK _____ .	**F** FSC Certified **X** No FSC _____ .	_____ .	_____ .	_____ .


4th Option: **Pull Type** *(if applicable)*:	*5th Option:* **Pull Color** *(if applicable)*:	*6th Option:* **Lock** *(if applicable)*:	*7th Option:* **End Cap Paint Color Predefined Edge** *(if applicable)*:
MP Beam **OP** Halo **AP** Arch **BP** Bar **SP** Square See matrix on page 20. _____ .	**MP** Beam / **OP** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver P2 upcharge +$19/pull **BP** Bar **P27** Black **PJW** Designer White **PR6** Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull _____ .	**STD** Standard **OMT** Omit Lock Core (Deduct $20) _____ .	_____

Example: **WKTWFN4H1815LH-HDL.F.LM14EW.LSW1SW.APPR6.STD.PR6**

Approach™

Stack-On Storage

For specification information see page 740.



Description	MODEL – Handed Models: Add "L" for Left-hand model Add "R" for Right-hand model	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	Front
Open Stack-On Storage 14¼"D (non-handed)				
18"W x 42⅛"H	**WKTWFN5H1815-SH**	**$ 1495**	**$ 54**	**N/A**
30"W x 27⅛"H	**WKTWFN4H3015-SH**	**$ 1607**	**$ 42**	**N/A**
30"W x 42⅛"H	**WKTWFN5H3015-SH**	**$ 1774**	**$ 63**	**N/A**
36"W x 27⅛"H	**WKTWFN4H3615-SH**	**$ 1702**	**$ 45**	**N/A**
36"W x 42⅛"H	**WKTWFN5H3615-SH**	**$ 1859**	**$ 65**	**N/A**

*Upcharges are added to L1 Laminate List Price depending on woodgrain laminate selection.


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Chassis Laminate and Predefined Edge** *(if applicable)*:	*3rd Option:* **Front Laminate and Predefined Edge:**	*4th Option:* **Lock** *(if applicable)*:	*5th Option:* **End Cap Paint Color** *(if applicable)*:
WK _ _ _ _ _ _ _ _ .	**F** FSC Certified **X** No FSC	.	.	**STD** Standard **OMT** Omit Lock Core (Deduct $20)	.	**P27** Black **PJW** Designer White **PR6** Silver

Example: **WKTWFN5H1815-SH.X.LM14EW**


Approach™

Stack-On Storage

For specification information see pages 738-741.




Description	Model	Locks	List Price L1	List Price L2
28"H Credenzas				
First, select Trough (F) or Troughless (T). If troughless, subtract $100 from listed footed price.				
Next, select Footed (Y) or Non-footed (N). If non-footed, subtract $100 from listed footed price.				
35"H Hutch				
48"W Laminate Hinged Doors	**WKOH3548-HDL**	1	**$ 2468**	**$ 2496**
60"W Laminate Hinged Doors (shown)	**WKOH3560-HDL**	2	**$ 2763**	**$ 2794**
66"W Laminate Hinged Doors	**WKOH3566-HDL**	2	**$ 2810**	**$ 2842**
72"W Laminate Hinged Doors	**WKOH3572-HDL**	2	**$ 3308**	**$ 3346**



35"H Hutch				
48"W Frosted Glass Hinged Doors	**WKOH3548-HDG**	—	**$ 3145**	**$ 3261**
60"W Frosted Glass Hinged Doors (shown)	**WKOH3560-HDG**	—	**$ 3531**	**$ 3659**
66"W Frosted Glass Hinged Doors	**WKOH3566-HDG**	—	**$ 3735**	**$ 3870**
72"W Frosted Glass Hinged Doors	**WKOH3572-HDG**	—	**$ 4401**	**$ 4561**

How to specify — Select the Model Number from above.	*1st Option:* **FSC Certified Wood:** **F** FSC Certified **X** No FSC	*2nd Option:* **Chassis Laminate and Predefined Edge** *(if applicable)*:	*3rd Option:* **Front Laminate and Predefined Edge:**	*4th Option:* **Lock** *(if applicable)*: **STD** Standard **OMT** Omit Lock Core (Deduct $20) **LN** No Lock HDL models only
WK _____ .	_ .	_____ .	_____ .	_ _ _

Example: **WKOH3560-HDG.X.LM14EW.LM14EW.STD**



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
19"H Tackboards for Hutches (nested in a metal frame)							
48"W Nominal Width 44¾"W	**WKTKFT4H44-HA**	**$ 419**	**$ 451**	**$ 481**	**$ 512**	**$ 552**	**$ 592**
60"W Nominal Width 56¾"W	**WKTKFT4H56-HA**	**$ 529**	**$ 570**	**$ 607**	**$ 646**	**$ 696**	**$ 747**
66"W (2pc) Nominal Width 62¾"W	**WKTKFT4H62-HA**	**$ 583**	**$ 628**	**$ 670**	**$ 711**	**$ 768**	**$ 824**
72"W (2pc) Nominal Width 68¾"W	**WKTKFT4H68-HA**	**$ 641**	**$ 690**	**$ 735**	**$ 782**	**$ 844**	**$ 907**


How to specify — Select the Model Number from above.	*1st Option:* **Tackboard Fabric** *(if applicable)*: See page 15 for fabrics.	*2nd Option:* **Tackboard Frame Paint:** P1 P2 P3 See page 717 for finishes. P2 paint upcharge $36 (except PR6) P3 paint upcharge $92
WKTKFT4H _ _ HA.	_____ .	_ _ _

Example: **WKTKFT4H56-HA.APN911.PR6**


Approach™

Tackboards & Writable Boards


For specification information see page 742. See page 1006 for COM pricing on grades G-J.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
30"H Tackboards							
30"W	WKTKFT4H30-FA	$ 598	$ 621	$ 644	$ 679	$ 715	$ 751
36"W	WKTKFT4H36-FA	$ 623	$ 649	$ 675	$ 719	$ 761	$ 803
42"W	WKTKFT4H42-FA	$ 675	$ 707	$ 737	$ 787	$ 837	$ 886
48"W	WKTKFT4H48-FA	$ 734	$ 770	$ 804	$ 862	$ 919	$ 976
54"W	WKTKFT4H54-FA	$ 773	$ 814	$ 853	$ 915	$ 979	$ 1045
60"W	WKTKFT4H60-FA	$ 827	$ 873	$ 915	$ 987	$ 1058	$ 1130
66"W (2 Piece)	WKTKFT4H66-FA	$ 852	$ 901	$ 948	$ 1025	$ 1104	$ 1182
72"W (2 Piece)	WKTKFT4H72-FA	$ 946	$ 1000	$ 1049	$ 1138	$ 1222	$ 1307
78"W (2 Piece)	WKTKFT4H78-FA	$ 988	$ 1046	$ 1102	$ 1193	$ 1287	$ 1378
84"W (2 Piece)	WKTKFT4H84-FA	$ 1040	$ 1102	$ 1162	$ 1262	$ 1361	$ 1461
90"W (3 Piece)	WKTKFT4H90-FA	$ 1081	$ 1146	$ 1210	$ 1318	$ 1425	$ 1531
96"W (2 Piece)	WKTKFT4H96-FA	$ 1123	$ 1193	$ 1262	$ 1375	$ 1490	$ 1604



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
34"H Tackboards							
30"W	WKTKFT4H30-LA	$ 624	$ 649	$ 675	$ 715	$ 756	$ 796
36"W	WKTKFT4H36-LA	$ 647	$ 678	$ 708	$ 757	$ 805	$ 853
42"W	WKTKFT4H42-LA	$ 701	$ 736	$ 771	$ 828	$ 885	$ 941
48"W	WKTKFT4H48-LA	$ 763	$ 804	$ 844	$ 906	$ 971	$ 1037
54"W	WKTKFT4H54-LA	$ 800	$ 846	$ 890	$ 962	$ 1034	$ 1107
60"W	WKTKFT4H60-LA	$ 861	$ 911	$ 960	$ 1041	$ 1123	$ 1203
66"W (2 Piece)	WKTKFT4H66-LA	$ 889	$ 944	$ 999	$ 1086	$ 1174	$ 1264
72"W (2 Piece)	WKTKFT4H72-LA	$ 982	$ 1042	$ 1100	$ 1196	$ 1293	$ 1391
78"W (2 Piece)	WKTKFT4H78-LA	$ 1032	$ 1096	$ 1159	$ 1265	$ 1370	$ 1473
84"W (2 Piece)	WKTKFT4H84-LA	$ 1080	$ 1149	$ 1217	$ 1329	$ 1442	$ 1556
90"W (3 Piece)	WKTKFT4H90-LA	$ 1129	$ 1205	$ 1276	$ 1398	$ 1519	$ 1641
96"W (2 Piece)	WKTKFT4H96-LA	$ 1169	$ 1250	$ 1327	$ 1457	$ 1584	$ 1714



Description	30"H Models Use w/Full Height	34"H Models Use w/Layered Height	List Price 30"H	34"H
Writable Boards				
30"W	WKTKGT4H30-FA	WKTKGT4H30-LA	$ 741	$ 769
36"W	WKTKGT4H36-FA	WKTKGT4H36-LA	$ 766	$ 798
42"W	WKTKGT4H42-FA	WKTKGT4H42-LA	$ 835	$ 864
48"W	WKTKGT4H48-FA	WKTKGT4H48-LA	$ 903	$ 942
54"W	WKTKGT4H54-FA	WKTKGT4H54-LA	$ 949	$ 984
60"W	WKTKGT4H60-FA	WKTKGT4H60-LA	$ 1021	$ 1059
66"W	WKTKGT4H66-FA	WKTKGT4H66-LA	$ 1053	$ 1091
72"W	WKTKGT4H72-FA	WKTKGT4H72-LA	$ 1167	$ 1210
78"W (2 Piece)	WKTKGT4H78-FA	WKTKGT4H78-LA	$ 1220	$ 1269
84"W (2 Piece)	WKTKGT4H84-FA	WKTKGT4H84-LA	$ 1281	$ 1331
90"W (3 Piece)	WKTKGT4H90-FA	WKTKGT4H90-LA	$ 1333	$ 1389
96"W (2 Piece)	WKTKGT4H96-FA	WKTKGT4H96-LA	$ 1386	$ 1439

How to specify —

Select the Model Number from above.

1st Option:

Fabric *(if applicable)*:

See page 15 for fabrics.


W K T K .

Examples: **WKTKFT4H48-FA.APN911** **WKTKGT4H30-FA**


Approach™

Tackboards & Writable Boards


For specification information see page 742. See page 1006 for COM pricing on grades G-J.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
45"H Tackboards							
30"W	WKTKFT5H30-FA	$ 663	$ 697	$ 728	$ 783	$ 836	$ 890
36"W	WKTKFT5H36-FA	$ 685	$ 726	$ 765	$ 827	$ 891	$ 957
42"W	WKTKFT5H42-FA	$ 742	$ 789	$ 833	$ 908	$ 982	$ 1057
48"W	WKTKFT5H48-FA	$ 808	$ 862	$ 911	$ 1000	$ 1084	$ 1169
54"W	WKTKFT5H54-FA	$ 848	$ 908	$ 966	$ 1061	$ 1158	$ 1255
60"W	WKTKFT5H60-FA	$ 913	$ 978	$ 1042	$ 1150	$ 1257	$ 1363
66"W (2 Piece)	WKTKFT5H66-FA	$ 941	$ 1014	$ 1083	$ 1203	$ 1320	$ 1437
72"W (2 Piece)	WKTKFT5H72-FA	$ 1040	$ 1120	$ 1196	$ 1323	$ 1452	$ 1580
78"W (2 Piece)	WKTKFT5H78-FA	$ 1091	$ 1177	$ 1259	$ 1398	$ 1538	$ 1675
84"W (2 Piece)	WKTKFT5H84-FA	$ 1146	$ 1238	$ 1327	$ 1477	$ 1627	$ 1778
90"W (3 Piece)	WKTKFT5H90-FA	$ 1189	$ 1287	$ 1384	$ 1543	$ 1703	$ 1863
96"W (2 Piece)	WKTKFT5H96-FA	$ 1236	$ 1339	$ 1443	$ 1615	$ 1787	$ 1957



49"H Tackboards (for use with trough units)							
30"W	WKTKFT5H30-LA	$ 689	$ 725	$ 760	$ 818	$ 877	$ 934
36"W	WKTKFT5H36-LA	$ 711	$ 756	$ 797	$ 866	$ 936	$ 1005
42"W	WKTKFT5H42-LA	$ 775	$ 826	$ 874	$ 956	$ 1038	$ 1119
48"W	WKTKFT5H48-LA	$ 842	$ 900	$ 957	$ 1048	$ 1142	$ 1235
54"W	WKTKFT5H54-LA	$ 879	$ 943	$ 1006	$ 1112	$ 1217	$ 1320
60"W	WKTKFT5H60-LA	$ 949	$ 1020	$ 1090	$ 1207	$ 1324	$ 1440
66"W (2 Piece)	WKTKFT5H66-LA	$ 977	$ 1057	$ 1133	$ 1260	$ 1389	$ 1517
72"W (2 Piece)	WKTKFT5H72-LA	$ 1081	$ 1168	$ 1251	$ 1391	$ 1531	$ 1669
78"W (2 Piece)	WKTKFT5H78-LA	$ 1134	$ 1227	$ 1318	$ 1469	$ 1621	$ 1772
84"W (2 Piece)	WKTKFT5H84-LA	$ 1189	$ 1288	$ 1386	$ 1548	$ 1712	$ 1875
90"W (3 Piece)	WKTKFT5H90-LA	$ 1238	$ 1344	$ 1449	$ 1623	$ 1798	$ 1972
96"W (2 Piece)	WKTKFT5H96-LA	$ 1285	$ 1400	$ 1511	$ 1696	$ 1882	$ 2069



Description	45"H Models Use w/Full Height	49"H Models Use w/Layered Height	List Price 45"H	49"H
Writable Boards				
30"W	WKTKGT5H30-FA	WKTKGT5H30-LA	$ 813	$ 848
36"W	WKTKGT5H36-FA	WKTKGT5H36-LA	$ 843	$ 876
42"W	WKTKGT5H42-FA	WKTKGT5H42-LA	$ 915	$ 952
48"W	WKTKGT5H48-FA	WKTKGT5H48-LA	$ 993	$ 1034
54"W	WKTKGT5H54-FA	WKTKGT5H54-LA	$ 1043	$ 1083
60"W	WKTKGT5H60-FA	WKTKGT5H60-LA	$ 1123	$ 1168
66"W	WKTKGT5H66-FA	WKTKGT5H66-LA	$ 1155	$ 1200
72"W	WKTKGT5H72-FA	WKTKGT5H72-LA	$ 1282	$ 1333
78"W (2 Piece)	WKTKGT5H78-FA	WKTKGT5H78-LA	$ 1342	$ 1396
84"W (2 Piece)	WKTKGT5H84-FA	WKTKGT5H84-LA	$ 1412	$ 1464
90"W (3 Piece)	WKTKGT5H90-FA	WKTKGT5H90-LA	$ 1466	$ 1526
96"W (2 Piece)	WKTKGT5H96-FA	WKTKGT5H96-LA	$ 1522	$ 1581

How to specify —

Select the Model Number from above.

1st Option:

Fabric *(if applicable)*:

See page 15 for fabrics.


W K T K | | | | | | | | | | . | | | | | |

Examples: **WKTKFT5H48-FA.APN911** **WKTKGT5H96-LA**


Approach™

Counterweights & Accessories


For specification information see page 743.



Description	Model	List Price
Counterweights for Approach — Reference usage chart on pages 724-725		
25 pounds	**WKCACW25**	**$ 337**
35 pounds	**WKCACW35**	**$ 451**
50 pounds	**WKCACW50**	**$ 507**
65 pounds	**WKCACW65**	**$ 600**




Mini Tap Power		
Mini Tap Power Port — 2 Power	**WKMTMP**	**$ 267**
Mini Tap Power Port — 1 Power, 1 USB-A, 1 USB-C	**WKMTMU**	**$ 384**
Mini Tap Mounting Bracket	**WKMTMB**	**$ 84**



End Cap — Specify Paint Color		
1 — End Cap used to finish trough	**WKEC**	**$ 135**



End Cap — Specify Paint Color		
Shortened End Cap (actual 2.7"W x 2"H)	**WKSEC**	**$ 134**



Wire Manager for Height-Adjustable Trough (Flint only)		
30"W	**WKWT30**	**$ 166**

How to specify —

Select the Model Number from above.


1st Option:

Paint Color
(if applicable):

P27 Black
PJW Designer White
PR6 Silver

WK _____ . ___

Examples: **WKCACW25** **WKMTMP** **WKEC.PJW**



Description	Model	List Price
Pull Packs – Hardware Included		
Pull Pack QTY 2	**YPPULL2**	**$ 119**
Pull Pack QTY 3	**YPPULL3**	**$ 175**

Utilize as retrofit, samples, replacements, etc.
Not compatible with Involve Straight Pull
Pyrite and Solar Black finish will assume +$19/per pull upcharge. Ex: YPPULL2.M.P8X +$38 upcharge

How to specify —

Select the Model Number from above.

1st Option:

Pull Type
(if applicable):

M Beam
O Halo
S Square

See matrix on page 20.

2nd Option:

Pull Color
(if applicable):

M Beam/O Halo
PR6 Silver
PJW Designer White
PJE Pyrite +$19/pull upcharge
P8X Solar +$19/pull upcharge

S Square
EL Matte Silver
PJW Designer White
P02 Flint
P7B Loft
PJE Pyrite +$19/pull upcharge
P8X Solar Black +$19/pull upcharge


YPPULL ___ . ___ . ___

Example: **YPPULL2.S.PJW**

Approach™

Altitude® Height-Adjustable Laminate Worksurfaces

For specification information see pages 744-745.





Flat Edge

Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate
30"D Laminate Height-Adjustable Tops with Grommets — 29"D nominal			
66"W	**WKAURS6630**	**$ 992**	**$ 200**
72"W	**WKAURS7230**	**$ 1060**	**$ 201**
Note: Actual top is undersized by 2" in width and 2" in depth to provide 1" clearance on each side of height-adjustable surface. Use listed dimension for space planning purposes.			
36"D Laminate Height-Adjustable Tops with Grommets — 35"D nominal			
72"W	**WKAURS7236**	**$ 1357**	**$ 204**
Note: Actual top is undersized by 2" in width and 2" in depth to provide 1" clearance on each side of height-adjustable surface. Use listed dimension for space planning purposes.			

S ***Shippable by small-package carrier.***

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*:	**Top Laminate and Predefined Edge:**	**Grommet Location:**
	F FSC Certified **X** No FSC	See page 717 for finishes.	*See page 730.* **B** Both Left and Right **C** Centered **L** Left **R** Right **X** No Grommet
WK _____ .	_ .	_____ .	_

4th Option:

Grommet Type:

P Oval Plastic
M Oval Metal (Add $15 per grommet)
S Square Metal (Add $15 per grommet)

Grommet Color:

Metal is EL

Plastic grommet color is predetermined to match laminate.


_ _ _

Examples: **WKAURS6630.F.LM14EW.CMPR6** **WKAURS7236.X.LM14EW.BP** **WKAURS7230.X.LM14EW.R.SEL**

Approach™

Altitude® Wire Management


For specification information see pages 744-745.



AJTRGH24

Description	Model	List Price P1	P2	P3
Cable Management Trays				
24"W	**AJTRGH24** S	$ 128	$ 142	N/A
36"W	**AJTRGH36** S	$ 153	$ 169	N/A


- Available in 24" or 36" widths.
- Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B). Specify desired finish.
- *Example: AJTRGH24.PJW*



AWRSTRIP

Wire Management Strips/Channels				
	AWRSTRIP S	$ 281	N/A	N/A


- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*



APWRTRGH17

Under Worksurface Troughs				
17"W	**APWRTRGH17** S	$ 113	N/A	N/A
36"W	**APWRTRGH36** S	$ 197	N/A	N/A


- Available in 17" or 36" widths.
- Under Worksurface Troughs available in Black only, no specification needed.
- *Example: APWRTRGH17*



WKSWMC

Wire Management Chains				
36"	**A9CLWMC** S	$ 383	N/A	N/A
58"	**WKSWMC** S	$ 459	N/A	N/A

- Specify model A9CLWMC for 36" chain, specify model WKSWMC for 58" chain.
- A9CLWMC available in Black (E4), White (DW), or Silver (TI).
- WKSWMC available in Black only, no specification needed.
- *Example: A9CLWMC.DW or WKSWMC*



AMPCHASE

Panel Mounted Wire Chase				
17"H	**AMPCHASE** S	$ 153	$ 170	$ 177

- Panel Chase is 17"H.
- Available in standard metal paint finishes, see page 717 for options and specify desired finishes.
- *Example: AMPCHASE.P27*

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

See page 717 for finishes.

Plastics
(if applicable):

DW White
TI Silver
E4 Black

										.


Examples: **AJTRGH24.PJW** **A9CLWMC.DW**

S *Shippable by small-package carrier.*


Approach™

Altitude® Height-Adjustable Bases

For specification information see pages 744-745.




Left-hand



Right-hand

Description	Model	Locks	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis	Front
Height-Adjustable* Slim Pedestal & Shroud Kit — File / File					
14¼"W x 30"D Left-hand	**WKPSFNJ2830LH-HS**	1	**$ 3755**	**$ 76**	**$ 51**
14¼"W x 30"D Right-hand	**WKPSFNJ2830RH-HS**	1	**$ 3755**	**$ 76**	**$ 51**

Note: *27¾ – 47⅞"H compatible. Requires 2-Stage T-Leg Powered Base purchased separately. See page 792.
*New models are compatible with A6 height adjustable bases
*Not compatible with fixed laminate or metal modesty due to width



Description	Model	List Price	L2 Laminate Chassis	Front
Height-Adjustable Shroud Kits 27¾" – 47⅞"H				
Non-Handed				
4¾"W x 30"D	**WKEPFNJ2830-HS**	**$ 1149**	**$ 32**	**N/A**

Note: *27¾ – 47⅞"H compatible. Requires 2-Stage T-Leg Powered Base purchased separately. See page 792.
*New models are compatible with A6 height adjustable bases

How to specify —

Select the Model Number from above.

_____ - _____ .

1st Option:

FSC Certified Wood:

F FSC Certified
X No FSC

_____ .

2nd Option:

Chassis Laminate and Predefined Edge:

See inside front cover for finishes.

_____ .

3rd Option:

Front Laminate and Predefined Edge:

_____ .

4th Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
AP Arch
BP Bar
SP Square

See matrix on page 20.

_____

5th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver

P2 upcharge +$19/pull

BP Bar
P27 Black
PJW Designer White
PR6 Silver

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_____ .

6th Option:

Metal Sleeve Paint *(if applicable)*:

P1 P2 P3

See page 717 for finishes.

P2 $19/shroud
P3 $44/shroud

_____ .

7th Option:

Height Adjustable Base Keypad *(if applicable)*:

UD Basic Up/Down
MEM Memory Preset
PDL Paddle

_____ .

8th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_____


Example: **WKEPFNJ2830-HS.X.LM14EW.LSW1SW.MPPJE.OMT**

S ***Shippable by small-package carrier.***

Approach™


Altitude® Height Adjustable Modesty/A6 2-Stage Base

For specification information see pages 744-745.




Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate Chassis
Height Adjustable Table Layered Modesty			
Fixed Laminate Modesty Panel 24"H x 48"W for HAT	**WKAUMPJ2848LL**	**$ 646**	**$ 25**
Fixed Laminate Modesty Panel 24"H x 54"W for HAT	**WKAUMPJ2854LL**	**$ 665**	**$ 26**
Fixed Laminate Modesty Panel 24"H x 60"W for HAT	**WKAUMPJ2860LL**	**$ 685**	**$ 28**
Fixed Laminate Modesty Panel 24"H x 66"W for HAT	**WKAUMPJ2866LL**	**$ 749**	**$ 30**
Fixed Laminate Modesty Panel 24"H x 72"W for HAT	**WKAUMPJ2872LL**	**$ 770**	**$ 31**

*For use between WKEPFNJ2830-HS with WKBKHATFM bracket



Description	Model	List Price	UPCHARGES* P2	UPCHARGES* P3
Bracket for Fixed Laminate HAT Modesty				
Approach 24"H Fixed Modesty Bracket	**WKBKHATFM**	**$ 108**	**$ 25**	**$ 60**
Metal HAT Modesty				
Metal Modesty Panel 28"H x 48"W for HAT	**WKAUMP2848MM**	**$ 447**	**N/A**	
Metal Modesty Panel 28"H x 54"W for HAT	**WKAUMP2854MM**	**$ 464**	**N/A**	
Metal Modesty Panel 28"H x 60"W for HAT	**WKAUMP2860MM**	**$ 486**	**N/A**	
Metal Modesty Panel 28"H x 66"W for HAT	**WKAUMP2866MM**	**$ 504**	**N/A**	
Metal Modesty Panel 28"H x 72"W for HAT	**WKAUMP2872MM**	**$ 523**	**N/A**	



Description				Model	List Price
2-Stage A6 Table Base					
2 Stage, 2 Leg Rectangle T Foot	9.4	10.6	41.7	**A6REC2S2LTF**	**$ 2305**

*For 24"D–30"D Rectangular Worksurfaces 48"W–72"W and Approach 36"D worksurface with shrouds

*Not TAA compliant unless ordered with a TAA compliant configurable end product.

2 Stage, 2 Leg Rectangle C Foot	9.4	10.6	41.7	**A6REC2S2LCF**	**$ 2305**

*For 24"D–30"D Rectangular Worksurfaces 48"W–72"W and Approach 36"D worksurface with shrouds

*A6 base standard travel only compatible with credenza for integrated HAT, see page 751.

*Not TAA compliant unless ordered with a TAA compliant configurable end product.

How to specify — Select the Model Number from above.	*1st Option:* **FSC Certified Wood** *(if applicable)*:	*2nd Option:* **Laminate and Predefined Edge:**	*3rd Option:* **Height Adjustable Base** *(if applicable)*:	*4th Option:* **HAT Base Feet** *(if applicable)*:	*5th Option:* **Height Adjustable Base Keypad** *(if applicable)*:	*6th Option:* **Bracket Paint** *(if applicable)*:
	F FSC Certified **X** No FSC	See inside front cover for finishes.	**PR6** Silver **PD8** White **P71** Black	**X** Standard Glides **S** Slide Glides ($165 extra)	**UD** Basic Up/Down **MEM** Memory Preset **PDL** Paddle	P1 P2 P3 See page 717 for finishes.
_____ .	_ .	_____ .	_ _ _ .	X .	_ _ _ .	_ _


Examples: **WKAUMPJ2866LL.X.LM14EW** **WKAUMP2866MM**
WKAUJB2SA6.PR6.MEM


S *Shippable by small-package carrier.*

Approach™

HAT Column

For specification information see pages x-x.





Description	Model	P1 Paint List Price	UPCHARGES* P2
HAT Column Metal Shrouds 12"W x 4"D	**WKAP-HMSH12**	**$ 1768**	**$ 90**
HAT Column 3 Motor Kit	**WKAP-3MKT**	**$ 3590**	**$ 360**

To Order HAT Column application, please specify:
1. HAT Column: WKAP-HMSH12
2. HAT Motor Kit: WKAP-3MKT (All applications with HAT Column require minimum of 3 lifting motors)
3. HAT Workwall Access Panel — Example: WKAP-HL3SH36
4. HAT Worksurface — Example: WKAP-WMHT7236

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Select Paint** *(if applicable)*: P1 P2 P3 See page 717 for finishes.	**Height Adjustable Base Keypad** *(if applicable)*: **UD** Basic Up/Down **MEM** Memory Preset **PDL** Paddle
W K A P - _ _ _ _ _ _ .	_ _ _ .	_ _ _

Examples:

Approach™

HAT Workwall Access Panel

For specification information see pages x-x.



Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate
HAT Workwall Accent Panel Full			
30"W	**WKAP-HL3SH30**	**$ 1883**	**$ 95**
36"W	**WKAP-HL3SH36**	**$ 1906**	**$ 96**
42"W	**WKAP-HL3SH42**	**$ 2009**	**$ 101**
48"W	**WKAP-HL3SH48**	**$ 2066**	**$ 104**
60"W – 2 Pieces	**WKAP-HL3SH60**	**$ 3766**	**$ 190**
72"W – 2 Pieces	**WKAP-HL3SH72**	**$ 3812**	**$ 192**

Note: MUST BE WALL MOUNTED AND FULL DEPTH OF TOP


How to specify —	*1st Option:*
Select the Model Number from above.	**Select Laminate:** See page 717 for finishes.
W K A P - H L 3 S H _ _ .	_ _ _ _ _ _


Examples:

Approach™

HAT Worksurfaces

For specification information see pages x-x.







Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate
Extended Corner Cove Worksurface — Left Hand			
30"D x 72"W x 24"D x 60"W	**WKAP-WKXL726030**	**$ 2476**	**$ 125**
30"D x 78"W x 24"D x 60"W	**WKAP-WKXL786030**	**$ 2571**	**$ 129**
36"D x 72"W x 24"D x 72"W — 2 piece	**WKAP-WKXL727236**	**$ 2723**	**$ 138**
36"D x 78"W x 24"D x 72"W — 2 piece	**WKAP-WKXL787236**	**$ 2996**	**$ 150**
Extended Corner Cove Worksurface — Right Hand			
30"D x 72"W x 24"D x 60"W	**WKAP-WKXR726030**	**$ 2476**	**$ 125**
30"D x 78"W x 24"D x 60"W	**WKAP-WKXR786030**	**$ 2571**	**$ 129**
36"D x 72"W x 24"D x 72"W — 2 piece	**WKAP-WKXR727236**	**$ 2723**	**$ 138**
36"D x 78"W x 24"D x 72"W — 2 piece	**WKAP-WKXR787236**	**$ 2996**	**$ 150**
Media Racetrack Worksurface			
36"W x 72"D	**WKAP-WMHT7236**	**$ 1129**	**$ 58**
42"W x 72"D	**WKAP-WMHT7242**	**$ 1542**	**$ 78**
48"W x 72"D	**WKAP-WMHT7248**	**$ 1683**	**$ 85**


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Select Laminate:** See page 717 for finishes.	**Select Grommet** *(if applicable)*: **B** Both Left and Right **C** Centered **L** Left **R** Right **X** No Grommet
W K A P - _ _ _ _ _ _ _ _ _ .	_ _ _ _ _ _ .	_ _ _

Examples:

Approach™

Collaborative Table Surface-Mounted Power Modules

For specification information see page 745.



Description	Model	List Price
Collaborative Table Surface-Mounted Power Modules (Color: **SNW** Snow or **STRM** Storm)		
3 Power	**WKPWDP3SM**	**$ 607**
2 Power, 1 USB-A, 1 USB-C	**WKPWDP2SM**	**$ 758**

How to specify —

Select the Model Number from above.

1st Option:

Power Module Color *(if applicable)*:

SNW Snow
STRM Storm

W K | | | | | | | | | | . S | | |

Example: **WKPWDP3SM.SNW**

Casegoods — Involve®

Finishes 798
Overview 799-800
Working with Involve® 801-820
Pedestals, Credenzas, and Bookcases 821-828
Soft Seating..... 829-833
Storage Towers... 834-838
Stacking Storage 839
Overheads, Shelves, Stanchions, Hutches, and Tackboards 840-845
Worksurfaces — Primary and EZ View 846
Worksurface Supports 847-848
Screens 849-851

PAINTED METAL FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Designer White ..... PJW
Flint P02
Fossil P28
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver** PR6
Solar Black P8X

**PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensys, Essentials bookcase, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

****These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

PAINTED WOOD FINISHES

Brownstone M13
Bungalow M12
Designer White M17
Flint M16
Loft M11
Muslin M15

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

LAMINATE AND PAINTED WOOD STORAGE PULLS

Silver PR6

LAMINATE EDGE COLORS

Belair ..... BA
Beigewood ..... DE
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic† ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

† Not available on Aware table tops.

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

METAL GROMMETS

FOR LAMINATE WORKSURFACES

Oval/Square:
Matte Silver ..... EL

FOR VENEER WORKSURFACES

Oval:
Black E4
Bronze ..... EZ
Matte Silver ..... EL

Square:
Matte Silver ..... EL

PLASTIC GROMMETS

FOR WORKSURFACES

Black E4
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Flint E9
Fossil ..... EH
Loft ..... EV
Muslin ..... EU
Parchment ..... EN
Titanium ..... TI

PLASTIC GROMMETS WITH WOODGRAIN EDGE

If woodgrain edge is specified, the plastic grommet color is predetermined, based on finish selection.

Beigewood, Fawn Cypress, Natural Maple, and Natural Recon ..... Muslin EU
Kingswood Walnut and NeoWalnut ..... Brownstone EY
Phantom Charcoal and Skyline Walnut ..... Flint E9
Phantom Ecru ..... Loft EV
Portico Teak ..... Fossil EH
All other woodgrain options ..... Black E4

LOCKS

Black E4
Chrome ..... ordered by base model
Matte Silver ..... EL

NOTE: Refer to individual product pages for upcharges.

Laminate Wood Storage


Leg or Plinth Base models available. Leg base units are shown below.

Pedestals — 24"H and 28"H




Mobile Box/File | Freestanding Box/File | Freestanding Open | Support Box/Box/File | Support File/File | Support Open

Credenzas — 17½"H, left- and right-handed models available for handed units.



Single Lateral | Single Lateral w/Open Cubby | Corner Table

Credenzas — 24"H, left- and right-handed models available for handed units.



Box/Lateral | Box/Box Lateral | Box/Lateral w/Open Cubby | Sliding Door Open | Open

Credenzas — 28"H, left- and right-handed models available for handed units.




2-High Lateral | Box/Box Lateral | Box/Box Project/Lateral | Sliding Door Open w/Cubbies | Open

Credenzas and Bookcase — 42"H



3-High Lateral

Bookcases — 65"H and 72½"H



Bookcase w/Lateral | Bookcase | Bookcase w/Lateral | Bookcase

Towers — 42"H (12"W only), 50"H and 57½"H (50"H shown); left- and right-handed models available.


12"W | 18"W | 18"W | 24"W | 24"W



Full-Width Door | Hinged Door Box/Box/File | Side Access File/File | Hinged Door Box/Box/File | Side Access File/File

Towers — 65"H and 72½"H (65"H shown); left- and right-handed models available.

12"W | 18"W | 18"W | 18"W | 24"W | 24"W | 24"W




Full-Width Door (65"H) | Hinged Door Box/Box/File | Hinged Door File/File | Full-Width Door | Hinged Door Box/Box/File | Hinged Door File/File | Full-Width Door

Laminate Wood Storage


Leg or Plinth Base models available. Leg base units are shown below.

Stacking Storage — Hinged Door, left- and right-handed models available



20"H | 27½"H | 35"H | 42½"H

Stacking Storage — Open



20"H | 27½"H | 35"H | 42½"H

Overheads and Shelves




Hinged Door 15"H | Hinged Door 22½"H | Sliding Door | Open Bin | Dual Access Open | Book Shelf | Laminate Shelf

Soft Seating and Tables



Seat Base w/Drawers | Seat Base w/Open Cubby | Banquette Cushion | Seat Base Cushion | Table Top | Bolster | Corner Table | Open Table

Worksurfaces — Shapes below added for Involve to the hundreds available in our existing Worksurface selection.



Primary 18"D | Linear Taper 18"D / 24"D | Linear Taper 24"D / 18"D | EZ View Transition

Supports and Accessories



Open Metal End Supports | Closed Laminate End Supports | Post Leg | Worksurface Stanchion | Overhead Stanchion

Modesty Panels and Screens



Modesty Panels | Back Panels | Privacy Panels | Divider Panels

Accessories




Ped/Credenza Cushion | Pullout Shelf | Extra Metal Shelf | Power Module

Casegoods — Involve®


Where, how, and even what defines work is changing constantly. It's obvious that businesses are trying to understand what it means to successfully change with the culture and trends.


With Involve, we set out to discover how furniture can be used today as an impetus to an organizations change and yet perform well into the future as the organization continues to evolve.

Involve… one solution for all your needs.



Share work as it happens.





Involve is as comfortable in a corner or shared office as in an open plan.

Casegoods — Involve®

A Fresh Approach

Furniture needs to work today with a fresh approach and innovative features. But support of tomorrow's needs is vitally important.


- Expand functionality of systems furniture, energize existing installs, and support changing work styles with Involve. Take existing investment and add functionality and relevance by changing out a few key pieces.
- The soft seating can be used within panel walls or pulled into freestanding or huddle room applications. The same casegoods work in private office or open plan configurations.
- Modularity of components allows for flexing of product application into the future. Involve lets you design for collaboration now while building in opportunity for future head count growth.

Changing Work Styles


From editing to brainstorming, number crunching to researching, today's work doesn't just happen in a task chair pulled up to a desk surface.


- Tired of the stodgy cubicle, users should be inspired by a fresh approach with innovative features that feel like furniture and less like a system.
- A task chair works for one job function and lounge seating works better for another. Involve supports the preferred posture for these activities while maintaining the desired home base for individuals.
- Untethered from the primary workstation, sharing of information can happen spontaneously around a screen or face to face. Involve components can be used across the floorplan offering the user multiple places to go as they work.

Get inspired by Involve.




Involve's modular design accommodates all the different ways work gets done.





Involve moves out of dedicated user spaces to create comfortable, functional meeting areas.



Involve® Laminate Wood Storage

Features and Dimensions

	Style	17½"H Credenza	24"H Credenza	28"H Credenza	42"H Credenza
Widths	Open	—	18", 24", 30", 36"	18", 24", 30", 36"	
	Box/Lateral	—	30"	—	—
	Box/Box/Lateral	—	36"	24", 30"	—
	Box/Box/Project/Lateral	—	—	36"	—
	Lateral (1, 2, or 3 drawers)	30", 36"	—	30", 36"	36"
	Lateral/Open Cubby	48", 60", 72"	48", 60", 72"	—	—
	Combination	—	—	—	—
	Sliding Door w/shelf	—	36", 48"	36", 48"	—
	Closed (Table)	24"	—	—	—
	High Door/Low Open	—	—	—	—
Depths (some units 18"D or 24"D only)		18", 24"	18", 24"	18", 24"	18"
Pulls — Arch, Square Straight		Yes	Yes	Yes	Yes
Lock Options:					
	Lock	Standard	Standard	Standard	Standard
	Omit Core	Optional	Optional	Optional	Optional
	Master Keyed Lock	Standard	Standard	Standard	Standard
	Removable Lock Core	Yes — with special key	Yes — with special key	Yes — with special key	Yes — with special key
	Dual-Sided Locking	—	Yes	Yes	—
Suspension		Ball Bearing	Ball Bearing	Ball Bearing	Ball Bearing
Drawer Front Construction		¾" thick Laminate	¾" thick Laminate	¾" thick Laminate	¾" thick Laminate
Hinged Door Construction		¾" thick Laminate	¾" thick Laminate	¾" thick Laminate	¾" thick Laminate
Hex-head Glide		Yes	Yes	Yes	Yes
Counterweights		Required on freestanding applications	Required on freestanding applications	Required on most freestanding applications	Not required
Drawer Interiors:					
	Box Drawer	—	2¾"H	2¾"H	—
	Project Drawer	2⅝"H	—	2⅝"H	—
	Lateral Drawer	9"H	9"H	9"H	9"H
Front-to-Back Filing		Standard	Standard	Standard	Standard
Filing Options		Letter, Legal	Letter, Legal	Letter, Legal	Letter, Legal

	Style	Pedestal	Towers	Bookcases	Stacking
Heights		24", 28"	50", 57½", 65", 72½"	65", 72½"	20", 27½", 35", 42½"
Widths	Open	18"	—	30", 36"	—
	Box/File	15⅝", 18"	—	—	—
	Box/Box/File	15⅝", 18"	18", 24"	—	—
	File/File	28"	18", 24"	—	—
	Shelves	—	—	30", 36"	18", 24"
	Shelves and Lateral (1 drawer)	—	—	30", 36"	—
Depths (some units 18"D or 24"D only)		18", 24"	18", 24"	15", 24"	18"
Pulls — Arch, Square, Straight		Yes	Yes	Yes	Yes
Lock Options:					
	Lock	Standard	Standard	Standard	No
	Omit Core	Optional	Optional	Optional	No
	Master Keyed Lock	Standard	Standard	Standard	No
	Removable Lock Core	Yes — with special key	Yes — with special key	Yes — with special key	No
Suspension		Ball Bearing	Ball Bearing	Ball Bearing	
Drawer Front Construction		¾" thick Laminate	¾" thick Laminate	¾" thick Laminate	¾" thick Laminate
Hinged Door Construction		¾" thick Laminate	¾" thick Laminate	¾" thick Laminate	¾" thick Laminate
Hex-head Glide		Yes	Yes	Yes	
Counterweights		Required on freestanding applications	Not required	Not required	Not required
Drawer Interiors:					
	Box Drawer	—	2¾"H	2¾"H	—
	File Drawer	9"H	9"H	9"H	—
Front-to-Back Filing		Standard	Standard	Standard	—
Filing Options		Letter	Letter	Letter, Legal	—

Involve® Laminate Wood Storage

Features and Dimensions

Interior Dimensions for Credenzas, Pedestals, Towers, Bookcases, Stacking Storage, and Seat Bases

Description		Height	Depth — 18"D, 24"D	Width
CREDENZAS	Open	24"H — 17⅜" 28"H — 22⅛"	24"H — 17⅛", 23⅛" 28"H — 17⅛", 23⅛"	18" exterior = 16⅜" interior 24" exterior = 22⅜" interior 30" exterior = 28⅜" interior 36" exterior = 34⅜" interior 48" exterior = 46⅜" interior
	Single Lateral	Lateral — 9"	30"W Lateral — 14", 17½" 36"W Lateral — 12", 17½"	30" exterior = 26⅜" interior 36" exterior = 32⅜" interior
	Single Lateral w/Open Side	Lateral — 9" Open Side — 12"	24"W Lateral — 12", 17½" 30"W Lateral — 14", 17½" 36"W Lateral — 12", 17½" Open Side — 16⅜", 22⅜"	48" exterior = 43⅝" interior 60" exterior = 55⅝" interior 72" exterior = 67⅞" interior
	Sliding Door	24"H — 17⅜"	16", 22"	36" exterior = (2) 16¾" interior 48" exterior = (2) 22¾" interior
	Box/Box/Lateral	Box — 2¾" Project — 2⅝" Lateral — 9"	Box — 15" Project — 15" Lateral — 12", 17½"	36" exterior = 32⅜" interior
	Box/Lateral w/Open Side	Box — 2⅝" Lateral — 9" Open Side — 17⅜"	Box — 15" 24"W Lateral — 12", 17½" 30"W Lateral — 14", 17½" 36"W Lateral — 12", 17½" Open Side — 16⅜", 22⅜"	48" exterior = 43⅜" interior 60" exterior = 55⅝" interior 72" exterior = 67⅞" interior
	File/File	(2) File — 9"	30"W Lateral — 14", 17½" 36"W Lateral — 12", 17½"	30" exterior = 26⅜" interior 36" exterior = 32⅜" interior
	Box/Box/File Support and Box/Box/Project/Lateral Support	Box — 2¾" Project — 2⅝" File — 9	Box — 15" Project — 15" 24"W Lateral — 12", 17½" 30"W Lateral — 14", 17½" 36"W Lateral — 12", 17½"	24" exterior = 20⅜" interior 30" exterior = 26⅜" interior 36" exterior = 32⅜" interior
	Combination	Cabinet — 12" Project — 2⅝" Open Side — 4⅜"	Cabinet — 16⅜", 22⅜" Project — 15" Open Side — 16⅜", 22⅜"	48" exterior = 45⅝" interior
	Open Bookcase	29½"	17⅛"	48" exterior = (2) 22¾" interior
	Open w/Sliding Door and Shelves	29½"	16"	48" exterior = (2) 22¾" interior
	Lateral (42 high)	(3) File — 9"	15"	36" exterior = 32⅜" interior
PEDESTALS	Mobile and Support	Box — 2¾" File — 9⅛"	Mobile — 15" Support — 15", 19"	Mobile — 12⅛" Support — 12⅛" and 14⅜"
TOWERS	Hinged Door and Side Access	Box — 2¾" File — 9⅛"	15", 19"	14⅜"
BOOKCASES	Open Bookcase	65"H — 58½" 72"H — 66"	14⅛"	30" exterior = 28⅜" interior 36" exterior = 34⅜" interior
	Bookcase with Lateral	65" BC — 45¾" 72" BC — 53¼" Lateral — 9"	Bookcase — 14⅛" Lateral — 17½"	30" exterior = 28⅜" interior 36" exterior = 34⅜" interior
STACKING	Hinged Door or Open (Actual exterior ht. ¼" less than nominal)	20"H-18¼"H 35"H-33¼"H 27½"H-25¾"H 42½"H-40¾"H	16⅛"	18" exterior = 16⅜" interior 24" exterior = 22⅜" interior
SEAT BASES	Open	4¾"	17⅛"	24" exterior = 22⅜" interior 36" exterior = 34⅜" interior 48" exterior = 46⅜" interior
	Drawer	2⅛"	15"	24" exterior = 20⅜" interior 36" exterior = 32⅜" interior 48" exterior = (2) 20⅜" interior

Involve® Laminate Wood Storage

Load Capacity for Laminate Wood Credenzas, Pedestals, Bookcases, Stacking Storage, Towers, and Overheads

Product Description	Style	Depth	15⅝"W	18"W	24"W	30"W	36"W	48"W	60"W	72"W
11"H CREDENZAS	Open Table	18"D					57lbs.	77 lbs.		
		24"D					76 lbs.	103 lbs.		
17½"H CREDENZAS	Lateral	18"D			48 lbs.	62 lbs.	76 lbs.			
		24"D			56 lbs.	73 lbs.	89 lbs.			
	Lateral/Open Cubby	18"D						125 lbs.	159 lbs.	193 lbs.
		24"D						161 lbs.	205 lbs.	248 lbs.
24"H CREDENZAS	Box	18"D			14 lbs.	19 lbs.	23 lbs.			
		24"D			18 lbs.	23 lbs.	29 lbs.			
	Lateral	18"D			48 lbs.	62 lbs.	76 lbs.			
		24"D			56 lbs.	73 lbs.	89 lbs.			
	Box/Lateral/Open	18"D						170 lbs.	217 lbs.	263 lbs.
		24"D						222 lbs.	282 lbs.	342 lbs.
	Open	18"D		81 lbs	111 lbs.	141 lbs.	170 lbs.			
		24"D		109 lbs.	150 lbs.	190 lbs.	230 lbs.			
	Sliding Door w/shelf	18"D					157 lbs.	213 lbs.		
		24"D					216 lbs.	293 lbs.		
28"H CREDENZAS	Box	18"D			14 lbs.	19 lbs.				
		24"D			18 lbs.	23 lbs.				
	Project Drawer	18"D					23 lbs.			
		24"D					29 lbs.			
	Lateral	18"D				62 lbs.	76 lbs.			
		.24"D				73 lbs.	89 lbs.			
	Open Cubby w/shelf	18"D		104 lbs.	142 lbs.	180 lbs.	218 lbs.			
		24"D		140 lbs.	192 lbs.	243 lbs.	294 lbs.			
	Sliding Door w/shelf	18"D					210 lbs.	285 lbs.		
		24"D					287 lbs.	389 lbs.		
42"H CREDENZAS	Lateral	18"D					76 lbs.			
24"H PEDESTALS	Box Mobile	18"D	9 lbs.							
	File Mobile	18"D	29 lbs.							
	Box Freestanding	18"D		10 lbs.						
		24"D		13 lbs.						
	File Freestanding	18"D		35 lbs.						
		24"D		44 lbs.						
28"H PEDESTALS	Box Support	18"D	9 lbs.	10 lbs.						
		24"D	11 lbs.	13 lbs.						
	File Support	18"D	29 lbs.	35 lbs.						
		24"D	37 lbs.	44 lbs.						
BOOKCASES	65"H with/Lateral (15"D upper)	24"D				367 lbs.	445 lbs.			
	72½"H with/Lateral (15"D upper)	24"D				413 lbs.	501 lbs.			
	65"H Open (all shelves)	15"D				377 lbs.	456 lbs.			
	72½"H Open (all shelves)	15"D				426 lbs.	516 lbs.			
STACKING STORAGE	with/Doors (All units are non-locking.)	18"D								
TOWERS	Box Drawer	18"D		10 lbs.	14 lbs.					
		24"D		13 lbs.	18 lbs.					
	File Drawer	18"D		35 lbs.	48 lbs.					
		24"D		44 lbs.	56 lbs.					
	50"H Wardrobe Section	18"D			63 lbs.					
		24"D			86 lbs.					
	57½"H Wardrobe Section	18"D			74 lbs.					
		24"D			101 lbs.					
	65"H Wardrobe Section	24"D			116 lbs					
	72½"H Wardrobe Section	24"D			131 lbs.					
	65"H Full Width Wardrobe	24"D		360 lbs.	492 lbs.					
	72½" Full Width Wardrobe	24"D		407 lbs.	556 lbs.					

Involve® Laminate Wood Storage

Load Capacity by Unit *(continued)*

Product Description	Style	Depth	15⅝"W	18"W	24"W	30"W	36"W	48"W	60"W	72"W
SEAT BASES	Drawers	24"D			13 lbs.		22 lbs.	27 lbs.		
	Open	24"D			31 lbs.		48 lbs.	64 lbs.		
OVERHEADS	7½"H Open Bin			30 lbs.	38 lbs.	46 lbs.	55 lbs.	63 lbs.		
	7½"H Book Shelf			36 lbs.	46 lbs.	56 lbs.	65 lbs.	75 lbs.		
	15"H Slider Bin			61 lbs.	78 lbs.	95 lbs.	112 lbs.	129 lbs.	163 lbs.	
	15"H Binder Box w/shelf			70 lbs.	88 lbs.	107 lbs.	123 lbs.	142 lbs.	180 lbs.	
	15"H Hinged Door			64 lbs.	81 lbs.	104 lbs.	113 lbs.	130 lbs.	165 lbs.	
	15"H Dual Access w/Slider Door									
	15"H Dual Access Open					129 lbs.		175 lbs.	221 lbs.	
	22½"H Hinged Door			99 lbs.	126 lbs.	153 lbs.	176 lbs.	203 lbs.	257 lbs.	

Quantity of Locks for Laminate Wood Credenzas, Pedestals, Bookcases, Stacking Storage, Towers, and Overheads

Note: Open units and shelves are non-locking and are therefore not included in the list below.

	Style	15⅝"W	18"W	24"W	30"W	36"W	42"W	48"W	60"W	72"W
17½"H CREDENZAS	Lateral (1 drawer)				1 lock	1 lock				
	Lateral/Open Cubby							1 lock	1 lock	1 lock
24"H CREDENZAS	Box/Lateral				1 lock					
	Box/Box/Lateral					2 locks				
	Box/Lateral/Open							1 lock	1 lock	1 lock
	Sliding Door w/shelf					1 lock		1 lock		
28"H CREDENZAS	Box/Box/Lateral			1 lock						
	Box/Box/Project/Lateral					2 locks				
	Lateral (2 drawer)				1 lock	1 lock				
	Sliding Door w/shelf					1 lock		1 lock		
42"H CREDENZAS	Lateral (3 drawer)							1 lock		
24"H PEDESTALS	Box/File	1 lock	1 lock							
28"H PEDESTALS	Box/Box/File	1 lock	1 lock							
	File/File	1 lock	1 lock							
BOOKCASES	with/Lateral				1 lock	1 lock				
STACKING STORAGE	with/Doors (All units are non-locking.)									
TOWERS	Wardrobe/Hinged Door/Box/Box/File			2 locks						
	Wardrobe/Hinged Door/File/File			2 locks						
	Wardrobe/Side Access/File/File			2 locks						
	Wardrobe/Side Access/Box/Box/File			2 locks						
	Wardrobe			1 lock						
	Hinged Door/Box/Box/File		1 lock							
	Hinged Door/File/File		1 lock							
	Side Access/File/File		1 lock							
	Side Access/Box/Box/File		1 lock							
OVERHEADS	Hinged Doors			1 lock	1 lock	1 lock	1 lock	2 locks	2 locks	
	Sliding Door			1 lock	1 lock	1 lock	1 lock	1 lock	1 lock	
	Dual Access w/Sliding Doors								2 locks	2 locks

Involve® Laminate Wood Storage

Filing Capacities

Top View of Drawers

15"W Pedestal and Tower Drawers




Letter Front-to-Back
18"D Mobile – 14½" of filing
24"D Support – 19" of filing




Legal Side-to-Side
24"D Support – 12" of filing

18"W Pedestal and Tower Drawers




Letter Front-to-Back
18"D – 14½" of filing
24"D or 30"D – 19" of filing




Side-to-Side
18"D – 14½" of Letter filing
24"D or 30"D – 14½" of Letter or Legal filing


24"W Credenza Lateral Drawers



Letter Side-to-Side
18"D – 20½" of filing




Letter Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing




Legal Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing

30"W Credenza Lateral Drawers




Letter Front-to-Back
18"D – 30" of filing
24"D – 35" of filing




Legal Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing


36"W Credenza Lateral Drawers




Letter Front-to-Back
18"D – 30" of filing
24"D – 35" of filing



Legal Front-to-Back
18"D – 15" of filing
24"D – 17½" of filing



Letter Side-to-Side
18"D and 24"D – 32½" of filing




Letter Side-to-Side and Legal Front-to-Back
18"D – 17" of Letter S-T-S filing and 15" of Legal F-T-B filing
24"D – 17½" of Letter or Legal F-T-B filing

Involve® Laminate Wood Storage

Working with Peds and Credenzas

Credenzas and pedestals ship fully assembled except for tops on 28"H and 42"H units are ordered separately to allow one surface to span multiple credenzas and pedestals. Tops are available in laminate with flat edge detail.



Optional ganging bracket can be used to gang credenzas or pedestals in line.

Various pull options are offered. See below for details.

Tops for 28"H and 42"H units must be ordered separately and can span multiple units. Most units are available in 18" or 24" depths.

Available in solid and woodgrain laminate colors. On units with fronts, you can select one laminate for the case and a second laminate for the drawers fronts and doors.

Units can be shipped with lock cores removed; cores can be installed after units are in place. Core removable lock feature allows key numbers to be easily changed in the field.

Units are constructed from ¾" thick laminated particleboard with edge banding and European cam-and-pin construction.

Stride feet for Involve have sleeves to conceal the leveling glides which have a 1½" leveling range. Terrace feet have a leveling range 2¼". The hex-head design of the stem allows leveling to be done even when the unit is fully loaded.

On two-tone casegoods, the credenza top including front "header" is the same color as the case on all credenzas that ship with a top. *Example:* Units with frosty white case and charcoal walnut front has a frosty white top and header.


All drawers use full extension slides. Interlocks are used where needed for stability.

Choose footed design or plinth base for storage that sits on the floor.

Internal shelves are painted metal and adjustable to three levels (unless noted as fixed).


Feet are recessed ¾" from the front, 1/16" from the sides, and are flush to the back. On dual-access units feet are recessed ¾" on front and back.

Single sided sliding door units are non-handed; open half depends on door position. Doors lock in either position.



Finished back

Open and partially open units come assembled with a finished laminate back.




Units with drawers or doors come with an unfinished back that is recessed. A laminate back is available for units up to 28"H (ordered separately) for use when the back of the unit will be exposed.

Available pull styles:




Arch Halo Beam Square

Storage that sits on the floor is available with plinth base or feet. Footed design provides increased air flow. **Two feet options** are available to integrate with Terrace or Stride Systems. Units ship assembled except for feet and pulls.




Terrace



Stride


Involve® Laminate Wood Storage

Working with Peds and Credenzas




Two Tone Combo Credenzas

- Chassis, top, and plinth base will match. See illustration at left.
- Door/drawer fronts will match.



Two Tone Credenza (non-combo unit)

- Chassis and top will match. See illustration at left.
- Drawer fronts and plinth base will match.
- For best aesthetics avoid placing aside of a two-tone combo unit.




Two Tone Tower and Wardrobe Plinth

- Units have matched front and kickplate as shown here.

Note: Plinth base follows front laminate on non-combo units, and chassis & top on combo units. For best aesthetics avoid placing a two-tone combo along side of a two-tone non-combo unit.

Involve® Laminate Wood Storage

A seat cushion can be placed on the credenza or pedestal top for additional seating. **Soft seating units** are also available for use within the private office, open plan, reception areas, and beyond. Seat bases are ordered separately from seat base cushions and table tops. Seat bases can be used as tables when ordered with a side table top.



Seat Bases are ordered separately in widths of 24", 36", and 48". Seat Bases are 11"H x 24"D and are available with plinth base, Terrace® feet, or Stride® feet. Seat cushion(s) and/or table top(s) are ordered separately to complete the unit.


Banquette cushion includes a seat back. Seat base cushions do not have a back.

Tops for seat bases are designed to sit on top of seat bases and can be used in combination with seat base cushions or banquette cushions. 12"-wide tops can be set on top of a 48" wide base with a 36" wide banquette cushion to create surface for drinks, papers, etc.


Tops are 24"D and available in widths of 12", 24", 36", and 48". Available in solid color and woodgrain laminate options. 24" wide top is available with or without power cutout. A power module is ordered separately.

Seat cushions are designed to attach to the top of the seat bases. Offering includes: 24"W or 36"W banquette cushions or 24"W seat base cushions.

Seat base offering includes: with drawer or open. 48"W seat base with drawer has two drawers; design allows access to outbound drawers in corner applications. See illustration below showing four 48"W seat bases with 24"W cushions and tops in a U-shape configuration.




Seat bases are available in solid or woodgrain laminate options. Seat base with drawer can have a different laminate color on the drawer front than the case.



Open table is 11" high and is open at the front and back. Available in widths of 36" or 48" and depths of 18" and 24". Tables can be used to support electronics with back open for cord passage or can be used as a coffee table. 48" wide unit has a septum in the middle of the unit.

Corner table is used in a soft seating application. Corner table is 17½" high, 24" wide, and 24" deep. Illustration below is shown using plinth base units.



Involve® Laminate Wood Storage

Working with Personal Towers

Aesthetic Alignment
Tower heights align with Stride® and Terrace® panel segmentation.

Construction and Options
See page 808 for Involve storage construction details; and base, pull, and finish options.


Shelves
Internal shelves are painted metal and adjustable to three levels.

Filing
File drawers can accommodate front-to-back letter filing.


Wardrobe Door
All 24"W towers have full-height wardrobe doors with a coat hook.

Core Removable Locks
Towers can be shipped with lock cores removed; cores can then be installed after towers are placed. Core removable lock feature allows key numbers to be easily changed in the field. It also facilitates installation.

Quantity of Lock Cores
Wardrobes with shelves, 18"W towers, and 12"W towers have one lock to secure door. All other towers have two locks — one secures the wardrobe door and the other secures all drawers.



Configurations
Towers are available in five heights: 42½", 50", 57½" 65" and 72½"H. Drawer configurations include box/box/file and file/file with portion above drawers being a hinged door; 50"H and 57½"H units offer a side access option in place of front facing hinged door. All 24"W units with drawers have a full-height 6"W wardrobe; 18"W units do not. Full wardrobes with 2 adjustable shelves and a coat hook are available in 65"H and 72½"H. 12"W units include 2 coat hooks and must be panel mounted or attached to a credenza or worksurface. Left- and right-handed units available for all configurations. Units ship assembled except for feet and pulls.



Worksurface Support
Tower can accommodate addition of an "L" tower bracket or tower rail.

An "L" tower bracket can be ordered separately and fitted to any tower to support worksurfaces at 29½"H.

A tower rail can be ordered separately and fitted to any tower to support worksurfaces at a height range of 27½"H to 30½"H.

See page 838 for visuals of a "L" tower bracket and a tower rail.


Number of Adjustable Shelves in Tower

Unit Height	Sides Access	Front Access	12" Wide
42½"H	N/A	N/A	1
50"H	1	0*	2
57½"H	1	1	2
65"H	N/A	2	2
72½"H	N/A	2	N/A

*Shelf can be ordered separately on page 831.

Involve® Laminate Wood Storage

Stacking storage ships fully assembled. Units are designed to be placed on top of a worksurface or credenza and are attached with double-sided tape. Units line up on-module with Stride® and Terrace® elevations when mounted atop everything except a 24" high credenza. Units are available with hinged doors and open configurations.



Available in solid, wood grain and two-tone laminate colors on units with fronts.

Internal shelves are painted metal and adjustable.

Units feature three styles of pull options — arch, square or straight.

Constructed from ¾" laminated particleboard with edge banding and concealed fastener construction.

Product Dimensions

Stacking Storage

Width 18", 24"
Inside Width 16⅜", 22⅜"
Depth 18"
Inside Depth 16⅜"
Actual Height 19¾", 27¼", 34¾", 42¼"
Inside Height 18¼", 27½", 33¼", 40¾"

Open Box

Width 24", 30", 36", 42", 48", 60"
Inside Width 1¾" less than width
Depth 15"
Inside Depth 13⅝"
Height 15"
Inside Height 13⅜"


Overhead Storage Cabinet w/Doors

Width 24", 30", 36", 42", 48", 60", 72", 84", 96"
Inside Width 1¾" less than width
Depth 15"
Inside Depth 12⅞"
Height 15", 22½" (to 60"W)
Inside Height 13⅜", 20⅞"

Overhead Storage — Dual Access

Open Width 36", 48", 60"
Inside Width 17⅛", 23⅛", 29⅛", 35⅛" per side
Depth 15"
Inside Depth – Slider 15¼"
Open 16¾"
Height 15"
Inside Height 13⅜"


Overhead storage components maximize the use of space in the workstation and provide convenient access to binders, reference materials, software packages, and miscellaneous supplies. Overhead cabinets are available with sliding doors, hinged doors, open, and dual access with sliding door or open. Laminate selection includes solid color, woodgrain, or two-tone (case/doors).



Overheads are constructed from ¾" thick laminated particleboard with edge banding and concealed fasteners.

Units can be shipped with lock cores removed; cores can be installed after units are in place.


15"H cabinets can be panel-mounted on module on Stride or Terrace Systems (order brackets separately) and 15"H or 22½"H units can be wall-mounted with horizontal wall track; dual access cabinets can be upmounted.



Locking clip feature secures storage units to panel.


Core removable lock feature allows key numbers to be easily changed in the field.

24", 30"W, 36"W have 2 doors, 42"W 3 doors, and 48"W, 60"W, and 72"W have 4 doors, 84"W 6 doors, and 96"W have 8 doors.



Open storage units come assembled with a laminate back. Available in 15"H units.

LED undercabinet light can be mounted beneath laminate overhead cabinets for a low profile lighting option. (Recessed tasklights not recommended as bottom of laminate wood storage is not recessed.)



Involve® Laminate Wood Storage

Specification Information

Wood Storage — Floor Based
- Plinth base or footed design with choice of feet that coordinate with either Stride® or Terrace®. (Unless unit is mobile.)
- Units ship assembled except for feet and pulls.
- Three pull options: arch, square, or straight.
- ¾" thick laminated particleboard with edge banding and European cam-and-pin construction.
- Available laminates: solid, woodgrain, or two-tone (case one laminate / front (door or drawer) a different laminate).
- 72"W units require Solid color laminate case, front can be woodgrain or solid.
- Doors and drawers lock except for stacking storage units and hinged cupboard doors on towers.
- Single sided sliding door units are non-handed; open half depends on door position. Door locks in either position.
- Some models require counterweights, wood backs, or ganging — see page 814.
- File drawers 30"W and wider accommodate legal size documents.
- Center stability foot is included on units 60"W or larger and is always black.

Mobile Pedestal (Plinth base or footed page 821)
- Box/file drawers; 24"H x 15⅝"W x 18"D.
- Has a top and finished back. Ships with counterweight.

Freestanding Pedestals (Plinth base or footed page 821)
- Box/file drawers; 24"H x 18"W x 18"D or 24"D.
- Have a top and unfinished back.
- Requires counterweight (order separately) if freestanding — see page 814.
- Units ship assembled except for feet and pulls.

Support Pedestals (Plinth base or footed page 821)
- Support pedestals include box/box/file, file/file, or open with one adjustable metal shelf.
- Support pedestals are 15⅝"W or 18"W; 18"D, 24"D and 30"D; and 28"H. They are meant to support worksurfaces; optional tops are available. With a top they are 29½"H.
- 30"D pedestals are designed to support 30"D worksurfaces; drawer depths are the same as 24"D pedestals.
- Open w/shelf models have finished laminate backs; backs on other models are open with spanner bar with optional laminate back ordered separately if back is exposed.

17½"H Credenzas (Plinth base or footed page 822)
- 18"D or 24"D; includes tops. Some models require counterweights or ganging — see page 814.
- Single lateral has one drawer, 30"W or 36"W. Requires counterweights. Optional laminate back ordered separately.
- Single lateral w/open side cubby is handed — drawer, left, or right; 48"W, 60"W, or 72"W.
- Center stability foot is included on units 60"W or larger and is always black.
- Table (closed base) units are 24"W x 24"D.
- Units ship assembled except for feet and pulls.


24"H Credenzas (Plinth base or footed pages 823-824)
- 18"D or 24"D with tops.
- Box/lateral is 30"W and box/box/lateral is 36"W. Optional laminate back ordered separately.
- Box/lateral w/open side are handed — drawer, left, or right; 48"W, 60"W, or 72"W.
- Center stability foot is included on units 60"W or larger and is always black.
- Sliding door w/adjustable metal shelf; 36"W or 48"W.
- Open binder units have an adjustable metal shelf; 18"W, 24"W, 30"W, or 36"W.
- Units ship assembled except for feet and pulls.

28"H Support Credenzas (Plinth Base or footed pages 825-826)
- 18"D or 24"D without tops.
- Units are designed to support worksurfaces; tops must be ordered separately. With top, credenzas are 29½"H.
- Box/box/lateral are 24"W or 30"W. box/box/project drawer/ lateral is 36"W. Optional laminate back ordered separately.
- Lateral/laterals are 30"W or 36"W. May require counterweights — see page 814. Optional laminate back ordered separately.
- Sliding door units w/adjustable metal shelf and an open top shelf; non-handed, 36"W or 48"W.
- Open cubby models have an adjustable metal shelf; 24"W, 30"W, or 36"W.
- Units ship assembled except for feet and pulls.

42"H Credenzas (Plinth base or footed page 827)
- Units are 18"D and designed to support worksurfaces; tops must be ordered separately. With worksurface, credenzas are 43½"H.
- 3-drawer lateral has a laminate back with seams and is 36"W. Aesthetic should be considered in applications where back is visible.
- Units ship assembled except for feet and pulls.

Cam Cover Kits (page 830)
- 17½"H, 24"H, and 28"H credenzas ship without cam covers. Cam cover kits can be ordered separately. 20 cam covers in each kit.

15"W Box Drawer Pedestals and Accessory (page 822)
- Box drawers do not include pencil tray.
- Order pencil tray separately - A2280-000



Involve® Laminate Wood Storage

Bookcases and Bookcases with Lateral File (Plinth base or footed page 828)
- Open bookcases are 15"D. 65"H have 2 adjustable and 1 fixed shelves. 72½"H have 2 adjustable and 2 fixed shelves.
- Bookcases w/lateral are 24"D with 15"D upper bookcase. 65"H have 2 fixed shelves. 72½"H have 1 fixed and 2 adjustable shelves.
- Pin-and-cam fasteners visible from the front are covered with cam covers.
- Backs of all units have exposed pin-and-cam fasteners. Optional cam covers are available to order. Aesthetic should be considered in applications where back is visible.
- Units ship assembled except for feet and pulls.

Tops and Cushions for Pedestals and Credenzas (page 829)
- Laminate tops are 1¼" thick and 18"D or 24"D, for use on storage without tops in freestanding applications. Certain freestanding applications require counterweights or ganging — see below.
- Cushions are for use on 17½"H and 24"H storage with tops to create additional seating.

Counterweight Kits (page 830)
- Counterweight is attached to the bottom of a credenza to inhibit tipping.
- Kits must be ordered separately (see page 830) based on type and depth of unit and field-installed.
- Units designated to be ganged must be ganged to at minimum a 36"W unit with non extendable elements (i.e. KL243618N).
- Counterweight kits required for freestanding pedestals and credenzas:

HEIGHT / WIDTH	DEPTH	REQUIRED KITS
24"H Pedestals		
18"W	18"D	2 Kits & Wood Back
	24"D	2 Kits*
	30"D	0 Kits
28"H Pedestals		
15"W or 18"W	18"D	2 Kits & Wood Back
	24"D	2 Kits
	30"D	0 Kits
17"H Single Lateral Credenzas		
30"W or 36"W	18"D	2 Kits & Ganged*
	24"D	0 Kits & Ganged
17"H Single Lateral w/Open Side Credenzas		
48"W, 60"W, or 72"W	18"D	1 Kit
	24"D	0 Kits
24"H Lateral w/Box Drawer(s) Credenzas		
30"W or 36"W	18"D	4 Kits & Ganged*
	24"D	4 Kits & Ganged*
24"H Lateral w/Open Side Credenzas		
48"W, 60"W, or 72"W	18"D	3 Kits
	24"D	0 Kits
28"H Lateral w/Box Drawers Credenzas		
24"W	18"D	2 Kits & Ganged*
	24"D	2 Kits & Ganged*
30"W or 36"W	18"D	4 Kits, Wood Back, & Ganged
	24"D	1 Kit & Ganged*
28"H Lateral/Lateral Credenzas		
30"W or 36"W	18"D	3 Kits & Wood Back
	24"D	3 Kits*

Units designated with an '' may have 1 counterweight kit removed if a finished wood back is installed.

- Counterweight kit(s) and/or wood backs are not required if ganged back-to-back.
- One counterweight kit can be removed for each additional 36" width of ganged storage to units with non extendable elements.

Example: (1) 28"H x 36"W x 24"D Lateral/Lateral Credenza
+ (2) 28"H x 36"W x 24"D Open Credenzas
(3) kits - (2) kits for 72" ganged = **(1) total kit required**

Ganging Brackets (page 830)
- Ganging brackets attach to underside of Credenzas.
- Can be used in place of Counterweight Kits based on counterweight requirements above.
- Unique ganging bracket models for footed and plinth base models.

Metal Shelves (page 831)
- Pullout shelves have a 50 lb. weight capacity and are field-installed using supplied template.
- Pullout shelves are 2"H x 18"W, 24"W, 30"W, or 36"W; and 12"D, 18"D or 24"D in P1, P2, and P3 paint colors.
- Pullout shelves can be used in open cubby space with box/lateral credenzas with septum (exception of sliding door credenzas with septum).
- Additional metal shelves with pins in dimensions for open units are available in P1, P2, and P3 paint colors.

Soft Seating — Bases/Tops/Cushions and Tables
(Plinth base or footed pages 832-833)
- Bases, either plinth base or leg base units, are ordered separately from seat cushions and table tops. 11"H x 24"D seat base comes with drawer(s) or open shelves; unfinished back and no top. 24"W, 36"W or 48"W.
- Order seat base top(s) 12"W, 24"W, 36"W, or 48"W; or 24"W seat base cushion(s); or banquette cushion(s) (24"W or 36"W) separately to fill entire width of seat base.
- 24"W seat base top is available with power module cutout. Power modules ordered separately with USB, iPod, or Ports.
- Seat base drawer fronts have finger pocket on underside.
- Low open table with top is 11"H and can be used in a soft seating application; 36"W or 48"W and 18"D or 24"D.
- Corner table w/top is closed on all sides; 17½"H x 24" x 24".
- When creating a 90° setup using three seat bases, use of ganging bracket replaces front visible foot on corner seat base.

Involve® Laminate Wood Storage

Specification Information

Personal Towers (Plinth base or footed pages 834-838)
- Available in heights of 42½", 50", 57½", 65", and 72½".
- Available in right-hand and left-hand configurations. Box/box/file and file/file — front hinged door or side access models with or without 6" wide full-height wardrobe.
- 12"W towers must be attached to a panel, worksurface, or credenza.
- 18"W towers must be attached to a worksurface with Z6LB or a credenza with an inset back using bracket KLGK.
- Pilot holes in case to use "L" tower bracket or tower rail.
- Shelves in hinged door models are adjustable.
- Shelves in side access models are adjustable.
- Full width wardrobe 18"W or 24"W with 2 adjustable metal shelves on 65"H or 72½"H. 24"D have hanging rod; 18"D have double-hook.
- Pin-and-cam fasteners visible from the front and behind a door are covered with cam covers.

"L" Tower Bracket (page 838)
- Used to support a worksurface at 29½"H.
- Attaches using pre-drilled holes inside the tower.
- For use with laminate and painted wood storage only.
- The depth of the worksurface and tower should be equal.

Tower Rail (page 838)
- The tower rail mounts to the user side of towers and is used to attach worksurfaces at a height range of 27½"H to 30½"H.
- Attaches using pre-drilled holes inside the tower.
- Requires rail bracket kit for worksurface — order separately.

Stacking Storage (page 839)
- Units are 18" deep; 20", 27½", 35", and 42½"H. Open units 18"W or 24"W and hinged door units 18"W. 24"W hinged door with 6"W side display available 20"H or 27½"H.
- Units are non-locking and designed to be attached with double-sided tape on top of a 28"H properly supported storage unit worksurface and align with Stride®, Terrace® or Optimize™ elevations.
- Stacking Storage units can not be stacked on each other.
- 42½"H units have two adjustable-height metal shelves; 27½"H and 35"H units have one adjustable shelf.
- Pin-and-cam fasteners visible from the front and behind a door are covered with cam covers.

Overhead Storage (pages 840-841)
- Units include: hinged door, sliding door, dual-access, and open.
- 15"H units are designed to mount on module to a panel (Terrace or Stride — order panel mount brackets separately) or mount atop stanchions — ordered separately. 15"H and 22½"H units mount to a hard wall using horizontal wall-mount bracket — ordered separately. 22½"H have fixed metal shelf and can only be wall mounted. *See page 810 for panel mounting rules*.
- No double stacking of laminate overheads.
- 24"-36"W hinged door cabinets have 2 doors with one lock on the front of the cabinet; 42"W 3 doors with two locks; 48"W, 60"W, and 72"W have 4 doors with a center security septum and two locks; 84"W 6 doors, two septums, and three locks; 96"W 8 doors, three septums, and four locks.
- Sliding door overheads have one door with one lock that can only be locked when the door is in the left-hand position.
- Back side of single sided units are not meant to be exposed.
- Dual-access units are 18"D and designed to be used between two stations with Terrace panel system. Open units are 36"W, 48"W or 60"W.
- Overhead cabinets feature self-engaging safety latch to secure the cabinet to panel.
- Specify low profile LED tasklights. See page 842.
- Pin-and-cam fasteners visible from the front, bottom, and behind a door are covered with cam covers.
- Overheads 72"W or greater cannot be panel mounted. For stanchion mounting and wall mounting only.
- When stanchion mounting 72"W or greater overheads, a taskpanel kit is required on one or both sides.
- A mid stanchion is required with overheads 72"W and wider.
- A taskpanel kit is required when attaching 72"W and wider overheads to a single adjacent tower using the tower-to-overhead bracket kit.
- Taskpanel kits are not required when attaching 72"W and wider overheads to two towers using the tower-to-overhead bracket kits.
- When wall mounting overheads 72"W and wider use two brackets: 2–36"W for 72"W, 2–42"W for 84"W, and 2–48"W for 96"W.
- When ordering a two-tone option for overheads 72"W or greater, the case must always be a solid laminate color.
- Woodgrain laminate option limited to doors for overheads 72"W or greater. Case must be a solid laminate color.

Involve® Laminate Wood Storage

Laminate Shelf, Book Shelf, and Open Box (page 841)
- Units are designed to mount on module to a panel (Optimize®, Terrace® or Stride® — brackets provided).
- Must conform to specific panel system rules for Overhead mounting
- Cannot be wall-mounted.
- Ship with panel mount brackets installed.
- Capacity not to exceed 50 lbs. on laminate shelf.

Overhead Stanchions (page 842)
- Aluminum, mid, and non-handed; 5", 11", 12", 18", 19¼", 26", and 27"H.
- 15"D used with single sided overheads, 18"D with dual access.
- Stanchions for 24"H credenzas with tops aligns unit with panel or storage: 11" stanchions align with 35"H; 18"H aligns with 42½"H; 26" aligns with 50"H.
- Stanchions for 28"H credenzas on 29½"H surface aligns unit with panel or storage: 5" stanchions align with 50"H; 12"H aligns with 57½"H; 19¼" aligns with 65"H; 27"H aligns with 72½"H.
- Overheads 72"W and wider require a mid overhead stanchion.
- Unfinished back may be exposed in freestanding application.
- Overhead stanchions are not recommended to be used on freestanding desks.

Tower-to-Overhead Bracket (page 842)
- Used when stanchion mounting 72"W, 84"W, or 96"W overheads to an adjacent tower.

Horizontal Wall-Mount Brackets (page 842)
- Use to attach an overhead directly to wall.
- Attachment hardware not included.

LED Undercabinet Light (page 842)
- Low profile energy-efficient LED tasklight for use with Involve overhead storage cabinets. Attachment hardware included.
- 95 footcandles at 18"; 3500K color temperature.
- 15W power supply is attached to plug: allow 1⅞"D space at outlet. Includes 3 cord retainer clips.

Hutches (page 844)
- Units include: hinged door, sliding door, and open.
- Designed for use on top of 28"H credenzas with a worksurface of same or greater width — 35"H align with 65"H and 42½"H with 72½"H elevation.
- Laminate hutches are not recommended to be used on freestanding open gable desks.
- Laminate hutches ship fully assembled and attach to a worksurface with double sided tape.
- When ordering a two-tone hutch with a woodgrain case 66"W and wider, the woodgrain direction on the lower back runs horizontal (tackboard recommended). The upper back woodgrain runs in a vertical direction.
- 48"-72"W hinged door cabinets have 4 doors with two locks on the front of the cabinet and a center security septum, 84"W has 6 doors with three locks and two security septums.
- 48"-66"W sliding door overheads have one door with one lock. 72" and 84"W have 2 doors with two locks and two security septums. Doors can only be locked when the door is in the left-hand position.
- 35"H have 19¾" of clearance and 42½"H have 27¼".
- Specify low profile LED task lights.
- Pin-and-cam fasteners visible from the front, bottom, and behind a door are covered with cam covers.


Tackboards for Hutches (page 845)
- Use tackboards to finish the back of a hutch.
- Tackboards are recommended on woodgrain laminate hutches since woodgrain runs horizontal as opposed to vertical.
- Specify paint color for metal frame and panel fabric.
- 66"W, 72"W, and 84"W ship as two tackboards and a center splicer for routing cables.

Primary Center Grommet Worksurfaces for use with Hutches (page 846)
- For use with Involve laminate hutches (72"W and 84"W) when a grommet or scallop is needed in the center of the worksurface which the hutch is sitting on.
- Rectangular only, in 72"W and 84"W — laminate with flat or rabbet edge and veneer with square or rabbet edge.
- Always includes center grommet position; left, right, or left and right additional grommet positions are optional.
- Oval plastic grommets are standard; metal grommet(s) are optional.

Involve® Worksurfaces

Working with Worksurfaces and Supports

Laminate worksurfaces are 1¼" thick with particle board core and with top surfaces finished in high-pressure laminate. Bottom surfaces are covered with a backer sheet.



Primary worksurfaces are available in 18", 24", and 30" depths. Nominal worksurface width is equal to nominal panel width. Unsupported worksurface spans of 60"W-84"W require an external worksurface support channel. It is recommended for spans 48"W-59"W. See pages 818 and 848. Support hardware is ordered separately.


Corner worksurfaces with woodgrain laminate and veneer have grain direction diagonal to adjacent worksurfaces. One rear center support bracket is included. All other support hardware is ordered separately.

Secondary worksurfaces are available in 12", 18", and 24" depths. Support hardware is ordered separately.


Credenza and pedestal tops are specified separately for 28"H and 42"H units to allow the spanning of multiple peds or credenzas.

Threaded-metal inserts are standard for ease of installation and a positive fit. Worksurfaces can be panel hung or used in freestanding applications.


Worksurface stanchions are used to support worksurface when mounted atop a 24" high Involve credenza. Worksurface stanchions are 5¼"H and made of aluminum. They are available in depths of 12" and 18" and used to support surfaces 18", 24", and 30" deep.




Flat Edge trim is available on laminate tops in eleven standard colors (customer specified) to match solid laminates and to complement patterned or in fourteen woodgrain edges color matched to the woodgrain laminates. Veneer worksurfaces have veneer edge.



Rabbet Edge trim is available on select laminate and veneer tops. These worksurfaces and credenza tops have rabbet edge detail on all sides.





Wire management grommets are standard in most worksurfaces and are specified in plastic or metal. **Metal grommets** are available in oval or square (shown above).

Involve® Worksurfaces and Supports

Primary and EZ View Worksurfaces (page 846)
- Wire management grommets standard, one for widths up to 42", two on widths 48"W and greater. Add "N" suffix for no grommets.
- Worksurfaces 66" and over require a cantilever bracket for center support in panel mounted applications. Specify 18" cantilever on 24"D, and 24" cantilever on 30"D worksurfaces.
- Desking worksurfaces should be specified for spans 60" and over when worksurfaces are not panel-attached with additional support along the width. For desking applications and widths greater than 72", additional to-the-floor support is recommended.
- Laminate flat edge worksurfaces can be specified with scallop wire management detail with no upcharge by adding suffix "S" to the model number.

Primary Desking Worksurfaces (page 846)
- Ships with an external worksurface support channel which extends 1½" below the worksurface and is inset 6" from each end. Support channel is field installed to allow for larger worksurface spans and ships separately.
- Wire management grommets standard, one for widths up to 42", two on widths 48"W and greater. Add "N" suffix for no grommets.
- Laminate flat edge worksurfaces can be specified with scallop wire management detail with no upcharge by adding suffix "S" to the model number.

EZ View Transition Worksurfaces (page 846)
- Surface is non-handed, with one wire management grommet centered on the 36"D end. Add "N" suffix for no grommets.

External Worksurface Support Channel (page 848)
- Extends 1½" below the worksurface. Installs 7" from user's edge.
- Is required on a systems worksurface for additional support for spans greater than 60"; or if a full depth horizontal storage unit is installed under the worksurface.
- Required when mounting a Stride® modesty panel.
- When using Involve supports, specify a standard worksurface and an external support channel of a smaller size. The size of the external support channel will depend on the distance between supports.

Freestanding O-Leg Supports - Metal (page 848)
- Available 29½"H and 18"D, 24"D, 30"D, and 36"D. Non-handed.
- Will work on both flat- and rabbet-edge worksurfaces.
- Can be used to build a free-standing table.
- Adjustable glides have a leveling range of 2".

Panel-Mounted Brackets for O-Leg (page 848)
- Available in left- or right-handed.
- Brackets are optional and are used to tie to a Stride, Terrace, or Optimize panel.

Freestanding Closed End Panel Supports — Laminate (page 847)
- Available 29½"H and 18"D, 24"D and 30"D. Non-handed.
- Can be used to build a freestanding desk or console table if specified with a full height modesty panel. See chart on page 849.
- Can not be used with rabbet edge worksurfaces.
- Includes laminate end-panel, attaching hardware and adjustable glides.
- Adjustable glides have a leveling range of 2¾".

Panel-Mounted Closed End Panel Supports — Laminate (page 847)
- Available 29½"H and 18"D, 24"D and 30"D. Non-handed.
- Can not be used with rabbet edge worksurfaces.
- May not be used to build a freestanding table.
- Includes laminate end-panel, panel mount bracket (non-handed), attaching hardware and adjustable glides.
- Adjustable glides have a leveling range of 2¾".
- Includes hardware to convert freestanding end-panel to panel mount. 24"H or 30"H and left- or right-handed.

Storage-to-Panel Brackets (page 847)
- Used to attach the back or side of storage to a panel frame to provide stability when used with Stride, Terrace, or Optimize frames.
- Handedness is determined by side of storage that attaches to panel when facing panel run.

Post Leg (page 848)
- Used to support worksurfaces at 29½"H.
- Adjustable glides have a leveling range of 2¾".

Worksurface Stanchion (page 848)
- Worksurface stanchions are 5¼"H for Involve credenza and made of aluminum.
- Used to support worksurface when mounted atop a 24"H Involve credenza. (4"H designed for 22"H Stride credenza.)
- Stanchions are field located on 24"H storage, either centered or offset 3" from edge to create additional piling space between storage and worksurface.
- Available in depths of 12" and 18". 12" is designed to work with 18"D worksurfaces and 18" with 24"D worksurfaces. Use two stanchions when mounting a 30"D or deeper worksurface. Stanchion orientation should run parallel to the length of the worksurface it is supporting.


"L" Tower Bracket (page 848)
- Used to support a worksurface at 29½"H.
- Attaches using pre-drilled holes inside the tower.
- For use with laminate and painted wood storage only.
- The depth of the worksurface and tower should be equal.

Tower Rail (page 848)
- The tower rail mounts to the user side of towers and is used to attach worksurfaces at a height range of 27½"H to 30½"H.
- Attaches using pre-drilled holes inside the Tower.
- Requires rail bracket kit for worksurface — order separately.


Involve® Screens

Working with Modesties, Privacy, Divider, and Taskpanels


Light-scale screens provide space division. There are four options available: surface mounted modesties, privacy panels, divider panels, and taskpanels.




Surface mounted modesties are mounted to the underside of the desking worksurface or worksurface with external support channel. They are 11"H and available in laminate or frosted glass. Single or shared (laminate only) mounting models are available. Laminate models include a wire tray on one side of single units and on both sides of shared models. There is an optional wire tray available for glass units.




Privacy panels extend above and below the desking worksurface acting as both a screen and a modesty panel. They are 25"H and available in laminate or glass (frosted or writable). Single or shared (laminate only) mounting models are available. Laminate models include a wire tray on one side of single units and on both sides of shared models. There is an optional wire tray available for glass units.




Divider panels attach to laminate back of credenza to provide space division between workstations. They are available in laminate in a 50" height.



Taskpanels mount between stanchions under overhead storage cabinets. They are available as tackable, marker board, or laminate in 12", 18", 19", 26", or 27" heights.





Specification Rules for Modesties and Privacy Panels

When mounting a modesty panel or a privacy panel use a desking worksurface or worksurface with an external support channel added. When mounting a modesty flush to the edge of a worksurface supported by O-Legs the modesty is to be 7" in from the front edge, the modesty must be 14" narrower than worksurface width.

When using a power/data module between a privacy panel and a worksurface, the privacy panel must be mounted 1" away from edge of the worksurface. Privacy panel can be mounted flush to the edge of the worksurface if power/data module is not used.

When using a power/data module with a surface mounted modesty panel, the modesty panel must be inset a minimum of 2" in from the edge of the worksurface.

Privacy panel width can be same width as worksurface. *Example:* 60"W privacy panel can be used on a 30"D x 60"W worksurface. Width of panel is undersized by ¼" providing a ⅛" gap when centered. Placement or use of a modesty must be 12" narrower than worksurface width when using Involve open and closed gable ends.

When using modesty with a Stride post leg, the width of the modesty can be the same as the worksurface, but must be mounted 8" or more in from the front edge of the worksurface.

Freestanding Table Applications:
Privacy panels require a minimum worksurface depth of 30" for freestanding applications. Surface mounted modesties can be used with any depth freestanding application.

Panel Applications:
When using a privacy panel in a back-to-back application the adjacent panel run requires an extended straight connector to compensate for depth of shared privacy panel.

Full-Height Modesty Panels (page 849)

- Full height modesty panels are designed to create a desk. A desk can be created with a modesty panel, worksurface, and storage or gable ends on each side — see chart on page 849.
- Available in solid and woodgrain laminate color options. Modesties 61" wide or larger are limited to solid laminate colors only.
- It is recommended to recess the modesty in from the edge of the worksurface. When using with a 24"D surface, recess modesty 6". When using a 30"D surface, recess modesty 6" or 12".
- If attaching desk to a panel on one side, use a storage-to-panel bracket kit.

Divider Panels (page 850)

- Divider panels can be attached to the back of 24"H credenzas to provide space division between workstations.
- Offered in laminate in widths to attach to 30"W, 36"W, 48"W, and 60"W credenzas; and height to align with 50"H modules.
- Mounting brackets provide a 1" cord drop space between edge of worksurface and the ¾" thick divider panel.
- A cableway is provided on the inside of the divider panel to facilitate the passage of wires.
- Mounting brackets and cableway are available in black only.
- The mounting of the divider panel is designed to center the ¾" thick panel within the lateral space created by adding an extended straight connector in a panel spine.
- When specifying a divider panel to be attached to a credenza with an unfinished back, a laminate credenza back must also be specified for attachment of the divider panel brackets.
- Divider panel cannot span two credenzas side-to-side.
- Divider panels are designed to be used in single-sided application.
- Divider panel lines up with bottom of credenza case.
- Counterweight kits are still required in credenzas as rules state on page 814.


Taskpanels (page 851)


- Taskpanels are available in tackable material and attach between stanchions supporting and overhead storage cabinet.
- Taskpanels are available in 30"W, 36"W, 42"W, 48"W, 60"W, 72"W, 84"W, and 96"W. 72"W and wider consist of two panels. Nominal width of taskpanel should match width of overhead storage cabinet.
- Taskpanels are available 18"H or 26"H for use with 24"H credenzas; and 12"H, 19"H, or 27"H for use with 28"H credenzas. Nominal height of taskpanel should match stanchion height.
- Laminate and tackable taskpanels are encapsulated in a painted metal pan on sides and bottom.
- Back of unit has exposed fasteners. Aesthetic should be considered in applications where back is visible.

Involve® Laminate Wood Storage

Leg Base Pedestals

For specification information see pages 808-816.





Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
Mobile Pedestal 24"H — Box/File (laminate back; with top)							
15⅝"W x 18"D Box/File* (shown)	**KL241518MBF**	1	$ 2402	N/A	N/A	N/A	N/A
15⅝"W x 18"D Box/File*	**K2T241518MBF**	1	$ 2339	$ 58	$ 30	$ 112	$ 49
*15W Box drawers compatible with A2280-000 pencil tray.							
Freestanding Pedestals 24"H — Box/File (open back with spanner bar; with top)#							
18"W x 18"D Box/File (shown)	**K␣ 241818BF**	1	$ 2478	$ 62	$ 31	$ 119	$ 119
18"W x 24"D Box/File	**K␣ 241824BF**	1	$ 2576	$ 63	$ 31	$ 124	$ 57
Support Pedestals 28"H — Box/Box/File (open back with spanner bar; without top)#							
15⅝"W x 18"D Box/Box/File* (shown)	**K␣ 281518BBF**	1	$ 2843	$ 66	$ 33	$ 130	$ 59
18"W x 18"D Box/Box/File	**K␣ 281818BBF**	1	$ 2947	$ 66	$ 34	$ 142	$ 63
15⅝"W x 24"D Box/Box/File*	**K␣ 281524BBF**	1	$ 2954	$ 69	$ 33	$ 139	$ 62
18"W x 24"D Box/Box/File	**K␣ 281824BBF**	1	$ 3066	$ 69	$ 34	$ 146	$ 64
15⅝"W x 30"D Box/Box/File*	**K␣ 281530BBF**	1	$ 3602	$ 87	$ 42	$ 173	$ 74
18"W x 30"D Box/Box/File	**K␣ 281830BBF**	1	$ 3818	$ 87	$ 44	$ 173	$ 78
*15W Box drawers compatible with A2280-000 pencil tray.							
Support Pedestals 28"H — File/File (open back with spanner bar; without top)#							
15⅝"W x 18"D File/File (shown)	**K␣ 281518FF**	1	$ 2478	$ 62	$ 31	$ 119	$ 52
18"W x 18"D File/File	**K␣ 281818FF**	1	$ 2655	$ 64	$ 32	$ 127	$ 58
15⅝"W x 24"D File/File	**K␣ 281524FF**	1	$ 2576	$ 63	$ 31	$ 124	$ 57
18"W x 24"D File/File	**K␣ 281824FF**	1	$ 2756	$ 66	$ 33	$ 130	$ 59
15⅝"W x 30"D File/File	**K␣ 281530FF**	1	$ 3218	$ 77	$ 38	$ 153	$ 66
18"W x 30"D File/File	**K␣ 281830FF**	1	$ 3411	$ 84	$ 40	$ 165	$ 70

Description		L2 Laminate	L3 Laminate
Support Pedestals 28"H — Open with Metal Shelf (laminate back; without top)			
18"W x 18"D	**K␣ 281818A**	$ 2352	$ 58	$ 114
18"W x 24"D	**K␣ 281824A**	$ 2451	$ 60	$ 118
Laminate Backs (optional for Pedestal with open back with spanner bar)				
15⅝"W for 28"H – Footed Base	**KLCB2815**	$ 230	$ 14	$ 20
15⅝"W for 28"H – Plinth Base	**KLPCB2815**	$ 561	$ 22	$ 40
18"W for 24"H – Footed Base	**KLCB2418**	$ 230	$ 14	$ 20
18"W for 24"H – Plinth Base	**KLPCB2418**	$ 545	$ 22	$ 36
18"W for 28"H – Footed Base (shown)	**KLCB2818**	$ 242	$ 14	$ 20
18"W for 28"H – Plinth Base	**KLPCB2818**	$ 580	$ 22	$ 40

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

#Unit may require counterweight kits, see page 814.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K ☐☐☐☐☐☐☐☐☐☐ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

☐☐

2nd Option:

Foot Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P ☐☐ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

☐☐

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

☐☐ .

Continued below ▼

5th Option:

Metal Shelf Color *(if applicable)*:

P1 P2 P3

See page 798 for finishes.
Add $38 for P2 (except PR6) or $65 for P3 Paints.

☐☐ .

6th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

☐☐ .

7th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

☐☐☐

8th Option:

Matching Edge:

See page 798 for finishes.

☐☐ .

9th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

☐☐☐

10th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

☐☐ .

11th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

☐☐

12th Option:

Lock Color *(if applicable)*:

EL Silver


E L


Examples: **KL241518MBF.ZFP7Q.APPRO.P7Q.X.LFW1DN.LM11EV.STDEL** **KLPCB2818.TFP7Q.MPPJW.P7Q.X.LFW1DN.LM11EV.OMT**


Involve® Laminate Wood Storage

17½"H Credenzas and Table

For specification information see pages 808-816.








Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
17½"H Credenza — Single Lateral (unfinished back)#							
30"W x 18"D	K␣ **F173018**	1	$ 3019	$ 69	$ 33	$ 135	$ 60
36"W x 18"D (shown)	K␣ **F173618**	1	$ 3262	$ 74	$ 36	$ 147	$ 64
30"W x 24"D	K␣ **F173024**	1	$ 3138	$ 70	$ 34	$ 142	$ 63
36"W x 24"D	K␣ **F173624**	1	$ 3398	$ 77	$ 40	$ 153	$ 66
17½"H Credenza — Single Lateral with Open Cubby# (laminate back)							
48"W x 18"D Lat/RH Open	K␣ **174818RAF**	1	$ 3728	$ 85	$ 41	$ 171	$ 71
48"W x 18"D LH Open/Lat	K␣ **174818LAF**	1	$ 3728	$ 85	$ 41	$ 171	$ 71
60"W x 18"D Lat/RH Open (shown)	K␣ **176018RAF**	1	$ 4224	$ 93	$ 45	$ 194	$ 84
60"W x 18"D LH Open/Lat	K␣ **176018LAF**	1	$ 4224	$ 93	$ 45	$ 194	$ 84
48"W x 24"D Lat/RH Open	K␣ **174824RAF**	1	$ 3873	$ 88	$ 42	$ 176	$ 76
48"W x 24"D LH Open/Lat	K␣ **174824LAF**	1	$ 3873	$ 88	$ 42	$ 176	$ 76
17½"H Corner Table (closed; with top)							
24"W x 24"D	K␣ **172424CT**		$ 2569	$ 60	$ 60	$ 118	$ 118

Laminate Back (optional for 17½"H Credenza with unfinished back)			L2 Laminate	L3 Laminate
30"W – Footed Base	**KLCB1730**	$ 276	$ 15	$ 21
30"W – Plinth Base	**KLPCB1730**	$ 553	$ 22	$ 40
36"W – Footed Base (shown)	**KLCB1736**	$ 399	$ 18	$ 30
36"W – Plinth Base (shown)	**KLPCB1736**	$ 543	$ 22	$ 40

*Upcharges are added to laminate list price depending on woodgrain laminate selection. **72"W credenza case must always be solid color laminate. #Unit may require counterweight kits, see page 814.



Description	Model	List Price
Box Drawer Accessories		
Pencil Tray (Black only)	**A2280-000** S	$ 52

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

6th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____

7th Option:

Matching Edge:

See page 798 for finishes.

_____ .

8th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

9th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

10th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

_____

11th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2TF173018.TFPJW.APPR6.X.LWCWEDCW.LWCWEDCW.STDEL**
KL174818RAF.ZFPR6.SPPR6.FSC.LM11EV.OMT
KLCB1730.FSC.LM11EV

Involve® Laminate Wood Storage

24"H Credenzas

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
24"H Credenza — Box/Lateral (unfinished back)#							
30"W x 18"D (shown)	K␣ 243018BF	1	$ 3236	$ 77	$ 40	$ 153	$ 66
30"W x 24"D	K␣ 243024BF	1	$ 3365	$ 81	$ 40	$ 160	$ 69
24"H Credenza — Box/Box/Lateral (unfinished back)#							
36"W x 18"D (shown)	K␣ 243618E	2	$ 3336	$ 81	$ 40	$ 160	$ 84
36"W x 24"D	K␣ 243624E	2	$ 3468	$ 84	$ 41	$ 168	$ 86
24"H Credenza — Box/Lateral and Open Side with Metal Shelf (finished back)#							
48"W x 18"D Lat/RH Open	K␣ 244818RAF	1	$ 5183	$ 125	$ 57	$ 249	$ 106
48"W x 18"D LH Open/Lat	K␣ 244818LAF	1	$ 5183	$ 125	$ 57	$ 249	$ 106
60"W x 18"D Lat/RH Open (shown)	K␣ 246018RAF	1	$ 5420	$ 129	$ 59	$ 262	$ 114
60"W x 18"D LH Open/Lat	K␣ 246018LAF	1	$ 5420	$ 129	$ 59	$ 262	$ 114
72"W x 18"D Lat/RH Open**	K␣ 247218RAF	1	$ 5890	N/A	N/A	N/A	N/A
72"W x 18"D LH Open/Lat**	K␣ 247218LAF	1	$ 5890	N/A	N/A	N/A	N/A
48"W x 24"D Lat/RH Open	K␣ 244824RAF	1	$ 5394	$ 128	$ 58	$ 260	$ 114
48"W x 24"D LH Open/Lat	K␣ 244824LAF	1	$ 5394	$ 128	$ 58	$ 260	$ 114
60"W x 24"D Lat/RH Open	K␣ 246024RAF	1	$ 5635	$ 134	$ 60	$ 272	$ 118
60"W x 24"D LH Open/Lat	K␣ 246024LAF	1	$ 5635	$ 134	$ 60	$ 272	$ 118
72"W x 24"D Lat/RH Open**	K␣ 247224RAF	1	$ 6125	N/A	N/A	N/A	N/A
72"W x 24"D LH Open/Lat**	K␣ 247224LAF	1	$ 6125	N/A	N/A	N/A	N/A



Laminate Back (optional for 24"H credenza with unfinished back)			L2 Laminate	L3 Laminate
30"W – Footed Base	KLCB2430	$ 292	$ 15	$ 22
30"W – Plinth Base	KLPCB2430	$ 543	$ 22	$ 40
36"W – Footed Base (shown)	KLCB2436	$ 415	$ 18	$ 31
36"W – Plinth Base (shown)	KLPCB2436	$ 561	$ 22	$ 42

*Upcharges are added to laminate list price depending on woodgrain laminate selection.
#Unit may require counterweight kits, see page 814.
**72"W credenza case must always be solid color laminate.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:
Foot Type *(if applicable)*:
TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:
Foot Paint Color *(if applicable)*:
P1 P2
See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
SP Square
AP Arch
See matrix on page 20.

_____

4th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:
Metal Shelf Color *(if applicable)*:
P1 P2 P3
See page 798 for finishes. Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

6th Option:
FSC Certified Wood:
FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:
Laminate Color:
See page 798 for finishes.
(If two-tone list case color here.)

_____

8th Option:
Matching Edge:
See page 798 for finishes.

_____ .

9th Option:
2nd Laminate Color (Front) *(if applicable)*:
See page 798 for finishes.

_____

10th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

11th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20)

_____

12th Option:
Lock Color *(if applicable)*:
EL Silver


E L

Examples: **K2T243018BF.TFPJW.APPR6.PR6.X.LWCWEDCW.LWCWEDCW.STDEL KL244824RAF.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT**


Involve® Laminate Wood Storage

24"H Credenzas

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
24"H Credenza — Sliding Door with Metal Shelf (non-handed, with laminate back)							
36"W x 18"D (shown)	K␣ 243618N	1	$ 3773	$ 89	$ 44	$ 182	$ 78
36"W x 24"D	K␣ 243624N	1	$ 3924	$ 91	$ 45	$ 191	$ 81
48"W x 18"D	K␣ 244818N	1	$ 4243	$ 101	$ 47	$ 204	$ 90
48"W x 24"D	K␣ 244824N	1	$ 4409	$ 103	$ 48	$ 210	$ 93



24"H Credenza — Open Binder with Metal Shelf (laminate back)			L2 Laminate	L3 Laminate
18"W x 18"D	K␣ 241818A	$ 2180	$ 52	$ 102
24"W x 18"D	K␣ 242418A	$ 2297	$ 59	$ 116
30"W x 18"D (shown)	K␣ 243018A	$ 2416	$ 57	$ 110
36"W x 18"D	K␣ 243618A	$ 2530	$ 62	$ 120
18"W x 24"D	K␣ 241824A	$ 2270	$ 58	$ 112
24"W x 24"D	K␣ 242424A	$ 2387	$ 62	$ 122
30"W x 24"D	K␣ 243024A	$ 2512	$ 59	$ 115
36"W x 24"D	K␣ 243624A	$ 2632	$ 64	$ 126

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

Note: Additional pullout shelves can only be added to box/lateral credenzas with center septum.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:

Metal Shelf and Back Color *(if applicable)*:

P1 P2 P3

Add $38 for P2 (except PR6) or $65 for P3 Paints on shelf.

_____ .

6th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____

8th Option:

Matching Edge:

See page 798 for finishes.

_____ .

9th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

10th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

11th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

_____

12th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2T243618N.TFPJW.APPR6.PR6.X.LWCWEDCW.LWCWEDCW.STDEL**
KL243618DN.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT

Involve® Laminate Wood Storage

28"H Credenzas

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
28"H Support Credenza — Box/Box/Lateral (open back with spanner bar; without top)#							
24"W x 18"D	K␣ 282418BBF	1	$ 3180	$ 76	$ 38	$ 151	$ 65
30"W x 18"D (shown)	K␣ 283018BBF	1	$ 3416	$ 81	$ 40	$ 165	$ 69
24"W x 24"D	K␣ 282424BBF	1	$ 3308	$ 78	$ 40	$ 155	$ 67
30"W x 24"D	K␣ 283024BBF	1	$ 3553	$ 85	$ 41	$ 171	$ 71
28"H Support Credenza — Box/Box/Project Drawer/Lateral (open back with spanner bar; without top)#							
36"W x 18"D	K␣ 283618E	2	$ 4008	$ 93	$ 45	$ 194	$ 84
36"W x 24"D	K␣ 283624E	2	$ 4168	$ 99	$ 46	$ 198	$ 86
28"H Support Credenza — Lateral/Lateral (open back with spanner bar; without top)#							
30"W x 18"D (shown)	K␣ 283018FF	1	$ 3066	$ 74	$ 34	$ 146	$ 64
36"W x 18"D	K␣ 283618FF	1	$ 3395	$ 81	$ 40	$ 165	$ 69
30"W x 24"D	K␣ 283024FF	1	$ 3185	$ 76	$ 38	$ 152	$ 66
36"W x 24"D	K␣ 283624FF	1	$ 3526	$ 85	$ 41	$ 171	$ 71



Laminate Back (optional for 28"H credenza with open back with spanner bar)			L2 Laminate	L3 Laminate
24"W – Footed Base	KLCB2824	$ 292	$ 15	$ 22
24"W – Plinth Base	KLPCB2824	$ 561	$ 22	$ 42
30"W – Footed Base	KLCB2830	$ 310	$ 15	$ 22
30"W – Plinth Base	KLPCB2830	$ 587	$ 23	$ 44
36"W – Footed Base	KLCB2836	$ 424	$ 18	$ 31
36"W – Plinth Base	KLPCB2836	$ 646	$ 23	$ 45

*Upcharges are added to laminate list price depending on woodgrain laminate selection.
#Unit may require counterweight kits, see page 814.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:
Foot Type *(if applicable)*:
TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:
Foot Paint Color *(if applicable)*:
P1 P2
See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
SP Square
AP Arch
See matrix on page 20.

_____

4th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:
Metal Shelf Color *(if applicable)*:
P1 P2 P3
See page 798 for finishes. Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

6th Option:
FSC Certified Wood:
FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:
Laminate Color:
See page 798 for finishes.
(If two-tone list case color here.)

_____

8th Option:
Matching Edge:
See page 798 for finishes.

_____ .

9th Option:
2nd Laminate Color (Front) *(if applicable)*:
See page 798 for finishes.

_____

10th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

11th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20)

_____

12th Option:
Lock Color *(if applicable)*:
EL Silver


E L

Examples: **K2T243618E.TFPJW.APPR6.X.LWCWEDCW.LWCWEDCW.STDEL** **KL243618N.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT** **KLCB2824.FSC.LM11EV**


Involve® Laminate Wood Storage

28"H Credenzas

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
28"H Support Credenza — Sliding Door with Metal Shelf (laminate back, without top; non-handed)							
36"W x 18"D (shown)	K␣283618N	1	$ 4008	$ 93	$ 45	$ 182	$ 84
36"W x 24"D	K␣283624N	1	$ 4168	$ 100	$ 47	$ 200	$ 86
48"W x 18"D	K␣284818N	1	$ 4477	$ 101	$ 48	$ 213	$ 90
48"W x 24"D	K␣284824N	1	$ 4658	$ 114	$ 50	$ 225	$ 93



28"H Support Credenza — Open Cubby with Metal Shelf (laminate back, without top)			L2 Laminate	L3 Laminate
24"W x 18"D	K␣282418A	$ 2478	$ 60	$ 119
30"W x 18"D (shown)	K␣283018A	$ 2593	$ 65	$ 128
36"W x 18"D	K␣283618A	$ 2708	$ 65	$ 128
24"W x 24"D	K␣282424A	$ 2576	$ 63	$ 124
30"W x 24"D	K␣283024A	$ 2695	$ 63	$ 124
36"W x 24"D	K␣283624A	$ 2819	$ 66	$ 133

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

Note: Additional pullout shelves can only be added to box/lateral credenzas with center septum.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

1st Option:
Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

2nd Option:
Foot Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

3rd Option:
Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

4th Option:
Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

K[ ][ ][ ][ ][ ][ ][ ][ ][ ][ ].[ ][ ] P[ ][ ][ ].[ ].[ ][ ][ ].

Continued below ▼

5th Option:
Metal Shelf Color *(if applicable)*:

P1 P2 P3

Add $38 for P2 (except PR6) or $65 for P3 Paints on shelf.

6th Option:
FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

7th Option:
Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

8th Option:
Matching Edge:

See page 798 for finishes.

9th Option:
2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

10th Option:
Matching Edge *(if applicable)*:

See page 798 for finishes.

11th Option:
Lock:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

12th Option:
Lock Color *(if applicable)*:

EL Silver


[ ][ ][ ].[ ][ ][ ].[ ][ ][ ][ ].[ ].[ ][ ][ ][ ].[ ].[ ][ ][ ].[E][L]

Examples: **K2T283618N.TFPJW.APPR6.PR6.X.LWCWEDCW.LWCWEDCW.STDEL**
KL283618A.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT

Involve® Laminate Wood Storage

42"H Storage

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
42"H Credenza — 3 Drawer Lateral (without top; back has exposed fasteners)							
36"W x 18"D	K␣ **423618FFF**	1	$ 5300	$ 127	$ 58	$ 254	$ 112

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

6th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____

7th Option:

Matching Edge:

See page 798 for finishes.

_____ .

8th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

9th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

10th Option:

Lock *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

_____

11th Option:

Lock Color *(if applicable)*:

EL Silver


EL


Examples: **K2T423618FFF.TFPJW.APPR6.X.LWCWEDCW.LWCWEDCW.STDEL** **KL423618FFF.ZFPR6.SPPR6.FSC.LM11EV.OMT**

Involve® Laminate Wood Storage


65"H, 72½"H Bookcases


For specification information see pages 808-816.





Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
65"H Bookcase with Lateral File and Metal Shelves							
30"W x 24"D 2 Fixed Shelves	K␣ **BC653024F**	1	$ 5420	$ 129	$ 59	$ 262	$ 114
36"W x 24"D 2 Fixed Shelves	K␣ **BC653624F**	1	$ 5654	$ 134	$ 60	$ 273	$ 118
72½"H Bookcase with Lateral File and Metal Shelves							
30"W x 24"D 1 Fixed, 2 Adj. Shelves	K␣ **BC723024F**	1	$ 5726	$ 135	$ 60	$ 275	$ 119
36"W x 24"D 1 Fixed, 2 Adj. Shelves	K␣ **BC723624F**	1	$ 5966	$ 143	$ 63	$ 289	$ 124





Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	L1 Laminate List Price	L2 Laminate	L3 Laminate
65"H Bookcase with Metal Shelves				
30"W x 15"D 1 Fixed, 2 Adj. Shelves	K␣ **BC653015A**	$ 4243	$ 100	$ 204
36"W x 15"D 1 Fixed, 2 Adj. Shelves	K␣ **BC653615A**	$ 4418	$ 103	$ 210
72½"H Bookcase with Metal Shelves				
30"W x 15"D 2 Fixed, 2 Adj. Shelves	K␣ **BC723015A**	$ 4477	$ 106	$ 213
36"W x 15"D 2 Fixed, 2 Adj. Shelves	K␣ **BC723615A**	$ 4711	$ 114	$ 227

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot Paint *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:

Metal Shelf Color:

P1 P2 P3

See page 798 for finishes. Add $65 for P2 (except PR6) or $128 for P3 Paints.

_____ .

6th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____

8th Option:

Matching Edge:

See page 798 for finishes.

_____ .

9th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

10th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

11th Option:

Lock Option *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_____

12th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2T653024F.TFPJW.APPR6.P7D.X.LWCWEDCW.LWCWEDCW.STDEL**
KLBC653015A.ZFPR6.SPPR6.P7B.FSC.LM11EV


Involve® Laminate Wood Storage

Ped / Credenza Tops and Cushions

For specification information see pages 808-816.




Description	Model	L1 Laminate List Price	L2 Laminate List Price	L3 Laminate List Price
Laminate Tops — 18"D				
18"W	**K5CT1818L**	$ 452	$ 472	$ 485
24"W	**K5CT1824L**	$ 489	$ 510	$ 525
30"W (shown)	**K5CT1830L**	$ 528	$ 550	$ 566
36"W	**K5CT1836L**	$ 565	$ 587	$ 606
48"W	**K5CT1848L**	$ 609	$ 632	$ 651




Description	Model	L1 Laminate List Price	L2 Laminate List Price	L3 Laminate List Price
Laminate Tops — 24"D				
18"W	**K5CT2418L**	$ 468	$ 488	$ 502
24"W	**K5CT2424L**	$ 505	$ 526	$ 541
30"W (shown)	**K5CT2430L**	$ 542	$ 564	$ 582
36"W	**K5CT2436L**	$ 585	$ 608	$ 626
48"W	**K5CT2448L**	$ 632	$ 658	$ 676

*Upcharges are added to laminate list price depending on woodgrain laminate selection.



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Ped/Credenza Cushions — 18"D											
15⅝"W	**K5CT1815SC**	$ 383	$ 416	$ 447	$ 479	$ 521	$ 563	$ 605	$ 647	$ 624	$ 795
18"W	**K5CT1818SC**	$ 408	$ 441	$ 472	$ 504	$ 546	$ 588	$ 630	$ 672	$ 649	$ 820
24"W	**K5CT1824SC**	$ 438	$ 471	$ 502	$ 534	$ 576	$ 618	$ 660	$ 702	$ 679	$ 850
30"W	**K5CT1830SC**	$ 473	$ 506	$ 537	$ 569	$ 611	$ 653	$ 695	$ 737	$ 714	$ 885
36"W	**K5CT1836SC**	$ 532	$ 565	$ 596	$ 628	$ 670	$ 712	$ 754	$ 796	$ 773	$ 944
48"W	**K5CT1848SC**	$ 549	$ 582	$ 613	$ 645	$ 687	$ 729	$ 771	$ 813	$ 790	$ 961

COM Yardage: 0.7 yards, 15⅝"W and 18"W yield one cushion. COL 3.5 sq.ft. 15⅝"W and 18"W; 7 sq.ft. others. No vinyls.
Products with stitched corners may have gathers and puckers on the underside of the cushion, which may vary based on the thickness of the textile selected.



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Ped/Credenza Cushions — 24"D											
15⅝"W	**K5CT2415SC**	$ 415	$ 459	$ 499	$ 539	$ 591	$ 646	$ 699	$ 755	$ 725	$ 945
18"W	**K5CT2418SC**	$ 422	$ 466	$ 506	$ 546	$ 598	$ 653	$ 706	$ 762	$ 732	$ 952
24"W	**K5CT2424SC**	$ 457	$ 501	$ 541	$ 581	$ 633	$ 688	$ 741	$ 797	$ 767	$ 987
30"W	**K5CT2430SC**	$ 491	$ 535	$ 575	$ 615	$ 667	$ 722	$ 775	$ 831	$ 801	$ 1021
36"W	**K5CT2436SC**	$ 532	$ 576	$ 616	$ 656	$ 708	$ 763	$ 816	$ 872	$ 842	$ 1062
48"W	**K5CT2448SC**	$ 595	$ 639	$ 679	$ 719	$ 771	$ 826	$ 879	$ 935	$ 905	$ 1125

COM Yardage: 0.9 yards, 15⅝"W and 18"W yield one cushion. COL 4 sq.ft. 15⅝"W and 18"W; 8 sq.ft. others. No vinyls.
Products with stitched corners may have gathers and puckers on the underside of the cushion, which may vary based on the thickness of the textile selected.

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate Color** *(if applicable)*: See page 798 for finishes. (Woodgrain upcharges are listed above).	**Upholstery** *(if applicable)*: Specify seating upholstery.	**Matching Edge Color** *(if applicable)*: See page 798 for finishes.

K|5|C|T| | | | | | . | | | | . | | | | | |


Examples: **K5CT1818L.LM14.EW** **K5CT1818L.LWNW.DN** **K5CT1815SC.CTU49** **K5CT1815SC.WTH01**


Involve® Laminate Wood Storage

For specification information see pages 808-816.











Description	Model	P1 Paint List Price	P2 Paint List Price
Storage-to-Panel Bracket Kits for 24"H and 28"H Credenzas only — back or side mount, painted metal			
24"H Left (requires laminate back for back mounting) (shown)	**K624PBKL**	$ 197	$ 219
24"H Right (requires laminate back for back mounting)	**K624PBKR**	$ 197	$ 219
28"H Left (requires laminate back for back mounting)	**K630PBKL**	$ 217	$ 239
28"H Right (requires laminate back for back mounting)	**K630PBKR**	$ 217	$ 239
Storage-to-Panel Bracket Kits for 24"H and 28"H Credenzas only — back mount only, painted metal			
24"H Left (does not require laminate back) (shown)	**K624PBKML**	$ 197	$ 219
24"H Right (does not require laminate back)	**K624PBKMR**	$ 197	$ 219
28"H Left (does not require laminate back)	**K630PBKML**	$ 217	$ 239
28"H Right (does not require laminate back)	**K630PBKMR**	$ 217	$ 239
Counterweight Kit			
For 18"D units	**KLCW218**	$ 317	N/A
For 24"D units	**KLCW224**	$ 473	N/A
Ganging Brackets			
For Involve Footed Storage and Seat Bases	**KLGK**	$ 87	N/A
For Involve Plinth Base Storage and Seat Bases	**KLPGK**	$ 87	N/A
CAM Covers — matches laminate specified			
CAM Covers (20 per pack)	**KLCC**	$ 32	N/A


How to specify — **Select the Model Number from above.**	*1st Option:* **Laminate** *(Laptop drawer front if applicable)*: See page 798 for finishes.	*2nd Option:* **Edge** *(Laptop drawer edge if applicable)*: See page 798 for finishes.	*3rd Option:* **Paint** *(If laptop drawer, list exterior case color here)*: See page 798 for finishes.	*4th Option:* **Paint** *(Interior of laptop drawer if applicable)*: See page 798 for finishes.	*5th Option:* **Lock** *(if applicable)*: **STD** Standard **OMT** Omit (Deduct $20)	*6th Option:* **Lock or Tech Module Color** *(if applicable)*: **EL** Silver
_____	_____	_____ .	_____ .	_____ .	_____ .	_____

Examples: **K624PBKL.P7B KLCC.LM16**

S ***Shippable by small-package carrier.***

Involve® Laminate Wood Storage

For specification information see pages 808-816.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Metal Shelves — ½"H				
18"W x 18"D – for Units with Doors – use with **KLC201818RH** or **LH**	**SH1818**	$ 224	$ 262	$ 289
18"W x 24"D – for Units with Doors – use with **KLT501824LBBF, KLT502424RFF, KLT651824L, KLT721824R**	**SH1824**	$ 257	$ 295	$ 322
24"W x 24"D – for Units with Doors – use with **KLT652424L** or **R**	**SH2424**	$ 258	$ 296	$ 323
30"W x 15"D – use with **KLBC653015A** or **KLBC723015A** (Bookcases)	**SH3015A**	$ 284	$ 322	$ 349
36"W x 15"D – use with **KLBC653615A** or **KLBC723615A** (Bookcases)	**SH3615A**	$ 298	$ 336	$ 363
18"W x 18"D – use with **K ⌴ 241818A, K ⌴ 281818A, K ⌴ C271818A, K ⌴ C351818A, K ⌴ C421818A, K ⌴ 243618DA, K ⌴ 283618DA** (24"H & 28"H Credenzas and Stacking Storage)	**SH1818A**	$ 274	$ 312	$ 339
24"W x 18"D – use with **K ⌴ 242418A, K ⌴ 282418A, K ⌴ C272418A, K ⌴ C352418A, K ⌴ C422418A** (24"H & 28"H Credenzas and Stacking Storage)	**SH2418A**	$ 284	$ 322	$ 349
30"W x 18"D – use with **K ⌴ 243018A, K ⌴ 283018A** (24"H & 28"H Credenzas)	**SH3018A**	$ 298	$ 336	$ 363
36"W x 18"D – use with **K ⌴ 243618A, K ⌴ 283618A,** (24"H & 28"H Credenzas)	**SH3618A**	$ 311	$ 349	$ 376
48"W x 18"D – use with **K ⌴ 284818DA, K ⌴ 424818A** (28"H & 42"H Credenza)	**SH4818A**	$ 335	$ 373	$ 400
60"W x 18"D – use with **K ⌴ 286018DA** (28"H Credenza)	**SH6018A**	$ 360	$ 398	$ 425
18"W x 24"D – use with **K ⌴ 241824A, K ⌴ 281824A** (28"H Credenza)	**SH1824A**	$ 275	$ 313	$ 340
24"W x 24"D – use with **K ⌴ 242424A, K ⌴ 282424A** (28"H Credenza)	**SH2424A**	$ 311	$ 349	$ 376
30"W x 24"D – use with **K ⌴ 243024A, K ⌴ 283024A** (28"H Credenza)	**SH3024A**	$ 325	$ 363	$ 390
36"W x 24"D – use with **K ⌴ 243624A, K ⌴ 283624A** (28"H Credenza)	**SH3624A**	$ 335	$ 373	$ 400

Involve Tower Shelving

Type	Side Access	Shelf Model	Example of Model
	18"D	**SH1818A**	**KLST502418LFF**
	24"D	**SH2418A**	**KLST572424RBBF**
	Hinged Door (w/drawers)		
	All	**SH1824**	**KLT502424LBBF**
	Full Width Hinged Door		
	12"W x 18"D	**SH1218**	**KLT421218L**
	12"W x 24"D	**SH1224**	**KLT421224R**
	18"W x 24"D	**SH1824**	**KLT651824R**
	24"W x 24"D	**SH2424**	**KLT722424L**

How to specify —

Select the Model Number from above.

1st Option:

Paint Color:

P1 P2 P3

See page 798 for finishes.
No upcharge for PR6.


			.			

Example: **SH1818.P7B**

Involve® Laminate Wood Storage

11"H Seating Bases and Tables

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
11"H Seat Base with Drawer (finished back; without top)							
24"W x 24"D	K␣ B112424F		$ 2886	$ 57	$ 30	$ 116	$ 50
36"W x 24"D (shown)	K␣ B113624F		$ 3367	$ 66	$ 33	$ 134	$ 59
48"W x 24"D 2 Drawers	K␣ B114824F		$ 3850	$ 80	$ 38	$ 158	$ 66
11"H Seat Base Open (finished back; without top)				L2 Laminate		L3 Laminate	
24"W x 24"D	K␣ B112424A		$ 2709	$ 63		$ 126	
36"W x 24"D (shown)	K␣ B113624A		$ 3163	$ 71		$ 145	
48"W x 24"D	K␣ B114824A		$ 3607	$ 85		$ 168	
Tops for 11"H Seat Base — 24"D							
12"W	KLTT111224		$ 336	$ 17		$ 28	
24"W	KLTT112424		$ 359	$ 18		$ 30	
36"W (shown)	KLTT113624		$ 432	$ 19		$ 33	
48"W	KLTT114824		$ 453	$ 20		$ 34	
24"W with Power Cutout	KLTT112424P		$ 406	$ 19		$ 32	
11"H Low Open Table (with top)							
36"W x 18"D	K␣ 113618A		$ 2947	$ 69		$ 141	
48"W x 18"D	K␣ 114818A		$ 3180	$ 76		$ 151	
36"W x 24"D (shown)	K␣ 113624A		$ 3066	$ 71		$ 146	
48"W x 24"D	K␣ 114824A		$ 3308	$ 78		$ 155	
17½"H Corner Table (closed; with top)							
24"W x 24"D	K␣ 172424CT		$ 2569	$ 60		$ 118	

*Upcharges are added to laminate list price depending on woodgrain laminate selection.



Description	Model	P1 Paint List Price	P2 Paint List Price
Soft Seating Panel Stabilizer Bracket — Painted Metal			
5"H Left Side/Back (shown)	K605LSSPK	$ 166	$ 188
5"H Right Side/Back	K605RSSPK	$ 166	$ 188

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot or Bracket Paint Color *(if applicable)*:

P1 P2

See page 798 for finishes. Stride foot color is limited to PR6 Silver.

P _____ .

3rd Option:

FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood
X No FSC

_____ .

4th Option:

Laminate Color *(if applicable)*:

See page 798 for finishes.

(If two-tone list case color here.)

_____

Continued below ▼

5th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

6th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

7th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.


_____

Examples: **K2TB112424F.TFPJW.X.LWCWEDCW.LWCWEDCW K605LSSPK.P7B KLB112424A.ZFPR6.FSC.LM11EV KLTT111224.X.LM11EV**


Involve® Laminate Wood Storage

11"H Seating Cushions & Power Modules

For specification information see pages 808-816.



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Banquette Cushion — 24"D x 19"H Back for use on 11"H seat bases											
24"W	**KSC2424**	$ 1685	$ 1736	$ 1784	$ 1833	$ 1898	$ 1963	$ 2029	$ 2094	$ 2408	$ 2923
36"W	**KSC3624**	$ 2163	$ 2214	$ 2262	$ 2311	$ 2376	$ 2441	$ 2507	$ 2572	$ 2886	$ 3401



Seat Base Cushion — 24"D x 7"H for use on 11"H seat bases											
24"W	**KSSC2424**	$ 843	$ 868	$ 893	$ 917	$ 947	$ 981	$ 1013	$ 1044	$ 1566	$ 2081

Note: Due to the design of the cushion, pattern matching is not possible on Involve cushion backs. Large scale patterns and stripes are to be avoided, unless approved by the customer.

	KSC2424	KSC3624	KSSC2424
COM Yardage:	2.4 yards	2.4 yards	1.2 yards
COL Yardage:	21 sq.ft.	21 sq.ft.	10 sq.ft.



Description	Model	List Price
Power/Technology Modules for 11"H Tops with Module Cutouts — Flush Mount (EL Silver only)		
Corded (10'), 2 Power, 1 USB-A, 1 USB-C	**A87P2U1R** S	$ 1211

How to specify Cushions —

Select the Model Number from above.

1st Option:

Upholstery:

Specify seating upholstery — see page 12.

K | | | | | | | | | . | | | | | |

How to specify Power Modules —

Select the Model Number from above.

A 8 | | | | 1 R


Examples: **KSC2424.CTU49** **A8HP2C1R**

S *Shippable by small-package carrier.*

Involve® Laminate Wood Storage


12"W Leg Base Towers

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
42½"H Personal Towers — 12"W							
18"D Right Hinged Dr., 1 Adj. Shelf	K ⌴ **T421218R** (shown)	1	$ 3206	$ 77	$ 38	$ 153	$ 66
18"D Left Hinged Dr., 1 Adj, Shelf	K ⌴ **T421218L**	1	$ 3206	$ 77	$ 38	$ 153	$ 66
24"D Right Hinged Dr., 1 Adj. Shelf	K ⌴ **T421224R**	1	$ 3254	$ 78	$ 38	$ 154	$ 67
24"D Left Hinged Dr., 1 Adj, Shelf	K ⌴ **T421224L**	1	$ 3254	$ 78	$ 38	$ 154	$ 67
50"H Personal Towers — 12"W							
18"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T501218R** (shown)	1	$ 3305	$ 78	$ 38	$ 159	$ 69
18"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T501218L**	1	$ 3305	$ 78	$ 38	$ 159	$ 69
24"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T501224R**	1	$ 3376	$ 84	$ 40	$ 165	$ 69
24"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T501224L**	1	$ 3376	$ 84	$ 40	$ 165	$ 69
57½"H Personal Towers — 12"W							
18"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T571218R** (shown)	1	$ 3440	$ 85	$ 40	$ 167	$ 71
18"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T571218L**	1	$ 3440	$ 85	$ 40	$ 167	$ 71
24"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T571224R**	1	$ 3474	$ 85	$ 40	$ 167	$ 71
24"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T571224L**	1	$ 3474	$ 85	$ 40	$ 167	$ 71
65"H Personal Towers — 12"W							
18"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T651218R** (shown)	1	$ 3497	$ 86	$ 40	$ 170	$ 71
18"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T651218L**	1	$ 3497	$ 86	$ 40	$ 170	$ 71
24"D Right Hinged Dr., 2 Adj. Shelves	K ⌴ **T651224R**	1	$ 3513	$ 86	$ 40	$ 170	$ 71
24"D Left Hinged Dr., 2 Adj. Shelves	K ⌴ **T651224L**	1	$ 3513	$ 86	$ 40	$ 170	$ 71

*Upcharges are added to solid laminate list price depending on woodgrain laminate selection.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Metal Shelves — ½"H				
12"W x 18"D	**SH1218**	$ 224	$ 262	$ 289
12"W x 24"D	**SH1224**	$ 250	$ 288	$ 315

Note: Handed Panel Mounting Brackets are required; see page 917.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:
Foot Type *(if applicable)*:
TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:
Foot Paint Color *(if applicable)*:
P1 P2
See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
SP Square
AP Arch
See matrix on page 20.

_____

4th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:
Metal Shelf Color:
P1 P2 P3
See page 798 for finishes.
Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

6th Option:
FSC Certified Wood *(if applicable)*:
FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:
Laminate Color *(if applicable)*:
See page 798 for finishes.
(If two-tone list case color here.)

_____

8th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

9th Option:
2nd Laminate Color (Front) *(if applicable)*:
See page 798 for finishes.

_____

10th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

11th Option:
Lock *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20)

_____

12th Option:
Lock Color *(if applicable)*:
EL Silver


E L

Examples: **K2TT421218R.APPR6.P7D.X.LM13EY.LM15EU.STDEL** **KLT501224R.SPPR6.P7B.FSC.LM11EV.OMT** **SH1218.P7D**

Involve® Laminate Wood Storage

50"H Towers

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
50"H Personal Hinged Door Towers — 24"W x 24"D							
Wardrobe Right / File/File (shown)	K ⌴ T502424RFF	2	$ 5148	$ 125	$ 57	$ 249	$ 106
Wardrobe Left / File/File	K ⌴ T502424LFF	2	$ 5148	$ 125	$ 57	$ 249	$ 106
Wardrobe Right / Box/Box/File	K ⌴ T502424RBBF	2	$ 5771	$ 139	$ 61	$ 279	$ 125
Wardrobe Left / Box/Box/File (shown)	K ⌴ T502424LBBF	2	$ 5771	$ 139	$ 61	$ 279	$ 125
50"H Personal Side Access Towers — 24"W x 24"D							
Wardrobe Right / File/File (shown)	K ⌴ ST502424RFF	2	$ 5148	$ 125	$ 57	$ 249	$ 106
Wardrobe Left / File/File	K ⌴ ST502424LFF	2	$ 5148	$ 125	$ 57	$ 249	$ 106
Wardrobe Right / Box/Box/File	K ⌴ ST502424RBBF	2	$ 5771	$ 139	$ 61	$ 279	$ 120
Wardrobe Left / Box/Box/File (shown)	K ⌴ ST502424LBBF	2	$ 5771	$ 139	$ 61	$ 279	$ 120
50"H Personal Side Access Towers — 24"W x 18"D							
Wardrobe Right / File/File (shown)	K ⌴ ST502418RFF	2	$ 4641	$ 112	$ 50	$ 225	$ 99
Wardrobe Left / File/File	K ⌴ ST502418LFF	2	$ 4641	$ 112	$ 50	$ 225	$ 99
Wardrobe Right / Box/Box/File	K ⌴ ST502418RBBF	2	$ 5271	$ 126	$ 58	$ 254	$ 110
Wardrobe Left / Box/Box/File (shown)	K ⌴ ST502418LBBF	2	$ 5271	$ 126	$ 58	$ 254	$ 110
50"H Personal Hinged Door Towers — 18"W x 24"D							
RH Hinged Door/File/File (shown)	K ⌴ T501824RFF	1	$ 4730	$ 115	$ 50	$ 226	$ 99
LH Hinged Door/File/File	K ⌴ T501824LFF	1	$ 4730	$ 115	$ 50	$ 226	$ 99
RH Hinged Door/Box/Box/File	K ⌴ T501824RBBF	1	$ 5148	$ 124	$ 52	$ 248	$ 112
LH Hinged Door/Box/Box/File (shown)	K ⌴ T501824LBBF	1	$ 5148	$ 124	$ 52	$ 248	$ 103
50"H Personal Side Access Towers — 18"W x 24"D							
RH Side Access/File/File (shown)	K ⌴ ST501824RFF	1	$ 4730	$ 115	$ 50	$ 226	$ 99
LH Side Access/File/File	K ⌴ ST501824LFF	1	$ 4730	$ 115	$ 50	$ 226	$ 99
RH Side Access/Box/Box/File	K ⌴ ST501824RBBF	1	$ 5148	$ 124	$ 50	$ 248	$ 103
LH Side Access/Box/Box/File (shown)	K ⌴ ST501824LBBF	1	$ 5148	$ 124	$ 50	$ 248	$ 103
50"H Personal Side Access Towers — 18"W x 18"D							
RH Side Access/File/File (shown)	K ⌴ ST501818RFF	1	$ 4418	$ 103	$ 47	$ 212	$ 89
LH Side Access/File/File	K ⌴ ST501818LFF	1	$ 4418	$ 103	$ 47	$ 212	$ 92
RH Side Access/Box/Box/File	K ⌴ ST501818RBBF	1	$ 4805	$ 118	$ 50	$ 231	$ 97
LH Side Access/Box/Box/File (shown)	K ⌴ ST501818LBBF	1	$ 4805	$ 118	$ 50	$ 231	$ 97

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K ____ . ____

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

____

2nd Option:

Foot Paint *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P ____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

____ .

Continued below ▼

5th Option:

Metal Shelf Color:

P1 P2 P3

See page 798 for finishes. Add $38 for P2 (except PR6) or $65 for P3 Paints.

____ .

6th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

____ .

7th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

____

8th Option:

Matching Edge:

See page 798 for finishes.

____ .

9th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

____

10th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

____ .

11th Option:

Lock Option:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

____

12th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2TST502424RFF.TFPJW.APPR6.P7D.X.LWCWEDCW.LWCWEDCW.STDEL** **KLT502424RFF.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT**

Involve® Laminate Wood Storage

57½"H Towers

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
57½"H Personal Hinged Door Towers — 24"W x 24"D							
Wardrobe Right / File/File (shown)	K ⌴ T572424RFF	2	$ 5396	$ 125	$ 57	$ 249	$ 115
Wardrobe Left / File/File	K ⌴ T572424LFF	2	$ 5396	$ 125	$ 57	$ 249	$ 115
Wardrobe Right / Box/Box/File	K ⌴ T572424RBBF	2	$ 6022	$ 139	$ 62	$ 279	$ 125
Wardrobe Left / Box/Box/File (shown)	K ⌴ T572424LBBF	2	$ 6022	$ 139	$ 62	$ 279	$ 125
57½"H Personal Side Access Towers — 24"W x 24"D							
Wardrobe Right / File/File (shown)	K ⌴ ST572424RFF	2	$ 5396	$ 125	$ 57	$ 249	$ 115
Wardrobe Left / File/File	K ⌴ ST572424LFF	2	$ 5396	$ 125	$ 57	$ 249	$ 115
Wardrobe Right / Box/Box/File	K ⌴ ST572424RBBF	2	$ 6022	$ 142	$ 62	$ 292	$ 125
Wardrobe Left / Box/Box/File (shown)	K ⌴ ST572424LBBF	2	$ 6022	$ 142	$ 62	$ 292	$ 125
57½"H Personal Side Access Towers — 24"W x 18"D							
Wardrobe Right / File/File (shown)	K ⌴ ST572418RFF	2	$ 4895	$ 112	$ 51	$ 225	$ 99
Wardrobe Left / File/File	K ⌴ ST572418LFF	2	$ 4895	$ 112	$ 51	$ 225	$ 99
Wardrobe Right / Box/Box/File	K ⌴ ST572418RBBF	2	$ 5523	$ 133	$ 59	$ 267	$ 116
Wardrobe Left / Box/Box/File (shown)	K ⌴ ST572418LBBF	2	$ 5523	$ 133	$ 59	$ 267	$ 116
57½"H Personal Hinged Door Towers — 18"W x 24"D							
RH Hinged Door/File/File (shown)	K ⌴ T571824RFF	1	$ 4981	$ 120	$ 51	$ 238	$ 99
LH Hinged Door/File/File	K ⌴ T571824LFF	1	$ 4981	$ 120	$ 51	$ 238	$ 99
RH Hinged Door/Box/Box/File	K ⌴ T571824RBBF	1	$ 5396	$ 125	$ 58	$ 248	$ 112
LH Hinged Door/Box/Box/File (shown)	K ⌴ T571824LBBF	1	$ 5396	$ 125	$ 58	$ 248	$ 112
57½"H Personal Side Access Towers — 18"W x 24"D							
RH Side Access/File/File (shown)	K ⌴ ST571824RFF	1	$ 4981	$ 120	$ 51	$ 238	$ 99
LH Side Access/File/File	K ⌴ ST571824LFF	1	$ 4981	$ 120	$ 51	$ 238	$ 99
RH Side Access/Box/Box/File	K ⌴ ST571824RBBF	1	$ 5396	$ 129	$ 58	$ 260	$ 112
LH Side Access/Box/Box/File (shown)	K ⌴ ST571824LBBF	1	$ 5396	$ 129	$ 58	$ 260	$ 112
57½"H Personal Side Access Towers — 18"W x 18"D							
RH Side Access/File/File (shown)	K ⌴ ST571818RFF	1	$ 4664	$ 115	$ 48	$ 225	$ 92
LH Side Access/File/File	K ⌴ ST571818LFF	1	$ 4664	$ 115	$ 48	$ 225	$ 92
RH Side Access/Box/Box/File	K ⌴ ST571818RBBF	1	$ 5053	$ 122	$ 52	$ 246	$ 101
LH Side Access/Box/Box/File (shown)	K ⌴ ST571818LBBF	1	$ 5053	$ 122	$ 52	$ 246	$ 101

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:

Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:

Foot Paint *(if applicable)*:

P1 P2

See page 798 for finishes. Stride is limited to PR6 Silver.

P _____ .

3rd Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____

4th Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:

Metal Shelf Color:

P1 P2 P3

See page 798 for finishes. Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

6th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____

8th Option:

Matching Edge:

See page 798 for finishes.

_____ .

9th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

10th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

11th Option:

Lock Option:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_____

12th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2ST571824RFF.TFPJW.APPR6.P7D.X.LWCWEDCW.LWCWEDCW.STDEL**
KLT571824RFF.ZFPR6.SPPR6.FSC.LM11EV.OMT

Involve® Laminate Wood Storage

65"H Towers

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
65"H Personal Towers — 24"W x 24"D							
Wardrobe Right / Hgd Door/File/File	K ␣ T652424RFF	2	$ 5746	$ 138	$ 60	$ 278	$ 120
Wardrobe Left / Hgd Door/File/File	K ␣ T652424LFF	2	$ 5746	$ 138	$ 60	$ 278	$ 120
Wardrobe Right / Hgd Dr/Box/Box/File	K ␣ T652424RBBF	2	$ 6403	$ 152	$ 66	$ 308	$ 133
Wardrobe Left / Hgd Dr/Box/Box/File	K ␣ T652424LBBF	2	$ 6403	$ 152	$ 66	$ 308	$ 133
65"H Personal Towers — 24"W x 24"D							
Right Hinged Door, 2 Adj. Shelves	K ␣ T652424R	1	$ 3767	$ 89	$ 42	$ 182	$ 77
Left Hinged Door, 2 Adj. Shelves	K ␣ T652424L	1	$ 3767	$ 89	$ 42	$ 182	$ 77
65"H Personal Towers — 18"W x 24"D							
Right Hinged Door, 2 Adj. Shelves	K ␣ T651824R	1	$ 3513	$ 86	$ 41	$ 170	$ 71
Left Hinged Door, 2 Adj. Shelves	K ␣ T651824L	1	$ 3513	$ 86	$ 41	$ 170	$ 71
65"H Personal Hinged Door Towers — 18"W x 24"D							
RH Hinged Door/File/File	K ␣ T651824RFF	1	$ 5336	$ 127	$ 57	$ 255	$ 110
LH Hinged Door/File/File	K ␣ T651824LFF	1	$ 5336	$ 127	$ 57	$ 255	$ 110
RH Hinged Door/Box/Box/File	K ␣ T651824RBBF	1	$ 5523	$ 133	$ 59	$ 267	$ 120
LH Hinged Door/Box/Box/File	K ␣ T651824LBBF	1	$ 5523	$ 133	$ 59	$ 267	$ 120

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K [ ][ ][ ][ ][ ][ ][ ][ ][ ][ ] . [ ][ ]

1st Option:
Foot Type *(if applicable)*:

TF Terrace Foot
ZF Stride Foot (Add $32)

P [ ][ ][ ] .

2nd Option:
Foot Paint *(if applicable)*:

P1 P2

See page 798 for finishes. Stride foot is limited to PR6 Silver.

[ ][ ] .

3rd Option:
Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

[ ][ ][ ] .

4th Option:
Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

Continued below ▼

5th Option:
Metal Shelf Color *(if applicable)*:

P1 P2 P3

See page 798 for finishes.
Add $38 for P2 (except PR6) or $65 for P3 Paints.

[ ][ ][ ] .

6th Option:
FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood
X No FSC

[ ][ ][ ] .

7th Option:
Laminate Color *(if applicable)*:

See page 798 for finishes.

(If two-tone list case color here.)

[ ][ ][ ][ ] .

8th Option:
Matching Edge *(if applicable)*:

See page 798 for finishes.

[ ][ ] .

9th Option:
2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

[ ][ ][ ][ ] .

10th Option:
Matching Edge *(if applicable)*:

See page 798 for finishes.

[ ][ ] .

11th Option:
Lock Option *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

[ ][ ][ ] .

12th Option:
Lock Color *(if applicable)*:

EL Silver


E L

Examples: **K2TT652424RFF.TFPJW.APPR6.P7D.X.LWCWEDCW.LWCWEDCW.STDEL** **KLT652424RFF.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT**

Involve® Laminate Wood Storage

72½"H Towers

For specification information see pages 808-816.



Description	Solid Color "KL" (Feet +$100) or "KLP" (Plinth); Or prefix for Woodgrain or Two-Tone "K2T" (Feet +$100) or "K2TP" (Plinth) Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
72½"H Personal Towers — 24"W x 24"D							
Wardrobe Right / Hgd Door/File/File	**K ⌴ T722424RFF**	2	$ 6252	$ 148	$ 148	$ 302	$ 302
Wardrobe Left / Hgd Door/File/File	**K ⌴ T722424LFF**	2	$ 6252	$ 148	$ 148	$ 302	$ 302
Wardrobe Right / Hgd Dr/Box/Box/File	**K ⌴ T722424RBBF**	2	$ 6903	$ 168	$ 70	$ 334	$ 141
Wardrobe Left / Hgd Dr/Box/Box/File	**K ⌴ T722424LBBF**	2	$ 6903	$ 168	$ 70	$ 334	$ 141
72½"H Personal Towers — 24"W x 24"D							
Right Hinged Door, 2 Adj. Shelves	**K ⌴ T722424R**	1	$ 3951	$ 92	$ 45	$ 192	$ 84
Left Hinged Door, 2 Adj. Shelves	**K ⌴ T722424L**	1	$ 3951	$ 92	$ 45	$ 192	$ 84
72½"H Personal Towers — 18"W x 24"D							
Right Hinged Door, 2 Adj. Shelves	**K ⌴ T721824R**	1	$ 3702	$ 89	$ 42	$ 178	$ 76
Left Hinged Door, 2 Adj. Shelves	**K ⌴ T721824L**	1	$ 3702	$ 89	$ 42	$ 178	$ 76
72½"H Personal Hinged Door Towers — 18"W x 24"D							
RH Hinged Door/File/File (shown)	**K ⌴ T721824RFF**	1	$ 5822	$ 139	$ 60	$ 281	$ 120
LH Hinged Door/File/File	**K ⌴ T721824LFF**	1	$ 5822	$ 139	$ 60	$ 281	$ 120
RH Hinged Door/Box/Box/File	**K ⌴ T721824RBBF**	1	$ 6022	$ 142	$ 62	$ 292	$ 125
LH Hinged Door/Box/Box/File	**K ⌴ T721824LBBF**	1	$ 6022	$ 142	$ 62	$ 292	$ 125

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

Tower Rail (supports worksurface on side of tower — requires rail bracket kit)				
18"W Tower Rail for 18"D Tower	**K6TR18**	1	$ 214	*P2 paint upcharge $14 (except PR6)*

"L" Tower Bracket — for Wood Towers				
"L" Tower Bracket for 18"D or 24"D Tower	**Z6LB**		$ 89	*P2 paint upcharge $22 (except PR6)*

S ***Shippable by small-package carrier.***

How to specify —

Select the Model Number from above.

KL Feet / Solid Color
KLP Plinth/ Solid Color
K2T Feet / Woodgrain or Two-Tone
K2TP Plinth / Woodgrain or Two-Tone

K _____ .

1st Option:
Foot Type *(if applicable)*:
TF Terrace Foot
ZF Stride Foot (Add $32)

_____

2nd Option:
Foot, Rail, or Bracket Paint Color *(if applicable)*:
P1 P2
See page 798 for finishes. Stride foot is limited to PR6 Silver. Add $14 for P2 Paint on rail or bracket (except PR6).

P _____ .

3rd Option:
Pull Type *(if applicable)*:
MP Beam
OP Halo
SP Square
AP Arch
See matrix on page 20.

_____

4th Option:
Pull Color *(if applicable)*:
MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

5th Option:
Metal Shelf Color *(if applicable)*:
P1 P2 P3
See page 798 for finishes.
Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

6th Option:
FSC Certified Wood *(if applicable)*:
FSC Select for FSC Certified Wood
X No FSC

_____ .

7th Option:
Laminate Color *(if applicable)*:
See page 798 for finishes.
(If two-tone list case color here.)

_____

8th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

9th Option:
2nd Laminate Color (Front) *(if applicable)*:
See page 798 for finishes.

_____

10th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

_____ .

11th Option:
Lock Option *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_____


12th Option:
Lock Color *(if applicable)*:
EL Silver


E L


Examples: **K2TT721824RFF.TFPJW.APPR6.P7D.X.LWCWEDCW.LWCWEDCW.STDEL KLT721824RFF.ZFPR6.SPPR6.P7B.FSC.LM11EV.OMT K6TR18.P7B**


Involve® Laminate Wood Storage

For specification information see pages 808-816.









Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
20"H Stacking Storage — 18"D						
18"W Right Hinged Door (shown)	K ␣ C201818RH	$ 1891	$ 51	$ 25	$ 99	$ 46
18"W Left Hinged Door	K ␣ C201818LH	$ 1891	$ 51	$ 25	$ 99	$ 46
18"W Open (shown)	K ␣ C201818A	$ 1727	$ 47		$ 89	
24"W Open	K ␣ C202418A	$ 1800	$ 48		$ 91	
27½"H Stacking Storage — 18"D with 1 adjustable metal shelf						
18"W Right Hinged Door (shown)	K ␣ C271818RH	$ 2040	$ 57	$ 26	$ 106	$ 48
18"W Left Hinged Door	K ␣ C271818LH	$ 2040	$ 57	$ 26	$ 106	$ 48
18"W Open (shown)	K ␣ C271818A	$ 1880	$ 50		$ 97	
24"W Open	K ␣ C272418A	$ 1954	$ 51		$ 100	
35"H Stacking Storage — 18"D with 1 adjustable metal shelf						
18"W Right Hinged Door (shown)	K ␣ C351818RH	$ 2192	$ 60	$ 30	$ 116	$ 50
18"W Left Hinged Door	K ␣ C351818LH	$ 2192	$ 60	$ 30	$ 116	$ 50
18"W Open (shown)	K ␣ C351818A	$ 2033	$ 52		$ 103	
24"W Open	K ␣ C352418A	$ 2111	$ 58		$ 112	
42½"H Stacking Storage — 18"D with 2 adjustable metal shelves						
18"W Right Hinged Door (shown)	K ␣ C421818RH	$ 2333	$ 63	$ 31	$ 124	$ 52
18"W Left Hinged Door	K ␣ C421818LH	$ 2333	$ 63	$ 31	$ 124	$ 52
18"W Open (shown)	K ␣ C421818A	$ 2158	$ 58		$ 114	
24"W Open	K ␣ C422418A	$ 2248	$ 60		$ 118	

*Upcharges are added to solid laminate list price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

KL prefix for case/front with same Solid Color Laminate

K2T prefix for any Woodgrain or Two-Tone Laminate

K _____ .

1st Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch

See matrix on page 20.

_____ .

2nd Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

_____ .

Continued below ▼

3rd Option:

Metal Shelf Color *(if applicable)*:

P1 P2 P3

See page 798 for finishes. Add $38 for P2 (except PR6) or $65 for P3 Paints.

_____ .

4th Option:

FSC Certified Wood:

FSC Select for FSC Certified Wood
X No FSC

_____ .

5th Option:

Laminate Color:

See page 798 for finishes.

(If two-tone list case color here.)

_____ .

6th Option:

Matching Edge:

See page 798 for finishes.

_____ .

7th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____ .

8th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.


_____ .

Examples: **K2TC271818RH.APPR6.P7D.X.LWCWEDCW.LWCWEDCW** **KLC201818A.P7B.FSC.LM11EV**


Involve® Laminate Wood Storage

Overhead Storage


For specification information see pages 808-816. Finished backs available on page 843.



Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
Overhead Storage — Hinged Doors — 15"H x 15"D							
24"W	K␣ OC152415H	1	$ 2095	$ 57	$ 26	$ 110	$ 49
30"W	K␣ OC153015H	1	$ 2158	$ 59	$ 30	$ 115	$ 50
36"W	K␣ OC153615H	1	$ 2192	$ 59	$ 30	$ 116	$ 50
42"W	K␣ OC154215H	2	$ 2275	$ 59	$ 30	$ 116	$ 50
48"W	K␣ OC154815H	2	$ 2461	$ 64	$ 32	$ 127	$ 58
60"W	K␣ OC156015H	2	$ 2702	$ 69	$ 33	$ 141	$ 62
72"W	K␣ OC157215H	2	$ 3942	N/A	$ 47	N/A	$ 88
84"W	K␣ OC158415H	3	$ 5625	N/A	$ 60	N/A	$ 119
96"W	K␣ OC159615H	4	$ 7113	N/A	$ 76	N/A	$ 151



Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
Overhead Storage — Sliding Door — 15"H x 15"D							
24"W	K␣ OC152415N	1	$ 1871	$ 50	$ 25	$ 99	$ 46
30"W	K␣ OC153015N	1	$ 1942	$ 51	$ 25	$ 101	$ 47
36"W	K␣ OC153615N	1	$ 2050	$ 57	$ 26	$ 110	$ 49
42"W	K␣ OC154215N	1	$ 2116	$ 58	$ 30	$ 114	$ 49
48"W	K␣ OC154815N	1	$ 2223	$ 60	$ 30	$ 118	$ 51
60"W	K␣ OC156015N	1	$ 2502	$ 66	$ 25	$ 129	$ 47
72"W	K␣ OC157215N	2	$ 3350	N/A	$ 41	N/A	$ 74
84"W	K␣ OC158415N	2	$ 4780	N/A	$ 51	N/A	$ 100
96"W	K␣ OC159615N	2	$ 5936	N/A	$ 64	N/A	$ 126



Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	L1 Laminate List Price	L2 Laminate	L3 Laminate
Overhead Storage — Open Bin — 15"H x 15"D				
24"W	K␣ OC152415A	$ 1531	$ 44	$ 78
30"W	K␣ OC153015A	$ 1599	$ 45	$ 84
36"W	K␣ OC153615A	$ 1664	$ 46	$ 86
42"W	K␣ OC154215A	$ 1727	$ 48	$ 89
48"W	K␣ OC154815A	$ 1794	$ 49	$ 91
60"W	K␣ OC156015A	$ 1923	$ 51	$ 100
72"W	KLOC157215A	$ 2615	N/A	N/A
84"W	KLOC158415A	$ 3731	N/A	N/A
96"W	KLOC159615A	$ 4628	N/A	N/A

Note: See Storage Mounting Kit bottom of next page.

How to specify —

KL prefix for case/front with same Solid Color Laminate

K2T prefix for any Woodgrain or Two-Tone Laminate

K _____ .

1st Option:

FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood

X No FSC

_____ .

2nd Option:

See page 798 for finishes.

(If two-tone list case color here. No woodgrain on 72"W-96"W units.)

_____

3rd Option:

Matching Edge:

See page 798 for finishes.

_____ .

4th Option:

2nd Laminate Color (Front) *(if applicable)*:

See page 798 for finishes.

_____

Continued below ▼

5th Option:

Matching Edge *(if applicable)*:

See page 798 for finishes.

_____ .

6th Option:

Lock Option *(if applicable)*:

STD Standard

OMT Omit Lock Core (Deduct $20 per lock)

_____

7th Option:

Lock Color *(if applicable)*:

EL Silver


E L

Examples: **KLOC152415H.X.LM11EV.STDEL** **K2TOC152415N.LM11EV.LM16E9.OMT ZHFPMK.P7B**


Involve® Laminate Wood Storage

Overhead Storage (continued) & Shelves


For specification information see pages 808-816.




Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
Overhead Storage — Hinged Doors with fixed Metal Shelf — 22½"H x 15"D (can only be wall mounted)							
24"W	K␣ OC232415H	1	$ 2917	$ 76	$ 38	$ 151	$ 65
30"W	K␣ OC233015H	1	$ 3025	$ 78	$ 40	$ 155	$ 67
36"W (shown)	K␣ OC233615H	1	$ 3242	$ 85	$ 41	$ 171	$ 71
42"W	K␣ OC234215H	1	$ 3349	$ 87	$ 41	$ 174	$ 74
48"W	K␣ OC234815H	2	$ 3461	$ 89	$ 42	$ 181	$ 77
60"W	K␣ OC236015H	2	$ 3676	$ 96	$ 45	$ 194	$ 84



Overhead Storage — Open Dual Access with Metal Backs — 15"H x 18"D for Terrace			L2	L3
36"W Open	K␣ C153618S	$ 1818	$ 49	$ 90
48"W Open	K␣ C154818S	$ 2272	$ 62	$ 120
60"W Open	K␣ C156018S	$ 2637	$ 69	$ 135
Mounting Kit for 35"H, 50"H, & 65"H Frames	KLSPMK	$ 155	*P2 paint upcharge $21 (except PR6)*	
Mounting Kit for 42½"H & 57½"H Frames	KLSP45MK	$ 162	*P2 paint upcharge $21 (except PR6)*	




Book Shelf — 7½"H x 15"D			L2	L3
24"W	K␣ OC072415SH	$ 1082	$ 33	$ 59
30"W	K␣ OC073015SH	$ 1134	$ 33	$ 62
36"W (shown)	K␣ OC073615SH	$ 1190	$ 34	$ 64
42"W	K␣ OC074215SH	$ 1241	$ 38	$ 65
48"W	K␣ OC074815SH	$ 1296	$ 40	$ 67



Laminate Shelf — ¾"H x 10"D			L2	L3
24"W	KS2410	$ 645	$ 25	$ 45
30"W	KS3010	$ 676	$ 26	$ 46
36"W (shown)	KS3610	$ 711	$ 28	$ 48
42"W	KS4210	$ 758	$ 30	$ 50
48"W	KS4810	$ 818	$ 31	$ 52

*Upcharges are added to laminate list price depending on woodgrain laminate selection.

Note: Mounting kits and laminate shelves require paint color specified; see kit example below. P2 paint upcharge $21 (except PR6).



Description	Model	P1 Paint List Price	P2 Paint List Price
Full Depth Horizontal Storage Mounting Kit			
Panel Mounting Kit for 15"H Overhead to Stride® or Terrace® panel	ZHFPMK	$ 210	$ 234

How to specify —

Select the Model Number from above.

KL prefix for case/front with same Solid Color Laminate

K2T prefix for any Woodgrain or Two-Tone Laminate

K _____ . _____ . _____ .

1st Option:

Metal Shelf, Back, Brackets, or Mounting Kit Paint Color *(if applicable)*:

P1 P2 P3 (No upcharge for PR6.)

Add $21 for P2 on Open Box Brackets and Laminate Shelf.
Add $38 for P2 or $65 for P3 Paints on Book Shelf.
Add $65 for P2 or $128 for P3 Paints on metal back.

2nd Option:

FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood

X No FSC

_____ .

3rd Option:

Laminate Color *(if applicable)*:

See page 798 for finishes.

(If two-tone list case color here.)

_____ .

Continued below ▼

4th Option:

Matching Edge *(if applicable)*:

See inside front cover for finishes.

_____ .

5th Option:

2nd Laminate Color (Front) *(if applicable)*:

See inside front cover for finishes.

_____

6th Option:

Matching Edge *(if applicable)*:

See inside front cover for finishes.

_____ .

7th Option:

Lock Option *(if applicable)*:

STD Standard

OMT Omit Lock Core (Deduct $20 per lock)

_____

8th Option:

Lock Color *(if applicable)*:

EL Silver


E L


Examples: **K2TOC232415H.X.LWCWEDCW.LWCWEDCW.STDEL** **KLSPMK.P7B** **KLC153618S.FSC.LM11EV** **KS2410.PR6.X.LM11**

Involve® Laminate Wood Storage

Stanchions

For specification information see pages 808-816.







Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Overhead Stanchions — painted metal for use with 24"H credenzas				
11"H x 15"D Non-handed	**K6OLG1115L** S	$ 503	$ 541	$ 576
11"H x 18"D Non-handed	**K6OLG1118L** S	$ 517	$ 555	$ 593
11"H x 7½"D Mid	**K6OLG1107** S	$ 507	$ 545	$ 581
18"H x 15"D Non-handed	**K6OLG1815L** S	$ 522	$ 562	$ 599
18"H x 7½"D Mid	**K6OLG1807** S	$ 522	$ 562	$ 599
Overhead Stanchions — painted metal for use with 28"H credenzas				
5"H x 15"D Non-handed	**K6OLG515L** S	$ 488	$ 524	$ 559
5"H x 18"D Non-handed	**K6OLG518L** S	$ 612	$ 658	$ 701
12"H x 15"D Non-handed	**K6OLG1215L** S	$ 621	$ 668	$ 711
12"H x 18"D Non-handed	**K6OLG1218L** S	$ 639	$ 687	$ 732
12"H x 7½"D Mid	**K6OLG1207** S	$ 507	$ 545	$ 581
19¼"H x 15"D Non-handed	**K6OLG1915L** S	$ 646	$ 694	$ 739
19¼"H x 7½"D Mid	**K6OLG1907** S	$ 522	$ 562	$ 599

Note: No upcharge for PR6 Silver paint on Involve.

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Tower-to-Overhead Bracket — for use with wood overhead cabinets				
Attachment Bracket	**K6TBK** S	$ 159	$ 181	$ 199





Description	Model	List Price
Horizontal Wall-Mount Brackets — for use with wood overhead cabinets		
24"W	**YWC24Z** S	$ 132
30"W	**YWC30Z** S	$ 152
36"W	**YWC36Z** S	$ 165
42"W	**YWC42Z** S	$ 187
48"W	**YWC48Z** S	$ 203
60"W	**YWC60Z** S	$ 249
Undercabinet LED Lights (white end caps)		
17" Undercabinet LED Tasklight	**ALED17U** S	$ 1121
31" Undercabinet LED Tasklight	**ALED31U** S	$ 1681

Additional LED components available, see page 991.

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 798 for finishes.

Note: No upcharge for PR6 Silver paint on Involve.

																.	

Examples: **K6OS518L.P7B YWC24Z ALED17U**

S *Shippable by small-package carrier.*

Involve® Laminate Wood Storage

Overhead Backs

For specification information see pages 808-816. Woodgrain laminate not available on 72"W-96"W.



Description	Model	L1 Laminate List Price	UPCHARGES* L2 Laminate	UPCHARGES* L3 Laminate
Finished Backs for Overheads — 15"H for use in single-sided applications				
30"W	**KLBP1530** S	$ 1427	$ 49	$ 96
36"W	**KLBP1536** S	$ 1436	$ 50	$ 97
42"W	**KLBP1542** S	$ 1474	$ 50	$ 99
48"W	**KLBP1548** S	$ 1482	$ 51	$ 100
60"W	**KLBP1560** S	$ 1571	$ 52	$ 103
72"W	**KLBP1572**	$ 1790	N/A	N/A
84"W	**KLBP1584**	$ 2073	N/A	N/A
96"W	**KLBP1596**	$ 2318	N/A	N/A

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Laminate Color for Overhead Finished Back** *(if applicable)*: See page 798 for finishes.	**Matching Laminate Edge for Overhead Finished Back** *(if applicable)*: See page 798 for finishes.
_ _ _ _ _ _ _ _ _ .	_ _ _ _	_ _


Example: **KLBP1530.LM15EU**

S *Shippable by small-package carrier.*


Involve® Laminate Wood Storage

35"H and 42½"H Hutches


For specification information see pages 808-816. Woodgrain laminate only available on K2T open units.



Description	Solid Color "KL" or "K2T" for Woodgrain or Two-Tone Model	Lock Qty	L1 Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front	L3 Laminate Case	L3 Laminate Front
35"H Hutch — Hinged Doors 15"D							
48"W with 4 Doors	K␣ H3548H (shown)	2	$ 4336	$ 115	$ 50	$ 228	$ 97
60"W with 4 Doors	K␣ H3560H	2	$ 4854	$ 127	$ 58	$ 254	$ 110
66"W with 4 Doors	K␣ H3566H	2	$ 5153	$ 134	$ 60	$ 272	$ 116
72"W with 4 Doors	K␣ H3572H	2	$ 6205	$ 164	$ 69	$ 326	$ 139
84"W with 6 Doors	K␣ H3584H	3	$ 7349	$ 182	$ 77	$ 366	$ 154
42½"H Hutch — Hinged Doors 15"D							
48"W with 4 Doors	K␣ H4248H	2	$ 5431	$ 134	$ 60	$ 272	$ 154
60"W with 4 Doors	K␣ H4260H	2	$ 5751	$ 143	$ 63	$ 289	$ 124
66"W with 4 Doors	K␣ H4266H	2	$ 6101	$ 151	$ 65	$ 304	$ 128
72"W with 4 Doors	K␣ H4272H	2	$ 7424	$ 182	$ 77	$ 366	$ 154
84"W with 6 Doors	K␣ H4284H	3	$ 8346	$ 206	$ 88	$ 414	$ 176



35"H Hutch — Sliding Door 15"D							
48"W with 1 Door	K␣ H3548N (shown)	1	$ 4095	$ 106	$ 50	$ 213	$ 97
60"W with 1 Door	K␣ H3560N	1	$ 4334	$ 115	$ 50	$ 228	$ 97
66"W with 1 Door	K␣ H3566N	1	$ 4600	$ 120	$ 52	$ 242	$ 101
72"W with 2 Doors	K␣ H3572N	2	$ 5381	$ 141	$ 62	$ 283	$ 120
84"W with 2 Doors	K␣ H3584N	2	$ 6458	$ 159	$ 67	$ 319	$ 135
42½"H Hutch — Sliding Door 15"D							
48"W with 1 Door	K␣ H4248N	1	$ 4850	$ 122	$ 52	$ 242	$ 101
60"W with 1 Door	K␣ H4260N	1	$ 5134	$ 127	$ 58	$ 255	$ 110
66"W with 1 Door	K␣ H4266N	1	$ 5134	$ 127	$ 58	$ 255	$ 110
72"W with 2 Doors	K␣ H4272N	2	$ 6448	$ 159	$ 67	$ 319	$ 135
84"W with 2 Doors	K␣ H4284N	2	$ 7336	$ 182	$ 77	$ 366	$ 154



35"H Hutch — Open Bin 15"D				L2 Laminate	L3 Laminate
48"W	K␣ H3548A (shown)	0	$ 3254	$ 86	$ 171
60"W	K␣ H3560A	0	$ 3639	$ 93	$ 193
66"W	K␣ H3566A	0	$ 3863	$ 100	$ 203
72"W	K␣ H3572A	0	$ 4578	$ 119	$ 239
84"W	K␣ H3584A	0	$ 5424	$ 133	$ 269
42½"H Hutch — Open Bin 15"D					
48"W	K␣ H4248A	0	$ 4071	$ 100	$ 203
60"W	K␣ H4260A	0	$ 4311	$ 106	$ 213
66"W	K␣ H4266A	0	$ 4581	$ 115	$ 228
72"W	K␣ H4272A	0	$ 5424	$ 133	$ 269
84"W	K␣ H4284A	0	$ 6093	$ 148	$ 303

*Upcharges are added to solid laminate list price depending on woodgrain laminate selection.

How to specify —

Select the Model Number from above.

KL prefix for case/front with same Solid Color Laminate
K2T prefix for any Woodgrain or Two-Tone Laminate

K [ ][ ][ ][ ][ ][ ][ ][ ][ ][ ] . [ ][ ][ ] .

1st Option:
FSC Certified Wood *(if applicable)*:
FSC Select for FSC Certified Wood
X No FSC

2nd Option:
Laminate Color:
See page 798 for finishes.
(If two-tone list case color here.)

3rd Option:
Matching Edge:
See page 798 for finishes.

4th Option:
2nd Laminate Color (Front) *(if applicable)*:
See page 798 for finishes.

Continued below ▼

5th Option:
Matching Edge *(if applicable)*:
See page 798 for finishes.

6th Option:
Lock Option *(if applicable)*:
STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

7th Option:
Lock Color *(if applicable)*:
EL Silver

[ ][ ] .


[ ][ ][ ]

E L

Examples: **K2TH3548H.X.LM13EY.LM15EU.STDEL**
KLH3548A.FSC.LM11EV.OMT

Involve® Laminate Wood Storage

For specification information see pages 808-816. Woodgrain laminate not available on 72"W-96"W.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E
Tackboards for 35"H Hutches						
48"W	**K6TB3548T** (shown)	$ 828	$ 906	$ 982	$ 1107	$ 1235
60"W	**K6TB3560T**	$ 934	$ 1031	$ 1127	$ 1284	$ 1442
66"W	**K6TB3566T**	$ 961	$ 1067	$ 1171	$ 1344	$ 1519
72"W	**K6TB3572T**	$ 1072	$ 1189	$ 1302	$ 1492	$ 1681
84"W	**K6TB3584T**	$ 1234	$ 1368	$ 1501	$ 1722	$ 1943
Tackboards for 42½"H Hutches						
48"W	**K6TB4248T** (shown)	$ 913	$ 1006	$ 1100	$ 1253	$ 1405
60"W	**K6TB4260T**	$ 1027	$ 1145	$ 1260	$ 1451	$ 1643
66"W	**K6TB4266T**	$ 1059	$ 1187	$ 1314	$ 1525	$ 1737
72"W	**K6TB4272T**	$ 1179	$ 1319	$ 1457	$ 1687	$ 1918
84"W	**K6TB4284T**	$ 1293	$ 1457	$ 1618	$ 1886	$ 2155

*Upcharges are added to solid laminate list price depending on woodgrain laminate selection.

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint Color for Tackboard Frame** *(if applicable)*: P1 P2 P3 See page 798 for finishes. P2 paint upcharge $36 (except PR6). P3 paint upcharge $69.	**Panel Fabric for Hutch Tackboard** *(if applicable)*: See page 798 for finishes.
_____ .	_____ .	_____

Example: **K6TB3548T.P02.APN917**


S *Shippable by small-package carrier.*

Involve® Worksurfaces

Primary and EZ View


Veneer/Laminate

For specification information see pages 817-818. For additional worksurface sizes reference the Stride® or Terrace® worksurface sections. For non-standard worksurface sizes see 9120 Program in any Systems price book.





Flat Edge Detail

Rabbet Edge Detail



Specify Grommet Location





Top View

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge L1 List Price	L2 List Price	L3 List Price
Primary Worksurfaces — specify grommet location				
72"W x 18"D	**T51872CS**	$ 838	$ 874	$ 901
84"W x 18"D	**T51884CS**	$ 1144	$ 1190	$ 1230
72"W x 24"D	**T52472CS**	$ 908	$ 946	$ 977
84"W x 24"D	**T52484CS**	$ 1247	$ 1296	$ 1340
72"W x 30"D	**T53072CS**	$ 1029	$ 1071	$ 1107
84"W x 30"D	**T53084CS**	$ 1381	$ 1433	$ 1483
30"D / 36"D EZ View Transition Worksurfaces (non-handed)				
30"D x 60"W x 36"D	**K5306036EZ**	$ 1586	$ 1645	$ 1706
30"D x 72"W x 36"D	**K5307236EZ**	$ 1857	$ 1924	$ 1995
30"D x 78"W x 36"D	**K5307836EZ**	$ 2227	$ 2311	$ 2395

Notes: 1) Add Suffix "N" to a model number for no grommets, no upcharge. *Examples:* **K5306036EZN, K5307836EZN**


How to specify — **Select the Model Number from above.**	*1st Option:* **Laminate:** See page 798 for finishes. (Upcharges are listed above.)	*2nd Option:* **Laminate Edge Color** *(if applicable)*: See page 798 for finishes.	*3rd Option:* **Grommet Location** *(if applicable)*: **GC** Center **GCL** Center and Left **GCR** Center and Right **GCRL** Center, Right, and Left	*4th Option:* **Grommet Type:** **P** Oval Plastic (Will match edge trim on laminate) **M** Oval Metal (Add $14 per grommet) **S** Square Metal (Add $14 per grommet)	*5th Option:* **Grommet Color** *(Metal only)*: **EL** Matte Silver **Additional Oval Veneer Colors:** **EZ** Bronze **E4** Black
_____ .	_____ .	_____ .	____	____	____

Examples: **T51872CS.LM15EU.GCP K5306036EZ.LM13.EY.P**

Involve® Worksurfaces

Worksurface Supports


For specification information see pages 817-818.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
29½"H Open End Panel Supports — Painted Metal				
18"D Freestanding for Flat/Square Edge	**K62918OLG**	$ 886	$ 956	$ 1025
24"D Freestanding for Flat/Square Edge (shown)	**K62924OLG**	$ 958	$ 1035	$ 1109
30"D Freestanding for Flat/Square Edge	**K62930OLG**	$ 1028	$ 1110	$ 1189
18"D Panel-Mount for Flat/Square Edge	**K62918OLG**	$ 886	$ 956	N/A
24"D Panel-Mount for Flat/Square Edge (shown)	**K62924OLG**	$ 958	$ 1035	N/A
30"D Panel-Mount for Flat/Square Edge	**K62930OLG**	$ 1028	$ 1110	N/A
36"D Panel-Mount for Flat/Square Edge	**K62936OLG**	$ 1100	$ 1188	$ 1272

NOTE: No upcharge for PR6 Silver paint on Involve.

Use of a panel-mounting bracket from page 848 can change the O-Leg from freestanding to panel-mounted.



Description	Model	L1 Laminate List Price	L2 Laminate List Price	L3 Laminate List Price
29½"H Closed End Panel Supports — Laminate with Metal Brackets				
18"D Freestanding for Flat/Square Edge	**K62918FEN**	$ 1072	$ 1116	$ 1154
24"D Freestanding for Flat/Square Edge (shown)	**K62924FEN**	$ 1114	$ 1159	$ 1199
30"D Freestanding for Flat/Square Edge	**K62930FEN**	$ 1164	$ 1210	$ 1251
18"D Panel-Mount for Flat/Square Edge — Left	**K62918LPEN**	$ 1161	$ 1207	$ 1248
18"D Panel-Mount for Flat/Square Edge — Right	**K62918RPEN**	$ 1161	$ 1207	$ 1248
24"D Panel-Mount for Flat/Square Edge (shown) — Left	**K62924LPEN**	$ 1202	$ 1249	$ 1291
24"D Panel-Mount for Flat/Square Edge (shown) — Right	**K62924RPEN**	$ 1202	$ 1249	$ 1291
30"D Panel-Mount for Flat/Square Edge — Left	**K62930LPEN**	$ 1237	$ 1285	$ 1330
30"D Panel-Mount for Flat/Square Edge — Right	**K62930RPEN**	$ 1237	$ 1285	$ 1330



Description	Model	P1 Paint List Price	P2 Paint List Price
Storage-to-Panel Bracket Kits for 24"H and 28"H Credenzas only — Painted Metal			
24"H Left (requires laminate back) (shown)	**K624PBKL**	$ 197	$ 219
24"H Right (requires laminate back)	**K624PBKR**	$ 197	$ 219
28"H Left (requires laminate back)	**K630PBKL**	$ 217	$ 239
28"H Right (requires laminate back)	**K630PBKR**	$ 217	$ 239
24"H Left (does not require laminate back)	**K624PBKML**	$ 197	$ 219
24"H Right (does not require laminate back)	**K624PBKMR**	$ 197	$ 219
28"H Left (does not require laminate back)	**K630PBKML**	$ 217	$ 239
28"H Right (does not require laminate back)	**K630PBKMR**	$ 217	$ 239


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*: **FSC** Select for FSC Certified Wood **X** No FSC	**Laminate** *(if applicable)*: See page 798 for finishes.	**Edge Color** *(if applicable)*: See page 798 for finishes.	**Paint:** P1 P2 P3 See page 798 for finishes. For P2 Paints (except PR6) on Closed End Panel Supports add $36.

Examples: **K62918OLG.P7B** **K624PBKR.P7B** **K62918LPEN.X.LM11EV.P7B**


Involve® Worksurfaces

Worksurface Supports


For specification information see pages 817-818.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Post Leg — Painted Metal				
29½"H	K629SCF	$ 462	$ 495	N/A
40½"H	K640SCF	$ 556	$ 589	N/A




Worksurface Stanchion — Painted Metal (See below for replacement models.)				
12"D x 5¼"H for Involve 24"H Credenza	K6OLG0512	$ 592	$ 637	$ 679
18"D x 5¼"H for Involve 24"H Credenza	K6OLG0518	$ 609	$ 655	$ 698
12"D x 4"H for Stride 22"H Credenza	APOLG0512	$ 447	$ 479	$ 504
18"D x 4"H for Stride 22"H Credenza	APOLG0518	$ 486	$ 518	$ 543




External Worksurface Support Channel (Black Only)				
30"W for use on 42"W Worksurface	Z5SC42 S	$ 93	N/A	N/A
36"W for use on 48"W Worksurface	Z5SC48 S	$ 96	N/A	N/A
42"W for use on 54"W Worksurface	Z5SC54 S	$ 111	N/A	N/A
48"W for use on 60"W Worksurface	Z5SC60	$ 119	N/A	N/A
54"W for use on 66"W Worksurface	Z5SC66	$ 138	N/A	N/A
60"W for use on 72"W Worksurface	Z5SC72	$ 148	N/A	N/A
66"W for use on 78"W Worksurface	Z5SC78	$ 162	N/A	N/A



Tower Rail (supports worksurface on side of tower — requires rail bracket kit)				
18"W Tower Rail for 18"D Tower	K6TR18	$ 214	$ 228	N/A



"L" Tower Bracket — for Wood Towers				
"L" Tower Bracket for 18"D or 24"D Tower	Z6LB	$ 89	$ 111	N/A



Panel-Mount Brackets for O-Leg-to-Panel Attachment Bracket				
Left-Handed O-Leg to Panel Bracket	KOLGBRKLFT	$ 214	$ 231	$ 246
Right-Handed O-Leg to Panel Bracket	KOLGBRKRGT	$ 214	$ 231	$ 246

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

P1 P2 P3

See page 798 for finishes.

No upcharge for PR6 Silver paint on Involve.

.


Examples: **K629SCF.P7B** **Z5SC60**

S *Shippable by small-package carrier.*


Involve® Screens

Full Height Modesty Panels

For specification information see page 820.



	Laminate w/Flat Edge Laminate		L1 List Price	Laminate L2 List Price	L3 List Price
Full-Height Laminate Modesty Panels for use with Footed Storage					
29"W	K6DM2829L	S	$ 1048	$ 1090	$ 1129
30"W	K6DM2830L	S	$ 1048	$ 1090	$ 1129
34"W	K6DM2834L	S	$ 1098	$ 1143	$ 1183
35"W	K6DM2835L	S	$ 1098	$ 1143	$ 1183
36"W	K6DM2836L	S	$ 1098	$ 1143	$ 1183
40"W	K6DM2840L	S	$ 1147	$ 1193	$ 1235
41"W	K6DM2841L	S	$ 1147	$ 1193	$ 1235
42"W	K6DM2842L	S	$ 1147	$ 1193	$ 1235
43"W	K6DM2843L	S	$ 1147	$ 1193	$ 1235
46"W	K6DM2846L	S	$ 1199	$ 1246	$ 1289
47"W	K6DM2847L	S	$ 1199	$ 1246	$ 1289
49"W	K6DM2849L	S	$ 1199	$ 1246	$ 1289
53"W	K6DM2853L	S	$ 1258	$ 1306	$ 1352
55"W	K6DM2855L	S	$ 1254	$ 1302	$ 1348
58"W	K6DM2858L	S	$ 1309	$ 1359	$ 1407
59"W	K6DM2859L	S	$ 1309	$ 1359	$ 1407
61"W	K6DM2861L	S	$ 1309	N/A	N/A
64"W	K6DM2864L	S	$ 1371	N/A	N/A
70"W	K6DM2870L	S	$ 1428	N/A	N/A
76"W	K6DM2876L	S	$ 1487	N/A	N/A



Full-Height Laminate Modesty Panels for use with Plinth Base Storage					
30"W	K6DMP2830L	S	$ 1048	$ 1090	$ 1129
34"W	K6DMP2834L	S	$ 1098	$ 1143	$ 1183
36"W	K6DMP2836L	S	$ 1098	$ 1143	$ 1183
40"W	K6DMP2840L	S	$ 1147	$ 1193	$ 1235
42"W	K6DMP2842L	S	$ 1147	$ 1193	$ 1235
46"W	K6DMP2846L	S	$ 1199	$ 1246	$ 1289

Modesty Width Chart	DESKING WORKSURFACE WIDTH			
APPLICATION	60"W	66"W	72"W	78"W
2 – 24"W Peds				30"W
1 – 24"W + 1 – 18"W Ped			30"W	36"W
2 – 18"W Peds		30"W	36"W	42"W
2 – 15"W Peds		34"W	40"W	46"W
1 – 15"W Ped + Closed End Gable	43"W	49"W	55"W	61"W
1 – 18"W Ped + Closed End Gable	41"W	47"W	53"W	59"W
1 – 24"W Ped + Closed End Gable	35"W	41"W	47"W	53"W
1 – 30"W Lat + Closed End Gable	29"W	35"W	41"W	47"W
1 – 36"W Lat + Closed End Gable		29"W	35"W	41"W
2 Closed Gable Ends	58"W	64"W	70"W	76"W

Example: When using a 66"W worksurface and 2 – 18"W pedestals, specify a 30"W modesty.

S *Shippable by small-package carrier.*


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Certified Wood** *(if applicable)*: FSC Select for FSC Certified Wood; X No FSC	**Laminate Color:** See page 798 for finishes.	**Matching Edge:** See page 798 for finishes.	**Paint Color:** P1 P2 P3 See page 798 for finishes. P2 paint upcharge $14 (except PR6). P3 paint upcharge $22.
K .	.		.	P

Examples: **K6DM2829L.X.LM13EY.P7D** **K6DMP2830L.FSC.LM11EV.P7B**

Involve® Screens

Divider Panels

For specification information see page 820.



Description	Model	L1 Laminate List Price	L2 Laminate List Price	L3 Laminate List Price
50"H Laminate Divider Panel — ¾" Thick				
29"W	**K6DP5029L**	**$ 1166**	**$ 1212**	**$ 1254**
35"W	**K6DP5035L**	**$ 1269**	**$ 1318**	**$ 1365**
47"W	**K6DP5047L**	**$ 1382**	**$ 1433**	**$ 1484**
59"W	**K6DP5059L**	**$ 1482**	**$ 1539**	**$ 1596**


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Divider Panel Model Number from above.	**FSC Certified Wood:** **FSC** Select for FSC Certified Wood **X** No FSC	**Laminate Color:** See page 798 for finishes.	**Matching Edge:** See page 798 for finishes.

Example: **K6DP5029L.X.LM11EV**


Involve® Screens


Tackable Taskpanels

For specification information see page 820.



Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Tackable Taskpanel for use with Stanchion Mounted Overhead on 24"H Credenza — ½"D							
30"W x 18"H	**K6TB1830T** S	$ 585	$ 610	$ 636	$ 676	$ 717	$ 757
36"W x 18"H	**K6TB1836T** S	$ 639	$ 670	$ 699	$ 749	$ 797	$ 845
42"W x 18"H	**K6TB1842T** S	$ 692	$ 727	$ 761	$ 819	$ 876	$ 932
48"W x 18"H	**K6TB1848T** S	$ 745	$ 787	$ 826	$ 890	$ 956	$ 1021
60"W x 18"H	**K6TB1860T** S	$ 850	$ 901	$ 949	$ 1031	$ 1113	$ 1194





Description	Model	List Price Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Tackable Taskpanel for use with stanchion mounted overhead on 28"H credenza — ½"D							
30"W x 12"H	**K6TB1230T** S	$ 541	$ 560	$ 575	$ 603	$ 630	$ 658
36"W x 12"H	**K6TB1236T** S	$ 593	$ 614	$ 635	$ 667	$ 699	$ 732
42"W x 12"H	**K6TB1242T** S	$ 649	$ 673	$ 697	$ 736	$ 774	$ 811
48"W x 12"H	**K6TB1248T** S	$ 702	$ 728	$ 756	$ 799	$ 842	$ 884
60"W x 12"H	**K6TB1260T** S	$ 806	$ 840	$ 872	$ 927	$ 980	$ 1036
30"W x 19"H	**K6TB1930T** S	$ 560	$ 586	$ 614	$ 657	$ 700	$ 742
36"W x 19"H	**K6TB1936T** S	$ 639	$ 672	$ 703	$ 756	$ 807	$ 858
42"W x 19"H	**K6TB1942T** S	$ 692	$ 730	$ 766	$ 826	$ 887	$ 947
48"W x 19"H	**K6TB1948T** S	$ 745	$ 789	$ 830	$ 898	$ 966	$ 1035
60"W x 19"H	**K6TB1960T** S	$ 850	$ 904	$ 953	$ 1041	$ 1126	$ 1211

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 798 for finishes. For P2 Paints add $36 (except PR6).	**Panel Fabric:** See page 14 for fabrics.

K 6 T B _ _ _ _ _ _ . _ _ _ . _ _ _ _ _ _

Example: **K6TB1830T.P7B.APN911**


S *Shippable by small-package carrier.*


Notes


Laminate Storage — Aware®


Buffet Credenza

- 2- and 3-Bay credenzas ship fully assembled.
- Available in solid and woodgrain laminate colors. You can select one laminate for the case and a second laminate for the front doors and back panels. Credenza top including front edge is the same color as the case.
- Painted mesh in Designer White, Flint, or Silver at top and bottom of the front and back sides of unit provides passive ventilation.
- Edge guards on mesh and wire manager protects cords and fingers.
- Grommet models feature square Silver metal grommet.
- Six leveling glides on 72"W, four glides on 48"W. Leveling range is 1".
- Credenzas are constructed from ¾" thick high-pressure laminated particleboard with 1 mm edge banding and European cam-and-pin construction.
- Units are shipped with either lock cores removed or as non-locking. Core removable lock option allows key numbers to be easily changed in the field. Cores available on page 901. Note: Middle cabinet on 3-Bay units do not lock.
- Shelves are painted metal. Base shelves are secured, except center shelf in 72"W credenza.
- Interior bay dimensions are 22"W x 28⅛"H x 22⅜"D. Secured bottom shelves are 19"D to account for ventilation and wire management. Rated for 50 lbs.
- Removable back(s) snap on for easy component installation.
- Bottom wire management channel runs entire width of credenza.
- Optional top hung drawers (8½"H) use full extension slides; limit of one drawer per bay. Drawers cannot be used in same bay with AV rack, waste pullout, and will limit size of refrigerator.
- Slide out A/V storage rack features EIA spacing with twelve usable rack spaces.
- Units ship with one adjustable shelf per bay. Shelves are adjustable in 6" increments.
- Additional metal shelves are field-installed using supplied template, maximum of three per bay.










Description	Model	Ship Weight	Cubes	Solid Laminate List Price	UPCHARGES* L2 Laminate Case	L2 Laminate Front/Back	L3 Laminate Case	L3 Laminate Front/Back
Buffet Credenza — 34"H x 24"D								
72"W with Grommet / Removable Back Left and Right	**AW4BC7224**	336	56	**$10322**	**$ 245**	**$ 104**	**$ 491**	**$ 210**
72"W no Grommet / Removable Back Left and Right	**AW4BC7224NG**	336	56	**$10310**	**$ 245**	**$ 104**	**$ 491**	**$ 210**
48"W with Grommet / Removable Back Left (shown)	**AW4BC4824L**	235	38	**$ 7521**	**$ 178**	**$ 77**	**$ 357**	**$ 153**
48"W no Grommet / Removable Back Left (shown)	**AW4BC4824LNG**	235	38	**$ 7508**	**$ 178**	**$ 77**	**$ 357**	**$ 153**
48"W with Grommet / Removable Back Right	**AW4BC4824R**	235	38	**$ 7521**	**$ 178**	**$ 77**	**$ 357**	**$ 153**
48"W no Grommet / Removable Back Right	**AW4BC4824RNG**	235	38	**$ 7508**	**$ 178**	**$ 77**	**$ 357**	**$ 153**



Description	Model	Ship Weight	Cubes	List Price
Credenza Storage Drawer (Laminate front **LM16** Flint only)				
Interior: 14½"W x 14⅝"D x 2⅞"H Particleboard body in a metal case	**AW4DRAWER**	30	4.1	**$ 981**
Slide Out Audio/Visual Storage Rack (Black only, not specified) Weight capacity 125 lbs.				
19⅛"W x 18⅞"D x 22⅞"H Metal frame with 10-32 threaded holes	**AW4AVRACK**	29	4.8	**$ 3551**
Trash/Recycling Slide Out (Platinum only, not specified) Weight capacity 100 lbs.				
14⅜"W x 22½"D x 18¾"H Comes with 2 – 35 qt bins	**AW4TRASH**	36	2.8	**$ 739**
Metal Interior Shelf (Painted in Flint, Designer White, or Silver only)				
23"W x 21"D x 2"H Weight capacity 50 lbs.	**AW4SHELF**	5	1.6	**$ 265**


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood** *(if applicable):*	*2nd Option:* **Case Laminate** *(if applicable):*	*3rd Option:* **Matching Edge Color** *(if applicable):*	*4th Option:* **2nd Laminate Color (Front)** *(if applicable):*	*5th Option:* **Matching Edge Color** *(if applicable):*	*6th Option:* **Paint Color** *(if applicable):*	*7th Option:* **Lock** *(if applicable):*
AW4	**FSC** Certified **X** No FSC					**PJW** Designer White **P02** Flint **PR6** Silver *(No upcharge for PR6)*	**OMT** Omit Cores **NL** No Locks or Holes


Examples: **AW4BC7224.X.LM14EW.LWDDD.PR6.NL** **AW4DRAWER.LM16E9**

Laminate Storage — Aware®

Recycle Credenza

- 2- and 3-Bay credenzas ship fully assembled.
- Available in solid and woodgrain laminate colors. You can select one laminate for the case and back, and a second laminate for the front doors. Credenza top including front edge is the same color as the case.
- Painted mesh in Designer White, Flint, or Silver at bottom of the front side of unit matches buffet credenza.
- **Waste bins and inserts are not included** with Recycle Credenzas. Recommend 25 gallon waste bins 16¼" x 16¼" x 27"H by Tough Guy, Rubbermaid, Continental, or Safco. Order inserts separately.
- Credenzas are constructed from ¾" thick high-pressure laminated particleboard with 1 mm edge banding and European cam-and-pin construction.
- Front plates and optional inserts are metal.
- Septums in 3-Bay units provide separation and support.
- Units come with 3 of each label with 57"W units; and 2 of each label with 36"W units. Silver and white units come with Black labels; Flint comes with White labels.
- Back is inset ⅞" for easy handling and flush fit against wall.
- Leveling glide range is 1".





Description	Model	Ship Weight	Cubes	Solid Laminate List Price	UPCHARGES* L2 Laminate Case/Back	L2 Laminate Front	L3 Laminate Case/Back	L3 Laminate Front
Recycle Credenza — 40"H x 20"D (Front plate and mesh in Designer White, Flint or Silver)								
57"W Three Bays – Interior each 17"W x 28"H x 17¾"D	**AW4WC5720**	275	43	**$ 9827**	**$ 234**	**$ 100**	**$ 466**	**$ 200**
(Shown with paper and bottle/can inserts – order separately below)								
36"W Two Bays – Interior 34½"W x 28"H x 17¾"D	**AW4WC3620**	180	35	**$ 7388**	**$ 174**	**$ 76**	**$ 350**	**$ 151**
(Shown with bottle/can and paper inserts – order separately below)								





Description	Model	Ship Weight	Cubes	List Price P1 Paint	List Price P3 Paint
Paper Insert for Recycle Credenza (Painted metal in Designer White, Flint, Silver, Atom or Krypton)					
For 57"W Recycle Credenza	**AW4WCTIP57W**	3	0.5	**$ 265**	**$ 288**
For 36"W Recycle Credenza	**AW4WCTIP36W**	3	0.5	**$ 265**	**$ 288**
Bottle/Can Insert for Recycle Credenza (Painted metal in Designer White, Flint, Silver, Atom or Krypton)					
For 57"W Recycle Credenza	**AW4WCTIBC57W**	3	0.5	**$ 265**	**$ 288**
For 36"W Recycle Credenza	**AW4WCTIBC36W**	3	0.5	**$ 265**	**$ 288**



Description	Model	Ship Weight	Cubes	List Price
Waste Credenza Labels (Bottle/Cans, Paper, Recycle, Trash – SPECIFY Black or White)				
12 Labels — 3 of each	**AW4WC57LABEL**	0.1	0.1	**$ 129**
8 Labels — 2 of each	**AW4WC36LABEL**	0.1	0.1	**$ 89**

Note: Recycle Credenzas come with 3 of each label with 57"W units; and 2 of each label with 36"W units.

How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood** *(if applicable)*:	*2nd Option:* **Case Laminate** *(if applicable)*:	*3rd Option:* **Matching Edge Color** *(if applicable)*:	*4th Option:* **2nd Laminate Color (Front)** *(if applicable)*:	*5th Option:* **Matching Edge Color** *(if applicable)*:	*6th Option:* **Paint** *(if applicable)*:	*7th Option:* **Label Color** *(if applicable)*:
AW4	**FSC** Certified **X** No FSC					**P8S** Atom *(P3 upcharge)* **PJW** Designer White **P02** Flint **P8F** Krypton *(P3 upcharge)* **PR6** Silver *(no upcharge)*	**BLK** Black **WHT** White

Examples: **AW4WC5720.X.LM14EW.LWDDD.PR6** **AW4WCTIP57W.P7H**

Laminate Storage — Further™

Finishes 856
Statement of Line 857
Working with Storage 858-859
Pedestals and Credenzas 860
Storage Towers 861

Laminate Storage — Further™

PAINT FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Night Bronze P8B
Platinum Metallic PR2
Pyrite ..... PJE
Silver PR6
Solar Black P8X

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre P093
Regatta P8M
Sienna P092
Succulent*** P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

ELECTRICAL AND DATA COMPONENTS

Black E4
Brownstone ..... EY
Designer White ..... DW
Flint E9
Loft ..... EV
Muslin ..... EU
Silver ..... ES

Recommended Coordinate Colors:
Bungalow use Muslin EU
Carob use Black E4
Champagne Metallic use Muslin EU
Cinder use Brownstone EY
Fossil use Flint E9
Gunmetal Metallic use Brownstone EY
Parchment use Muslin EU
Pebble use Loft EV
Pewter use Flint E9
Platinum Metallic use Silver ES
Salt use Silver ES
Titanium use Silver ES

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

All laminate surfaces are also offered with the FSC wood option. Add FSC in front of each laminate option. Refer to specification tools.

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Veranda Teak ..... VT

◆ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

NOTE: Refer to individual product pages for upcharges.


FSC Certified Wood at Allsteel

See page 1007 for more information.


Laminate Storage — Further™

STORAGE


Floor Based — Laminate with Metal




Open Support Pedestal




Open w/Bin Pedestal




Pull Out Drawer Support Pedestal



Mobile Credenza




42½"H Tower



50"H Tower

Laminate Storage




10"W x 27"D Support Pedestal Open w/ Personal Bin — Right **U7P1027PBR**


All Storage

- All storage is made from ¾" thick with particleboard core with top and bottom surfaces finished in laminate. Horizontal storage sides and back are painted steel.
- Edge band is made of 1mm thick ABS plastic — flat edge trim only.
- Cam and pin construction. Storage is plinth base only unless unit is mobile.
- Available in solid and woodgrain laminates, models with doors or drawers are available with a two-tone option.
- Pull options: arch, square, linear, straight. All standard in PR6 Silver.
- Locks have a silver finish.


Laminate Storage




U7P1027PBR



U7P1521PD



U7MC203615HL



U7T501221ADR


Open Support Pedestals (page 860)
- Constructed of laminate, shelves are painted steel.
- Open Support Pedestals may be used to add additional stability — see Further Stability Requirements on page 444.
- Support pedestals may be used to create freestanding desks, storage depth must match worksurface depth.
- 27"D models have a coat/bag hook located in back of unit.

Pull-Out Drawer Support Pedestal (page 860)
- Case is constructed of laminate and painted steel.
- Box and file drawers are miter fold, ½" thick particle board, polypropylene wrapped.
- Configuration is box/box/file and one shelf at top of unit.
- Shelf is not adjustable but can be removed.
- All drawers hidden behind single laminate front.
- Straight , linear, arch and square pulls available as options.
- 1⅝" leveling.
- Cannot be used as a freestanding, standalone unit.
- Outside overall dimensions: 15⅝"W and 21" or 27"D
- Box drawers extend 16" for both model depths.
- File drawers extend 16" on 21"D models and 20" on 27"D models.
- Front to back filing, standard letter size
- One lock, located in upper right hand corner of drawer front.
- Two-tone laminate option for drawer fronts
- Can be used to make a freestanding desk.


Mobile Credenza (page 860)
- Constructed of laminate, shelf is painted steel.
- Mobile credenza has a hinged door with lock, no pull.
- Front casters are locking, back casters are non-locking.

Side Access Towers (page 861)
- Top and sides are laminate, shelves are painted steel.
- Side Access Towers may be used to add additional stability — see page 444.
- 12" wide towers must be attached to a worksurface.
- Z6LB tower "L" bracket required when supporting a worksurface with a tower — storage depth must match worksurface depth.
- Tower drawers do not extend fully — 27"D towers have a 25"D drawer with 20" travel slides; 21"D towers have a 19"D drawer with 16" travel slides.
- 27"D models have a coat/bag hook located in back of drawer.

"L" Tower Bracket (page 861)
- Z6LB tower "L" bracket required when supporting a worksurface with a tower.
- Storage depth must match worksurface depth.




For specification information see pages 858-859.




U7P1027PBL U7P1027PBR

Description	Model	List Price L1	L2	L3
Open Support Pedestal — 10"W x 28"H				
27"D w/Personal Bin Left	**U7P1027PBL** S	$ 2512	$ 2601	$ 2685
27"D w/Personal Bin Right	**U7P1027PBR**	$ 2512	$ 2601	$ 2685




U7P1521PD

Description	Model	List Price L1	L2	L3
Pull-Out Drawer Support Pedestal — 15"W x 28"H				
21"D — Shelf/Box/Box/File	**U7P1521PD** S	$ 3061	$ 3167	$ 3274



U7MC203615HL

Description	Model	List Price L1	L2	L3
Mobile Credenza — 15"D x 20"H				
36"W — Hinged Door Left	**U7MC203615HL** S	$ 3791	$ 3921	$ 4055
36"W — Hinged Door Right	**U7MC203615HR** S	$ 3791	$ 3921	$ 4055



U7MC203615HR

Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Seat Cushion — For Further Mobile Credenza only (Specify seating fabric — no leathers)													
36"W x 15"D	**K5CT1536SC**	$ 466	$ 510	$ 551	$ 591	$644	$ 699	$ 754	$ 808	$ 862	$917	$ 971	$1025

FURTHER

How to specify —

Select the Model Number from above.

U 7 _ _ _ _ _ _ _ . _ _ _

1st Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch
LP Linear

See matrix on page 20.

2nd Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
E4 Black
LP Linear
PR0 Anodized Silver
P2 upcharge +$19/pull

_ _ _ . _ _ _

3rd Option:

Metal Shelves Paint Color *(if applicable)*:

P1 P2 P3

Upcharge:

	P2	P3
Open/ 21"D Pull-Out	$ 22	$ 46
Open w/Bin/ 27"D Pull-Out	$ 25	$ 55
Credenza	$ 25	$ 57

See page 856 for finishes.

_ _ _ . _ _ _

4th Option:

FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood
X No FSC

_ _ _ . _ _ _

Continued below ▼

5th Option:

Laminate *(if applicable)*:

See page 856 for finishes.

_ _ _ _

6th Option:

Matching Edge *(if applicable)*:

See page 856 for finishes.

_ _ _ . _ _ _

7th Option:

Door Laminate *(if applicable)*:

See page 856 for finishes.

_ _ _ _

8th Option:

Matching Edge *(if applicable)*:

See page 856 for finishes.

_ _ _ . _ _ _

9th Option:

Lock Option *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

_ _ _

10th Option:

Lock Color *(if applicable)*:

EL Silver

E L

Only Option for Seat Cushion:


Specify Seating Upholstery

_ _ _ _ _ _ _

Example: **U7P1027PBL.LPPRO.PR6.X.LEH1EH.LEH1EH.STD.EL**

S *Shippable by small-package carrier.*


U7T421227ADL



U7T421227ADR

Description	Model	List Price L1	List Price L2	List Price L3
42½"H Side Access Towers — 12"W				
27"D w/Left Hand Side Access	**U7T421227ADL** S	**$ 4520**	**$ 4678**	**$ 4835**
27"D w/Right Hand Side Access	**U7T421227ADR** S	**$ 4520**	**$ 4678**	**$ 4835**

U7T501221ADL



U7T501221ADR

Description	Model	List Price L1	List Price L2	List Price L3
50"H Side Access Towers — 12"W				
21"D w/Left Hand Side Access (shown)	**U7T501221ADL** S	**$ 4595**	**$ 4755**	**$ 4915**
27"D w/Left Hand Side Access	**U7T501227ADL** S	**$ 4793**	**$ 4960**	**$ 5128**
21"D w/Right Hand Side Access (shown)	**U7T501221ADR** S	**$ 4595**	**$ 4755**	**$ 4915**
27"D w/Right Hand Side Access	**U7T501227ADR** S	**$ 4793**	**$ 4960**	**$ 5128**



Description	Model	P1 Paint List Price	P2 Paint List Price
"L" Tower Bracket — for Towers			
"L" Tower Bracket for 21"D or 27"D	**Z6LB**	**$ 89**	**$ 111**

How to specify —

Select the Model Number from above.

1st Option:

Pull Type *(if applicable)*:

MP Beam
OP Halo
SP Square
AP Arch
LP Linear

See matrix on page 20.

2nd Option:

Pull Color *(if applicable)*:

MP Beam / **OP** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

AP Arch
PR0 Anodized Silver
E4 Black

LP Linear
PR0 Anodized Silver
P2 upcharge +$19/pull

3rd Option:

Metal Shelves Paint Color *(if applicable)*:

P1 P2 P3

Upcharge:
P2 $40
P3 $90

4th Option:

FSC Certified Wood *(if applicable)*:

FSC Select for FSC Certified Wood
X No FSC

Continued below ▼

5th Option:

Laminate *(if applicable)*:

6th Option:

Matching Edge *(if applicable)*:

7th Option:

Door Laminate *(if applicable)*:

8th Option:

Matching Edge *(if applicable)*:

9th Option:

Lock Option *(if applicable)*:

STD Standard
OMT Omit Lock Core (Deduct $20)

10th Option:

Lock Color *(if applicable)*:

EL Silver

E L

Examples: **U7T501221ADL.LPPR0.LM11EV.LM11EV.STDEL Z6LB.PR6**

S *Shippable by small-package carrier.*

Metal Storage

Align Metal Pedestals — support or mobile



File/File
28⅛"H x 15"W
18", 23¼", 29¼"D



Box/Box/File
28⅛"H x 15"W
18", 23¼", 29¼"D



File/File
26½"H x 15"W
18", 23¼", 29¼"D




Box/Box/File
26½"H x 15"W
18", 23¼", 29¼"D




Box/File
20½"H Mobile,
22"H Freestanding
18", 23¼", 29¼"D x 15"W

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.


Align Low Metal Storage — credenzas, right and left configurations available




Box/Lateral/Open
72"W
22"H x 18", 24"D




Box/Lateral/Open
60"W
22"H x 18", 24"D



Box/Lateral/Open
48"W
22"H x 18", 24"D



Box/Lateral/Open
42"W
22"H x 18", 24"D



Box/Lateral
24", 30", 36", 42"W
22"H x 18", 24"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.

Align Metal Lateral and Personal Files




2-High
28"H
30", 36", 42"W
18"D



2-High
28"H
30"W
18"D



2-High
28"H
24", 30", 36"W
18"D




Open
24", 30", 36", 42"W
22"H x 18", 24"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.


Align Metal Personal Towers — Stride®/Terrace®/Optimize™ Height — left configuration shown, also available right




42½"H
18", 24"W
24"D



50"H
18", 24"W
24"D




57½"H
18", 24"W
24"D




65"H
18", 24"W
24"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.


Align Lockers — Overview – Left configurations shown, also available right




Single 12"W
42½", 50", 65"H / 18", 24"D




Double 12"W
42½", 65"H / 18"D



Quad 24"W
42½", 65"H / 18"D



Cubby 24"W
50", 65"H / 18"D




Cubby 12"W
50", 65"H / 18"D

Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.

Essentials Pedestals — Ball-Bearing Slides

Support



File/File
28"H x 15"W
18", 22⅞", 28⅞"D



Box/Box/File
28"H x 15"W
18", 22⅞", 28⅞"D

Suspended



Box/File
19½"H x 15"W
18", 22⅞"D

Basic Support




File/File
28" x 15"W
19⅞", 22⅞"



Box/Box/File
28"H x 15"W
19⅞", 22⅞"

Mobile



File/File
28"H x 15"W
18", 22⅞", 28⅞"D




Box/Box/File
28"H x 15"W
18", 22⅞", 28⅞"D



Box/File
22½"H x 15"W
22⅞"D

Basic Mobile




File/File
28"H x 15"W
19⅞", 22⅞"




Box/Box/File
28"H x 15"W
19⅞", 22⅞"

Essentials Lateral Files




2-High
28"H
30", 36", 42"W
18"D



3-High
39⅛"H
30", 36", 42"W
18"D




4-High
52½"H
30", 36", 42"W
18"D




5-High
64¼"H
30", 36", 42"W
18"D

Essentials Combination Files




Without Doors
64¼"H
30", 36"W
18"D




Hinged Doors
64¼"H
30", 36"W
18"D

Essentials Cabinets



Hinged Doors
28", 39⅛", 52½", 64¼"H
30", 36"W
18"D

Essentials Bookcases



28", 39⅛"H
30", 36"W
18"D



52½", 64¼"H
30", 36"W
18"D



29", 41", 59",
71", 81"H
34½"W
12⅝"D

Notes

Align™ Metal Storage

Statement of Line 862-863
Finishes 866-867
Working with Align™ Metal Storage 868-870
Dimensions and File/Load Capacities 871-873
Metal Pedestal Specifications 874-875
Credenzas and Accessories 876-877
Metal Credenzas with Panel Frames 878
Lateral/Personal/Laminate Top Specifications 879
Tower and Locker Specifications 880-882
Support, Mobile, and Freestanding Pedestals 883-886
Pedestal Tops and Accessories 887
22"H Credenzas and Pedestals 888-897
Open Shelf & HAT Credenzas 898
Wire Management and Accessories 899-902
28"H Laterals, Personal Files, and Bookcases 903
Metal Towers 904-915
Lockers, Wardrobes, and Accessories 916-926
Digital Lock Keys and Accessories 927
Storage Islands 928-938

Align™ Metal Storage

PAINTED METAL FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Textured Designer White PK7
Textured Flint P7A
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver** PR6
Solar Black P8X

**PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensys, Essentials bookcase, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre*** P093
Regatta P8M
Sienna*** P092
Succulent*** P8A

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

****These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

METAL STORAGE PULLS

Black (Bar or Arch Pull) E4/P71
Designer White (Bar pull only) ..... PJW
Silver EL/PR6

LAMINATES

GRADE L1

SOLID

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

LAMINATE EDGE COLORS

Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

STRATAWOOD VENEERS

GRADE V1

Add FSC prefix to Stratawood codes listed below for Stratawood veneer trim on Stride and Terrace.
Example: **FSCSC777**

CHERRY

Cinnamon/Biltmore Cherry SC260
Lowell Ash Cherry SC394
Clear Cherry SC700
Light Cherry SC701
Shaker Cherry SC774
Burnished Cherry SC777

MAPLE

Field Elm SE599
Clear Maple*** SE800
Harvest Maple SE856
Beigewood SE878
Phantom Ecru SE912
Belair SE934

OAK

Clear Silver Oak**** SB100
Portico Teak Silver Oak SB150
Clear Oak SF300
Dark Rift Oak SF331

****No FSC available

WALNUT

Florence Walnut ST579
Light Walnut ST601
Skyline Walnut ST625
Pinnacle Walnut ST679
Sumatra Walnut ST693

NATURAL VENEERS — FLAT CUT

GRADE V2

CHERRY

Cinnamon/Biltmore Cherry NC260
Lowell Ash NC394
Medium Red Cherry NC512
Light Cherry NC701
Shaker Cherry NC774
Burnished Cherry NC777

MAPLE

Clear Maple NE800
Harvest Maple NE856

WALNUT

Ebony Walnut NT509
Florence Walnut NT579
Light Walnut NT601
Skyline Walnut NT625
Nutmeg Walnut NT629
Pinnacle Walnut NT679
Sumatra Walnut NT693

NATURAL VENEERS — RIFT CUT

GRADE V3

Fawn Cypress Rift Cut Oak RF108
Light Rift Cut Oak RF301
Dark Rift Cut Oak RF331
Phantom Ecru Rift Cut Oak RF912

The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.

GROMMETS ON VENEER WORKSURFACES

Wire management grommets come standard on most veneer worksurfaces. Choose between metal or plastic grommet option. Note: Plastic grommet color is predetermined based on finish selection.
All Maple veneers ..... Muslin EU
All other veneers ..... Black E4

LOCKS

Black E4
Chrome ..... ordered by base model
Matte Silver ..... EL

NOTE: Refer to individual product pages for upcharges.

FABRIC WIRE MANAGER

GRADE 1

DAPPER

Ash	DAPR20
Breeze	DAPR06
Canvas	DAPR25
Charcoal	DAPR01
Clover	DAPR22
Currant	DAPR00
Fawn	DAPR35
Fern	DAPR85
Gerbera	DAPR16
Grape	DAPR33
Jewel	DAPR08
Marigold	DAPR65
Onyx	DAPR10
Orchid	DAPR90
Parrot	DAPR59
Poppy	DAPR19
Sapphire	DAPR07
Scarlet	DAPR45
Sepia	DAPR30
Sky	DAPR44
Slate	DAPR15
Sorbet	DAPR55
Spring	DAPR80
Terracotta	DAPR13
Titanium	DAPR17
Varsity	DAPR09
Zest	DAPR70

FABRIC WIRE MANAGER — cont'd

GRADE 3

MOXIE

Barnwood	SX09
Basalt	SX23
Bayou	SX02
Bermuda	SX52
Biscotti	SX08
Blackberry	SX48
Blarney	SX49
Blueberry	SX05
Bonsai	SX20
Brigade	SX53
Butterscotch	SX54
Carob	SX24
Chalk	SX50
Chartreuse	SX34
Cherry	SX38
Cinnamon	SX13
Cobalt	SX01
Coconut	SX06
Concrete	SX43
Cozumel	SX55
Cumin	SX32
Dragonfly	SX44
Dover	SX56
Earl Grey	SX40
Elysian	SX04
Evergreen	SX21
Fatigue	SX18
Fawn	SX30
Flint	SX39
Forsythia	SX57
Grenache	SX58
Hazel	SX31
Hemp	SX45
Hickory	SX25
Holly	SX51
Jam	SX16
Kelly	SX33
Lemongrass	SX19
Lime	SX41
Macintosh	SX12
Midnight	SX59
Mulberry	SX15
Muslin	SX60
Pacifica	SX61
Parchment	SX07
Peacock	SX03
Phantom	SX62
Pineapple	SX42
Plum	SX17
Punch	SX46
Riverstone	SX47
Russet	SX14
Smokestack	SX22
Tangerine	SX37
Terracotta	SX11
Thicket	SX35
Walnut	SX10
Whirlwind	SX63

PURL

(80% Polyester, 20% Acrylic)

Alpaca	PURL08
Braid	PURL10
Deep	PURL12
Graze	PURL05
Loom	PURL06
Needle	PURL07
Pasture	PURL02
Ranch	PURL04
Shuttle	PURL09
Skein	PURL01
Thistle	PURL11
Yearling	PURL03

FABRIC WIRE MANAGER — cont'd

QUILL

Aviary	QUL03
Feather	QUL02
Fountain	QUL06
Ink	QUL05
Metal	QUL04
Reed	QUL08
Scroll	QUL01
Well	QUL07

Align™ Metal Storage

Working with Pedestals & Credenzas

"O" Frame Construction
Heavy duty outer shell and front and rear perimeter frames provides significant strength; helps keep the cabinet true to square.


File and Box Drawers
Full extension file and box drawers glide easily on steel ball-bearing suspensions; allows complete access to drawer contents with a quiet drawer motion.

Filing
File drawers can accommodate front-to-back and side-to-side filing. Order hanging frames separately.

Full Front Drawer Design
Drawer front is square and extends fully across the case.

Counterweight
Counterweights (standard on mobile pedestal units) inhibit tipping when drawers are opened. Optional counterweight kits.

Aesthetic Alignment
Drawer alignment matches across Align storage offering. Base height matches Stride® and Terrace® panel base.



Locking System
Robust lock system for security and reliability.

Core Removable Locks
Master-keyed core removable lock feature allows key numbers to be easily changed in the field and facilitates one-key access.

Omit Lock Core
Units can be shipped with lock cores removed; cores can then be installed after units are placed. Different storage components can be keyed alike within a workstation.

Mobile Pedestals
Mobile pedestals provide flexible storage and can be nested under worksurfaces. (Take into consideration when planning offices which may have uneven floors.)


Support Pedestals
Support pedestals can support one end of a panel-attached worksurface, in lieu of other worksurface supports, and can be used to support worksurfaces in desking applications. Drawers align with laterals.

Freestanding Pedestals
Freestanding pedestal drawers align with credenzas.

Depth
Pedestals are 18", 23¼", and 29¼"D, and credenzas are 18" and 24"D, both can be used with systems worksurfaces. Placement may affect access to receptacles in base pathway and worksurface grommets.

Pull Styles
Choice of pull styles, available on pedestals, credenzas, towers, and laterals, allows for total design coordination on projects.

Veneer and Landscape Fronts
Contact Allsteel Tailored Products Group for availability.



Align metal storage models are available with Terrace, Stride, or Pier feet. There is also a laminate front option.

Align™ Metal Storage

Working with Metal Lateral and Personal Files

Seven-formation Front Post Design
Steel front posts are formed with seven formations to provide unparalleled stability and strength. This unique design allows unmatched longevity for Allsteel files.

Dual-side Locking
Drawers and doors lock on both sides to prevent being pried open. The locking system is enclosed within the case to hide mechanisms which can snag and scratch. This feature is not found on most other manufacturers' files.

Dual Interlock
This mechanism inhibits roll out of more than one drawer, either sequentially or simultaneously.

Adjustable Drawer Backs
Backs are adjustable to three depths to accommodate letter, A4, and legal documents side to side without the need for extra components.


Infinitely Adjustable Divider
This Allsteel exclusive design allows the divider to also function as a compressor in that it can be located where it is needed versus being limited to pre-set positions.

Offset Construction
As a result of the back and the top of the case sides being offset, the file case has a finished appearance with smooth seams and no overlaps.

Fully Enclosed Bottom
Unlike many files, the Allsteel file features a fully enclosed steel bottom to help prevent moisture and dust from affecting the filed documents. Double bottoms are welded into all files for added rigidity.

Side Knockouts
Files have two knockouts on each side to allow easy ganging of freestanding units to inhibit tipping.

Four Hex-head Leveling Glides
Leveling glides can be adjusted from outside or inside the case. Because of the hex-head design of the stem, leveling can be done even when the file is fully loaded. Range is 1½".



Suspension
Extra heavy-duty, telescoping, ball-bearing slides.

Hanging Frames
Front-to-back and side-to-side are both standard. For front-to-back filing, backs should be set on rear position for maximum storage capacity.

Core Removable Lock
Core removable lock feature allows key numbers to be easily changed in the field. It also facilitates installation.

Omit Lock Core
Files can be shipped with lock cores removed; cores can then be installed after files are placed. Laterals can be keyed alike with pedestals, laterals, credenzas, towers, and overhead cabinets.

Full Front Drawer Style
Features core removable lock located in top drawer on the right.

Front Drawer Options
Optional veneer and Landscape™ fronts available on laterals, contact Allsteel Tailored Products Group.

Pull Styles
Choice of pull styles, available on pedestals, credenzas, towers, lockers, wardrobes and laterals, allows for total design coordination on projects.

Double-wall Drawer Front Construction
Drawer fronts are fully lined to reduce noise and to prevent damage from drawer contents.

Counterweight Kit
The unique design of the counterweight allows easy installation because, unlike some files, the drawers and shelves in Allsteel files do not have to be removed to install the required counterweights.

Drawer Interiors
Painted same color as case.

Paint Finish
Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.

Align™ Metal Storage

Four Hex-head Leveling Glides
Hex-head design of the stem allows leveling to be done even when the cabinet is fully loaded (plinth units only). Plinth units include leveling glides that can be adjusted 1½" from outside or inside the case. Footed units include leveling glides that can be adjusted 2 1⁄10" from outside the case only.

Aesthetic Alignment
Drawer alignment matches other Align storage.


Full Front Design
Drawer and door fronts extend fully across the case.

Pull Styles
Choice of pull styles, available on pedestals, credenzas, towers, lockers, wardrobes and laterals, allows for total design coordination on projects.

Suspension
Heavy-duty, telescoping ball-bearing slides.

Omit Lock Core
Units can be shipped with lock cores removed; cores can then be installed after storage units are placed. Laterals can be keyed alike with pedestals, towers, and overhead cabinets.

Core Removable Locks
Core removable lock feature allows key numbers to be easily changed in the field. It also facilitates installation.



Locking
All door & drawer locks are controlled by one lock core located on the top drawer. Standard core removable locks, see page 901.

European Hinges
Wardrobe and cabinet door both contain European-style hinged door.

Filing
File drawers in 24"W towers accommodate front-to-back and side-to-side filing. Order file rails for side-to-side separately. File drawers in 18"W slim towers accommodate side-to-side filing only, hang rails are included.

Counterweight
Towers are factory-installed with counterweights to allow them to be freestanding.










Interior Dimensions for Credenzas

Description		Height	Depth	Width
CREDENZAS	Open	22"H – 17¼" 1 Adj. Shelf ¾" 8¼" Shelf 8¼" or 12" Shelf 4½"	18"D — 17⅛" – 17" interior Shelf 15¾" 24"D — 23⅛" – 23" interior Shelf 21¾"	24" exterior – 22⅜" interior 30" exterior – 28⅜" interior 36" exterior – 34⅜" interior 42" exterior – 40⅜" interior
	Box/Lateral	Box – 3⅞"	Box – 13¼"	24" exterior – 21" interior 30" exterior – 27" interior 36" exterior – 33" interior
		Lateral – 10½"	18"D — Lateral – 13¼" 24"D — Lateral – 15⅛"	24" exterior – 20½" interior 30" exterior – 26½" interior 36" exterior – 32½" interior
	Box/Lateral w/Open Side	Box – 3⅞"	Box – 13¼"	42" exterior – 21" interior 48" exterior – 21" interior 60" exterior – 27" interior 72" exterior – 33" interior
		Lateral – 10½"	18"D — Lateral – 13¼" 24"D — Lateral – 15⅛"	42" exterior – 20½" interior 48" exterior – 20½" interior 60" exterior – 26½" interior 72" exterior – 32½" interior
		Open – 17¼" 1 Adj. Shelf ¾" 8¼", Shelf, 8¼" or 12", Shelf, 4½"	18"D — 17⅛" – 17" interior Shelf 15¾" 24"D — 23⅛" – 23" interior Shelf 21¾"	42" exterior – 16⅜" interior 48" exterior – 22⅜" interior 60" exterior – 28⅜" interior 72" exterior – 34⅜" interior
LATERALS		Lateral – 10½"	18"D — Lateral – 13¼" 24"D — Lateral – 15⅛"	30" exterior – 26½" interior 36" exterior – 32½" interior 42" exterior – 38½" interior

Align™ Metal Storage

Filing Capacities — Top View of Drawers
















LOW STORAGE CREDENZAS — LATERAL FILE WIDTH:

	24", 42", or 48"W	30" or 60"W	36" or 72"W
	(42", 48", 60", and 72" credenzas are half lateral drawer/half open shelf)		
Front-to-Back Filing* Outside tabs of folders rest on drawer sides.			
Letter Size Hanging File Folders (8½ x 11" documents)	 18"D – 11¾" of letter filing 24"D – 14¾" of letter filing	 18"D – 23½" of letter filing 24"D – 29½" of letter filing	 18"D – 23½" of letter filing 24"D – 29½" of letter filing
A4 Hanging File Folders (8¼ x 11⅝" documents)	 18"D – 11¾" of A4 filing 24"D – 14¾" of A4 filing	 18"D – 23½" of A4 filing 24"D – 29½" of A4 filing	 18"D – 23½" of A4 filing 24"D – 29½" of A4 filing
Legal Size Hanging File Folders (8½ x 14" documents)	 18"D – 11¾" of legal filing 24"D – 14¾" of legal filing	 18"D – 11¾" of legal filing 24"D – 29½" of legal filing	 18"D – 23½" of legal filing 24"D – 29½" of legal filing
Side-to-Side Filing			
Letter or A4 Hanging File Folders	 18"D – 20¼" of letter or A4 filing 24"D – 20¼" of letter, A4, or legal filing	 18"D – 26¼" of letter or A4 filing 24"D – 26¼" of letter, A4, or legal filing	 18"D – 32¼" of letter or A4 filing 24"D – 32¼" of letter, A4, or legal filing

* Front-to-back filing requires optional front-to-back filing bars **YPCAHR12** for 18"D units (except 2H lateral files use filing bar **YPCAHR15**) or **YPCAHR15** for 24"D units, one bar per row of filing. Order bars separately, see page 901.

Align™ Metal Storage

Lateral File — Filing & Load Capacities / Dimensions


LATERAL FILE WIDTH	30"W	36"W	42"W
Front-to-Back Filing — outside tabs of folders rest on drawer sides			
Letter Size (8½ x 11")	 Filing Volume: 29½" (Align™) 30" (Essentials™)	 Filing Volume: 29½" (Align) 30" (Essentials)	 Filing Volume: 44¼" (Align) 45" (Essentials)
A4 (8¼ x 11⅝")	 Filing Volume: 14¾" (Align) 15" (Essentials)	 Filing Volume: 29½" (Align) 30" (Essentials)	 Filing Volume: 29½" (Align) 30" (Essentials)
Legal Size (8½ x 14")	 Filing Volume: 14¾" (Align) 15" (Essentials)	 Filing Volume: 29½" (Align) 30" (Essentials)	 Filing Volume: 29½" (Align) 30" (Essentials)
EDP	 Filing Volume: 14¾" (Align)	 Filing Volume: 29½" (Align)	 Filing Volume: 29½" (Align)
Side-to-Side Filing			
Letter, A4 and Legal	 Filing Volume: 26¼"	 Filing Volume: 32¼"	 Filing Volume: 38¼"


Load Capacities (per current ANSI/BIFMA standards)


Align™			
Opening Height	**30" Wide**	**36" Wide**	**42" Wide**
12"	87 lbs. (Metal)	107 lbs. (Metal)	126 lbs.


ANSI/BIFMA Standards
Allsteel lateral files, incorporating the **required counterweights** in freestanding situations, meet or exceed the applicable ANSI/BIFMA Storage Unit Test Standards X5.9-2012.


Align Metal Support, Freestanding, and Mobile Pedestals











- Heavy-duty steel O-frame.
- Steel, ball-bearing slide suspension with full-extension drawers.
- Support pedestals are available with flush or recessed plinth base, and Terrace, Stride, or Pier feet.
- Full front drawers are available as metal or laminate.
- Box drawers have an adjustable divider.
- Standard core removable locks, see page 901.
- For locking specification, see pages 998-1000.

Align Metal Support Pedestals (pages 883-887)

- Support pedestals have a fully enclosed top with exposed pre-drilled holes for top attachment. An additional top is required.
- Available as box/box/file or file/file drawers.
- Pencil trays included — one per pedestal with a box drawer.
- File drawer front reveals of support pedestals will align with Align metal laterals, towers, and credenzas.
- Leveling glides standard on freestanding pedestals.
- Hardware for attaching pedestal to worksurface is included
- 28⅛"H pedestals can be used to support worksurface at 29½"H.
- Align metal support pedestals are available with flush or recessed base, and Terrace, Stride, or Pier feet.

Align Metal Freestanding Pedestals (page 885)


- Available as box/file drawers.
- Pencil tray included in box drawer.
- Drawer reveals of freestanding pedestals will align with Align credenzas.
- Leveling glides standard on freestanding pedestals.
- Align metal freestanding pedestals are available with Terrace, Stride, or Pier feet.


Align Metal Mobile Pedestals (pages 883-887)

- Available as box/file, box/box/file or file/file drawers.
- To allow clearance under worksurfaces, an Align mobile pedestal is 1½" shorter than an equivalent Align support pedestal. This, combined with the leveling range of Align support pedestals, personal files, towers, laterals, and credenzas will result in an offset of horizontal drawer reveals of 1½" to 3".
- Counterweight is standard in mobile pedestals.
- Four casters.
- Pencil trays included — one per pedestal with a box drawer.

NEW models launching October 2021 as part of a model logic update. The new model logic will allow future flexibility to add additional pull and foot options. Existing models will discontinue November 1, 2021.

Align Metal Support and Mobile Pedestal Tops and Accessories






Align Pedestal Tops (page 887)

Field installed tops create additional storage and work areas on metal support or mobile pedestals.


- Laminate and veneer tops are 1¼" thick.
- Seat cushion provides quick and convenient additional seating on box/file pedestals.
- Seat cushion adds approximately 2"H to pedestal.
- YPPA prefix models have stitched corners and bumpers on bottom.
- Seat cushion to be used on steel (mobile) pedestal top only.
- COM yardage for seat cushion is 0.9 yards.




Align Pedestal Accessories (page 887)

- Accessories are for use with Align metal: pedestals, personal files, and personal towers.


Align™ Metal Storage







Load Capacities (per current ANSI/BIFMA standards)


Align 22"H Credenzas	24" Wide	30" Wide	36" Wide
3⅞"H Box Drawer	19 lbs.	24 lbs.	30 lbs.
10½"H Box Drawer	50 lbs.	64 lbs.	78 lbs.











Credenzas (pages 888-896)

- Full metal construction with finished top and back.
- Welded case with "O" frame construction for added strength.
- Full front design with proud, double wall drawer fronts.
- Units are 18"D or 24"D, 17¼"D or 23¼"D on open bookcases.
- Interlock and full extension ball bearing slides on all drawers.
- Enclosed bottom pan on open bookcase and on box/lateral/open units.
- Available with Terrace, Stride, or Pier feet. Also available with plinth base, either flush or recessed.
- Drawer fronts are available as metal or laminate.
- Plinth base option on drawer only units: recessed or flush.
- Leveling glides can be extended 1½".
- Side-to-side filing bar included. Front-to-back filing with optional filing bar. Two rows of front to back letter filing on drawers 30"W or wider drawers, order 2 filing bars. See page 872.
- Accessories include: seat cushions, laminate tops.
- Planning: requires panel bracket, worksurface stanchion, or counterweight (sold separately) for units with drawers. See page 878 for specification examples.

Storage-to-Panel Bracket (page 900)

- Used to attach the back or side of storage to a panel frame to provide stability when used with Stride, Terrace, or Optimize panel frames.
- Handedness is determined by side of storage that attaches to panel when facing panel run.

Worksurface Support Stanchions (page 900)

- Worksurface stanchions are PR6 Silver and made of aluminum.
- Use 5"H stanchions for 22"H Align credenza with worksurface, or 6"H stanchions for credenza without a worksurface.
- Available in depths of 12" and 18". 12" is designed to work with 18"D worksurfaces and 18" with 24"D worksurfaces. Use two stanchions when mounting a 30"D or deeper worksurface.
- Stanchion orientation should run perpendicular to the length of the worksurface it is supporting.

Front-to-Back Filing Bar (page 901)

- Front-to-back filing bar can be positioned to accommodate letter, A4, or legal size documents. 30"W and wider drawers can accommodate two rows requiring two bars. See page 872.

Counterweight Kits for 22"H Credenzas (page 901)


- Metal weight attached to back of freestanding files to inhibit tipping; field installed only. The use of a a storage-to-panel bracket and worksurface stanchion may eliminate the need for counterweight, see page 878.
- Counterweight kit required for freestanding files:
  42"W and 48"W Credenzas..... 25 LB kit
  24"W, 60"W, and 72"W Credenzas..... 35 LB kit
  30"W and 36"W Credenzas..... 50 LB kit

Matte Silver Removable Lock Core Kit (page 901)

- Matte Silver used on Align credenzas with drawers. Includes one core, two keys, one core removal tool, adapter and instructions.
- The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential. See page 1000 for complete details and examples on the Allsteel Easy Lock program.

Magnetic Label Holder - Available July 2021 (page 901)

- 5 pack of magnetic label holders.



Credenza Cushions (page 902)

- Cushions are for use on 22"H Align credenzas to create additional seating.
- Cushions can be placed directly on metal top of unit or on laminate top.
- Freestanding applications require counterweights — see page 876.


Align™ Metal Storage

Metal Credenzas with Panel Frames

Plinth Base models available.


Side-mounted Credenzas

Use 1 storage-to-panel bracket per Credenza — 1 LH and 1 RH.
The minimum credenza size is 22"H x 36"W x 18"D or 24"D.
With a mid-run floor support, the maximum panel run is 144".
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 22"H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 65".
Counterweight is required.




Back-mounted Credenzas — Modular

Use 2 storage-to-panel brackets per Credenza — 2 LH and 2 RH.
The minimum Credenza size is 22"H x 42"W x 18"D or 24"D.
The maximum panel run between back-mounted Credenzas is 60".
Overheads and shelves cannot be used with 22"H back mounted Credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the Credenzas.
Panel frame maximum height is 65".




Back-mounted Credenzas — Off-Modular Ends

Use 1 storage-to-panel bracket per Credenza — 1 LH and 1 RH.
The minimum Credenza size is 22"H x 42"W x 18"D or 24"D.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 22"H back mounted Credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the Credenzas.
Panel frame maximum height is 65".




Side-mounted Credenzas — with Return Panel


Use 1 storage-to-panel bracket on Credenza.
The minimum Credenza size is 22"H x 36"W x 18"D or 24"D.
The minimum size for panel return is 35"H x 36"W.
With a mid-run floor support, the maximum panel run is 144"
Without a mid-run floor support, the maximum panel run is 96".
Overheads and shelves cannot be used with 22"H side mounted Credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the Credenzas.
Panel frame maximum height is 65".
Counterweight is required.



NOTE: This example would use a left-hand storage-to-panel bracket.

Align Lateral Files, Personal Files, and Accessories






28"H Align Lateral Files, Personal Files, and Bookcases (page 903)

- Square edge full front.
- Beam, Halo, Square, and Arch metal pulls are customer installed.
- All files are 18"D.
- Files ship with glides fully recessed. Extend glides on 2-high files ¾" to align with support pedestals.
- Hanging frames and dividers installed on-site.
- 2-high units have one lock.
- For locking specifications, see pages 998-1000.
- Tops are available — order separately.
- 28"H Bookcases include one adjustable shelf.
- Adjustable shelf has 3 locations in 3.75" increments:
  - Bottom shelf location is 6.9" from bottom of case.
  - Middle shelf location is centered in case.
  - Top shelf location is 6.9" from top of case.
- Lateral Files come with file bars to accommodate either front-to-back or side-to-side filing. Personal files come with file bars to accommodate side-to-side filing only; front-to-back filing bars may be purchased separately.


Note: Counterweight kits are required for freestanding lateral files (i.e., files that are not positioned under a worksurface, ganged to an adjacent file, or bolted to the floor or wall.)

Align Accessories



Counterweight kit(s) for 28"H Credenzas (page 902)


- Counterweight kit(s) required for freestanding files:
  2-high 30"W file.....50 lbs.
  2-high 36"W files ..... 57½ lbs.
  2-high 42"W files .....70 lbs.
- Metal weight placed in bottom of freestanding files to inhibit tipping; field installed only.




Front-to-back Filing Bar (page 901)

- Front-to-back filing bar can be positioned to accommodate letter, A4, legal or EDP size documents. See page 873 for complete filing information. Front-to-back filing bar must be used with side-to-side hanging frame.
- For 12"H interiors.

Plinth Base – Flush or Recessed




Foot Base – Stride®, Pier or Terrace DNA®




NEW & IMPROVED 18"W and 24"W Align Metal Towers
(pages 904-915)
This specification information is for Align tower models with the new model logic, ordered & produced after March 2020.

- Front-access personal towers include locking cabinet section, locking wardrobe section, and locking drawered section. Side-access personal towers include open side access bookcase, locking wardrobe section, and locking drawered section.
- 24"W towers offer the option of box/box/file or file/file drawer configuration. 18"W tower offers file/file drawer configuration only.
- Available with Terrace, Stride, or Pier feet. Also available with plinth base, either flush or recessed. Plinth is approximately 3.35"H and matches other Align storage. 18"W tower is also available as a mobile tower with casters.
- 18"W Mobile towers have two locking casters (in front) and two non-locking casters.
- Full front drawers and doors are available as metal or laminate. Laminate fronts have grain running vertically and are grain-matched.
- Optional markerboard finish is available only on side-access units with metal fronts. Only the front panel of the side-access portion will be finished with markerboard paint, the remaining drawer and door fronts will be painted to match the chassis. Markerboard finish is white.
- 24"W tower wardrobe portion is approximately 9"W. 18"W tower wardrobe portion is approximately 8⅓"W.
- The wardrobe portion of each tower comes installed with a rod accessory to accept clothing hanger(s) or a Radii work tool coat hook can be added. Radii coat hook is sold separately.
- Units can be shipped with lock cores removed; cores can then be installed after storage units are placed. Towers can be keyed alike with pedestals, credenzas, laterals, and overhead cabinets.
- Towers can be used to support a work surface. In order to bracket a work surface to a tower, order bracket model YPWTAWSBKT24.
- All drawers use heavy-duty, telescoping ball-bearing slides. All drawers feature 100% drawer extension.
- Case has a finished appearance with smooth seams and no overlaps.
- Drawer alignment matches other Align storage.
- 24"W tower is available with all pull styles. 18"W tower is available only with arch and square pull styles due to slim width of drawer.
- Cabinet door on 50"H and 57½"H units include one adjustable shelf. 65"H units include two adjustable shelves in this area. 42½"H unit does not include an adjustable shelf in the cabinet section.
- Side access portion door on 50"H and 57½"H units include one adjustable shelf. 65"H units include two adjustable shelves in this area. 42½"H unit does not include an adjustable shelf in the side-access portion.

Plinth or Foot Base — 12"W Wardrobe / Locker





NEW & IMPROVED 12"W Align Metal Wardrobe/Single Door Locker (pages 916-918)

This specification information is for Align wardrobe models with the new model logic, ordered & produced after March 2020.


- Available in 42½", 50", and 65"H. Available in 18" or 24"D.
- Available with Terrace, Stride, or Pier feet. Also available with plinth base, either flush or recessed. Plinth is approximately 3.35"H and matches other Align storage.
- Full front doors are available as metal or laminate. Laminate fronts have grain running vertically.
- 18"D Wardrobes: 42"H and 50"H plinth wardrobes can be freestanding. 18" D footed units must be attached to a panel, worksurface, or ganged to another unit.
- 24"D Wardrobes: 42"H and 50"H plinth and footed wardrobes can be freestanding.
- 65"H wardrobes: 18"D and 24"D wardrobes must be attached to a panel, worksurface, or ganged to another unit.
- To attach wardrobes to a panel, use brackets AP22PBKLH or AP22PBKRH.
- Wardrobes can be used to support a work surface. In order to bracket a work surface to a tower, order bracket model YPWTAWSBKT18 or YPWTAWSBKT24.
- Wardrobes come installed with a rod accessory to accept clothing hanger(s) or a Radii work tool coat hook can be added. Radii coat hook is sold separately.
- Wardrobes have slots cut into the inner liner that allow the user to hang Radii work tool accessories inside the unit. 42"H wardrobes have 2 slots, 50"H and 65"H wardrobes have 4 slots.
- Wardrobes are shipped with one adjustable shelf. 42"H and 50"H wardrobes have 3 shelf locations; 65"H wardrobes have 6 shelf locations.
- Units can be shipped with lock cores removed; cores can then be installed after storage units are placed. Towers can be keyed alike with pedestals, credenzas, laterals, and overhead cabinets.
- Wardrobes are also offered with a digital locking option. Digital lock replaces the pull. For digital lock specification information, see page 927.

Align™ Metal Storage


Locker Specification Information

SINGLE LOCKERS

Plinth Base – Flush or Recessed




Foot Base – Stride, Terrace, or Pier




DOUBLE LOCKERS

Plinth Base – Flush or Recessed




Foot Base – Stride, Terrace, or Pier




QUAD LOCKERS

Plinth Base – Flush or Recessed




Foot Base – Stride, Terrace, or Pier




CUBBY LOCKERS

Plinth Base – Flush or Recessed



Foot Base – Stride, Terrace, or Pier



Align lockers provide a comprehensive solution of secure storage outside the primary workstation. Whether you're minimizing the overall workstation footprint or have mobile workers needing a place for their personal belongings, lockers provide the right amount of storage.

Align lockers include single, double, and quad locker variations, as well as an additional cubby solution. Designers have the freedom to select from a variety of aesthetic options including plinth or footed based, painted and laminate fronts, and a variety of pull options, to reflect any company culture.

NEW & IMPROVED Align Lockers (pages 916-926)
This specification information is for Align locker models with the new model logic, ordered & produced after March 2020.

Align Lockers (pages 916-926)

- Available in 42½", 50", and 65"H. Available in 18"D.
- Available with Terrace, Stride, or Pier feet. Also available with plinth base, either flush or recessed. Plinth is approximately 3.35"H and matches other Align storage.
- Full front doors are available as metal or laminate. Laminate fronts have grain running vertically and are grain-matched.
- Units can be shipped with lock cores removed; cores can then be installed after storage units are placed. Towers can be keyed alike with pedestals, credenzas, laterals, and overhead cabinets.
- Lockers can be ganged either side-to-side or back-to-back.
- "Double" and "Quad" lockers include two double coat hooks in each compartment.
- **42"H x 12"W and 50"H x 12"W plinth** lockers can be freestanding. **65"H x 12"W plinth** lockers and all heights of **12"W footed** lockers must be attached to a panel, worksurface, or ganged to another unit.


Align™ Metal Storage

Support and Mobile Pedestals


Metal Fronts with Plinth Base

For specification information see pages 868 and 874-875.

Description	Model	P1 Paint List Price
Support Pedestal 28⅛"H — File/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPSP281518FFM**	**$ 1245**
23"D x 15"W	**YPPSP281524FFM**	**$ 1298**
29"D x 15"W	**YPPSP281530FFM**	**$ 1339**
Support Pedestal 28⅛"H — Box/Box/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPSP281518BBFM**	**$ 1245**
23"D x 15"W	**YPPSP281524BBFM**	**$ 1298**
29"D x 15"W	**YPPSP281530BBFM**	**$ 1339**
Mobile Pedestal 26½"H — File/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPM271518FFM**	**$ 1262**
23"D x 15"W	**YPPM271524FFM**	**$ 1313**
29"D x 15"W	**YPPM271530FFM**	**$ 1355**
Mobile Pedestal 26½"H — Box/Box/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPM271518BBFM**	**$ 1262**
23"D x 15"W	**YPPM271524BBFM**	**$ 1313**
29"D x 15"W	**YPPM271530BBFM**	**$ 1354**
Mobile Pedestal 20½"H — Box/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPM211518BFM**	**$ 1055**
23"D x 15"W	**YPPM211524BFM**	**$ 1102**
29"D x 15"W	**YPPM211530BFM**	**$ 1155**











Square Pulls shown

*17"D Pedestals do not accommodate legal size filing.

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option** *(if applicable)*:	*2nd Option:* **Pull Option:**	*3rd Option:* **Pull Color** *(if applicable)*:	*4th Option:* **Paint Case:**	*5th Option:* **Paint Fronts:**	*6th Option:* **Lock:**	*7th Option:* **Digital Lock Color** *(if applicable)*:
	BK Flush Kickplate **BX** Recessed Kickplate	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	P1 P2 P3 See page 866 for finishes. P2 upcharge $25 P3 upcharge $50	**NA** Match Case **P1** $62 **P2** $87 **P3** $111	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel
Y P P _ _ _ _ _ _ _ .	**B** _ .	_	_ _ _ .	**P** _ _ .	_ _ .	_	_ _ _

Example: **YPPSP281518FFM.BX.APR0.PJW.NA.L**

Align™ Metal Storage

Support and Mobile Pedestals

For specification information see pages 868 and 874-875.


Laminate Fronts with Plinth Base




Width	Model	P1 Paint L1	P1 Paint L2	P1 Paint L3
Support Pedestal 28⅛"H — File/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPSP281518FFL**	$ 1662	$ 1726	$ 1782
23"D x 15"W	**YPPSP281524FFL**	$ 1712	$ 1793	$ 1870
29"D x 15"W	**YPPSP281530FFL**	$ 1756	$ 1838	$ 1916



Support Pedestal 28⅛"H — Box/Box/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPSP281518BBFL**	$ 1734	$ 1811	$ 1877
23"D x 15"W	**YPPSP281524BBFL**	$ 1791	$ 1875	$ 1953
29"D x 15"W	**YPPSP281530BBFL**	$ 1830	$ 1915	$ 1996



Mobile Pedestal 26½"H — File/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPM271518FFL**	$ 1682	$ 1763	$ 1830
23"D x 15"W	**YPPM271524FFL**	$ 1735	$ 1821	$ 1903
29"D x 15"W	**YPPM271530FFL**	$ 1777	$ 1864	$ 1948



Mobile Pedestal 26½"H — Box/Box/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPM271518BBFL**	$ 1755	$ 1839	$ 1909
23"D x 15"W	**YPPM271524BBFL**	$ 1811	$ 1900	$ 1983
29"D x 15"W	**YPPM271530BBFL**	$ 1852	$ 1942	$ 2030



Mobile Pedestal 20½"H — Box/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPM211518BFL**	$ 1432	$ 1506	$ 1584
23"D x 15"W	**YPPM211524BFL**	$ 1442	$ 1518	$ 1589
29"D x 15"W	**YPPM211530BFL**	$ 1491	$ 1569	$ 1645

Square Pulls shown

*17"D Pedestals do not accommodate legal size filing.

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option** *(if applicable)*:	*2nd Option:* **Pull Option:**	*3rd Option:* **Pull Color** *(if applicable)*:	*4th Option:* **Paint Case:** P1 P2 P3	*5th Option:* **Laminate Fronts: Laminate & Edge:**	*6th Option:* **Lock:**	*7th Option:* **Digital Lock Color** *(if applicable)*:
Y P P	**BX** Recessed Kickplate	**A** Arch **M** Beam **O** Halo **S** Square	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	See page 866 for finishes. P2 upcharge $25 P3 upcharge $50	See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel

Example: **YPPSP281518FFL.BK.APR0.PJW.LVT1VT.L**

Align™ Metal Storage

Support and Freestanding Pedestals

Metal Fronts Footed

For specification information see pages 868 and 874-875.







Description	Model	P1 Paint List Price
Support Pedestal 28⅛"H — File/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPSF281518FFM**	**$ 1472**
23"D x 15"W	**YPPSF281524FFM**	**$ 1520**
29"D x 15"W	**YPPSF281530FFM**	**$ 1563**
Support Pedestal 28⅛"H — Box/Box/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPSF281518BBFM**	**$ 1472**
23"D x 15"W	**YPPSF281524BBFM**	**$ 1520**
29"D x 15"W	**YPPSF281530BBFM**	**$ 1563**
Freestanding Pedestal 22"H — Box/File — Metal Case/Metal Fronts		
17"D x 15"W*	**YPPFF221518BFM**	**$ 1424**
23"D x 15"W	**YPPFF221524BFM**	**$ 1478**

*17"D Pedestals do not accommodate legal size filing.

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Pull Option:**	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Paint Case:** P1 P2 P3	*6th Option:* **Paint Fronts:**	*7th Option:* **Lock:**	*8th Option:* **Digital Lock Color** *(if applicable)*:
Y P P _ _ _ _ _ _ _ _ _ _ .	**F**	**P R 6** .	_	_ _ _ .	**P** _ _ .	_ _ .	_	_ _ _
	TF Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	See page 866 for finishes. P2 upcharge $25 P3 upcharge $50	**NA** Match Case **P1** $62 **P2** $87 **P3** $111	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel

Example: **YPPSF281518FFM.TFPR6.APR0.PJW.NA.L**

Align™ Metal Storage

Support and Freestanding Pedestals

For specification information see pages 868 and 874-875.

Laminate Fronts Footed







Width	Model	P1 Paint L1	P1 Paint L2	P1 Paint L3
Support Pedestal 28⅛"H — File/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPSF281518FFL**	**$ 1629**	**$ 1693**	**$ 1749**
23"D x 15"W	**YPPSF281524FFL**	**$ 1685**	**$ 1766**	**$ 1832**
29"D x 15"W	**YPPSF281530FFL**	**$ 1732**	**$ 1816**	**$ 1884**
Support Pedestal 28⅛"H — Box/Box/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPSF281518BBFL**	**$ 1724**	**$ 1788**	**$ 1844**
23"D x 15"W	**YPPSF281524BBFL**	**$ 1783**	**$ 1865**	**$ 1938**
29"D x 15"W	**YPPSF281530BBFL**	**$ 1831**	**$ 1916**	**$ 1990**
Freestanding Pedestal 22"H — Box/File — Metal Case/Laminate Fronts				
17"D x 15"W*	**YPPFF221518BFL**	**$ 1916**	**$ 2000**	**$ 2070**
23"D x 15"W	**YPPFF221524BFL**	**$ 1945**	**$ 2037**	**$ 2129**

*17"D Pedestals do not accommodate legal size filing.

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

ALIGN


How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Pull Option:**	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Paint Case:**	*6th Option:* **Laminate Fronts: Laminate & Edge:**	*7th Option:* **Lock:**	*8th Option:* **Digital Lock Color** *(if applicable)*:
Y P P	**TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**A** Arch **M** Beam **O** Halo **S** Square	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	P1 P2 P3 See page 866 for finishes. P2 upcharge $25 P3 upcharge $50	See page 866 for finishes.	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel
	F	P R 6			P			

Example: **YPPSF281518FFL.ZFPR6.APR0.PJW.LVT1VT.L**


Align™ Metal Storage

Pedestal Tops and Accessories


For specification information see pages 868 and 874-875.



Description	Model	L1 List Price	L2 List Price	L3 List Price
Laminate Top — Flat Edge (for metal pedestal case)				
23½"D	**ASPTP-24LL** S	$ 367	$ 385	$ 398
29½"D	**ASPTP-30LL** S	$ 454	$ 475	$ 490



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
Seat Cushion — For Metal Mobile Pedestals only (specify seating upholstery — no leathers)									
17"D	**YPPA1815SC** S	$ 282	$ 300	$ 315	$ 331	$ 352	$ 373	$ 394	$ 415
23"D	**YPPA2415SC** S	$ 337	$ 355	$ 370	$ 386	$ 407	$ 428	$ 449	$ 470
29"D	**YPPA3015SC** S	$ 353	$ 371	$ 386	$ 402	$ 423	$ 444	$ 465	$ 486



Description	Model	List Price
Box Drawer Accessories		
Pencil Tray (Black only)	**A2280-000** S	$ 52

Counterweights

For 28⅛"H Pedestals produced prior to 11/1/2015	**2282-400**	$ 299

ALIGN

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*	*Only Option for Seat Cushion:*
Select the Model Number from above.	**Laminate or Veneer Type and Finish** *(if applicable)*: See page 866 for finishes.	**Paint** *(if applicable)*: See page 866 for finishes.	**Edge** *(if applicable)*: Laminate Flat Edge Tops only. See page 866 for finishes.	**Upholstery:** Specify seating upholstery.
_____ .	_____ .	_____	_____ .	_____

Examples: **ASPTP-24LL.TM20.E2** **YPPA2415SC.PNS012** **2282-400**


S *Shippable by small-package carrier.*

Align™ Metal Storage


22"H Credenzas

Metal Fronts with Plinth Base


For specification information see pages 868-873 and 876-879.




Description	Model	Recessed Base "BX" P1 Paint
22"H Box/Lateral and Right Open w/Metal Shelf		
42"W x 18"D	**YPCP224218RBFOM**	**$ 3529**
48"W x 18"D	**YPCP224818RBFOM** (shown)	**$ 3649**
60"W x 18"D	**YPCP226018RBFOM**	**$ 3865**
72"W x 18"D	**YPCP227218RBFOM**	**$ 4222**



22"H Left Open w/Metal Shelf and Box/Lateral		
42"W x 18"D	**YPCP224218LBFOM**	**$ 3529**
48"W x 18"D	**YPCP224818LBFOM** (shown)	**$ 3649**
60"W x 18"D	**YPCP226018LBFOM**	**$ 3865**
72"W x 18"D	**YPCP227218LBFOM**	**$ 4222**



22"H Box/Lateral		
24"W x 18"D	**YPCP222418BFM**	**$ 2587**
30"W x 18"D	**YPCP223018BFM** (shown)	**$ 2637**
36"W x 18"D	**YPCP223618BFM**	**$ 2906**
42"W x 18"D	**YPCP224218BFM**	**$ 3173**



22"H Open Binder w/Metal Shelf		
24"W x 17¼"D	**YPCP222418O**	**$ 1754**
30"W x 17¼"D	**YPCP223018O**	**$ 1773**
36"W x 17¼"D	**YPCP223618O** (shown)	**$ 1914**
42"W x 17¼"D	**YPCP224218O**	**$ 2098**

ALIGN

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option** *(if applicable)*:	*2nd Option:* **Pull Option:**	*3rd Option:* **Pull Color** *(if applicable)*:	*4th Option:* **Paint Case:**	*5th Option:* **Paint Fronts:**	*6th Option:* **Paint Shelf:**	*7th Option:* **Lock:**	*8th Option:* **Digital Lock Color** *(if applicable)*:
Y P C	**BK** Flush Kickplate **BX** Recessed Kickplate	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	(P1) (P2) (P3) See inside front cover for finishes. P2 upcharge $62 P3 upcharge $146	**NA** Match Case **P1** $273 **P2** $356 **P3** $435	Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel
.	**B** .		.	**P** .	**N A** .	.		


Example: **YPCP224818RBFOM.BX.APR0.PJW.NA.P7B.L**

Align™ Metal Storage


22"H Credenzas

For specification information see pages 868-873 and 876-879.


Laminate Fronts with Plinth Base



Width	Model	Base List Price L1
22"H Box/Lateral w/Laminate Fronts and Right Open w/Metal Shelf		
42"W x 18"D	**YPCP224218RBFOL**	**$ 3865**
48"W x 18"D	**YPCP224818RBFOL** (shown)	**$ 3984**
60"W x 18"D	**YPCP226018RBFOL**	**$ 4240**
72"W x 18"D	**YPCP227218RBFOL**	**$ 4675**



22"H Left Open w/Metal Shelf and Box/Lateral w/Laminate Fronts		
42"W x 18"D	**YPCP224218LBFOL**	**$ 3865**
48"W x 18"D	**YPCP224818LBFOL** (shown)	**$ 3984**
60"W x 18"D	**YPCP226018LBFOL**	**$ 4240**
72"W x 18"D	**YPCP227218LBFOL**	**$ 4675**



22"H Box/Lateral w/Laminate Fronts		
24"W x 18"D	**YPCP222418BFL**	**$ 2656**
30"W x 18"D	**YPCP223018BFL** (shown)	**$ 2743**
36"W x 18"D	**YPCP223618BFL**	**$ 3087**
42"W x 18"D	**YPCP224218BFL**	**$ 3394**

How to specify —
Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ _ . B X . _ _ _ . _ _ _ . P _ _ . _ _ _ . _ _ _ . _ _ _ . _

1st Option:
Base Option *(if applicable)*:
BX Recessed Kickplate

2nd Option:
Pull Option:
A Arch
M Beam
O Halo
S Square

3rd Option:
Pull Color *(if applicable)*:
M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

4th Option:
Paint Case:
P1 P2 P3
See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

5th Option:
Laminate Fronts: Laminate & Edge:
See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242

6th Option:
Paint Shelf:
Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

7th Option:
Lock:
L Standard Lock
X Omit Lock Core (Deduct $20 per lock)
E Digital Lock (Add $453 per lock)
See page 927 for specification information.

8th Option:
Digital Lock Color *(if applicable)*:
BNL Brushed Nickel

Example: **YPCP226018LBFOL.BX.APR0.P7B.LVT1VT.P7B.X**


S ***Shippable by small-package carrier.***

Align™ Metal Storage


22"H Credenzas

Metal Fronts Footed


For specification information see pages 868-873 and 876-879.




Description	Model	P1 Paint List Price
22"H Box/Lateral and Right Open w/Metal Shelf		
42"W x 18"D	**YPCF224218RBFOM**	$ 3776
48"W x 18"D	**YPCF224818RBFOM** (shown)	$ 3894
60"W x 18"D	**YPCF226018RBFOM**	$ 4174
72"W x 18"D	**YPCF227218RBFOM**	$ 4529



22"H Left Open w/Metal Shelf and Box/Lateral		
42"W x 18"D	**YPCF224218LBFOM**	$ 3776
48"W x 18"D	**YPCF224818LBFOM** (shown)	$ 3894
60"W x 18"D	**YPCF226018LBFOM**	$ 4174
72"W x 18"D	**YPCF227218LBFOM**	$ 4529



22"H Box/Lateral		
24"W x 18"D	**YPCF222418BFM**	$ 2838
30"W x 18"D	**YPCF223018BFM** (shown)	$ 2885
36"W x 18"D	**YPCF223618BFM**	$ 3152
42"W x 18"D	**YPCF224218BFM**	$ 3419



22"H Open Binder w/Metal Shelf		
24"W x 17¼"D	**YPCF222418O**	$ 1892
30"W x 17¼"D	**YPCF223018O** (shown)	$ 1920
36"W x 17¼"D	**YPCF223618O**	$ 2070
42"W x 17¼"D	**YPCF224218O**	$ 2266

ALIGN

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ _ .

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

F

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P R 6 .

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.

P2 upcharge $62

P3 upcharge $146

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

7th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPCF226018LBFOM.TFPR6.APR0.PJW.NA.P7B.L**

Align™ Metal Storage


22"H Credenzas

Laminate Fronts Footed


For specification information see pages 868-873 and 876-879.



Description	Model	Base List Price L1
22"H Box/Lateral w/Laminate Fronts and Right Open w/Metal Shelf		
42"W x 18"D	**YPCF224218RBFOL**	**$ 4114**
48"W x 18"D	**YPCF224818RBFOL** (shown)	**$ 4232**
60"W x 18"D	**YPCF226018RBFOL**	**$ 4546**
72"W x 18"D	**YPCF227218RBFOL**	**$ 4981**



22"H Left Open w/Metal Shelf and Box/Lateral w/Laminate Fronts		
42"W x 18"D	**YPCF224218LBFOL**	**$ 4114**
48"W x 18"D	**YPCF224818LBFOL** (shown)	**$ 4232**
60"W x 18"D	**YPCF226018LBFOL**	**$ 4546**
72"W x 18"D	**YPCF227218LBFOL**	**$ 4981**



22"H Box/Lateral w/Laminate Fronts		
24"W x 18"D	**YPCF222418BFL**	**$ 2900**
30"W x 18"D	**YPCF223018BFL** (shown)	**$ 2988**
36"W x 18"D	**YPCF223618BFL**	**$ 3334**
42"W x 18"D	**YPCF224218BFL**	**$ 3637**

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ . _ F P R 6 . _ _ _ . _ _ _

1st Option:
Base Option:
- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

2nd Option:
Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

3rd Option:
Pull Option:
- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

4th Option:
Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

Continued below ▼

5th Option:
Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

P _ _ .

6th Option:
Laminate Fronts: Laminate & Edge:

See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242

_ _ _ _ _ _ .

7th Option:
Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

_ _ _ .

8th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

9th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel

_ _ _


Example: **YPCF226018LBFOL.TFPR6.APR0.P7B.LVT1VT.P7B.L**

Align™ Metal Storage


22"H Credenzas

Metal Fronts Footed

For specification information see pages 868-873 and 876-879.



Description	Model	Base List Price
Footed, Metal Front Integrated HAT Combo Unit Credenzas		
22"H x 48"W x 18"D	**YPCF224818RBFOMHAT** (shown)	**$ 4342**
22"H x 60"W x 18"D	**YPCF226018RBFOMHAT**	**$ 4635**
22"H x 72"W x 18"D	**YPCF227218RBFOMHAT**	**$ 5005**



22"H x 48"W x 18"D	**YPCF224818LBFOMHAT** (shown)	**$ 4342**
22"H x 60"W x 18"D	**YPCF226018LBFOMHAT**	**$ 4635**
22"H x 72"W x 18"D	**YPCF227218LBFOMHAT**	**$ 5005**


Notes: For use with A6 2-stage C and T bases, 24"D or 30"D.

Install Tip: will not accommodate pre-drilled Altitude A6 top locations in captured panel systems setups due to offset position in credenza and will require field location from Credenza leg to bottom of top.


Recommended to use vertical fabric wire manager model FBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 899.




Footed, Metal Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCF222418BOM** (shown)	**$ 2455**
22"H x 30"W x 18"D	**YPCF223018BOM**	**$ 2494**
22"H x 36"W x 18"D	**YPCF223618BOM**	**$ 2721**
22"H x 42"W x 18"D	**YPCF224218BOM**	**$ 2947**



Footed, Metal Front Combo Unit Credenzas w/ Open Shelf		
22"H x 36"W x 18"D	**YPCF223618RBFOM** (shown)	**$ 3366**
22"H x 36"W x 18"D	**YPCF223618LBFOM**	**$ 3366**



Footed, Metal Front Low Credenza Open / File Drawer Bottom		
22"H x 24"W x 18"D	**YPCF222418OFM**	**$ 2582**
22"H x 30"W x 18"D	**YPCF223018OFM**	**$ 2624**
22"H x 36"W x 18"D	**YPCF223618OFM**	**$ 2864**
22"H x 42"W x 18"D	**YPCF224218OFM** (shown)	**$ 3105**



Footed, Metal Front, Open/File Drawer Bottom		
28"H x 30"W x 18"D	**YPLF283018OFM**	**$ 2261**
28"H x 36"W x 18"D	**YPLF283618OFM** (shown)	**$ 2468**
28"H x 42"W x 18"D	**YPLF284218OFM**	**$ 2653**

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ . F P _ _ . _

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.

P2 upcharge $62

P3 upcharge $146

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

_ _ .

7th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

Not needed on models ending in OFM

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPCF222418OFM.PFPJE.APR0.P27.PJW.PJW.EBNL**


Align™ Metal Storage

Credenzas

For specification information see pages 868-873 and 876-879.


Metal Fronts with Plinth Base






Description	Model	List Price
Plinth, Metal Front Integrated HAT Combo Unit Credenzas		
22"H x 48"W x 18"D	**YPCP224818RBFOMHAT** (shown)	$ 4085
22"H x 60"W x 18"D	**YPCP226018RBFOMHAT**	$ 4312
22"H x 72"W x 18"D	**YPCP227218RBFOMHAT**	$ 4684
22"H x 48"W x 18"D	**YPCP224818LBFOMHAT** (shown)	$ 4085
22"H x 60"W x 18"D	**YPCP226018LBFOMHAT**	$ 4312
22"H x 72"W x 18"D	**YPCP227218LBFOMHAT**	$ 4684


Notes: For use with A6 2-stage C and T bases, 24"D or 30"D.
Install Tip: will not accommodate pre-drilled Altitude A6 top locations in captured panel systems setups due to offset position in credenza and will require field location from Credenza leg to bottom of top.
Recommended to use vertical fabric wire manager model FBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 899.



Plinth, Metal Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCP222418BOM**	$ 2241
22"H x 30"W x 18"D	**YPCP223018BOM**	$ 2283
22"H x 36"W x 18"D	**YPCP223618BOM** (shown)	$ 2511
22"H x 42"W x 18"D	**YPCP224218BOM**	$ 2737




Plinth, Metal Front Low Credenza Open / File Drawer Bottom		
22"H x 24"W x 18"D	**YPCP222418OFM**	$ 2357
22"H x 30"W x 18"D	**YPCP223018OFM**	$ 2400
22"H x 36"W x 18"D	**YPCP223618OFM**	$ 2644
22"H x 42"W x 18"D	**YPCP224218OFM** (shown)	$ 2883



Plinth, Metal Front, Open Shelf, File Drawer Bottom Personal File		
28"H x 30"W x 18"D	**YPLP283018OFM**	$ 1840
28"H x 36"W x 18"D	**YPLP283618OFM** (shown)	$ 2312
28"H x 42"W x 18"D	**YPLP284218OFM**	$ 2504

Note: Drawers on these 3 models are letter depth.



Plinth, Metal Front Combo Unit Credenzas w/ Open Shelf		
22"H x 36"W x 18"D	**YPCP223618RBFOM** (shown)	$ 3164
22"H x 36"W x 18"D	**YPCP223618LBFOM**	$ 3164

How to specify —
Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ _ . B _ . _ _ _ . P _ _ . _ _ . _ _ _ . _

1st Option:
Base Option *(if applicable)*:
- **BK** Flush Kickplate
- **BX** Recessed Kickplate

2nd Option:
Pull Option:
- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

3rd Option:
Pull Color *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

4th Option:
Paint Case:
(P1) (P2) (P3)
See inside front cover for finishes.
P2 upcharge $62
P3 upcharge $146

5th Option:
Paint Fronts:
- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

6th Option:
Paint Shelf:
Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.
Only needed on model ending in L/RBFOM and L/RBFOMHAT

7th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

8th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel


Example: **YPCP222418BOM.BX.APR0.PJW.NA.P7B.L**


Align™ Metal Storage

Credenzas


Laminate Fronts Footed


For specification information see pages 868-873 and 876-879.














Description	Model	Base List Price L1
Footed, Laminate Front Integrated HAT Combo Unit Credenzas		
22"H x 48"W x 18"D	**YPCF224818RBFOLHAT** (shown)	**$ 4422**
22"H x 60"W x 18"D	**YPCF226018RBFOLHAT**	**$ 4749**
22"H x 72"W x 18"D	**YPCF227218RBFOLHAT**	**$ 5205**
22"H x 48"W x 18"D	**YPCF224818LBFOLHAT**	**$ 4422**
22"H x 60"W x 18"D	**YPCF226018LBFOLHAT**	**$ 4749**
22"H x 72"W x 18"D	**YPCF227218LBFOLHAT** (shown)	**$ 5205**
Footed, Laminate Front Low Credenza Open / File Drawer Bottom		
22"H x 24"W x 18"D	**YPCF222418BOL**	**$ 2464**
22"H x 30"W x 18"D	**YPCF223018BOL**	**$ 2541**
22"H x 36"W x 18"D	**YPCF223618BOL** (shown)	**$ 2836**
22"H x 42"W x 18"D	**YPCF224218BOL**	**$ 3093**
Footed, Laminate Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCF222418OFL**	**$ 2610**
22"H x 30"W x 18"D	**YPCF223018OFL**	**$ 2690**
22"H x 36"W x 18"D	**YPCF223618OFL** (shown)	**$ 3000**
22"H x 42"W x 18"D	**YPCF224218OFL**	**$ 3275**
Footed, Laminate Front, Open Shelf, File Drawer Bottom Personal File		
28"H x 30"W x 18"D	**YPLF283018OFL**	**$ 2310**
28"H x 36"W x 18"D	**YPLF283618OFL** (shown)	**$ 2545**
28"H x 42"W x 18"D	**YPLF284218OFL**	**$ 2762**
Footed, Laminate Front Combo Unit Credenzas w/ Open Shelf		
22"H x 36"W x 18"D	**YPCF223618RBFOL** (shown)	**$ 3370**
22"H x 36"W x 18"D	**YPCF223618LBFOL**	**$ 3370**

Notes: For use with A6 2-sage C and T bases, 24"D or 30"D.

Install Tip: will not accommodate pre-drilled Altitude A6 top locations in captured panel systems setups due to offset position in credenza and will require field location from Credenza leg to bottom of top.

Recommended to use vertical fabric wire manager model FBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 899.

How to specify —

Select the Model Number from above.

Y P _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ .

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

F

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P _ _ .

3rd Option:

Pull Option:

- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

_

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite (+$38)
  - **P8X** Solar Black (+$38)
- **A** Arch
  - **PR0** Anodized Silver
- **S** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite (+$38)
  - **P8X** Solar Black (+$38)

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

P _ _ .

6th Option:

Laminate Fronts: Laminate & Edge:

See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242

_ _ .

7th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

Only needed on products ending in FOL/FOLHAT

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPLF283018OFL.PFPJE.APR0.P27.P.NA.EBNL**


Align™ Metal Storage

Credenzas

For specification information see pages 868-873 and 876-879.


Laminate Fronts with Plinth Base






Description	Model	Base List Price L1
Plinth, Laminate Front Integrated HAT Combo Unit Credenzas		
22"H x 48"W x 18"D	**YPCP224818RBFOLHAT** (shown)	**$ 4164**
22"H x 60"W x 18"D	**YPCP226018RBFOLHAT**	**$ 4432**
22"H x 72"W x 18"D	**YPCP227218RBFOLHAT**	**$ 4885**
22"H x 48"W x 18"D	**YPCP224818LBFOLHAT** (shown)	**$ 4164**
22"H x 60"W x 18"D	**YPCP226018LBFOLHAT**	**$ 4432**
22"H x 72"W x 18"D	**YPCP227218LBFOLHAT**	**$ 4885**


Notes: For use with A6 2-stage C and T bases, 24"D or 30"D.
Install Tip: will not accommodate pre-drilled Altitude A6 top locations in captured panel systems setups due to offset position in credenza and will require field location from Credenza leg to bottom of top.
Recommended to use vertical fabric wire manager model FBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 899.




Plinth, Laminate Front Low Credenza Box / Open Bottom		
22"H x 36"W x 18"D	**YPCP223618RBFOL** (shown)	**$ 3166**
22"H x 36"W x 18"D	**YPCP223618LBFOL**	**$ 3166**



Plinth, Laminate Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCP222418BOL**	**$ 2258**
22"H x 30"W x 18"D	**YPCP223018BOL** (shown)	**$ 2332**
22"H x 36"W x 18"D	**YPCP223618BOL**	**$ 2625**
22"H x 42"W x 18"D	**YPCP224218BOL**	**$ 2884**



Plinth, Laminate Front Low Credenza Open / File Drawer Bottom		
22"H x 24"W x 18"D	**YPCP222418OFL**	**$ 2389**
22"H x 30"W x 18"D	**YPCP223018OFL** (shown)	**$ 2469**
22"H x 36"W x 18"D	**YPCP223618OFL**	**$ 2778**
22"H x 42"W x 18"D	**YPCP224218OFL**	**$ 3053**



Plinth, Laminate Front, Open Shelf, File Drawer Bottom Personal File		
28"H x 30"W x 18"D	**YPLP283018OFL**	**$ 2103**
28"H x 36"W x 18"D	**YPLP283618OFL** (shown)	**$ 2337**
28"H x 42"W x 18"D	**YPLP284218OFL**	**$ 2556**

Note: Drawers on these 3 models are letter depth.

How to specify —
Select the Model Number from above.

Y P _ _ _ _ _ _ _ _ _ _ _ _ . B X _ _ . _ _ _ .

1st Option:
Base Option *(if applicable)*:
BX Recessed Kickplate

2nd Option:
Pull Option:
A Arch
M Beam
O Halo
S Square

3rd Option:
Pull Color *(if applicable)*:
M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite (+$38)
P8X Solar Black (+$38)
A Arch
PR0 Anodized Silver
S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite (+$38)
P8X Solar Black (+$38)

Continued below ▼

4th Option:
Paint Case:
P1 P2 P3
See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146
P _ _ .

5th Option:
Laminate Fronts: Laminate & Edge:
See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242
_ _ .

6th Option:
Paint Shelf:
Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.
Only available on models ending in FOL/FOLHAT
_ _ _ .


7th Option:
Lock:
L Standard Lock
X Omit Lock Core (Deduct $20 per lock)
E Digital Lock (Add $453 per lock)
See page 927 for specification information.
_


8th Option:
Digital Lock Color *(if applicable)*:
BNL Brushed Nickel
_ _ _


Example: **YPCP222418BOL.BXA.PR0.P27.P.NA.EBNL**


Align™ Metal Storage


For specification information see pages 868-873 and 876-879.











Description	Model	P1 Paint List Price
Mobile, Metal Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCM222418BOM**	**$ 2688**
22"H x 30"W x 18"D	**YPCM223018BOM**	**$ 2727**
22"H x 36"W x 18"D	**YPCM223618BOM**	**$ 2953**
22"H x 42"W x 18"D	**YPCM224218BOM** (shown)	**$ 3182**
Mobile Laminate Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCM222418OFM**	**$ 2942**
22"H x 30"W x 18"D	**YPCM223018OFM**	**$ 2989**
22"H x 36"W x 18"D	**YPCM223618OFM** (shown)	**$ 3239**
22"H x 42"W x 18"D	**YPCM224218OFM**	**$ 3496**
Mobile, Metal Front Low Credenza Box/ File Drawer		
22"H x 24"W x 18"D	**YPCM222418BFM**	**$ 3074**
22"H x 30"W x 18"D	**YPCM223018BFM**	**$ 3121**
22"H x 36"W x 18"D	**YPCM223618BFM**	**$ 3387**
22"H x 42"W x 18"D	**YPCM224218BFM** (shown)	**$ 3657**
Mobile, Metal Front Combo Unit Credenzas w/ Open Shelf		
22"H x 36"W x 18"D	**YPCM223618RBFOM** (shown)	**$ 3473**
22"H x 42"W x 18"D	**YPCM224218RBFOM**	**$ 3760**
22"H x 36"W x 18"D	**YPCM223618LBFOM** (shown)	**$ 3473**
22"H x 42"W x 18"D	**YPCM224218LBFOM**	**$ 3760**

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ _ . H . _ . _ _ _ .

1st Option:

Casters:

H Hard Casters

2nd Option:

Pull Option:

A Arch
B Bevel
M Beam
O Halo
S Square
I Integral

3rd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

Continued below ▼

4th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

P _ _ .

5th Option:

Paint Fronts:

NA Match Case
P1 $273
P2 $356
P3 $435

_ _ .

6th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

Only available on options ending in RBFOM/LBFOM

_ _ _ .

7th Option:

Lock:

L Standard Lock
X Omit Lock Core (Deduct $20 per lock)
E Digital Lock (Add $453 per lock)
See page 927 for specification information.

_

8th Option:

Digital Lock Color *(if applicable)*:

BNL Brushed Nickel

_ _ _

Example: **YPCM222418BFM.H.APR0.P27.NA.NA.EBNL**

Align™ Metal Storage


22"H Pedestal

Laminate Fronts Mobile


For specification information see pages 868-873 and 876-879.




Description	Model	Base List Price L1
Mobile Laminate Front Low Credenza Box / Open Bottom		
22"H x 24"W x 18"D	**YPCM222418BOL**	**$ 2699**
22"H x 30"W x 18"D	**YPCM223018BOL**	**$ 2774**
22"H x 36"W x 18"D	**YPCM223618BOL** (shown)	**$ 3068**
22"H x 42"W x 18"D	**YPCM224218BOL**	**$ 3326**



Mobile, Laminate Front Low Credenza Open / File Drawer Bottom		
22"H x 24"W x 18"D	**YPCM222418OFL**	**$ 2844**
22"H x 30"W x 18"D	**YPCM223018OFL**	**$ 2925**
22"H x 36"W x 18"D	**YPCM223618OFL** (shown)	**$ 3237**
22"H x 42"W x 18"D	**YPCM224218OFL**	**$ 3513**



Mobile, Laminate Front Low Credenza Box / File Drawer		
22"H x 24"W x 18"D	**YPCM222418BFL**	**$ 3135**
22"H x 30"W x 18"D	**YPCM223018BFL**	**$ 3224**
22"H x 36"W x 18"D	**YPCM223618BFL** (shown)	**$ 3569**
22"H x 42"W x 18"D	**YPCM224218BFL**	**$ 3877**



Mobile, Laminate Front Combo Unit Credenzas w/ Open Shelf		
22"H x 36"W x 18"D	**YPCM223618RBFOL** (shown)	**$ 3476**
22"H x 42"W x 18"D	**YPCM224218RBFOL**	**$ 3787**
22"H x 36"W x 18"D	**YPCM223618LBFOL**	**$ 3476**
22"H x 42"W x 18"D	**YPCM224218LBFOL**	**$ 3787**

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ . H .

1st Option:

Casters:

H Hard Casters

2nd Option:

Pull Option:

A Arch
M Beam
O Halo
S Square

3rd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
AP Arch
PR0 Anodized Silver
P2 upcharge +$19/pull

SP Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

. .

Continued below ▼

4th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

P _ _ .

5th Option:

Laminate Fronts: Laminate & Edge:

See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242

_ _ _ _ _ _ .

6th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

_ _ _ .

7th Option:

Lock:

L Standard Lock
X Omit Lock Core (Deduct $20 per lock)
E Digital Lock (Add $453 per lock)
See page 927 for specification information.

_

8th Option:

Digital Lock Color *(if applicable)*:


BNL Brushed Nickel

_ _ _

Example: **YPCM222418BFL.H.APR0.P27.P.NA.EBNL**

Align™ Metal Storage


For specification information see pages 868-873 and 876-879.



Description	Model	Base List Price P1
Mobile, Open Shelf Credenzas		
22"H x 24"W x 18"D	**YPCM222418O**	**$ 2124**
22"H x 30"W x 18"D	**YPCM223018O**	**$ 2152**
22"H x 36"W x 18"D	**YPCM223618O** (shown)	**$ 2302**
22"H x 42"W x 18"D	**YPCM224218O**	**$ 2496**

How to specify — Select the Model Number from above.	*1st Option:* **Casters:**	*2nd Option:* **Paint Case:**	*3rd Option:* **Paint Shelf:**
Y P C _ _ _ _ _ _ _ .	**H** Hard Casters .	P1 P2 P3 See page 866 for finishes. P2 upcharge $62 P3 upcharge $146 _ _ _	Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3. _ _ _


Example: **YPCM222418O.H.P27.NA**



Plinth, Integrated HAT Open Shelf Credenzas		
22"H x 30"W x 18"D	**YPCP223018ROHAT**	**$ 1842**
22"H x 36"W x 18"D	**YPCP223618ROHAT** (shown)	**$ 2010**
22"H x 42"W x 18"D	**YPCP224218ROHAT**	**$ 2222**
22"H x 30"W x 18"D	**YPCP223018LOHAT** (shown)	**$ 1842**
22"H x 36"W x 18"D	**YPCP223618LOHAT**	**$ 2010**
22"H x 42"W x 18"D	**YPCP224218LOHAT**	**$ 2222**

How to specify — Select the Model Number from above.	*1st Option:* **Base Option:**	*2nd Option:* **Paint Case:**	*3rd Option:* **Paint Shelf:**
Y P C _ _ _ _ _ _ _ .	**BK** Flush Plinth **BX** Recessed Plinth B _	P1 P2 P3 See page 866 for finishes. P2 upcharge $62 P3 upcharge $146 _ _ _	Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3. _ _ _

Example: **YPCP223018ROHAT.BX.P27.NA**





Footed, Integrated HAT Open Shelf Credenzas		
22"H x 30"W x 18"D	**YPCF223018ROHAT** (shown)	**$ 2114**
22"H x 36"W x 18"D	**YPCF223618ROHAT**	**$ 2277**
22"H x 42"W x 18"D	**YPCF224218ROHAT**	**$ 2491**
22"H x 36"W x 18"D	**YPCF223018LOHAT**	**$ 2114**
22"H x 36"W x 18"D	**YPCF223618LOHAT** (shown)	**$ 2277**
22"H x 42"W x 18"D	**YPCF224218LOHAT**	**$ 2491**

Notes: For use with A6 2-stage C and T bases, 24"D or 30"D.
Install Tip: will not accommodate pre-drilled Altitude A6 top locations in captured panel systems setups due to offset position in credenza and will require field location from Credenza leg to bottom of top.
Recommended to use vertical fabric wire manager model FBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 899.

How to specify — Select the Model Number from above.	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Paint Case:**	*4th Option:* **Paint Shelf:**
Y P C _ _ _ _ _ _ _ .	**TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140) F _	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White P _ _ .	P1 P2 P3 See page 866 for finishes. P2 upcharge $62 P3 upcharge $146 _ _ _	Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3. _ _ _

Example: **YPCF223018ROHAT.PFPJE.P27.NA**



Description	Model	List Price
Fabric Wire Manager (Pack of 2)	FBRZPWM	$ 389


*Metal Hook attachments available in black only.

How to specify —	1st Option:
Select the Model Number from above.	Fabric: See page 867 for fabrics.
F B R Z P W M .	

Example: FBRZPWM.DAPR20

Align™ Metal Storage

For specification information see pages 876-879.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Storage-to-Panel Bracket Kits for 22"H Credenzas				
Left	**AP22PBKLH** S	$ 187	$ 207	$ 225
Right	**AP22PBKRH** S	$ 187	$ 207	$ 225
Worksurface Support Stanchions for use with 22"H Align Credenzas				
12"D x 5"H for use on credenza with laminate top	**APOLG0512** S	$ 447	$ 479	$ 504
12"D x 6"H for use on credenza without laminate top	**APOLG0612** S	$ 447	$ 479	$ 504
18"D x 5"H for use on credenza with laminate top	**APOLG0518** S	$ 486	$ 518	$ 543
18"D x 6"H for use on credenza without laminate top	**APOLG0618** S	$ 486	$ 518	$ 543

How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3	**Key Type** *(if applicable)*: **X** Random; **X** ␣␣␣ Number Specified; **SEQ /** ␣␣␣ Sequential Keying	**Quantity of Core Lock Kits** *(if applicable)*: *See page 1000 for details.*
_ _ _ _ _ _ _ _ _ _ _ _ .	P _ _	_ _ _ _ _ _ _ .	_ _

Examples: **AP22PBKLH.P7B YPCAHR12 YPCACW25 ALKF26EL LKFE4MTS.X202.3**

S *Shippable by small-package carrier.*



Description	Model	List Price
Pull Packs – Hardware Included		
Align Ped 2 QTY Pull Pack	**YPPULL2**	$ 119
Align Ped 3 QTY Pull Pack	**YPPULL3**	$ 175

Utilize as retrofit, samples, replacements, etc.
Not compatible with Involve Straight Pull
Pyrite and Solar Black finish will assume +$19/per pull upcharge. Ex: YPPULL2.M.P8X +$38 upcharge

How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Pull Type** *(if applicable)*: **M** Beam; **O** Halo; **S** Square. See matrix on page 20.	**Pull Color** *(if applicable)*: **M Beam/O Halo** — **PR6** Silver; **PJW** Designer White; **PJE** Pyrite +$19/pull upcharge; **P8X** Solar +$19/pull upcharge. **S Square** — **EL** Matte Silver; **PJW** Designer White; **P02** Flint; **P7B** Loft; **PJE** Pyrite +$19/pull upcharge; **P8X** Solar Black +$19/pull upcharge
Y P P U L L _ _ .	_ _ .	_ _ _

Example: **YPPULL2.S.PJW**


S *Shippable by small-package carrier.*

Align™ Metal Storage


For specification information see pages 876-879.




Description	Model	List Price
Front-to-Back Filing Bar for Credenzas		
12"D Hangrail Kit for 18"D Credenzas and 18"D Personal Files	YPCAHR12 S	$ 35
15"D Hangrail Kit for 24"D Credenzas or 18"D 2H Lateral Files	YPCAHR15 S	$ 55



Dividers for Credenzas		
Box Drawer Dividers — 2 pack	YPCABD02 S	$ 82
Box Drawer Dividers — 10 pack	YPCABD10 S	$ 319
File Drawer Dividers — 2 pack	YPCAFD02 S	$ 98
File Drawer Dividers — 10 pack	YPCAFD10 S	$ 378



Counterweight Kits for Align 22"H Credenzas w/Drawers		
25 lbs. for 42"W and 48"W Box/Lateral/Open unit	YPCACW25	$ 368
35 lbs. for 24"W, 60"W, and 72"W Box/Lateral/Open unit	YPCACW35	$ 490
50 lbs. for 30"W and 36"W Box/Lateral unit	YPCACW50	$ 545
65 lbs. for 42"W Box/Lateral unit	YPCACW65	$ 597




Matte Silver Removable Lock Core Kit	**Key Numbers 101E-225E**	
Used on Align metal pedestals, credenzas, and towers. Includes one core, two keys, one core removal tool, adapter and instructions.		
	ALKF26EL** S	$ 33


**When purchased separately without a configurable TAA compliant end product, not on GSA contract.

Easy Lock Lock-Core — *Reference Appendix page 1000 for Easy Lock specification details.*		
Lock Core Kit Matte Silver — 1 core, 2 keys	LKFE1MTS** S	$ 33
Lock Core Kit Matte Silver — 2 cores, 2 keys	LKFE2MTS** S	$ 66
Lock Core Kit Matte Silver — 3 cores, 2 keys	LKFE3MTS** S	$ 98
Lock Core Kit Matte Silver — 4 cores, 2 keys	LKFE4MTS** S	$ 130
Lock Core Kit Matte Silver — 5 cores, 2 keys	LKFE5MTS** S	$ 163

**When purchased separately without a configurable TAA compliant end product, not on GSA contract.



Magnetic Label Holder (5 Pack)		
	ASISLABEL5	$ 42



Accessories		
Hanging File Cross Rails — 2 Pack (for side-to-side filing)	AP519495 S	$ 45

S *Shippable by small-package carrier.*


How to specify —	*1st Option:*	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: P1 P2 P3	**Key Type** *(if applicable)*: X Random; X ␣␣␣ Number Specified; SEQ / ␣␣␣ Sequential Keying	**Quantity of Core Lock Kits** *(if applicable)*: *See page 1000 for details.*
.	P	.	

Examples: **AP22PBKLH.P7B YPCAHR12 YPCACW25 ALKF26EL LKFE4MTS.X202.3**

ALIGN


Align™ Metal Storage

For specification information see pages 876-879.




Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Credenza Cushions for 18"D Credenzas											
24"W	S K5CT1824SC	$ 438	$ 471	$ 502	$ 534	$ 576	$ 618	$ 660	$ 702	$ 679	$ 850
30"W	S K5CT1830SC	$ 473	$ 506	$ 537	$ 569	$ 611	$ 653	$ 695	$ 737	$ 714	$ 885
36"W	K5CT1836SC	$ 532	$ 565	$ 596	$ 628	$ 670	$ 712	$ 754	$ 796	$ 773	$ 944
42"W	K5CT1842SC	$ 530	$ 563	$ 594	$ 626	$ 668	$ 710	$ 752	$ 794	$ 771	$ 942
48"W	K5CT1848SC	$ 549	$ 582	$ 613	$ 645	$ 687	$ 729	$ 771	$ 813	$ 790	$ 961

COM Yardage: 0.7 yards (no vinyls), COL 7 sq.ft.



Description	Model	List Price Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade L1	Grade L2
Credenza Cushions for 24"D Credenzas											
24"W	K5CT2424SC	$ 457	$ 501	$ 541	$ 581	$ 633	$ 688	$ 741	$ 797	$ 767	$ 987
30"W	K5CT2430SC	$ 491	$ 535	$ 575	$ 615	$ 667	$ 722	$ 775	$ 831	$ 801	$ 1021
36"W	K5CT2436SC	$ 532	$ 576	$ 616	$ 656	$ 708	$ 763	$ 816	$ 872	$ 842	$ 1062
48"W	K5CT2448SC	$ 595	$ 639	$ 679	$ 719	$ 771	$ 826	$ 879	$ 935	$ 905	$ 1125


COM Yardage: 0.9 yards (no vinyls), COL 8 sq.ft.



ASPT-24SC

Description	Model	List Price
Seat Cushion — For Metal Mobile Pedestals only (Specify seating fabric — no leathers)		
23½"D	ASPT-24SC	$ 332 $ 350 $ 365 $ 381 $ 402 $ 423 $ 444 $ 465 $ 486 $ 505 $ 528 $ 549
29½"D	ASPT-30SC	$ 347 $ 365 $ 380 $ 396 $ 417 $ 438 $ 459 $ 480 $ 501 $ 520 $ 543 $ 564

ASPT- cushions have a rounded corner and the *YPPA-*cushions have a square corner.



Description	Model	List Price
Counterweight Kits for Align 28"H Lateral and Personal Files		
50 lbs. for 30"W Lateral or Personal File	YPLACW50	$ 510
57½ lbs. for 36"W Lateral	YPLACW57 S	$ 532
70 lbs. for 42"W Lateral	YPLACW70	$ 570

ALIGN

How to specify —

Select the Model Number from above.

1st Option:

Upholstery *(if applicable)*:

Specify seating upholstery. See Seating & Tables Price List for available upholstery selection.


Examples: **K5CT1824SC.PNS012**

S ***Shippable by small-package carrier.***

Align™ Metal Storage

28"H Laterals, Personal Files, and Bookcases


For specification information see pages 869, 873, and 879.



Description	Model	P1 Paint List Price
28"H Metal Case / Metal Fronts		
30"W x 18"D Box/Box/File	**YPFCP283018BBFM** (shown)	$ 2381
30"W x 18"D File/File	**YPLP283018FFM**	$ 2028
36"W x 18"D File/File	**YPLP283618FFM** (shown)	$ 2246
42"W x 18"D File/File	**YPLP284218FFM**	$ 2457

Width	Model	Base List Price L1
28"H Metal Case / Laminate Fronts		
30"W x 18"D Box/Box/File	**YPFCP283018BBFL**	$ 2904
30"W x 18"D File/File	**YPLP283018FFL**	$ 2475
36"W x 18"D File/File	**YPLP283618FFL** (shown)	$ 2749
42"W x 18"D File/File	**YPLP284218FFL**	$ 3006


Note: Laminate front pull selection is limited to Arch, Square, or Straight pulls.




Description	Model	P1 Paint List Price
28"H Metal Case / Metal Fronts / Feet		
30"W x 18"D Box/Box/File	**YPFCF283018BBFM** (shown)	$ 2665
30"W x 18"D File/File	**YPLF283018FFM**	$ 2272
36"W x 18"D File/File	**YPLF283618FFM** (shown)	$ 2485
42"W x 18"D File/File	**YPLF284218FFM**	$ 2696

Width	Model	Base List Price L1
28"H Metal Case / Laminate Fronts / Feet		
30"W x 18"D Box/Box/File	**YPFCF283018BBFL**	$ 3188
30"W x 18"D File/File	**YPLF283018FFL**	$ 2719
36"W x 18"D File/File	**YPLF283618FFL** (shown)	$ 2994
42"W x 18"D File/File	**YPLF284218FFL**	$ 3247

Note: Laminate front pull selection is limited to Arch, Square, or Straight pulls.



Description	Model	P1 Paint List Price
28"H Bookcase, Metal Case / Plinth		
24"W x 18"D Open Shelf	**YPCP282418O**	$ 1515
30"W x 18"D Open Shelf	**YPCP283018O**	$ 1642
36"W x 18"D Open Shelf	**YPCP283618O**	$ 1791



Description	Model	P1 Paint List Price
28"H Bookcase, Metal Case / Feet		
24"W x 18"D Open Shelf	**YPCF282418O**	$ 1758
30"W x 18"D Open Shelf	**YPCF283018O**	$ 1886
36"W x 18"D Open Shelf	**YPCF283618O**	$ 2032

How to specify —

Select the Model Number from above.

Y P C _ _ _ _ _ _ _ _ . _ F

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **BK** Flush Kickplate
- **BX** Recessed Kickplate
- **PF** Pier Foot (+$140)

2nd Option:

Foot Finish *(if applicable)*:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P R 6 .

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $62
P3 upcharge $146

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

7th Option:

Laminate Fronts (if applicable): Laminate & Edge:

See page 866 for finishes.
L2 upcharge $122
L3 upcharge $242

_ _ _ _ _ _ .

8th Option:

Paint Shelf:

Specify "NA" for shelf color to match case color; or specify a different color and add $0 for P1, $20 for P2, or $45 for P3.

_ _ _ .

9th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

10th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _

Example: **YPLP283618FFM.BK.B.P8T.NA.X**


S ***Shippable by small-package carrier.***

Align™ Metal Storage

Front and Side Access Towers

For specification information see pages 870 and 880-881.

Metal Fronts with Plinth Base



Description	Model	P1 Paint List Price
42½"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTP422424LFFM**	$ 3729
Wardrobe Right / Door/File/File	**YPTP422424RFFM**	$ 3729
Wardrobe Left / Door/Box/Box/File	**YPTP422424LBBFM**	$ 4064
Wardrobe Right / Door/Box/Box/File (shown)	**YPTP422424RBBFM**	$ 4064
50"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP502424LFFM**	$ 3852
Wardrobe Right / Door/File/File	**YPTP502424RFFM**	$ 3852
Wardrobe Left / Door/Box/Box/File	**YPTP502424LBBFM**	$ 4182
Wardrobe Right / Door/Box/Box/File	**YPTP502424RBBFM**	$ 4182
57½"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTP572424LFFM**	$ 3976
Wardrobe Right / Door/File/File (shown)	**YPTP572424RFFM**	$ 3976
Wardrobe Left / Door/Box/Box/File	**YPTP572424LBBFM**	$ 4308
Wardrobe Right / Door/Box/Box/File	**YPTP572424RBBFM**	$ 4308
65"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTP652424LFFM**	$ 4106
Wardrobe Right / Door/File/File	**YPTP652424RFFM**	$ 4106
Wardrobe Left / Door/Box/Box/File (shown)	**YPTP652424LBBFM**	$ 4438
Wardrobe Right / Door/Box/Box/File	**YPTP652424RBBFM**	$ 4438
42½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSP422424LFFM**	$ 4062
Wardrobe Right / File/File (shown)	**YPTSP422424RFFM**	$ 4062
Wardrobe Left / Box/Box/File	**YPTSP422424LBBFM**	$ 4392
Wardrobe Right / Box/Box/File	**YPTSP422424RBBFM**	$ 4392
50"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSP502424LFFM**	$ 4192
Wardrobe Right / File/File	**YPTSP502424RFFM**	$ 4192
Wardrobe Left / Box/Box/File	**YPTSP502424LBBFM**	$ 4524
Wardrobe Right / Box/Box/File (shown)	**YPTSP502424RBBFM**	$ 4524
57½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSP572424LFFM**	$ 4329
Wardrobe Right / File/File	**YPTSP572424RFFM**	$ 4329
Wardrobe Left / Box/Box/File	**YPTSP572424LBBFM**	$ 4661
Wardrobe Right / Box/Box/File (shown)	**YPTSP572424RBBFM**	$ 4661
65"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSP652424LFFM**	$ 4473
Wardrobe Right / File/File	**YPTSP652424RFFM**	$ 4473
Wardrobe Left / Box/Box/File	**YPTSP652424LBBFM**	$ 4804
Wardrobe Right / Box/Box/File (shown)	**YPTSP652424RBBFM**	$ 4804

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify —
Select the Model Number from above.

Y P T _ _ _ _ _ _ _ _ _ . B _ . _ _ _ . P _ _ . N A . _ _ _ . _ _ _

1st Option:
Base Option *(if applicable)*:
- **BK** Flush Kickplate
- **BX** Recessed Kickplate

2nd Option:
Pull Option:
- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

3rd Option:
Pull Color *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

4th Option:
Paint Case:
P1 P2 P3
See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

5th Option:
Paint Fronts:
- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

6th Option:
Markerboard Front:
Offered on front panel of side access models only
- **MKB** Yes (+$122)
- **NA** No

7th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

8th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel

Example: **YPTP652424RBBFM.BK.APR0.PJW.NA.L**


S ***Shippable by small-package carrier.***

Align™ Metal Storage

Front and Side Access Towers

Laminate Fronts with Plinth Base

For specification information see pages 870 and 880-881.



Width	Model	P1 Paint List Price
42½"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTP422424LFFL**	$ 4252
Wardrobe Right / Door/File/File	**YPTP422424RFFL**	$ 4252
Wardrobe Left / Door/Box/Box/File	**YPTP422424LBBFL**	$ 4662
Wardrobe Right / Door/Box/Box/File (shown)	**YPTP422424RBBFL**	$ 4662
50"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP502424LFFL**	$ 4400
Wardrobe Right / Door/File/File	**YPTP502424RFFL**	$ 4400
Wardrobe Left / Door/Box/Box/File	**YPTP502424LBBFL**	$ 4809
Wardrobe Right / Door/Box/Box/File	**YPTP502424RBBFL**	$ 4809
57½"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTP572424LFFL**	$ 4555
Wardrobe Right / Door/File/File (shown)	**YPTP572424RFFL**	$ 4555
Wardrobe Left / Door/Box/Box/File	**YPTP572424LBBFL**	$ 4963
Wardrobe Right / Door/Box/Box/File	**YPTP572424RBBFL**	$ 4963
65"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTP652424LFFL**	$ 4716
Wardrobe Right / Door/File/File	**YPTP652424RFFL**	$ 4716
Wardrobe Left / Door/Box/Box/File (shown)	**YPTP652424LBBFL**	$ 5121
Wardrobe Right / Door/Box/Box/File	**YPTP652424RBBFL**	$ 5121
42½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSP422424LFFL**	$ 4659
Wardrobe Right / File/File (shown)	**YPTSP422424RFFL**	$ 4659
Wardrobe Left / Box/Box/File	**YPTSP422424LBBFL**	$ 5066
Wardrobe Right / Box/Box/File	**YPTSP422424RBBFL**	$ 5066
50"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSP502424LFFL**	$ 4821
Wardrobe Right / File/File	**YPTSP502424RFFL**	$ 4821
Wardrobe Left / Box/Box/File	**YPTSP502424LBBFL**	$ 5230
Wardrobe Right / Box/Box/File (shown)	**YPTSP502424RBBFL**	$ 5230
57½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSP572424LFFL**	$ 4988
Wardrobe Right / File/File	**YPTSP572424RFFL**	$ 4988
Wardrobe Left / Box/Box/File	**YPTSP572424LBBFL**	$ 5397
Wardrobe Right / Box/Box/File (shown)	**YPTSP572424RBBFL**	$ 5397
65"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSP652424LFFL**	$ 5166
Wardrobe Right / File/File	**YPTSP652424RFFL**	$ 5166
Wardrobe Left / Box/Box/File	**YPTSP652424LBBFL**	$ 5575
Wardrobe Right / Box/Box/File (shown)	**YPTSP652424RBBFL**	$ 5575

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify —
Select the Model Number from above.

Y P T _ _ _ _ _ _ _ _ _ . B X . _ _ _ . P _ _ . _ _ _ _ _ _ . _ _ _ _ _ _ _

1st Option: **Base Option** *(if applicable)*:
- **BX** Recessed Kickplate

2nd Option: **Pull Option:**
- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

3rd Option: **Pull Color** *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

4th Option: **Paint Case:**
(P1) (P2) (P3)
See page 866 for finishes.
P2 upcharge $122
P3 upcharge $242

5th Option: **Laminate Fronts: Laminate & Edge:**
See page 866 for finishes.
L2 upcharge $182
L3 upcharge $362

6th Option: **Lock:**
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

7th Option: **Digital Lock Color** *(if applicable)*:
- **BNL** Brushed Nickel


Example: **YPTP652424RBBFL.BK.APR0.PJW.LVT1VT.L**

Align™ Metal Storage

Front Access Towers

Metal Fronts Footed

For specification information see pages 870 and 880-881.



Description	Model	P1 Paint List Price
42½"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTF422424LFFM**	**$ 4019**
Wardrobe Right / Door/File/File	**YPTF422424RFFM**	**$ 4019**
Wardrobe Left / Door/Box/Box/File	**YPTF422424LBBFM**	**$ 4351**
Wardrobe Right / Door/Box/Box/File (shown)	**YPTF422424RBBFM**	**$ 4351**
50"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF502424LFFM**	**$ 4140**
Wardrobe Right / Door/File/File	**YPTF502424RFFM**	**$ 4140**
Wardrobe Left / Door/Box/Box/File	**YPTF502424LBBFM**	**$ 4473**
Wardrobe Right / Door/Box/Box/File	**YPTF502424RBBFM**	**$ 4473**
57½"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTF572424LFFM**	**$ 4266**
Wardrobe Right / Door/File/File (shown)	**YPTF572424RFFM**	**$ 4266**
Wardrobe Left / Door/Box/Box/File	**YPTF572424LBBFM**	**$ 4598**
Wardrobe Right / Door/Box/Box/File	**YPTF572424RBBFM**	**$ 4598**
65"H Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTF652424LFFM**	**$ 4396**
Wardrobe Right / Door/File/File	**YPTF652424RFFM**	**$ 4396**
Wardrobe Left / Door/Box/Box/File (shown)	**YPTF652424LBBFM**	**$ 4729**
Wardrobe Right / Door/Box/Box/File	**YPTF652424RBBFM**	**$ 4729**

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

ALIGN

How to specify —

Select the Model Number from above.

Y P T F _ _ _ _ _ _ _ _ _ .

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

F

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P R 6 .

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

_

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

7th Option:

Markerboard Front:

Offered on front panel of side access models only

- **MKB** Yes (+$122)
- **NA** No

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPTF652424RBBFM.TFPR6.APR0.PJW.NA.X**

Align™ Metal Storage

Side Access Towers

Metal Fronts Footed

For specification information see pages 870 and 880-881.



Description	Model	P1 Paint List Price
42½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSF422424LFFM**	**$ 4350**
Wardrobe Right / File/File (shown)	**YPTSF422424RFFM**	**$ 4350**
Wardrobe Left / Box/Box/File	**YPTSF422424LBBFM**	**$ 4682**
Wardrobe Right / Box/Box/File	**YPTSF422424RBBFM**	**$ 4682**
50"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSF502424LFFM**	**$ 4481**
Wardrobe Right / File/File	**YPTSF502424RFFM**	**$ 4481**
Wardrobe Left / Box/Box/File	**YPTSF502424LBBFM**	**$ 4814**
Wardrobe Right / Box/Box/File (shown)	**YPTSF502424RBBFM**	**$ 4814**
57½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSF572424LFFM**	**$ 4619**
Wardrobe Right / File/File	**YPTSF572424RFFM**	**$ 4619**
Wardrobe Left / Box/Box/File	**YPTSF572424LBBFM**	**$ 4952**
Wardrobe Right / Box/Box/File (shown)	**YPTSF572424RBBFM**	**$ 4952**
65"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / File/File	**YPTSF652424LFFM**	**$ 4764**
Wardrobe Right / File/File (shown)	**YPTSF652424RFFM**	**$ 4764**
Wardrobe Left / Box/Box/File	**YPTSF652424LBBFM**	**$ 5097**
Wardrobe Right / Box/Box/File	**YPTSF652424RBBFM**	**$ 5097**

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify —

Select the Model Number from above.

Y P T S _ _ _ _ _ _ _ _ _ _ .

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

F

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P R 6 .

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square
- **I** Integral

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

7th Option:

Markerboard Front:

Offered on front panel of side access models only

- **MKB** Yes (+$122)
- **NA** No

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPTS652424RBBFM.TFPR6.APR0.PJW.NA.X**

Align™ Metal Storage

Front Access Towers

Laminate Fronts Footed

For specification information see pages 870 and 880-881.



Width	Model	P1 Paint List Price
42½"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTF422424LFFL**	$ 4543
Wardrobe Right / Door/File/File	**YPTF422424RFFL**	$ 4543
Wardrobe Left / Door/Box/Box/File	**YPTF422424LBBFL**	$ 4951
Wardrobe Right / Door/Box/Box/File (shown)	**YPTF422424RBBFL**	$ 4951
50"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF502424LFFL**	$ 4690
Wardrobe Right / Door/File/File	**YPTF502424RFFL**	$ 4690
Wardrobe Left / Door/Box/Box/File	**YPTF502424LBBFL**	$ 5098
Wardrobe Right / Door/Box/Box/File	**YPTF502424RBBFL**	$ 5098
57½"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTF572424LFFL**	$ 4847
Wardrobe Right / Door/File/File (shown)	**YPTF572424RFFL**	$ 4847
Wardrobe Left / Door/Box/Box/File	**YPTF572424LBBFL**	$ 5254
Wardrobe Right / Door/Box/Box/File	**YPTF572424RBBFL**	$ 5254
65"H Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTF652424LFFL**	$ 5003
Wardrobe Right / Door/File/File	**YPTF652424RFFL**	$ 5003
Wardrobe Left / Door/Box/Box/File (shown)	**YPTF652424LBBFL**	$ 5415
Wardrobe Right / Door/Box/Box/File	**YPTF652424RBBFL**	$ 5415

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify — Select the Model Number from above.	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Pull Option:**	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Paint Case:** P1 P2 P3	*6th Option:* **Laminate Fronts: Laminate & Edge:**	*7th Option:* **Lock:**	*8th Option:* **Digital Lock Color** *(if applicable)*:
Y P T F _ _ _ _ _ .	**TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**A** Arch **M** Beam **O** Halo **S** Square	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	See page 866 for finishes. P2 upcharge $122 P3 upcharge $242	See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel
	F	**P R 6** .			**P** _ _ .	_ _ _ .		


Example: **YPTF652424RBBFL.ZFPR6.APR0.PJW.LVT1VT.L**

Align™ Metal Storage

Side Access Towers

Laminate Fronts Footed

For specification information see pages 870 and 880-881.



Width	Model	P1 Paint List Price
42½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSF422424LFFL**	$ 4949
Wardrobe Right / File/File (shown)	**YPTSF422424RFFL**	$ 4949
Wardrobe Left / Box/Box/File	**YPTSF422424LBBFL**	$ 5360
Wardrobe Right / Box/Box/File	**YPTSF422424RBBFL**	$ 5360
50"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSF502424LFFL**	$ 5111
Wardrobe Right / File/File	**YPTSF502424RFFL**	$ 5111
Wardrobe Left / Box/Box/File	**YPTSF502424LBBFL**	$ 5520
Wardrobe Right / Box/Box/File (shown)	**YPTSF502424RBBFL**	$ 5520
57½"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSF572424LFFL**	$ 5280
Wardrobe Right / File/File	**YPTSF572424RFFL**	$ 5280
Wardrobe Left / Box/Box/File	**YPTSF572424LBBFL**	$ 5688
Wardrobe Right / Box/Box/File (shown)	**YPTSF572424RBBFL**	$ 5688
65"H Side Access Personal Towers — 24"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / File/File	**YPTSF652424LFFL**	$ 5456
Wardrobe Right / File/File (shown)	**YPTSF652424RFFL**	$ 5456
Wardrobe Left / Box/Box/File	**YPTSF652424LBBFL**	$ 5863
Wardrobe Right / Box/Box/File	**YPTSF652424RBBFL**	$ 5863

Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Pull Option:**	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Paint Case:** P1 P2 P3	*6th Option:* **Laminate Fronts: Laminate & Edge:**	*7th Option:* **Lock:**	*8th Option:* **Digital Lock Color** *(if applicable)*:
Y P T S _ _ _ _ _ .	**TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**A** Arch **M** Beam **O** Halo **S** Square	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	See page 866 for finishes. P2 upcharge $122 P3 upcharge $242	See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock) **E** Digital Lock (Add $453 per lock) See page 927 for specification information.	**BNL** Brushed Nickel
_ _ _ _ _ .	**F**	**P R 6** .	_	_ _ _ .	**P** _ _ .	_ _ _ .	_	_ _ _


Example: **YPTS652424RBBFL.ZFPR6.APR0.PJW.LVT1VT.L**

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Metal Fronts with Plinth Base



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP421824LFFM**	**$ 3454**
Wardrobe Right / Door/File/File	**YPTP421824RFFM**	**$ 3454**
50"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTP501824LFFM**	**$ 3564**
Wardrobe Right / Door/File/File	**YPTP501824RFFM**	**$ 3564**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP571824LFFM**	**$ 3679**
Wardrobe Right / Door/File/File (shown)	**YPTP571824RFFM**	**$ 3679**
65"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTP651824LFFM**	**$ 3795**
Wardrobe Right / Door/File/File (shown)	**YPTP651824RFFM**	**$ 3795**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSP421824LFFM**	**$ 3756**
Wardrobe Right / Door/File/File (shown)	**YPTSP421824RFFM**	**$ 3756**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSP501824LFFM**	**$ 3877**
Wardrobe Right / Door/File/File (shown)	**YPTSP501824RFFM**	**$ 3877**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSP571824LFFM**	**$ 4004**
Wardrobe Right / Door/File/File (shown)	**YPTSP571824RFFM**	**$ 4004**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSP651824LFFM**	**$ 4136**
Wardrobe Right / Door/File/File (shown)	**YPTSP651824RFFM**	**$ 4136**

How to specify — **Select the Model Number from above.**

Y P T _ _ _ _ _ _ _ _ _ _ . **B** _ . _ _ _ . _ _ _ . **P** _ _ . **N A** . _ _ _ . _ . _ _ _

1st Option: **Base Option** *(if applicable)*:
- **BK** Flush Kickplate
- **BX** Recessed Kickplate

2nd Option: **Pull Option:**
- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square

3rd Option: **Pull Color** *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

4th Option: **Paint Case:**

P1 P2 P3

See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

5th Option: **Paint Fronts:**
- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

6th Option: **Markerboard Front:**

Offered on front panel of side access models only
- **MKB** Yes (+$122)
- **NA** No

7th Option: **Lock:**
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

8th Option: **Digital Lock Color** *(if applicable)*:
- **BNL** Brushed Nickel


Example: **YPTP651824RFFM.BK.APR0.PJW.NA.L**

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Laminate Fronts with Plinth Base



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP421824LFFL**	**$ 3910**
Wardrobe Right / Door/File/File	**YPTP421824RFFL**	**$ 3910**
50"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTP501824LFFL**	**$ 4048**
Wardrobe Right / Door/File/File	**YPTP501824RFFL**	**$ 4048**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTP571824LFFL**	**$ 4189**
Wardrobe Right / Door/File/File (shown)	**YPTP571824RFFL**	**$ 4189**
65"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTP651824LFFL**	**$ 4336**
Wardrobe Right / Door/File/File (shown)	**YPTP651824RFFL**	**$ 4336**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSP421824LFFL**	**$ 4282**
Wardrobe Right / Door/File/File (shown)	**YPTSP421824RFFL**	**$ 4282**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSP501824LFFL**	**$ 4434**
Wardrobe Right / Door/File/File (shown)	**YPTSP501824RFFL**	**$ 4434**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSP571824LFFL**	**$ 4588**
Wardrobe Right / Door/File/File (shown)	**YPTSP571824RFFL**	**$ 4588**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSP651824LFFL**	**$ 4751**
Wardrobe Right / Door/File/File (shown)	**YPTSP651824RFFL**	**$ 4751**

How to specify —
Select the Model Number from above.

Y P T _ _ _ _ _ _ _ _ _ . _ _ _ _ _

1st Option:
Base Option *(if applicable)*:
- **BK** Flush Kickplate
- **BX** Recessed Kickplate

B _ _ .

2nd Option:
Pull Option:
- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

_ .

3rd Option:
Pull Color *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

4th Option:
Paint Case:
P1 P2 P3
See page 866 for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

5th Option:
Laminate Fronts: Laminate & Edge:
See page 866 for finishes.
L2 upcharge $182
L3 upcharge $362

_ _ _ _ _ _ .

6th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

7th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel

_ _ _


Example: **YPTP651824RFFL.BK.APR0.PJW.LVT1VT.L**

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Metal Fronts Footed



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF421824LFFM**	**$ 3757**
Wardrobe Right / Door/File/File	**YPTF421824RFFM**	**$ 3757**
50"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF501824LFFM**	**$ 3868**
Wardrobe Right / Door/File/File (shown)	**YPTF501824RFFM**	**$ 3868**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF571824LFFM**	**$ 3981**
Wardrobe Right / Door/File/File (shown)	**YPTF571824RFFM**	**$ 3981**
65"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTF651824LFFM**	**$ 4104**
Wardrobe Right / Door/File/File (shown)	**YPTF651824RFFM**	**$ 4104**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSF421824LFFM**	**$ 4064**
Wardrobe Right / Door/File/File (shown)	**YPTSF421824RFFM**	**$ 4064**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSF501824LFFM**	**$ 4182**
Wardrobe Right / Door/File/File (shown)	**YPTSF501824RFFM**	**$ 4182**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSF571824LFFM**	**$ 4311**
Wardrobe Right / Door/File/File (shown)	**YPTSF571824RFFM**	**$ 4311**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSF651824LFFM**	**$ 4442**
Wardrobe Right / Door/File/File (shown)	**YPTSF651824RFFM**	**$ 4442**

How to specify —

Select the Model Number from above.

Y P T _ _ _ _ _ _ _ .

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

F

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

P R 6 .

3rd Option:

Pull Option:

- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square

_

4th Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver

P2 upcharge +$19/pull

- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

Continued below ▼

5th Option:

Paint Case:

P1 P2 P3

See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

6th Option:

Paint Fronts:

- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

7th Option:

Markerboard Front:

Offered on front panel of side access models only

- **MKB** Yes (+$122)
- **NA** No

_ _ _ .

8th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

9th Option:

Digital Lock Color *(if applicable)*:

- **BNL** Brushed Nickel

_ _ _


Example: **YPTF651824RFFM.TFPR6.APR0.PJW.NA.L**

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Laminate Fronts Footed



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF421824LFFL**	**$ 4218**
Wardrobe Right / Door/File/File	**YPTF421824RFFL**	**$ 4218**
50"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF501824LFFL**	**$ 4353**
Wardrobe Right / Door/File/File (shown)	**YPTF501824RFFL**	**$ 4353**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTF571824LFFL**	**$ 4493**
Wardrobe Right / Door/File/File (shown)	**YPTF571824RFFL**	**$ 4493**
65"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTF651824LFFL**	**$ 4641**
Wardrobe Right / Door/File/File (shown)	**YPTF651824RFFL**	**$ 4641**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSF421824LFFL**	**$ 4588**
Wardrobe Right / Door/File/File (shown)	**YPTSF421824RFFL**	**$ 4588**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSF501824LFFL**	**$ 4739**
Wardrobe Right / Door/File/File (shown)	**YPTSF501824RFFL**	**$ 4739**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSF571824LFFL**	**$ 4892**
Wardrobe Right / Door/File/File (shown)	**YPTSF571824RFFL**	**$ 4892**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSF651824LFFL**	**$ 5056**
Wardrobe Right / Door/File/File (shown)	**YPTSF651824RFFL**	**$ 5056**

How to specify —

Select the Model Number from above.

Y P T _ _ _ _ _ _ _ _ _ _ _ . _ **F** **P R 6** . _ _ _ _ . **P** _ _ . _ _ _ . _ _ _

Example: **YPTF651824RFFL.ZFPR6.APR0.PJW.LVT1VT.L**

1st Option:

Base Option:

- **TF** Terrace Foot
- **ZF** Stride Foot (+$92)
- **PF** Pier Foot (+$140)

2nd Option:

Foot Finish:

Terrace, Stride
- **PR6** Silver

Pier
- **PR6** Silver
- **P8X** Solar Black
- **PJE** Pyrite (+$98)
- **P02** Flint (+$98)
- **P7B** Loft
- **PJW** Designer White

3rd Option:

Pull Option:

- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

2nd Option:

Pull Color *(if applicable)*:

- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.
P2 upcharge $122
P3 upcharge $242

6th Option:

Laminate Fronts: Laminate & Edge:

See page 866 for finishes.
L2 upcharge $182
L3 upcharge $362

7th Option:

Lock:

- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

8th Option:

Digital Lock Color *(if applicable)*:


- **BNL** Brushed Nickel

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Metal Fronts with Casters



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTM421824LFFM**	**$ 3744**
Wardrobe Right / Door/File/File (shown)	**YPTM421824RFFM**	**$ 3744**
50"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTM501824LFFM**	**$ 3854**
Wardrobe Right / Door/File/File (shown)	**YPTM501824RFFM**	**$ 3854**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTM571824LFFM**	**$ 3969**
Wardrobe Right / Door/File/File (shown)	**YPTM571824RFFM**	**$ 3969**
65"H Personal Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTM651824LFFM**	**$ 4086**
Wardrobe Right / Door/File/File (shown)	**YPTM651824RFFM**	**$ 4086**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTSM421824LFFM**	**$ 4351**
Wardrobe Right / Door/File/File	**YPTSM421824RFFM**	**$ 4351**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSM501824LFFM**	**$ 4475**
Wardrobe Right / Door/File/File (shown)	**YPTSM501824RFFM**	**$ 4475**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTSM571824LFFM**	**$ 4601**
Wardrobe Right / Door/File/File	**YPTSM571824RFFM**	**$ 4601**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Metal Fronts		
Wardrobe Left / Door/File/File	**YPTSM651824LFFM**	**$ 4731**
Wardrobe Right / Door/File/File (shown)	**YPTSM651824RFFM**	**$ 4731**

How to specify —
Select the Model Number from above.

Y P T _ _
_ _ _ _ _
_ _ _ _ .

1st Option:
Pull Option:
- **A** Arch
- **B** Bevel
- **M** Beam
- **O** Halo
- **S** Square

_

2nd Option:
Pull Color *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ _ .

3rd Option:
Paint Case:
P1 P2 P3
See inside front cover for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

4th Option:
Paint Fronts:
- **NA** Match Case
- **P1** $273
- **P2** $356
- **P3** $435

N A .

5th Option:
Markerboard Front:
Offered on front panel/ door
- **MKB** Yes (+$122)
- **NA** No

_ _ _ .

6th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

7th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel

_ _ _


Example: **YPTM651824RFFM.APR0.PJW.NA.L**

Align™ Metal Storage

18"W Front and Side Access Towers

For specification information see pages 870 and 880-881.

Laminate Fronts with Casters



Description	Model	P1 Paint List Price
42½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTM421824LFFL**	**$ 4203**
Wardrobe Right / Door/File/File (shown)	**YPTM421824RFFL**	**$ 4203**
50"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTM501824LFFL**	**$ 4338**
Wardrobe Right / Door/File/File (shown)	**YPTM501824RFFL**	**$ 4338**
57½"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTM571824LFFL**	**$ 4479**
Wardrobe Right / Door/File/File (shown)	**YPTM571824RFFL**	**$ 4479**
65"H Personal Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTM651824LFFL**	**$ 4625**
Wardrobe Right / Door/File/File (shown)	**YPTM651824RFFL**	**$ 4625**
42½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTSM421824LFFL**	**$ 4878**
Wardrobe Right / Door/File/File	**YPTSM421824RFFL**	**$ 4878**
50"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSM501824LFFL**	**$ 5029**
Wardrobe Right / Door/File/File (shown)	**YPTSM501824RFFL**	**$ 5029**
57½"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File (shown)	**YPTSM571824LFFL**	**$ 5183**
Wardrobe Right / Door/File/File	**YPTSM571824RFFL**	**$ 5183**
65"H Side Access Tower — 18"W x 24"D – Metal Case/Laminate Fronts		
Wardrobe Left / Door/File/File	**YPTSM651824LFFL**	**$ 5346**
Wardrobe Right / Door/File/File (shown)	**YPTSM651824RFFL**	**$ 5346**

How to specify —
Select the Model Number from above.

Y P T _ _ _ _ _ _ _ _ _ . _

1st Option:
Pull Option:
- **A** Arch
- **M** Beam
- **O** Halo
- **S** Square

2nd Option:
Pull Color *(if applicable)*:
- **M** Beam / **O** Halo
  - **PJW** Designer White
  - **PR6** Silver
  - **PJE** Pyrite
  - **P8X** Solar Black
- **AP** Arch
  - **PR0** Anodized Silver
- **SP** Square
  - **PJW** Designer White
  - **EL** Matte Silver
  - **P02** Flint
  - **P7B** Loft
  - **PJE** Pyrite
  - **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

3rd Option:
Paint Case:
P1 P2 P3
See page 866 for finishes.
P2 upcharge $122
P3 upcharge $242

P _ _ .

4th Option:
Laminate Fronts: Laminate & Edge:
See page 866 for finishes.
L2 upcharge $182
L3 upcharge $362

_ _ _ _ _ _ .

5th Option:
Lock:
- **L** Standard Lock
- **X** Omit Lock Core (Deduct $20 per lock)
- **E** Digital Lock (Add $453 per lock)

See page 927 for specification information.

_

6th Option:
Digital Lock Color *(if applicable)*:
- **BNL** Brushed Nickel

_ _ _

Example: **YPTM651824RFFL.APR0.PJW.LVT1VT.L**


ALIGN

Align™ Metal Storage

12"W Wardrobe / Lockers and Accessories

For specification information see pages 870 and 882.

Metal Fronts with Plinth Base



Description	Model	P1 Paint List Price
42½"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front		
18"D Wardrobe Hinges on Left	**YPWP421218LM**	**$ 2368**
18"D Wardrobe Hinges on Right	**YPWP421218RM**	**$ 2368**
24"D Wardrobe Hinges on Left	**YPWP421224LM**	**$ 2537**
24"D Wardrobe Hinges on Right (shown)	**YPWP421224RM**	**$ 2537**
50"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front		
18"D Wardrobe Hinges on Left	**YPWP501218LM**	**$ 2620**
18"D Wardrobe Hinges on Right	**YPWP501218RM**	**$ 2620**
24"D Wardrobe Hinges on Left	**YPWP501224LM**	**$ 2956**
24"D Wardrobe Hinges on Right	**YPWP501224RM**	**$ 2956**
65"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front/Plinth Base		
18"D Wardrobe Hinges on Left	**YPWP651218LM**	**$ 2869**
18"D Wardrobe Hinges on Right	**YPWP651218RM**	**$ 2869**
24"D Wardrobe Hinges on Left	**YPWP651224LM**	**$ 3206**
24"D Wardrobe Hinges on Right	**YPWP651224RM**	**$ 3206**

Note: To order Align wardrobes or lockers with a digital lock option, add suffix "E" to base model number.

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — **Select the Model Number from above.**	*1st Option:* **Base Option** *(if applicable)*:	*2nd Option:* **Pull Option:**	*3rd Option:* **Pull Color** *(if applicable)*:	*4th Option:* **Paint Case:**	*5th Option:* **Paint Fronts:**	*6th Option:* **Lock:**
	BK Flush Kickplate **BX** Recessed Kickplate	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral **Pull Option (Digital Lock):** **E** Keypad (+$513) **D** RFID (+$634)	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	P1 P2 P3 See inside front cover for finishes. P2 upcharge $57 P3 upcharge $122	**NA** Match Case **P1** $273 **P2** $356 **P3** $435	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
YPW _ _ _ _ _ _ .	**B** _ .	_	_ _ _ .	**P** _ _ .	**NA** .	_


Example: **YPWP421218RME.BX.E.PJW.NA**

Align™ Metal Storage


12"W Wardrobe / Lockers and Accessories

For specification information see pages 870 and 882.

Metal Fronts Footed



Description	Model	P1 Paint List Price
42½"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front		
18"D Wardrobe Hinges on Left	**YPWF421218LM**	**$ 2660**
18"D Wardrobe Hinges on Right	**YPWF421218RM**	**$ 2660**
24"D Wardrobe Hinges on Left	**YPWF421224LM**	**$ 2830**
24"D Wardrobe Hinges on Right (shown)	**YPWF421224RM**	**$ 2830**
50"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front		
18"D Wardrobe Hinges on Left	**YPWF501218LM**	**$ 2911**
18"D Wardrobe Hinges on Right	**YPWF501218RM**	**$ 2911**
24"D Wardrobe Hinges on Left	**YPWF501224LM**	**$ 3248**
24"D Wardrobe Hinges on Right	**YPWF501224RM**	**$ 3248**
65"H Wardrobe / Lockers — 12"W – Metal Case/Metal Front/Footed Base		
18"D Wardrobe Hinges on Left	**YPWF651218LM**	**$ 3163**
18"D Wardrobe Hinges on Right	**YPWF651218RM**	**$ 3163**
24"D Wardrobe Hinges on Left	**YPWF651224LM**	**$ 3499**
24"D Wardrobe Hinges on Right	**YPWF651224RM**	**$ 3499**



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Accessories for 12"W Wardrobe / Lockers				
18"D Wardrobe Tower to Worksurface Bracket	**YPWTAWSBKT18**	**$ 118**	**$ 132**	**$ 138**
24"D Wardrobe Tower to Worksurface Bracket	**YPWTAWSBKT24**	**$ 122**	**$ 136**	**$ 142**
Panel Mounting Bracket — Left-Hand	**AP22PBKLH**	**$ 187**	**$ 207**	**$ 225**
Panel Mounting Bracket — Right-Hand	**AP22PBKRH**	**$ 187**	**$ 207**	**$ 225**

Note: To order Align wardrobes or lockers with a digital lock option, add suffix "E" to base model number.

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — Select the Model Number from above.	*1st Option:* **Base Option:**	*2nd Option:* **Foot Finish:**	*3rd Option:* **Pull Option (Standard Lock):**	*4th Option:* **Pull Color** *(if applicable)*:	*5th Option:* **Paint Case:**	*6th Option:* **Paint Fronts:**	*7th Option:* **Lock:**
Y P W _ _ _ _ _ _ _ _ .	**TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140) F	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White P R 6 .	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral **Pull Option (Digital Lock):** **E** Keypad (+$513) **D** RFID (+$634)	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	P1 P2 P3 See inside front cover for finishes. P2 upcharge $57 P3 upcharge $122 P .	**NA** Match Case **P1** $273 **P2** $356 **P3** $435 N A .	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)


Example: **YPWF421218RM.TFPR6.APR0.PJW.NA.L**

Align™ Metal Storage


12"W Wardrobe / Single Lockers

For specification information see pages 870 and 882.

Laminate Fronts with Plinth Base or Footed



Width	Model	P1 Paint List Price
42½" H Wardrobe / Locker — 12"W – Metal Case/Laminate Front/Recessed Base		
18"D Hinges on Left	**YPWP421218LL**	**$ 2461**
18"D Hinges on Right	**YPWP421218RL**	**$ 2461**
24"D Hinges on Left	**YPWP421224LL**	**$ 2659**
24"D Hinges on Right (shown)	**YPWP421224RL**	**$ 2659**
50" H Wardrobe / Locker — 12"W – Metal Case/Laminate Front/Recessed Base		
18"D Hinges on Left	**YPWP501218LL**	**$ 2758**
18"D Hinges on Right	**YPWP501218RL**	**$ 2758**
24"D Hinges on Left	**YPWP501224LL**	**$ 3152**
24"D Hinges on Right	**YPWP501224RL**	**$ 3152**
65"H Wardrobe / Lockers — 12"W – Metal Case/Laminate Front/Plinth Base		
18"D Wardrobe Hinges on Left	**YPWP651218LL**	**$ 3051**
18"D Wardrobe Hinges on Right	**YPWP651218RL**	**$ 3051**
24"D Wardrobe Hinges on Left	**YPWP651224LL**	**$ 3446**
24"D Wardrobe Hinges on Right	**YPWP651224RL**	**$ 3446**



Width	Model	P1 Paint List Price
42½" H Wardrobe / Locker — 12"W – Metal Case/Laminate Front/Recessed Base		
18"D Hinges on Left	**YPWF421218LL**	**$ 2807**
18"D Hinges on Right	**YPWF421218RL**	**$ 2807**
24"D Hinges on Left	**YPWF421224LL**	**$ 3005**
24"D Hinges on Right (shown)	**YPWF421224RL**	**$ 3005**
50" H Wardrobe / Locker — 12"W – Metal Case/Laminate Front/Recessed Base		
18"D Hinges on Left	**YPWF501218LL**	**$ 3103**
18"D Hinges on Right	**YPWF501218RL**	**$ 3103**
24"D Hinges on Left	**YPWF501224LL**	**$ 3496**
24"D Hinges on Right	**YPWF501224RL**	**$ 3496**
65"H Wardrobe / Lockers — 12"W – Metal Case/Laminate Front/Footed Base		
18"D Wardrobe Hinges on Left	**YPWF651218LL**	**$ 3397**
18"D Wardrobe Hinges on Right	**YPWF651218RL**	**$ 3397**
24"D Wardrobe Hinges on Left	**YPWF651224LL**	**$ 3792**
24"D Wardrobe Hinges on Right	**YPWF651224RL**	**$ 3792**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify —

Select the Model Number from above.

Y P W _ _ _ _ . _ _ **P R 6** . _ _ _ _ _ . **P** _ _ . _ _ _ _ _ _ . _

1st Option:

Plinth Base Options *(if applicable)*:

BX Recessed Kickplate

Footed Base Options:

TF Terrace Foot

ZF Stride Foot (+$92)

PF Pier Foot (+$140)

2nd Option:

Foot Finish:

Terrace, Stride

PR6 Silver

Pier

PR6 Silver

P8X Solar Black

PJE Pyrite (+$98)

P02 Flint (+$98)

P7B Loft

PJW Designer White

3rd Option:

Pull Option (Standard Lock):

A Arch

M Beam

O Halo

S Square

Pull Option (Digital Lock):

E Keypad (+$513)

D RFID (+$634)

4th Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo

PJW Designer White

PR6 Silver

PJE Pyrite

P8X Solar Black

AP Arch

PR0 Anodized Silver

SP Square

PJW Designer White

EL Matte Silver

P02 Flint

P7B Loft

PJE Pyrite

P8X Solar Black

P2 upcharge +$19/pull

5th Option:

Paint Case:

P1 P2 P3

See page 866 for finishes.

P2 upcharge $57

P3 upcharge $122

6th Option:

Laminate Fronts: Laminate & Edge:

See page 866 for finishes.

L2 upcharge $182

L3 upcharge $362

7th Option:

Lock:

L Standard Lock

X Omit Lock Core (Deduct $20 per lock)

Example: **YPWP421218RL.BX.APR0.PJW.LVT1VT.X**

Align™ Metal Storage


12"W Double Lockers


For specification information see pages 870 and 882.

Metal Fronts with Plinth Base or Footed



Description	Model	P1 Paint List Price
65"H Double Locker — 12"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPDLP651218LM**	**$ 3247**
18"D Hinges on Right (shown)	**YPDLP651218RM**	**$ 3247**





Description	Model	P1 Paint List Price
42½" H Double Locker — 12"W – Metal Case/Metal Fronts/Footed Base		
18"D Hinges on Left	**YPDLF421218LM**	**$ 2875**
18"D Hinges on Right (shown)	**YPDLF421218RM**	**$ 2875**
65"H Double Locker — 12"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPDLF651218LM**	**$ 3535**
18"D Hinges on Right (shown)	**YPDLF651218RM**	**$ 3535**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — Select the Model Number from above.	*1st Option:* **Plinth Base Options** *(if applicable)*: **BK** Flush Kickplate; **BX** Recessed Kickplate. **Footed Base Options:** **TF** Terrace Foot; **ZF** Stride Foot (+$92); **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver. **Pier** **PR6** Silver; **P8X** Solar Black; **PJE** Pyrite (+$98); **P02** Flint (+$98); **P7B** Loft; **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch; **B** Bevel; **M** Beam; **O** Halo; **S** Square; **I** Integral. **Pull Option (Digital Lock):** **E** Keypad (+$513 per door); **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo: **PJW** Designer White; **PR6** Silver; **PJE** Pyrite; **P8X** Solar Black. **AP** Arch: **PR0** Anodized Silver. **SP** Square: **PJW** Designer White; **EL** Matte Silver; **P02** Flint; **P7B** Loft; **PJE** Pyrite; **P8X** Solar Black. P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3. See page 866 for finishes. P2 upcharge $92. P3 upcharge $206	*6th Option:* **Paint Fronts:** **NA** Match Case; **P1** $273; **P2** $356; **P3** $435	*7th Option:* **Lock:** **L** Standard Lock; **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ .		**P R 6** .		_ _ _ .	**P** _ _ .	**N A** .	


Example: **YPDLP651218LM.BX.E.PJW.NA**

Align™ Metal Storage


12"W Double Lockers

For specification information see pages 870 and 882.

Laminate Fronts with Plinth Base or Footed



Width	Model	P1 Paint List Price
42½" H Double Locker — 12"W – Metal Case/Laminate Fronts/Plinth Base		
18"D Hinges on Left	**YPDLP421218LL**	**$ 2719**
18"D Hinges on Right (shown)	**YPDLP421218RL**	**$ 2719**
65"H Double Locker — 12"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPDLP651218LL**	**$ 3492**
18"D Hinges on Right (shown)	**YPDLP651218RL**	**$ 3492**



Width	Model	P1 Paint List Price
42½" H Double Locker — 12"W – Metal Case/Laminate Fronts/Footed Base		
18"D Hinges on Left	**YPDLF421218LL**	**$ 3059**
18"D Hinges on Right (shown)	**YPDLF421218RL**	**$ 3059**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — **Select the Model Number from above.**	*1st Option:* **Plinth Base Options** *(if applicable)*: **BX** Recessed Kickplate **Footed Base Options:** **TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch **M** Beam **O** Halo **S** Square **Pull Option (Digital Lock):** **E** Keypad (+$513 per door) **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3 See page 866 for finishes. P2 upcharge $92 P3 upcharge $206	*6th Option:* **Laminate Fronts: Laminate & Edge:** See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	*7th Option:* **Lock:** **L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ _ _ _ _ _ _ .		**P R 6** .		.	**P** _ _ .	.	


Example: **YPDLP651218LL.BX.APR0.PJW.LVT1VT.X**

Align™ Metal Storage


24"W Quad Lockers

For specification information see pages 870 and 882.

Metal Fronts with Plinth Base or Footed



Description	Model	P1 Paint List Price
42½" H Quad Locker — 24"W – Metal Case/Metal Fronts/Plinth Base		
18"D Hinges on Left	**YPQLP422418LM**	**$ 3906**
18"D Hinges on Right (shown)	**YPQLP422418RM**	**$ 3906**
65"H Quad Locker — 24"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPQLP652418LM**	**$ 4402**
18"D Hinges on Right (shown)	**YPQLP652418RM**	**$ 4402**



Description	Model	P1 Paint List Price
42½"H Quad Locker — 24"W – Metal Case/Metal Fronts/Footed Base		
18"D Hinges on Left	**YPQLF422418LM**	**$ 4197**
18"D Hinges on Right (shown)	**YPQLF422418RM**	**$ 4197**
65"H Quad Locker — 24"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPQLF652418LM**	**$ 4691**
18"D Hinges on Right (shown)	**YPQLF652418RM**	**$ 4691**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — Select the Model Number from above.	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*	*5th Option:*	*6th Option:*	*7th Option:*
Y P	**Plinth Base Options** *(if applicable)*: **BK** Flush Kickplate **BX** Recessed Kickplate **Footed Base Options:** **TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Foot Finish:** **Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**Pull Option (Standard Lock):** **A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral **Pull Option (Digital Lock):** **E** Keypad (+$513 per door) **D** RFID (+$634 per door)	**Pull Color** *(if applicable)*: **M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	**Paint Case:** P1 P2 P3 See page 866 for finishes. P2 upcharge $122 P3 upcharge $273	**Paint Fronts:** **NA** Match Case **P1** $273 **P2** $356 **P3** $435	**Lock:** **L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
.		P R 6 .		.	P .	N A .	


Example: **YPQLP422418RM.BK.APR0.PJW.NA.L**

Align™ Metal Storage


24"W Quad Lockers

For specification information see pages 870 and 882.

Laminate Fronts with Plinth Base or Footed



Width	Model	P1 Paint List Price
42½"H Quad Locker — 24"W – Metal Case/Laminate Fronts/Plinth Base		
18"D Hinges on Left	**YPQLP422418LL**	**$ 4271**
18"D Hinges on Right (shown)	**YPQLP422418RL**	**$ 4271**
65"H Quad Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPQLP652418LL**	**$ 4852**
18"D Hinges on Right (shown)	**YPQLP652418RL**	**$ 4852**



Width	Model	P1 Paint List Price
42½"H Quad Locker — 24"W – Metal Case/Laminate Fronts/Footed Base		
18"D Hinges on Left	**YPQLF422418LL**	**$ 4610**
18"D Hinges on Right (shown)	**YPQLF422418RL**	**$ 4610**
65"H Quad Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPQLF652418LL**	**$ 5192**
18"D Hinges on Right (shown)	**YPQLF652418RL**	**$ 5192**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — **Select the Model Number from above.**	*1st Option:* **Plinth Base Options** *(if applicable)*: **BX** Recessed Kickplate **Footed Base Options:** **TF** Terrace Foot, **ZF** Stride Foot (+$92), **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver, **P8X** Solar Black, **PJE** Pyrite (+$98), **P02** Flint (+$98), **P7B** Loft, **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch, **M** Beam, **O** Halo, **S** Square **Pull Option (Digital Lock):** **E** Keypad (+$513 per door), **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo **PJW** Designer White, **PR6** Silver, **PJE** Pyrite, **P8X** Solar Black; **AP** Arch **PR0** Anodized Silver; **SP** Square **PJW** Designer White, **EL** Matte Silver, **P02** Flint, **P7B** Loft, **PJE** Pyrite, **P8X** Solar Black P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3 See page 866 for finishes. P2 upcharge $122 P3 upcharge $273	*6th Option:* **Laminate Fronts: Laminate & Edge:** See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	*7th Option:* **Lock:** **L** Standard Lock, **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ _ _ _ _ _ _ _ .	_ _	**P R 6** .	_	_ _ _ .	**P** _ _ .	_ _ .	_


Example: **YPQLP652418LL.BX.APR0.PJW.LVT1VT.X**

Align™ Metal Storage


12"W Cubby Lockers

For specification information see pages 870 and 882.

Metal Fronts with Plinth Base or Footed







Description	Model Numbers	P1 Paint List Price
50"H Cubby Locker — 12"W – Metal Case/Metal Fronts/Plinth Base		
18"D Hinges on Left	**YPCLP501218LM**	**$ 2671**
18"D Hinges on Right	**YPCLP501218RM**	**$ 2671**
50"H Cubby Locker — 12"W – Metal Case/Metal Fronts/Footed Base		
18"D Hinges on Left	**YPCLF501218LM**	**$ 2958**
18"D Hinges on Right	**YPCLF501218RM**	**$ 2958**
65"H Cubby Locker — 12"W – Metal Case/Metal Fronts/Footed Base		
18"D Hinges on Left	**YPCLF651218LM**	**$ 3454**
18"D Hinges on Right	**YPCLF651218RM**	**$ 3454**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — Select the Model Number from above.	*1st Option:* **Plinth Base Options** *(if applicable)*: **BK** Flush Kickplate; **BX** Recessed Kickplate. **Footed Base Options:** **TF** Terrace Foot; **ZF** Stride Foot (+$92); **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver. **Pier** **PR6** Silver; **P8X** Solar Black; **PJE** Pyrite (+$98); **P02** Flint (+$98); **P7B** Loft; **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch; **B** Bevel; **M** Beam; **O** Halo; **S** Square; **I** Integral. **Pull Option (Digital Lock):** **E** Keypad (+$513 per door); **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo: **PJW** Designer White; **PR6** Silver; **PJE** Pyrite; **P8X** Solar Black. **AP** Arch: **PR0** Anodized Silver. **SP** Square: **PJW** Designer White; **EL** Matte Silver; **P02** Flint; **P7B** Loft; **PJE** Pyrite; **P8X** Solar Black. P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3. See page 866 for finishes. P2 upcharge $122. P3 upcharge $273	*6th Option:* **Paint Fronts:** **NA** Match Case; **P1** $273; **P2** $356; **P3** $435	*7th Option:* **Lock:** **L** Standard Lock; **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ _ _ _ _ .	_ _	P R 6 .	_	_ _ _ .	P _ _ .	N A .	_


Example: **YPCLP501218LM.BX.APR0.PJW.NA.X**


Align™ Metal Storage


12"W Cubby Lockers

For specification information see pages 870 and 882.

Laminate Fronts with Plinth Base or Footed









Width	Model Numbers	P1 Paint List Price
50"H Cubby Locker — 12"W – Metal Case/Laminate Fronts/Plinth Base		
18"D Hinges on Left	**YPCLP501218LL**	**$ 2815**
18"D Hinges on Right	**YPCLP501218RL**	**$ 2815**
50"H Cubby Locker — 12"W – Metal Case/Laminate Fronts/Footed Base		
18"D Hinges on Left	**YPCLF501218LL**	**$ 3155**
18"D Hinges on Right	**YPCLF501218RL**	**$ 3155**
65"H Cubby Locker — 12"W – Metal Case/Laminate Fronts/Plinth Base		
18"D Hinges on Left	**YPCLP651218LL**	**$ 3396**
18"D Hinges on Right	**YPCLP651218RL**	**$ 3396**
65"H Cubby Locker — 12"W – Metal Case/Laminate Fronts/Footed Base		
18"D Hinges on Left	**YPCLF651218LL**	**$ 3736**
18"D Hinges on Right	**YPCLF651218RL**	**$ 3736**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — **Select the Model Number from above.**	*1st Option:* **Plinth Base Options** *(if applicable)*: **BX** Recessed Kickplate **Footed Base Options:** **TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch **M** Beam **O** Halo **S** Square **Pull Option (Digital Lock):** **E** Keypad (+$513 per door) **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3 See page 866 for finishes. P2 upcharge $122 P3 upcharge $273	*6th Option:* **Laminate Fronts: Laminate & Edge:** See page 866 for finishes. L2 upcharge$182 L3 upcharge $362	*7th Option:* **Lock:** **L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ _ _ _ _ .		**P R 6** .			**P** _ _ .	_ _ .	


Example: **YPCLP501218LL.BX.APR0.PJW.LVT1VT.X**

Align™ Metal Storage


24"W Cubby Lockers

For specification information see pages 870 and 882.

Metal Fronts with Plinth Base or Footed



Description	Model	P1 Paint List Price
65"H Cubby Locker — 24"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPCLP652418LM**	**$ 5393**
18"D Hinges on Right (shown)	**YPCLP652418RM**	**$ 5393**



Description	Model	P1 Paint List Price
50"H Cubby Locker — 24"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPCLF502418LM**	**$ 4858**
18"D Hinges on Right (shown)	**YPCLF502418RM**	**$ 4858**
65"H Cubby Locker — 24"W – Metal Case/Metal Fronts		
18"D Hinges on Left	**YPCLF652418LM**	**$ 5684**
18"D Hinges on Right (shown)	**YPCLF652418RM**	**$ 5684**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — Select the Model Number from above.	*1st Option:* Plinth Base Options *(if applicable)*: / Footed Base Options:	*2nd Option:* Foot Finish:	*3rd Option:* Pull Option (Standard Lock):	*4th Option:* Pull Color *(if applicable)*:	*5th Option:* Paint Case:	*6th Option:* Paint Fronts:	*7th Option:* Lock:
Y P _ _ . _ _ _ _ . _ _ _ _ . _ _	**BK** Flush Kickplate **BX** Recessed Kickplate **TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	**Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	**A** Arch **B** Bevel **M** Beam **O** Halo **S** Square **I** Integral **Pull Option (Digital Lock):** **E** Keypad (+$513 per door) **D** RFID (+$634 per door)	**M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	P1 P2 P3 See page 866 for finishes. P2 upcharge $122 P3 upcharge $273	**NA** Match Case **P1** $273 **P2** $356 **P3** $435	**L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
	_ _	P R 6 .	_	_ _ _ .	P _ _ .	N A .	_


Example: **YPCLP652418LM.BX.APR0.PJW.NA.X**

Align™ Metal Storage


24"W Cubby Lockers

For specification information see pages 870 and 882.

Laminate Fronts with Plinth Base or Footed



Width	Model	P1 Paint List Price
50"H Cubby Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPCLP502418LL**	**$ 5047**
18"D Hinges on Right (shown)	**YPCLP502418RL**	**$ 5047**
65"H Cubby Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPCLP652418LL**	**$ 6018**
18"D Hinges on Right (shown)	**YPCLP652418RL**	**$ 6018**



Width	Model	P1 Paint List Price
50"H Cubby Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPCLF502418LL**	**$ 5386**
18"D Hinges on Right (shown)	**YPCLF502418RL**	**$ 5386**
65"H Cubby Locker — 24"W – Metal Case/Laminate Fronts		
18"D Hinges on Left	**YPCLF652418LL**	**$ 6355**
18"D Hinges on Right (shown)	**YPCLF652418RL**	**$ 6355**

To order Align wardrobes or lockers with a digital lock option, add "E" suffix to base model number. The digital lock has an integrated pull, so no pull will be specified.

How to specify — **Select the Model Number from above.**	*1st Option:* **Plinth Base Options** *(if applicable)*: **BX** Recessed Kickplate **Footed Base Options:** **TF** Terrace Foot **ZF** Stride Foot (+$92) **PF** Pier Foot (+$140)	*2nd Option:* **Foot Finish:** **Terrace, Stride** **PR6** Silver **Pier** **PR6** Silver **P8X** Solar Black **PJE** Pyrite (+$98) **P02** Flint (+$98) **P7B** Loft **PJW** Designer White	*3rd Option:* **Pull Option (Standard Lock):** **A** Arch **M** Beam **O** Halo **S** Square **Pull Option (Digital Lock):** **E** Keypad (+$513 per door) **D** RFID (+$634 per door)	*4th Option:* **Pull Color** *(if applicable)*: **M** Beam / **O** Halo **PJW** Designer White **PR6** Silver **PJE** Pyrite **P8X** Solar Black **AP** Arch **PR0** Anodized Silver **SP** Square **PJW** Designer White **EL** Matte Silver **P02** Flint **P7B** Loft **PJE** Pyrite **P8X** Solar Black P2 upcharge +$19/pull	*5th Option:* **Paint Case:** P1 P2 P3 See page 866 for finishes. P2 upcharge $122 P3 upcharge $273	*6th Option:* **Laminate Fronts: Laminate & Edge:** See page 866 for finishes. L2 upcharge $182 L3 upcharge $362	*7th Option:* **Lock:** **L** Standard Lock **X** Omit Lock Core (Deduct $20 per lock)
Y P _ _ _ _ _ _ _ _ _ _ .		**P R 6** .		.	**P** _ _ .	.	

Example: **YPCLP652418LL.BX.APR0.PJW.LVT1VT.X**


Align™ Metal Storage

Digital Lock Keys and Accessories

For specification information see page 957.







Description	Model	List Price
Digital Lock Keys and Accessories		
Programming Key	**YPLDIGPRG**	**$ 366**
Manager Key	**YPLDIGMGR**	**$ 282**
5pk RFID Stickers	**YPLRFID5S**	**$ 122**
5pk RFID Cards	**YPLRFID5C**	**$ 243**
25pk RFID Stickers	**YPLRFID25S**	**$ 577**
25pk RFID Cards	**YPLRFID25C**	**$ 1152**

How to specify —

Select the Model Number from above.

Y	P	L						

Examples: **YPLDIGPRG** **YPLRFID5S**

Align™ Metal Storage

Storage Islands Finishes

TOPS

GRADE L1

ABSTRACTS

Ash....LT3B
Silver Mesh....LT8D
Handspun Pear....LAHP
Handspun Dove....LAHD
Handspun Slate....LAHS
Handspun Chestnut....LAHC

SOLID

Black....P
Brownstone....LM13
Designer White 15051....LDW1
Flint....LM16
Fossil Shale....LEH1
Loft....LM11
Muslin....LM15
Titanium....LTI1

WOODGRAIN

Belair....LWBA
Bourbon Cherry....H
Field Elm....LWFE
Florence Walnut....LFW1
Kingswood Walnut....LKI1
Natural Maple....LWD
NeoWalnut....LNU1
Pinnacle....PINC
Shaker Cherry....LW7C

GRADE L2

Beigewood....LWBE
Fawn Cypress....LFC1
Lowell Ash....LLA1
Mangalore Mango....LMM1
Natural Recon....LNR1
Phantom Charcoal....LPC1
Phantom Ecru....LPE1
Portico Teak....LPT1
Skyline Walnut....LSW1
Veranda Teak....LVT1

GRADE L3

Natural Walnut....LWNW

CHASSIS

GRADE L1

SOLID

Black....P
Brownstone....LM13
Designer White 15051....LDW1
Flint....LM16
Fossil Shale....LEH1
Loft....LM11
Muslin....LM15

WOODGRAIN

Belair....LWBA
Bourbon Cherry....H
Field Elm....LWFE
Florence Walnut....LFW1
Kingswood Walnut....LKI1
Natural Maple....LWD
NeoWalnut....LNU1
Pinnacle....PINC
Shaker Cherry....LW7C

GRADE L2

Beigewood....LWBE
Fawn Cypress....LFC1
Lowell Ash....LLA1
Mangalore Mango....LMM1
Natural Recon....LNR1
Phantom Charcoal....LPC1
Phantom Ecru....LPE1
Portico Teak....LPT1
Skyline Walnut....LSW1
Veranda Teak....LVT1

GRADE L3


Natural Walnut....LWNW

EDGE

Beigewood....DE
Belair....BA
Black....E4
Bourbon Cherry....H
Brownstone....EY
Designer White....DW
Fawn Cypress....FC
Field Elm....FE
Flint....E9
Florence Walnut....FW
Fossil....EH
Kingswood Walnut....KI
Loft....EV
Lowell Ash....DL
Mangalore Mango....MM
Muslin....EU
Natural Maple....DD
Natural Recon....NR
Natural Walnut....DN
NeoWalnut....NU
Phantom Charcoal....PC
Phantom Ecru....PE
Pinnacle....PI
Portico Teak....DP
Shaker Cherry....DF
Skyline Walnut....SW
Veranda Teak....VT


Storage Islands are a new application for Align and Essentials Storage Lines.

***Essentials 3H Storage and Align 42½"H Lockers and Wardrobes**




Top: (pages 932-935)

- Available in 18"D and 36"D.
- Tops made of 1¼" particle board with 2mm edgeband, High Pressure laminate on one side and paper back on the other. Grain direction on all tops runs horizontal.
- Tops specified specific to the application.
  Example: Storage island tops with end panels will have proper pilot holes in the top to accept attachment hardware.
- External Support Channel should be used in applications where +48"W tops are unsupported.




End Panel: (page 936)


- Panels made of 1¼" particle board with 2mm edgeband and High-Pressure Laminate on both sides.
- Grain direction on all End Panels runs vertical.
- End Panels are shipped with mounting hardware.
- All 36"D End Panels and Tops accept a septum, however, it is not necessary to put one in for all applications.



Back/Septum: (page 936)

- Model is considered a back when used in 18"D configurations to encase back of storage units.
- Model is considered septum when used in 36"D configurations to create division down the center of 36"D top.
- Backs/septums are made of ¾" particle board with 0.5mm edgeband and High-Pressure Laminate on both sides.
- Grain direction on all backs/septums runs horizontal.
- Ship with mounting hardware.
- The width and number of units spanned on the septum must match the width and number of units spanned on the top.






End of Run Supports: (pages 937-938)

- O-legs installed in peninsula application are centered front to back on the worksurface. The O-leg will be ½" inset from the edge of the worksurface.
- When specifying a peninsula application, at least one side of the open worksurface span must be supported with undersurface storage. Island tops cannot be specified with only O-leg, Stride Post Legs, or Laminate Return Panel supports.
- Stride Legs are height-adjustable and able to be used with Align or Essentials platforming.
- End of Run laminate supports can be specified as a "waterfall" return on peninsula applications.

Working with Storage Islands

Top Sizes: (pages 932-935)
Top models are decided by what is needed in the application. If a storage island is specifying end panels, a different top model is needed than when a non-paneled island is configured. Storage Island Tops for use with End Panels are dimensionally larger to accommodate the needed attachment. The below chart highlights how the depth changes when panels and backs are specified.



	Depths
18"D No Back, No End panels	18.190
18"D No Back, With End panels	18.440
18"D Back and End Panels	19.455
36"D No Back, No End Panels	36.690
36"D End Panels	

End Panel sizes: (pages 936-938)
Storage islands can be designed using Essentials and Align. These storage platforms have a 2" variance making storage island dimensions different depending on storage platform used. See the chart to the right for dimensions of end panels.

*Recommend usage of panels when top is specified and storage sides are exposed. Storage will have gap between back-to-back units if top is flush with storage units.

	Depths	Height
18"D No Back, Align	18.190	40.8
18"D No Back, Essentials		38.8
18"D With Back, Align	19.204	40.8
18"D With Back, Essentials		38.8
36"D End Panels, Align	36.440	40.8
36"D End Panels, Essentials		38.8

As the storage island configuration grows, the top width also increases. The below chart outlines how to calculate these dimensions when considering how many units are spanned and if end panels are specified. When specifying your model for the storage island top, the model will end with the correlating span. These spanning guidelines assume all storage units are the same model and does not take into account mixing and matching of units. When mixing and matching of storage units, use the below chart to find required top dimensions and pick top model with this information. Spanning indicated on model may not be indicative of configuration when mixing and matching.

	Width Sizes						
	Span 1	Span 2	Span 3	Span 4	Span 5	Span 6	Span 7
No End Panels	Listed Model Dimensions	Span 1 + 0.125	Span 1 + 0.25	Span 1 + 0.375	Span 1 + 0.5	Span 1 + 0.625	Span 1 + 0.75
1 End Panel	Listed Model Dimensions + 1.372						
2 End Panels	Listed Model Dimensions + 2.744						

Span 1 tops indicate it will only cover a single storage unit. Start with the span 1 number displayed in the table above. Depending on your Islands configuration, the top width increases accordingly based on the 2 factors below.


1). The number of end panels you attach to the worksurface. As you add end panels, 1.372" is also added to the top dimensions per end panel specified.
2). The number of side-to-side storage units the surface spans. The spanning from one unit to another takes into account .125" gap between each storage unit.

**Be sure to use the width of the worksurface you select. Models correspond to the correct surface width.*
**Span represents the total number of side-to-side units. Front-to-back units do not factor into number of units spanned.*

Example: *Two 24"W laterals are specified side-to-side. The top will span across two units making it a "S2." The configuration will also include two end panels, so the overall width of the configuration is 48" + 2.744" + .125" = 50.869"W.*

Working with Storage Islands


Application Overview




Simple Storage Island:
Simple Storage Islands only consist of adding a top to Align or Essentials storage configurations. Simple Storage Islands allow users to flex storage spaces into usable spaces.

Fully Shrouded Storage Island:
Fully Shrouded Storage Islands consist of adding a top, back/septum, and end panels. Single- (18"D top) or double-sided (36"D top) applications can be specified as fully shrouded. By adding these additional parts and pieces to Essentials or Align Storage platforms users can create more permanent and visually appealing storage spaces.

- When specifying like applications, both end panels must be specified with the back. The back piece cannot connect to another back.
- In a counter top application, the unsupported 18"D surface will require an external stiffener based on the unsupported width.






Collaborative Storage Peninsula:
Collaborative Storage Peninsulas consist of tops, septum, end panels, and end of run supports. Peninsulas create usable storage spaces and collaborative work areas all in one configuration.

- Peninsula applications can only be completed with 36"D worksurfaces and end panels.
- Back to back storage specified without an end panel will result in a ~⅜"gap between storage units.
- In a peninsula application, one end of the worksurface must be supported by undersurface storage. The opposing end can be supported with an O-leg, Stride Post Legs, or laminate return panel.


Align™ Metal Storage

Top Only Storage Island Applications

For specification information see pages 929-931.



Description	Model	L1 List Price	L2 List Price	L3 List Price
18"D Storage Island Tops: For use with non-paneled storage island				
24"W S1	**ISLAUTNPNB2418S1**	$ 294	$ 308	$ 318
30"W S1	**ISLAUTNPNB3018S1**	$ 322	$ 336	$ 348
36"W S1	**ISLAUTNPNB3618S1**	$ 366	$ 383	$ 397
36"W S3	**ISLAUTNPNB3618S3**	$ 386	$ 404	$ 418
42"W S1	**ISLAUTNPNB4218S1**	$ 396	$ 414	$ 429
48"W S1	**ISLAUTNPNB4818S1**	$ 429	$ 448	$ 464
48"W S2	**ISLAUTNPNB4818S2**	$ 440	$ 459	$ 476
48"W S4	**ISLAUTNPNB4818S4**	$ 449	$ 469	$ 485
60"W S1	**ISLAUTNPNB6018S1**	$ 455	$ 475	$ 493
60"W S2	**ISLAUTNPNB6018S2**	$ 468	$ 488	$ 506
60"W S5	**ISLAUTNPNB6018S5**	$ 485	$ 506	$ 525
72"W S1	**ISLAUTNPNB7218S1**	$ 494	$ 515	$ 535
72"W S2	**ISLAUTNPNB7218S2**	$ 544	$ 567	$ 589
72"W S3	**ISLAUTNPNB7218S3**	$ 562	$ 585	$ 608
72"W S6	**ISLAUTNPNB7218S6**	$ 606	$ 631	$ 655
84"W S1	**ISLAUTNPNB8418S1**	$ 650	$ 676	$ 702
84"W S2	**ISLAUTNPNB8418S2**	$ 665	$ 693	$ 719
84"W S7	**ISLAUTNPNB8418S7**	$ 717	$ 747	$ 775
90"W S1	**ISLAUTNPNB9018S1**	$ 742	$ 773	$ 802
90"W S3	**ISLAUTNPNB9018S3**	$ 770	$ 802	$ 832



36" D Storage Island Tops: For use with non-paneled storage island				
24"W S1	**ISLAUTNPNB2436S1**	$ 492	$ 513	$ 533
30"W S1	**ISLAUTNPNB3036S1**	$ 544	$ 567	$ 589
36"W S1	**ISLAUTNPNB3636S1**	$ 614	$ 639	$ 664
36"W S3	**ISLAUTNPNB3636S3**	$ 647	$ 673	$ 699
42"W S1	**ISLAUTNPNB4236S1**	$ 665	$ 693	$ 719
48"W S1	**ISLAUTNPNB4836S1**	$ 723	$ 753	$ 782
48"W S2	**ISLAUTNPNB4836S2**	$ 741	$ 772	$ 801
48"W S4	**ISLAUTNPNB4836S4**	$ 754	$ 785	$ 815
60"W S1	**ISLAUTNPNB6036S1**	$ 766	$ 798	$ 828
60"W S2	**ISLAUTNPNB6036S2**	$ 788	$ 821	$ 851
60"W S5	**ISLAUTNPNB6036S5**	$ 816	$ 849	$ 881
72"W S1	**ISLAUTNPNB7236S1**	$ 831	$ 865	$ 897
72"W S2	**ISLAUTNPNB7236S2**	$ 917	$ 955	$ 990
72"W S3	**ISLAUTNPNB7236S3**	$ 944	$ 984	$ 1020
72"W S6	**ISLAUTNPNB7236S6**	$ 1018	$ 1060	$ 1100
84"W S1	**ISLAUTNPNB8436S1**	$ 1092	$ 1137	$ 1180
84"W S2	**ISLAUTNPNB8436S2**	$ 1120	$ 1166	$ 1210
84"W S7	**ISLAUTNPNB8436S7**	$ 1203	$ 1252	$ 1299
90"W S1	**ISLAUTNPNB9036S1**	$ 1248	$ 1299	$ 1347
90"W S3	**ISLAUTNPNB9036S3**	$ 1296	$ 1348	$ 1398


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate** *(if applicable)*: See page 928 for finishes.	**Edgeband** *(if applicable)*: See page 928 for finishes.
_____.	_____.	_____.	_____

Example: **ISLAUTNPNB2418S1.LM16.E9**

Align™ Metal Storage

Storage Island Tops

For specification information see pages 929-931.



Description	Model	L1 List Price	L2 List Price	L3 List Price
18"D Storage Island Tops: For use with 2 end panels				
24"W S1	**ISLAUT2PNB2418S1**	$ 322	$ 336	$ 348
30"W S1	**ISLAUT2PNB3018S1**	$ 355	$ 372	$ 385
36"W S1	**ISLAUT2PNB3618S1**	$ 403	$ 421	$ 436
36"W S3	**ISLAUT2PNB3618S3**	$ 425	$ 444	$ 460
42"W S1	**ISLAUT2PNB4218S1**	$ 435	$ 454	$ 470
48"W S2	**ISLAUT2PNB4818S2**	$ 485	$ 506	$ 525
48"W S4	**ISLAUT2PNB4818S4**	$ 492	$ 513	$ 533
60"W S2	**ISLAUT2PNB6018S2**	$ 514	$ 536	$ 556
60"W S5	**ISLAUT2PNB6018S5**	$ 532	$ 554	$ 577
72"W S2	**ISLAUT2PNB7218S2**	$ 597	$ 621	$ 646
72"W S3	**ISLAUT2PNB7218S3**	$ 618	$ 643	$ 668
72"W S6	**ISLAUT2PNB7218S6**	$ 665	$ 693	$ 719
84"W S2	**ISLAUT2PNB8418S2**	$ 732	$ 763	$ 791
84"W S7	**ISLAUT2PNB8418S7**	$ 788	$ 821	$ 851
90"W S3	**ISLAUT2PNB9018S3**	$ 846	$ 880	$ 913


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate** *(if applicable)*: See page 928 for finishes.	**Edgeband** *(if applicable)*: See page 928 for finishes.
_____ .	_____ .	_____ .	_____

Example: **ISLAUT2PNB2418S1.LM16.E9**

Align™ Metal Storage

Storage Island Tops

For specification information see pages 929-931.



Description	Model	L1 List Price	L2 List Price	L3 List Price
18"D Storage Island Tops: For use with 2 end panels and back panel				
48"W S2	**ISLAUT2PYB4818S2**	$ 532	$ 554	$ 577
48"W S4	**ISLAUT2PYB4818S4**	$ 542	$ 565	$ 587
60"W S2	**ISLAUT2PYB6018S2**	$ 565	$ 588	$ 612
60"W S5	**ISLAUT2PYB6018S5**	$ 586	$ 610	$ 634
72"W S2	**ISLAUT2PYB7218S2**	$ 658	$ 684	$ 712
72"W S3	**ISLAUT2PYB7218S3**	$ 681	$ 709	$ 736
72"W S6	**ISLAUT2PYB7218S6**	$ 732	$ 763	$ 791
84"W S2	**ISLAUT2PYB8418S2**	$ 804	$ 837	$ 868
84"W S7	**ISLAUT2PYB8418S7**	$ 867	$ 902	$ 936
90"W S3	**ISLAUT2PYB9018S3**	$ 932	$ 970	$ 1006


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate** *(if applicable)*: See page 928 for finishes.	**Edgeband** *(if applicable)*: See page 928 for finishes.
_____ .	___ .	____ .	___

Example: **ISLAUT2PYB4818S2.LM16.E9**

Align™ Metal Storage

Storage Island Tops

For specification information see pages 929-931.



Description	Model	L1 List Price	L2 List Price	L3 List Price
36"D Storage Island Tops: For use with 1 end panel and septum				
48"W S2	**ISLAUT1PYB4836S2**	$ 888	$ 924	$ 959
48"W S4	**ISLAUT1PYB4836S4**	$ 904	$ 940	$ 977
60"W S2	**ISLAUT1PYB6036S2**	$ 944	$ 984	$ 1020
60"W S5	**ISLAUT1PYB6036S5**	$ 977	$ 1018	$ 1055
72"W S2	**ISLAUT1PYB7236S2**	$ 1100	$ 1146	$ 1188
72"W S3	**ISLAUT1PYB7236S3**	$ 1130	$ 1177	$ 1220
72"W S6	**ISLAUT1PYB7236S6**	$ 1220	$ 1270	$ 1317
84"W S2	**ISLAUT1PYB8436S2**	$ 1342	$ 1397	$ 1448
84"W S7	**ISLAUT1PYB8436S7**	$ 1442	$ 1501	$ 1558
90"W S3	**ISLAUT1PYB9036S3**	$ 1551	$ 1613	$ 1675
36"D Storage Island Tops: For use with 2 end panels and septum				
48"W S2	**ISLAUT2PYB4836S2**	$ 897	$ 933	$ 968
48"W S4	**ISLAUT2PYB4836S4**	$ 915	$ 953	$ 988
60"W S2	**ISLAUT2PYB6036S2**	$ 954	$ 994	$ 1031
60"W S5	**ISLAUT2PYB6036S5**	$ 983	$ 1024	$ 1063
72"W S2	**ISLAUT2PYB7236S2**	$ 1112	$ 1158	$ 1201
72"W S3	**ISLAUT2PYB7236S3**	$ 1140	$ 1187	$ 1231
72"W S6	**ISLAUT2PYB7236S6**	$ 1232	$ 1282	$ 1330
84"W S2	**ISLAUT2PYB8436S2**	$ 1357	$ 1412	$ 1464
84"W S7	**ISLAUT2PYB8436S7**	$ 1455	$ 1514	$ 1571
90"W S3	**ISLAUT2PYB9036S3**	$ 1567	$ 1630	$ 1692


How to specify — **Select the Model Number from above.**	*1st Option:* **FSC Certified Wood:**	*2nd Option:* **Laminate** *(if applicable)*:	*3rd Option:* **Edgeband** *(if applicable)*:
	F FSC Certified **X** No FSC	See page 928 for finishes.	See page 928 for finishes.

Example: **ISLAUT1PYB4836S2.LM16.E9**


Align™ Metal Storage

Storage Island Septum/Back and End Panels


For specification information see pages 929-931.




Description	Model	L1 List Price	L2 List Price	L3 List Price
42"H Storage Island Septum/Back: For use with Align Storage				
48"W S2	**ISLAAB2P4842S2**	$ 732	$ 763	$ 791
48"W S4	**ISLAAB2P4842S4**	$ 732	$ 763	$ 791
60"W S5	**ISLAAB2P6042S5**	$ 788	$ 821	$ 851
72"W S3	**ISLAAB2P7242S3**	$ 845	$ 879	$ 912
72"W S6	**ISLAAB2P7242S6**	$ 908	$ 944	$ 981
84"W S7	**ISLAAB2P8442S7**	$ 978	$ 1019	$ 1056



40"H Storage Island Septum/Back: For use with Essential Storage				
60"W S2	**ISLAEB2P6040S2**	$ 788	$ 821	$ 851
72"W S2	**ISLAEB2P7240S2**	$ 845	$ 879	$ 912
84"W S2	**ISLAEB2P8440S2**	$ 978	$ 1019	$ 1056
90"W S3	**ISLAEB2P9040S3**	$ 1051	$ 1095	$ 1136



42"H Storage Island End Panel: For use with Align Storage				
18"D	**ISLAAENB1842**	$ 488	$ 509	$ 529
18"D LH (Use with back)	**ISLAAEYB1842L**	$ 488	$ 509	$ 529
18"D RH (Use with back)	**ISLAAEYB1842R**	$ 488	$ 509	$ 529
36"D (Use with septum)	**ISLAAEYB3642**	$ 682	$ 710	$ 737



40"H Storage Island End Panel: For use with Essential Storage				
18"D	**ISLAEENB1842**	$ 488	$ 509	$ 529
18"D LH (Use with back)	**ISLAEEYB1842L**	$ 488	$ 509	$ 529
18"D RH (Use with back)	**ISLAEEYB1842R**	$ 488	$ 509	$ 529
36"D (Use with septum)	**ISLAEEYB3642**	$ 682	$ 710	$ 737


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate** *(if applicable)*: See page 928 for finishes.	**Edgeband** *(if applicable)*: See page 928 for finishes.
_____ .	_ .	_____ .	_

Example: **ISLAAB2P4842S2.LM16.E9**


Align™ Metal Storage

Storage Island End of Run Supports

For specification information see pages 929-931.



O-Leg



Support End Panel

Description	Model	L1 List Price	L2 List Price	L3 List Price
For use with Align Storage, 36"D x 42"H				
End Panel, Use w/supp	ISLAAESP3642	$ 682	$ 710	$ 737
O-leg	ISLAAO3642	$ 1445		
For use with Essential Storage, 36"D x 40"H				
End Panel, Use w/supp	ISLAEESP3642	$ 682	$ 710	$ 737
O-leg	ISLAEO3642	$ 1445		

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**FSC Certified Wood:** **F** FSC Certified **X** No FSC	**Laminate** *(if applicable)*: See page 928 for finishes.	**Edgeband** *(if applicable)*: See page 928 for finishes.	**Paint:** P1 P2 P3 See page 866 for finishes. P2 upcharge $25 P3 upcharge $32
_____ .	_ .	_____ .	_ .	_

Example: **ISLAAESP3642.LM16.E9**



Description	Model	P1 List Price	P2 List Price	P3 List Price
For use with Essentials or Align Storage **37½"H-43½"H Post Legs — Height Adjustable**				
for Flat/Square Edge Worksurfaces — Pair	Z6PL40HP	$ 1156	$ 1211	$ 1263


How to specify —	*1st Option:*
Select the Model Number from above.	**Paint:** P1 P2 P3 See page 866 for finishes. P2 upcharge $55 P3 upcharge $107
_____ .	_ _

Example:

Align™ Metal Storage

Storage Island End of Run Supports

For specification information see pages 929-931.





Description	Model	List Price
For use with open, non-supported tops		
External Worksurface Support Channel (no color option for stiffener) — 1½"H		
• You must specify external worksurface support channel when an unsupported 48"W Worksurface is specified.		
30"W for use on 42"W Worksurface	**Z5SC42** S	$ 93
36"W for use on 48"W Worksurface	**Z5SC48** S	$ 96
42"W for use on 54"W Worksurface	**Z5SC54** S	$ 111
48"W for use on 60"W Worksurface	**Z5SC60**	$ 119
54"W for use on 66"W Worksurface	**Z5SC66**	$ 138
60"W for use on 72"W Worksurface	**Z5SC72**	$ 148
66"W for use on 78"W Worksurface	**Z5SC78**	$ 162
72"W for use on 84"W Worksurface	**Z5SC84**	$ 177
Flat Brackets (no color option)		
For 12"D	**T612FB** S	$ 76

How to specify —

Select the Model Number from above.

Example: **Z6PL40HP**

Essentials™ Metal Storage

Finishes 940
Working with Essentials Metal Storage 941-946
Metal Pedestals and Accessories 947-949
Metal Lateral Files 950
Metal Combination Files 951
Metal Storage Cabinets 952
Metal Bookcases 953

Essentials™ Metal Storage

PAINTED METAL FINISHES

GRADE P1

Black P27
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Platinum Metallic PR2
Silver** PR6
Solar Black P8X

**PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensys, Essentials bookcase, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre*** P093
Regatta P8M
Sienna*** P092
Succulent*** P8A

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

****These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

METAL STORAGE PULLS

Black (Bar or Arch Pull) ... E4/P71 (Radii)
Designer White (Bar pull only) ..... PJW (Radii only)
Silver EL/PR6

LAMINATES

GRADE L1

SOLID COLORS

Black ..... P
Brownstone LM13
Bungalow LM12
Designer White LDW1
Flint LM16
Fossil Shale LEH1
Loft LM11
Muslin LM15
Titanium LTI1

ABSTRACT

Ash LT3B
Handspun Pearl ..... LAHP
Handspun Dove ..... LAHD
Handspun Slate ..... LAHS
Handspun Chestnut ..... LAHC
Silver Mesh LT8D

WOODGRAIN

Belair ..... LWBA
Bourbon Cherry ..... H
Field Elm ..... LWFE
Florence Walnut LFW1
Kingswood Walnut LKI1
Natural Maple ..... LWD
NeoWalnut LNU1
Pinnacle ..... PINC
Shaker Cherry LW7C

GRADE L2

Beigewood ..... LWBE
Fawn Cypress LFC1
Lowell Ash LLA1
Mangalore Mango LMM1
Natural Recon LNR1
Phantom Charcoal LPC1
Phantom Ecru LPE1
Portico Teak LPT1
Skyline Walnut LSW1
Veranda Teak LVT1

GRADE L3

Natural Walnut ..... LWNW

LAMINATE EDGE COLORS


Beigewood ..... DE
Belair ..... BA
Black E4
Bourbon Cherry ..... H
Brownstone ..... EY
Bungalow ..... EX
Designer White ..... DW
Fawn Cypress ..... FC
Field Elm ..... FE
Flint E9
Florence Walnut ..... FW
Fossil ..... EH
Kingswood Walnut ..... KI
Loft ..... EV
Lowell Ash ..... DL
Mangalore Mango ..... MM
Muslin ..... EU
Natural Maple ..... DD
Natural Recon ..... NR
Natural Walnut ..... DN
NeoWalnut ..... NU
Parchment ..... EN
Phantom Charcoal ..... PC
Phantom Ecru ..... PE
Pinnacle ..... PI
Platinum Metallic† ..... EP
Plyband ◆ ..... PL
Portico Teak ..... DP
Shaker Cherry ..... DF
Skyline Walnut ..... SW
Titanium ..... TI
Veranda Teak ..... VT

Essentials™ Metal Storage


Working with Pedestals

Essentials Pedestals

- File drawers can accommodate front-to-back filing on all models, and side-to-side filing on 22⅞"D and 28⅞"D models.
- Support pedestals of a maximum depth, relative to the worksurface depth, result in one panel receptacle position being inaccessible.
- 22⅞"D units cannot be used with 24"D Concensys® Freestanding.
- 28⅞"D units cannot be used with any 30"D Concensys Freestanding or any 24"D panel-hung worksurface.
- For locking specifications, see pages 998-1000.
- Leveling capacity is 2" on 28"H pedestals.




Support pedestals can support one end of a panel-attached worksurface, in lieu of other worksurface supports by using a 28"H support pedestal but cannot be used to support freestanding desking without an end panel.



Suspended pedestals mount to the underside of the worksurface using keyhole slots in top of pedestals. Do not mount suspended pedestals on bridges or peninsulas. Always mount suspended pedestals at end of worksurfaces.

When using suspended units on systems, a return panel should extend 18" minimum beyond leading edge of worksurface on which unit(s) is mounted.



Mobile Pedestals can be used to provide flexible storage. The nominal height of a mobile pedestal is equal to that of a freestanding pedestal of equivalent design. There is no need to add extra height for the casters.

Both 26⅞"H and 28"H mobile pedestals can be nested under worksurfaces mounted at 29½"H. If using 28"H Essentials mobile pedestals underneath a panel mounted worksurface on Stride®, Terrace®, or Optimize™ the panel glides will need to be extended a minimum of ¾" to allow for the mobile pedestals to slide underneath the worksurface.

Mobile pedestals cannot be leveled. Take this into consideration when planning offices which may have uneven floors.

Pedestal Compatibility with Cadence® Desking and Systems Worksurfaces


	Freestanding		Systems Panel-hung Worksurfaces	
Pedestal Depth	24" Deep	30" Deep	24" Deep	30" Deep
18"	Yes	Yes	Yes	Yes
19⅞"	Yes*	Yes	Yes*	Yes
22⅞"		Yes	Yes*	Yes
28⅞"				Yes*

*Wire management grommet is blocked in these applications.

Note: Pedestal placement may affect access to receptacles in base pathway.

Essentials storage pedestals are available in 5 styles:

28"H




Worksurface height mobile and worksurface supporting pedestals have a taller base plate, resulting in a taller overall cabinet height. Consideration must be made to ensure that units align visually with each other and with selected Essentials lateral files. The accompanying chart will help you select the correct pedestal for your application.

Essentials Pedestal Model begins with	Style	Overall Height	Base Height	Spacer required below worksurface	Units align with these Essentials Lateral Models begin with
xx11	Seat height	22½"	2"	N/A	N/A
xx14	Suspended	19½"	N/A	N/A	N/A
xx18, xx38	Worksurface height mobile	28"**	3⅛"	N/A	**ELF8** (2-high only)
xx19, xx39	Worksurface supporting*	28"	3⅛"	**No**	**ELF8** (2-high only)

*Units will support conventional 29½" high worksurfaces.


**When using 28"H Essentials mobile pedestals underneath a panel mounted worksurface on Stride or Terrace, the panel glides need to be extended a minimum of ¾" to allow for the mobile pedestals to slide underneath the worksurface.

Essentials™ Pedestals



Essentials Support and Suspended Pedestals (page 947)


- Steel, ball-bearing slide suspension with full-extension on file drawers.
- File drawer has high sides to allow front-to-back filing.
- Side-to-side filing utilizes follower block and cross rail.
- Follower block (APFB80) sold separately.
- Pencil tray included — one per pedestal with box drawers.
- For improved aesthetics on 28"H pedestals, order flush mount kick plates.
- Support units have four leveling glides.
- Counterweight is standard in mobile pedestals.
- Support pedestals not used to support a worksurface require a counterweight kit — order separately.
- Box drawers have adjustable divider.
- Caster package available to field convert support pedestals to mobile.
- Standard core removable locks.



Essentials Mobile Pedestals (page 947)


- Steel, ball-bearing slide suspension with full-extension on file drawers.
- File drawer has high sides to allow front-to-back filing.
- Side-to-side filing utilizes follower block and cross rail.
- Follower block (APFB80) sold separately.
- Pencil tray included — one per pedestal with box drawers.
- Counterweight is standard in mobile pedestals.
- Box drawers have adjustable divider.
- Rear casters swivel, front casters are fixed.
- Standard core removable locks.
- If using 28"H Essentials mobile pedestals underneath a panel mounted worksurface on Stride®, Terrace®, or Optimize™ the panel glides will need to be extended a minimum of ¾" to allow for the mobile pedestals to slide underneath the worksurface.
- Adjustable glide kit available to field convert mobile pedestals to freestanding.
- Casters on box/file mobile pedestal require installation.
- For improved aesthetics on 28"H pedestals, order flush mount kick plates.

Essentials™ Pedestals




Essentials Basic Support Pedestals (page 948)

- Support pedestals have fully enclosed tops.
- Steel, ball-bearing slide suspension with full extension.
- Follower block (APFB80), pencil tray (A2280-000), and adjustable divider (PD80) for box drawers sold separately.
- Side-to-side filing utilizes two cross rails (AP519495) sold separately.
- File drawer has high sides to allow front-to-back filing.
- Support pedestals not used to support a worksurface require a counterweight kit sold separately.
- Caster package available to field convert support pedestals to mobile.
- Standard core removable locks.
- Adjustable Glide Kit available to field convert mobile pedestals to freestanding.
- For improved aesthetics on 28"H pedestals, order flush mount kick plates.



Essentials Basic Mobile Pedestals (page 948)

- Steel, ball-bearing slide suspension with full extension.
- Follower Block (APFB80), pencil tray (A2280-000), and adjustable divider (PD80) for box drawers sold separately.
- Side-to-side filing utilizes two cross rails (AP519495) sold separately.
- File drawer has high sides to allow front-to-back filing.
- Counterweight is standard in mobile pedestals.
- Support pedestals not used to support a worksurface require a counterweight kit sold separately.
- Caster package available to field convert support pedestals to mobile.
- Standard core removable locks.
- If using 28"H Essentials mobile pedestals underneath a panel mounted worksurface on Stride®, Terrace®, or Optimize™ the panel glides will need to be extended a minimum of ¾" to allow for the mobile pedestals to slide underneath the worksurface.
- Adjustable glide kit available to field convert 26⅞"H – 28"H mobile pedestals to freestanding.
- For improved aesthetics on 28"H pedestals, order flush mount kick plates.



ASPT-24SC

Essentials Seat Cushion (page 949)

- Seat cushion provides quick and convenient additional seating.
- Seat cushion adds approximately 2"H to pedestal.
- YPPA prefix models have stitched corners and bumpers on bottom.
- ASPT prefix models have wrap around corners and attach with double-sided tape.
- COM yardage for seat cushion is ⅔ yard.

Essentials™ Metal Storage

Working with Laterals

Dual-side Locking
Drawers and doors lock on both sides to prevent being pried open.

Interlock System
This mechanism inhibits roll-out of more than one drawer or shelf, either sequentially or simultaneously.


Fully Enclosed Bottom
Double bottoms are welded into all files for added rigidity.

Four Hex-head Leveling Glides
Leveling glides can be adjusted from outside or inside the case. Because of the hex-head design of the stem, leveling can be done even when the file is fully loaded. Range is 1".

Suspension
Telescoping, ball-bearing slides.

Core Removable Locks
Core removable lock feature allows key numbers to be easily changed in the field which facilitates installation.

Omit Lock Core
Files can be shipped with lock cores removed; cores can then be installed after files are placed. Laterals can be keyed alike with pedestals and overhead cabinets.



Four Pull Styles
Choice of four pull styles, also available on Essentials pedestals, allows for total design coordination on projects.

Side Knockouts
Files have knockouts on each side to allow easy ganging of freestanding units to inhibit tipping.

Inset Drawer Design
Drawers are inset inside the case. Base plate is flush with drawer fronts.


Paint Finish
Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.

Hanging Frames
Side-to-side come standard. Front-to-back filing option — hang rails are required.

Counterweights
Counterweights included and factory installed as required.


Drawer Interiors
Interiors and all accessories painted gray.

Essentials Lateral Files and Combination Files




Essentials Lateral Files (page 950)
- Available in four pull options — arch, square, integral, and beveled pulls.
- Load capacities per 12" opening per current ANSI/BIFMA Standards:
  30"W..... 86 lbs.
  36"W..... 105 lbs.
  42"W..... 124 lbs.
- Clearance Dimensions – H x W 30 / 36 / 42" x D
  Roll-out drawer..... 11¼" x 27⅛" / 33⅛" / 39⅛" x 16½"
  Roll-out shelf..... 10½" x 27⅛" / 33⅛" / 39⅛" x 16½"
- For locking specifications, see pages 998-1000.
- All files are 18" deep.
- Laminate and veneer tops are available — order separately.
- Support-only 2H Lateral does not include a counterweight and must be positioned under a panel-attached worksurface, ganged to an adjacent file, bracketed to a panel, or bolted to the floor or wall. It may not be used in a freestanding manner.


Note: Counterweights are included and factory installed as required except in the case of the 2H support-only lateral.
- Starting in July — Magnetic Label Holders available as an accessory model. Units will no longer include label holders.



Essentials Accessories (page 950)
- All accessories are gray.
- Model L919491 used for front-to-back filing of all paper sizes in all drawer sizes except — letter in a 42"W case.



Magnetic Label Holder - Available July 2021 (page 950)
- 5 pack of magnetic label holders.




Essentials Combination Files (page 951)
- Combination cabinets match height of Essentials 5H laterals and storage cabinets.
- Combination cabinets are 30"W or 36"W and available as open shelves or hinged doors.
- Shelves are adjustable in 2" increments and are 15¼"D.
- Available in four pull styles — arch, square, integral, and beveled pulls.
- 64¼" combination cabinet has one fixed shelf and two adjustable shelves.
- Cabinets are fully assembled.
- Drawers feature three-part, telescoping, steel ball-bearing slides.
- Mechanical interlock inhibits opening more than one drawer at a time.
- For locking specifications, see pages 998-1000.

Essentials™ Metal Storage


Cabinet and Bookcase Specification Information

Essentials Storage Cabinets and Bookcases




Essentials Storage Cabinets (page 952)

- Storage cabinet matches height of Essentials laterals and combination files.
- Cabinets are 30"W or 36"W and are available in four heights.
- Shelves are adjustable in 2" increments and are 15¼"D.
- Available in four pull styles — arch, square, integral, and beveled pulls.
- Storage cabinets have the following number of adjustable shelves:
  27¼"H.....1 52½"H.....3
  39⅛"H.....2 64¼"H.....4
- Cabinets are fully assembled.
- For locking specifications, see pages 998-1000.



Essentials 18"D Bookcases (page 953)

- Essentials 18"D bookcases are same height as 2H, 3H, 4H, or 5H Essentials laterals and storage cabinets.
- Essentials 18"D Bookcases are 30"W or 36"W with open shelves.
- Shelves are 1" thick. Interior height 34½"H or 59"H.
- Shelves adjust in 2" increments. Shelf load capacity 107 lbs.
- 27¼"H units have 1 adjustable shelf. 39⅛"H units have 2 adjustable shelves. 52½"H units have 3 adjustable shelves. 64¼"H units have 4 adjustable shelves.
- Inside shelf dimension 34½"W x 15⅛"D.
- Bookcases are fully assembled.
- Bookcases include leveling glides with 1" of adjustment.



Essentials 12⅝"D Bookcases (page 953)


- Available in five heights from 29" to 81".
- All units case dimensions are 33⅞"W x 12⅝"D.
- Inside shelf dimension depth is 12⅛"D.
- Shelves adjust in ½" increments. Shelf load capacity 87 lbs.
- Bookcases have the following number of adjustable shelves:
  29" high .....1 71" high 4
  41" high .....2 81" high 4
  59" high 3
- Shelves are ¾" thick. Interior 4¼" less than height.
- Meets or exceeds ANSI/BIFMA and ISTA performance standards.
- Bookcases do not include leveling glides.

Essentials™ Metal Storage

Support, Suspended, and Mobile Pedestals


Ball-Bearing Suspension

For specification information see pages 941-943.




Description	Model	P1 Paint List Price
Support Pedestals 28"H — File/File		
18"D x 15"W*	**PF198-182** ⌴	**$ 1298**
22⅞"D x 15"W	**PF198-232** ⌴	**$ 1361**
28⅞"D x 15"W	**PF198-302** ⌴	**$ 1402**


Note: 28"H pedestals have a higher base plate resulting in a taller overall cabinet height. Consideration must be given to ensure that units align visually with each other and selected laterals.




Support Pedestals 28"H — Box/Box/File		
18"D x 15"W*	**PF197-183** ⌴	**$ 1298**
22⅞"D x 15"W	**PF197-233** ⌴	**$ 1361**
28⅞"D x 15"W	**PF197-303** ⌴	**$ 1402**



Suspended Pedestals 19½"H — Box/File		
22⅞"D x 15"W	**PH149-232** ⌴	**$ 1136**




Mobile Pedestal 28"H — File/File		
18"D x 15"W*	**PM188-182** ⌴	**$ 1352**
22⅞"D x 15"W	**PM188-232** ⌴	**$ 1411**
28⅞"D x 15"W	**PM188-302** ⌴	**$ 1452**



Mobile Pedestal 28"H — Box/Box/File		
18"D x 15"W*	**PM187-183** ⌴	**$ 1361**
22⅞"D x 15"W	**PM187-233** ⌴	**$ 1411**
28⅞"D x 15"W	**PM187-303** ⌴	**$ 1452**

Note: 28"H pedestals have a higher base plate resulting in a taller overall cabinet height. Consideration must be given to ensure that units align visually with each other and selected laterals.



Mobile Pedestal 22½"H — Box/File		
22⅞"D x 15"W	**PM119-232** ⌴	**$ 1155**

*18"D Pedestals do not accommodate legal size filing.

Note: For legal-style document filing, refer to page 901 for hanging file accessories.


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Drawer Pull:** **A** Arch **B** Beveled **I** Integral **S** Square	**Paint:** P1 P2 P3 See page 940 for finishes. P2 upcharge $74 P3 upcharge $98	**Pull Color:** Arch Pull **EL** Matte Silver **E4** Black Square Pull **EL** Matte Silver	**Lock Option:** **STD** Standard **OMT** Omit Lock Core (Deduct $20)
P 1 _ _ – _ _ _	_ _ .	P _ _ .	_ _ .	_ _


Examples: **PH149-232B.P02.STD** **PF197-233A.P27.EL.STD** **PM187-233B.P02.STD** **PM187-233A.P4J.E4.STD**


Essentials™ Metal Storage


Basic Support and Mobile Pedestals

For specification information see pages 941-943.









Description	Model	P1 Paint List Price
Support Pedestals 28"H — File/File		
19⅞"D x 15"W	**AF398-202** ⌴	**$ 1174**
22⅞"D x 15"W	**AF398-232** ⌴	**$ 1214**
Support Pedestals 28"H — Box/Box/File		
19⅞"D x 15"W	**AF397-203** ⌴	**$ 1174**
22⅞"D x 15"W	**AF397-233** ⌴	**$ 1214**
Mobile Pedestal 28"H — File/File		
19⅞"D x 15"W	**AM388-202** ⌴	**$ 1194**
22⅞"D x 15"W	**AM388-232** ⌴	**$ 1240**
Mobile Pedestal 28"H — Box/Box/File		
19⅞"D x 15"W	**AM387-203** ⌴	**$ 1194**
22⅞"D x 15"W	**AM387-233** ⌴	**$ 1240**


Note: For legal-style document filing, refer to page 901 for hanging file accessories.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Drawer Pull:** **A** Arch **B** Beveled **I** Integral **S** Square Partial top models limited to "B" Beveled pulls.	**Paint:** P1 P2 P3 See page 940 for finishes. P2 upcharge $74 P3 upcharge $98	**Pull Color:** Arch Pull **EL** Matte Silver **E4** Black Square Pull **EL** Matte Silver	**Lock Option:** **STD** Standard **OMT** Omit Lock Core (Deduct $20)
_____	___ .	P ___ .	___ .	___


Examples: **AF397-203B.P27.STD** **AF398-232A.P02.E4.STD** **AM387-203I.P27.STD** **AM388-232A.P02.EL.STD**


Essentials™ Metal Storage

For specification information see pages 941-943.
(See page 1007 for COM pricing on upholstery grades 13-22.)











Description	Model	List Price
Accessories		
Pencil Tray (Black only)	**A2280-000** S	$ 52
Follower Block — 1 Pack	**APFB80** S	$ 57
Box Drawer Divider — 2 Pack	**PD80** S	$ 47
Hanging File Cross Rails — 2 Pack (for side-to-side filing)	**AP519495** S	$ 45
Adjustable Glides — 4 Pack for 26⅞"H – 28"H Mobile Pedestals Field-installable Hardware included	**AP20040AG** S	$ 86
Caster Package — Field Installable Four Casters (2 swivel, 2 fixed)	**AP1050CST** S	$ 57
Counterweights for 22½"H and 26⅞"H Pedestals (do not specify color)	**2282-300**	$ 273
Counterweights for 28"H Pedestals (do not specify color)	**2282-400**	$ 299
Flush Front Kick Plate for 28"H Pedestals	**ETKP28H**	$ 150



Description	Model	L1 List Price	L2 List Price	L3 List Price
Laminate Tops – Flat Edge (for mobile and freestanding pedestals)				
19⅞"D x 15"W x 1¼" Thick	**PT17-20TTP** S	$ 310	$ 325	$ 335
22⅞"D x 15"W x 1¼" Thick	**PT17-23TTP** S	$ 355	$ 372	$ 383
28⅞"D x 15"W x 1¼" Thick	**PT17-29TTP** S	$ 418	$ 438	$ 451





ASPT-24SC

Seat Cushion — For Metal Mobile Pedestals only (Specify seating fabric — no leathers)

23½"D	**ASPT-24SC**	$ 332	$ 350	$ 365	$ 381	$ 402	$ 423	$ 444	$ 465	$ 486	$ 505	$ 528	$ 549
29½"D	**ASPT-30SC**	$ 347	$ 365	$ 380	$ 396	$ 417	$ 438	$ 459	$ 480	$ 501	$ 520	$ 543	$ 564
17"D	**YPPA1815SC**	$ 282	$ 300	$ 315	$ 331	$ 352	$ 373	$ 394	$ 415	$ 436	$ 455	$ 478	$ 499
23"D	**YPPA2415SC**	$ 337	$ 355	$ 370	$ 386	$ 407	$ 428	$ 449	$ 470	$ 491	$ 510	$ 533	$ 554
29"D	**YPPA3015SC**	$ 353	$ 371	$ 386	$ 402	$ 423	$ 444	$ 465	$ 486	$ 507	$ 526	$ 549	$ 570

ASPT- cushions have a rounded corner and the *YPPA-*cushions have a square corner.

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*Only Option for Seat Cushion:*
Select the Model Number from above.	**Laminate (Tops only):** See page 940 for finishes.	**Edge Color (Flat and T-Mold Edge only):** See page 940 for finishes.	**Paint:** P1 P2 P3 Kick Plate only. See page 940 for finishes. P2 upcharge $14 P3 upcharge $25	**Upholstery:** Specify seating upholstery.
_____ .	_____ .	_____	P _____ .	_____

Examples: **PT17-20TTP.TM20.E4** **YPPA2415SC.CU62**

S *Shippable by small-package carrier.*

Essentials™ Metal Storage

For specification information see pages 944-945.



28"H; two 12" drawers with hanging frames side-to-side **— 2-High Support-Only Lateral (No Counterweight)**

30"W x 18"D	**ELF830S** ⌴	**$ 1466**	**$ 1528**	**$ 1612**
36"W x 18"D	**ELF836S** ⌴	**$ 1629**	**$ 1691**	**$ 1775**
42"W x 18"D	**ELF842S** ⌴	**$ 1897**	**$ 1959**	**$ 2043**

Note: 28"H worksurface supporting laterals have a taller base plate resulting in a taller overall cabinet height. Consideration must be made to ensure that units align visually within the workstation.



28"H; two 12" drawers with hanging frames side-to-side **— 2-High Freestanding Lateral**


30"W x 18"D	**ELF830N** ⌴	**$ 1622**	**$ 1684**	**$ 1768**
36"W x 18"D	**ELF836N** ⌴	**$ 1793**	**$ 1855**	**$ 1939**
42"W x 18"D	**ELF842N** ⌴	**$ 2078**	**$ 2140**	**$ 2224**

Note: 28"H worksurface supporting laterals have a taller base plate resulting in a taller overall cabinet height. Consideration must be made to ensure that units align visually within the workstation.




39⅛"H; three 12" drawers with hanging frames side-to-side **— 3-High**

30"W x 18"D	**ELF330N** ⌴	**$ 2004**	**$ 2066**	**$ 2150**
36"W x 18"D	**ELF336N** ⌴	**$ 2262**	**$ 2324**	**$ 2408**
42"W x 18"D	**ELF342N** ⌴	**$ 2612**	**$ 2674**	**$ 2758**



52½"H; four 12" drawers with hanging frames side-to-side **— 4-High**


30"W x 18"D – No posting shelf	**ELF430N** ⌴	**$ 2551**	**$ 2673**	**$ 2824**
36"W x 18"D – No posting shelf	**ELF436N** ⌴	**$ 2898**	**$ 3020**	**$ 3171**
42"W x 18"D – No posting shelf	**ELF442N** ⌴	**$ 3321**	**$ 3443**	**$ 3594**





64¼"H; 12" roll-out shelf with receding door top opening, balance 12" drawers and hanging frames side-to-side **— 5-High**

30"W x 18"D – No posting shelf	**ELF530N** ⌴	**$ 3228**	**$ 3350**	**$ 3501**
36"W x 18"D – No posting shelf	**ELF536N** ⌴	**$ 3632**	**$ 3754**	**$ 3905**
42"W x 18"D – No posting shelf	**ELF542N** ⌴	**$ 4226**	**$ 4348**	**$ 4499**

ESSENTIALS







Description	Model	List Price
Single-Rail Hanging File Racks (4/pack)	**L919491** S	**$ 73**
File Drawer Dividers — 2 pack	**YPCAFD02** S	**$ 98**
File Drawer Dividers — 10 pack	**YPCAFD10** S	**$ 378**
Magnetic Label Holder (5 pack)	**ASISLABEL5**	**$ 42**


How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Pull** *(if applicable)*: **A** Arch **B** Beveled **I** Integral **S** Square	**Paint** *(if applicable)*: P1 P2 P3 See page 940 for finishes.	**Pull Color** *(if applicable)*: **Arch Pull** **EL** Matte Silver **E4** Black **Square Pull** **EL** Matte Silver	**Lock Option** *(if applicable)*: **STD** Standard — Random Keyed **OMT** Omit Lock Core (Deduct $20 per lock)
_____	___ .	P___ .	___ .	___

Examples: **ELF830NB.P02.STD** **L919491**

Essentials™ Metal Storage

Combination Files and Overfiles

For specification information see pages 945-946.



ECF536N


Description	Model	Number of Adj. Shelves	P1 Paint List Price
64¼"H Combination Files w/Open Shelves — 18"D – **5-High**			
30"W	**ECF530N** ⌴	2	**$ 2770**
36"W	**ECF536N** ⌴	2	**$ 3145**
64¼"H Combination Files w/Hinged Doors — 18"D – **5-High**			
30"W	**ECF530H** ⌴	2	**$ 3026**
36"W	**ECF536H** ⌴	2	**$ 3437**

How to specify — **Select the Model Number from above.**	*1st Option:* **Drawer Pull** *(if applicable)*:	*2nd Option:* **Paint:**	*3rd Option:* **Pull Color** *(if applicable)*:	*4th Option:* **Lock Type** *(if applicable)*:
	A Arch **B** Beveled **I** Integral **S** Square	P1 P2 P3 See page 940 for finishes. P2 upcharge $122 P3 upcharge $273	**Arch Pull only** **EL** Matte Silver **E4** Black **Square Pull** **EL** Matte Silver	**STD** Standard **OMT** Omit Lock Core, not available on overfile cabinets (Deduct $20 per lock)
_____	_____ .	P _____ .	_____ .	_____


Examples: **ECF530NA.P02.EL.STD** **EOF3018.P27**

Essentials™ Metal Storage


For specification information see pages 945-946.




ESC236



ESC336



ESC436



ESC536

Description	Model	Number of Adj. Shelves	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
28"H Storage Cabinets					
30"W x 18"D	**ESC230** ⌴	1	**$ 1409**	**$ 1471**	**$ 1555**
36"W x 18"D	**ESC236** ⌴	1	**$ 1567**	**$ 1629**	**$ 1713**
39⅛"H Storage Cabinets					
30"W x 18"D	**ESC330** ⌴	2	**$ 1687**	**$ 1749**	**$ 1833**
36"W x 18"D	**ESC336** ⌴	2	**$ 1777**	**$ 1839**	**$ 1923**
52½"H Storage Cabinets					
36"W x 18"D	**ESC436** ⌴	3	**$ 2182**	**$ 2304**	**$ 2455**
64¼"H Storage Cabinets					
30"W x 18"D	**ESC530** ⌴	4	**$ 2363**	**$ 2485**	**$ 2636**
36"W x 18"D	**ESC536** ⌴	4	**$ 2599**	**$ 2721**	**$ 2872**

How to specify —

Select the Model Number from above.

1st Option:

Pull
(if applicable):

A Arch
B Beveled
I Integral
S Square

2nd Option:

Paint:

P1 P2 P3

See page 940 for finishes.

3rd Option:

Pull Color
(if applicable):

Arch Pull only
EL Matte Silver
E4 Black

Square Pull
EL Matte Silver

4th Option:

Lock Type
(if applicable):


STD Standard
OMT Omit Lock Core, not available on overfile cabinets (Deduct $20)


P . .


Example: **ESC336A.P27.E4.STD**


Essentials™ Metal Storage


For specification information see pages 945-946.



EBC236



EBC336



EBC436



EBC536


EBC30


EBC42


EBC60


EBC72


EBC82

Description	Model	Number of Adj. Shelves	P1 Paint List Price	P2 Paint List Price
28"H Bookcases				
30"W x 18"D	**EBC230**	1	**$ 1136**	**$ 1174**
36"W x 18"D	**EBC236**	1	**$ 1278**	**$ 1316**
39⅛"H Bookcases				
30"W x 18"D	**EBC330**	2	**$ 1220**	**$ 1258**
36"W x 18"D	**EBC336**	2	**$ 1375**	**$ 1413**
52½"H Bookcases				
36"W x 18"D	**EBC436**	3	**$ 1656**	**$ 1713**
64¼"H Bookcases				
30"W x 18"D	**EBC530**	4	**$ 1746**	**$ 1803**
36"W x 18"D	**EBC536**	4	**$ 1976**	**$ 2033**
Bookcases — 34½"W x 12⅝"D				
29"H	**EBC30**	1	**$ 1090**	**$ 1128**
41"H	**EBC42**	2	**$ 1314**	**$ 1352**
59"H	**EBC60**	3	**$ 1626**	**$ 1683**
71"H	**EBC72**	4	**$ 1699**	**$ 1756**
81"H	**EBC82**	4	**$ 1758**	**$ 1815**

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2

See page 940 for finishes.

P

Examples: **EBC230.P02** **EBC30.P27**

Notes

Radii™ Metal Storage

Finishes 956
Digital Lock Specifications 957
Pedestal Functionality with Work Tools 958
Freestanding and Mobile Pedestals 959-962
Pedestal Functionality with Work Tools 963
Undermount, L-Cube, and Work Tools 964-966
Caddy 967
Digital Lock Keys and Accessories 968

Radii™ Metal Storage

PAINTED METAL FINISHES

GRADE P1

Black P71
Brownstone P7D
Cinder P7Q
Cove P096
Designer White ..... PJW
Dune P094
Flint P02
Fossil P28
Harbor P097
Loft P7B
Muslin P4J
Pebble P8R
Pewter P8D
Sage P095
Salt P8C
Textured Designer White PK7
Textured Flint P7A
Titanium P8T

GRADE P2

Champagne Metallic PR5
Gunmetal Metallic PR3
Silver** PR6
Solar Black P8X

**PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensys, Essentials bookcase, and vertical files.

GRADE P3

Atom P8S
Blossom*** P8K
Bullseye ..... PJF
Ember P8P
Ion P8N
Iris P8J
Krypton P8F
Ochre*** P093
Regatta P8M
Sienna*** P092
Succulent*** P8A

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

****These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

METAL STORAGE PULLS

BEAM

Designer White ..... PJW
Silver PR6
Pyrite ..... PJE
Solar Black P8X

HALO

Designer White ..... PJW
Silver PR6
Pyrite ..... PJE
Solar Black P8X

BAR

Designer White ..... PJW
Black P27
Silver PR6

SQUARE

Designer White ..... PJW
Flint P02
Loft P7B
Matte Silver ..... EL
Pyrite ..... PJE
Solar Black P8X

RADII CONSOLE—POLY LINER

Cool Grey ..... CGR

RADII USB

Designer White ..... DW
Flint E9
Storm ..... STRM

LOCKS

Black E4
Chrome ..... ordered by base model
Matte Silver ..... EL

NOTE: Refer to individual product pages for upcharges.


RADII WORKTOOLS COLOR OPTIONS

DW- Designer White
E9- Flint

Digital Keypad Lock

Digital Lock Specifications

Available on Align (Pedestals, Credenzas, Towers) and Radii Products



The digital keypad lock options support applications where workstations or storage banks are shared by multiple users. This is an alternative to a standard key lock. This feature facilitates the use of storage by multiple users through eliminating the need to keep and hand-off physical keys. These locks ship in "shared mode" by default; shared mode indicates that the lock will "forget" the paired 4-digit code, allowing the unit to be used by multiple users.

Digital keypad locks:

- Ship factory installed
- Offered in a polished silver finish
- Digital keypad lock requires input of a user-selected 4-digit code
- Digital keypad powered using 2 premium lithium CR2450 batteries
- Battery life is dependent on the frequency of operation but can last up to 5-7 years
- Digital keypad locks are installed horizontally on Align pedestals, credenzas, and towers

Additional information about setup and common troubleshooting problems can be found here: Digital Lock Overview.

Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Once a programming key is used with a unit, it is tied to that lock. Another programming key can not be used.
- Add-on digital lock orders should be programmed with the original programming key.

Manager Key

- A Manager Key is used to bypass a locked unit; this operates as the "master" key and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.

Description	Model	List Price
Digital Lock Keys and Accessories		
Programming Key	**YPLDIGPRG**	**$ 366**
Manager Key	**YPLDIGMGR**	**$ 282**


*Digital Lock users must purchase a programming key to operate. Programming keys and manager keys are purchased separately from locks.

Radii™ Metal Storage

Pedestal Functionality with Work Tools

Radii is a new generation of metal storage pedestals, undermounts, and Work Tools designed to accommodate more personal items and less paper. In the evolving digital age, the need to store paper files dwindles, people archive fewer documents, while the need to stow personal belongings grows. Conventional storage options that were designed for lateral paper filing don't adequately accommodate items employees stow, such as a backpack, purse, gym shoes, office supplies, or other everyday essentials workers want to keep within reach.

The desire for products to do more with less is quickly becoming a necessity. Radii delivers efficiency that is obvious in a solution that succinctly stows today's objects in a user-customizable way.



Pedestal Functionality Represented by
Freestanding Pedestal 21½"H
15"W x 23"D Box with Tray/File.
Additional Work Tools ordered separately.

Pedestals

- Available with casters or glides
- Casters allow clearance for pedestal to straddle Altitude foot.
- Rear casters swivel, front casters are fixed, casters do not lock.
- Freestanding pedestals are not meant to support worksurfaces.
- Drawer slides are not full extension.
- Counterweight installed when required. No additional counterweight is required.
- Case wrapper creates a utility lip at top of case from which Work Tools can hang.
- 15"W pedestals can fit a Hot File Bin sideways in drawer to serve as a space divider.
- Hot File and Side Saddle can hang on inside file drawer lip.
- Alcove unit has a single drawer with open enclosure at top to stow backpack or other personal items.
- Drawers are labeled as "Box"/"Box +" and "File"/"File +"; see dimension table below.
- Drawers labeled as "+" have a taller drawer front and added space above the drawer body that can either accept the hidden Radii accessory tray or allow for the drawer to stow larger items, such as a backpack.
- All pedestals with a drawer marked "+" ship with one accessory tray, additional trays may be purchased separately (20⅜"H unit does not ship with or accept hidden tray).
- Radii pedestals offered with a digital locking option
- Slim peds (10"W) with digital locking only accept Square Pull.
- Manager and programming key purchased separately, see page 999.

Drawer Type	Exterior Drawer Height	Accepts Tray	Filing	
			15"W Pedestal	10"W Pedestal
Box	6"	No	No	No
Box +	9"	Yes	No	No
File	12"	No	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal
File +	15"	Yes	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal







Drawer Type	Drawer Capacity*	
	15"W Pedestal	10"W Pedestal
Box	4¼"H x 12⅛"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	4¼"H x 7⅛"W x 21¾"D
Box +	7¼"H x 12⅛"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	7¼"H x 7⅛"W x 21¾"D
File	10¾"H x 12⅛"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	10¾"H x 7⅛"W x 21¾"D
File +	13⅝"H x 12⅛"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	13⅝"H x 7⅛"W x 21¾"D

** If using hidden tray in + drawer, subtract approximately 3" from usable height*

Radii™ Metal Storage

Freestanding and Mobile Pedestals

For specification information see page 958.

Description	Model	P1 List Price
 **Freestanding Alcove and File + Pedestal 21½"H**		
10"W x 23"D with Tray	**APGBS24SNPT**	**$ 1020**
15"W x 19"D with Tray	**APGBP18SNPT**	**$ 1055**
 **Freestanding Box + and File Pedestal 21½"H**		
10"W x 23"D with Tray	**APGBS249TFN**	**$ 1088**
15"W x 19"D with Tray	**APGBP189TFN**	**$ 1120**
15"W x 23"D with Tray	**APGBP249TFN**	**$ 1191**
 **Freestanding Box and File + Pedestal 21½"H**		
15"W x 19"D with Tray	**APGBP186NPT**	**$ 1120**
15"W x 23"D with Tray	**APGBP246NPT**	**$ 1191**
 **Freestanding Box + and File + Pedestal 24½"H**		
10"W x 23"D with Tray	**APGCS249TPN**	**$ 1193**
15"W x 19"D with Tray	**APGCP189TPN**	**$ 1163**
15"W x 23"D with Tray	**APGCP249TPN**	**$ 1211**
 **Mobile Box and File Pedestal 20⅜"H**		
15"W x 19"D Does not accommodate Work Tool Tray	**APMAP186NFN**	**$ 1044**
15"W x 23"D Does not accommodate Work Tool Tray	**APMAP246NFN**	**$ 1095**
 **Mobile Alcove/File + Pedestal 23⅜"H**		
10"W x 23"D Alcove/File with Tray	**APMBS24SNPT**	**$ 1020**
15"W x 19"D Alcove/Tray-File	**APMBP18SNPT**	**$ 1055**
 **Mobile Box + and File Pedestal 23⅜"H**		
10"W x 23"D with Tray	**APMBS249TFN**	**$ 1130**
15"W x 19"D with Tray	**APMBP189TFN**	**$ 1120**
15"W x 23"D with Tray	**APMBP249TFN**	**$ 1191**

How to specify —

Select the Model Number from above.

A P _ _ _ _ _ _ _ _ _ . _

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

See matrix on page 20.

_ _ _ .

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

B Bar
P27 Black
PJW Designer White
PR6 Silver

S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $50
P3 add $98

P _ _ .

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $38
P3 add $62

P _ _ .

5th Option:

Tray Color:

DW Designer White
E9 Flint

D W .

6th Option:

Lock Option:

STD Standard
OMT Omit Lock Core (Deduct $20 per lock)

_ _ _

Examples: **APGBS24SNPT.OPR6.PR3.PR3.DW.STD** **APMBP249TFN.BP27.P7B.P7B.DW.OMT**


Radii™ Metal Storage

Freestanding and Mobile Pedestals


For specification information see page 958.



Description	Model	P1 List Price
Mobile Box and File + Pedestal 23⅜"H		
15"W x 19"D with Tray	**APMBP186NPT**	**$ 1120**
15"W x 23"D with Tray	**APMBP246NPT**	**$ 1191**



Description	Model	P1 List Price
Mobile Box + and File + Pedestal 26⅜"H		
10"W x 23"D with Tray	**APMCS249TPN**	**$ 1193**
15"W x 19"D with Tray	**APMCP189TPN**	**$ 1163**
15"W x 23"D with Tray	**APMCP249TPN**	**$ 1211**



Description	Model	Base List Price	2	3	4	5	6	7	8
Seat Cushion									
15"W x 19"D	**AESC18**	**$ 274**	**$ 292**	**$ 307**	**$ 323**	**$ 344**	**$ 365**	**$ 386**	**$ 407**
15"W x 23"D	**AESC24**	**$ 322**	**$ 340**	**$ 355**	**$ 371**	**$ 392**	**$ 413**	**$ 434**	**$ 455**

How to specify —

Select the Model Number from above.

A _____ .

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

See matrix on page 20.

_____

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

B Bar
P27 Black
PJW Designer White
PR6 Silver

S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_____ .

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $50
P3 add $98

P _____ .

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $38
P3 add $62

P _____ .

5th Option:

Tray Color:

DW Designer White
E9 Flint

DW .

6th Option:

Lock Option:

STD Standard
OMT Omit Lock Core
(Deduct $20 per lock)

_____

Examples: **APGCS249TPN.BP27.PR6.PR6.DW.STD** **APMCP189TPN.BP27.PJW.PJW.DW.OMT**

How to specify —

Select the Seat Cushion Model Number from above.

AESC _____ .

1st Option:

Upholstery:

See page 13 for fabrics.


_____

Example: **AESC18.CU10**

Radii™ Metal Storage

Freestanding and Mobile Pedestals

For specification information see page 958.



Description	Model	P1 List Price
Freestanding Alcove and File + Pedestal 21½"H with Digital Lock		
10"W x 23"D with Tray	**APGBS24SNPTE**	**$ 1020**
15"W x 19"D with Tray	**APGBP18SNPTE**	**$ 1055**
Freestanding Box + and File Pedestal 21½"H with Digital Lock		
10"W x 23"D with Tray	**APGBS249TFNE**	**$ 1088**
15"W x 19"D with Tray	**APGBP189TFNE**	**$ 1120**
15"W x 23"D with Tray	**APGBP249TFNE**	**$ 1191**
Freestanding Box and File + Pedestal 21½"H with Digital Lock		
15"W x 19"D with Tray	**APGBP186NPTE**	**$ 1120**
15"W x 23"D with Tray	**APGBP246NPTE**	**$ 1191**
Freestanding Box + and File + Pedestal 24½"H with Digital Lock		
10"W x 23"D with Tray	**APGCS249TPNE**	**$ 1193**
15"W x 19"D with Tray	**APGCP189TPNE**	**$ 1163**
15"W x 23"D with Tray	**APGCP249TPNE**	**$ 1211**
Mobile Box and File Pedestal 20⅝"H with Digital Lock		
15"W x 19"D Does not accommodate Work Tool Tray	**APMAP186NFNE**	**$ 1044**
15"W x 23"D Does not accommodate Work Tool Tray	**APMAP246NFNE**	**$ 1095**

How to specify —

Select the Model Number from above.

A P _ _ _ _ _ _ _ _ _ _ . _

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

See matrix on page 20.

_ _ _ .

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

B Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

S Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $50
P3 add $98

P _ _ .

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $38
P3 add $62

P _ _ .

5th Option:

Tray Color:

DW Designer White
E9 Flint

_ _ .

6th Option:

Lock Option:

EBNL Digital Lock add $453

See page 968 for required programming key and manager key.


_ _ _ _

Example: **APGBS24NPTE.SPR6.PDW.PDW.E9.EBNL**

Radii™ Metal Storage

Freestanding and Mobile Pedestals

For specification information see page 958.



Description	Model	P1 List Price
Mobile Alcove/File + Pedestal 23⅜"H with Digital Lock		
10"W x 23"D Alcove/File with Tray	**APMBS24SNPTE**	**$ 1020**
15"W x 19"D Alcove/Tray-File	**APMBP18SNPTE**	**$ 1055**
Mobile Box + and File Pedestal 23⅜"H with Digital Lock		
10"W x 23"D with Tray	**APMBS249TFNE**	**$ 1088**
15"W x 19"D with Tray	**APMBP189TFNE**	**$ 1120**
15"W x 23"D with Tray	**APMBP249TFNE**	**$ 1191**
Mobile Box and File + Pedestal 23⅜"H with Digital Lock		
15"W x 19"D with Tray	**APMBP186NPTE**	**$ 1120**
15"W x 23"D with Tray	**APMBP246NPTE**	**$ 1191**
Mobile Box + and File + Pedestal 26⅜"H with Digital Lock		
10"W x 23"D with Tray	**APMCS249TPNE**	**$ 1193**
15"W x 19"D with Tray	**APMCP189TPNE**	**$ 1163**
15"W x 23"D with Tray	**APMCP249TPNE**	**$ 1211**

How to specify —

Select the Model Number from above.

A P _ _ _ _ _ _ _ _ _ _ . _

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

See matrix on page 20.

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
- **PJW** Designer White
- **PR6** Silver
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

B Bar
- **P27** Black
- **PJW** Designer White
- **PR6** Silver

S Square
- **PJW** Designer White
- **EL** Matte Silver
- **P02** Flint
- **P7B** Loft
- **PJE** Pyrite
- **P8X** Solar Black

P2 upcharge +$19/pull

_ _ _ .

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $50
P3 add $98

P _ _ .

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $38
P3 add $62

P _ _ .

5th Option:

Tray Color:

DW Designer White
E9 Flint

_ _ .

6th Option:

Lock Option:

EBNL Digital Lock add $453











See page 968 for required programming key and manager key.

_ _ _ _

Example: **APGBS24NPTE.SPR6.PDW.PDW.E9.EBNL**

Radii™ Metal Storage

Pedestal Functionality with Work Tools

Representative Image	Space Claim
 AUFD	 Flush Undermount Pull-Out Drawer
 AUFH FH HD-Flush	 Flush Undermount RH Hinged Door
 AUFO Open-Flush	 Flush Undermount Open Bin
 AUCL L Shelf-Console	 Console Undermount Open L-Cube
 AUCH RH HD-Console	 Console Undermount RH Hinged Door Bin

Undermounts

- Undermount units are mounted inset from the left or right edge of the worksurface dependent on table supports.
- Compatible with all Allsteel benching and desking applications, except where noted.
- Can accommodate 2 Hot File units within interior sitting side-by-side.
- Slim tray fits in the Drawer and Open L units only.
- Ensure weight limit of height adjustable table system is considered before adding undermount storage (see table for unit weight and storage capacity).
- Standard BIFMA loading standards based on open volume of storage area.
- For undermount applications with Altitude tables, see the matrix on page 965.
- Manager and programming key purchased separately, see page 957.
- Radii pedestals offered with a digital locking option.
- Slim peds (10"W) with digital locking only accept Square Pull.

Flush Undermounts

- Unit to be mounted under worksurface using hardware supplied with unit.
- Unit mounts flush to front edge of worksurface.
- Open and hinged door units contain side slot which can be used to hang Work Tools.
- Open and hinged door units do not fit Work Tool Trays.
- Drawer unit ships with hangrail to accommodate side-to-side filing.

Console Undermounts

- Open L unit comes with Work Tool Tray, console soft touch pad, and bottom soft touch liner.
- Hinged Door Console Unit comes with console soft touch pad ONLY.
- Unit available with or without USB. Either version ships with soft touch pad for console and contains a perforation for easy cord routing.
- Slots built into upper portion of case for Work Tools Hook to hang from.
- Unit mounts under worksurface with easy locating interface bracket. Bracket screws to worksurface, unit snaps onto bracket.
- Unit protrudes 6" from front of worksurface.


Work Tools

- Side Saddle and Hot File work on Stride and Terrace Tool Tiles and Tool Rails.
- Bag Hook weight limit 20 lbs.

Radii™ Metal Storage


Undermount, L-Cube, and Work Tools

For specification information see page 958.



Description	Model	P1 List Price
Flush Undermount Pull-Out Drawer 18"H (Ships with Work Tool Tray)		
10"W x 16⅛"D	**AUFD15N**	$ 795
Flush Undermount Right-Hinged Door 20"H		
10"W x 14⅜"D	**AUFH15N**	$ 789
Flush Undermount Left-Hinged Door 20"H		
10"W x 14½"D	**AUFHL15N**	$ 747
Flush Undermount Open Bin 20"H		
10"W x 14⅜"D	**AUFO15N**	$ 632
Console Undermount Open L-Cube 16"H (Ships with Work Tool Tray)		
13"W x 15"D with Non-USB Console	**AUCL15N**	$ 881
13"W x 15"D with USB Console	**AUCL15U**	$ 1017
Console Undermount Right Hinged Door Bin 20"H		
10"W x 15"D with Non-USB Console	**AUCH15N**	$ 870
10"W x 15"D with USB Console	**AUCH15U**	$ 1037
Console Undermount Left Hinged Door Bin 20"H		
10"W x 15"D with Non-USB Console	**AUCHL15N**	$ 870
10"W x 15"D with USB Console	**AUCHL15U**	$ 1037

Work Tools



Description	Model	List Price
Large Tray for 15"W models		
1½"H x 13½"W x 14⅞"D	**AELT**	$ 91
Small Tray for 10"W models		
1½"H x 8½"W x 14⅞"D	**AEST**	$ 69
Hot File		
9½"H x 12¼"W x 3⅞"D	**AEHF**	$ 69
Side Saddle		
4"H x 12¼"W x 2⅛"D	**AESS**	$ 58
Bag or Coat Hook		
3¼"H x 1⅝"W x 2¼"D	**AECH**	$ 45

How to specify —

Select the Model Number from above.

A _____ .

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

See matrix on page 20.

_____

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

B Bar
P27 Black
PJW Designer White
PR6 Silver

S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black

P2 upcharge +$19/pull

_____ .

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $38
P3 add $74

P _____ .

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $32
P3 add $50

P _____ .

Continued below ▼

5th Option:

Tray and Accessories Color *(if applicable)*:

DW Designer White
E9 Flint

_____ .

6th Option:

Console Poly Liner:

PL *(if applicable)*

P L

7th Option:

Console Color *(if applicable)*:

CGR Cool Grey

C G R .

8th Option:

Lock Option:

STD Standard
OMT Omit Lock Core (Deduct $20)

_____

9th Option:

USB Color *(if applicable)*:

STRM Storm

S T R M

Examples: **AUFH15N.OPR6.PJW.STD** **AUCL15U.PR6.DW.PLCGR.STRM** **AELT.DW**

Radii™ Metal Storage

Undermount, L-Cube, and Work Tools

Model Number	Unit Weight	Storage Capacity (lb.)	Weight + Capacity (Added weight to table)	Internal Height	Internal Width	Internal Depth
AUFD15N	25	29	54	10"	7⅛"	14⅞"
AUFH15N	22	42	64	16¾"	9⅞"	13⅜"
AUFHL15H	22	42	64	16¾"	9⅞"	13⅜"
AUFO15N	17	42	59	16¾"	9⅞"	13⅜"
AUCL15N	22	43	65	11⅛"	9⅞"	14¼"
AUCL15U	22	43	65	11⅛"	9⅞"	14¼"
AUCH15U	25	48	73	17"	9⅞"	14"
AUCH15N	25	48	73	17"	9⅞"	14"
AUCHL15U	25	48	73	17"	9⅞"	14"
AUCHL15N	25	48	73	17"	9⅞"	14"

		A6 (T-Leg)		A6 (C-Leg)	
		24"D	30"D	24"D	30"D
AUFD15N	Flush Undermount Pull-Out Drawer	○	○	○	●
AUFH15N/AUFHL15N	Flush Undermount RH/LH Hinge Door	○	○	○	●
AUFO15N	Flush Undermount Open Bin	○	○	○	●
AUCL15N/AUCL15U	Console Undermount L-Cube	○	○	○	○
AUCH15N/AUCH15U	Console Undermount RH Hinge Door	○	○	○	○
AUCHL15N/AUCHL15U	Console Undermount LH Hinge Door	○	○	○	○

Legend	
●	Works, unit may sit flush to LH or RH edge of work surface
○	Works, unit must sit inset of height-adjustable leg
X	Does not work

Radii™ Metal Storage

Undercabinet Pedestals

For specification information see page 958.

Description	Model	P1 List Price
Flush Undermount Pull-Out Drawer 18"H (Ships with Work Tool Tray) with Digital Lock		
10"W x 16⅛"D	**AUFD15NE**	**$ 795**
Flush Undermount Right-Hinged Door 20"H with Digital Lock		
10"W x 14⅜"D	**AUFH15NE**	**$ 761**
Flush Undermount Left-Hinged Door 20"H with Digital Lock		
10"W x 14½"D	**AUFHL15NE**	**$ 747**
Console Undermount Right Hinged Door Bin 20"H with Digital Lock		
10"W x 15"D, Non-USB Console	**AUCH15NE**	**$ 870**
10"W x 15"D, USB Console	**AUCH15UE**	**$ 1037**
Console Undermount Left Hinged Door Bin 20"H with Digital Lock		
10"W x 15"D, Non-USB Console	**AUCHL15NE**	**$ 870**
10"W x 15"D, USB Console	**AUCHL15UE**	**$ 1037**

How to specify —

Select the Model Number from above.

A _____ .

1st Option:

Pull Type *(if applicable)*:

M Beam
O Halo
B Bar
S Square

Slim Peds (10"W) only accept Square Pull.

See matrix on page 20.

_____ .

2nd Option:

Pull Color *(if applicable)*:

M Beam / **O** Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

B Bar
P27 Black
PJW Designer White
PR6 Silver

S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +$19/pull

_____ .

3rd Option:

Paint:

P1 P2 P3

See page 956 for finishes.

P2 add $38
P3 add $74

P _____ .

4th Option:

Front Paint:

P1 P2 P3

See page 956 for finishes.

NA Match Case
P1 add $14
P2 add $32
P3 add $50

P _____ .

Continued below ▼

5th Option:

Tray and Accessories Color *(if applicable)*:

DW Designer White
E9 Flint

_____ .

6th Option:

Console Poly Liner:

PL *(if applicable)*

P L

7th Option:

Console Color *(if applicable)*:

CGR Cool Grey

C G R .

8th Option:

Lock Option:

EBNL Digital Lock add $453

See page 968 for required programming key and manager key.

_____

9th Option:

USB Color *(if applicable)*:

STRM Storm


S T R M

Example: **AUCHL15NE.SPR6.PDW.PDW.E9.PLCGR.EBNL**


Radii™ Metal Storage

Caddy

For specification information see page 958.



Description	Model	List Price
Radii Caddy No Shelf		
22⅞"H x 12½"W x 21"D	**ACMCM21O**	**$ 818**



Description	Model	List Price
Radii Caddy with Shelf		
22⅞"H x 12½"W x 21"D	**ACMCM21T**	**$ 980**

Notes: Paint 1 for case color and Paint 2 for top and bottom shelf color
Handle options: YHDL for handle cutout and NHDL for no handle cutout
Radii work tools available in Designer White-DW or Flint-E9
Casters only
Accepts Radii work tools

How to specify — **Select the Model Number from above.**	*1st Option:* **Handle:** **YHDL** Handle Cutout **NHDL** No Handle Cutout	*2nd Option:* **Case Color** *(if applicable)*: P1 P2 See page 956 for finishes.	*3rd Option:* **Top and Bottom Shelf Paint:** P1 P2 See page 956 for finishes.	*4th Option:* **Tray and Accessories Color** *(if applicable)*: **DW** Designer White **E9** Flint
ACMCM21 .	.	.	.	

Examples: **ACMCM21O.YHDL.PJW.P02** **ACMCM21T.NHDL.PR6.PR6.DW**

Radii™ Metal Storage

Digital Lock Keys and Accessories

For specification information see page 957.



Description	Model	List Price
Digital Lock Keys and Accessories		
Programming Key	YPLDIGPRG	$ 366
Manager Key	YPLDIGMGR	$ 282

How to specify —

Select the Model Number from above.





Y	P	L						

Examples: **YPLDIGPRG** **YPLRFID5S**

Notes

Accessories

Working with Pivot Monitor Arms

PIVOT MONITOR ARMS	Standard Dynamic Single	Standard Dynamic Dual	Heavy Duty Dynamic Single	Heavy Duty Dynamic Dual with Crossbar
Allsteel Model:	AMASTS	AMASD	AMASHD	AMADHD
Features:				
Price	$524	$1054	$899	$1243
Colors	Black and Silver	Black and Silver	Black and Silver	Black and Silver
Monitor Rotation	180°	180°	180°	180°
Monitor Extension	18.75"	18.26"	20.75"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	8.4" to 19"	9.6" to 20.1"	8.5" to 20"	8.5" to 20"
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	8 to 35 lbs.	17.5 lbs. per VESA Plate
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	N/A	N/A	N/A	N/A
Maximum Width per Monitor*	N/A	25"	N/A	25"
Worksurface Clamp Requirements	⅞" to 2" Thick	⅞" to 2" Thick	⅞" to 2" Thick	⅞" to 2" Thick
Worksurface Grommet Clamp Requirements	⅞" to 2" Thick/Hole Diameter 3/16" to 2"	⅞" to 2" Thick/Hole Diameter 3/16" to 2"	⅞" to 2" Thick/Hole Diameter 3/16" to 2"	⅞" to 2" Thick/Hole Diameter 3/16" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content	94% Recycled Content

*Use of APACSM Slider Model will allow for wider monitor capabilities

Pivot Standard Weight Monitor Arms



- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 18.75" extension, and 10" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Standard weight arms utilize a tension spring that allows for effortless adjustment of monitors to proper ergonomic positions.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6-17 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ⅞" –2" thick surfaces; grommet mount requires hole diameter of 3/16" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

Pivot Slider Mount

- Provides 11.8" of horizontal movement.
- Allows for wider monitors to be used on dual monitor arms and sit flush side by side.
- Not compatible with Pivot Heavy Duty Series.

Pivot Heavy Duty Series

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 20.75" extension, and 12" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 8-35 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ⅞" –2" thick surfaces; grommet mount requires hole diameter of 3/16" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 2 monitors weight 4-17.5 lbs each.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

PIVOT MONITOR ARMS	Dynamic Single Post	Dynamic Dual Post	Triple Fixed Post
Allsteel Model:	APASD	APADD	APATF
			
Features:			
Price	$708	$990	$1250
Colors	Silver	Silver	Silver
Monitor Rotation	180°	180°	180°
Monitor Extension	21"	21"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	10.6"	10.6"	N/A
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	17 lbs. per arm
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	17.7"	17.7"	27.5"
Maximum Width per Monitor*	25"	25"	25"
Worksurface Clamp Requirements	⅞" to 2" Thick	⅞" to 2" Thick	⅞" to 2" Thick
Worksurface Grommet Clamp Requirements	⅞" to 2" Thick/Hole Diameter 3/16" to 2"	⅞" to 2" Thick/Hole Diameter 3/16" to 2"	⅞" to 2" Thick/Hole Diameter 3/16" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content

*Use of APACSM Slider Model will allow for wider monitor capabilities

Pivot Post Series

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with 21" extension and 10.6" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6.5-17 lbs per arm.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ⅞" –2" thick surfaces; grommet mount requires hole diameter of 3/16" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Silver color option with grey wire management only.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Single and dual models have a post height of 17.7"; Triple monitor model has a post height of 27.5".
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

Pivot Counterweight Kit





- Counterweight Kit to be used with monitors weighing less than 6 lbs.
- Gray color only.
- Counterweight weighs 1 lb. 6 oz.

Pivot Conversion Kits

- Kit allows user to transform single monitor arm (Standard, Heavy Duty, or Post) into Dual Arm configuration
- Available in black and silver, Post arm only available in silver
- Required wire management included
- Once assembled, will aesthetically emulate dual configuration of chosen arm

Accessories — Pivot Monitor Arms

For specification information see pages 970-971.

	Description	Model		List Price
	Pivot Monitor Arms			
	Dynamic Single Monitor - Standard Weight	**AMASTS**	S	$ 524
	Dynamic Single Monitor - Standard Weight for GSA *Silver Only	**AMASTS-G**		$ 618
	Dynamic Single Monitor - Heavy Weight	**AMASHD**	S	$ 899
	Dynamic Dual Monitor with Crossbar	**AMADHD**	S	$ 1243
	Dynamic Dual Monitor - Standard Weight	**AMASD**	S	$ 1054
	Dynamic Dual Monitor - Standard Weight for GSA *Silver Only **Slider Mount included.	**AMASD-G**		$ 1124
	Single Dynamic Post Arm *Silver Only	**APASD**	S	$ 708
	Double Dynamic Post Arm *Silver Only	**APADD**	S	$ 990
	Triple Fixed Post Mount *Silver Only	**APATF**	S	$ 1250

How to specify —

Select the Model Number from above.

1st Option:

Select the Color:

SVR Silver
BLK Black





A _____ . _____

Example: **AMADHD.BLK**

S *Shippable by small-package carrier.*

Accessories — Pivot Monitor Arms

For specification information see pages 970-971.

	Description	Model	List Price
	Pivot Monitor Arms		
	Monitor Arm Sliding Mount	**APACSM** S	$ 250
	Monitor Arm Counterweight	**APACW** S	$ 60
	Pivot Monitor Arm Standard Single Conversion Kit	**AMASTSCK**	$ 586
	Pivot Monitor Arm Heavy Duty Single Conversion Kit	**AMASHDCK**	$ 512
	Pivot Single Post Arm Conversion Kit	**APASDCK**	$ 745
	*Silver Only		

How to specify —

Select the Model Number from above.

1st Option:

Select the Color:

SVR Silver
BLK Black

A _____ . _____

Example:

S ***Shippable by small-package carrier.***

Extensions™

Extensions — Introduction

Extensions accessory line by Allsteel is designed to help you create your own space.

- **Create a personalized space**

  Each person works differently, different work styles require different tools. As our workplace needs shift from paper filing to personal storage, the tools that support us day-to-day need to adapt to the changing ways we are expected to work. Whether it's the need for paper filing, a place to plug a charger in, or a small shelf for trinkets, Extensions help you bear it all.

- **Create a comfortable space**

  Encourage wellness and peace of mind while you work with Extensions. Whether by clearing valuable desk space, routing cords out of the way, powering your technology, or illuminating tasks with a gentle glow, this full line of work tools help you stay calm and in control of your workspace.

- **Create an empowered space**

  Without all the right tools you need to succeed, having a productive workday can feel like an impossible task. With a full line of ergonomic, organization, illumination, power, and wire management tools, Extensions put the right tools within reach, allowing you to get your work done seamlessly and efficiently.

- **Organization tools**

  Embracing organization work tools can help add efficiency and excitement to your daily workflow. Durably made but thoughtfully designed to help you organize and store the tools you need throughout your day, Extensions organizational tools help you find that perfect place for anything.

- **Ergonomic tools**

  Ergonomics is more than just comfort, it's flexibility and safety. The adjustable keyboard options allow users to maintain and vary comfortable wrist and arm positions throughout the day, whether typing or mousing. Monitor Arms offer versatile adjustability while providing optimum comfort for the eyes, neck, and shoulders.

- **Illumination tools**




  Sleek and flexible, our lighting components offer you several choices. Recessed task lights conserve space and feature electronic ballast for longer bulb life and cooler operating temperature. LED tasklights' slim design blends in with its surrounding while utilizing energy-efficient LED technology.

- **Power/Data tools**


  At the heart of every workspace is a power module that keeps you plugged-in and running throughout the day. These indispensable accessories provide wired or wireless connectivity anywhere and everywhere you could possibly need it, transforming your workplace into a hub of activity.

- **Wire Management tools**

  Eliminate the cord clutter under your desk with our extensive wire management offering. Allsteel wire management accessories effortlessly weave wires out of the way and clear your workspace with ease. Both free-standing and height adjustable, table-integrated solutions ensure that your space stays as clear as your workflow.


Articulating Keyboard Supports			
Features	**Model AKTSHORT**	**Model AKTLONG**	**Model AKTMID**
			
Keyboard Support	Platform style 28"W x 8"D	Platform Style 19"Wx11"D	Platform Style 19"Wx11"D
Keyboard Support Material	Phenolic	Phenolic	Phenolic
Suspension	• Nylon glides on lubricated slide track • Intuitive lift and lock one touch height adjustment	Lubricated slide track system: spring assisted	Lubricated slide track system: spring assisted
Platform Rotation	360 degrees	360 degrees	360 degrees
Platform Tilt	+10/-20 degrees	+10/-20 degrees	+10/-20 degrees
Platform Tilt Adjustment	Soft touch lever for precise tilt adjustment	Convenient tilt wheel assists desired tilt angle	Convenient tilt wheel assists desired tilt angle
Platform Height Adjustment Range	6⅜" (1⅛" above / 5¼" below)	12½" (7" above to 5½" below)	8" (3" above / 5" below)
Platform Height Adjustment	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower
Palm Rest	Detachable leatherette-covered gel palm rest	Fabric covered gel palm rest	Fabric covered gel palm rest
Mouse Pad	In-line to accommodate mouse on same level as keyboard.	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest
Microsoft Natural Compatible	No	Yes — by removing palm rest	Yes — by removing palm rest
Track Depth	8"	23"	21"
Required Mounting Clearance	20"W x 8"D x ¼" Recess	19"W x 23"D + ¼" Recess	19"W x 23"D + ¼" Recess
Adjustable Wrist Rest	No	Fixed mounting and height	Fixed mounting and height
Ideal For	• Straight worksurfaces • ADA/HFES compliance • Extensive adjustability with mouse in line, mouse over or mouse forward of keyboard • Height-Adjustable Table	• Corner worksurface applications • Sit to stand applications	• Shallow worksurfaces • Corner worksurface (17" or 21") • Radius worksurface (42" or 48")
Additional Information		• Track can be cut in the field to shorten track depth — may affect ability to fully recess platform	• Track can be cut in the field to shorten track depth — may affect ability to fully recess platform


AKTSHORT Keyboard Support (page 976)



- Lift and lock intuitive height adjustment.
- Compatible with Altitude Height Adjustable Tables
- Positive and negative tilt for best ergonomic positioning.
- +10°/-20° tile adjustment and 360° rotation provides support of neutral position of shoulders, arms and wrists while accommodating multiple working postures.
- Surpasses ANSI/BIFMA standards.
- Black powder coat finish.
- Patented secondary slide and unique arm design provide minimal footprint.

AKTMID and AKTLONG Keyboard Support (page 976)





- Lift and lock intuitive height adjustment.
- Positive and negative tilt for the best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Non-handed mouse tray can be moved from right hand to left hand side.
- Surpasses ANSI/BIFMA standards.
- Black powder-coat finish.

Keyboard Spacer Kit (page 976)

- Keyboard Spacer Kit required for mounting under Altitude worksurfaces.
- Kit provides ten spacers and hardware for mounting keyboard supports beneath an external worksurface support channel.
- Spacers are 2⅛"H providing more room beneath surface for mounting.




CPU Hammock (page 976)




- Features 360-degree swivel with an 11" track.
- Load capacity is 75 lbs.
- CPU must be minimum of 3¼"W with maximum dimension of 64" in perimeter.
- Handy adjustment tool stores within unit.
- Safety feature prevents accidental release of straps and straps can be adjusted while CPU is installed.
- Can be used on Height Adjustable Tables as long as it is attached with spacer model AKMH. Take into account required leg room for users.

Extensions™

For specification information see page 975.

	Description	Model	List Price
	**Compact Keyboard Support with 8" Track**		
	30"W x 13"D	**AKTSHORT** S	$ 647
	**STS Keyboard Support with 23" Track**		
	24"W x 12"D	**AKTLONG** S	$ 793
	**Articulating Keyboard Support with 21" Track**		
	24"W x 12"D	**AKTMID** S	$ 682
	**Keyboard Spacer Kit**		
	10 – 2⅛"H Spacers and Hardware	**AKMH** S	$ 70
	**CPU Hammock™ (Black only)**		
	360° swivel CPU holder with adjustable straps	**ACPU1** S	$ 462

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Metal Corner Sleeve — for use with Optimize™, Concensys®, and Terrace®				
• Fits 1¼" thick square edge detail. (T-Mold worksurfaces) 22½"W leading edge x 18"D.	**AWCS**	$ 159	$ 167	$ 172



Edge Details



Model AWCS

How to specify —

Select the Model Number from above.

Examples: **AKMH ACPU1**

S *Shippable by small-package carrier.*

Extensions™


Allsteel's tool rail works in conjunction with a variety of accessories. Modular accessories free up worksurface space and provide orderly storage that is well within reach. Units can be arranged and rearranged to respond to changing workflow. The work tools that attach to the tool rail are:

- Mail Box
- Folder Holder
- Phone Caddy
- Binder Bin
- Tool Box
- Clip Caddy™
- Sidebar™ Personal Shelf
- Paper Wave™
- Cup Holder
- Hook
- Hanging File Holder
- Magnetic Picture Holder
- Small Bin
- Small Shelf
- Small Tray


Additional accessories that work with the **tool rail work tools** aesthetically are:

- Bookends
- Freestanding Mail Box

Coat hooks, marker boards and center drawers round out the organization offering.



Tool rail, shown above, is height-adjustable in 1" increments using slots in panels or metal hutch. Tool rail shown with two tool boxes, two mail boxes, folder holder, and phone caddy. Folder holders and binder bins extend below a tool rail. Paper Wave and contents extend above a tool rail.





Tool rail, shown with cup holder, small shelf, hook, small bin, magnetic picture holder, small tray, and hanging file holder.


Tool Rails and Work Tools (page 985)
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.
- For use with Terrace®, Concensys®, and Optimize™ systems.
- 5" high rail (widths coordinate with panels).
- Attachment via vertical reveals.
- Can be hung from wall track. Good solution for above copiers.
- Systems tool rail is off-modular — can be used on a panel of equal width or one size smaller.
- May span two panels of appropriate size, i.e., 60"W Tool Rail on two 30"W panels.


NOTE: The Work Tools are NOT compatible with the Gallery Panel Accessory Rail; they are only compatible with the Tool Rail and the Stride & Terrace Tool Tiles.

Tool Rail for Hutches (page 985)
- Will work on Universal, Terrace, Optimize, and Concensys system hutches produced after July 2, 2000 and Align™ metal hutches.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.











Mail Box (page 986)
- Holds standard letter-size paper and inter-office envelopes.
- Minimal horizontal intrusion.

Folder Holder (page 986)
- Holds manila envelopes.
- Is capable of hanging on other folder holders to maximize space.
- Stores vertically for easy access to files.

Phone Caddy (page 986)
- Holds telephone at optimum ergonomic angle.
- Wire management cut-outs.
- Accommodates standard phone sizes.


Binder Bin (page 986)
- Holds folders, binders, and manuals.

Tool Box (page 986)
- Holds pencils and other writing utensils, large post-it notes, and other desk top accessories.


Clip Caddy™ (page 986)
- Holds paper clips and other small objects.




Sidebar™ Personal Shelf (page 986)
- Holds office supplies and personal effects.



Paper Wave™ (page 986)
- Provides 3 fully divided slots for organizing files.
- Keeps papers from "bowing" at bottom.




Bookends (page 986)
- Can be used on shelves or in cabinets.
- Used to hold books, binders, and catalogs upright.




Freestanding Mail Box (page 986)
- Incorporates similar aesthetic to mounted Mail Box.
- Mounting brackets allow for free access from front and back.
- Sold in pairs of two; will stack up to eight high.
- Individual mail box dimension = 1¼"H.
- Stacking brackets are black.




Coat Hook APMC6 (page 986)
- Hangs directly into slotted Terrace® or Optimize™ panel frame.
- Use for coat or bag.
- Package of six.
- Available in black only.




Cup Holder (page 987)
- Holds most cups and thermoses. Weight capacity is 5 lbs.




Hook (page 987)
- Hangs small personal effects such as headphones, keys, or hand wallets. Weight capacity is 10 lbs.



Hanging File Holder (page 987)
- Hangs files and folders from hanging file clips. Hanging file clips not included. Weight capacity is 5 lbs.




Magnetic Picture Holder (page 987)
- Allows for pictures to be hung via magnets. Magnets not included. Weight capacity is 5 lbs.




Small Bin (page 987)
- Houses office supplies or other personal effects such as pencils, pens, sticky notes, journals, etc. Weight capacity is 5 lbs.



Small Shelf (page 987)
- Provides additional shelf storage in workstation and displays office supplies or personal effects. Weight capacity is 5 lbs.




Small Tray (page 987)
- Holds office supplies and other personal effects. Weight capacity is 5 lbs.




ACPWRMOD

Power/Data Module — Clamp On Worksurface (page 993)
- On-surface mounting option, fits on any worksurface with a 4" overhang.
- 10' straight power cord only. UL Listed.
- Includes adapters to allow use of commercially available data terminals or blanks to fill unused openings. Many of the AMP, AT&T, Krone, Leviton, and most commercial data terminals can be used.
- Available in Fog only.




APWR4TAP

Power Module — Under Worksurface, Quad Tap (page 993)
- Under surface mounting can be used under any surface with a 5" x 5" x 1.5" clearance.
- 10' straight power cord only, no specification needed.
- 4 receptacles, unit is black finish only, no specification needed.




APWRMOD.AC.S




APWRMOD.QA.S

Power Modules — Clamp On Worksurface, Rectangular (page 993)
- Worksurface clamp can be used on any surface with a 2½" overhang.
- Must be installed at time of initial worksurface installation if installing between a worksurface and panel.
- 10' straight power cord only. UL Listed.
- The USB hub allows simultaneous powering of 2 receptacles, 1 USB-A device, and 1 USB-C device. The USB hub is a charger only, no ability to connect to a PC. The charging capacity is limited and may not charge all devices.
- Four wire management "P-Clips" included with mounting hardware.
- Specify "QA" for Qi compatible wireless charging on AWPRMOD. USB-C port no longer included when wireless charging specified.
- Available in Snow and Storm finishes.




ARNDPWRMOD.QA.S




ARNDPWRMOD.AC.S

Power Modules — Clamp On Worksurface, Round (page 993)
- Worksurface clamp can be used on any surface with a 2½" overhang.
- Must be installed at time of initial worksurface installation if installing between a worksurface and panel.
- 9' straight power cord only. UL Listed.
- The USB hub allows simultaneous powering of 1 USB-A device and 1 USB-C device. The USB hub is a charger only, no ability to connect to a PC. The charging capacity is limited and may not charge all devices.
- Specify "QA" for Qi compatible wireless charging on ARNDPWRMOD.
- Available in Snow and Storm finishes.



AUPWRMOD.AC.S


Power Module — Under Worksurface, Rectangular (page 993)
- Under surface mounting can be used on any surface with a 5" clearance.
- Power cord choices include 10' Straight, 5' Interlink, 10' Hardwire, and 10' Chevron Fog & Storm Braided cords. All are UL listed.
- Four wire management "P-Clips" included with mounting hardware.
- Available in Snow, Storm, and Black finishes.




AURNDPWRMOD.AC.S

Power Module — Under Worksurface, Round (page 993)

- Under surface mounting can be used on any surface with a 5" clearance.
- 9' straight power cord only. UL Listed.
- Available in Snow, Storm, and Black finishes.




AABPWRMOD.AC.Q



AABPWRMOD.AC.S

Power Module — Above/Below Worksurface (page 993)


- Above/Below power module provides access to power on the desktop and below the worksurface.
- Desktop mount can be used on any surface with a 6"W x 3"D clearance along the worksurface edge.
- Under surface mounting can be used with a 12"W x 3"D x 2"H clearance under the surface.
- Plugs will take additional depth (approx. 3").
- Two wire management “P-Clips” included with mounting hardware.
- Below worksurface power strip supplies six grounded A/C receptacles, desktop unit supplies two receptacles, 1 USB-A port, and 1 USB-C port.
- Desktop and under worksurface units are connected by a 2' long straight cord and cannot be disconnected.
- Power cord choices include a 6' straight cord or a coiled cord that is 6' long uncoiled, approximately 8" long coiled (compressed).
- Desktop unit available in White and Gray finishes.
- Under worksurface unit available in black only, no specification needed.
- UL 962A and UL 111 Listed. UL 1310 Recognized.



APWRPCK

Power Module — Sit-On Worksurface, Puck (page 994)

- Unit sits on top of a worksurface.
- Includes 5' DC Connector cord, transformer block, and 6' AC straight cord for 11' of total cord length. UL 1310 Listed.
- Unit allows for simultaneous powering of 1 USB-A and 1 USB-C device.
- Unit is a charger only, no ability to connect to a PC other than to charge.
- Available in White and Silver finish only, no specification needed.



APWRSTRP

Power Strip — Sit-on-Surface, Wood (page 994)

- Unit sits on top of a worksurface.
- 10' Braided cord in White nylon, leather cord management strap included. UL Listed.
- Ultra-low profile 45 degree flat plug.
- 3 grounded power outlets.
- Solid Ash Wooden housing, no specification needed.




AVSTA3PWR

Vesta Mobile Power (page 994)


- 3 AC power simplex, 1 dual USB-A, 1 USB-C configuration.
- 10' Retractable power cord, UL Listed.
- Unit weighs 13 lbs.
- For cordless, battery-powered unit, please contact the Tailored Product Group (TPG).
- Available in Snow, Storm, Black, and Fog. Separate finish options available for outside and inside of unit.

Cable & Wire Management




AJTRGH24 or AJTRGH36

Cable Management Tray (page 995)
- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.
- Limited paint offering. Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B).




AWRSTRIP

Wire Management Strips/Channels (page 995)
- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the strips' cavities.
- Includes two wire management profiles. Smaller profile allows for qty. 3, .3" diameter cords, has area of .32 in^2. Larger "J" shaped profile allows for qty. 10, .3" diameter cords, has area of 1.14 in^2.




A9CLWMC or WKSWMC

Cord Management Chains (page 995)
- Works with Approach and Altitude A6-units.
- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware and a plate to secure to a leveling glide.
- Houses 6 cables at 0.300" diameter.
- Made of plastic chain with plastic attachment brackets at each end.
- Specify WKSWMC for 58" chain. Only comes in Black finish.
- Specify A9CLWMC for 36" chain. Comes in Black, White, and Silver.
- Has two connecting points: Top section connects underneath a worksurface and bottom section can connect underneath power rails or to panel raceways using double-sided tape. Hardware included.




APWRTRGH17 or
APWRTRGH36

Under Worksurface Trough (page 995)
- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs. Ships flat and is bent to desired shape.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.



AFDTRGH20



AFDTRGH32


Flip-Down Wire Trough (page 995)
- Mounts beneath a worksurface. Used to conceal extra cord slack and power strips.
- May be used in conjunction with quad tap unit APWR4TAP to reduce the number of cords routed from a worksurface to a beam.
- For any worksurface less than 58"W, a 20"W Flip-Down Trough is recommended.
- For worksurfaces 58"W and wider, a 20"W or 32"W Flip-Down Trough may be used.
- Flush-mount Radii Storages are not recommended to use in conjunction with Flip-Down Trough.
- Only AKTSHORT keyboard tray is recommended for use in conjunction with the Flip-Down Trough.



ALEGCHASE26

O-Leg Chase (page 996)
- Works with O-Legs from Allsteel Approach.
- Matches leg profile on models WKTBTL2824 and WKTBTL2830.
- Magnetically aligns and adheres itself to the inside of the leg and allows for user to reposition and adjust wires as needed without the use of tools.
- Metal chase measures 26"H, can fit qty. 12, .3" diameter cords. Has cross section area of 1.56 in^2.
- Available in standard metal paint finishes.

Cable & Wire Management



AMPCHASE

Panel Mounted Wire Chase (page 996)


- Attaches between panels on Stride, Terrace, and Optimize via a slotted standard.
- Designed to sit below a worksurface and provide additional cord management from the base rail to beltline/under-worksurface height.
- Available in standard metal paint finishes.



AWIRECLT

Metal Wire Cleat (page 995)

- Supplied with screws and VHB tape for attachment to various surface types.
- For wood/particle board/MDF surfaces, use screw attachment.
- For painted metal/glass/non-porous surfaces, use VHB tape.
- Example use cases:
  1) Used alongside telescoping/fabric HAT wire chases to secure excess length of cord at plug-end.
  2) Secured to wall next to TV monitor in meeting room to manage HDMI cable when not in use.
  3) Screwed underneath worksurface to provide quick and easy management of excess length of cords and cabling.




APWRMODEST36 or
APWRMODEST48

Fabric Power Modesty (page 997)

- Fabric Power Modesty presents as modesty panel hanging by leather straps under a worksurface; inner compartment conceals cords and power strips as a wire management application.
- Recommended worksurface width pairings:
  1) 48-60"W Desk — Use APWRMODEST36 Centered.
  2) 66-72"W Desk — Use APWRMODEST48 Centered or APWRMODEST36 offset.
  3) 84"W Desk — Use APWRMODEST48 offset.
- Modesty fills 11.5 inches below the bottom of the worksurface with space for cords to enter/exit between the worksurface and the top of the Power Modesty.
- Two entry/exit points for cords are located at the bottom of the Power Modesty unit.
- Modesty panel is designed to present as a thin modesty panel from the front, but provides 3" depth cavity for wires, power strips, etc.
- Maximum weight capacity for Power Modesty is 25 lbs.
- Modesty panel not to be used to store electronics that require airflow for thermal management (computers).
- Users can access interior of panel (to modify wire placement) via “wings” on either side of product, secured via user-operable Velcro connection.
- Users may also dismount Power Modesty from leather straps by unlooping leather straps from button attachments.
- Leather straps on Power Modesty always come in medium brown color.
- Power Modesty available in Appoint, Binary, Centurion, Noble, Reflections, Disperse, and Spin fabric series.


Cable & Wire Management



AHATPWRMOD2S or
AHATPWRMOD3S

Metal Telescoping HAT Wire Management (page 997)


- Separate models available for use on either 2-Stage or 3-Stage Altitude A6 Tables. Not compatible with Altitude A3, A5, or A8.
- Equipped with 2-Stage or 3-Stage Telescoping Wire Chase and custom Above/Below Power Module intended for cord management on 2- and 3-Stage height adjustable tables.
- Telescoping chase includes a unique Above/Below Power Module and is NOT compatible with any other power module.
- Above/Below Power Module supplies 6 grounded A/C receptacles below the worksurface and 2 receptacles, 1 USB-A, and 1 USB-C port above the worksurface on the desktop unit. Desktop power module available in White and Gray finishes, below-worksurface power strip only available in black only.
- Telescoping Chase available in the same paint finishes as the Altitude height adjustable bases except for "Nickel."
- To match Metal Telescoping Chase to HAT base, specify matching paint color as HAT base. To match Telescoping Chase to a "Nickel" HAT base, specify "Platinum Metallic," or "PR2."
- Two "P-Clips" included for wire management between desktop power module and under worksurface power strip.




AHATPWRMODF

Fabric Elastic HAT Wire Management (page 997)


- Model compatible for use on either 2-Stage or 3-Stage Altitude A6 Tables. Not compatible with Altitude A3, A5, or A8.
- Equipped with Fabric Elastic Wire Chase and custom Above/Below Power Module intended for cord management on 2- and 3-Stage height adjustable tables.
- Fabric Elastic Chase includes a unique Above/Below Power Module and is NOT compatible with any other power module.
- Above/Below Power Module supplies 6 grounded A/C receptacles below the worksurface and 2 receptacles, 1 USB-A, and 1 USB-C port above the worksurface on the desktop unit.
- Desktop power module available in White and Gray finishes, below-worksurface power strip only available in black only.
- Fabric Elastic Chase available in Light, Medium, and Dark fabric finishes.
- Includes a metal foot and an under worksurface mounting bracket to attach Fabric Elastic Chase along the side of a HAT leg.
- To match metal brackets to HAT base, specify matching paint color as HAT base. To match brackets to a "Nickel" HAT base, specify "Platinum Metallic," or "PR2."
- Two "P-Clips" included for wire management between desktop power module and under worksurface power strip.




2-Stage Metal Telescoping HAT Wire Management




3-Stage Metal Telescoping HAT Wire Management




2 or 3-stage Fabric Elastic HAT Wire Management



Metal Center Drawers (page 988)
- All metal center drawers feature pencil trays with three compartments for storage.
- Center drawers will not fit in center of 24"D worksurfaces which are wider than 60" due to location of center support bracket.
- For locking specifications, see pages 998-1000.
- Ball-bearing slide suspension.



Polymer Center Drawer - ACD1 (page 988)
- 20½"W x 17"D x 2"H
- Available in black only
- Made from ABS.
- Minimum clearance for mounting: 23"W x 16¼"D x 2"H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Height Adjustable Bases as long as it is attached with spacer model AKMH.
- Can store up to 25 lbs.




Name Plate (page 986)
- Comes in a 10-pack.
- Metal backer installs under a Terrace or Optimize top cap, can be used with frameless glass.
- Cover is a transparent polycarbonate insert.
- Full plate is 8½"W x 2⅝"H.


Extensions™

Organization Tool Rails

For specification information see pages 977-978.



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
5"H Tool Rails — for Panels				
24"W	**EASR24** S	$ 278	$ 320	$ 358
30"W	**EASR30** S	$ 295	$ 337	$ 375
36"W	**EASR36** S	$ 307	$ 349	$ 387
42"W	**EASR42** S	$ 321	$ 363	$ 401
48"W	**EASR48** S	$ 330	$ 372	$ 410
60"W	**EASR60** S	$ 388	$ 430	$ 468



5"H Tool Rails — for Metal Hutches				
36"W	**EAHSR36** S	$ 307	$ 348	$ 384
42"W	**EAHSR42** S	$ 321	$ 362	$ 398
48"W	**EAHSR48** S	$ 330	$ 371	$ 407
60"W	**EAHSR60** S	$ 388	$ 429	$ 465
66"W	**EAHSR66** S	$ 401	$ 442	$ 478
72"W	**EAHSR72** S	$ 432	$ 473	$ 509

EXTENSIONS

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.





. P

Example: **EASR36.P02**

S ***Shippable by small-package carrier.***

Extensions™

For specification information see pages 977-978.

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
 **Mail Box**				
9"D x 15"W	EAPT S	$ 138	$ 160	$ 178
 **Folder Holder**				
9"H x 12"W	EAFS S	$ 141	$ 163	$ 181
 **Phone Caddy**				
9"W x 11"D	EATS S	$ 172	$ 194	$ 212
 **Binder Bin**				
8½"H x 5¼"W x 10"D	EABS S	$ 138	$ 160	$ 178
Tool Box				
5"H x 5¼"W x 1½"D	EADH S	$ 111	$ 133	$ 151
 **Clip Caddy™**				
2"H x 7"W x 3½"D	EAAC S	$ 98	$ 120	$ 138
 **Sidebar™ Personal Shelf**				
2"H x 21"W x 7"D	EAPS S	$ 141	$ 163	$ 181
 **Paper Wave™**				
Tray size: 2½"H x 6"W x 10"D Dividers: 9½"H x 9"W	EASS S	$ 197	$ 219	$ 237
 **Freestanding Mail Box** (specify paint color)				
Pair — 4⅞"H x 13¾"W x 9"D	EAFT S	$ 282	$ 304	$ 322
 **Coat Hooks** (black only)				
Package of six	APMC6 S	$ 138	N/A	N/A
 **Panel Name Plate**				
Package of 10	EACS	$ 375	$ 397	$ 415

Note: Not for use on tool tile or rail, name plate installs under top cap on Terrace and Optimize.

How to specify —

Select the Model Number from above.

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.


	.	P	

Examples: **EAPT.P4J** **APMC6.P**

S *Shippable by small-package carrier.*

Extensions™


For specification information see pages 977-978.




Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
Cup Holder				
2"H x 4¼"H x 4½"D	AAPAC S	$ 278	$ 307	$ 321




Hook				
2¾"H x 3"H x ¾"D	AAPAH S	$ 210	$ 232	$ 242



Hanging Folder Holder				
2"H x 12¼"W x 3½"D	AAPAHF S	$ 277	$ 306	$ 320




Magnetic Picture Holder				
5¼"H x 6"W x ¾"D	AAPAMP S	$ 248	$ 273	$ 287



Small Bin				
4"H x 6"W x 2¼"D	AAPASB S	$ 255	$ 281	$ 295



Small Shelf				
1"H x 10"W x 3¾"D	AAPASH S	$ 239	$ 263	$ 275



Small Tray				
2"H x 9"W x 7¼"D	AAPAST S	$ 279	$ 308	$ 322

How to specify —

Select the Model Number from above.

_ _ _ _ _ _ . _ _

1st Option:

Paint:

P1 P2 P3

See page 78 for finishes.




P _ _

Examples: **AAPAST.P4J** **AAPASB.P**

S *Shippable by small-package carrier.*

Extensions™

For specification information see pages 978-984.

	Description	Model	List Price P1	P2	P3
 Angled front	**Metal Center Drawer w/Lock**				
	19"W x 14¾"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 19"W x 13"D x 2⅜"H. • Minimum clearance for mounting: 21¾"W x 19¼"D.	CSDC19 S	$ 318	$ 342	$ 363
 Angled front	24¾"W x 14¾"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 24½"W x 13½"D x 2⅜"H. • Minimum clearance for mounting: 27⅜"W x 19¼"D.	CSDC25 S	$ 327	$ 351	$ 372
	**Polymer Center Drawer**				
	20½"W x 17"D x 2"H • 11½" extension • Minimum clearance for mounting: 23"W x 16¼"D x 2"H	ACD1	$ 263	N/A	N/A

Note: It is not recommend using a height-adjustable desk with an attached center drawer — the metal center drawer is 3"H, and when combined with the lowest setting of the height-adjustable desk, it leaves insufficient clearance between the user and the bottom of the drawer.


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Paint** *(if applicable)*: See page 78 for finishes.	**Lock** *(if applicable)*: **STD** Standard **OMT** Omit (Deduct $20)

Example: **CSDC19.P02.STD**

S *Shippable by small-package carrier.*

Allsteel Extensions offers Illumination in three styles — Undercabinet LED Light, Wand Light, and Splitty Light.


Recessed Undercabinet LED Light



Recessed task lights conserve space and provide an efficient solution for illuminating the workplace. All models are equipped with LED strips.

Recessed task light models mount under storage cabinets or shelves to provide optimal space utilization. Models are available in two styles and three sizes to correspond with the width of the cabinet or shelf. Task lights with a fused plug are available to meet Chicago electrical code.

Undercabinet LED Light




The Undercabinet LED Light is a low-profile, linear solution for overhead cabinets and shelves and is an ideal solution for painted wood storage. It utilizes energy-efficient LED technology which provides a long life. The Undercabinet LED Light provides the opportunity to mount the fixture where light is needed most.

The Undercabinet LED Light features a metal trough reflector with diffuser lens. The light has a sleek ½" thick profile and provides two options for mounting, either magnetically or with hardware. Undercabinet LED Lights can be daisy-chained.

Optional undercabinet occupancy sensor is available which will automatically turn off the fixture after 30 minutes of no detection and back on immediately as the user re-enters the detection range using Passive Infrared (PR) sensor technology. Unit features 360° lens with 90° outward detection angle, providing a 36" coverage diameter at 18". Occupancy sensor comes with connector and is required to be connected in the sequence shown below. Connect occupancy sensor to a light, or first light in daisy chain to control all linked lights.

CONNECTION SEQUENCE*



*Cannot deviate from this sequence

Recessed Task Lights (page 991)

- Black Metal Construction with 9' long black cord attached to right rear corner of the fixture.
- LED strip comes installed within light.
  –50,000 hour life span
  –120V-277V
  –CCT 4000K
  –CRI 80+
- Includes 4 cord retainer clips.
- Shorter width models can be used on wider overheads, shelves and hutches.
- On/Off switch provides individual control of tasklight within the workstation.
- Daisy chain models require a master control model — 10 fixtures maximum.
- RECOMMENDATION: Provide a separate circuit for task lights to ensure proper, long-term operation.

Undercabinet LED Lights (page 991)

- Low profile energy-efficient LED task light for use with overhead storage cabinets and shelves.
- 20W power supply for 10W 17" unit (.166 amps).
- 20W power supply for 20W 31" unit (.166 amps).
- 60W power supply for daisy-chain starter units (.5 amps). Must order one starter unit for each daisy-chain application.


LED Light Combinations Must Not Exceed 60W in Combination	Power Usage
6X 17"	60W
3X 31"	60W
1X 31" + 4X 17"	60W
2X 31" + 2X 17"	60W

- The combinations that could max out 60W are featured above. *Daisy chained units have a power limit of 60W from one power entry. 17W units use 10W and 31W units use 20W.*
- Specify up to 5 additional 17" interconnect units (ALED17UJMP30) to daisy-chain together with 17" daisy-chain starter fixture (ALED17U60).
  Example: Daisy-chain 4–17" undercabinet LED lights:
  Specify: 1 ALED17U60
  Specify: 3 ALED17UJMP30 with 10" jumper cord
- Specify up to 2 additional 31" interconnect units (ALED31UJMP30) with 10" jumper cords to daisy-chain together with 31" tasklight (ALED31U60); or 17" daisy-chain starter fixture (ALED17U60).
- 3500K color temperature.
- 131 footcandles at 18" on ALED31U; 76 footcandles at 18" on ALED17U.
- Magnetic or screw-mount option — attachment hardware included.
- On 20 watt models, power drive is attached to plug: allow 1⅞"D space at outlet.
- On 60 watt models, power drive brick is in center of cord.
- Includes 3 cord retainer clips.
- Meets California Title 24 Energy Efficiency Standards.
- "Instant On" switch with infinite dimming cycle from 100% to 15% with the last state memory, allowing the user to set their desired level of lighting.
- Fixture automatically turns off after 10 hours of use to reduce unwanted energy use.
- Optional occupancy sensor automatically turns off all interlinked fixtures after 30 minutes of no detection and back on immediately when detection is found.

Overhead Length	Suggested LED Sizes
24	17
30	17
36	17
42	31
48	17 + 17
60	31 + 17
72	31 + 31
Note: LED lights may need to be positioned along length properly to allow jumping to additional overheads. Suggested sizes above are recommendations for single overheads to provide as much light along length of overhead as possible.	


The suggested sizes factor in 4 inches of room for the power inlet and occupancy sensor (optional).

Wand™ Task Light



Wand freestanding task light offers a clean, simple design along with powerful LED technology to illuminate the workspace. The swivel base and arm tilt allow users to position the light just where they need it. The 7.7 watt LED light offers efficiency and long life, providing up to 25 years of daily use. The slim, sleek design makes it easy to integrate into any workspace. Wand task light is 97% recyclable. Occupancy sensor and/or charging models available.

Splitty Task Light



Splitty's organic and modern design compliments the workstation while also bringing rich features to the user. In addition to illuminating the space, Splitty can also be a teleconferencing tool through Splitty's 360-degree light head adjustment and soft touch, continuous dimming. Integrated charging allows for small personal device charging crucial to the modern worker's workplace toolkit while minimizing clutter within the station. Optional clamp or tool tile mounts available as accessories.


Wand LED Freestanding Task Light (page 992)

- Available in Silver or White. 9'4" cord is Silver.
- Full range dimming from 100% – 10% with last state memory.
- Uses 5W at highest setting and as low as 1 watt at its lowest setting, providing 75 to 12.7 footcandles of light, respectively (16" above worksurface).
- 7½" round swivel base and 16½"H tilt arm allow versatile positioning of the 13" lampshade.
- Designed for 50,000 hours of life.
- Color Temperature: 3500K. Color Rendering Index (CRI): 80.
- Materials: aluminum arm and lampshade, steel base.
- Weight: 4.4 lbs. 97% recyclable, 76% post-consumer.
- Certifications: UL and CUL. TAA compliant.
- Occupancy sensor available with automatic shut-off after 15 minutes if no motion is detected.
- USB model features USB-A (1), USB-C (1) charging within base of unit.
- USB model also features occupancy sensor. 7.5W (A) & 18W (C) power consumption.

Splitty Task Light (page 992)


- Available in Silver, White, or Black (accessories available in silver only).
- Cord is 12' long.
- Cord is silver when black or silver finish specified, white when white light is specified.
- Soft touch on/off, dimming.
- Continuous dimming (100% – 3%) with last state memory.
- 5.8W of energy consumption. 7W at highest setting, 0.6W at lowest.
- 5" 360-degree swivel light head, 6.54" round swivel base and 17"H arm. Arm has full 180 degree rotation and 360 degree swivel.
- Designed for 60,000 hours of life.
- Color Temperature: 3500K, Color Rendering Index: 90.
- Materials: aluminum, plastic.
- USB-A has 5W of power consumption.
- USB-A (1) charging at bottom of light arm stem. Charging feature compatible for any mounting method.
- Clamp mount compatible with surfaces ¼" – 2¼" thick.
- Tool tile mount has 1⅛" adjustment range, minimum slot height of 5/16".

For specification information see pages 989-990.



Description	Watt Usage	Model	List Price
Recessed Task Lights (Black only) — Use recessed under overhead cabinets, storage shelves, or hutches, comes with cord retainer clips			
Task Light for 24"W	10	**A870824** S	$ 475
Task Light for 30"W and 36"W	14	**A870830** S	$ 479
Task Light for 42"W and 48"W	21	**A870842** S	$ 518
Task Light for 60"W, 66"W, and 72"W	28	**A870860** S	$ 560
Recessed Task Lights (Black only) — With fused plug (satisfies Chicago electrical code)			
Task Light for 24"W	10	**A870824CH** S	$ 612
Task Light for 30"W and 36"W	14	**A870830CH** S	$ 623
Task Light for 42"W and 48"W	21	**A870842CH** S	$ 663
Task Light for 60"W, 66"W, and 72"W	28	**A870860CH** S	$ 701


Note: See below for GSA Approved Task Lights.



GSA Recessed Task Lights — Use recessed under overhead cabinets, storage shelves, or hutches			
Base Models — Stand Alone			
Task Light for 24"W	15	**GS870924** S	$ 606
Task Light for 30"W and 36"W	17	**GS870930** S	$ 626
Task Light for 42"W and 48"W	25	**GS870948** S	$ 672
Task Light for 60"W, 66"W, and 72"W	32	**GS870960** S	$ 720



Cord Retainer Clips (Black only)		
Bag of 50 clips	**AAPACM2** S	$ 61





LED Undercabinet Light (white end caps)		
17" Task Light w/20 watt power supply for 24"W or wider overhead	**ALED17U** S	$ 1121
17" Task Light w/60 watt power supply for daisy chain	**ALED17U60**** S	$ 1227
17" 10 watt Interconnect Task Light w/10" Jumper Cord	**ALED17UJMP30** S	$ 866
31" Task Light w/20 watt power supply 36"W or wider overhead	**ALED31U** S	$ 1681
31" Task Light w/60 watt power supply for daisy chain	**ALED31U60**** S	$ 1772
31" 20 watt Interconnect Task Light w/10" Jumper Cord	**ALED31UJMP30** S	$ 1010
Undercabinet Occupancy Sensor 2⅜"W + 1"W Connector	**ALEDOCC***	$ 683

*Undercabinet Occupancy Sensor works with LED Undercabinet lights shipped after 11/1/2013.

**When purchased separately without a configurable TAA compliant end product, not on GSA contract.

EXTENSIONS


How to specify —	*1st Option:*
Select the Model Number from above.	**Cord Retainer Clip Color:** Black only.

									.	P	2	7


Examples: **A870824 A870824CH GS870924 AAPACM2.P27 ALED17U** S *Shippable by small-package carrier.*

Extensions™

For specification information see pages 989-990.




Description	Model	List Price
Wand™ LED Task Light (Silver or White)		
Freestanding LED Task Light	**WANDFS** S	$ 546
Freestanding LED Task Light (Occupancy Sensor)	**WANDFSOC** S	$ 776




Freestanding LED Task light (Occupancy Sensor & Charging)	**WANDFSUSB**	$ 809



Splitty Task Light (Silver, White, or Black)		
Freestanding LED Task Light (Charging)	**PRFTSKFS**	$ 740



Clamp Mount (Silver only)	**PRFTSKCL**	$ 87



Tool Tile Mount (Silver only)	**PRFTSKTR**	$ 87

How to specify —

Select the Model Number from above.

1st Option:

Color (for Splitty):

SVR Silver
WHT White
BLK Black

(for Wand LED):

SVR Silver
WHT White


Example: **WANDFS.WHT**

S *Shippable by small-package carrier.*

Extensions™


Power/Data Modules

For specification information see page 979-980.


ACPWRMOD

Description	Model	List Price
Power/Data Module — Clamp On Worksurface		
8"W x 7"D x 5½"H	**ACPWRMOD** S	**$ 536**


- 2 receptacles, 2 data terminals/blanks
- 10' straight power cord only. UL Listed.
- Available in Fog only, specify ACPWRMOD.FOG


APWR4TAP

Power/Data Module — Under Worksurface, Quad Tap

7"W x 12"D x 3"H	**APWR4TAP** S	**$ 475**


- 4 receptacles
- 10' Straight cord only, no specification needed.
- Available in Black only, no specification needed.
- *Example: APWR4TAP*


APWRMOD.AC.S

Power Modules — Clamp On Worksurface, Rectangular

7½"W x 12¾"D x 5$^{13}/_{16}$"H	**APWRMOD** S	**$ 792**


- 2 receptacles, 1 USB-A, & 1 USB-C (AC)
- Specify "QA" for 2 receptacles, 1 USB-A, & Qi wireless charging.
- 10' Straight cord only (S).
- Available in Snow (SNW) & Storm (STRM).
- *Example: APWRMOD.AC.S.SNW*


ARNDPWRMOD.QA.S

Power Modules — Clamp On Worksurface, Round

8¼"W x 16"D x 4½"H	**ARNDPWRMOD** S	**$ 742**


- 2 receptacles, 1 USB-A, & 1 USB-C (AC)
- Specify "QA" for 2 receptacles, 1 USB-A, 1 USB-C, & Qi wireless charging.
- 9' Straight cord only (S).
- Available in Snow (SNW) & Storm (STRM.)
- *Example: ARNDPWRMOD.AC.S.SNW*


AUPWRMOD.AC.S

Power Module — Under Worksurface, Rectangular

7⅜"W x 9¼"D x 5$^{13}/_{16}$"H	**AUPWRMOD** S	**$ 849**


- 2 receptacles, 1 USB-A, & 1 USB-C (AC)
- Power cord choices include a 10' Straight (S), 5' Interlink (I), 10' Hardwire (H), and 10' Chevron Fog & Storm Braided (B) cord.
- Available in Snow (SNW), Storm (STRM), & Black (BLK).
- *Example: AUPWRMOD.AC.S.BLK*


AURNDPWRMOD.AC.S

Power Module — Under Worksurface, Round

8¼"W x 16"D x 4½"H	**AURNDPWRMOD** S	**$ 742**

- 2 receptacles, 1 USB-A, & 1 USB-C (AC)
- 9' Straight cord only (S).
- Available in Snow (SNW), Storm (STRM), & Black (BLK).
- *Example: AURNDPWRMOD.AC.S.BLK*


AABPWRMOD.AC.S

Power Module — Above/Below Worksurface

8¼"W x 16"D x 4½"H	**AABPWRMOD** S	**$ 1284**

- Desktop unit includes 2 receptacles, 1 USB-A, & 1 USB-C (AC)
- Under worksurface unit includes 6 receptacles.
- Power cord choices include a 6' Straight cord (S) or Coiled cord (Q).
- Desktop unit available in White (DWT) or Gray (DGY).
- *Example: AABPWRMOD.AC.S.DWT*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*
Select the Model Number from above.	**Ports** *(Final port option if applicable)*:	**Cord Type** *(Power Module cord type if applicable)*:	**Color Option** *(if applicable)*:
	AC USB-A+C	**S** Straight Cord	**SNW** Snow
	QA Wireless Charging with 1 USB-A port (+$199)	**B** Braided Chevron Fog & Storm Cord (+$57)	**STRM** Storm
		I Interlink Cord (+$34)	**BLK** Black
		H Hardwire Cord (+$80)	**DWT** White
		Q Coiled Cord	**DGY** Gray
_____ .	_____ .	_____ .	_____


Example: **APWRMOD.AC.S.SNW ACPWRMOD.FOG**

S *Shippable by small-package carrier.*

Extensions™

Power/Data Modules


For specification information see page 980.



APWRPCK

Description	Model		List Price
Power/Data Module — Sit-On Worksurface			
5"W x 8"D x 4"H	**APWRPCK**	S	**$ 721**

- 1 USB-A & 1 USB-C port
- 11' straight cord only, no specification needed.
- Available in White & Silver only, no specification needed.
- *Example: APWRPCK*



APWRSTRP

Power Strip — Sit-on-Surface, Wood			
4⅜"W x 18⅛"D x 4⅛"H	**APWRSTRP**	S	**$ 827**

- 3 receptacles
- 10' Braided cord in white nylon only, leather cord management strap included, no specification needed.
- Available in wood finish only, no specification needed.
- *Example: APWRSTRP*



AVSTA3PWR

Vesta Mobile Power			
6½"W x 10"D x 8"H	**AVSTA3PWR**	S	**$ 2143**

- 3 receptacles, 1 dual USB-A, 1 USB-C
- 10' Straight retractable cord only, no specification needed.
- Available in Snow, Storm, Black, and Fog. Separate finish options available for outside and inside of unit.
- *Example: AVSTA3PWR.STRM.SNW*

EXTENSIONS


How to specify —	*1st Option:*	*2nd Option:*
Select the Model Number from above.	**Color Option 1** *(if applicable)*: **FOG** Fog, **SNW** Snow, **STRM** Storm, **BLK** Black	**Color Option 2** *(if applicable)*: **FOG** Fog, **SNW** Snow, **STRM** Storm, **BLK** Black
_____ .	___ .	___

Example: **AVSTA3PWR.STRM.SNW**

S *Shippable by small-package carrier.*

Extensions™

For specification information see pages 981-982.




AJTRGH24

Cable Management Trays

Description	Model	List Price P1	P2	P3
24"W	AJTRGH24 S	$ 128	$ 142	N/A
36"W	AJTRGH36 S	$ 153	$ 169	N/A

- Available in 24" or 36" widths.
- Available in all Grade P1 and Grade P2 paint finishes for Altitude Bases with the exception of Night Bronze (P8B). See page 580. Specify desired finish.
- *Example: AJTRGH24.PJW*




AWRSTRIP

Wire Management Strips/Channels

	AWRSTRIP S	$ 281	N/A	N/A

- Four wire management strips/channels in black only, no specification needed.
- *Example: AWRSTRIP*




WKSWMC

Wire Management Chains

36"	A9CLWMC S	$ 383	N/A	N/A
58"	WKSWMC S	$ 459	N/A	N/A

- Specify model A9CLWMC for 36" chain, specify model WKSWMC for 58" chain.
- A9CLWMC available in Black (E4), White (DW), or Silver (TI).
- WKSWMC available in Black only, no specification needed.
- *Example: A9CLWMC.DW or WKSWMC*




APWRTRGH17

Under Worksurface Troughs

17"W	APWRTRGH17 S	$ 113	N/A	N/A
36"W	APWRTRGH36 S	$ 197	N/A	N/A

- Available in 17" or 36" widths.
- Under Worksurface Troughs available in Black only, no specification needed.
- *Example: APWRTRGH17*



AFDTRGH20

Flip-Down Wire Management Trough

20"W	AFDTRGH20 S	$ 245	N/A	N/A
32"W	AFDTRGH32 S	$ 447	N/A	N/A

- Available in 20" or 32" widths.
- Flip-Down Troughs available in Black only, no specification needed.
- *Example: AFDTRGH20*



AWIRECLT

Metal Wire Cleat

	AWIRECLT S	$ 394	$ 409	$ 415

- Available in standard metal paint finishes, see page 78 for options and specify desired finishes.
- *Example: AWIRECLT.PJW*

How to specify —

Select the Model Number from above.

1st Option:

Paint
(if applicable):

See page 78 for finishes.

Plastics
(if applicable):

DW White
TI Silver
E4 Black

Examples: **AJTRGH24.PJW** **A9CLWMC.DW**

S *Shippable by small-package carrier.*

Extensions™


For specification information see pages 981-982.



ALEGCHASE26

Description	Model	List Price P1	P2	P3
O-Leg Chase				
26"H	**ALEGCHASE26** S	$ 181	$ 200	$ 210

- O-Leg Chase is 26"H.
- Available in standard metal paint finishes, see page 78 for options and specify desired finishes.
- *Example: ALEGCHASE26.P27*



AMPCHASE

Panel Mounted Wire Chase				
17"H	**AMPCHASE** S	$ 153	$ 170	$ 177

- Panel Chase is 17"H.
- Available in standard metal paint finishes, see page 78 for options and specify desired finishes.
- *Example: AMPCHASE.P27*

EXTENSIONS

How to specify —

Select the Model Number from above.

1st Option:

Paint *(if applicable)*:

See page 78 for finishes.

Plastics *(if applicable)*:


DW White
TI Silver
E4 Black

Examples: **ALEGCHASE26.P27**

S *Shippable by small-package carrier.*

Extensions™

For specification information see pages 982-983.




APWRMODEST36

Description	Model	List Price A	List Price B
Fabric Power Modesty			
	APWRMODEST36 S	**$ 1209**	**$ 1247**
	APWRMODEST48 S	**$ 1309**	**$ 1352**

- Available in Appoint, Binary, Centurion, Noble, Reflections, Disperse, and Spin panel fabric series.
- Specify desired fabric.
- *Example: APWRMODEST36.NBLE16*

How to specify —	*1st Option:*
Select the Model Number from above.	**Fabric** *(if applicable)*: See page 14 for fabrics.
_____ .	___


Example: **APWRMODEST36.NBLE16**



AHATPWRMOD2S or AHATPWRMOD3S

Description	Model	List Price P1	List Price P2	List Price P3
Metal Telescoping HAT Wire Management				
	AHATPWRMOD2S S	**$ 1680**	**$ 1724**	**$ 1746**
	AHATPWRMOD3S S	**$ 1713**	**$ 1761**	**$ 1783**

- AHATPWRMOD2S pairs with 2-stage HAT bases.
- AHATPWRMOD3S pairs with 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Metal Telescoping Chase available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMOD2S.AC.DWT.PJW*



AHATPWRMOD2S or AHATPWRMOD3S

Description	Model	List Price P1	List Price P2	List Price P3
Fabric HAT Wire Management				
	AHATPWRMODF S	**$ 1536**	**$ 1566**	**$ 1580**

- AHATPWRMODF pairs with 2-stage and 3-stage HAT bases.
- Desktop power module comes with 2 receptacles, 1 USBA, and 1 USB-C port only, specify "AC" for this power configuration.
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.
- Fabric HAT Chase available in three fabric finishes of Light (LGT), Medium (MDD), and Dark (DRK), specify desired fabric finish.
- Fabric HAT mounting brackets available in the same paint finishes as Altitude HAT bases, specify desired paint finish.
- *Example: AHATPWRMODF.AC.DGY.LGT.PR5*

How to specify —	*1st Option:*	*2nd Option:*	*3rd Option:*	*4th Option:*
Select the Model Number from above.	**Ports** *(Final port option if applicable)*: **AC** USB-A+C	**Power Module Color Option** *(if applicable)*: **DWT** White **DGY** Gray	**Fabric Chase Finish** *(if applicable)*: **LGT** Light **MDD** Medium **DRK** Dark	**Metal Paint Option** *(if applicable)*: See page 78 for finishes.
AHATPWRMOD___ .	AC .	D___ .	___ .	___

Example: **AHATPWRMOD3S.AC.DWT.P8C** **AHATPWRMODF.AC.DGY.LGT.PR5**

S *Shippable by small-package carrier.*

Laterals, Pedestals and Storage, Painted Wood Storage

Standard Options

- Random Keying — The factory will assign key(s) arbitrarily using key numbers from chart below.
- Omit Lock Core — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

Vertical Files

Standard Options

- Random Keying — The factory will assign key(s) arbitrarily (see below chart for key numbers).

Key Alike Process


- Order standard product which will be shipped with factory installed locks and random numbered cores.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed core with the replacement cores after product has been installed.

Replacing Lock Cores

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out. (Reach units require rotating key 90° clockwise past unlocked position.)
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.


	Random Keying	Omit Lock Core	Key Numbers	Lock Core Kit	Master Key
Align™ Laterals	X	X	101E-225E	ALKF23C*	AMKF22
Align New Low Credenzas, Towers, Pedestals ("YP" prefix models)	X	X	101E-225E	ALKF26EL	AMKF22
Align Old Pedestals (for New Pedestals after 11/2015 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Old Towers (for New Towers after 2/2016 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Metal Front Lockers	X	X	101E-225E	ALKF26EL	AMKF22
Align Laminate Front Lockers	X	X	101E-225E	ALKF23C*	AMKF22
Approach™ Desking and Storage	X	X	101E-225E	ALKF26EL	AMKF22
Center Drawer (CSDC19/25)	X	X	101E-225E	ALKF23C*	AMKF22
Essentials™ Laterals	X	X	101E-225E	ALKF23C	AMKF22
Essentials Overfile Cabinets	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Pedestals	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Personal Tower and Files	X	X	101E-225E	ALKF23C*	AMKF22
Further™ Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Hutches	X	X	101E-225E	ALKF23C*	AMKF22
Involve® Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Flipper Door, including RTA)	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Receding Door)	X	X	101E-225E	ALKF23C*	AMKF22
Stride® Painted Wood Storage	X	X	101E-225E	ALKF23C*	AMKF22
Vertical Files A990/A940	X		101E-225E	ALKF23C*	AMKF22

*ALKF23C is chrome. Optional black core for wood casegoods is ALKF23CE4. Optional matte silver core is ALKF26EL.

Description	Model	List Price
Removable Lock Core Kits**	**Key Numbers 101E-225E**	
 **Brushed Chrome** used on metal and painted wood casegoods product produced after 2/3/97; A980, A990, and A940 Series vertical files; Persona™ pedestals produced after 8/22/09; Reach® Storage units produced after 10/5/09; and receding door overheads produced after 8/1/10. Includes one core, two keys, one core removal tool, adapter and instructions	**ALKF23C*** S**	**$ 33**
Black used on veneer casegoods product. Includes one core, two keys, one core removal tool, adapter and instructions. Core matches manufactured lock on metal casegoods but Black core can be used with veneer and laminate product.	**ALKF23CE4*** S**	**$ 33**
Matte Silver used on Approach and Align metal credenzas, new pedestals, and new towers. Includes one core, two keys, one core removal tool, adapter, and instructions.	**ALKF26EL*** S**	**$ 33**
 **Master Key**		
(One key) Available to authorized dealers only on faxed orders. Will open ALKF23C, LKF23C, ALKF23CE4, LKF23CE4, LKF24, LKF25EL, and LKF25E4 locks numbered 101E-225E.	**AMKF22 S**	**$ 34**

HOW TO ORDER:
Note: Numbers 101E-225E are available. Orders without numbers specified will be keyed at random.
SAMPLE ORDER:

Quantity	Model	Color
6	ALKF23C	X121E
1	AMKF22	X

Brushed Chrome Removable Lock Core Kit* **	Key Numbers 101N-225N	
 Includes one core, two keys, one core removal tool, adapter, and instructions	**ALKF23CN*** S**	**$ 33**
 **Master Key***		
(One key) Available to authorized dealers only on electronic orders.Will open ALKF23CN and LKF23CN locks numbered 101N-225N.	**AMF22 S**	**$ 34**

N series lock cores (ALKF23CN) are a replacement part for legacy Allsteel products. N series lock cores were used in all Persona pedestals produced between January 1996 and August 2009 as well as Receding Door Overheads produced between January 1996 and August 2010. N series lock cores are NOT used in current product and should not be ordered for product produced after these dates. E series lock cores are used in current product, see above.

***On existing Premium and Asset lateral, use N-Series locks.**

** Removable Lock Core Kits are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those Removable Lock Core Kits marked by (**) are considered Open Market.

*** When purchased separately without a configurable TAA compliant end product, not on GSA contract.

S *Shippable by small-package carrier.*

EASY LOCK PROGRAM

The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. The Easy Lock cores can be used with Allsteel storage that currently uses the **ALKF23C** cores (all storage except Receding Door Overheads).

To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential.

Random Keying

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option key numbers are not specified, however, the core kits will be in sequential order from a random starting point.

Example: *There are 15 offices which each have 5 black locks that need to be keyed alike, but the actual key numbers are not important.*

This order would look like: **LKFE5BLK.X.15**

This specifies that 15 5-core kits are needed in black with random key numbers.

Specified Keying

The Specified Keying option is provided for the instances where there is a specific key number desired for all of the cores ordered.

Example: *There are 10 offices which each have 2 silver locks that need to be keyed-alike with key number 202.*

This order would look like: **LKFE2SLV.X202.10**

This specifies that 10 2-core kits are needed in silver with key number 202.

Sequential Keying

Allsteel Sequential Keying option is provided for the instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated.

Example: *A multiple phase project has 60 total offices — 40 offices in Phase I, and 20 offices in Phase II. The project manager has expressed a need to have keyed-alike offices but doesn't want any of the offices to use the same key numbers.*

The first 40 offices have 4 silver locks each that need to be keyed-alike.

This order would look like: **LKFE4SLV.SEQ/101.40**

This specifies that 40 4-core kits are needed in silver and the starting number is 101.

The second set of 20 offices only have 3 silver locks each that need to be keyed-alike; and it is important which key number starts off the sequence to ensure that no key number is duplicated. It is known that the first key range was key numbers 101-140.

The second order would look like: **LKFE3SLV.SEQ/141.20**

This specifies that 20 3-core kits are needed in silver and key sequence has to start at key number 141.

HOW TO ORDER:

Numbers 101-225 are available. Orders without key numbers specified will be keyed at random.

SAMPLE ORDER FOR EXAMPLES GIVEN:

Model	Key Type	Quantity
LKFE5BLK.	X.	15
LKFE2SLV.	X202.	10
LKFE4SLV.	SEQ/101.	40
LKFE3SLV.	SEQ/141.	20

NOTE: Quantity required is last number in model.option string.

Description	Model / Color	List Price
Easy Lock Lock-Core		
Lock Core Kit — 1 core, 2 keys	**LKFE1** ⌊__⌋	$ 33
Lock Core Kit — 2 cores, 2 keys	**LKFE2** ⌊__⌋	$ 66
Lock Core Kit — 3 cores, 2 keys	**LKFE3** ⌊__⌋	$ 98
Lock Core Kit — 4 cores, 2 keys	**LKFE4** ⌊__⌋	$ 130
Lock Core Kit — 5 cores, 2 keys	**LKFE5** ⌊__⌋	$ 163

Add color suffix to model: **SLV** Silver, **BLK** Black, **MTS** Matte Silver


Note: One core removal key minimum per order. One additional core removal key per 25 lock-cores will be shipped.

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

Master Key		
(One key) Available to authorized dealers only on faxed orders.	**AMKF22**	$ 34


How to specify using Easy Lock Program:

Step 1 — Count the number of lock cores and color required in each workstation that need to be keyed alike.




2 overheads with 1 lock-core each = 2
2 pedestals with 1 lock-core each = 2
Total silver lock-cores per station = 4

Step 2 — Count the total number of workstations needing 4 lock-cores.



4 total workstations

Step 3 — Specify model number based on total number of lock-cores in a station and quantity of kits based on number of workstations.



LKFE4SLV.X.4
Lock-Cores per station
Color of Core
Number of workstations

Description	Model	P1 List Price	P2 List Price	P3 List Price
Touch-Up Paint — Brush				
Bottle of Touch-Up Paint with Brush — 0.5 oz.	**APTK** S	$ 111	$ 125	$ 133
Touch-Up Paint — Spray				
Spray Can of Touch-Up Paint — 12 oz.	**ARSLCC** S	$ 111	$ 125	$ 133

How to specify —

Select the Model Number from above.

1st Option:

Paint Color:

P1 P2 P3

See page 18 for options.
Available touch-up paint colors listed above. Carbon Metallic is limited to spray.

A _____ . _____

Examples: **APTK.P02** **ARSLCC.P02**

S *Shippable by small-package carrier.*

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Optimize® Tackable Panels — see page 86				
P13524TP	24"W	$ 1069	$ 1154	$ 1241
P13530TP	30"W	$ 1158	$ 1249	$ 1342
P13536TP	36"W	$ 1290	$ 1395	$ 1501
P13542TP	42"W	$ 1326	$ 1433	$ 1539
P13548TP	48"W	$ 1426	$ 1542	$ 1658
P13560TP	60"W	$ 1623	$ 1757	$ 1894
P13572TP	72"W	$ 2033	$ 2202	$ 2370
P14224TP	24"W	$ 1126	$ 1218	$ 1310
P14230TP	30"W	$ 1255	$ 1358	$ 1462
P14236TP	36"W	$ 1403	$ 1517	$ 1628
P14242TP	42"W	$ 1537	$ 1662	$ 1787
P14248TP	48"W	$ 1648	$ 1782	$ 1917
P14260TP	60"W	$ 1928	$ 2086	$ 2246
P14272TP	72"W	$ 2207	$ 2387	$ 2567
P15024TP	24"W	$ 1235	$ 1335	$ 1439
P15030TP	30"W	$ 1374	$ 1483	$ 1596
P15036TP	36"W	$ 1550	$ 1678	$ 1804
P15042TP	42"W	$ 1719	$ 1858	$ 1995
P15048TP	48"W	$ 1857	$ 2006	$ 2154
P15060TP	60"W	$ 2051	$ 2215	$ 2382
P15072TP	72"W	$ 2477	$ 2675	$ 2877
P16524TP	24"W	$ 1340	$ 1447	$ 1554
P16530TP	30"W	$ 1520	$ 1642	$ 1764
P16536TP	36"W	$ 1698	$ 1831	$ 1968
P16542TP	42"W	$ 1885	$ 2036	$ 2185
P16548TP	48"W	$ 1994	$ 2154	$ 2313
P16560TP	60"W	$ 2219	$ 2400	$ 2582
P16572TP	72"W	$ 2711	$ 2930	$ 3149
P21524T	24"W	$ 755	$ 843	$ 930
P21530T	30"W	$ 834	$ 930	$ 1028
P21536T	36"W	$ 924	$ 1030	$ 1133
P21542T	42"W	$ 1000	$ 1114	$ 1230
P21548T	48"W	$ 1074	$ 1197	$ 1319
P21560T	60"W	$ 1463	$ 1628	$ 1795
P21572T	72"W	$ 1553	$ 1732	$ 1908

Model Number	Description	Grade G	Grade H	Grade J
Optimize® Glazed Panels — see page 88				
P15024HP	24"W Clear Glass	$ 2044	$ 2206	$ 2371
P15030HP	30"W Clear Glass	$ 2229	$ 2406	$ 2582
P15036HP	36"W Clear Glass	$ 2434	$ 2628	$ 2823
P15042HP	42"W Clear Glass	$ 2660	$ 2870	$ 3081
P15048HP	48"W Clear Glass	$ 2778	$ 3003	$ 3227
P15060HP	60"W Clear Glass	$ 3198	$ 3456	$ 3713
P15072HP	72"W Clear Glass	$ 3876	$ 4186	$ 4497
P15024HP	24"W Frosted Glass	$ 2128	$ 2290	$ 2455
P15030HP	30"W Frosted Glass	$ 2318	$ 2495	$ 2671
P15036HP	36"W Frosted Glass	$ 2530	$ 2724	$ 2919
P15042HP	42"W Frosted Glass	$ 2762	$ 2972	$ 3183
P15048HP	48"W Frosted Glass	$ 2889	$ 3114	$ 3338
P15060HP	60"W Frosted Glass	$ 3326	$ 3584	$ 3841
P15072HP	72"W Frosted Glass	$ 4031	$ 4341	$ 4652
P16524HP	24"W Clear Glass	$ 2231	$ 2408	$ 2584
P16530HP	30"W Clear Glass	$ 2412	$ 2606	$ 2798
P16536HP	36"W Clear Glass	$ 2645	$ 2856	$ 3066
P16542HP	42"W Clear Glass	$ 2882	$ 3112	$ 3340
P16548HP	48"W Clear Glass	$ 3022	$ 3264	$ 3508
P16560HP	60"W Clear Glass	$ 3500	$ 3781	$ 4065
P16572HP	72"W Clear Glass	$ 4224	$ 4561	$ 4900
P16524HP	24"W Frosted Glass	$ 2320	$ 2497	$ 2673
P16530HP	30"W Frosted Glass	$ 2508	$ 2702	$ 2894
P16536HP	36"W Frosted Glass	$ 2747	$ 2958	$ 3168
P16542HP	42"W Frosted Glass	$ 2996	$ 3226	$ 3454
P16548HP	48"W Frosted Glass	$ 3142	$ 3384	$ 3628
P16560HP	60"W Frosted Glass	$ 3638	$ 3919	$ 4203
P16572HP	72"W Frosted Glass	$ 4392	$ 4729	$ 5068

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Stride® Tackable Acoustical Tiles — see pages 209-210				
Z40724T	7½"H x 24"W Tile	$ 148	$ 156	$ 164
Z40730T	7½"H x 30"W Tile	$ 167	$ 176	$ 185
Z40736T	7½"H x 36"W Tile	$ 183	$ 195	$ 206
Z40742T	7½"H x 42"W Tile	$ 205	$ 217	$ 227
Z40748T	7½"H x 48"W Tile	$ 217	$ 230	$ 245
Z40760T	7½"H x 60"W Tile	$ 249	$ 266	$ 284
Z41524T	15"H x 24"W Tile	$ 213	$ 226	$ 241
Z41530T	15"H x 30"W Tile	$ 232	$ 249	$ 267
Z41536T	15"H x 36"W Tile	$ 259	$ 281	$ 303
Z41542T	15"H x 42"W Tile	$ 286	$ 308	$ 334
Z41548T	15"H x 48"W Tile	$ 315	$ 343	$ 371
Z41560T	15"H x 60"W Tile	$ 364	$ 399	$ 434
Z42224T	22½"H x 24"W Tile	$ 266	$ 288	$ 310
Z42230T	22½"H x 30"W Tile	$ 301	$ 328	$ 353
Z42236T	22½"H x 36"W Tile	$ 333	$ 366	$ 397
Z42242T	22½"H x 42"W Tile	$ 372	$ 408	$ 445
Z42248T	22½"H x 48"W Tile	$ 413	$ 455	$ 497
Z42260T	22½"H x 60"W Tile	$ 479	$ 532	$ 583
Z43024T	30"H x 24"W Tile	$ 333	$ 361	$ 389
Z43030T	30"H x 30"W Tile	$ 369	$ 404	$ 439
Z43036T	30"H x 36"W Tile	$ 416	$ 458	$ 500
Z43042T	30"H x 42"W Tile	$ 459	$ 507	$ 557
Z43048T	30"H x 48"W Tile	$ 505	$ 561	$ 618
Z43060T	30"H x 60"W Tile	$ 589	$ 658	$ 729
Z43724T	37½"H x 24"W Tile	$ 407	$ 442	$ 477
Z43730T	37½"H x 30"W Tile	$ 453	$ 499	$ 542
Z43736T	37½"H x 36"W Tile	$ 512	$ 565	$ 616
Z43742T	37½"H x 42"W Tile	$ 562	$ 624	$ 685
Z43748T	37½"H x 48"W Tile	$ 619	$ 688	$ 759
Z43760T	37½"H x 60"W Tile	$ 732	$ 820	$ 906
Z44524T	45"H x 24"W Tile	$ 467	$ 509	$ 551
Z44530T	45"H x 30"W Tile	$ 524	$ 577	$ 628
Z44536T	45"H x 36"W Tile	$ 591	$ 654	$ 719
Z44542T	45"H x 42"W Tile	$ 654	$ 727	$ 802
Z44548T	45"H x 48"W Tile	$ 721	$ 807	$ 891
Z44560T	45"H x 60"W Tile	$ 841	$ 947	$ 1051
Z45224T	52½"H x 24"W Tile	$ 523	$ 571	$ 621
Z45230T	52½"H x 30"W Tile	$ 594	$ 656	$ 717
Z45236T	52½"H x 36"W Tile	$ 669	$ 742	$ 817
Z45242T	52½"H x 42"W Tile	$ 741	$ 826	$ 912
Z45248T	52½"H x 48"W Tile	$ 818	$ 915	$ 1015
Z45260T	52½"H x 60"W Tile	$ 959	$ 1081	$ 1204
Z46024T	60"H x 24"W Tile	$ 593	$ 649	$ 706
Z46030T	60"H x 30"W Tile	$ 674	$ 743	$ 814
Z46036T	60"H x 36"W Tile	$ 790	$ 876	$ 960
Z46042T	60"H x 42"W Tile	$ 870	$ 967	$ 1067
Z46048T	60"H x 48"W Tile	$ 946	$ 1058	$ 1170
Z46060T	60"H x 60"W Tile	$ 1071	$ 1213	$ 1351

Model Number	Description	Grade G	Grade H	Grade J
Stride Tackable Acoustical Port Tiles — see pages 211-212				
Z40724E	7½"H x 24"W Tile	$ 298	$ 311	$ 324
Z40730E	7½"H x 30"W Tile	$ 317	$ 334	$ 350
Z40736E	7½"H x 36"W Tile	$ 345	$ 366	$ 389
Z40742E	7½"H x 42"W Tile	$ 364	$ 386	$ 411
Z40748E	7½"H x 48"W Tile	$ 387	$ 415	$ 442
Z40760E	7½"H x 60"W Tile	$ 434	$ 468	$ 503
Z41524E	15"H x 24"W Tile	$ 383	$ 411	$ 438
Z41530E	15"H x 30"W Tile	$ 421	$ 455	$ 490
Z41536E	15"H x 36"W Tile	$ 454	$ 494	$ 536
Z41542E	15"H x 42"W Tile	$ 490	$ 538	$ 586
Z41548E	15"H x 48"W Tile	$ 529	$ 583	$ 638
Z41560E	15"H x 60"W Tile	$ 604	$ 672	$ 740
Z42224E	22½"H x 24"W Tile	$ 465	$ 505	$ 547
Z42230E	22½"H x 30"W Tile	$ 513	$ 564	$ 615
Z42236E	22½"H x 36"W Tile	$ 564	$ 626	$ 688
Z42242E	22½"H x 42"W Tile	$ 616	$ 687	$ 759
Z42248E	22½"H x 48"W Tile	$ 666	$ 747	$ 829
Z42260E	22½"H x 60"W Tile	$ 772	$ 876	$ 977
Z43024E	30"H x 24"W Tile	$ 545	$ 599	$ 654
Z43030E	30"H x 30"W Tile	$ 610	$ 678	$ 746
Z43036E	30"H x 36"W Tile	$ 678	$ 759	$ 841
Z43042E	30"H x 42"W Tile	$ 741	$ 836	$ 933
Z43048E	30"H x 48"W Tile	$ 812	$ 921	$ 1029
Z43060E	30"H x 60"W Tile	$ 937	$ 1075	$ 1210
Z43724E	37½"H x 24"W Tile	$ 652	$ 720	$ 788
Z43730E	37½"H x 30"W Tile	$ 734	$ 818	$ 903
Z43736E	37½"H x 36"W Tile	$ 810	$ 914	$ 1015
Z43742E	37½"H x 42"W Tile	$ 897	$ 1015	$ 1134
Z43748E	37½"H x 48"W Tile	$ 973	$ 1111	$ 1246
Z43760E	37½"H x 60"W Tile	$ 1140	$ 1312	$ 1483
Z44524E	45"H x 24"W Tile	$ 727	$ 808	$ 890
Z44530E	45"H x 30"W Tile	$ 829	$ 933	$ 1034
Z44536E	45"H x 36"W Tile	$ 920	$ 1042	$ 1164
Z44542E	45"H x 42"W Tile	$ 1022	$ 1164	$ 1308
Z44548E	45"H x 48"W Tile	$ 1120	$ 1285	$ 1448
Z44560E	45"H x 60"W Tile	$ 1304	$ 1509	$ 1712
Z45224E	52½"H x 24"W Tile	$ 821	$ 916	$ 1013
Z45230E	52½"H x 30"W Tile	$ 922	$ 1040	$ 1159
Z45236E	52½"H x 36"W Tile	$ 1040	$ 1182	$ 1326
Z45242E	52½"H x 42"W Tile	$ 1150	$ 1317	$ 1484
Z45248E	52½"H x 48"W Tile	$ 1258	$ 1449	$ 1640
Z45260E	52½"H x 60"W Tile	$ 1484	$ 1723	$ 1962
Z46024E	60"H x 24"W Tile	$ 894	$ 1003	$ 1111
Z46030E	60"H x 30"W Tile	$ 1025	$ 1163	$ 1298
Z46036E	60"H x 36"W Tile	$ 1193	$ 1358	$ 1521
Z46042E	60"H x 42"W Tile	$ 1313	$ 1504	$ 1695
Z46048E	60"H x 48"W Tile	$ 1430	$ 1648	$ 1865
Z46060E	60"H x 60"W Tile	$ 1653	$ 1927	$ 2198

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Stride® Tackable Acoustical Tiles to-the-Floor — see page 213				
Z42224TF	22½"H x 24"W Tile	$ 413	$ 454	$ 497
Z42230TF	22½"H x 30"W Tile	$ 463	$ 515	$ 567
Z42236TF	22½"H x 36"W Tile	$ 517	$ 581	$ 643
Z42242TF	22½"H x 42"W Tile	$ 580	$ 653	$ 727
Z42248TF	22½"H x 48"W Tile	$ 630	$ 713	$ 798
Z42260TF	22½"H x 60"W Tile	$ 735	$ 839	$ 944
Z43024TF	30"H x 24"W Tile	$ 495	$ 549	$ 606
Z43030TF	30"H x 30"W Tile	$ 563	$ 633	$ 702
Z43036TF	30"H x 36"W Tile	$ 633	$ 716	$ 801
Z43042TF	30"H x 42"W Tile	$ 703	$ 799	$ 896
Z43048TF	30"H x 48"W Tile	$ 775	$ 885	$ 996
Z43060TF	30"H x 60"W Tile	$ 905	$ 1044	$ 1183
Z43724TF	37½"H x 24"W Tile	$ 594	$ 664	$ 733
Z43730TF	37½"H x 30"W Tile	$ 679	$ 766	$ 851
Z43736TF	37½"H x 36"W Tile	$ 760	$ 864	$ 969
Z43742TF	37½"H x 42"W Tile	$ 850	$ 971	$ 1092
Z43748TF	37½"H x 48"W Tile	$ 934	$ 1073	$ 1212
Z43760TF	37½"H x 60"W Tile	$ 1099	$ 1269	$ 1443
Z44524TF	45"H x 24"W Tile	$ 680	$ 763	$ 848
Z44530TF	45"H x 30"W Tile	$ 773	$ 877	$ 982
Z44536TF	45"H x 36"W Tile	$ 881	$ 1004	$ 1128
Z44542TF	45"H x 42"W Tile	$ 981	$ 1127	$ 1270
Z44548TF	45"H x 48"W Tile	$ 1077	$ 1241	$ 1408
Z44560TF	45"H x 60"W Tile	$ 1272	$ 1481	$ 1687
Z45224TF	52½"H x 24"W Tile	$ 764	$ 860	$ 957
Z45230TF	52½"H x 30"W Tile	$ 875	$ 996	$ 1117
Z45236TF	52½"H x 36"W Tile	$ 1013	$ 1159	$ 1302
Z45242TF	52½"H x 42"W Tile	$ 1128	$ 1300	$ 1468
Z45248TF	52½"H x 48"W Tile	$ 1233	$ 1426	$ 1620
Z45260TF	52½"H x 60"W Tile	$ 1450	$ 1692	$ 1934
Z46024TF	60"H x 24"W Tile	$ 850	$ 960	$ 1071
Z46030TF	60"H x 30"W Tile	$ 971	$ 1110	$ 1249
Z46036TF	60"H x 36"W Tile	$ 1130	$ 1294	$ 1461
Z46042TF	60"H x 42"W Tile	$ 1255	$ 1448	$ 1642
Z46048TF	60"H x 48"W Tile	$ 1383	$ 1603	$ 1825
Z46060TF	60"H x 60"W Tile	$ 1623	$ 1900	$ 2176

Model Number	Description	Grade G	Grade H	Grade J
Terrace® Tackable Acoustical Tiles — see pages 135-136				
TKG40724T	7½"H x 24"W Tile	$ 169	$ 181	$ 193
TKG40730T	7½"H x 30"W Tile	$ 183	$ 197	$ 214
TKG40736T	7½"H x 36"W Tile	$ 201	$ 220	$ 237
TKG40742T	7½"H x 42"W Tile	$ 221	$ 242	$ 263
TKG40748T	7½"H x 48"W Tile	$ 242	$ 264	$ 289
TKG40760T	7½"H x 60"W Tile	$ 282	$ 312	$ 342
TKG41524T	15"H x 24"W Tile	$ 209	$ 231	$ 256
TKG41530T	15"H x 30"W Tile	$ 235	$ 265	$ 295
TKG41536T	15"H x 36"W Tile	$ 270	$ 306	$ 343
TKG41542T	15"H x 42"W Tile	$ 298	$ 341	$ 383
TKG41548T	15"H x 48"W Tile	$ 326	$ 372	$ 421
TKG41560T	15"H x 60"W Tile	$ 390	$ 452	$ 512
TKG42224T	22½"H x 24"W Tile	$ 284	$ 320	$ 357
TKG42230T	22½"H x 30"W Tile	$ 324	$ 368	$ 412
TKG42236T	22½"H x 36"W Tile	$ 377	$ 431	$ 486
TKG42242T	22½"H x 42"W Tile	$ 428	$ 491	$ 554
TKG42248T	22½"H x 48"W Tile	$ 478	$ 551	$ 621
TKG42260T	22½"H x 60"W Tile	$ 560	$ 649	$ 739
TKG43024T	30"H x 24"W Tile	$ 333	$ 379	$ 428
TKG43030T	30"H x 30"W Tile	$ 388	$ 450	$ 510
TKG43036T	30"H x 36"W Tile	$ 447	$ 520	$ 590
TKG43042T	30"H x 42"W Tile	$ 520	$ 605	$ 689
TKG43048T	30"H x 48"W Tile	$ 566	$ 664	$ 759
TKG43060T	30"H x 60"W Tile	$ 669	$ 788	$ 908
TKG44224T	42"H x 24"W Tile	$ 450	$ 517	$ 584
TKG44230T	42"H x 30"W Tile	$ 536	$ 621	$ 705
TKG44236T	42"H x 36"W Tile	$ 616	$ 715	$ 817
TKG44242T	42"H x 42"W Tile	$ 703	$ 821	$ 939
TKG44248T	42"H x 48"W Tile	$ 794	$ 928	$ 1062
TKG44260T	42"H x 60"W Tile	$ 959	$ 1127	$ 1295
TKG45024T	50"H x 24"W Tile	$ 521	$ 600	$ 680
TKG45030T	50"H x 50"W Tile	$ 627	$ 726	$ 828
TKG45036T	50"H x 36"W Tile	$ 742	$ 861	$ 981
TKG45042T	50"H x 42"W Tile	$ 851	$ 990	$ 1129
TKG45048T	50"H x 48"W Tile	$ 959	$ 1119	$ 1279
TKG45060T	50"H x 60"W Tile	$ 1144	$ 1344	$ 1541
TKG45724T	57½"H x 24"W Tile	$ 613	$ 705	$ 796
TKG45730T	57½"H x 30"W Tile	$ 726	$ 843	$ 956
TKG45736T	57½"H x 36"W Tile	$ 847	$ 988	$ 1127
TKG45742T	57½"H x 42"W Tile	$ 974	$ 1136	$ 1298
TKG45748T	57½"H x 48"W Tile	$ 1096	$ 1279	$ 1464
TKG45760T	57½"H x 60"W Tile	$ 1297	$ 1531	$ 1761
TKG46524T	65"H x 24"W Tile	$ 673	$ 778	$ 882
TKG46530T	65"H x 30"W Tile	$ 803	$ 933	$ 1062
TKG46536T	65"H x 36"W Tile	$ 936	$ 1092	$ 1248
TKG46542T	65"H x 42"W Tile	$ 1069	$ 1252	$ 1434
TKG46548T	65"H x 48"W Tile	$ 1200	$ 1408	$ 1618
TKG46560T	65"H x 60"W Tile	$ 1414	$ 1674	$ 1935

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Terrace® Tackable Acoustical Ported Tiles — see pages 137-138				
TKG41524E	15"H x 24"W Tile	$ 311	$ 333	$ 355
TKG41530E	15"H x 30"W Tile	$ 336	$ 363	$ 388
TKG41536E	15"H x 36"W Tile	$ 357	$ 390	$ 421
TKG41542E	15"H x 42"W Tile	$ 388	$ 425	$ 461
TKG41548E	15"H x 48"W Tile	$ 414	$ 455	$ 498
TKG41560E	15"H x 60"W Tile	$ 474	$ 527	$ 578
TKG42224E	22½"H x 24"W Tile	$ 372	$ 405	$ 436
TKG42230E	22½"H x 30"W Tile	$ 415	$ 454	$ 494
TKG42236E	22½"H x 36"W Tile	$ 466	$ 512	$ 559
TKG42242E	22½"H x 42"W Tile	$ 516	$ 570	$ 627
TKG42248E	22½"H x 48"W Tile	$ 551	$ 615	$ 677
TKG42260E	22½"H x 60"W Tile	$ 633	$ 711	$ 789
TKG43024E	30"H x 24"W Tile	$ 419	$ 460	$ 503
TKG43030E	30"H x 30"W Tile	$ 467	$ 520	$ 571
TKG43036E	30"H x 36"W Tile	$ 527	$ 591	$ 653
TKG43042E	30"H x 42"W Tile	$ 589	$ 662	$ 738
TKG43048E	30"H x 48"W Tile	$ 635	$ 721	$ 805
TKG43060E	30"H x 60"W Tile	$ 726	$ 830	$ 935
TKG44224E	42"H x 24"W Tile	$ 573	$ 643	$ 709
TKG44230E	42"H x 30"W Tile	$ 653	$ 740	$ 825
TKG44236E	42"H x 36"W Tile	$ 749	$ 852	$ 953
TKG44242E	42"H x 42"W Tile	$ 830	$ 947	$ 1067
TKG44248E	42"H x 48"W Tile	$ 913	$ 1050	$ 1185
TKG44260E	42"H x 60"W Tile	$ 1080	$ 1252	$ 1420
TKG45024E	50"H x 24"W Tile	$ 639	$ 719	$ 800
TKG45030E	50"H x 45"W Tile	$ 749	$ 848	$ 950
TKG45036E	50"H x 36"W Tile	$ 857	$ 978	$ 1099
TKG45042E	50"H x 42"W Tile	$ 973	$ 1114	$ 1257
TKG45048E	50"H x 48"W Tile	$ 1082	$ 1243	$ 1404
TKG45060E	50"H x 60"W Tile	$ 1269	$ 1472	$ 1675
TKG45724E	57½"H x 24"W Tile	$ 732	$ 827	$ 919
TKG45730E	57½"H x 30"W Tile	$ 808	$ 926	$ 1041
TKG45736E	57½"H x 36"W Tile	$ 924	$ 1064	$ 1205
TKG45742E	57½"H x 42"W Tile	$ 1051	$ 1216	$ 1379
TKG45748E	57½"H x 48"W Tile	$ 1169	$ 1356	$ 1543
TKG45760E	57½"H x 60"W Tile	$ 1380	$ 1612	$ 1845
TKG46524E	65"H x 24"W Tile	$ 790	$ 894	$ 999
TKG46530E	65"H x 30"W Tile	$ 925	$ 1056	$ 1188
TKG46536E	65"H x 36"W Tile	$ 1061	$ 1219	$ 1375
TKG46542E	65"H x 42"W Tile	$ 1193	$ 1376	$ 1558
TKG46548E	65"H x 48"W Tile	$ 1317	$ 1525	$ 1736
TKG46560E	65"H x 60"W Tile	$ 1535	$ 1797	$ 2061

Model Number	Description	Grade G	Grade H	Grade J
Optimize® Tackboards for Stack-on Hutches — see page 270				
UHTB36	36"W	$ 1099	$ 1099	$ 1409
UHTB42	42"W	$ 1152	$ 1152	$ 1476
UHTB48	48"W	$ 1277	$ 1277	$ 1645
UHTB60	60"W	$ 1514	$ 1514	$ 1978
UHTB66	66"W	$ 1625	$ 1625	$ 2129
UHTB72	72"W	$ 1660	$ 1660	$ 2161
Shared Components Tackboards — see page 271				
861324	24"W	$ 425	$ 425	$ 540
861330	30"W	$ 480	$ 480	$ 601
861336	36"W	$ 556	$ 556	$ 701
861342	42"W	$ 642	$ 642	$ 812
861348	48"W	$ 718	$ 718	$ 915
861360	60"W	$ 819	$ 819	$ 1051
861824	24"W	$ 466	$ 466	$ 602
861830	30"W	$ 579	$ 579	$ 749
861836	36"W	$ 664	$ 664	$ 865
861842	42"W	$ 769	$ 769	$ 1005
861848	48"W	$ 863	$ 863	$ 1134
861860	60"W	$ 965	$ 965	$ 1271
Stride Wall-Mounted Tackboards — see page 372				
ZWMTB1530	15"H x 30"W Tackboard	$ 1248	$ 1318	$ 1384
ZWMTB1536	15"H x 36"W Tackboard	$ 1306	$ 1387	$ 1469
ZWMTB1542	15"H x 42"W Tackboard	$ 1371	$ 1466	$ 1561
ZWMTB1548	15"H x 48"W Tackboard	$ 1430	$ 1540	$ 1648
ZWMTB1560	15"H x 60"W Tackboard	$ 1547	$ 1684	$ 1819
ZWMTB2024	20"H x 24"W Tackboard	$ 1297	$ 1369	$ 1441
ZWMTB2030	20"H x 30"W Tackboard	$ 1374	$ 1466	$ 1556
ZWMTB2036	20"H x 36"W Tackboard	$ 1446	$ 1556	$ 1664
ZWMTB2042	20"H x 42"W Tackboard	$ 1528	$ 1655	$ 1782
ZWMTB2048	20"H x 48"W Tackboard	$ 1597	$ 1743	$ 1886
ZWMTB2060	20"H x 60"W Tackboard	$ 1741	$ 1923	$ 2105

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
Stride® Seat Cushions for Painted Wood Storage — see page 368														
K5CT1815SC	$ 688	$ 730	$ 771	$ 815	$ 866	$ 918	$ 970	$ 1023	$ 1075	$ 1128	$ 1180	$ 1233	$ 1285	$ 1337
K5CT1818SC	$ 713	$ 755	$ 796	$ 840	$ 891	$ 943	$ 995	$ 1048	$ 1100	$ 1153	$ 1205	$ 1258	$ 1310	$ 1362
K5CT1824SC	$ 743	$ 785	$ 826	$ 870	$ 921	$ 973	$ 1025	$ 1078	$ 1130	$ 1183	$ 1235	$ 1288	$ 1340	$ 1392
K5CT1830SC	$ 778	$ 820	$ 861	$ 905	$ 956	$ 1008	$ 1060	$ 1113	$ 1165	$ 1218	$ 1270	$ 1323	$ 1375	$ 1427
K5CT1836SC	$ 837	$ 879	$ 920	$ 964	$ 1015	$ 1067	$ 1119	$ 1172	$ 1224	$ 1277	$ 1329	$ 1382	$ 1434	$ 1486
K5CT1848SC	$ 854	$ 896	$ 937	$ 981	$ 1032	$ 1084	$ 1136	$ 1189	$ 1241	$ 1294	$ 1346	$ 1399	$ 1451	$ 1503

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Elevated Table Mounted Screen — see page 478				
U6TTS1330F	13"H x 30"W Screen	$ 1237	$ 1323	$ 1406
U6TTS1336F	13"H x 36"W Screen	$ 1294	$ 1381	$ 1471
U6TTS1342F	13"H x 42"W Screen	$ 1388	$ 1491	$ 1594
U6TTS1348F	13"H x 48"W Screen	$ 1483	$ 1602	$ 1721
U6TTS1354F	13"H x 54"W Screen	$ 1585	$ 1718	$ 1851
U6TTS1360F	13"H x 60"W Screen	$ 1700	$ 1848	$ 1998
U6TTS2030F	20½"H x 30"W Screen	$ 1475	$ 1592	$ 1707
U6TTS2036F	20½"H x 36"W Screen	$ 1594	$ 1734	$ 1875
U6TTS2042F	20½"H x 42"W Screen	$ 1713	$ 1877	$ 2040
U6TTS2048F	20½"H x 48"W Screen	$ 1874	$ 2062	$ 2248
U6TTS2054F	20½"H x 54"W Screen	$ 2048	$ 2258	$ 2467
U6TTS2060F	20½"H x 60"W Screen	$ 2192	$ 2425	$ 2659
Stride Tackable Fabric Lateral Screens — see page 482				
Z6BL0827F	8"H x 27"D Screen	$ 986	$ 1018	$ 1049
Z6BL0830F	8"H x 30"D Screen	$ 1025	$ 1057	$ 1092
Z6BL0836F	8"H x 36"D Screen	$ 1142	$ 1181	$ 1222
Altitude® A8 Screen Kits — see page 622				
FDSC48U	48"W	$ 2419	$ 2446	$ 2512
FDSC54U	54"W	$ 2503	$ 2531	$ 2601
FDSC60U	60"W	$ 2578	$ 2607	$ 2677
FDSC66U	66"W	$ 2730	$ 2760	$ 2837
FDSC72U	72"W	$ 2939	$ 2970	$ 3053
FDSC48LL	48"W	$ 1558	$ 1575	$ 1613
FDSC48LR	48"W	$ 1558	$ 1575	$ 1613
FDSC54LL	54"W	$ 1829	$ 1849	$ 1894
FDSC54LR	54"W	$ 1829	$ 1849	$ 1894
FDSC60LL	60"W	$ 1913	$ 1933	$ 1982
FDSC60LR	60"W	$ 1913	$ 1933	$ 1982
FDSC66LL	66"W	$ 2294	$ 2319	$ 2383
FDSC66LR	66"W	$ 2294	$ 2319	$ 2383
FDSC72LL	72"W	$ 2416	$ 2444	$ 2510
FDSC72LR	72"W	$ 2416	$ 2444	$ 2510
FDSC48R	48"W	$ 1506	$ 1523	$ 1560
FDSC54R	54"W	$ 1543	$ 1559	$ 1598
FDSC60R	60"W	$ 1661	$ 1677	$ 1718
FDSC66R	66"W	$ 1921	$ 1941	$ 1995
FDSC72R	72"W	$ 2045	$ 2068	$ 2122

Model Number	Description	Grade G	Grade H	Grade J
30"H Tackboards — see page 786				
WKTKFT4H30-FA	30"W	$ 815	$ 878	$ 943
WKTKFT4H36-FA	36"W	$ 880	$ 957	$ 1033
WKTKFT4H42-FA	42"W	$ 977	$ 1067	$ 1156
WKTKFT4H48-FA	48"W	$ 1080	$ 1184	$ 1286
WKTKFT4H54-FA	54"W	$ 1159	$ 1275	$ 1389
WKTKFT4H60-FA	60"W	$ 1258	$ 1386	$ 1515
WKTKFT4H66-FA	66"W (2 Piece)	$ 1324	$ 1464	$ 1605
WKTKFT4H72-FA	72"W (2 Piece)	$ 1461	$ 1615	$ 1770
WKTKFT4H78-FA	78"W (2 Piece)	$ 1545	$ 1710	$ 1878
WKTKFT4H84-FA	84"W (2 Piece)	$ 1641	$ 1820	$ 2000
WKTKFT4H90-FA	90"W (3 Piece)	$ 1722	$ 1915	$ 2106
WKTKFT4H96-FA	96"W (2 Piece)	$ 1809	$ 2014	$ 2219
34"H Tackboards — see page 786				
WKTKFT4H30-LA	30"W	$ 870	$ 943	$ 1017
WKTKFT4H36-LA	36"W	$ 941	$ 1029	$ 1115
WKTKFT4H42-LA	42"W	$ 1044	$ 1147	$ 1246
WKTKFT4H48-LA	48"W	$ 1153	$ 1269	$ 1385
WKTKFT4H54-LA	54"W	$ 1238	$ 1368	$ 1499
WKTKFT4H60-LA	60"W	$ 1348	$ 1493	$ 1637
WKTKFT4H66-LA	66"W (2 Piece)	$ 1423	$ 1582	$ 1742
WKTKFT4H72-LA	72"W (2 Piece)	$ 1564	$ 1739	$ 1913
WKTKFT4H78-LA	78"W (2 Piece)	$ 1662	$ 1851	$ 2040
WKTKFT4H84-LA	84"W (2 Piece)	$ 1758	$ 1960	$ 2164
WKTKFT4H90-LA	90"W (3 Piece)	$ 1859	$ 2077	$ 2296
WKTKFT4H96-LA	96"W (2 Piece)	$ 1947	$ 2180	$ 2412
45"H Tackboards — see page 787				
WKTKFT5H30-FA	30"W	$ 987	$ 1084	$ 1180
WKTKFT5H36-FA	36"W	$ 1071	$ 1187	$ 1301
WKTKFT5H42-FA	42"W	$ 1192	$ 1325	$ 1460
WKTKFT5H48-FA	48"W	$ 1323	$ 1477	$ 1632
WKTKFT5H54-FA	54"W	$ 1427	$ 1600	$ 1773
WKTKFT5H60-FA	60"W	$ 1554	$ 1747	$ 1938
WKTKFT5H66-FA	66"W (2 Piece)	$ 1649	$ 1860	$ 2072
WKTKFT5H72-FA	72"W (2 Piece)	$ 1810	$ 2042	$ 2273
WKTKFT5H78-FA	78"W (2 Piece)	$ 1925	$ 2174	$ 2424
WKTKFT5H84-FA	84"W (2 Piece)	$ 2047	$ 2315	$ 2586
WKTKFT5H90-FA	90"W (3 Piece)	$ 2151	$ 2441	$ 2729
WKTKFT5H96-FA	96"W (2 Piece)	$ 2264	$ 2574	$ 2883
49"H Tackboards — see page 787				
WKTKFT5H30-LA	30"W	$ 1039	$ 1143	$ 1247
WKTKFT5H36-LA	36"W	$ 1131	$ 1255	$ 1382
WKTKFT5H42-LA	42"W	$ 1265	$ 1411	$ 1558
WKTKFT5H48-LA	48"W	$ 1402	$ 1569	$ 1737
WKTKFT5H54-LA	54"W	$ 1509	$ 1698	$ 1887
WKTKFT5H60-LA	60"W	$ 1650	$ 1858	$ 2069
WKTKFT5H66-LA	66"W (2 Piece)	$ 1747	$ 1979	$ 2210
WKTKFT5H72-LA	72"W (2 Piece)	$ 1922	$ 2173	$ 2425
WKTKFT5H78-LA	78"W (2 Piece)	$ 2046	$ 2319	$ 2590
WKTKFT5H84-LA	84"W (2 Piece)	$ 2166	$ 2459	$ 2752
WKTKFT5H90-LA	90"W (3 Piece)	$ 2287	$ 2600	$ 2913
WKTKFT5H96-LA	96"W (2 Piece)	$ 2403	$ 2737	$ 3073

Appendix

Fabric Grade Pricing


Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
Involve® Ped/Credenza Cushions – 18"D — see page 829														
K5CT1815SC	$ 688	$ 730	$ 771	$ 815	$ 866	$ 918	$ 970	$ 1023	$ 1075	$ 1128	$ 1180	$ 1233	$ 1285	$ 1337
K5CT1818SC	$ 713	$ 755	$ 796	$ 840	$ 891	$ 943	$ 995	$ 1048	$ 1100	$ 1153	$ 1205	$ 1258	$ 1310	$ 1362
K5CT1824SC	$ 743	$ 785	$ 826	$ 870	$ 921	$ 973	$ 1025	$ 1078	$ 1130	$ 1183	$ 1235	$ 1288	$ 1340	$ 1392
K5CT1830SC	$ 778	$ 820	$ 861	$ 905	$ 956	$ 1008	$ 1060	$ 1113	$ 1165	$ 1218	$ 1270	$ 1323	$ 1375	$ 1427
K5CT1836SC	$ 837	$ 879	$ 920	$ 964	$ 1015	$ 1067	$ 1119	$ 1172	$ 1224	$ 1277	$ 1329	$ 1382	$ 1434	$ 1486
K5CT1848SC	$ 854	$ 896	$ 937	$ 981	$ 1032	$ 1084	$ 1136	$ 1189	$ 1241	$ 1294	$ 1346	$ 1399	$ 1451	$ 1503
Involve Ped/Credenza Cushions – 24"D — see page 829														
K5CT2415SC	$ 807	$ 862	$ 915	$ 970	$ 1036	$ 1103	$ 1171	$ 1238	$ 1305	$ 1371	$ 1439	$ 1506	$ 1574	$ 1642
K5CT2418SC	$ 814	$ 869	$ 922	$ 977	$ 1043	$ 1110	$ 1178	$ 1245	$ 1312	$ 1378	$ 1446	$ 1513	$ 1581	$ 1649
K5CT2424SC	$ 849	$ 904	$ 957	$ 1012	$ 1078	$ 1145	$ 1213	$ 1280	$ 1347	$ 1413	$ 1481	$ 1548	$ 1616	$ 1684
K5CT2430SC	$ 883	$ 938	$ 991	$ 1046	$ 1112	$ 1179	$ 1247	$ 1314	$ 1381	$ 1447	$ 1515	$ 1582	$ 1650	$ 1718
K5CT2436SC	$ 924	$ 979	$ 1032	$ 1087	$ 1153	$ 1220	$ 1288	$ 1355	$ 1422	$ 1488	$ 1556	$ 1623	$ 1691	$ 1759
K5CT2448SC	$ 987	$ 1042	$ 1095	$ 1150	$ 1216	$ 1283	$ 1351	$ 1418	$ 1485	$ 1551	$ 1619	$ 1686	$ 1754	$ 1822
Involve Banquette Cushions – 24"D — see page 833														
KSC2424	$ 2159	$ 2224	$ 2288	$ 2353	$ 2433	$ 2516	$ 2597	$ 2678	$ 2760	$ 2841	$ 2921	$ 3002	$ 3083	$ 3165
KSC3624	$ 2637	$ 2702	$ 2766	$ 2831	$ 2911	$ 2994	$ 3075	$ 3156	$ 3238	$ 3319	$ 3399	$ 3480	$ 3561	$ 3643
Involve Seat Base Cushions – 24"D — see page 833														
KSSC2424	$ 1077	$ 1109	$ 1142	$ 1173	$ 1214	$ 1253	$ 1293	$ 1333	$ 1373	$ 1412	$ 1454	$ 1493	$ 1533	$ 1573
Radii Storage Seat Cushions – 19"D — see page 960														
AESC18	$ 428	$ 447	$ 470	$ 491	$ 516	$ 543	$ 568	$ 594	$ 621	$ 648	$ 673	$ 699	$ 726	$ 752
Radii Storage Seat Cushions – 23"D — see page 960														
AESC24	$ 476	$ 495	$ 518	$ 539	$ 564	$ 591	$ 616	$ 642	$ 669	$ 696	$ 721	$ 747	$ 774	$ 800

Model Number	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
Align™ and Essentials™ Pedestal Seat Cushion Tops — see page 949										
ASPT-24SC 23⅜"D	$ 574	$ 601	$ 626	$ 652	$ 679	$ 706	$ 731	$ 757	$ 784	$ 810
ASPT-30SC 29⅜"D	$ 589	$ 616	$ 641	$ 667	$ 694	$ 721	$ 746	$ 772	$ 799	$ 825
YPPA1815SC 17"D	$ 524	$ 551	$ 576	$ 602	$ 629	$ 656	$ 681	$ 707	$ 734	$ 760
YPPA2415SC 23"D	$ 579	$ 606	$ 631	$ 657	$ 684	$ 711	$ 736	$ 762	$ 789	$ 815
YPPA3015SC 29"D	$ 595	$ 622	$ 647	$ 673	$ 700	$ 727	$ 752	$ 778	$ 805	$ 831

FSC Certified Wood at Allsteel

Allsteel has received FSC Chain of Custody certification and can offer FSC certified products. Forest Stewardship Council (FSC) certification is intended to promote the sustainable harvesting of forests worldwide by setting requirements for the forest and everyone who handles the wood from forest to product. Certification provides a Chain of Customer number that we will pass on to customers who are pursuing LEED certification or who want to ensure that materials used to manufacture our wood products come from a well-managed forest. For more information, please contact Customer Support at 888-255-7833.

BACK



Allsteel®

Allsteel Inc.
Muscatine, Iowa 52761

allsteeloffice.com

Form #A8843.A5 (06/25)