

# ZENTORI\* CONFERENCE CHAIRS AND STOOLS

PRICE LIST

EFFECTIVE JULY 9, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.




Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.N	1.) Upholstery
Zentori™ Conference Chairs and Stools	
Technical Specifications	5
Product Color Options	7
Low-Back Conference Chair	3
Mid-Back Conference Chair	g
High-Back Conference Chair	10
Low-Back Stool	11

## How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

## Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

#### **Testing**

When KI requires testing, actual vardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

#### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

## **Split Orders**

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

#### C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems	
EvokeMN	All Terrain	KI
GeniusMN	Balance	M
	Universal	M
Casegoods	Wireworks	M
AristotleMN	Unite	M
LikhaMN		
	Residence Hall Furniture	
Classroom Furniture	RoomScape	M
CogniGB		
Intellect WaveGB	Screens	
Learn2GB	All Terrain	KI
RuckusGB	Connection Zone	BV
	Tributaire	BV
Desking	True/Volition	KI
700 SeriesKP	Genesis	KI
Balance MN	Tattoo	M
GenesisMN	Universal	BV
TrueKP		
UniversalMN	Seating	
WorkZoneMN	600 Series	BV
	Affina	1H
Files & Storage	Altus	GI
700 SeriesGB	Apply	Gl
ConnectionBW	Calida	H
U-SeriesGB	Cascha	
TattooBW	Civara	V
	Clamber	H
Fixed Seating	Cogni	Gl
ConcertoBW	Diem	ON
Single PedestalGB	Doni	Gl
Jury BaseGB	Gladly	VC
LancasterBW	Grazie	Gl
SequenceGB	Hub	H
UniversityGB	Impress	ON

Impress Ultra	OM
ntellect Wave	GB
Jessa	HN
Jubilee	VQ
Katera	GB
Kurv Benches	HN
Learn2	GB
LimeLite	GB
Lyra	HN
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	
Oath	
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo	HN
Torsion-on-the-Go!	GB
Torsion Air	GB
Zeker	HN
Zentori	VT
Zoetry	

## KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage

1110 S. Mildred Ave.

Ontario, CA 91761

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

Technical Specification

## **TECHNICAL SPECIFICATIONS**

## Mechanism

**Technical Specifications** 

The self-weighting mechanism is constructed of stamped steel, shrouded with a plastic trim cover. Seat-height lever adjusts the pneumatic cylinder with  $4^3/_4$ " of travel, from  $16^3/_4$ " to  $21^1/_2$ " for the chair. Height adjustment for stools is  $9^3/_4$ " of travel, from 20" to  $29^3/_4$ ".

Chair models have an adjustment for back recline, or may be locked to provide support when in an upright position.

An optional tilt tension is available on the chair and is adjusted by turning the wheel located under the seat, to the left or right. The stool has the tilt locked in position for stability reasons.

## Seat

Upholstered seat construction is polypropylene seat board with  $2^{1}/2^{2}$  inches of high resiliency (HR) foam featuring a simple waterfall front edge. Foam passes CA TB-117-2013 standard. Seat width is  $19^{3}/4^{2}$ . The seat shroud color matches the frame color choice.

## **Backrest**

The backrest is fully upholstered (front and back), using a 3.7 lb high-density molded foam that passes CA TB-117-2013 standard.

## Bases

The chair and stool offer two options; a 5-Star nylon base or a 5-Star aluminum base. The cylinders on the chair and stool are always black.

## Casters

Casters are 60 mm O.D., double-wheel high-impact nylon, and are designed for use on both commercial carpet and hard floor applications. The standard caster is black only while the designer caster is black with a white diameter stripe.

## Arms


Arms are fixed-height only and are integrated into the plastic J-Bar, which wraps around the backrest. The arms color is determined by the frame color choice.


## Foot Ring


Stools are equipped with an adjustable-height foot ring which features a twist-to-lock, or unlock height adjustment. Foot ring is 20" diameter tubular steel with four spokes. The color is aways black.

## DIMENSIONS


## Zentori Conference Chairs - Low Back - (model ZNCLFP shown)









## Zentori Conference Chairs - Mid Back - (model ZNCMF shown)













## Zentori Conference Chairs - High Back - (model ZNCHF shown)









## Zentori Conference Stool - Low Back - (model ZNSLFA shown)








## STATEMENT OF LINE

## Zentori Conference Chairs



## Zentori Conference Stool



## Zentori<sup>™</sup> Conference Chairs and Stools Product Color Options

Zentori™ Conference Chairs and Stools
Product Color Options

Frame Color

Black BL White WH WG Warm Grey

Finish Cards

<u>Paints</u> View color swatches for items listed within this document. Plastics/Poly

Wood/Veneer <u>Laminates</u>

**Molded Edges Edge Styles** 

**Hard Plastics** <u>Glass</u>



# Zentori<sup>™</sup> Conference Chairs and Stools

										•							
			MODE	L NUMBEI	R												
	MODEL	Features	Basic Model	Lumbar Option	Tilt Tension	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Low-Back Conference Chair, Uph Seat & Fully Uph Back, 5-Star Plastic Base, Fixed Arm	Plastic Base	ZNCLFP						47.00#	\$ 820	\$ 906	\$ 932	\$ 906	\$ 972	\$ 1011	\$ 1049	\$ 1088
	<ul><li>Self-weighing mechanism</li><li>Optional vertical adjustable lumbar</li></ul>																
	Optional tilt tension adjustment     Seat height adjustment     One Position Back lock																
F	<ul> <li>Available with fixed arm only</li> <li>Fully upholstered backrest</li> <li>Armrest/Frame/5-Star base available in Black, White or Warm Grey</li> </ul>																
	Dual-Surface Standard caster (black) or Dual Surface Designer Caster in Black/ White	r															
	<ul> <li>300 pound weight rating</li> </ul>																
	Low-Back Conference Chair, Uph Seat & Fully Uph Back, 5-Star Aluminum Base, Fixed Arm	Aluminum Base	ZNCLFA						49.00#	\$ 895	\$ 981	\$ 1007	\$ 981	\$ 1047	\$ 1086	\$ 1124	\$ 1163
	Self-weighing mechanism     Optional vertical adjustable lumbar     Optional tilt tension adjustment																
	Seat height adjustment     One Position Back lock     Available with fixed arm only																
=	<ul> <li>Fully upholstered backrest</li> <li>Backrest and armrest available in Black, White or Warm Grey</li> </ul>	,															
	<ul> <li>5-Star base in polished aluminum</li> <li>Dual-Surface Standard caster (black) or Dual Surface Designer Caster in Black/</li> </ul>	r															
	White 300 pound weight rating																
			A	<b>B</b>	•	O	<b>3</b>	(3									

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lumbar option.

N - No adjustable lumbar mechanism - Vertical-adjustable lumbar mechanism;

Select tilt tension.

NT - No Tilt Tension

TT - Tilt Tension; add \$49

Select frame color.

BL - Black

- White

WG - Warm Grey; add \$84

Select caster option.

C - Dual surface casters, black (standard) - Dual surface casters, black/white; add

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Sheboygan, WI 53081, freight prepaid.

Specifications and prices are subject to change without prior notice.



# Zentori<sup>™</sup> Conference Chairs and Stools

										•							
			MODEL	NUMBER													
	MODEL	Features	Basic Model	Lumbar Option		Frame Color		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Mid-Back Conference Chair, Uph Seat & Fully Uph Back, 5-Star Plastic Base,	Plastic Base	ZNCMFP						48.00#	\$ 848	\$ 934	\$ 960	\$ 934	\$ 1000	\$ 1039	\$ 1077	\$ 1116
	Fixed Arm  Self-weighing mechanism Optional vertical adjustable lumbar																
	Optional tilt tension adjustment Seat height adjustment One Position Back lock																
ICMF	<ul><li>Available with fixed arm only</li><li>Fully upholstered backrest</li></ul>																
Olvii	<ul> <li>Armrest/Frame/5-Star base available in Black, White or Warm Grey</li> <li>Dual-Surface Standard caster (black) or</li> </ul>																
	Dual Surface Designer Caster in Black/ White  300 pound weight rating																
	Mid-Back Conference Chair, Uph Seat & Fully Uph Back, 5-Star Aluminum Base, Fixed Arm	Aluminum Base	ZNCMFA						50.00#	\$ 924	\$ 1010	\$ 1036	\$ 1010	\$ 1076	\$ 1115	\$ 1153	\$ 1192
	<ul><li>Self-weighing mechanism</li><li>Optional vertical adjustable lumbar</li></ul>																
	<ul><li> Optional tilt tension adjustment</li><li> Seat height adjustment</li><li> One Position Back lock</li></ul>																
MF	<ul> <li>Available with fixed arm only</li> <li>Fully upholstered backrest</li> <li>Backrest and armrest available in Black,</li> </ul>																
	White or Warm Grey  5-Star base in polished aluminum  Dual-Surface Standard caster (black) or																
	Dual Surface Designer Caster in Black/ White																
	300 pound weight rating		<b>A</b>	<b>B</b>	Ф	0	<b>(3</b>	•									

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lumbar option.

N - No adjustable lumbar mechanism - Vertical-adjustable lumbar mechanism; add \$59

Select tilt tension.

NT - No Tilt Tension

TT - Tilt Tension; add \$49

①Select frame color.

BL - Black WH - White

WG - Warm Grey; add \$84

Select caster option.

C - Dual surface casters, black (standard) - Dual surface casters, black/white; add

Select upholstery grade/color. Refer to **ki.com/fabrics** 

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Sheboygan, WI 53081, freight prepaid.

Specifications and prices are subject to change without prior notice.

High-Back Conference Chair



# Zentori<sup>™</sup> Conference Chairs and Stools

										<u> </u>							
			MODEL	. NUMBER	1												
			MODEL	INGINIDEII	<u>.                                      </u>												
											Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
									Approx.	Delivered Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing
			Basic	Lumbar	Tilt	Frame	Caster	Upholstery	Packaged	Fabric Grade	Fabric Grade	Fabric Grade	Vinyl Group	Pallas Fabric	Pallas Fabric	Pallas Fabric	Pallas Fabric
	MODEL	Features	Model	Option	Tension	Color	Type	Color	Weight	1 & C.O.M.	2	3	2V .	Group P0	Group P1	Group P2	Group P3
		Plastic Base	ZNCHFP						49.00#	\$ 852	\$ 938	\$ 964	\$ 938	\$ 1004	\$ 1043	\$ 1081	\$ 1120
	High-Back Conference Chair, Uph Seat	T Idollo Bado	21101111	100					10.00#	Ψ 002	Ψ 000	φ σσι	Ψ 000	ψ 1001	φ 1010	ψ 1001	Ψ 1120
\	& Fully Uph Back, 5-Star Plastic Base,																
[]	Fixed Arm																
	<ul> <li>Self-weighing mechanism</li> </ul>																
₩ #	<ul> <li>Optional vertical adjustable lumbar</li> </ul>																
	<ul> <li>Optional tilt tension adjustment</li> </ul>																
	Seat height adjustment																
	One Position Back lock																
a II a	<ul> <li>Available with fixed arm only</li> </ul>																
•	Fully upholstered backrest																
ZNCHF	Armrest/Frame/5-Star base available in																
	Black, White or Warm Grey																
	<ul> <li>Dual-Surface Standard caster (black) or</li> </ul>	r															
	Dual Surface Designer Caster in Black/																
	White																
	300 pound weight rating																
	High-Back Conference Chair, Uph Seat &	Aluminum Base	ZNCHFA						51.00#	\$ 928	\$ 1014	\$ 1040	\$ 1014	\$ 1080	\$ 1119	\$ 1157	\$ 1196
	High-Back Conference Chair, Upn Seat &	/ Marininani Base	ZIVOTITA						01.00#	ψ 320	ΨΙΟΙΨ	φ 1040	ψ 1014	ψ 1000	Ψ 1113	ψ 1107	ψ 1130
[] \\	Fully Uph Back, 5-Star Aluminum Base,																
[]	Fixed Arm																
	<ul> <li>Self-weighing mechanism</li> </ul>																
	<ul> <li>Optional vertical adjustable lumbar</li> </ul>																
<b>&amp;</b> . >>	<ul> <li>Optional tilt tension adjustment</li> </ul>																
	<ul> <li>Seat height adjustment</li> </ul>																
	<ul> <li>One Position Back lock</li> </ul>																
4	<ul> <li>Available with fixed arm only</li> </ul>																
7110115	<ul> <li>Fully upholstered backrest</li> </ul>																
ZNCHF	<ul> <li>Backrest and armrest available in Black</li> </ul>	,															
	White or Warm Grey																
	<ul> <li>5-Star base in polished aluminum</li> </ul>																
	Dual-Surface Standard caster (black) or	r															
	Dual Surface Designer Caster in Black/																
	White																
	<ul> <li>300 pound weight rating</li> </ul>																
			_		•		•										
			A	₿	Θ	O	•	<b>(3</b>									

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

## BSelect lumbar option. N - No adjustable lumbar mechanism - Vertical-adjustable lumbar mechanism; Select tilt tension. NT - No Tilt Tension TT - Tilt Tension; add \$49 Select frame color. BL - Black - White WG - Warm Grey; add \$84 Select caster option. C - Dual surface casters, black (standard)

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

- Dual surface casters, black/white; add

HOW TO BUILD A MODEL NUMBER

A Select basic model.

## SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Sheboygan, WI

53081, freight prepaid.

Specifications and prices are subject to change without prior notice.

# Zentori<sup>™</sup> Conference Chairs and Stools

			MODEL	MIIMDEE												
			MODEL	ODEL NUMBER												
	MODEL	Features	Basic Model	Lumbar Option			Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Low-Back Stool, Uph Seat & Fully Uph	Plastic Base	ZNSLFP					54.00#	\$ 982	\$ 1068	\$ 1094	\$ 1068	\$ 1134	\$ 1173	\$ 1211	\$ 1250
()	Back, 5-Star Plastic Base, Fixed Arm															
	<ul><li>Self-weighing mechanism</li><li>Optional vertical adjustable lumbar</li></ul>															
	Seat height adjustment															
	One Position Back lock															
	<ul><li>Available with fixed arm only</li><li>20" Twist-to-Lock Foot Ring</li></ul>															
	<ul> <li>Fully upholstered backrest</li> </ul>															
ISLF	<ul> <li>Armrest/Frame/5-Star base available in Black, White or Warm Grey</li> </ul>															
SLF	<ul> <li>Dual-Surface Standard caster (black) or</li> </ul>															
	Dual Surface Designer Caster in Black/															
	White  • 300 pound weight rating															
	, ,															
		Aluminum Base	ZNSLFA					56.00#	\$ 1058	\$ 1144	\$ 1170	\$ 1144	\$ 1210	\$ 1249	\$ 1287	\$ 1326
	Back, 5-Star Aluminum Base, Fixed Arm															
$\gg \bot$	<ul><li>Self-weighing mechanism</li><li>Optional vertical adjustable lumbar</li></ul>															
	Seat height adjustment															
	<ul><li> One Position Back lock</li><li> Available with fixed arm only</li></ul>															
	<ul> <li>20" Twist-to-Lock Foot Ring</li> </ul>															
d	Fully upholstered backrest															
SLF	<ul> <li>Backrest and armrest available in Black, White or Warm Grey</li> </ul>															
J-1	<ul> <li>5-Star base in polished aluminum</li> </ul>															
	<ul> <li>Dual-Surface Standard caster (black) or Dual Surface Designer Caster in Black/</li> </ul>															
	White															
	<ul> <li>300 pound weight rating</li> </ul>															
			A	ß	Θ	<b>D</b>	<b>(3</b>									

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lumbar option.

N - No adjustable lumbar mechanism - Vertical-adjustable lumbar mechanism; add \$59

Select frame color.

BL - Black

- White WG - Warm Grey; add \$84

Select caster option.

C - Dual surface casters, black (stan-

BC - Dual surface casters, black/white; add \$19

**B**Select upholstery grade/color. Refer to ki.com/fabrics

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Sheboygan, WI 53081, freight prepaid.

Specifications and prices are subject to change without prior notice.

