Flammability Certificate 3748 Starburst Designtex

3748 Starburst was tested and met the following flammability requirements:

CA TB 117-2013



Page 1

235

Received: 05/05/2016 | Completed: 05/06/2016 | Letter: G BG | P.O.#: 3-13206-0-Test Report #: Client's Product Name: Starburst 3748. 47% Polyester, 35% Acrylic, 18% Wool. Stain Repellent, Acrylic. 54" wide. 19 oz/lyd.

Identification

Tested For: Teesha Prezeau

Designtex

357 County Avenue

Secaucus, NJ 07094

Key Test: CA TB 117-2013 (Section 1-Cover

Fabric) /ACT

Tel: 1-(201)-917-7738

Ext:

Fax: 1-(201)-917-7764

Test Category: Cigarette Ignition

Specifier: ACT

LE 2015; V 08/15

NTR 9/15

Product Category: Upholstery

PC: 24H

d1/SM

TEST PERFORMED: California Technical Bulletin 117-2013 - Requirements, Test Procedure and Apparatus for

Testing the Smolder Resistance of Materials Used in Upholstered Furniture (June 2013 Version)

Section 1, Cover Fabric Test (Upholstery cover material is the outermost layer of fabric or related material used to enclose the main support system or upholstery materials, or both, used in the furniture item.) --

As cited by the ACT Voluntary Performance Guidelines (January 2015)

REFERENCE: ASTM E1353-08ae1

IGNITION SOURCE: SRM 1196 Cigarette

SPECIMEN TEST COMPOSITE:

Upholstery Cover Material: As described in "Client's Identification".

Standard Substrate Material: Non FR polyurethane foam, density 1.8 ± 0.05 lb/ft3

BRIEF DESCRIPTION OF TEST: Miniature cushions are prepared using the client's cover fabric over the standard filling material. The vertical or back cushions measure 8" x 8" x 2". The horizontal or seat cushions measure 8" x 5" x 2".

A lighted cigarette is placed in the crevice formed by the vertical cushion and the horizontal cushion.

The test is terminated at 45 minutes if smoldering is no longer observed.

Test measurements and observations are recorded.

-- See Page 3 for "Results" and "Conclusion" --

(Page 1 of 4)



Page 2

Received: 05/05/2016 Completed: 05/06/2016 Letter: G BG | P.O.#: Test Report #: 3-13206-0-Client's Product Name: Starburst 3748. 47% Polyester, 35% Acrylic, 18% Wool. Stain Repellent, Acrylic. 54" wide. 19 oz/lyd. Identification Tested For: Teesha Prezeau Key Test: CA TB 117-2013 (Section 1-Cover 235 Designtex Fabric) /ACT 357 County Avenue Tel: 1-(201)-917-7738 Ext: Secaucus, NJ 07094 Fax: 1-(201)-917-7764

PASS/FAIL/REPEAT CRITERIA: A material is considered to pass or fail based on the following criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - a) The mock-up test specimen continues to smolder after the 45 minute test duration;
 - b) A vertical char length (measured as specified in step 11.9 of ASTM E1353-08ae1) of more than 1.8 inches (45 mm) develops on the cover fabric.
 - c) The mock-up test specimen transitions to open flaming.
- 2. The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their entire length and the mock-ups are no longer smoldering.
- 3. If more than one initial specimen fails, the cover fabric fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
- 5. If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.

DISCUSSION: The current version of California Technical Bulletin 117-2013 has no provision to recognize cigarettes that self-extinguish prior to burning their entire length. However, ASTM E 1353 does recognize this phenomenon.

The Govmark report evaluates replacement cigarettes as follows:

If a cigarette self-extinguishes (SE) before burning its entire length, a new cigarette is placed into the test. If the new (replacement) cigarette self-extinguishes or burns its entire length, the result for that specimen will then be evaluated as if the cigarette burned its entire length when assigning the "Passing/Failure" conclusion.



Page 3

Received:05/05/201	Completed: 05/06/	2016 Letter: G	BG P.O. #:	Те	est Report #:	3-132	:06-0-	
Client's Prod Identification	duct Name: Starburst	3748. 47% Polyester, 3	35% Acrylic, 18% W	•		" wide. 19 oz/l	yd.	
Tested For: Teesha Prezeau Designtex 357 County Avenue Secaucus, NJ 07094			Ke	Test: CA TB 117-2013 (Section Fabric) /ACT Tel: 1-(201)-917-7738 Fax: 1-(201)-917-7764		on 1-Cover 235 Ext:		
RESULTS:								
	Specimen #	Char Length (inches)	SE (yes/no)	SB45 (yes/no)	TOF (yes/no)			
Initial:	1 2 3	0.5 0.5 0.5	No No No	No No No	No No No			
Replacement: (If needed)	1 2 3							
Repeat Tests (If needed)	3: 1 2 3							
EXPLANATION:								
Initial:	These are the draw a test co	first 3 cigarette onclusion.	s where the res	sults could be	sufficient	to		
Replacement:	If any of the initial cigarettes self-extinguish before burning their complete length, a new test is conducted with a fresh cigarette.							
Repeat Test:		Depending on the initial or replacement results, 3 repeat tests might be required to draw a conclusion.						
CODES USED:								
SB45 = Smold TOF = Trans MNR = Measu trans EC = Escal	er beyond 45 mir itions to open f rement not recor itioned to open ating smoldering	laming ded as smoldering	exceeded 45 mi	nutes or spec	imen			
CONCLUSION: The above re indicate:	sults reported f	for the initial an	d / or replacem	ent cigarette	s are suffic	ient to		
[x] Passi	ng; [] Failure	; [] Repeat test	on 3 additiona	l specimens				
The results	after conducting	the repeat tests	indicate:					
[] Passi	ng; [] Failure	(Page	3 of 4)					



Page 4

Received: 05/05/2016 | Completed: 05/06/2016 | Letter: G BG **P.O.**#: Test Report #: 3-13206-0-Client's Product Name: Starburst 3748. 47% Polyester, 35% Acrylic, 18% Wool. Stain Repellent, Acrylic. 54" wide. 19 oz/lyd. Identification Tested For: Teesha Prezeau Key Test: CA TB 117-2013 (Section 1-Cover 235 Designtex Fabric) /ACT 357 County Avenue Tel: 1-(201)-917-7738 Ext: Secaucus, NJ 07094 Fax: 1-(201)-917-7764

REMARKS: None.

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

AUNHORIZED SIGNATURE

GOVMARK

/jb /9b

MAY 1 C 2016

Ms. Phyllis Pettit

(Page 4 of 4)