

HPD UNIQUE IDENTIFIER: 31735

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Sta-Kleen is a polyurethane coated fabric made in a wet manufacturing process. It has been designed for use in upholstered seating (12 52 19), healthcare seating (12 52 70), couches and love seats (12 58 13), reclining chairs (12 58 16 13), upholstered audience seating (12 61 13), Hotel and motel furniture (12 54 13), restaurant furniture (12 54 83) among other applications. The Sta-Kleen collection consists of the following patterns: 5th Avenue, Amazon, Apollo, Bay Street, Bixby, Bubble, Buckaroo, Carson, Clancy, Coda, Congo, Crater, Douglas, Echo, Everest, Gladrags, Glasgow, Harmony, Hex, Hive, How Now, Mystic, Pippa, Royal, Saturn, Score, Showstopper, Soho, Soleil, Spectre, Tip Top.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☒ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
TERRA | POLYETHYLENE TEREPHTHALATE (PET) LT-P1
POLYCARBONATE LT-UNK POLYETHER LT-UNK POLYURETHANE
LT-UNK PIGMENTS LT-UNK SILICONE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

Information provided by manufacturing facility.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: Volatile Loss from Plastics Using Activated Carbon Methods; ASTM D1203-10
Formaldehyde content: JLS L 1041-2011; Section 8.1.4 Method B
Other: CPSIA section 101(a)(2) Lead in Accessible substrate materials
Other: CPSIA Section 108 - Phthalate Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

☐ Yes
☒ No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2023-03-14

PUBLISHED DATE: 2023-03-14

EXPIRY DATE: 2026-03-14

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TERRA

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials considered to be fully reacted or consumed (except base fabric) in the process of manufacturing this product.

OTHER PRODUCT NOTES: Information provided by manufacturing facility.

POLYETHYLENE TEREPHTHALATE (PET) ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-14 10:22:53

%: 34.5000 - 36.5000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

POLYCARBONATE ID: 25037-45-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-14 10:22:53

%: 22.0000 - 23.5000 GreenScreen: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

POLYETHER ID: 9003-11-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-14 10:22:54

%: 17.0000 - 18.3000 GreenScreen: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents
SUBSTANCE NOTES: Information provided by manufacturing facility.		

POLYURETHANE

ID: 9009-54-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-14 10:22:54		
?: 14.0000 - 15.6000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Information provided by manufacturing facility.				

PIGMENTS

ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-14 10:22:55		
%: 0.0000 - 5.9000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Various pigments combined in appropriate quantities to obtain the desired color. CAS number given is representative of the pigments used in this product as the exact formulation is considered proprietary by the manufacturer.				

SILICONE

ID: 67763-03-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-14 10:22:55		
?: 0.0015 - 0.0025	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Information provided by manufacturing facility.		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		Volatile Loss from Plastics Using Activated Carbon Methods; ASTM D1203-10
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2016-01-05	CERTIFIER OR LAB: Precision
APPLICABLE FACILITIES: All	EXPIRY DATE:	Testing Laboratories
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Percentage Weight Loss: 0.22		
FORMALDEHYDE CONTENT		JLS L 1041-2011; Section 8.1.4 Method B
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2017-08-16	CERTIFIER OR LAB: SGS North
APPLICABLE FACILITIES: All	EXPIRY DATE:	America
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Result ; 21 mg/kg Analysis conducted with UV/VIS spectrophotometer.		
OTHER		CPSIA section 101(a)(2) Lead in Accessible substrate materials
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2017-08-16	CERTIFIER OR LAB: SGS North
APPLICABLE FACILITIES: ALL	EXPIRY DATE:	America
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Result: ND Comment: Pass		
OTHER		CPSIA Section 108 - Phthalate Content
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2017-08-16	CERTIFIER OR LAB: SGS North
APPLICABLE FACILITIES: All	EXPIRY DATE:	America
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Dibutyl Phthalate (DBP) : ND Benzyl Butyl Phthalate (BBP): ND Bis-(2-ethyl hexyl) Phthalate (DEHP) ; ND Disononyl Phthalate (DINP) : ND Di - n - octyl Phthalate (DNOP) : ND Diisodecyl Phthalate (DIDP) : ND Di - n - hexyl Phthalate (DnHP) : ND Conclusion: Pass		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CLEANING INSTRUCTIONS
MANUFACTURER (OR GENERIC): Generic
HPD URL: No HPD available
ACCESSORY TYPE: Other
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Day-to-Day Cleaning -- Remove ordinary dirt and smudges with mild soap and water. A 5:1 ratio of water to bleach solution may be used as a disinfectant. Rinse the surface with clean water after disinfecting. Dry with a soft, lint-free cloth or towel. The use of conditioners or protectants is not required nor recommended for use on Sta-Kleen upholstery – its cleanability is permanent, and won't wear out. Stain Removal -- Upholstery protected with Sta-Kleen is resistant to most common stains. To keep furniture looking new, stains such as ballpoint pen can be dry-erased with a clean, lint-free cloth. Gently rub the area until the stain has been removed. Wet or gooey stains such as food stains (e.g., ketchup or jelly) or topical stains (e.g., antiseptics, lotions and cream) wipe first with a clean cloth or sponge, then follow the instructions above. Stubborn Stains -- If a ghost stain remains, apply a small amount of household rubbing alcohol (isopropyl alcohol) to a clean, lint-free cloth and rub the stain until it has been removed. Rinse with a clean, damp cloth and go!

Section 5: General Notes

All raw materials used in the production of these products (except the base fabric) were assumed to be fully utilized or consumed in the production of these products.

MANUFACTURER INFORMATION

MANUFACTURER: Designtex
ADDRESS: 357 County Avenue
 Secaucus New Jersey 07094, United States
WEBSITE: www.designtex.com

CONTACT NAME: Adity Phadnis
TITLE: Product Compliance
PHONE: 201-917-7743
EMAIL: aphadnis@designtex.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.