

## Gradient

|                             |                                  |                       |
|-----------------------------|----------------------------------|-----------------------|
| Product Type                | <b>Broadloom</b>                 |                       |
| Collection                  | <b>Shade</b>                     |                       |
| Style Number                | <b>5A153</b>                     |                       |
| Construction                | <b>Graphic Loop</b>              |                       |
| Fiber                       | <b>Ecosolution Q® Nylon</b>      |                       |
| Dye Method                  | <b>100% Solution Dyed</b>        |                       |
| Primary Backing             | <b>Synthetic</b>                 |                       |
| Secondary Backing           | <b>Classicbac®</b>               |                       |
| Protective Treatments       | <b>SSP® Shaw Soil Protection</b> |                       |
| Recommended Adhesive        | <b>1000 or 3800</b>              |                       |
|                             | u.s.                             | metric                |
| Product Size                | <b>12 ft</b>                     | <b>3.66 m</b>         |
| Gauge                       | <b>1/8 in</b>                    | <b>31.5 per 10 cm</b> |
| Stitches                    | <b>12.0 per in</b>               | <b>47.5 per 10 cm</b> |
| Finished Pile Thickness     | <b>0.098 in</b>                  | <b>2.49 mm</b>        |
| Average Density             | <b>11020 oz/yd³</b>              | <b>0.408 g/cm³</b>    |
| Kilotex                     |                                  | <b>13.58</b>          |
| Total Thickness             | <b>0.278 in</b>                  | <b>7.06 mm</b>        |
| Tufted Weight               | <b>30 oz/yd²</b>                 | <b>1017.2 g/m²</b>    |
| Installation Pattern Repeat | <b>None</b>                      |                       |



## Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

## Performance + Testing

|                            |                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|
| Pill Test                  | <b>Pass</b>                                                                                                            |
| Radiant Panel              | <b>Class I</b>                                                                                                         |
| NBS Smoke                  | <b>Less Than 450</b>                                                                                                   |
| Electrostatic Propensity   | <b>Less Than 3.5 kv</b>                                                                                                |
| CRI Green Label Plus (GLP) | <b>GLP8472</b>                                                                                                         |
| ADA Compliance             | <b>&gt;0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***</b> |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Warranties

[10 Year Commercial Limited Warranty](#)

## Diversity & Inclusion

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

Coordinating Products

Carpet Tile: **Gradient Tile**  
Broadloom: **Tint, Tone**

Material Health & Environmental Certifications

|                                         |                                                                                                                                                                                                                      |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Health & Wellbeing                      |                                                                                                                                                                                                                      |
| Material Ingredient Transparency        | <b>Cradle to Cradle Certified®   Silver Level (Version 3.1)</b><br><b>Health Product Declaration (HPD)   1,000 ppm Disclosure</b><br><b>NSF 140   Gold</b>                                                           |
| Indoor Air Quality                      | <b>CRI Green Label Plus (GLP)   GLP8472</b>                                                                                                                                                                          |
| Climate Impact                          |                                                                                                                                                                                                                      |
| Environmental Product Declaration (EPD) | <b>3rd Party Certified in Accordance with ISO14044, ISO14025 &amp; EN15804</b>                                                                                                                                       |
| Embodied Carbon (Cradle to Gate)        | <b>12 kg CO<sub>2</sub>/m<sup>2</sup></b>                                                                                                                                                                            |
| Total Recycled Content                  | <b>&lt;1% (Pre-Consumer &lt;1%   Post-Consumer 0%)</b>                                                                                                                                                               |
| Product Packaging                       | <b>100% Recyclable</b>                                                                                                                                                                                               |
| Global Product Assessment               | <b>GSA   Approved</b><br><b>CE Marking (EN 14041)   3rd Party Certified</b><br><b>Environmental Guarantee*   Re[turn] Reclamation Program*   Pickup &amp; Delivery Available</b><br><b>Country of Origin**   USA</b> |

WELL V2 Contribution Credit

















|                                                                                                      |                                              |
|------------------------------------------------------------------------------------------------------|----------------------------------------------|
| X08 Hazardous Material Reduction<br>Part 1: Limit Hazardous Materials Optimization                   | <b>C2C Silver Level (Version 3.1)</b>        |
| X10 Volatile Compound Reduction<br>Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization | <b>C2C Silver Level (Version 3.1)</b>        |
| X11 Long Term Emissions Control<br>Part 2: Flooring Optimization                                     | <b>Green Label Plus Certificationglp8472</b> |
| X13 Enhanced Material Precaution<br>Part 1: Select Optimized Materials Optimization                  | <b>C2C Silver Level (Version 3.1)</b>        |
| X14 Material Transparency<br>Part 1: Promote Ingredient Disclosure Optimization                      | <b>C2C Silver Level (Version 3.1)</b>        |

Leed v4 Contribution Credits

|                                                                                                                                                   |                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| MR Credit: Building Product Disclosure and Optimization<br>Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD) | <b>3rd Party Certified in Accordance with ISO14044, ISO14025 &amp; EN15804</b> |
| MR Credit: Building Product Disclosure and Optimization<br>Material Ingredients - Option 1: Material Ingredient Reporting                         | <b>C2C Silver Level (Version 3.1)</b>                                          |
| MR Credit: Building Product Disclosure and Optimization<br>Material Ingredients - Option 2: Material Ingredient Optimization                      | <b>C2C Silver Level (Version 3.1)</b>                                          |
| EQ Credit: Low Emitting Materials<br>Option 1: Product Category Calculations                                                                      | <b>Green Label Plus Certification: GLP8472</b>                                 |




### Available Colorways


|                                                                                                                             |                                                                                     |                                                                                                                               |                                                                                                                         |                                                                                                                                |                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
|                                             |    |                                              |                                       |                                             |                                         |
| Beige 34100<br>LRV 33.9   L* 64.88                                                                                          | Straw 34103<br>LRV 26.3   L* 58.29                                                  | Greige 34105<br>LRV 24.9   L* 57                                                                                              | Ceramic Glaze 34110<br>LRV 19.5   L* 51.24                                                                              |  Sandstone 34111<br>LRV 17.8   L* 49.31     | French Silver 34150<br>LRV 17.5   L* 48.92                                                                                 |
|                                             |    |                                              |                                       |                                             |                                         |
| Bronze Sheen 34156<br>LRV 16.2   L* 47.26                                                                                   | Topaz 34170<br>LRV 14.1   L* 44.44                                                  | Blissful Yellow 34220<br>LRV 26.3   L* 58.35                                                                                  | Limelight 34328<br>LRV 17.3   L* 48.64                                                                                  |  Essential 34330<br>LRV 10.7   L* 39.09     | Blue Haze 34402<br>LRV 9.5   L* 36.91                                                                                      |
|                                            |   |                                             |                                      |                                            |                                        |
| Waterside 34456<br>LRV 9.7   L* 37.3                                                                                        | Deep Teal 34481<br>LRV 5.6   L* 28.27                                               |  Sapphire Blue 34485<br>LRV 4.7   L* 25.72 |  Charcoal 34500<br>LRV 4.5   L* 25.2 |  Total Eclipse 34505<br>LRV 3.5   L* 21.9 | Adrift 34512<br>LRV 16.3   L* 47.33                                                                                        |
|                                           |  |                                            |                                     |                                           |                                       |
| Warm Grey 34518<br>LRV 19.3   L* 50.98                                                                                      | Cool Grey 34535<br>LRV 17.1   L* 48.32                                              | Grey 34580<br>LRV 10.5   L* 38.77                                                                                             | Element 34583<br>LRV 11.4   L* 40.24                                                                                    |  Mercury 34585<br>LRV 11.2   L* 39.98     |  Mystique 34590<br>LRV 6.3   L* 30.12 |
|                                           |  |                                            |                                     |                                           |                                       |
|  Cobble Grey 34595<br>LRV 12.4   L* 41.92 | Slate 34597<br>LRV 6.3   L* 30.2                                                    | Green Grove 34701<br>LRV 8.7   L* 35.31                                                                                       | Branch 34730<br>LRV 9.3   L* 36.54                                                                                      |  Char Brown 34740<br>LRV 5.3   L* 27.48   |  Mocha 34750<br>LRV 5.1   L* 27.08    |




Driftwood 34755  
LRV 11.6 | L\* 40.52




Taupe 34760  
LRV 8.5 | L\* 35




Bird's Eye 34761  
LRV 10.5 | L\* 38.66




Firefly 34858  
LRV 6 | L\* 28.45



In The Red 34870  
LRV 6.5 | L\* 30.64



Rose Wine 34879  
LRV 5.8 | L\* 28.94



Electric Blue 34988  
LRV 6.9 | L\* 31.57

 **Quick Ship** 2 Weeks - up to 2,500 square yards from USA

## Additional Information

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
August 12, 2025

4 of 4