

AutoStrada[®]

Price list
June 2025

Knoll

Price Adjustment Summary

- February 3, 2025: Veneer (all grades): +1%
- June 2, 2025: All categories: +9%

(see next page for example)

Important :

This price book is for reference only and does not reflect current list pricing. Refer to the Specification Tool for the latest pricing and product-specific details. Exceptions may apply.

- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

K1206	Knoll Hopsack
K2112	Little Devil
K2827	Olympia
K1925	Prairie
K2433	Puff
K2398	Shadow Play
K2020	Summit
K2397	Topos
K2432	Vast
K1558	Venue
K2154	Vibe li
K1949	Westwood
K2240	Wild Thing

K1054	Circa
K162	Classic Boucle 1994
K2226	Color Field
K2476	Contour
K1885	Durand
K2355	Entwine
K1753	Greenwich
K1765	Hudson
K1999	Magnolia
K2293	On Point
K2030	Palisade
K2292	Patchwork
K2420	Plaid On
K2450	Prestini
K2124	Pullman
K1268	Smart
K1798	Tight Rope
K2371	Utopia
K2857	Winnow
K2050	Wit
K2401	Woodland II
K2362	Wow Factor

Anchor Tackboard
Antenna Screens
Autostrada Segmented Panels Access Covers
Autostrada Crinion Fiberglass Panel
Currents Fabric Covered Core
Dividends Horizon Fiberglass Panel
Extra Fabricboard Fabric
K Bench Center Screen Fabric
K Bench Fabric Board
Cove Collection Wall Panel
Reff Profiles Segmented Panels
Reff Profiles Tackboard
Rockwell Unscripted Conversation Wall
Rockwell Unscripted Creative Wall

K Lounge Upholstery
Marc Kruisin Pixel Lounge Upholstery
Rockwell Unscripted Pillows & Removeable Cushion:
Rockwell Unscripted Lounge Seat Cushion
Rockwell Unscripted Lounge Throw Pillows
Rockwell Unscripted Lounge Touchdown
Rockwell Unscripted Steps Upholstery
Workspaces Credenza Cushion
Workspaces Pedestal Cushion

[illegible]

●		●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●			●
●						●	●	●
●	●			●		●	●	●
●		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
						●		●
●		●	●	●	●	●	●	●
●		6		●	●	●	●	●
●				●	●	●		
●		●	●	●	●		●	●

[illegible]

●		●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●		●
●						●	●	●
●		●	●	●	●		●	●
●		●	●	●	●	●	●	●
		6		●	●	●	●	●
							●	●
●				●			●	●
●		●	●	●	●	●	●	●
●		●	●	●	●	●	●	●
●		●	●	●	●	●	●	●
●	●					●	●	●
		●	●	●	●	●	●	●
●	●	●	●	●	●		●	●
		●	●	●	●	●	●	●
		●	●	●	●			
						●		●
	●						●	●
●							●	●
●	●	●	●	●	●	●	●	●
	●			●		●	●	●

Knoll

- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

K2373	Buzz
K2829	Caliper
K2251	Code
K1104	Eclat Weave
K2053	Island
K2429	Pathway
K2238	Plaidtastic
K2367	Retreat

K2074	Aegean
K2424	Circle Point
K2168	Cleo
K2486	Currents
K2830	Dactyl
K2418	Flower Power
K2797	Hummingbird
K1703	Ikat Square
K2123	Midpoint
K2408	Off The Grid
K2261	Rebel
K2151	Seurat
K1789	Sherman
K2377	Tempest
K2361	Vice Versa
K1386	Whip

K1607	Atelier
K1771	Biscayne
K2428	Homage
K2333	Imprint
K2190	In Stitches
K1630	Mod Plaid
K2475	Placid
K1080	Rivington

[illegible]

6 Available on Removeable Cushions only

- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

[illegible]

6 Available on Removeable Cushions only

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	Medium Gloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary
WPLY	Synthetic Wood Ply
SPLY	Edge * Synthetic Ply
	Edge *

* Ply Edge available on Birch (037) worksurfaces.

***Note:**

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate Surface / Edge

8Q	Folkstone Grey **
91	(CP) White ** (CP)
98	Studio White ** (CP)
115	Medium Grey **
118	Bright White ** @
WL	Warm Stone ** (CP)
UBK	Ultra Black (CP)

Wood Grain Laminates Surface / Edge

125	Natural Maple** (CP)
126	Natural Cherry ** (CP)
127	Walnut** (CP)
139	Light Ash** (CP)
140	Warm Ash** (CP)
141	Whitened Ash**
142	Grey Ash**
143	Classic Oak**
144	Graphite Pear**
LBA	Clear on Ash ** (CP)
LBB	Oak on Ash ** (CP)
LBC	Walnut on Ash ** (CP)
LBU	Medium Matte Walnut ** (CP)

Impact Resistant Laminate Core & Wood Grain Laminates Surface - Edge

911	Jet Black
918	Bright White @
925	Natural Maple
926	Natural Cherry
927	Walnut (CP)

Note: *The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.*

Wood Grain Laminates are NOT available on the following components:

- Storage with J Pull option
- Administrative and Reception products
- 1 1/4" thick Worksurfaces with optional edge
- Panel post covers, post caps, top trims, end trims and screen doors

Note:

@ = Limited Availability

CP = Central Palette

****Melamine finish.**

Products manufactured in Melamine are available in High Pressure Laminate at a 15% upcharge. Contact customfinish@knoll.com for information on how to specify.

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges. ie; A worksurface in 115 can have 139 edge finish.

Note: Pedestals and Cabinets with metal interior, when specified in 9Wood Grain Laminate9 or 9Veneer9, the shelves are painted black.

Additional Edge Options for Laminate worksurfaces (only):

WPLY Ply Edge - Wood (V1 Pricing)
SPLY Ply edge - Synthetic (L Pricing)

Note: neither vertical nor horizontal grain alignment is offered on casework drawer fronts or doors when a woodgrain laminate finish is chosen.

Important Note:


Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60** (wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60** (wide, the laminate wood grain direction is **horizontal**.

up to 60" (vertical)



60" greater (horizontal)



Paint/Plated/Anodized Finishes

P1	
111	Jet Black ++
112	Brown
113	Dark Grey ++
114	Folkstone Grey ++
115	Medium Grey
116	Sandstone
117	Soft Grey ++
118	Bright White @
119	Pumice
CRB	Carbon (CP)
8Q	Folkstone Grey (CP)
G1	Graphite (CP)
98	Studio White (CP)
UBK	Ultra Black (CP)
91	White (CP)
WL	Warm Stone (CP)

P2

611	Beige Mist Metallic (CP)
612	Medium Metallic Grey
AA	Anodized Aluminum
	Matt Silver

P3

613	Silver (CP)
P4	
PD	Polish Chrome Satin
PU	Nickel Brushed
PT	Pewter Anodized
AP	Polished Anodized
AU	Satin

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Anodized

AA	Anodized Aluminum
----	-------------------

Plated

PT	Brushed Pewter
----	----------------

Glass

G1	
TEMP	Clear Tempered

G2

	<i>Architectural Glass Options</i>
GL13	Powder
GL8	Wafer
GL6	Black Matrix

G3

	Back Painted Glass 5mm
	Back Painted Black ++
	Folkstone Grey ++
	Back Painted Medium Grey
	Back Painted Soft ++
	Back Painted White @
GLCRB	Carbon (CP)
	Folkstone Grey (CP)
	White (CP)
	Studio White (CP)
GLG1	Graphite (CP)
GLUB	Jet Black (CP)
GLWL	Warm Stone (CP)

Colored Glass

GL25	Bronze
GL35	Grey
GL85	Star Clear

Note:

All Glass options are Tempered.

Note:

@ = Limited Availability
 ++ = Discontinued May 2025
 CP = Central Palette

		All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
AS1 Spine Based		standard crown covers	spine base trim covers	worksurfaces	structural base covers	
		structural base covers	slat wall covers	tables	access covers	
		outlet covers	integral shelves		fronts for metal pedestals	
		spine connectors	flat crown covers			
		metal pedestals and fronts	flat crown covers		box shelves	
			straight legs			
			wide legs			
AS2 Storage Anchored			pulls			
		slat wall, panel	panel top trim	worksurfaces	all laminate pedestals	top trim wider than 96"
		panel raceway covers	panel reveals		anchor cabinets	
			storage reveals		medians	
			pulls		bridges	
AS3 Applied Wall & private office components					tiles, panels	
					all laminate overheads	
		wall covers	horizontal channels up to 96"	worksurfaces	wall covers	horizontal channels wider than 96"
		coat hook	slat wall covers	tables	freestanding storage	
		picture hook	recess covers	applied wall shelves	wall hung overheads	
		bookends	end trim			
			cable tray			
AS4 Crinion Open Table			marker tray			
			display shelf			
			shelf platforms			
		end legs	hinged access	worksurfaces, tapered edge and post formed		beams
		intermediate legs	top channel up to 96"			top channel longer than 96"
		cantilevers	screen frames			

Finish code	Finish name	Paint grade	All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
611	Beige Mist Metallic	P2	•	•			
118	Bright White	P1	•	•	•	•	
112	Brown	P1	•	•			
123	Brushed Grey				▲		
122	Brushed Sand				▲		
113	Dark Grey	P1	•	•			
128	Fog				•	•	
114	Folkstone Grey	P1	•	•	•	•	
111	Jet Black	P1	•	•	•	•	
115	Medium Grey	P1	•	•			
612	Medium Metallic Grey	P2	•	•			
121	Micro Grey				▲		
129	Micro Sand				▲		
119	Pumice				•	•	
116	Sandstone	P1	•	•			
613	Silver	P3	•				
117	Soft Grey	P1	•	•	•	•	
812	Easy Grey*						
813	Trim Grey*						
AA	Anodized Aluminum			•			•
LW	Markerboard White **						

Notes:

▲ All laminates have matching edge bands except:

123 Brushed Grey has 128 Fog edge
 122 Brushed Sand has 119 Pumice edge
 121 Micro Grey has 114 Folkstone grey edge
 129 Micro Sand has 119 Pumice edge

* Easy Grey and Trim grey integral colors only available for
 Compact crown covers
 Spine end connector top
 caps

** Markerboard white is available only on AS1 spine access covers, AS3 Applied Wall covers and AS4 screens.

- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

K1206	Knoll Hopsack
K2112	Little Devil
K2827	Olympia
K1925	Prairie
K2433	Puff
K2398	Shadow Play
K2020	Summit
K2397	Topos
K2432	Vast
K1558	Venue
K2154	Vibe li
K1949	Westwood
K2240	Wild Thing

K1054	Circa
K162	Classic Boucle 1994
K2226	Color Field
K2476	Contour
K1885	Durand
K2355	Entwine
K1753	Greenwich
K1765	Hudson
K1999	Magnolia
K2293	On Point
K2030	Palisade
K2292	Patchwork
K2420	Plaid On
K2450	Prestini
K2124	Pullman
K1268	Smart
K1798	Tight Rope
K2371	Utopia
K2857	Winnow
K2050	Wit
K2401	Woodland li
K2362	Wow Factor

Workspaces - Panel Products									
Anchor Tackboard									*
Antenna Screens									
Autostrada Segmented Panels Access Covers									*
AutoStrada Crinion Fiberglass Panel									
Currents Fabric Covered Core									
Dividends Horizon Fiberglass Panel									*
Extra Fabricboard Fabric									*
K Bench Center Screen Fabric									*
K Bench Fabric Board									
Cove Collection Wall Panel									
Reff Profiles Segmented Panels									*
Reff Profiles Tackboard									
Rockwell Unscripted Conversation Wall									*
Rockwell Unscripted Creative Wall									
Workspaces - Upholstered Products									
K Lounge Upholstery									
Marc Kruisin Pixel Lounge Upholstery									
Rockwell Unscripted Pillows & Removeable Cushion:									
Rockwell Unscripted Lounge Throw Pillows									
Rockwell Unscripted Lounge Touchdown									
Rockwell Unscripted Steps Upholstery									
Workspaces Credenza Cushion									
Workspaces Pedestal Cushion									

Knoll

- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

3 Available on the Pixel Straight Components 6 Available on Removeable Cushions only


- Approved
- Approved; refer to upholstery grade
- * Approved; refer to panel grade

[N] implies Non-woven textile
See below for exception notes

6 Available on Removeable Cushions only




Wall Frames

Wall Frames, Compact Crown

description	type	w	d	h	pattern number	black	list
	39"H	48"	5"	40"	APFA1 3948	\$803.	
	39"H	60"	5"	40"	APFA1 3960	\$921.	
	39"H	72"	5"	40"	APFA1 3972	\$1,136.	
	48"H	48"	5"	49"	APFA1 4848	\$879.	
	48"H	60"	5"	49"	APFA1 4860	\$1,006.	
	48"H	72"	5"	49"	APFA1 4872	\$1,257.	
Acoustical inserts	39"H		2"	34"	APA 39		\$59.
	48"H		2"	43"	APA 48		\$69.

Order Code	Specification Information	Application
Example: APFA1 3948 APF Spine frame A compact crown 1 Generation 39 Height 48 Width	Wall frame pattern numbers begin with APF (standard crown) and APFA (compact crown) prefixes. <i>Specify:</i> <i>Fifth position: height</i> 39 39"H 48 48"H 64 64"H <i>Seventh position: width</i> 48 48"W 60 60"W 72 72"W All Service Wall frames include 3" diameter, 2" levelling glides and one set of connectors to adjacent frame or wall connector. Frames are black painted finish.	Service Wall frames are the structural component of spine-based planning. Specify frames in any combination of widths to create the overall wall length required. Frames include vertical studs every 12" on center, with cover mounting clips and cable manager inserts on both sides. Frames also include 4"H or 1" top crown with continuous channel for add-up panels. 4"H standard crown frames include shaped crowns for upmounting shelves or overhead storage cabinets, canopy lighting at any point. Compact crown frames feature a slim profile crown with downmounting capability only. Crown is bored to accept stackable add-up panels at 3" increments. Service Wall frames include two levelling feet with 2" travel, 12" from each side edge. Acoustical inserts fit between studs in Service Wall frame to increase control of sound transmission. Inserts are bagged in heights corresponding to wall frame. Specify four inserts for 48"W frame, five for 60"W frame, and six for 72"W frame. Service Walls with acoustical inserts have been tested to STC 33. Inserts do not affect the NRC rating of the wall which is .40. Specify crown covers, raceway covers, structural base covers, and wall covers for each face of Service Wall frame, and specify power components separately.

Wall Crowns and Base Trim Covers

description	type	width	depth	height	pattern number	P	list	aluminum
 Crown covers (pair), Integral color	compact crown	48"	5"	1"	APTA 48 ()		\$114.	
	compact crown	60"	5"	1"	APTA 60 ()		\$133.	
	compact crown	72"	5"	1"	APTA 72 ()		\$227.	
 Crown Covers (pair), Low profile	flat	48"	5"	1"	APTL 48 ()	\$143.		\$143.
	flat	60"	5"	1"	APTL 60 ()	\$178.		\$178.
	flat	72"	5"	1"	APTL 72 ()	\$214.		\$214.
	flat	96"	5"	1"	APTL 96 ()	\$287.		\$287.
	flat	120"	5"	1"	APTL 120 ()	n/a		\$359.
 Crown Covers (pair), High profile	flat	48"	5"	1 1/4"	APTH 48 ()	\$143.		\$143.
	flat	60"	5"	1 1/4"	APTH 60 ()	\$178.		\$178.
	flat	72"	5"	1 1/4"	APTH 72 ()	\$214.		\$214.
	flat	96"	5"	1 1/4"	APTH 96 ()	\$287.		\$287.
	flat	120"	5"	1 1/4"	APTH 120 ()	n/a		\$359.
 Base trim covers (pair)	no outlets	48"		4"	APRA 480 ()	\$241.		\$241.
	no outlets	60"		4"	APRA 600 ()	\$288.		\$288.
	no outlets	72"		4"	APRA 720 ()	\$347.		\$347.

Order Code	Specification Information	Application
Example: APRA 480 AA APR A Base trim 48 Width 0 Outlet openings AA Finish	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width. Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page. Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic. Flat crown covers are available in clear anodized aluminum or painted finish options listed on page excluding silver. Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page excluding silver.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10. Specify painted finish for standard crown end caps. Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.

Wall Crowns and Base Trim Covers

Crowns Top and End Cap

AutoStrada

description	type	w	d	h	pattern no.	P	list	aluminum
		24"	2"	-	APT1 C24 ()		\$14.	
		36"	2"	-	APT1 C36 ()		\$29.	
		48"	2"	-	APT1 C48 ()		\$52.	
		60"	2"	-	APT1 C60 ()		\$59.	
		72"	2"	-	APT1 C72 ()		\$70.	
Integral color only, plastic								
		24"	2"	-	APTA C24 ()	\$52.		\$52.
		36"	2"	-	APTA C36 ()	\$62.		\$62.
		48"	2"	-	APTA C48 ()	\$76.		\$76.
		60"	2"	-	APTA C60 ()	\$86.		\$86.
		72"	2"	-	APTA C72 ()	\$107.		\$107.
default finish AA, Anodized Aluminum								
	compact (kit of 1)				APTA CC1 ()		\$24.	
	compact (kit of 10)				APTA CC ()		\$228.	
	flat				APTL ()	\$68.		

Order Code	Specification Information	Application
Example: APRA 480 AA APR A Base trim 48 Width 0 Outlet openings AA Finish	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width. Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page. Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic. Flat crown covers are available in clear anodized aluminum or painted finish options listed on page excluding silver. Base trim covers begin with APRA-prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page excluding silver.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10. Specify painted finish for standard crown end caps. Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
		Flat crown covers in high profile are designed for 48"h spine to align with attached AutoStrada 49"h panels. In all other applications, specify low profile crown covers. Flat crown end caps in corresponding low or high profile are ordered separately as individual units. Flat crown end caps are required for all connectors except flat ends.

Wall Crowns and Base Trim Covers

Crowns Top and End Cap

AutoStrada

description	type	w	d	h	pattern no.	P	list	aluminum
Crown end cap, metal High profile	flat				APTH ()	\$68.		




Order Code	Specification Information	Application
Example: APRA 480 AA APR A Base trim 48 Width 0 Outlet openings AA Finish	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width. Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page. Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic. Flat crown covers are available in clear anodized aluminum or painted finish options listed on page excluding silver. Base trim covers begin with APRA-prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page excluding silver.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10. Specify painted finish for standard crown end caps. Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap. Flat crown covers in high profile are designed for 48"h spine to align with attached AutoStrada 49"h panels. In all other applications, specify low profile crown covers. Flat crown end caps in corresponding low or high profile are ordered separately as individual units. Flat crown end caps are required for all connectors except flat ends.

Structural Base Cover Kits

Painted Steel Surface (Pair)

AutoStrada


description	type	width	depth	height	pattern number	paint
Structural base covers (pair)	painted steel	48"	1"	16"	APCA AZ48S()	\$476.
	painted steel	60"	1"	16"	APCA AZ60S()	\$555.
	painted steel	72"	1"	16"	APCA AZ72S()	\$657.



Order Code	Specification Information	Application Notes
Example: APCA AZ48S 118 APCA Autostrada wall cover AZ Attachment zone 48 Width S Steel 118 Finish	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width. Starting at tenth position specify paint finish	Please specify painted finish for structural base covers from paint options listed on page 5. Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.

Structural Base Cover Kits

Veneer and Laminate Surface (Pair)

description	type	w	d	h	pattern number	L	V1	V3
 Structural base covers (pair)	anodized aluminum or painted trim	48"	1"	16"	APCA AZ48 () ()	\$1,356.	\$1,524.	\$1,656.
	anodized aluminum or painted trim	60"	1"	16"	APCA AZ60 () ()	\$1,497.	\$1,667.	\$1,821.
	anodized aluminum or painted trim	72"	1"	16"	APCA AZ72 () ()	\$1,554.	\$1,704.	\$1,909.

Order Code	Specification Information	Application Notes
Example: APCA AZ48 V312 AA APCA AutoStrada wall cover AZ Attachment zone 48 Width V312 Cover finish AA Trim finish	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width. Starting at ninth position specify laminate, veneer or techwood finish. Product on this page will accept wood grain laminate where laminate is currently an option. Laminate and veneer covers have an anodized aluminum or painted trim at the top and bottom of each cover. Painted finish options listed on page excluding silver.	Please specify laminate, V1, V2 or V3 finish from finish options listed on page 3. Structural base covers are required for every Service Wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a Service Wall. Structural base covers bolt to each side of the Service Wall frame up to 21"H for structure and continuous attachment capability.

Access Covers

Laminate, Markerboard and Veneer

description	height	width	pattern number	L	V1	V2	V3
Access covers	9"	12"	APCA 0912	\$486.	\$569.	\$596.	\$643.
	9"	24"	APCA 0924	\$513.	\$602.	\$628.	\$734.
	9"	36"	APCA 0936	\$568.	\$654.	\$693.	\$836.
	9"	48"	APCA 0948	\$592.	\$677.	\$724.	\$910.
	9"	60"	APCA 0960	\$635.	\$724.	\$786.	\$1,016.
	9"	72"	APCA 0972	\$665.	\$760.	\$822.	\$1,095.
	16"	12"	APCA 1612	\$494.	\$583.	\$616.	\$714.
	16"	24"	APCA 1624	\$536.	\$622.	\$665.	\$848.
	16"	36"	APCA 1636	\$596.	\$681.	\$743.	\$993.
	16"	48"	APCA 1648	\$628.	\$712.	\$789.	\$1,117.
	16"	60"	APCA 1660	\$695.	\$777.	\$867.	\$1,272.
	16"	72"	APCA 1672	\$734.	\$816.	\$921.	\$1,400.
	18"	12"	APCA 1812	\$502.	\$585.	\$618.	\$730.
	18"	24"	APCA 1824	\$548.	\$626.	\$678.	\$884.
	18"	36"	APCA 1836	\$603.	\$687.	\$754.	\$1,042.
	18"	48"	APCA 1848	\$645.	\$731.	\$811.	\$1,177.
	18"	60"	APCA 1860	\$705.	\$791.	\$885.	\$1,344.
	18"	72"	APCA 1872	\$750.	\$844.	\$950.	\$1,493.
	27"	12"	APCA 2712	\$520.	\$609.	\$646.	\$823.
	27"	24"	APCA 2724	\$572.	\$664.	\$731.	\$1,028.
	27"	36"	APCA 2736	\$657.	\$749.	\$837.	\$1,264.
	27"	48"	APCA 2748	\$704.	\$794.	\$900.	\$1,451.
	27"	60"	APCA 2760	\$785.	\$871.	\$1,005.	\$1,686.
	27"	72"	APCA 2772	\$837.	\$925.	\$1,076.	\$1,886.

Order Code

Example: APCA 0948 V312 AA
 APCA Autostrada wall cover
 09 Height
 48 Width
 V312 Cover Finish
 AA Trim Finish

Specification Information

Please specify laminate, V1, V2 or V3 finish for access covers from finish options listed on page .

Product on this page will accept wood grain laminate where laminate is currently an option.

Specify finish code: LW for markerboard surface.

Painted finish option for trim listed on page excluding silver.

Application Notes

Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection.

For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in specification information.

Access Covers

Tackable Upholstered

AutoStrada



description	h	d	w	pattern no.	10	15	20	30	35	40	45	50	55
Access covers	9"	1"	12"	APCA 0912 A	\$203.	\$205.	\$208.	\$215.	\$221.	\$228.	\$237.	\$247.	\$262.
	9"	1"	24"	APCA 0924 A	\$250.	\$254.	\$256.	\$262.	\$265.	\$271.	\$273.	\$284.	\$305.
	9"	1"	36"	APCA 0936 A	\$273.	\$279.	\$284.	\$293.	\$295.	\$304.	\$305.	\$314.	\$328.
	9"	1"	48"	APCA 0948 A	\$312.	\$319.	\$320.	\$323.	\$328.	\$334.	\$335.	\$348.	\$365.
	9"	1"	60"	APCA 0960 A	\$334.	\$337.	\$347.	\$352.	\$360.	\$365.	\$373.	\$375.	\$393.
	9"	1"	72"	APCA 0972 A	n/a	\$374.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	16"	1"	12"	APCA 1612 A	\$218.	\$227.	\$230.	\$247.	\$257.	\$264.	\$271.	\$288.	\$323.
	16"	1"	24"	APCA 1624 A	\$279.	\$293.	\$294.	\$312.	\$323.	\$331.	\$335.	\$359.	\$393.
	16"	1"	36"	APCA 1636 A	\$314.	\$323.	\$327.	\$337.	\$359.	\$365.	\$374.	\$388.	\$426.
	16"	1"	48"	APCA 1648 A	\$350.	\$361.	\$363.	\$378.	\$391.	\$399.	\$407.	\$422.	\$463.
	16"	1"	60"	APCA 1660 A	\$384.	\$391.	\$393.	\$410.	\$421.	\$436.	\$441.	\$457.	\$494.
	16"	1"	72"	APCA 1672 A	n/a	\$422.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	18"	1"	12"	APCA 1812 A	\$245.	\$251.	\$256.	\$270.	\$279.	\$294.	\$301.	\$319.	\$359.
	18"	1"	24"	APCA 1824 A	\$286.	\$294.	\$301.	\$319.	\$327.	\$335.	\$347.	\$361.	\$397.
	18"	1"	36"	APCA 1836 A	\$320.	\$327.	\$331.	\$348.	\$361.	\$374.	\$376.	\$391.	\$433.
	18"	1"	48"	APCA 1848 A	\$389.	\$395.	\$399.	\$419.	\$427.	\$443.	\$445.	\$463.	\$507.
	18"	1"	60"	APCA 1860 A	\$389.	\$395.	\$399.	\$419.	\$427.	\$443.	\$445.	\$463.	\$507.
	18"	1"	72"	APCA 1872 A	n/a	\$433.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	27"	1"	12"	APCA 2712 A	\$271.	\$287.	\$294.	\$320.	\$334.	\$352.	\$361.	\$387.	\$443.
	27"	1"	24"	APCA 2724 A	\$322.	\$334.	\$347.	\$365.	\$387.	\$399.	\$407.	\$433.	\$491.
	27"	1"	36"	APCA 2736 A	\$360.	\$375.	\$384.	\$399.	\$421.	\$441.	\$445.	\$470.	\$530.
	27"	1"	48"	APCA 2748 A	\$397.	\$415.	\$422.	\$445.	\$463.	\$476.	\$486.	\$512.	\$569.
	27"	1"	60"	APCA 2760 A	\$440.	\$456.	\$459.	\$482.	\$504.	\$516.	\$525.	\$549.	\$605.
	27"	1"	72"	APCA 2772 A	n/a	\$486.	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Order Code	Specification Information	Application Notes
Example: APCA 0948A W210 AA	For active face of 39"H Service Wall frame, specify two 9"H covers. For passive face (along corridor or wall) specify one 18" cover.	Tackable upholstered Service Wall covers enclose Service Wall frames between 21" and the top crown. Covers incorporate a tackable, acoustical core in the same outward profile as other upholstered covers.
APCA 09	For active face of 48"H Service Wall frame, specify three 9"H covers or one 9"H and one 18"H cover.	Specify widths corresponding to Service Wall frame width, or in any 12" increment to accommodate 12"W outlets covers or slatwall covers. Covers may span across a straight Service Wall frame connection. For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in specification information.
48	For passive face, specify 27"H cover.	For passive Service Wall surfaces (corridors or conference areas) specify 18"H or 27"H covers in place of two or three 9"H covers.
A	For active face of 64"H Service Wall frame, specify three 9"H covers and one 16"H cover or one 9"H, one 18"H, and one 16"H cover. For passive face, specify one 27" and one 16"H cover.	18"H covers may also be specified above 9"H covers including outlets covers below desk height on 48" or 64"H Service Walls.
W210	For full fabric surface between 5" and 21", order upholstered attachment zone cover.	Service Wall with upholstered tackable covers has been tested to NRC .40 and STC 22.
AA	Surface type: A Tackable upholstered	When ordering 60" or wider covers, please check width of fabric specified. In which cases fabric will need to be applied railroaded. Contact CPD.

Access Covers

Cable Tray and Slatwall


AutoStrada

description	height	depth	width	pattern number	list	textured
9"H cable tray covers 	9"	1"	12"	APCA 0912 C ()	\$137.	
	9"	1"	24"	APCA 0924 C ()	\$164.	
	9"	1"	36"	APCA 0936 C ()	\$164.	
	9"	1"	48"	APCA 0948 C ()	\$247.	
	9"	1"	60"	APCA 0960 C ()	\$317.	
	9"	1"	72"	APCA 0972 C ()	\$384.	
9"H slatwall covers 	9"	1"	12"	APCA 0912 S ()	\$120.	
	9"	1"	24"	APCA 0924 S ()	\$140.	
	9"	1"	36"	APCA 0936 S ()	\$170.	
	9"	1"	48"	APCA 0948 S ()	\$215.	
	9"	1"	60"	APCA 0960 S ()	\$271.	
	9"	1"	72"	APCA 0972 S ()	\$334.	

Order Code	Specification Information	Application Notes
Example: APCA 0948C AA APCA Autostrada wall cover 09 Height 48 Width C Type AA Finish	Cable tray and slatwall covers are aluminum with an anodized or painted finish. Outlets covers are painted plastic with anodized aluminum or painted extrusion on the top and bottom. Please specify painted finish for outlets cover face from paint options listed on page.	Cable tray mounts from 21" - 30" only on any Service Wall frame. Adjacent trays form continuous, easily accessible cable management at worksurface or table height. Shorter segments provide local cable management below outlet modules. Covers may span across a straight Service Wall frame connection. Bottom half of cable tray cover permits cables to be managed on surface of studs with one cable holder (55 CAT5 cables) or two clips (28 cables). Slatwall supports KnollExtra task lights, monitor arms, paper trays, file holders and other accessories. Slatwall covers will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
		Locate outlets covers on Service Wall frames before specifying other Service Wall covers. Outlets cover mounts between 21" and 30" (below standard desk height), 30" - 39" (above desk height) or 39" - 48" on Service Wall frame. Outlets cover is 12" wide, and mounts anywhere on Service Wall frame between 21" and 48" above the floor. Outlets cover corresponds to power components (specified separately) mounted on Service Wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.

Access Covers

Integral Shelf

description	height	width of shelf	pattern number	list	L	V1	V2	V3
Integral shelf covers 	9"	21"	APSA 0921 () ()		\$1,040.	\$1,145.	\$1,168.	\$1,214.
	9"	24"	APSA 0924 () ()		\$1,040.	\$1,145.	\$1,168.	\$1,214.
	9"	33"	APSA 0933 () ()		\$1,182.	\$1,287.	\$1,312.	\$1,384.
	9"	36"	APSA 0936 () ()		\$1,182.	\$1,287.	\$1,312.	\$1,384.
	9"	45"	APSA 0945 () ()		\$1,262.	\$1,379.	\$1,413.	\$1,511.
	9"	48"	APSA 0948 () ()		\$1,262.	\$1,379.	\$1,413.	\$1,511.
	9"	57"	APSA 0957 () ()		\$1,396.	\$1,519.	\$1,552.	\$1,673.
	9"	60"	APSA 0960 () ()		\$1,396.	\$1,519.	\$1,552.	\$1,673.
	9"	69"	APSA 0969 () ()		\$1,505.	\$1,632.	\$1,668.	\$1,809.
	9"	72"	APSA 0972 () ()		\$1,505.	\$1,632.	\$1,668.	\$1,809.
	16"	21"	APSA 1621 () ()		\$1,067.	\$1,166.	\$1,191.	\$1,293.
	16"	24"	APSA 1624 () ()		\$1,067.	\$1,166.	\$1,191.	\$1,293.
	16"	33"	APSA 1633 () ()		\$1,195.	\$1,307.	\$1,346.	\$1,491.
	16"	36"	APSA 1636 () ()		\$1,195.	\$1,307.	\$1,346.	\$1,491.
	16"	45"	APSA 1645 () ()		\$1,301.	\$1,417.	\$1,458.	\$1,652.
	16"	48"	APSA 1648 () ()		\$1,301.	\$1,417.	\$1,458.	\$1,652.
	16"	57"	APSA 1657 () ()		\$1,440.	\$1,564.	\$1,614.	\$1,855.
	16"	60"	APSA 1660 () ()		\$1,440.	\$1,564.	\$1,614.	\$1,855.
	16"	69"	APSA 1669 () ()		\$1,550.	\$1,674.	\$1,736.	\$2,021.
	16"	72"	APSA 1672 () ()		\$1,550.	\$1,674.	\$1,736.	\$2,021.

Order Code	Specification Information	Application Notes
Example: APSA 0948 118 AA APSA Autostrada integral shelf cover 09 Height 48 Width 118 Cover Finish AA Shelf and Trim Finish	Please specify laminate, V1, V2 or V3 finish for Service Wall cover from finish options listed on page. Product on this page will accept wood grain laminate where laminate is currently an option. Shelf is extruded aluminum with an anodized or painted finish. Painted finish option for integral shelf cover trim and integral shelf listed on page excluding silver.	Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection. The integral shelf cover features a full width 8" deep display shelf crafted in anodized or painted aluminum. The cover is also available with a shelf that is 3" less wide than full module to accommodate a panel connected to the Service Wall. Integral shelves may be added to any laminate, marker or veneer spine cover. Holes for fasteners must be drilled through bottom extrusion and cover on site.

Access Covers




Integral Shelf

description	height	width of shelf	pattern number	list	L	V1	V2	V3
Integral shelves 		21"	ADS 0821 ()	\$609.				
		24"	ADS 0824 ()	\$609.				
		33"	ADS 0833 ()	\$700.				
		36"	ADS 0836 ()	\$700.				
		45"	ADS 0845 ()	\$771.				
		48"	ADS 0848 ()	\$771.				
		57"	ADS 0857 ()	\$865.				
		60"	ADS 0860 ()	\$865.				
		69"	ADS 0869 ()	\$941.				
		72"	ADS 0872 ()	\$941.				

Order Code	Specification Information	Application Notes
Example: APSA 0948 118 AA	Please specify laminate, V1, V2 or V3 finish for Service Wall cover from finish options listed on page.	Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection.
APSA	Product on this page will accept wood grain laminate where laminate is currently an option.	Integral shelves may be added to any laminate, marker or veneer spine cover. Holes for fasteners must be drilled through bottom extrusion and cover on site.
09	Shelf is extruded aluminum with an anodized or painted finish.	The integral shelf cover features a full width 8" deep display shelf crafted in anodized or painted aluminum. The cover is also available with a shelf that is 3" less wide than full module to accommodate a panel connected to the Service Wall.
48	Painted finish option for integral shelf cover trim and integral shelf listed on page excluding silver.	
118		
AA		

Access Covers

Hardwire Outlets and Covers

description	height	depth	width	pattern number	list	textured
Hardwire outlets cover	9"	1"	12"	APCA HOC () ()	\$132.	
						
Hardwire outlet box, desk height				AR1 HOB	\$409.	
				AR1 HOB2	\$537.	
Outlet covers	9"	1"	12"	APCA OC () ()	\$135.	\$135.
						
Hinged Outlet Flap	9"	1"	12"	APCOCF () ()	\$59.	
Outlet Filler, pack of 10	2 1/2"	1/4"	1 1/4"	AROF	\$64.	

Order code	Specification information	Application notes
Example: APCA HOC 613 AA APCA AutoStrada wall cover H Hardwire OC Outlets cover 613 Cover Finish AA Trim Finish	Hardwire outlets covers are painted steel with anodized aluminum or painted extrusion top and bottom. Please specify painted finish for outlets cover face from paint options listed on page. Painted finish option for hardwire outlets cover trim listed on page excluding silver.	For hardwire power applications (required in City of Chicago) specify hardwire outlets cover and hardwire outlets box, instead of standard outlets covers and modular power components. Do not specify cable tray covers at same level as hardwire power. Hardwire outlets cover mounts between 21" and 30" (below standard desk height) or 30" - 39" (above desk height) on Service Wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.
		Hardwire outlet box accepts two Decora-style duplex outlets, and includes mounting brackets for one face of Service Wall between 21" and 48"H. Two quad hardwire outlet box accepts four duplex outlets on one face. Outlet boxes include openings to permit continuous lay-in wiring with Wiremold raceway. Electrical contractor supplies infeed cable, Wiremold 2400, and duplex outlets. Outlet boxes can be planned back to back, with distribution on one side of Service Wall. NOTE: Currents cable tray access covers and all AutoStrada access covers cannot be used in the same 9"H zone as the Wiremold raceway as the Wiremold will not fit behind the covers.

Spine Ends and Connectors



Flat Ends

description	type	h	d	pattern no.	painting
	Compact Crown	39"	5"	AX1A C39 ()	\$80.
	Compact Crown	48"	5"	AX1A C48 ()	\$241.
	Compact Crown	64"	5"	AX1A C64 ()	\$246.
	flat crown	39"	5"	AX1A EL39 ()	\$211.
	flat crown	48"	5"	AX1A EL48 ()	\$241.
	flat crown	64"	5"	AX1A EL64 ()	\$266.
	flat crown	39"	5"	AX1A EH39 ()	\$211.
	flat crown	48"	5"	AX1A EH48 ()	\$241.
	flat crown	64"	5"	AX1A EH64 ()	\$266.

Order Code	Specification Information	Application Notes
Example: AX1A C48 118 AX1A AutoStrada connector C Type 48 Height 118 vertical cover finish	For flat ends specify: Starting seventh position: painted finish for outside trim cover and raceway cover Starting eleventh position: painted finish for crown end cap Please specify painted finishes from paint finish options listed on page.	Flat end finishes end of corresponding height Service Wall when end of Service Wall is supported by outriggers or perpendicular screens or panels. Flat ends include end cover for compact crown or standard crown, as specified. High-low straight connectors join Service Wall of different heights in a straight line. Straight connector is replacement hardware kit to join Service Wall frames of the same height end to end. Kit includes four barrel-shape connectors and hardware.

Spine Ends and Connectors

90° and 120° Connectors

description	h	w	d	pattern number	list
90° connector, X connector 	39"	7"	7"	AX1A X39 ()	\$629.
	48"	7"	7"	AX1A X48 ()	\$687.
90° connector, L connector 	39"	6"	6"	AX1A L39 () ()	\$629.
	48"	6"	6"	AX1A L48 () ()	\$756.
90° connector, T connector 	39"	6"	7"	AX1A T39 () ()	\$629.
	48"	6"	7"	AX1A T48 () ()	\$756.
120° connector, V connector 	39"	5 1/2"	5 1/2"	AX1A V39 () ()	\$629.
	48"	5 1/2"	5 1/2"	AX1A V48 () ()	\$756.

Order Code	Specification Information	Application Notes
Example: AX1A L48 118 AX1A AutoStrada connector L Type 48 Height 118 vertical cover finish	For L, T, V and Y connectors specify: Seventh position: painted finish for vertical trim cover and raceway cover Eighth position, and X connectors: painted finish for top cap and standard crown end caps Please specify painted finish as applicable from paint options listed on page.	L, T, and X connectors join Service Wall frames at 90 angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors. When ordering connectors for the Service Wall with compact crown, specify crown end caps separately.
		V and Y connectors join Service Wall frames at 120 angles and include vertical trim covers, topcap and standard crown end caps.

Spine Ends and Connectors

90° and 120° Connectors

description	h	w	d	pattern number	list
120° connector, Y connector	39"	6 1/2"	5 1/2"	AX1A Y39 () ()	\$686.
	48"	6 1/2"	5 1/2"	AX1A Y48 () ()	\$824.

Order Code	Specification Information	Application Notes
Example: AX1A L48 118 AX1A AutoStrada connector L Type 48 Height 118 vertical cover finish	For L, T, V and Y connectors specify: Seventh position: painted finish for vertical trim cover and raceway cover Eighth position, and X connectors: painted finish for top cap and standard crown end caps Please specify painted finish as applicable from paint options listed on page.	L, T, and X connectors join Service Wall frames at 90 angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors. When ordering connectors for the Service Wall with compact crown, specify crown end caps separately.

V and Y connectors join Service
Wall frames at 120 angles and
include vertical trim covers,
topcap and standard crown
end caps.

Spine Ends and Connectors

Outriggers, Wall Starters and Straight Connectors

description	type	h	w	d	pattern number	list
Outrigger 	deep	21"	3"	15"	AA1ORD()	\$336.
	standard	21"	3"	8"	AA1OR()	\$245.
Service Wall starter	39"	39"		2"	AX1 SWS39 ()	\$219.
	48"	48"		2"	AX1 SWS48 ()	\$245.
Straight connector kit (replacement)		-	-	-	AX1 S	\$48.
High low straight connector for spine with standard crown only	48 - 39"	48"		5"	AX1 HLS4839 () ()	\$388.

Order Code	Specification Information	Application Notes
Example: AA1 ORD 118 AA1 Accessory ORD Outrigger deep 118 Finish	Please specify painted finish as applicable from finish options listed on page.	Outrigger connects to structural base cover at any point. Outriggers (or perpendicular systems panels) are required every 8" and adjacent to flat end for adequate support. Specify deep outriggers when cantilevering 24"D worksurfaces without adjacent perpendicular systems panels or spine wall connectors. Service Wall starter connects Service Wall to building wall.

Spine Ends and Connectors

For Gallery Screens

description	application	h	w	d	pattern no.	list
Spine end connector	34" panel or 39" screen/39"h spine	39"	5"	1/2"	AX1SEA3939 () () ()	\$434.
	34"-42" panel or 39"-49" screen/48"h spine	48"	5"	1/2"	AX1SEA4848 () () ()	\$452.
	42" panel/39"h spine + 1 1/4" crown	42"	5"	1/2"	AX1SEA4239 () ()	\$434.
	49" panel /39"h spine	49"	5"	1/2"	AX1SEA4939 () ()	\$452.
	49" panel or screen/48"h spine + 1 1/4" crown	49"	5"	1/2"	AX1SEA4948 () ()	\$477.
	64" panel/39"h spine	64"	5"	1/2"	AX1SEA6439 () ()	\$540.
	64" panel/48"h spine	64"	5"	1/2"	AX1SEA6448 () ()	\$540.
	79" panel/48"h spine	79"	5"	1/2"	AX1SEA7948 () ()	\$825.

Order Code	Specification Information	Application Notes
Example: AX1 SEA4239613 613 812 AX1 Spine connector SEA Type 42 Panel height 39 Spine height C Crown Type 613 Painted finish 613 Trim finish 812 Top trim finish	For spine end connectors when panels are lower than spine specify crown type and finish for crown end cap. - Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h - All crown end caps are available in all painted finishes. For all spine end connectors specify vertical cover and top trim finish. - Vertical cover finish: All standard paint finishes - Top trim for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for AutoStrada or Reff panels or Gallery screens. In most cases spine end connectors match the height of the attached panel. When attached panel is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap. When attached panel is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown. Spine end connectors include painted outside cover with flat top cap and inside cover (where applicable) over the end of the spine. Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
End connectors on this page begin 1/2" above floor.		

Spine Ends and Connectors

For Dividends Horizon Panels and Screens

description	application	h	w	d	pattern no.	list
Spine end connector	36"h panel/39"h spine	39"	5"	1/2"	AX1SED3939 () () ()	\$434.
	36"h-42"h panel/ 48"h spine	48"	5"	1/2"	AX1SED4848 () () ()	\$452.
	42"h panel/ 39"h spine + 1" crown	42"	5"	1/2"	AX1SED4239 () ()	\$434.
	50"h panel/ 39"h spine	50"	5"	1/2"	AX1SED5039 () ()	\$452.
	50"h panel/ 48"h spine + 1" crown	50"	5"	1/2"	AX1SED5048 () ()	\$477.
	57"h panel/ 39"h spine	57"	5"	1/2"	AX1SED5739 () ()	\$522.
	57"h panel/ 48"h spine	57"	5"	1/2"	AX1SED5748 () ()	\$522.
	64"h panel/ 39"h spine	64"	5"	1/2"	AX1SED6439 () ()	\$540.
	64"h panel/ 48"h spine	64"	5"	1/2"	AX1SED6448 () ()	\$540.
	78"h panel/ 48"h spine	78"	5"	1/2"	AX1SED7848 () ()	\$825.

Order Code	Specification Information	Application Notes
Example: AX1 SED6448613 812	For spine end connectors with panel lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for Dividends Horizon panels and screens.
AX1 Spine connector	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	In most cases spine end connectors match the height of the attached Dividends Horizon panel/screen. When attached panel/screen is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.
SED Type	2. All crown end caps are available in all painted finishes.	Specify low profile flat metal crown covers to align with a 50"h Dividends Horizon panel/screen.
64 Panel height	For all spine end connectors specify vertical cover and top trim finish:	
48 Spine height	3. Vertical cover finish: All standard paint finishes	
C Crown Type	4. Top cap for vertical cover: 812=Easy Grey 813=Trim Grey And all standard painted finishes	
613 Vertical cover finish		
812 Top cap finish		
	End connectors on this page begin 1/2" above floor.	

Spine Ends and Connectors

Spine Extender Kit, Ceiling Infeed or Panels

description	application	h	w	d	pattern no.	list
Spine extender kit for use with AutoStrada Spine	39"h spine	39"	5"	4"	AX1SX39 A (L/C/P) () () ()	\$1,084.
	48"h spine	48"	5"	4"	AX1SX48 A (L/C/P) () () ()	\$1,111.

Order Code	Specification Information	Application Notes
Example: AX1 SX48 AL 613 613 613	For all 3 " spine extenders specify spine base type:	Spine extenders include brackets, side and top trim covers between the end of a spine and any spine end connector to add 3 " to the length of a spine.
AX1 Spine connector	A AutoStrada	Spine end connector must be specified separately to finish off face of spine extender.
SX Type	C Currents	
48 Spine height	Then specify crown end type.	Spine extender dimension matches that of the Currents 3 "x 5" ceiling infeed panel which may be added between nominal spine height and ceiling for connection to building power, data and communications supply.
A Spine type	L=Flat low/high profile metal crown end cap	
L Crown end type	C=Standard and compact sloped end cap	This extension can also make up for the dimensional gain of one Dividends Horizon panel or screen in the middle of a cluster of workstations.
613 Vertical finish	P=Power Pole	
613 Base trim finish	Then specify finish for vertical trim covers, all standard painted finishes.	In most cases the spine end connector matches the height of the attached Dividends Horizon panel or screen, but the extending area is only as high as the nominal height of the spine (bottom of crown) so the crown always requires an end cap.
613 Top cap finish	Then specify base cover finish. AutoStrada spine base covers are clear anodized aluminum (AA) or painted finish excluding silver. Currents spine raceway covers are available in any painted finish only.	
	Then specify top cap finish (if applicable).	When attached panel or screen is lower than the spine, the spine end connector should be the same height as the nominal height of the spine.

End Starters

Gallery Screen End Starters

description	application	height	width	depth	pattern no.	00	01	02
End starters for Gallery screens	39"h or 49"h screen	39"	1"	1/2" - 3"	AX1GES39 () ()	\$320.	\$264.	\$264.
	49"h screen	48"	1"	1/2" - 3"	AX1GES48 () ()	\$362.	\$275.	\$300.

Order Code

Example: AX1GES 48 02 613
 AX1 Spine connector
 G Thin screens
 ES End starter
 48 Panel height
 02 Offset
 613 Painted finish

Specification Information

For spine end starters specify:

1.Configuration
 00 = Flush
 01 = Offset one panel
 02 = Offset two panels

2.Finish:
 All standard paint finishes

End starters on this page start " above the floor.

Application Notes

End starters connect a 1" thick Gallery screen to either side of spine end connector of the same height or taller.

End starters are available in three configurations: flush with end of spine or offset one or two screen thicknesses beyond end of spine.

Offset end starters compensate for the dimensional gain of Gallery screens attached to the spine.

End Starters

Dividends Horizon End Starters

description	application	h	w	d	pattern no.	list
End starters for Dividends Horizon panels and screens 36" high panel	flush, left end of Service Wall	36"	1"	3"	AX1DHES3600L(5)()	\$343.
	flush, right end of Service Wall	36"	1"	3"	AX1DHES3600R(5)()	\$343.
	offset 1 panel thickness, left end of Service Wall	36"	1"	3"	AX1DHES3603L(5)()	\$343.
	offset 1 panel thickness, right end of Service Wall	36"	1"	3"	AX1DHES3603R(5)()	\$343.
End starters for Dividends Horizon panels and screens 42" high panel	flush, left end of Service Wall	42"	1"	3"	AX1DHES4200L(5)()	\$343.
	flush, right end of Service Wall	42"	1"	3"	AX1DHES4200R(5)()	\$343.
	offset 1 panel thickness, left end of Service Wall	42"	1"	3"	AX1DHES4203L(5)()	\$343.
	offset 1 panel thickness, right end of Service Wall	42"	1"	3"	AX1DHES4203R(5)()	\$343.
End starters for Dividends Horizon panels and screens 50" high panel	flush, left end of Service Wall	50"	1"	3"	AX1DHES5000L(5)()	\$343.
	flush, right end of Service Wall	50"	1"	3"	AX1DHES5000R(5)()	\$343.
	offset 1 panel thickness, left end of Service Wall	50"	1"	3"	AX1DHES5003L(5)()	\$343.
	offset 1 panel thickness, right end of Service Wall	50"	1"	3"	AX1DHES5003R(5)()	\$343.

Order Code	Specification Information	Application Notes
Example: AX1 DHES 36 00 L (5)	1.Offset 00=Flush 03=Offset 1 panel thickness	End starters connect a Dividends Horizon panel or screen to either side of a same height or taller spine end connector. End starters for Dividends Horizon panels and screens include specified end top cap.
AX1 Spine connector	2.Top cap type 5=Metal flat	End starters may be positioned in either of two configurations: flush with end of spine or offset one panel thickness beyond end of spine. For full access to entire width of spine surface, position end starters offset one panel thickness.
DH Dividends Horizon	3.Paint finish All standard paint finishes	For a single workstation (0 intermediate panels), specify 2 spine end connectors and 2 end starters positioned offset by 1 panel thickness.
ES End starter		For a cluster of 2 workstations (1 intermediate panel), specify 1 panel starter, 2 spine end connectors, 1 spine extender, and 2 end starters positioned offset by 1 panel thickness.
36 Panel height		For a cluster of 3 workstations, (2 intermediate panels), extend the spine another 12", specify 2 panel starters, 2 spine end connectors, and 2 end starters positioned flush.
00 Offset		For a cluster of 4 workstations (3 intermediate panels), extend the spine 12" and specify 3 panel starters, 2 spine end connectors, and 2 end starters (1 end starter flush and the other offset by 1 panel thickness).
5 Top cap type		For a cluster of 5 workstations (4 intermediate panels) extend the spine by 12" and specify 4 panel starters, 2 spine end connectors, and 2 end starters positioned offset by 1 panel thickness.
613 Painted finish		

End Starters

Dividends Horizon End Starters

description	application	h	w	d	pattern no.	list
End starters for Dividends Horizon panels and screens 57" high panel	flush, left end of Service Wall	57"	1"	3"	AX1DHES5700L(5)()	\$343.
	flush, right end of Service Wall	57"	1"	3"	AX1DHES5700R(5)()	\$343.
	offset 1 panel thickness, left end of Service Wall	57"	1"	3"	AX1DHES5703L(5)()	\$343.
	offset 1 panel thickness, right end of Service Wall	57"	1"	3"	AX1DHES5703R(5)()	\$343.
End starters for Dividends Horizon panels and screens 64" high panel	flush, left end of Service Wall	64"	1"	3"	AX1DHES6400L(5)()	\$343.
	flush, right end of Service Wall	64"	1"	3"	AX1DHES6400R(5)()	\$343.
	offset 1 panel thickness, left end of Service Wall	64"	1"	3"	AX1DHES6403L(5)()	\$343.
	offset 1 panel thickness, right end of Service Wall	64"	1"	3"	AX1DHES6403R(5)()	\$343.

Order Code	Specification Information	Application Notes	
Example: AX1 DHES 36 00 L (5)	1.Offset	End starters connect a Dividends Horizon panel or screen to either side of a same height or taller spine end connector. End starters for Dividends Horizon panels and screens include specified end top cap.	For a cluster of 3 workstations, (2 intermediate panels), extend the spine another 12", specify 2 panel starters, 2 spine end connectors, and 2 end starters positioned flush.
AX1 Spine connector	00=Flush		
DH Dividends Horizon	03=Offset 1 panel thickness		
ES End starter	2.Top cap type	End starters may be positioned in either of two configurations: flush with end of spine or offset one panel thickness beyond end of spine. For full access to entire width of spine surface, position end starters offset one panel thickness.	For a cluster of 4 workstations (3 intermediate panels), extend the spine 12" and specify 3 panel starters, 2 spine end connectors, and 2 end starters (1 end starter flush and the other offset by 1 panel thickness).
36 Panel height	5=Metal flat		
00 Offset	3.Paint finish	For a single workstation (0 intermediate panels), specify 2 spine end connectors and 2 end starters positioned offset by 1 panel thickness.	For a cluster of 5 workstations (4 intermediate panels) extend the spine by 12" and specify 4 panel starters, 2 spine end connectors, and 2 end starters positioned offset by 1 panel thickness.
5 Top cap type	All standard paint finishes	For a cluster of 2 workstations (1 intermediate panel), specify 1 panel starter, 2 spine end connectors, 1 spine extender, and 2 end starters positioned offset by 1 panel thickness.	
613 Painted finish			

Panel System Starters

Gallery Screen Starters

description	h	w	d	pattern no.	list
Gallery screen starter	21"	3"	1"	AA1GPS ()	\$233.
Screen-to-worksurface bracket				AG1B	\$56.

Order Code	Specification Information	Application Notes
Example: AA1 GPS 613 AA1 Accessory G For thin screens PS Panel starter 613 Painted finish	For intermediate gallery screen starters specify any standard painted finish. Screen to worksurface bracket is black painted finish.	Gallery screen starter attaches thin screen to structural base cover of AutoStrada spine or Currents service wall. Specify Gallery screen to have through holes for starter bracket. Screen-to-worksurface bracket is required to stabilize Gallery screens by connecting to adjacent worksurface. Specify one bracket for each screen.

Panel System Starters

Dividends Horizon Panel Starters

description	application	h	w	d	pattern no.	list
Service Wall starters for Dividends Horizon panels and screens	36" high Dividends Horizon Panel or Screen	36"	1"	3"	AA1DHPS36(5)()	\$563.
	42" high Dividends Horizon Panel or Screen	42"	1"	3"	AA1DHPS42(5)()	\$563.
	50" high Dividends Horizon Panel or Screen	50"	1"	3"	AA1DHPS50(5)()	\$563.
	57" high Dividends Horizon Panel or Screen	57"	1"	3"	AA1DHPS57(5)()	\$563.
	64" high Dividends Horizon Panel or Screen	64"	1"	3"	AA1DHPS64(5)()	\$563.
Top clip for Dividends Horizon panels and screens to lower Service Wall	Top clip for Dividends Horizon Panel/Screen to Service Wall				AA1DHTC()	\$145.

Order Code	Specification Information	Application Notes
Example: AA1 DHPS 36 (5) AA1 Accessory DH Dividends Horizon PS Panel starter 36 Panel height 5 Top cap type 613 Painted finish	1. Top cap type 5= Metal flat 2. Paint finish All standard paint finishes	Panel/screen starter includes a clamp bracket that attaches to the structural base cover of the Service Wall to start a Dividends panel/screen run perpendicular to the face of the Service Wall anywhere other than at the end of the Service Wall. Top clip, which secures top edge of panel to underside of Service Wall crown, is required in addition to panel starter for stability of 57" or higher panels or 50"H panels with cantilevered shelves overhead storage.


Panel System Starters
Universal Panel Starter

description	width	depth	height	pattern number	paint
 Universal panel starters	3"	1"	39"	AA1UPS39()	\$333.
	3"	1"	48"	AA1UPS48()	\$356.
	3"	1"	64"	AA1UPS64()	\$381.
Universal top clip	AA2 UTC ()				\$142.
					

Order Code	Specification Information	Application Notes
Example: AA1 UPS48 111 AA1 Accessory UPS Panel starter 48 Panel height 111 Finish	Please specify painted finish for universal end and panel starters from paint finish options listed on page.	Universal adapters and starters integrate other panel systems with the Service Wall. Vertical surface accepts architectural wall starter of most other systems. T-end adapters include connector to corresponding height T-end for linkable screen (specified separately). Panel starter includes clamp bracket to structural base cover on Service Wall. Top clip gives added stability to attached panels of the same height or higher than the Service Wall.

Power Components, Service Wall

2+2 Power Components

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk height outlet module	21-48"H	5"	-	6"	AR1 EOM			\$303.
								
Central switch	21-48"H				AR1-ELS-B			\$846.
Duplex outlet	Circuit A				AR1 DA	\$73.		
	Circuit B				AR1 DB	\$73.		
	Circuit X				AR1 DX	\$73.	\$79.	
	Circuit Y				AR1 DY	\$73.	\$79.	
Power infeeds, modular	Desk height power	85"			AR1 EPI5			\$349.
	Ceiling infeed	145"			AR1 EPIC			\$437.
Hardwire base infeeds (NYC)	One connector				AR1 EPH1			\$580.
	Two connectors				AR1 EPH2			\$870.

Order Code	Application Notes
Example: AR1 EOM	
AR1 Power component	Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.
E 2+2	Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent work surfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.
OM Outlet module	Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.
	Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).
	Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.
	Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.
	Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.
	Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.
	Transitional connectors connect power from Service Wall to powered Morrison or Ref panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

Power Components, Service Wall

2+2 Power Components

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Jumper cable	12"	37"			AR1 EJ1			\$176.
	24"	49"			AR1 EJ2			\$231.
	36"	61"			AR1 EJ3			\$264.
	48"	73"			AR1 EJ4			\$284.
	60"	85"			AR1 EJ5			\$320.
	72"	97"			AR1 EJ6			\$349.
	96"	121"			AR1 EJ8			\$405.
	120"	145"			AR1 EJ10			\$462.
	144"	169"			AR1 EJ12			\$516.

Order Code

Example: AR1 EOM
 AR1 Power component
 E 2+2
 OM Outlet module

Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent work surfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.

Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.


Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.

Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.

Transitional connectors connect power from Service Wall to powered or Reff panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

Power Components, Service Wall

3+3 Power Components

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk-height outlet module	21"-48"H	6"	1"	9"	AR1 TOM			\$349.
								
Central switch	21-48"H				AR1-ELS-B			\$846.
Duplex outlet	Circuit A				AR1 DA	\$73.		
	Circuit B				AR1 DB	\$73.		
	Circuit C				AR1 DC	\$73.		
	Circuit X				AR1 DX	\$73.	\$79.	
	Circuit Y				AR1 DY	\$73.	\$79.	
	Circuit Z				AR1 DZ	\$73.	\$79.	
Power infeeds	Desk height power	85"			AR1 TPI5			\$405.
	Ceiling infeed	145"			AR1 TPIC			\$497.
Hardwire base infeeds (NYC)	One connector				AR1 TPH1			\$641.
	Two connectors				AR1 TPH2			\$993.

Order Code	Application Notes		
Example: AR1 TOM AR1 Power component T 3+3 OM Outlet module	AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals. Service Wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables.		
	Modular desk-height outlet module mounts between Service Wall frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.)	Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of Service Wall.	Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).
			Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.


Power Components, Service Wall

3+3 Power Components

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Jumper cable	12"	37"			AR1 TJ1			\$200.
	24"	49"			AR1 TJ2			\$264.
	36"	61"			AR1 TJ3			\$320.
	48"	73"			AR1 TJ4			\$349.
	60"	85"			AR1 TJ5			\$380.
	72"	97"			AR1 TJ6			\$405.
	96"	121"			AR1 TJ8			\$462.
	120"				AR1 TJ10			\$516.
	144" wall	169"			AR1 TJ12			\$577.

Order Code	Application Notes
Example: AR1 TOM AR1 Power component T 3+3 OM Outlet module	AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals. Service Wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables. Modular desk-height outlet module mounts between Service Wall frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.) Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of Service Wall. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3). Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.



Power Components, Service Wall
Additional Hardware

description	width	depth	height	pattern number	no finish	paint	list
High capacity cable holders (10) 	1"	3/4"	2 1/2"	AR1 HCC H10	\$61.		\$61.
Cable clips for wall studs (100) 	1/4"	1/2"	1 1/2"	AR1 PCC 100	\$145.		\$145.
Ceiling infeed panel for stabilizer end cabinet or T-end with 3 1/2" extension 				APX CIP4 ()			
		5"	72"	X-APX CIP6 ()		\$1,038.	
		5"	96"	X-APX CIP8 ()		\$1,187.	

Order Code	Specification Information	Application Notes
Example:AR1 PCC 100 AR1 Raceway PCC Cable clip 100 Size/Quantity	Cable clips and cable managers are black plastic. Cable holders are light grey plastic. Please specify painted finish for ceiling infeed panel from paint finish options listed on page.	Specify cable clips, approximately 50 per Service Wall frame to support and manage cables on the face of studs in the Service Wall frame. Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height. Specify high capacity cable holders approximately 20 per Service Wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
		Raceway cable managers are U-shape cable supports that snap into the underside of the Service Wall frame. Plan one per foot foot to contain data cables or power jumpers in the base raceway. Ceiling infeed panel attaches to end of Service Wall adjacent to Currents, Morrison, or Reff T-end panel with 3 1/2" extension. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to Service Wall surface. Specify ceiling infeed separately.




Power Components, Service Wall

Additional Hardware

description	width	depth	height	pattern number	no finish	paint	list
Hardwire outlet cover	12"	1"	9"	APCA HOC () ()			\$132.
							
Hardwire outlet box, desk height				AR1 HOB			\$409.
				AR1 HOB2			\$537.
							
Outlet Filler	1 1/4"	1/4"	2 1/2"	AROF			\$64.

Order Code	Specification Information	Application Notes
Example: AR1 PCC 100 AR1 Raceway PCC Cable clip 100 Size/Quantity	Cable clips and cable managers are black plastic. Cable holders are light grey plastic. Please specify painted finish for ceiling infeed panel from paint finish options listed on page.	Specify cable clips, approximately 50 per Service Wall frame to support and manage cables on the face of studs in the Service Wall frame. Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height. Specify high capacity cable holders approximately 20 per Service Wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
		Raceway cable managers are U-shape cable supports that snap into the underside of the Service Wall frame. Plan one per foot foot to contain data cables or power jumpers in the base raceway. Ceiling infeed panel attaches to end of Service Wall adjacent to Currents, Morrison, or Reff T-end panel with 3 1/2" extension. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to Service Wall surface. Specify ceiling infeed separately.

Add-Up Glass, Service Wall

description	type	width	depth	height	pattern number	clear tempered	powder
Add up panels, 8"h 	frameless glass	24"	1/2"	8"	AUA1 0824 G () ()	\$425.	\$520.
	frameless glass	36"	1/2"	8"	AUA1 0836 G () ()	\$485.	\$697.
	frameless glass	48"	1/2"	8"	AUA1 0848 G () ()	\$627.	\$866.
	frameless glass	60"	1/2"	8"	AUA1 0860 G () ()	\$772.	\$1,117.
	frameless glass	72"	1/2"	8"	AUA1 0872 G () ()	\$866.	\$1,351.
Add up panels, 12"h 	frameless glass	24"	1/2"	12"	AUA1 1224 G () ()	\$510.	\$586.
	frameless glass	36"	1/2"	12"	AUA1 1236 G () ()	\$721.	\$827.
	frameless glass	48"	1/2"	12"	AUA1 1248 G () ()	\$918.	\$1,063.
	frameless glass	60"	1/2"	12"	AUA1 1260 G () ()	\$1,122.	\$1,299.
	frameless glass	72"	1/2"	12"	AUA1 1272 G () ()	\$1,329.	\$1,529.
Add up panels, 15"h 	frameless glass	24"	1/2"	15"	AUA1 1524 G () ()	\$520.	\$913.
	frameless glass	36"	1/2"	15"	AUA1 1536 G () ()	\$721.	\$1,011.
	frameless glass	48"	1/2"	15"	AUA1 1548 G () ()	\$925.	\$1,453.
	frameless glass	60"	1/2"	15"	AUA1 1560 G () ()	\$1,136.	\$1,638.
	frameless glass	72"	1/2"	15"	AUA1 1572 G () ()	\$1,336.	\$1,919.

Order Code	Specification Information	Application Notes
Example: AUA1 1248 G TEMP AA AUA1 Autostrada add up panel 12 Height 48 Width G Type TEMP Glass Finish AA Trim Finish	Add up type: GGlass Glass add-ups are available with the following glass options: TEMP Clear tempered GL13 Powder Specify wide add-up panels for use on long Service Wall and Fence runs.	Add-up panels add acoustical privacy and light control above any height Service Wall. Anodized aluminum or painted base frame inserts in center of any Service Wall crown and is secured by bolts within crown. Frameless glass add-ups can be positioned at any 3" increment in standard or compact crown with any cover type. Any height add up can be used on any height AutoStrada or Currents Service Wall or Fence. - 8"h Add ups are designed primarily for use on 39"h spine with 1"h crown to create a 48"h horizon. - 12"h Add ups are designed for use on 48"h spine for a 61" horizon with 1"h crown or a 64" horizon with 4"h crown. - 15"h Add ups are designed primarily for use on 48"h spine with 1"h crown for a 64" horizon.

Gallery Screens, Service Wall

Laminate and Veneer

description	application	h	w	d	pattern no.	L	V1	V2	V3
Gallery screens	39" high	39"	20"	1"	AG1B3920	\$526.	\$682.	\$843.	\$1,386.
	39" high	39"	24"	1"	AG1B3924	\$590.	\$744.	\$939.	\$1,606.
	39" high	39"	30"	1"	AG1B3930	\$655.	\$806.	\$1,038.	\$1,851.
	39" high	39"	36"	1"	AG1B3936	\$720.	\$868.	\$1,133.	\$2,100.
	39" high	39"	42"	1"	AG1B3942	\$786.	\$930.	\$1,229.	\$2,345.
	39" high	39"	48"	1"	AG1B3948	\$850.	\$992.	\$1,325.	\$2,593.
	39" high	39"	54"	1"	AG1B3954	\$916.	\$1,057.	\$1,426.	\$2,839.
	39" high	39"	60"	1"	AG1B3960	\$981.	\$1,115.	\$1,523.	\$3,083.
	39" high	39"	66"	1"	AG1B3966	\$1,045.	\$1,179.	\$1,620.	\$3,328.
	39" high	39"	72"	1"	AG1B3972	\$1,113.	\$1,242.	\$1,717.	\$3,577.
	39" high	39"	78"	1"	AG1B3978	\$1,175.	\$1,302.	\$1,813.	\$3,820.
	39" high	39"	84"	1"	AG1B3984	\$1,246.	\$1,364.	\$1,913.	\$4,066.
	39" high	39"	90"	1"	AG1B3990	\$1,310.	\$1,428.	\$2,010.	\$4,317.
	39" high	39"	96"	1"	AG1B3996	\$1,372.	\$1,491.	\$2,105.	\$4,562.
	49" high	49"	20"	1"	AG1B4920	\$681.	\$826.	\$1,039.	\$1,707.
	49" high	49"	24"	1"	AG1B4924	\$746.	\$887.	\$1,152.	\$1,926.
	49" high	49"	30"	1"	AG1B4930	\$813.	\$954.	\$1,263.	\$2,226.
	49" high	49"	36"	1"	AG1B4936	\$880.	\$1,013.	\$1,372.	\$2,529.
	49" high	49"	42"	1"	AG1B4942	\$942.	\$1,076.	\$1,488.	\$2,829.
	49" high	49"	48"	1"	AG1B4948	\$1,010.	\$1,136.	\$1,597.	\$3,126.
	49" high	49"	54"	1"	AG1B4954	\$1,076.	\$1,201.	\$1,711.	\$3,429.
	49" high	49"	60"	1"	AG1B4960	\$1,140.	\$1,258.	\$1,821.	\$3,733.
	49" high	49"	66"	1"	AG1B4966	\$1,204.	\$1,324.	\$1,931.	\$4,028.
	49" high	49"	72"	1"	AG1B4972	\$1,272.	\$1,385.	\$2,045.	\$4,333.
	49" high	49"	78"	1"	AG1B4978	\$1,333.	\$1,450.	\$2,158.	\$4,631.
	49" high	49"	84"	1"	AG1B4984	\$1,402.	\$1,509.	\$2,272.	\$4,935.
	49" high	49"	90"	1"	AG1B4990	\$1,468.	\$1,572.	\$2,382.	\$5,234.
	49" high	49"	96"	1"	AG1B4996	\$1,532.	\$1,636.	\$2,497.	\$5,538.

Order Code	Specification Information	Application Notes
Example: AG1 B 4948L N 115 AG1 Gallery screen B Back screen 49 Height 48 Width L End starter N No attachment 115 Finish	For Gallery screens specify: 1.Planning application, L=Screen at left end of Service Wall (from inside face of screen) R=Screen at right end of Service Wall S=Intermediate screen attached to face of Service Wall 2.Then specify other end application: A=Attach to anchor cabinet (49"H screen only) N=No attachment 3.Then specify finish, all standard laminates for vertical applications, all standard Techwoods and natural veneers. Gallery screens include black leveling glides with 1" range. Starting point for screens is 1/2" above floor.	Gallery screens attach to AutoStrada or Currents Service Wall and adjacent worksurfaces to define workspaces. Gallery screens are 1" thick, solid wood core, self-edged in laminate, Techwood or natural veneer. 39"H screens correspond in height to 39"H Service Wall (underside of any crown). 49"H screens correspond in height to 49"H Anchor cabinet and to 48"H Service Wall with compact or flat crown. Other end of 39"H screens is always "N", with no attachment. Other end of 49"H screens can have provisions for attachment to 49"H Anchor cabinet or no attachment. Gallery screens must be stabilized by screen-to-worksurface bracket or attachment to Anchor cabinet. Gallery screens are specified by application: inserts for end starter (attach to left or right end of Service Wall) or through holes for screen starter (intermediate screen attachment to face of Service Wall) on one end. Inserts enable either 39"H or 48"H end starter to attach to inside face of 49"H screens.


Gallery Screens, Service Wall Glass

description	application	pattern no.	aluminum P1	P2	P3	G1	G2	G3
Panel attachment kit for glass gallery screen	for 42"h panel attachment	A1GGPC4234(L/R)()	\$1,160.	\$987.	\$987.	\$1,043.		
	for 46"h panel attachment	A1GGPC4934(L/R)()	\$1,160.	\$987.	\$987.	\$1,043.		
Spine attachment kit for glass gallery screen	spine end starter	A1GGSE30(L/R) () ()	\$1,174.	\$999.	\$999.	\$1,062.		
	mid span/ off modular	A1GGSPSC30(L/R)()	\$1,210.	\$1,029.	\$1,029.	\$1,086.		
Glass, for panel based	for 42"h x 60"w	A1PGG4260()				\$1,399.	\$2,108.	\$2,840.
	for 42"h x 72"w	A1PGG4272()				\$1,605.	\$2,448.	\$3,391.
	for 49"h x 60"w	A1PGG4960()				\$1,583.	\$2,426.	\$3,298.
	for 49"h x 72"w	A1PGG4972()				\$1,820.	\$2,825.	\$3,871.
Glass, for spine based	for 48"h x 60"w	A1SGG4860()				\$1,541.	\$2,347.	\$3,183.
	for 48"h x 72"w	A1SGG4872()				\$1,765.	\$2,729.	\$3,738.

Order Code	Specification Information	Application Notes
Example: AG1 B 4948L N 115 AG1 Gallery screen B Back screen 49 Height 48 Width L End starter N No attachment 115 Finish	For Gallery screens specify: 1.Planning application, L=Screen at left end of Service Wall (from inside face of screen) R=Screen at right end of Service Wall S=Intermediate screen attached to face of Service Wall 2.Then specify other end application: A=Attach to anchor cabinet (49"H screen only) N=No attachment 3.Then specify finish, all standard laminates for vertical applications, all standard Techwoods and natural veneers. Gallery screens include black leveling glides with 1" range. Starting point for screens is 1/2" above floor.	Gallery screens attach to AutoStrada or Currents Service Wall and adjacent worksurfaces to define workspaces. Gallery screens are 1" thick, solid wood core, self-edged in laminate, Techwood or natural veneer. 39"H screens correspond in height to 39"H Service Wall (underside of any crown). 49"H screens correspond in height to 49"H Anchor cabinet and to 48"H Service Wall with compact or flat crown. Other end of 39"H screen is always "N", no attachment. Other end of 49"H screen can have provisions for attachment to 49"H Anchor cabinet or no attachment. Gallery screens must be stabilized by screen-to-worksurface bracket or attachment to Anchor cabinet. Gallery screens are specified by application: inserts for end starter (attach to left or right end of Service Wall) or through holes for screen starter (intermediate screen attachment to face of Service Wall) on one end. Inserts enable either 39"H or 48"H end starter to attach to inside face of 49"H screens.

Fence Frames


description	width	depth	height	pattern number	list
Fence frames (legs not included)	48"	5"	20 1/2"	APF 1848	\$916.
	60"	5"	20 1/2"	APF 1860	\$1,098.
	72"	5"	20 1/2"	APF 1872	\$1,318.



Leg with glide	2 3/4"	4"	5"	AX1LEG5 ()	\$142.
	2 3/4"	4"	6"	AX1LEG6 ()	\$142.
	2 3/4"	4"	18 1/2"	AX1LEG ()	\$142.







Stabilizer feet (set of 2)	2 1/2"	7 1/2"	4 1/2"	AX1.FF ()	\$219.
----------------------------	--------	--------	--------	------------	--------



Order Code	Specification Information	Application Notes
Example: APF 1872 APF Wall frame 18 Height 72 Width	Specify painted finishes for legs and feet. Fence frames include four barrel connectors, crown and bottom rail covers in trim grey. Frames must be enclosed with two rows of 9"H Currents or AutoStrada wall covers on each face. Specify Currents power components separately. Outlet modules mount at any point along the top row only. Cable tray access covers mount in bottom row only.	Currents Fence provides independent services distribution to a cluster of tables, desks or workstations. Fence legs may be specified at three heights to deliver an overall height of 40"H, 28"H or 27"H to the top of the crown. Specify AX1LEG() leg to get to 40"H; specify AX1LEG6() leg to get to 28"H; and specify AX1LEG5() leg to get to 27"H to the top of the crown. Installed Fence frames include vertical studs with cover mounting clips and cable manager inserts every 12". A continuous top channel accepts Currents or AutoStrada crown top caps and supports frameless glass add up panels, add up panels or stackable add up panels 12" high. 21"H stackable add up panels may be used on Fence runs supported by perpendicular panels. Fence legs with glides mount 12" from each frame side edge under the first full vertical stud. Stabilizer feet mount on both faces of Fence legs. For freestanding Fence runs, specify a leg with feet 12" from each run end plus a leg with feet for each intermediate frame connection. Intermediate legs may be positioned on either side of the frame connection. Legs with feet 12" from each end of connected Fence frames can be replaced by stabilizer end cabinets or T-ends with panels. Intermediate support may also be provided by legs without feet in combination with perpendicular panels. Fence frames can end support worksurfaces but cannot cantilever worksurfaces or upmounted storage. When specifying frameless glass add-up panels on Fence, each Fence frame requires two legs. Fence T-end adaptors, stabilizer end cabinet adaptors, high-low straight connectors and universal panel starters are only compatible with Fence frames that are specified at 40 inch high with the 18-1/2" high leg (AX1 LEG). To use these components when Fence is planned with shorter legs that deliver overall heights of 27 or 28 inches high, please contact Knoll Custom Product Development for assistance.

Fence Ends and Connectors

90° and 120° spine connectors


description	w	D	H	pattern number	list price
L connector, 90 degrees 	6"	6"	19"	AX1 L18 ()	\$712
T connector, 90 degrees 	6"	7"	19"	AX1 T18 ()	\$728.
X connector, 90 degrees 	7"	7"	19"	AX1 X18	\$625.
V connector, 120 degrees 	5 1/2"	5 1/2"	19"	AX1 V18 ()	\$683.

Order Code	Specification Information	Application Notes
Example: AX1 L 18 613 AX1 Fence connector L Type 18 Height 613 Trim finish	Specify painted finishes for connector trim covers. For L, T, V and Y connectors specify finish for vertical trim. All top caps and crown covers are trim grey. Specify finish for outside trim of flat end.	L, T and X connectors join Fence frames at 90° angles and include vertical trim covers, top cap and crown end caps and one set of straight connectors. Y and V connectors join Fence frames at 120° angles. Flat end finishes end of Fence frames and includes crown end detail. Specify AX1 F18 () for use with sloped crown covers. Specify AX1A F18L () for use with AutoStrada flat, low profile crown covers. Specify AX1A F18H () for use with AutoStrada flat, high profile crown covers.

Fence Ends and Connectors

90° and 120° spine connectors

description	w	D	H	pattern number	list price
Y connector, 120 degrees	6 1/2"	5 1/2"	19"	AX1 Y18 ()	\$314.



Order Code	Specification Information	Application Notes	
Example:AX1 L 18 613			
AX1 Fence connector	Specify painted finishes for connector trim covers.	L, T and X connectors join Fence frames at 90° angles and include vertical trim covers, top cap and crown end caps and one set of straight connectors.	Flat end finishes end of Fence frames and includes crown end detail.
L Type	For L, T, V and Y connectors specify finish for vertical trim.		
18 Height		Y and V connectors join Fence frames at 120° angles.	Specify AX1 F18 () for use with sloped crown covers. Specify AX1A F18L () for use with AutoStrada flat, low profile crown covers.
613 Trim finish	All top caps and crown covers are trim grey. Specify finish for outside trim of flat end.		Specify AX1A F18H () for use with AutoStrada flat, high profile crown covers.

Fence Ends and Connectors

Flat and Sloped Crown Covers

description	w	D	H	pattern number	list price
Flat end for use with sloped crown covers	-	5"	21"	AX1 F18 ()	\$275



Flat end for use with flat crown covers	-	5"	21"	AX1A F18L ()	\$275.
	-	5"	21"	AX1A F18H ()	\$275.



Order Code	Specification Information	Application Notes
Example: AX1 L 18 613		
AX1 Fence connector	Specify painted finishes for connector trim covers.	L, T and X connectors join Fence frames at 90° angles and include vertical trim covers, top cap and crown end caps and one set of straight connectors.
L Type	For L, T, V and Y connectors specify finish for vertical trim.	
18 Height		Y and V connectors join Fence frames at 120° angles.
613 Trim finish	All top caps and crown covers are trim grey. Specify finish for outside trim of flat end.	Flat end finishes end of Fence frames and includes crown end detail. Specify AX1 F18 () for use with sloped crown covers. Specify AX1A F18L () for use with AutoStrada flat, low profile crown covers. Specify AX1A F18H () for use with AutoStrada flat, high profile crown covers.

Fence Ends and Connectors

Additional Hardware and Accessories


description	type	w	D	H	pattern number	list price
Flat wall starter 	Fence and 39"H wall		3 1/4"	18"	AX1 FWS 39	\$130.
	48" H service wall		3 1/4"	27"	AX1 FWS 48	\$142.
Wire manager cover (set of 2) 		3 1/2"	3"	18 3/8"	AR1VCM	\$120.
		3 1/2"	3"	5"	AR1VCM5	\$120.
		3 1/2"	3"	6"	AR1VCM6	\$120.
Carpet grips (set of 10)					AA1CG	\$24.
Non-skid pads (set of 10)					AA1NSK	\$68.
Hardwire fence infeed (NYC)	2 + 2				AR1 EPHF	\$957.
	3 + 3				AR1 TPHF	\$1,015.
Fence to desk brackets	28"h fence				AA1FDB28()	\$137.
	27"h Fence				AA1FDB27()	\$137.

Order Code	Specification Information	Application Notes
Example: AX1 FWS 39	Specify painted finishes for T-end adapter kits.	Standard 399H fence accepts Currents T-ends for 399 Service Wall.
AX1 Fence end	Flat wall starter is black only.	Specify AX1 AK1 adapter kit to complete bottom trim and crown end of T-ends with 09 or 11/89 extension.
FWS Type	Crown end covers are trim grey.	Specify AX1 AK3 adapter kit to complete bottom trim and crown end of T-ends with 39 extension.
39 Height		Flat wall starter connects Fence frames and Service Wall to building wall.
		High-low Fence connector joins standard 39"H Fence and 48"H Currents Service Wall.
		Fence T-ends adaptors, stabilizer end cabinet adaptors, high-low straight connectors and universal panel starters are only compatible with Fence frames that are specified at 40 inches high with the 18-1/29 high leg (AX1 LEG). To use these components when Fence is planned with shorter legs that deliver overall heights of 27 or 28 inches high, please contact Knoll Custom Product Development for assistance.

Fence Ends and Connectors

Additional Hardware and Accessories

description	type	w	D	H	pattern number	list price
Fence end bracket kit					AB1FAE ()	\$373.



Order Code	Specification Information	Application Notes
Example: AX1 FWS 39	Specify painted finishes for T-end adapter kits.	Standard 399H fence accepts Currents T-ends for 399 Service Wall.
AX1 Fence end	Flat wall starter is black only.	Specify AX1 AK1 adapter kit to complete bottom trim and crown end of T-ends with 09 or 11/89 extension.
FWS Type	Crown end covers are trim grey.	Specify AX1 AK3 adapter kit to complete bottom trim and crown end of T-ends with 39 extension.
39 Height		Flat wall starter connects Fence frames and Service Wall to building wall.
		High-low Fence connector joins standard 39"H Fence and 48"H Currents Service Wall.
		Fence T-ends adaptors, stabilizer end cabinet adaptors, high-low straight connectors and universal panel starters are only compatible with Fence frames that are specified at 40 inches high with the 18-1/29 high leg (AX1 LEG). To use these components when Fence is planned with shorter legs that deliver overall heights of 27 or 28 inches high, please contact Knoll Custom Product Development for assistance.



Panel System Starters

Fence Panel Starters

description	type	w	d	h	pattern number	list price
Universal panel starter		3"	1"	35"	AA1FUPS39()	\$225.
						

Order Code	Specification Information	Application Notes
	Specify paint finish for panel starters and top clip.	Panel starters attach perpendicular panels to the Fence bottom rail. Panel starters include clamp bracket and full height connector track with modified top wedge block. Top clip connects panel connector track with the Fence or Service Wall crown. Specify top clip for added stiffness of panels higher than 489 or whenever cantilevering components from panel. Top clip is not compatible with end trim.
		Universal panel starters integrate other panel systems with Fence. Vertical surface accepts architectural wall starters of most other systems. Fence T-ends adaptors, stabilizer end cabinet adaptors, high-low straight connectors and universal panel starters are only compatible with Fence frames that are specified at 40 inches high with the 18-1/29 high leg (AX1 LEG). To use these components when Fence is planned with shorter legs that deliver overall heights of 27 or 28 inches high, please contact Knoll Custom Product Development for assistance.

Power Components, Fence Additional Hardware

description	type	w	D	H	pattern number	no finish	Paint
High capacity cable holders (10)		1"	3/4"	2 1/2"	AR1 HCC H10	\$61.	
							
Raceway cable managers (10)					AR1 RCM 10	\$119.	
							
Ceiling infeed panel for stabilizer end cabinet, T-end or power monument		3 1/2"	5"	48"	APX CIP4 ()		\$889.
		3 1/2"	5"	72"	APX CIP6 ()		\$1,038.
		3 1/2"	5"	96"	APX CIP8 ()		\$1,187.
							
Outlet fillers (set of 10)	black				AR OF	\$64.	


Order Code	Specification Information	Application Notes
Example: AR1 PCC 100 AR1 Raceway PCC Cable clip 100 Size / Quantity	Cable clips and cable managers are black plastic. Cable holders are light grey plastic. Specify painted finish for hardwire outlets cover or ceiling infeed panel. High capacity cable holders may not be used in conjunction with AutoStrada access covers.	Specify cable clips, approximately 50 per wall frame to support and manage cables on the face of studs in the Service Wall frame. Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height. Specify high capacity cable holders approximately 20 per Service Wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H Service Wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
		Raceway cable managers are U-shape cable supports that snap into the underside of the Service Wall frame. Plan one per foot to contain data cables or power jumpers in the base raceway. Ceiling infeed panel attaches to end of Service Wall adjacent to Currents or Reff T-end panel with 31/2" extension, or to power monument. Center channel, 2" x 21/2", accommodates one or two power infeed cables. Each side channel is 11/2" x 31/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to Service Wall surface. Specify ceiling infeed separately.

Metal Case

Pedestals

Accessories Cushion - Fabric


description	type	w	d	pattern no.	A	COM B	C	D	E	F	G	H	I
Cushion	Standard	15"	17"	AS1 SPAD ()	\$322.	\$372.	\$425.	\$445.	\$476.	\$523.	\$572.	\$653.	\$674.
	Deep	15"	23"	AS1 DPAD ()	\$397	\$445.	\$523.	\$548.	\$601.	\$653.	\$723.	\$798.	\$826.



Order Code	Specification Information	Application Notes
Example: AS1 SPAD AS1 Pedestal S Depth PAD Cushion	Consult the Currents price list for fabric information and grades	Pedestal cushions are for use on open top mobile pedestals. For Customers Own Material (COM) applications, specify .75 yards of fabric for 17 inch deep mobile pedestal seat cushions, and .90 yards for 23 inch deep seat cushion.

Metal Case
Pedestals
Accessories Cushion - Leather



description	type	w	d	pattern no.	COL U	V	W	X	Y
Cushion	Standard	15"	17"	AS1 SPAD ()	\$630.	\$756.	\$930.	\$961.	\$1,007.
	Deep	15"	23"	AS1 DPAD ()	\$806.	\$961.	\$1,182.	\$1,239.	\$1,307.



Order Code	Specification Information	Application Notes
Example: AS1 SPAD		
AS1 Pedestal	There is a \$123 upcharge for perforated leather.	Pedestal cushions are for use on open top mobile pedestals.
S Depth		
PAD Cushion	Consult the Currents price list for leather information and grades.	For Customers Own Leather (COL) applications, specify 11.5 sq. feet of leather for 17 inch deep mobile pedestal seat cushions, and 14.5 sq. feet for 23 inch deep seat cushion.


REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

Box Shelf

description	w	d	h	pattern no.	L	V1	V3	list
	36"	15"	21"	ASBF1 36 () ()	\$1,667.	\$2,763.	\$2,937.	\$3,570.
	42"	15"	21"	ASBF1 42 () ()	\$1,724.	\$2,831.	\$3,001.	\$3,719.
	48"	15"	21"	ASBF1 48 () ()	\$1,782.	\$2,902.	\$3,068.	\$3,873.
	36"	15"	21"	ASBS1 36 () () ()	\$1,667.	\$2,763.	\$2,937.	\$3,570.
	42"	15"	21"	ASBS1 42 () () ()	\$1,724.	\$2,831.	\$3,001.	\$3,719.
	48"	15"	21"	ASBS1 48 () () ()	\$1,782.	\$2,902.	\$3,068.	\$3,873.
Box top	36"	15"		ASBT1 36()				\$353.
	42"	15"		ASBT1 42()				\$378.
	48"	15"		ASBT1 48()				\$399.


Order Code	Specification Information	Application Notes
Example: ASBF1 48 114 AA	To order please specify pattern number including:	Box top
AS AutoStrada storage		
B Box shelf	Box shelf freestanding	1. Finish, surface TEMP Clear tempered glass
F1 freestanding		Product on this page will accept wood grain laminate where laminate is currently an option.
48 width	1. Finish, Case Laminate, V1, V2 or V3	
114 case finish	2. Finish, Legs Clear anodized aluminum or painted finish option	Freestanding box shelf includes four clear anodized aluminum or painted legs with leveling glides.
AA leg finish	Box shelf spine support	Spine support version includes two legs and two brackets that clamp on to the structural base cover of AutoStrada spine or Currents service wall.
	1. Finish, Case Laminate, V1, V2 or V3	
	2. Finish, Legs Clear anodized aluminum or painted finish options listed on page excluding silver.	Box shelf also serves as spine support in place of outrigger. Fixed height end support bracket can be attached behind spine-attached Box shelf.
	3. Finish, Bracket All standard paint finishes	
	Painted finish options listed on page 5 excluding silver.	Optional Box top is 1/2" clear tempered glass.

Flush, User Edge Tapered Rectilinear Worksurfaces, 20" deep

description	d	w	pattern no.	L	M	V1	V3	
Straight rectangular, (full depth) front edge tapered 	20"	18"	AW1T1RF1820 () () () ()	\$590.	\$749.	\$821.	\$861.	\$1,123.
	20"	20"	AW1T1RF2020 () () () ()	\$610.	\$765.	\$839.	\$887.	\$1,152.
	20"	24"	AW1T1RF2420 () () () ()	\$629.	\$783.	\$861.	\$907.	\$1,181.
	20"	30"	AW1T1RF3020 () () () ()	\$679.	\$865.	\$946.	\$998.	\$1,297.
	20"	36"	AW1T1RF3620 () () () ()	\$684.	\$908.	\$995.	\$1,059.	\$1,375.
	20"	42"	AW1T1RF4220 () () () ()	\$701.	\$950.	\$1,043.	\$1,107.	\$1,436.
	20"	48"	AW1T1RF4820 () () () ()	\$720.	\$989.	\$1,084.	\$1,145.	\$1,487.
	20"	54"	AW1T1RF5420 () () () ()	\$739.	\$1,029.	\$1,128.	\$1,200.	\$1,561.
	20"	60"	AW1T1RF6020 () () () ()	\$783.	\$1,113.	\$1,222.	\$1,289.	\$1,674.
	20"	66"	AW1T1RF6620 () () () ()	\$840.	\$1,147.	\$1,259.	\$1,332.	\$1,733.
	20"	72"	AW1T1RF7220 () () () ()	\$850.	\$1,205.	\$1,322.	\$1,398.	\$1,813.
	20"	78"	AW1T1RF7820 () () () ()	\$876.	\$1,221.	\$1,337.	\$1,418.	\$1,838.
	20"	84"	AW1T1RF8420 () () () ()	\$927.	\$1,295.	\$1,421.	\$1,506.	\$1,962.
	20"	90"	AW1T1RF9020 () () () ()	\$946.	\$1,353.	\$1,485.	\$1,571.	\$2,040.
	20"	96"	AW1T1RF9620 () () () ()	\$1,012.	\$1,407.	\$1,537.	\$1,627.	\$2,117.


Order Code	Specification Information	Application notes	
Example:AW1T1RF1820MG118 V316613	To order please specify pattern number including:	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7.	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width		
W Worksurface	2. Depth		
1 Generation 1	3. Surface type		1 1/4" tops require additional support when distance spans over 48".
T1 Tapered one side, user	L = Laminate		
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge		
F Full depth, flush	V = V1, V2 or V3		
18 18" wide	4. Grommet option	7. Finish, Grommet(s) specify painted or plated finish	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
20 20" deep	N = No grommets		
M Surface type, Mixed	G = Grommet(s), flush	See pages 3 to 5 for finish options applicable.	
G Grommet	R = Grommet(s), recessed		When grommets specified up to 48"w tops have one grommet, over 48"w tops have two grommets.
118 Finish surface, Bright white	EG = Edge Grommet (for worksurfaces 30"w or greater)	Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish edge, Maple	5. Finish, Surface		Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.
613 Finish, grommet	Laminate, V1, V2 or V3 finish		

Flush, User Edge Tapered Rectilinear Worksurfaces, 24" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	24"	18"	AW1T1RF1824 () () () ()	\$631.	\$789.	\$865.	\$911.	\$1,189.
	24"	20"	AW1T1RF2024 () () () ()	\$656.	\$804.	\$885.	\$934.	\$1,213.
	24"	24"	AW1T1RF2424 () () () ()	\$671.	\$822.	\$903.	\$962.	\$1,247.
	24"	30"	AW1T1RF3024 () () () ()	\$699.	\$934.	\$1,025.	\$1,084.	\$1,408.
	24"	36"	AW1T1RF3624 () () () ()	\$721.	\$972.	\$1,066.	\$1,125.	\$1,465.
	24"	42"	AW1T1RF4224 () () () ()	\$747.	\$999.	\$1,098.	\$1,161.	\$1,511.
	24"	48"	AW1T1RF4824 () () () ()	\$825.	\$1,075.	\$1,176.	\$1,244.	\$1,618.
	24"	54"	AW1T1RF5424 () () () ()	\$834.	\$1,147.	\$1,259.	\$1,332.	\$1,733.
	24"	60"	AW1T1RF6024 () () () ()	\$876.	\$1,227.	\$1,346.	\$1,424.	\$1,849.
	24"	66"	AW1T1RF6624 () () () ()	\$947.	\$1,274.	\$1,398.	\$1,468.	\$1,914.
	24"	72"	AW1T1RF7224 () () () ()	\$974.	\$1,326.	\$1,455.	\$1,540.	\$2,005.
	24"	78"	AW1T1RF7824 () () () ()	\$1,004.	\$1,386.	\$1,522.	\$1,618.	\$2,101.
	24"	84"	AW1T1RF8424 () () () ()	\$1,047.	\$1,449.	\$1,586.	\$1,674.	\$2,181.
	24"	90"	AW1T1RF9024 () () () ()	\$1,118.	\$1,507.	\$1,654.	\$1,757.	\$2,282.
	24"	96"	AW1T1RF9624 () () () ()	\$1,143.	\$1,566.	\$1,718.	\$1,827.	\$2,371.


Order Code	Specification Information	Application notes
Example: AW1T1RF1820MG118 V316613 A AutoStrada W Worksurface 1 Generation 1 T1 Tapered one side, user R Rectilinear F Full depth, flush 18 18" wide 20 20" deep M Surface type, Mixed G Grommet 118 Finish surface, Bright white V316 Finish edge, Maple 613 Finish, grommet	To order please specify pattern number including: 1. Width 2. Depth 3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3 4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed EG = Edge Grommet (for worksurfaces 30"w or greater) 5. Finish, Surface Laminate, V1, V2 or V3 finish	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7. 7. Finish, Grommet(s) specify painted or plated finish See page for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option.
		Hardware to attach to vertical support to be specified separately. 1 1/4" tops require additional support when distance spans over 48". Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted. When grommets specified up to 48"w tops have one grommet, over 48"w tops have two grommets. Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.

Flush, User Edge Tapered Rectilinear Worksurfaces, 30" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	30"	18"	AW1T1RF1830 () () () ()	\$645.	\$851.	\$934.	\$995.	\$1,289.
	30"	20"	AW1T1RF2030 () () () ()	\$653.	\$877.	\$962.	\$1,019.	\$1,321.
	30"	24"	AW1T1RF2430 () () () ()	\$667.	\$894.	\$982.	\$1,040.	\$1,360.
	30"	30"	AW1T1RF3030 () () () ()	\$701.	\$1,014.	\$1,112.	\$1,171.	\$1,524.
	30"	36"	AW1T1RF3630 () () () ()	\$726.	\$1,094.	\$1,200.	\$1,262.	\$1,643.
	30"	42"	AW1T1RF4230 () () () ()	\$763.	\$1,127.	\$1,238.	\$1,311.	\$1,707.
	30"	48"	AW1T1RF4830 () () () ()	\$846.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	30"	54"	AW1T1RF5430 () () () ()	\$869.	\$1,307.	\$1,434.	\$1,518.	\$1,973.
	30"	60"	AW1T1RF6030 () () () ()	\$922.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	30"	66"	AW1T1RF6630 () () () ()	\$993.	\$1,384.	\$1,520.	\$1,609.	\$2,092.
	30"	72"	AW1T1RF7230 () () () ()	\$1,024.	\$1,422.	\$1,561.	\$1,652.	\$2,146.
	30"	78"	AW1T1RF7830 () () () ()	\$1,061.	\$1,485.	\$1,631.	\$1,731.	\$2,245.
	30"	84"	AW1T1RF8430 () () () ()	\$1,102.	\$1,544.	\$1,696.	\$1,798.	\$2,342.
	30"	90"	AW1T1RF9030 () () () ()	\$1,199.	\$1,613.	\$1,771.	\$1,886.	\$2,445.
	30"	96"	AW1T1RF9630 () () () ()	\$1,201.	\$1,674.	\$1,836.	\$1,951.	\$2,529.



Order Code	Specification information	Application notes
Example: AW1T1RF1830MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	See page for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type L = Laminated M = Mixed, Laminated surface/V1, V2 or V3 edge V = V1, V2 or V3	Hardware to attach to vertical support to be specified separately.
T1 Tapered 1 side, user	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed GR = Edge Grommet (for worksurfaces 30" wide or greater)	1 1/4" tops require additional support when distance spans over 48".
R Rectilinear	5. Finish, Surface Laminated, V1, V2 or V3 finish	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
F Full depth, flush	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
18 18" wide		Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.
30 30" deep		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
V316 Finish edge, Maple		
613 Finish, grommet		

Flush, User Edge Tapered Rectilinear Worksurfaces, 36" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	36"	18"	AW1T1RF1836 () () () ()	\$658.	\$922.	\$1,012.	\$1,076.	\$1,401.
	36"	20"	AW1T1RF2036 () () () ()	\$666.	\$948.	\$1,040.	\$1,110.	\$1,439.
	36"	24"	AW1T1RF2436 () () () ()	\$696.	\$972.	\$1,066.	\$1,128.	\$1,472.
	36"	30"	AW1T1RF3036 () () () ()	\$723.	\$1,097.	\$1,205.	\$1,270.	\$1,654.
	36"	36"	AW1T1RF3636 () () () ()	\$771.	\$1,222.	\$1,338.	\$1,409.	\$1,835.
	36"	42"	AW1T1RF4236 () () () ()	\$828.	\$1,278.	\$1,402.	\$1,487.	\$1,932.
	36"	48"	AW1T1RF4836 () () () ()	\$913.	\$1,366.	\$1,496.	\$1,590.	\$2,069.
	36"	54"	AW1T1RF5436 () () () ()	\$943.	\$1,501.	\$1,644.	\$1,725.	\$2,243.
	36"	60"	AW1T1RF6036 () () () ()	\$951.	\$1,506.	\$1,652.	\$1,736.	\$2,256.
	36"	66"	AW1T1RF6636 () () () ()	\$1,056.	\$1,512.	\$1,659.	\$1,764.	\$2,290.
	36"	72"	AW1T1RF7236 () () () ()	\$1,090.	\$1,555.	\$1,708.	\$1,805.	\$2,350.
	36"	78"	AW1T1RF7836 () () () ()	\$1,143.	\$1,589.	\$1,741.	\$1,852.	\$2,410.
	36"	84"	AW1T1RF8436 () () () ()	\$1,185.	\$1,654.	\$1,811.	\$1,927.	\$2,511.
	36"	90"	AW1T1RF9036 () () () ()	\$1,280.	\$1,733.	\$1,902.	\$2,018.	\$2,623.
	36"	96"	AW1T1RF9636 () () () ()	\$1,316.	\$1,789.	\$1,962.	\$2,080.	\$2,699.

Order Code	Specification information	Application notes
Example: AW1T1RF1830MG118 V316613 A AutoStrada W Worksurface 1 Generation 1 T1 Tapered 1 side, user R Rectilinear F Full depth, flush 18 18" wide 30 30" deep M Surface type, Mixed G Grommet 118 Finish surface, Bright white V316 Finish edge, Maple 613 Finish, grommet	To order please specify pattern number including: 1. Width 2. Depth 3. Surface type L = Laminated M = Mixed, Laminated surface/V1, V2 or V3 edge V = V1, V2 or V3 4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed GR = Edge Grommet (for worksurfaces 30" wide or greater) 5. Finish, Surface Laminated, V1, V2 or V3 finish 6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	7. Finish, Grommet(s) specify painted or plated finish See page for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option. Hardware to attach to vertical support to be specified separately. 1 1/4" tops require additional support when distance spans over 48". Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted. When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets. Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.


Flush, User Edge Tapered Wedge Worksurfaces

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (full depth) front edge tapered 	24"	48"	30"	AW1T1WF4823 () () () ()	\$978.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	24"	60"	30"	AW1T1WF6023 () () () ()	\$1,036.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	24"	72"	36"	AW1T1WF7226 () () () ()	\$1,282.	\$1,523.	\$1,670.	\$1,763.	\$2,287.
	30"	48"	24"	AW1T1WF4832 () () () ()	\$978.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	30"	60"	24"	AW1T1WF6032 () () () ()	\$1,036.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	36"	72"	24"	AW1T1WF7262 () () () ()	\$1,282.	\$1,523.	\$1,670.	\$1,763.	\$2,287.
Presentation wood sample (with tapered edge detail) 	16"	16"	16"	ASAMP1616 ()	\$188.	\$282.	\$311.	\$379.	\$449.

Order Code	Specification information	Application notes
Example: AW1T1WF4823MG118 V316613	To order please specify pattern number including:	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish
A AutoStrada	1. Width	7. Finish, Grommet(s) specify painted or plated finish
W Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	See pages 3-5 for finish options applicable.
1 Generation 1	3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	Product on this page will accept wood grain laminate where laminate is currently an option.
T1 Tapered 1 side, user	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed	Hardware to attach to vertical support to be specified separately.
W Wedge	5. Finish, Surface Laminate, V1, V2 or V3 finish	1 1/4" tops require additional support when distance spans over 48".
F Full depth, flush		Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
48 48" wide		When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.
2 24" deep, left		
3 30" deep, right		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
V316 Finish edge, Maple		
613 Finish, grommet		

Cord Drop, user Edge Tapered


Rectilinear 20" Deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	20"	18"	AW1T1RU1820 () () ()	\$607.	\$749.	\$821.	\$861.	\$1,123.
	20"	20"	AW1T1RU2020 () () ()	\$610.	\$765.	\$839.	\$887.	\$1,152.
	20"	24"	AW1T1RU2420 () () ()	\$629.	\$783.	\$861.	\$907.	\$1,181.
	20"	30"	AW1T1RU3020 () () ()	\$702.	\$865.	\$946.	\$998.	\$1,297.
	20"	36"	AW1T1RU3620 () () ()	\$710.	\$908.	\$995.	\$1,059.	\$1,375.
	20"	42"	AW1T1RU4220 () () ()	\$719.	\$950.	\$1,043.	\$1,107.	\$1,436.
	20"	48"	AW1T1RU4820 () () ()	\$738.	\$989.	\$1,084.	\$1,145.	\$1,487.
	20"	54"	AW1T1RU5420 () () ()	\$763.	\$1,029.	\$1,128.	\$1,200.	\$1,561.
	20"	60"	AW1T1RU6020 () () ()	\$803.	\$1,113.	\$1,222.	\$1,289.	\$1,674.
	20"	66"	AW1T1RU6620 () () ()	\$857.	\$1,147.	\$1,259.	\$1,332.	\$1,733.
	20"	72"	AW1T1RU7220 () () ()	\$863.	\$1,205.	\$1,322.	\$1,398.	\$1,813.
	20"	78"	AW1T1RU7820 () () ()	\$895.	\$1,221.	\$1,337.	\$1,418.	\$1,838.
	20"	84"	AW1T1RU8420 () () ()	\$941.	\$1,295.	\$1,421.	\$1,506.	\$1,962.
	20"	90"	AW1T1RU9020 () () ()	\$963.	\$1,353.	\$1,485.	\$1,571.	\$2,040.
	20"	96"	AW1T1RU9620 () () ()	\$1,029.	\$1,407.	\$1,537.	\$1,627.	\$2,117.

Order Code	Specification information	Application notes
Example: AW1T1RC1820M118 V316 812	To order please specify pattern number including:	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See finish pages for applicable options .
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type	
T1 Tapered 1 side, user	L = Laminate	
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	1 1/4" tops require additional support when distance spans over 48".
U Cord drop	V = V1, V2 or V3	
18 18" wide	4. Finish, Surface	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
20 20" deep	Laminate, V1, V2 or V3 finish	
M Surface type, Mixed	5. Finish, Edge	
118 Finish surface, Bright white	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
V316 Finish edge, Maple	6. Finish, Grommet	
812 Finish grommet, Easy grey	111 Jet black	
	812 Easy grey	

Cord Drop, user Edge Tapered


Rectilinear 24" Deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	24"	18"	AW1T1RU1824 () () ()	\$648.	\$789.	\$865.	\$911.	\$1,189.
	24"	20"	AW1T1RU2024 () () ()	\$657.	\$804.	\$885.	\$934.	\$1,213.
	24"	24"	AW1T1RU2424 () () ()	\$661.	\$822.	\$903.	\$962.	\$1,247.
	24"	30"	AW1T1RU3024 () () ()	\$666.	\$934.	\$1,025.	\$1,084.	\$1,408.
	24"	36"	AW1T1RU3624 () () ()	\$679.	\$972.	\$1,066.	\$1,125.	\$1,465.
	24"	42"	AW1T1RU4224 () () ()	\$706.	\$999.	\$1,098.	\$1,161.	\$1,511.
	24"	48"	AW1T1RU4824 () () ()	\$726.	\$1,075.	\$1,176.	\$1,244.	\$1,618.
	24"	54"	AW1T1RU5424 () () ()	\$854.	\$1,147.	\$1,259.	\$1,332.	\$1,733.
	24"	60"	AW1T1RU6024 () () ()	\$940.	\$1,227.	\$1,346.	\$1,424.	\$1,849.
	24"	66"	AW1T1RU6624 () () ()	\$968.	\$1,274.	\$1,398.	\$1,468.	\$1,914.
	24"	72"	AW1T1RU7224 () () ()	\$993.	\$1,326.	\$1,455.	\$1,540.	\$2,005.
	24"	78"	AW1T1RU7824 () () ()	\$1,025.	\$1,386.	\$1,522.	\$1,618.	\$2,101.
	24"	84"	AW1T1RU8424 () () ()	\$1,066.	\$1,449.	\$1,586.	\$1,674.	\$2,181.
	24"	90"	AW1T1RU9024 () () ()	\$1,134.	\$1,507.	\$1,654.	\$1,757.	\$2,282.
	24"	96"	AW1T1RU9624 () () ()	\$1,163.	\$1,566.	\$1,718.	\$1,827.	\$2,371.

Order Code	Specification information	Application notes
Example: AW1T1RC1820M118 V316 812	To order please specify pattern number including:	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See page for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type	
T1 Tapered 1 side, user	L = Laminate	
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	1 1/4" tops require additional support when distance spans over 48".
U Cord drop	V = V1, V2 or V3	
18 18" wide	4. Finish, Surface	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
20 20" deep	Laminate, V1, V2 or V3 finish	
M Surface type, Mixed	5. Finish, Edge	
118 Finish surface, Bright white	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
V316 Finish edge, Maple	6. Finish, Grommet	
812 Finish grommet, Easy grey	111 Jet black	
	812 Easy grey	

Cord Drop, user Edge Tapered

Rectilinear 30" Deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front 30" edge tapered 	30"	18"	AW1T1RU1830 () () ()	\$659.	\$851.	\$934.	\$995.	\$1,289.
	30"	20"	AW1T1RU2030 () () ()	\$671.	\$877.	\$962.	\$1,019.	\$1,321.
	30"	24"	AW1T1RU2430 () () ()	\$695.	\$894.	\$982.	\$1,040.	\$1,360.
	30"	30"	AW1T1RU3030 () () ()	\$719.	\$1,014.	\$1,112.	\$1,171.	\$1,524.
	30"	36"	AW1T1RU3630 () () ()	\$747.	\$1,094.	\$1,200.	\$1,262.	\$1,643.
	30"	42"	AW1T1RU4230 () () ()	\$779.	\$1,127.	\$1,238.	\$1,311.	\$1,707.
	30"	48"	AW1T1RU4830 () () ()	\$862.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	30"	54"	AW1T1RU5430 () () ()	\$885.	\$1,307.	\$1,434.	\$1,518.	\$1,973.
	30"	60"	AW1T1RU6030 () () ()	\$985.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	30"	66"	AW1T1RU6630 () () ()	\$1,011.	\$1,384.	\$1,520.	\$1,609.	\$2,092.
	30"	72"	AW1T1RU7230 () () ()	\$1,038.	\$1,422.	\$1,561.	\$1,652.	\$2,146.
	30"	78"	AW1T1RU7830 () () ()	\$1,073.	\$1,485.	\$1,631.	\$1,731.	\$2,245.
	30"	84"	AW1T1RU8430 () () ()	\$1,118.	\$1,544.	\$1,696.	\$1,798.	\$2,342.
	30"	90"	AW1T1RU9030 () () ()	\$1,221.	\$1,613.	\$1,771.	\$1,886.	\$2,445.
	30"	96"	AW1T1RU9630 () () ()	\$1,223.	\$1,674.	\$1,836.	\$1,951.	\$2,529.

Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	To order please specify pattern number including:	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See page for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type	
T1 Tapered 1 side, user	L = Laminate	1 1/4" tops require additional support when distance spans over 48".
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
U Cord drop	V = V1, V2 or V3	
18 18" wide	4. Finish, Surface	
20 20" deep	Laminate, V1, V2 or V3 finish	
M Surface type, Mixed	5. Finish, Edge	
118 Finish surface, Bright white	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
V316 Finish edge, Maple	6. Finish, Grommet	
812 Finish grommet, Easy grey	111 Jet black	
	812 Easy grey	


Cord Drop, user Edge Tapered Wedge

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (cord drop) front edge tapered 	24"	48"	30"	AW1T1WU4823 () () ()	\$985.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	24"	60"	30"	AW1T1WU6023 () () ()	\$1,040.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	24"	72"	36"	AW1T1WU7226 () () ()	\$1,295.	\$1,523.	\$1,670.	\$1,763.	\$2,287.
	30"	48"	24"	AW1T1WU4832 () () ()	\$985.	\$1,208.	\$1,325.	\$1,407.	\$1,832.
	30"	60"	24"	AW1T1WU6032 () () ()	\$1,040.	\$1,356.	\$1,486.	\$1,572.	\$2,043.
	36"	72"	24"	AW1T1WU7262 () () ()	\$1,295.	\$1,523.	\$1,670.	\$1,763.	\$2,287.

Order Code	Specification information	Application notes
Example: AW1T1WU4823M118 V316 812	To order please specify pattern number including:	
A AutoStrada	1. Width	Worksurfaces with cord drop are not recommended for freestanding applications. Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	
1 Generation 1	23 = 24" deep left, 30" deep right	1 1/4" tops require additional support when distance spans over 48".
T1 Tapered 1 side, user	32 = 30" deep left, 24" deep right	
W Wedge	26 = 24" deep left, 36" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
U Cord drop	62 = 36" deep left, 24" deep right	
48 48" wide	3. Surface type	
2 24" deep, left	L = Laminate	
3 30" deep, right	M = Mixed, Laminate surface/V1, V2 or V3 edge	
M Surface type, Mixed	V = V1, V2 or V3	
118 Finish surface, Bright white		
V316 Finish edge, Maple		
812 Finish grommet, Easy grey		

Rectilinear, User and Approach Edges Tapered


Rectilinear, 30" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered 	30"	30"	AW1T2R3030 (X)(X)(X)	\$802.	\$1,234.	\$1,356.	\$1,398.	\$1,752.
	30"	36"	AW1T2R3630 (X)(X)(X)	\$825.	\$1,309.	\$1,436.	\$1,485.	\$1,864.
	30"	42"	AW1T2R4230 (X)(X)(X)	\$858.	\$1,353.	\$1,485.	\$1,538.	\$1,930.
	30"	48"	AW1T2R4830 (X)(X)(X)	\$896.	\$1,432.	\$1,572.	\$1,630.	\$2,053.
	30"	54"	AW1T2R5430 (X)(X)(X)	\$1,018.	\$1,531.	\$1,678.	\$1,747.	\$2,199.
	30"	60"	AW1T2R6030 (X)(X)(X)	\$1,051.	\$1,576.	\$1,727.	\$1,797.	\$2,267.
	30"	66"	AW1T2R6630 (X)(X)(X)	\$1,083.	\$1,606.	\$1,764.	\$1,836.	\$2,317.
	30"	72"	AW1T2R7230 (X)(X)(X)	\$1,115.	\$1,640.	\$1,801.	\$1,872.	\$2,363.
	30"	78"	AW1T2R7830 (X)(X)(X)	\$1,156.	\$1,710.	\$1,872.	\$1,958.	\$2,473.
	30"	84"	AW1T2R8430 (X)(X)(X)	\$1,190.	\$1,770.	\$1,944.	\$2,021.	\$2,565.
	30"	90"	AW1T2R9030 (X)(X)(X)	\$1,278.	\$1,836.	\$2,013.	\$2,108.	\$2,671.

Order Code	Specification information	Application notes
Example: AW1T2R3030MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	
W Worksurface	2. Depth	See page for finish options applicable.
1 Generation 1	3. Surface type	
T2 Tapered 2 sides, user approach	L = Laminate	Product on this page will accept wood grain laminate where laminate is currently an option.
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	
30 30" wide	V = V1, V2 or V3	
30 30" deep	4. Grommet option	
M Surface type, Mixed	N = No grommets	
G Grommet	G = Grommet(s), flush	
118 Finish surface, Bright white	R = Grommet(s), recessed	
V316 Finish edge, Maple	5. Finish, Surface	
613 Finish, grommet	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Rectilinear, User and Approach Edges Tapered


Rectilinear, 36" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered 	36"	30"	AW1T2R3036 (X)(X)(X)	\$826.	\$1,318.	\$1,444.	\$1,496.	\$1,874.
	36"	36"	AW1T2R3636 (X)(X)(X)	\$862.	\$1,445.	\$1,584.	\$1,632.	\$2,057.
	36"	42"	AW1T2R4236 (X)(X)(X)	\$899.	\$1,503.	\$1,648.	\$1,711.	\$2,160.
	36"	48"	AW1T2R4836 (X)(X)(X)	\$946.	\$1,584.	\$1,739.	\$1,814.	\$2,296.
	36"	54"	AW1T2R5436 (X)(X)(X)	\$1,071.	\$1,728.	\$1,900.	\$1,953.	\$2,470.
	36"	60"	AW1T2R6036 (X)(X)(X)	\$1,111.	\$1,721.	\$1,887.	\$1,964.	\$2,477.
	36"	66"	AW1T2R6636 (X)(X)(X)	\$1,171.	\$1,736.	\$1,906.	\$1,981.	\$2,514.
	36"	72"	AW1T2R7236 (X)(X)(X)	\$1,186.	\$1,777.	\$1,951.	\$2,036.	\$2,573.
	36"	78"	AW1T2R7836 (X)(X)(X)	\$1,236.	\$1,816.	\$1,994.	\$2,080.	\$2,635.
	36"	84"	AW1T2R8436 (X)(X)(X)	\$1,269.	\$1,874.	\$2,058.	\$2,158.	\$2,735.
	36"	90"	AW1T2R9036 (X)(X)(X)	\$1,361.	\$1,955.	\$2,146.	\$2,239.	\$2,844.
	36"	96"	AW1T2R9636 (X)(X)(X)	\$1,401.	\$2,012.	\$2,212.	\$2,300.	\$2,922.

Order Code	Specification information	Application notes
Example: AW1T2R3030MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	1 1/4" tops require additional support when distance spans over 48".
1 Generation 1	3. Surface type	When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.
T2 Tapered 2 sides, user approach	L = Laminate	
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	
30 30" wide	V = V1, V2 or V3	
30 30" deep	4. Grommet option	
M Surface type, Mixed	N = No grommets	
G Grommet	G = Grommet(s), flush	
118 Finish surface, Bright white	R = Grommet(s), recessed	
V316 Finish edge, Maple	5. Finish, Surface	
613 Finish, grommet	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Rectilinear, User and Approach Edges Tapered



Rectilinear, 42" deep

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front & back edge tapered 	42"	30"	AW1T2R3042 (X)(X)(X)	\$861.	\$1,426.	\$1,569.	\$1,618.	\$2,101.
	42"	36"	AW1T2R3642 (X)(X)(X)	\$899.	\$1,619.	\$1,776.	\$1,831.	\$2,372.
	42"	42"	AW1T2R4242 (X)(X)(X)	\$941.	\$1,690.	\$1,851.	\$1,934.	\$2,522.
	42"	48"	AW1T2R4842 (X)(X)(X)	\$990.	\$1,787.	\$1,961.	\$2,057.	\$2,674.
	42"	54"	AW1T2R5442 (X)(X)(X)	\$1,121.	\$1,844.	\$2,022.	\$2,111.	\$2,744.
	42"	60"	AW1T2R6042 (X)(X)(X)	\$1,164.	\$1,901.	\$2,083.	\$2,165.	\$2,816.
	42"	66"	AW1T2R6642 (X)(X)(X)	\$1,202.	\$1,912.	\$2,097.	\$2,182.	\$2,837.
	42"	72"	AW1T2R7242 (X)(X)(X)	\$1,246.	\$1,918.	\$2,101.	\$2,200.	\$2,857.
	42"	78"	AW1T2R7842 (X)(X)(X)	\$1,326.	\$1,946.	\$2,134.	\$2,226.	\$2,893.
	42"	84"	AW1T2R8442 (X)(X)(X)	\$1,340.	\$2,008.	\$2,203.	\$2,309.	\$3,005.
	42"	90"	AW1T2R9042 (X)(X)(X)	\$1,439.	\$2,097.	\$2,296.	\$2,408.	\$3,129.
	42"	96"	AW1T2R9642 (X)(X)(X)	\$1,485.	\$2,150.	\$2,359.	\$2,458.	\$3,196.

Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	
W Worksurface	2. Depth	See page for finish options applicable.
1 Generation 1	3. Surface type	
T2 Tapered 2 sides, user approach	L = Laminate	Product on this page will accept wood grain laminate where laminate is currently an option.
R Rectilinear	M = Mixed, Laminate surface/V1, V2 or V3 edge	
30 30" wide	V = V1, V2 or V3	
30 30" deep	4. Grommet option	
M Surface type, Mixed	N = No grommets	
G Grommet	G = Grommet(s), flush	
118 Finish surface, Bright white	R = Grommet(s), recessed	
V316 Finish edge, Maple	5. Finish, Surface	
613 Finish, grommet	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	


Wedge, User and Approach Edges Tapered

AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
	24"	48"	30"	AW1T2W4823 (X)(X)(X)	\$1,056.	\$1,432.	\$1,572.	\$1,630.	\$2,053.
	24"	60"	30"	AW1T2W6023 (X)(X)(X)	\$1,166.	\$1,576.	\$1,727.	\$1,797.	\$2,267.
	24"	72"	36"	AW1T2W7226 (X)(X)(X)	\$1,361.	\$1,746.	\$1,915.	\$1,980.	\$2,511.
	30"	48"	24"	AW1T2W4832 (X)(X)(X)	\$1,056.	\$1,432.	\$1,572.	\$1,630.	\$2,053.
	30"	60"	24"	AW1T2W6032 (X)(X)(X)	\$1,166.	\$1,576.	\$1,727.	\$1,797.	\$2,267.
	36"	72"	24"	AW1T2W7262 (X)(X)(X)	\$1,361.	\$1,746.	\$1,915.	\$1,980.	\$2,511.
	24"	48"	36"	AW1T2DW4826 (X)(X)(X)	\$1,102.	\$1,584.	\$1,739.	\$1,814.	\$2,296.
	24"	60"	36"	AW1T2DW6026 (X)(X)(X)	\$1,227.	\$1,721.	\$1,887.	\$1,964.	\$2,477.
	24"	72"	36"	AW1T2DW7226 (X)(X)(X)	\$1,361.	\$1,816.	\$1,994.	\$2,080.	\$2,635.

Order Code	Specification information	Application notes
Example: AW1T2W4823MG118 V316613	To order please specify pattern number including:	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width	1 1/4" tops require additional support when distance spans over 48".
W Worksurface	2. Depth	Important: Please note placement of grommet(s) when specified assumes user edge is wedge side. If application requires user side to be straight edge and wedge edge as approach side, then specify no grommets.
1 Generation 1	23 = 24" deep left, 30" deep right	When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.
T2 Tapered 2 sides, user approach	32 = 30" deep left, 24" deep right	
W Wedge	26 = 24" deep left, 36" deep right	
48 48" wide	62 = 36" deep left, 24" deep right	
2 24" deep, left	3. Surface type	
3 30" deep, right	L = Laminate	
M Surface type, Mixed	M = Mixed, Laminate surface/V1, V2 or V3 edge	
G Grommet	V = V1, V2 or V3	
118 Finish surface, Bright white	4. Grommet option	
V316 Finish edge, Maple	N = No grommets	
613 Finish, grommet	G = Grommet(s), flush	
	R = Grommet(s), recessed	
	5. Finish, Surface	
	Laminate, V1, V2 or V3 finish	

With Straight Legs and Simple Stand-off, 30" deep

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off 	30"	28 3/8"	60"	27"	A2PRT2S1ST(L/R)6030 () () () () ()	\$1,893.	\$2,452.	\$2,592.	\$2,638.	\$3,110.
	30"	28 3/8"	66"	27"	A2PRT2S1ST(L/R)6630 () () () () ()	\$1,953.	\$2,484.	\$2,624.	\$2,680.	\$3,158.
	30"	28 3/8"	72"	27"	A2PRT2S1ST(L/R)7230 () () () () ()	\$1,958.	\$2,519.	\$2,661.	\$2,714.	\$3,207.
	30"	28 3/8"	78"	27"	A2PRT2S1ST(L/R)7830 () () () () ()	\$1,998.	\$2,584.	\$2,734.	\$2,799.	\$3,313.
	30"	28 3/8"	84"	27"	A2PRT2S1ST(L/R)8430 () () () () ()	\$2,031.	\$2,645.	\$2,800.	\$2,860.	\$3,406.
	30"	28 3/8"	90"	27"	A2PRT2S1ST(L/R)9030 () () () () ()	\$2,120.	\$2,712.	\$2,869.	\$2,948.	\$3,510.
	30"	28 3/8"	96"	27"	A2PRT2S1ST(L/R)9630 () () () () ()	\$2,156.	\$2,772.	\$2,937.	\$3,012.	\$3,595.
	30"	29 5/8"	60"	28 3/8"	A2PRT2S2ST(L/R)6030 () () () () ()	\$1,893.	\$2,452.	\$2,592.	\$2,638.	\$3,110.
	30"	29 5/8"	66"	28 3/8"	A2PRT2S2ST(L/R)6630 () () () () ()	\$1,953.	\$2,484.	\$2,624.	\$2,680.	\$3,158.
	30"	29 5/8"	72"	28 3/8"	A2PRT2S2ST(L/R)7230 () () () () ()	\$1,958.	\$2,519.	\$2,661.	\$2,714.	\$3,207.
	30"	29 5/8"	78"	28 3/8"	A2PRT2S2ST(L/R)7830 () () () () ()	\$1,998.	\$2,584.	\$2,734.	\$2,799.	\$3,313.
	30"	29 5/8"	84"	28 3/8"	A2PRT2S2ST(L/R)8430 () () () () ()	\$2,031.	\$2,645.	\$2,800.	\$2,860.	\$3,406.
	30"	29 5/8"	90"	28 3/8"	A2PRT2S2ST(L/R)9030 () () () () ()	\$2,120.	\$2,712.	\$2,869.	\$2,948.	\$3,510.
	30"	29 5/8"	96"	28 3/8"	A2PRT2S2ST(L/R)9630 () () () () ()	\$2,156.	\$2,772.	\$2,937.	\$3,012.	\$3,595.

Order Code	Specification Information	Application Notes
Example: APRT2S1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg
A AutoStrada	1. Leg height	Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	S1 = 27" high	
T2 Tapered 2 sides; user and approach	S2 = 28 3/8" high	8. Finish, Stand-off
S1 27"h Straight leg	Hand	Painted finish only
ST Simple stand-off	L = Left hand	See page for finish options applicable.
L Left hand	R = Right hand	Product on this page will accept wood grain laminate where laminate is currently an option.
60 Width	3. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 Depth	M = Mid grommet	Modesties sold separately and can be field installed.
M Grommet option	N = No grommet	Wire chase sold separately.
111 Grommet finish	S = Stand-off	
V316 Finish, Top	SE = Stand-off, end location	
111 Finish, Leg	SD = Stand-off with drop in box	
111 Finish, Stand-off	SDR = Right hand stand-off with drop in box	
	SDL = Left hand stand-off with drop in box	
	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	
	4. Finish, Grommet	
	Painted or plated	
	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Peninsulas

With Straight Legs and Simple Stand-off, 36" deep

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off	36"	28 3/8"	60"	27"	A2PRT2S1ST(L/R)6036 () () () () ()	\$1,952.	\$2,598.	\$2,746.	\$2,806.	\$3,319.
	36"	28 3/8"	66"	27"	A2PRT2S1ST(L/R)6636 () () () () ()	\$2,012.	\$2,611.	\$2,762.	\$2,824.	\$3,356.
	36"	28 3/8"	72"	27"	A2PRT2S1ST(L/R)7236 () () () () ()	\$2,028.	\$2,654.	\$2,808.	\$2,880.	\$3,417.
	36"	28 3/8"	78"	27"	A2PRT2S1ST(L/R)7836 () () () () ()	\$2,080.	\$2,689.	\$2,850.	\$2,919.	\$3,480.
	36"	28 3/8"	84"	27"	A2PRT2S1ST(L/R)8436 () () () () ()	\$2,109.	\$2,749.	\$2,914.	\$2,998.	\$3,576.
	36"	28 3/8"	90"	27"	A2PRT2S1ST(L/R)9036 () () () () ()	\$2,202.	\$2,829.	\$2,998.	\$3,082.	\$3,685.
	36"	28 3/8"	96"	27"	A2PRT2S1ST(L/R)9636 () () () () ()	\$2,243.	\$2,888.	\$3,063.	\$3,143.	\$3,766.
	36"	29 5/8"	60"	28 3/8"	A2PRT2S2ST(L/R)6036 () () () () ()	\$1,952.	\$2,598.	\$2,746.	\$2,806.	\$3,319.
	36"	29 5/8"	66"	28 3/8"	A2PRT2S2ST(L/R)6636 () () () () ()	\$2,012.	\$2,611.	\$2,762.	\$2,824.	\$3,356.
	36"	29 5/8"	72"	28 3/8"	A2PRT2S2ST(L/R)7236 () () () () ()	\$2,028.	\$2,654.	\$2,808.	\$2,880.	\$3,417.
	36"	29 5/8"	78"	28 3/8"	A2PRT2S2ST(L/R)7836 () () () () ()	\$2,080.	\$2,689.	\$2,850.	\$2,919.	\$3,480.
	36"	29 5/8"	84"	28 3/8"	A2PRT2S2ST(L/R)8436 () () () () ()	\$2,109.	\$2,749.	\$2,914.	\$2,998.	\$3,576.
	36"	29 5/8"	90"	28 3/8"	A2PRT2S2ST(L/R)9036 () () () () ()	\$2,202.	\$2,829.	\$2,998.	\$3,082.	\$3,685.
	36"	29 5/8"	96"	28 3/8"	A2PRT2S2ST(L/R)9636 () () () () ()	\$2,243.	\$2,888.	\$3,063.	\$3,143.	\$3,766.

Order Code	Specification Information	Application Notes
Example: APRT2S1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg
A AutoStrada	1. Leg height	Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	S1 = 27" high	
T2 Tapered 2 sides; user and approach	S2 = 28 3/8" high	8. Finish, Stand-off
S1 27"h Straight leg	Hand	Painted finish only
ST Simple stand-off	L = Left hand	See page for finish options applicable.
L Left hand	R = Right hand	Product on this page will accept wood grain laminate where laminate is currently an option.
60 Width	3. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 Depth	M = Mid grommet	Modesties sold separately and can be field installed.
M Grommet option	N = No grommet	Wire chase sold separately.
111 Grommet finish	S = Stand-off	
V316 Finish, Top	SE = Stand-off, end location	
111 Finish, Leg	SD = Stand-off with drop in box	
111 Finish, Stand-off	SDR = Right hand stand-off with drop in box	
	SDL = Left hand stand-off with drop in box	
	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	
	4. Finish, Grommet	
	Painted or plated	
	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Peninsulas

*With Straight Legs and Simple Stand-off with power center,
30" deep*

AutoStrada


description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power center	30"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6030 () () () () () ()	\$1,946.	\$2,505.	\$2,647.	\$2,689.	\$3,160.
	30"	28 3/8"	66"	27"	A2PRT2S1PC(L/R)6630 () () () () () ()	\$2,003.	\$2,536.	\$2,680.	\$2,729.	\$3,209.
	30"	28 3/8"	72"	27"	A2PRT2S1PC(L/R)7230 () () () () () ()	\$2,007.	\$2,571.	\$2,720.	\$2,766.	\$3,255.
	30"	28 3/8"	78"	27"	A2PRT2S1PC(L/R)7830 () () () () () ()	\$2,049.	\$2,635.	\$2,787.	\$2,850.	\$3,364.
	30"	28 3/8"	84"	27"	A2PRT2S1PC(L/R)8430 () () () () () ()	\$2,083.	\$2,695.	\$2,855.	\$2,912.	\$3,457.
	30"	28 3/8"	90"	27"	A2PRT2S1PC(L/R)9030 () () () () () ()	\$2,172.	\$2,763.	\$2,927.	\$3,000.	\$3,564.
	30"	28 3/8"	96"	27"	A2PRT2S1PC(L/R)9630 () () () () () ()	\$2,205.	\$2,826.	\$2,992.	\$3,063.	\$3,644.
	30"	29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6030 () () () () () ()	\$1,946.	\$2,505.	\$2,647.	\$2,689.	\$3,160.
	30"	29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6630 () () () () () ()	\$2,003.	\$2,536.	\$2,680.	\$2,729.	\$3,209.
	30"	29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7230 () () () () () ()	\$2,007.	\$2,571.	\$2,720.	\$2,766.	\$3,255.
	30"	29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7830 () () () () () ()	\$2,049.	\$2,635.	\$2,787.	\$2,850.	\$3,364.
	30"	29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8430 () () () () () ()	\$2,083.	\$2,695.	\$2,855.	\$2,912.	\$3,457.
	30"	29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9030 () () () () () ()	\$2,172.	\$2,763.	\$2,927.	\$3,000.	\$3,564.
	30"	29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9630 () () () () () ()	\$2,205.	\$2,826.	\$2,992.	\$3,063.	\$3,644.

Order Code	Specification Information	Application Notes
Example: APRT2S1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
S1 27"h Straight leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

*With Straight Legs and Simple Stand-off with power center,
36" deep*

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power center 	36"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6036 () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	28 3/8"	66"	27"	A2PRT2S1PC(L/R)6636 () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	28 3/8"	72"	27"	A2PRT2S1PC(L/R)7236 () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	28 3/8"	78"	27"	A2PRT2S1PC(L/R)7836 () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	28 3/8"	84"	27"	A2PRT2S1PC(L/R)8436 () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	28 3/8"	90"	27"	A2PRT2S1PC(L/R)9036 () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	28 3/8"	96"	27"	A2PRT2S1PC(L/R)9636 () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.
	36"	29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6036 () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6636 () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7236 () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7836 () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8436 () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9036 () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9636 () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.


Order Code	Specification Information	Application Notes
Example: APRT2S1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
S1 27"h Straight leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

With L- Legs and Simple Stand-off,

30" deep

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off 	30"	28 3/8"	60"	27"	A2PRT2L1ST(L/R)6030 () () () () ()	\$2,371.	\$2,947.	\$3,098.	\$3,116.	\$3,585.
	30"	28 3/8"	66"	27"	A2PRT2L1ST(L/R)6630 () () () () ()	\$2,430.	\$2,980.	\$3,135.	\$3,156.	\$3,636.
	30"	28 3/8"	72"	27"	A2PRT2L1ST(L/R)7230 () () () () ()	\$2,434.	\$3,014.	\$3,172.	\$3,194.	\$3,684.
	30"	28 3/8"	78"	27"	A2PRT2L1ST(L/R)7830 () () () () ()	\$2,476.	\$3,079.	\$3,239.	\$3,277.	\$3,792.
	30"	28 3/8"	84"	27"	A2PRT2L1ST(L/R)8430 () () () () ()	\$2,508.	\$3,142.	\$3,308.	\$3,338.	\$3,884.
	30"	28 3/8"	90"	27"	A2PRT2L1ST(L/R)9030 () () () () ()	\$2,597.	\$3,208.	\$3,381.	\$3,428.	\$3,988.
	30"	28 3/8"	96"	27"	A2PRT2L1ST(L/R)9630 () () () () ()	\$2,632.	\$3,270.	\$3,444.	\$3,489.	\$4,073.
	30"	29 5/8"	60"	28 3/8"	A2PRT2L2ST(L/R)6030 () () () () ()	\$2,371.	\$2,947.	\$3,098.	\$3,116.	\$3,585.
	30"	29 5/8"	66"	28 3/8"	A2PRT2L2ST(L/R)6630 () () () () ()	\$2,430.	\$2,980.	\$3,135.	\$3,156.	\$3,636.
	30"	29 5/8"	72"	28 3/8"	A2PRT2L2ST(L/R)7230 () () () () ()	\$2,434.	\$3,014.	\$3,172.	\$3,194.	\$3,684.
	30"	29 5/8"	78"	28 3/8"	A2PRT2L2ST(L/R)7830 () () () () ()	\$2,476.	\$3,079.	\$3,239.	\$3,277.	\$3,792.
	30"	29 5/8"	84"	28 3/8"	A2PRT2L2ST(L/R)8430 () () () () ()	\$2,508.	\$3,142.	\$3,308.	\$3,338.	\$3,884.
	30"	29 5/8"	90"	28 3/8"	A2PRT2L2ST(L/R)9030 () () () () ()	\$2,597.	\$3,208.	\$3,381.	\$3,428.	\$3,988.
	30"	29 5/8"	96"	28 3/8"	A2PRT2L2ST(L/R)9630 () () () () ()	\$2,632.	\$3,270.	\$3,444.	\$3,489.	\$4,073.

Order Code	Specification Information	Application Notes
Example: APRT2L1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg
A AutoStrada	1. Leg height	Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	L1 = 27" high	
T2 Tapered 2 sides; user and approach	L2 = 28 3/8" high	8. Finish, Stand-off
L1 27"h L-leg	2. Hand	Painted finish only
ST Simple stand-off	L = Left hand	See page for finish options applicable.
L Left hand	R = Right hand	Product on this page will accept wood grain laminate where laminate is currently an option.
60 Width	3. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 Depth	M = Mid grommet	Modesties sold separately and can be field installed.
M Grommet option	N = No grommet	Wire chase sold separately.
111 Grommet finish	S = Stand-off	
V316 Finish, Top	SE = Stand-off, end location	
111 Finish, Leg	SD = Stand-off with drop in box	
111 Finish, Stand-off	SDR = Right hand stand-off with drop in box	
	SDL = Left hand stand-off with drop in box	
	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	
	4. Finish, Grommet	
	Painted or plated	
	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Peninsulas

AutoStrada

With L- Legs and Simple Stand-off, 36" deep

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off	36"	28 3/8"	60"	27"	A2PRT2L1ST(L/R)6036 () () () () ()	\$2,429.	\$3,095.	\$3,254.	\$3,284.	\$3,797.
	36"	28 3/8"	66"	27"	A2PRT2L1ST(L/R)6636 () () () () ()	\$2,492.	\$3,109.	\$3,273.	\$3,301.	\$3,834.
	36"	28 3/8"	72"	27"	A2PRT2L1ST(L/R)7236 () () () () ()	\$2,505.	\$3,149.	\$3,314.	\$3,355.	\$3,894.
	36"	28 3/8"	78"	27"	A2PRT2L1ST(L/R)7836 () () () () ()	\$2,555.	\$3,189.	\$3,357.	\$3,399.	\$3,953.
	36"	28 3/8"	84"	27"	A2PRT2L1ST(L/R)8436 () () () () ()	\$2,588.	\$3,247.	\$3,424.	\$3,477.	\$4,055.
	36"	28 3/8"	90"	27"	A2PRT2L1ST(L/R)9036 () () () () ()	\$2,682.	\$3,326.	\$3,505.	\$3,558.	\$4,162.
	36"	28 3/8"	96"	27"	A2PRT2L1ST(L/R)9636 () () () () ()	\$2,721.	\$3,384.	\$3,574.	\$3,621.	\$4,243.
	36"	29 5/8"	60"	28 3/8"	A2PRT2L2ST(L/R)6036 () () () () ()	\$2,429.	\$3,095.	\$3,254.	\$3,284.	\$3,797.
	36"	29 5/8"	66"	28 3/8"	A2PRT2L2ST(L/R)6636 () () () () ()	\$2,492.	\$3,109.	\$3,273.	\$3,301.	\$3,834.
	36"	29 5/8"	72"	28 3/8"	A2PRT2L2ST(L/R)7236 () () () () ()	\$2,505.	\$3,149.	\$3,314.	\$3,355.	\$3,894.
	36"	29 5/8"	78"	28 3/8"	A2PRT2L2ST(L/R)7836 () () () () ()	\$2,555.	\$3,189.	\$3,357.	\$3,399.	\$3,953.
	36"	29 5/8"	84"	28 3/8"	A2PRT2L2ST(L/R)8436 () () () () ()	\$2,588.	\$3,247.	\$3,424.	\$3,477.	\$4,055.
	36"	29 5/8"	90"	28 3/8"	A2PRT2L2ST(L/R)9036 () () () () ()	\$2,682.	\$3,326.	\$3,505.	\$3,558.	\$4,162.
	36"	29 5/8"	96"	28 3/8"	A2PRT2L2ST(L/R)9636 () () () () ()	\$2,721.	\$3,384.	\$3,574.	\$3,621.	\$4,243.


Order Code	Specification Information	Application Notes
Example: APRT2S1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg
A AutoStrada	1. Leg height	Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	S1 = 27" high	
T2 Tapered 2 sides; user and approach	S2 = 28 3/8" high	8. Finish, Stand-off
S1 27"h Straight leg	Hand	Painted finish only
ST Simple stand-off	L = Left hand	See finish pages for applicable options .
L Left hand	R = Right hand	Products on this page will accept wood grain laminate where laminate is currently an option.
60 Width	3. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 Depth	M = Mid grommet	Modesties sold separately and can be field installed.
M Grommet option	N = No grommet	Wire chase sold separately.
111 Grommet finish	S = Stand-off	
V316 Finish, Top	SE = Stand-off, end location	
111 Finish, Leg	SD = Stand-off with drop in box	
111 Finish, Stand-off	SDR = Right hand stand-off with drop in box	
	SDL = Left hand stand-off with drop in box	
	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	
	4. Finish, Grommet	
	Painted or plated	
	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	

Peninsulas

With L- Legs and Simple Stand-off with power center,
30" deep

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off with power center	30"	28 3/8"	60"	27"	A2PRT2L1PC(L/R)6030 () () () () () ()	\$2,422.	\$3,000.	\$3,155.	\$3,167.	\$3,637.
	30"	28 3/8"	66"	27"	A2PRT2L1PC(L/R)6630 () () () () () ()	\$2,484.	\$3,033.	\$3,187.	\$3,207.	\$3,687.
	30"	28 3/8"	72"	27"	A2PRT2L1PC(L/R)7230 () () () () () ()	\$2,486.	\$3,068.	\$3,229.	\$3,245.	\$3,737.
	30"	28 3/8"	78"	27"	A2PRT2L1PC(L/R)7830 () () () () () ()	\$2,525.	\$3,135.	\$3,295.	\$3,326.	\$3,841.
	30"	28 3/8"	84"	27"	A2PRT2L1PC(L/R)8430 () () () () () ()	\$2,557.	\$3,195.	\$3,361.	\$3,387.	\$3,933.
	30"	28 3/8"	90"	27"	A2PRT2L1PC(L/R)9030 () () () () () ()	\$2,649.	\$3,262.	\$3,435.	\$3,481.	\$4,037.
	30"	28 3/8"	96"	27"	A2PRT2L1PC(L/R)9630 () () () () () ()	\$2,684.	\$3,324.	\$3,499.	\$3,542.	\$4,125.
	30"	29 5/8"	60"	28 3/8"	A2PRT2L2PC(L/R)6030 () () () () () ()	\$2,422.	\$3,000.	\$3,155.	\$3,167.	\$3,637.
	30"	29 5/8"	66"	28 3/8"	A2PRT2L2PC(L/R)6630 () () () () () ()	\$2,484.	\$3,033.	\$3,187.	\$3,207.	\$3,687.
	30"	29 5/8"	72"	28 3/8"	A2PRT2L2PC(L/R)7230 () () () () () ()	\$2,486.	\$3,068.	\$3,229.	\$3,245.	\$3,737.
	30"	29 5/8"	78"	28 3/8"	A2PRT2L2PC(L/R)7830 () () () () () ()	\$2,525.	\$3,135.	\$3,295.	\$3,326.	\$3,841.
	30"	29 5/8"	84"	28 3/8"	A2PRT2L2PC(L/R)8430 () () () () () ()	\$2,557.	\$3,195.	\$3,361.	\$3,387.	\$3,933.
	30"	29 5/8"	90"	28 3/8"	A2PRT2L2PC(L/R)9030 () () () () () ()	\$2,649.	\$3,262.	\$3,435.	\$3,481.	\$4,037.
	30"	29 5/8"	96"	28 3/8"	A2PRT2L2PC(L/R)9630 () () () () () ()	\$2,684.	\$3,324.	\$3,499.	\$3,542.	\$4,125.




Order Code	Specification Information	Application Notes
Example: APRT2L1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg
A AutoStrada		Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	1. Leg height	
T2 Tapered 2 sides; user and approach	L1 = 27" high	
L1 27"h L-leg	L2 = 28 3/8" high	8. Finish, Stand-off
PC Power center	2. Hand	Painted finish only
L Left hand	L = Left hand	
60 Width	R = Right hand	See page for finish options applicable.
30 Depth	3. Grommet option	
M Grommet option	P = Power Center	Product on this page will accept wood grain laminate where laminate is currently an option.
111 Grommet finish	PE = Power center grommet	
V316 Finish, Top	4. Finish, Grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Finish, Leg	Painted or plated	
111 Finish, Stand-off	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
	6. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be	Wire chase sold separately.
	V1, V2 or V3 finish	

Peninsulas

With L- Legs and Simple Stand-off with power center,
36" deep

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power center	36"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6036 () () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	28 3/8"	66"	27"	A2PRT2S1PC(L/R)6636 () () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	28 3/8"	72"	27"	A2PRT2S1PC(L/R)7236 () () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	28 3/8"	78"	27"	A2PRT2S1PC(L/R)7836 () () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	28 3/8"	84"	27"	A2PRT2S1PC(L/R)8436 () () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	28 3/8"	90"	27"	A2PRT2S1PC(L/R)9036 () () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	28 3/8"	96"	27"	A2PRT2S1PC(L/R)9636 () () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.
	36"	29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6036 () () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6636 () () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7236 () () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7836 () () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8436 () () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9036 () () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9636 () () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.



Order Code	Specification Information	Application Notes
Example: APRT2S1PC(L/R)6030	To order please specify pattern number including:	
A AutoStrada		
PR Peninsula Rectilinear		
T2 Tapered 2 sides; user and approach 27"h Straight leg	1. Leg height S1 = 27" high S2 = 28 3/8" high	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
S1 Power center	2. Hand L = Left hand R = Right hand	8. Finish, Stand-off Painted finish only
L Left hand	3. Grommet option P = Power Center PE = Power center grommet	See page for finish options applicable.
60 Width	4. Finish, Grommet Painted or plated	Product on this page will accept wood grain laminate where laminate is currently an option.
30 Depth	5. Finish, Top Laminate, V1, V2 or V3 finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
M Grommet option	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Modesties sold separately and can be field installed.
111 Grommet finish		Wire chase sold separately.
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		


Peninsulas

With Open Frame Legs and Simple Stand-off,

30" deep

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off	30"	28 3/8"	60"	27"	A2PRT2O1ST(L/R)6030 () () () () ()	\$2,252.	\$2,824.	\$2,972.	\$2,998.	\$3,468.
	30"	28 3/8"	66"	27"	A2PRT2O1ST(L/R)6630 () () () () ()	\$2,312.	\$2,858.	\$3,005.	\$3,037.	\$3,518.
	30"	28 3/8"	72"	27"	A2PRT2O1ST(L/R)7230 () () () () ()	\$2,315.	\$2,889.	\$3,043.	\$3,074.	\$3,567.
	30"	28 3/8"	78"	27"	A2PRT2O1ST(L/R)7830 () () () () ()	\$2,357.	\$2,955.	\$3,114.	\$3,157.	\$3,673.
	30"	28 3/8"	84"	27"	A2PRT2O1ST(L/R)8430 () () () () ()	\$2,392.	\$3,018.	\$3,181.	\$3,221.	\$3,766.
	30"	28 3/8"	84"	27"	A2PRT2O1ST(L/R)9030 () () () () ()	\$2,479.	\$3,084.	\$3,253.	\$3,308.	\$3,872.
	30"	28 3/8"	96"	27"	A2PRT2O1ST(L/R)9630 () () () () ()	\$2,513.	\$3,146.	\$3,319.	\$3,372.	\$3,953.
	30"	29 5/8"	60"	28 3/8"	A2PRT2O2ST(L/R)6030 () () () () ()	\$2,252.	\$2,824.	\$2,972.	\$2,998.	\$3,468.
	30"	29 5/8"	66"	28 3/8"	A2PRT2O2ST(L/R)6630 () () () () ()	\$2,312.	\$2,858.	\$3,005.	\$3,037.	\$3,518.
	30"	29 5/8"	72"	28 3/8"	A2PRT2O2ST(L/R)7230 () () () () ()	\$2,315.	\$2,889.	\$3,043.	\$3,074.	\$3,567.
	30"	29 5/8"	78"	28 3/8"	A2PRT2O2ST(L/R)7830 () () () () ()	\$2,357.	\$2,955.	\$3,114.	\$3,157.	\$3,673.
	30"	29 5/8"	84"	28 3/8"	A2PRT2O2ST(L/R)8430 () () () () ()	\$2,392.	\$3,018.	\$3,181.	\$3,221.	\$3,766.
	30"	29 5/8"	90"	28 3/8"	A2PRT2O2ST(L/R)9030 () () () () ()	\$2,479.	\$3,084.	\$3,253.	\$3,308.	\$3,872.
	30"	29 5/8"	96"	28 3/8"	A2PRT2O2ST(L/R)9630 () () () () ()	\$2,513.	\$3,146.	\$3,319.	\$3,372.	\$3,953.




Order Code	Specification Information	Application Notes
Example: APRT2O1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height O1 = 27" high O2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option M = Mid grommet N = No grommet S = Stand-off SE = Stand-off, end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Product on this page will accept wood grain laminate where laminate is currently an option.
O1 27"h Open frame leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
ST Simple stand-off	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

AutoStrada

With Open Frame Legs and Simple Stand-off, 36" deep

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off	36"	28 3/8"	60"	27"	A2PRT2O1ST(L/R)6036 () () () () ()	\$2,310.	\$2,969.	\$3,130.	\$3,163.	\$3,680.
	36"	28 3/8"	66"	27"	A2PRT2O1ST(L/R)6636 () () () () ()	\$2,372.	\$2,986.	\$3,147.	\$3,182.	\$3,716.
	36"	28 3/8"	72"	27"	A2PRT2O1ST(L/R)7236 () () () () ()	\$2,387.	\$3,026.	\$3,190.	\$3,235.	\$3,776.
	36"	28 3/8"	78"	27"	A2PRT2O1ST(L/R)7836 () () () () ()	\$2,438.	\$3,063.	\$3,232.	\$3,281.	\$3,836.
	36"	28 3/8"	78"	27"	A2PRT2O1ST(L/R)8436 () () () () ()	\$2,468.	\$3,125.	\$3,295.	\$3,356.	\$3,933.
	36"	28 3/8"	90"	27"	A2PRT2O1ST(L/R)9036 () () () () ()	\$2,559.	\$3,204.	\$3,381.	\$3,441.	\$4,046.
	36"	28 3/8"	96"	27"	A2PRT2O1ST(L/R)9636 () () () () ()	\$2,604.	\$3,264.	\$3,446.	\$3,500.	\$4,125.
	36"	29 5/8"	60"	28 3/8"	A2PRT2O2ST(L/R)6036 () () () () ()	\$2,310.	\$2,969.	\$3,130.	\$3,163.	\$3,680.
	36"	29 5/8"	66"	28 3/8"	A2PRT2O2ST(L/R)6636 () () () () ()	\$2,372.	\$2,986.	\$3,147.	\$3,182.	\$3,716.
	36"	29 5/8"	72"	28 3/8"	A2PRT2O2ST(L/R)7236 () () () () ()	\$2,387.	\$3,026.	\$3,190.	\$3,235.	\$3,776.
	36"	29 5/8"	78"	28 3/8"	A2PRT2O2ST(L/R)7836 () () () () ()	\$2,438.	\$3,063.	\$3,232.	\$3,281.	\$3,836.
	36"	29 5/8"	84"	28 3/8"	A2PRT2O2ST(L/R)8436 () () () () ()	\$2,468.	\$3,125.	\$3,295.	\$3,356.	\$3,933.
	36"	29 5/8"	90"	28 3/8"	A2PRT2O2ST(L/R)9036 () () () () ()	\$2,559.	\$3,204.	\$3,381.	\$3,441.	\$4,046.
	36"	29 5/8"	96"	28 3/8"	A2PRT2O2ST(L/R)9636 () () () () ()	\$2,604.	\$3,264.	\$3,446.	\$3,500.	\$4,125.




Order Code	Specification Information	Application Notes
Example: APRT2O1ST(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height O1 = 27" high O2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option M = Mid grommet N = No grommet S = Stand-off SE = Stand-off, end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Product on this page will accept wood grain laminate where laminate is currently an option.
O1 27"h Open frame leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
ST Simple stand-off	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

AutoStrada

*With Open Frame Legs and Simple Stand-off with power center,
30" deep*

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off with power center 	30"	28 3/8"	60"	27"	A2PRT2O1PC(L/R)6030 () () () () ()	\$2,302.	\$2,880.	\$3,026.	\$3,050.	\$3,520.
	30"	28 3/8"	66"	27"	A2PRT2O1PC(L/R)6630 () () () () ()	\$2,362.	\$2,909.	\$3,061.	\$3,089.	\$3,569.
	30"	28 3/8"	72"	27"	A2PRT2O1PC(L/R)7230 () () () () ()	\$2,369.	\$2,945.	\$3,098.	\$3,125.	\$3,618.
	30"	28 3/8"	78"	27"	A2PRT2O1PC(L/R)7830 () () () () ()	\$2,410.	\$3,010.	\$3,171.	\$3,208.	\$3,723.
	30"	28 3/8"	84"	27"	A2PRT2O1PC(L/R)8430 () () () () ()	\$2,440.	\$3,070.	\$3,235.	\$3,271.	\$3,818.
	30"	28 3/8"	90"	27"	A2PRT2O1PC(L/R)9030 () () () () ()	\$2,529.	\$3,139.	\$3,308.	\$3,358.	\$3,923.
	30"	28 3/8"	96"	27"	A2PRT2O1PC(L/R)9630 () () () () ()	\$2,565.	\$3,198.	\$3,373.	\$3,424.	\$4,006.
	30"	29 5/8"	60"	28 3/8"	A2PRT2O2PC(L/R)6030 () () () () ()	\$2,302.	\$2,880.	\$3,026.	\$3,050.	\$3,520.
	30"	29 5/8"	66"	28 3/8"	A2PRT2O2PC(L/R)6630 () () () () ()	\$2,362.	\$2,909.	\$3,061.	\$3,089.	\$3,569.
	30"	29 5/8"	72"	28 3/8"	A2PRT2O2PC(L/R)7230 () () () () ()	\$2,369.	\$2,945.	\$3,098.	\$3,125.	\$3,618.
	30"	29 5/8"	78"	28 3/8"	A2PRT2O2PC(L/R)7830 () () () () ()	\$2,410.	\$3,010.	\$3,171.	\$3,208.	\$3,723.
	30"	29 5/8"	84"	28 3/8"	A2PRT2O2PC(L/R)8430 () () () () ()	\$2,440.	\$3,070.	\$3,235.	\$3,271.	\$3,818.
	30"	29 5/8"	90"	28 3/8"	A2PRT2O2PC(L/R)9030 () () () () ()	\$2,529.	\$3,139.	\$3,308.	\$3,358.	\$3,923.
	30"	29 5/8"	96"	28 3/8"	A2PRT2O2PC(L/R)9630 () () () () ()	\$2,565.	\$3,198.	\$3,373.	\$3,424.	\$4,006.

Order Code	Specification Information	Application Notes
Example: APRT2O1PC(L/R)6030	To order please specify pattern number including:	
A AutoStrada		
PR Peninsula Rectilinear	1. Leg height	
T2 Tapered 2 sides; user and approach	O1 = 27" high	
O1 27"h Open frame leg	O2 = 28 3/8" high	
PC Power center	2. Hand	
L Left hand	L = Left hand	
60 Width	R = Right hand	
30 Depth	3. Grommet option	
M Grommet option	P = Power Center	
111 Grommet finish	PE = Power center grommet	
V316 Finish, Top	4. Finish, Grommet	
111 Finish, Leg	Painted or plated	
111 Finish, Stand-off	5. Finish, Top	
	Laminate, V1, V2 or V3 finish	
	6. Finish, Edge	
	Must be same as surface finish	
	unless M surface type specified,	
	then must be V1, V2 or V3 finish	
	7. Finish, Leg	
	Anodized aluminum or painted finish option,	
	excluding silver.	
	8. Finish, Stand-off	
	Painted finish only	
	See page for finish options applicable.	
	Product on this page will accept wood grain laminate	
	where laminate is currently an option.	
	Worksurface stiffeners are recommended to provide	
	additional support for open spans greater than 48"w.	
	Modesties sold separately and can be field installed.	
	Wire chase sold separately.	
		From users perspective, if the leg is on the
		right side, the peninsula is classified a "
		Right Hand" peninsula.
		Peninsula worksurfaces with power center do
		not come with Electrical Components.
		Peninsulas can be specified to overall surface
		height of:
		28 3/8" : specify 27" leg.
		29 5/8" : specify 28" leg.

Peninsulas

AutoStrada

*With Open Frame Legs and Simple Stand-off with power center,
36" deep*



description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power center	36"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6036 () () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	28 3/8"	66"	27"	A2PRT2S1PC(L/R)6636 () () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	28 3/8"	72"	27"	A2PRT2S1PC(L/R)7236 () () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	28 3/8"	78"	27"	A2PRT2S1PC(L/R)7836 () () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	28 3/8"	84"	27"	A2PRT2S1PC(L/R)8436 () () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	28 3/8"	90"	27"	A2PRT2S1PC(L/R)9036 () () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	28 3/8"	96"	27"	A2PRT2S1PC(L/R)9636 () () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.
	36"	29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6036 () () () () () ()	\$2,002.	\$2,651.	\$2,801.	\$2,857.	\$3,371.
	36"	29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6636 () () () () () ()	\$2,062.	\$2,668.	\$2,817.	\$2,877.	\$3,408.
	36"	29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7236 () () () () () ()	\$2,080.	\$2,709.	\$2,863.	\$2,928.	\$3,468.
	36"	29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7836 () () () () () ()	\$2,127.	\$2,745.	\$2,902.	\$2,971.	\$3,529.
	36"	29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8436 () () () () () ()	\$2,162.	\$2,805.	\$2,968.	\$3,050.	\$3,626.
	36"	29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9036 () () () () () ()	\$2,253.	\$2,883.	\$3,054.	\$3,135.	\$3,738.
	36"	29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9636 () () () () () ()	\$2,295.	\$2,942.	\$3,117.	\$3,194.	\$3,818.

Order Code	Specification Information	Application Notes
Example: APRT2S1PC(L/R)6030	To order please specify pattern number including:	
A AutoStrada		
PR Peninsula Rectilinear		
T2 Tapered 2 sides; user and approach		
S1 27" h Straight leg	1. Leg height S1 = 27" high S2 = 28 3/8" high	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
PC Power center	2. Hand L = Left hand R = Right hand	8. Finish, Stand-off Painted finish only
L Left hand	3. Grommet option P = Power Center PE = Power center grommet	See page for finish options applicable.
60 Width	4. Finish, Grommet Painted or plated	Product on this page will accept wood grain laminate where laminate is currently an option.
30 Depth	5. Finish, Top Laminate, V1, V2 or V3 finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"W.
M Grommet option	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	Modesties sold separately and can be field installed.
111 Grommet finish		Wire chase sold separately.
V316 Finish, Top		
111 Finish, Leg		
111 Finish, Stand-off		

Tables

With Straight Legs


AutoStrada

description	h	w	d	dia.	pattern no.	L	M	V1	V2	V3
	28 1/4"	42"	42"		ATA1T44242 () () () ()	\$2,688.	\$3,099.	\$3,332.	\$3,193.	\$3,696.
	28 1/4"	48"	48"		ATA1T44848 () () () ()	\$2,909.	\$3,174.	\$3,412.	\$3,295.	\$3,928.
	28 1/4"	48"	30"		ATA1T44830 () () () ()	\$2,745.	\$3,073.	\$3,303.	\$3,144.	\$3,583.
	28 1/4"	60"	30"		ATA1T46030 () () () ()	\$2,893.	\$3,244.	\$3,486.	\$3,340.	\$3,870.
	28 1/4"	72"	30"		ATA1T47230 () () () ()	\$3,037.	\$3,305.	\$3,556.	\$3,417.	\$4,034.
	28 1/4"	72"	36"		ATA1T47236 () () () ()	\$3,110.	\$3,360.	\$3,616.	\$3,498.	\$4,219.
	28 1/4"		36"		ATA1R36 () () () ()	\$2,786.	\$3,325.	\$3,233.	\$3,135.	\$3,556.
	28 1/4"		42"		ATA1R42 () () () ()	\$2,917.	\$3,384.	\$3,308.	\$3,229.	\$3,778.
	28 1/4"		48"		ATA1R48 () () () ()	\$3,156.	\$3,465.	\$3,401.	\$3,338.	\$4,031.

Order code	Specification Information	Application Notes
Example: ATA1T44242V27C V316AA	To order please specify pattern number including:	AutoStrada tables include four straight legs with glides or casters.
A AutoStrada	7. Finish, Edge	Tables can be specified to surface height of:
TA Table	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish.	
1 Generation 1	8. Finish, Leg	
T4 Tapered edge 4 sides	Anodized aluminum finish or painted finish option excluding silver.	28 3/8": specify 27" leg.
42 42" wide	See finish pages for applicable options .	29 5/8": specify 28" leg.
42 42" deep		31 1/2": specify 30" leg.
V Surface type, veneer	Products on this page will accept wood grain laminate where laminate is currently an option.	
27 27" leg height	Grommets are not optional for tables.	
C Caster	Stiffener included with rectangular tables 60"w and over.	
V316 Finish top, Maple		
AA Finish, leg		
	1. Width	
	2. Depth	
	3. Surface type	
	L = Laminate	
	M = Mixed, Laminate surface/V1, V2 or V3 edge	
	V = V1, V2 or V3	
	4. Leg height (to underside of surface)	
	27 = 27"h	
	28 = 28 3/8"h (add \$30 for this option)	
	30 = 30 1/8"h (add \$66 for this option)	
	5. Leg type	
	C = with Caster	
	G = with Glide	
	6. Finish, Surface	
	Laminate, Mixed, V1, V2 or V3 finish	

Tables

With L-Legs


description	h	w	d	dia.	leg height	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides with L-legs 	28 3/8"	42"	42"		27"	ATAT4LL424227(L/M/V) () () ()	\$3,896.	\$4,506.	\$4,844.	\$4,638.	\$5,336.
	28 3/8"	48"	48"		27"	ATAT4LL484827(L/M/V) () () ()	\$3,925.	\$4,530.	\$4,870.	\$4,670.	\$5,367.
	29 5/8"	42"	42"		28 3/8"	ATAT4LL424228(L/M/V) () () ()	\$3,903.	\$4,516.	\$4,854.	\$4,649.	\$5,349.
	29 5/8"	48"	48"		28 3/8"	ATAT4LL484828(L/M/V) () () ()	\$3,971.	\$4,587.	\$4,930.	\$4,726.	\$5,434.
Round table, tapered edge with L-legs 	28 3/8"			36"	27"	ATARLL3627(L/M/V) () () ()	\$3,796.	\$4,384.	\$4,715.	\$4,518.	\$5,194.
	28 3/8"			42"	27"	ATARLL4227(L/M/V) () () ()	\$3,804.	\$4,399.	\$4,729.	\$4,529.	\$5,209.
	28 3/8"			48"	27"	ATARLL4827(L/M/V) () () ()	\$3,825.	\$4,419.	\$4,753.	\$4,556.	\$5,240.
	29 5/8"			36"	28 3/8"	ATARLL3628(L/M/V) () () ()	\$3,860.	\$4,458.	\$4,791.	\$4,592.	\$5,281.
	29 5/8"			42"	28 3/8"	ATARLL4228(L/M/V) () () ()	\$3,871.	\$4,471.	\$4,809.	\$4,607.	\$5,296.
	29 5/8"			48"	28 3/8"	ATARLL4828(L/M/V) () () ()	\$3,892.	\$4,493.	\$4,831.	\$4,631.	\$5,324.

Order Code	Specification Information	Application Notes
Example: ATAT4LL424227 V316AA	To order please specify pattern number including:	AutoStrada table desks include four L-legs with glides.
A AutoStrada	1. Width	Tables can be specified to overall surface height of:
TA Table	2. Depth	28 3/8": specify 27" leg.
T4 Top tapered 4 sides	3. Leg height (to underside of surface)	29 5/8": specify 28" leg.
LL L-Leg	27 = 27"h	
42 42" wide	28 = 28 3/8"h	
42 42" deep	4. Surface type	
27 Leg height	L = Laminate	
V Surface type, veneer	M = Mixed, Laminate surface/V1, V2 or V3 edge	
V316 Finish top, Maple	V = V1, V2 or V3	
AA Finish, leg	5. Finish, Surface	
	Laminate, Mixed, V1, V2 or V3 finish	
	6. Finish, Edge (if applicable)	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
	7. Finish, Leg	
	Anodized aluminum finish or painted finish option excluding silver.	
	See page for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	
	Grommets are not optional for tables.	
	Worksurface stiffener included with rectangular table desks 60"w and over.	

Tables



With L-Legs

AutoStrada

description	h	w	d	dia. leg height	pattern no.	L	M	V1	V2	V3
Rectangular table desk, tapered 4 sides with L-legs 	28 3/8"	48"	30"	27"	ATDT4LL483027(L/M/V) () () ()	\$3,559.	\$4,111.	\$4,422.	\$4,238.	\$4,873.
	28 3/8"	60"	30"	27"	ATDT4LL603027(L/M/V) () () ()	\$3,625.	\$4,185.	\$4,503.	\$4,317.	\$4,960.
	28 3/8"	72"	30"	27"	ATDT4LL723027(L/M/V) () () ()	\$3,655.	\$4,224.	\$4,543.	\$4,352.	\$5,006.
	28 3/8"	72"	36"	27"	ATDT4LL723627(L/M/V) () () ()	\$3,687.	\$4,262.	\$4,580.	\$4,392.	\$5,047.
	29 5/8"	48"	30"	28 3/8"	ATDT4LL483028(L/M/V) () () ()	\$3,700.	\$4,280.	\$4,604.	\$4,411.	\$5,069.
	29 5/8"	60"	30"	28 3/8"	ATDT4LL603028(L/M/V) () () ()	\$3,800.	\$4,395.	\$4,723.	\$4,523.	\$5,205.
	29 5/8"	72"	30"	28 3/8"	ATDT4LL723028(L/M/V) () () ()	\$3,880.	\$4,482.	\$4,824.	\$4,619.	\$5,314.
	29 5/8"	72"	36"	28 3/8"	ATDT4LL723628(L/M/V) () () ()	\$3,946.	\$4,559.	\$4,903.	\$4,697.	\$5,399.


Order Code	Specification Information	Application Notes
Example: ATAT4LL424227 V316AA	To order please specify pattern number including:	AutoStrada table desks include four L-legs with glides.
A AutoStrada	1. Width	Tables can be specified to overall surface height of:
TA Table	2. Depth	28 3/8": specify 27" leg.
T4 Top tapered 4 sides	3. Leg height (to underside of surface)	29 5/8": specify 28" leg.
LL L-Leg	27 = 27"h	
42 42" wide	28 = 28 3/8"h	
42 42" deep	4. Surface type	
27 Leg height	L = Laminate	
V Surface type, veneer	M = Mixed, Laminate surface/V1, V2 or V3 edge	
V316 Finish top, Maple	V = V1, V2 or V3	
AA Finish, leg	5. Finish, Surface	
	Laminate, Mixed, V1, V2 or V3 finish	
	6. Finish, Edge (if applicable)	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
	7. Finish, Leg	
	Anodized aluminum finish or painted finish option excluding silver.	
	See page for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	
	Grommets are not optional for tables.	
	Worksurface stiffener included with rectangular table desks 60"w and over.	


Table Desks With L-Legs

description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
 Rectangular table desk with L-legs and full front modesty	28 3/8"	48"	30"	27"	ATDT1LFM483027(L/M/V) () () () ()	\$4,384.	\$5,066.	\$5,444.	\$5,218.	\$6,002.
	28 3/8"	60"	30"	27"	ATDT1LFM603027(L/M/V) () () () ()	\$4,448.	\$5,142.	\$5,530.	\$5,295.	\$6,090.
	28 3/8"	72"	30"	27"	ATDT1LFM723027(L/M/V) () () () ()	\$4,501.	\$5,203.	\$5,593.	\$5,357.	\$6,160.
	28 3/8"	72"	36"	27"	ATDT1LFM723627(L/M/V) () () () ()	\$4,530.	\$5,237.	\$5,630.	\$5,397.	\$6,202.
	29 5/8"	48"	30"	28 3/8"	ATDT1LFM483028(L/M/V) () () () ()	\$4,623.	\$5,340.	\$5,743.	\$5,497.	\$6,325.
	29 5/8"	60"	30"	28 3/8"	ATDT1LFM603028(L/M/V) () () () ()	\$4,630.	\$5,348.	\$5,748.	\$5,511.	\$6,336.
	29 5/8"	72"	30"	28 3/8"	ATDT1LFM723028(L/M/V) () () () ()	\$4,646.	\$5,367.	\$5,771.	\$5,531.	\$6,360.
	29 5/8"	72"	36"	28 3/8"	ATDT1LFM723628(L/M/V) () () () ()	\$4,695.	\$5,419.	\$5,831.	\$5,586.	\$6,427.
 Rectangular table desk with L-legs and partial front modesty	28 3/8"	48"	30"	27"	ATDT1LPM483027(L/M/V) () () () ()	\$4,205.	\$4,859.	\$5,221.	\$5,006.	\$5,751.
	28 3/8"	60"	30"	27"	ATDT1LPM603027(L/M/V) () () () ()	\$4,212.	\$4,866.	\$5,235.	\$5,013.	\$5,766.
	28 3/8"	72"	30"	27"	ATDT1LPM723027(L/M/V) () () () ()	\$4,229.	\$4,886.	\$5,253.	\$5,034.	\$5,789.
	28 3/8"	72"	36"	27"	ATDT1LPM723627(L/M/V) () () () ()	\$4,278.	\$4,943.	\$5,315.	\$5,090.	\$5,855.
	29 5/8"	48"	30"	28 3/8"	ATDT1LPM483028(L/M/V) () () () ()	\$4,379.	\$5,062.	\$5,440.	\$5,215.	\$5,998.
	29 5/8"	60"	30"	28 3/8"	ATDT1LPM603028(L/M/V) () () () ()	\$4,387.	\$5,069.	\$5,454.	\$5,224.	\$6,008.
	29 5/8"	72"	30"	28 3/8"	ATDT1LPM723028(L/M/V) () () () ()	\$4,405.	\$5,087.	\$5,470.	\$5,244.	\$6,032.
	29 5/8"	72"	36"	28 3/8"	ATDT1LPM723628(L/M/V) () () () ()	\$4,453.	\$5,146.	\$5,532.	\$5,298.	\$6,098.

Order Code	Specification Information	Application Notes	
Example:ATAT4LL424227 V316AA	To order please specify pattern number including:		
A AutoStrada		* Finish, Edge(if applicable) Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	AutoStrada table desks include four L-legs with glides.
TA Table	1. Width		Tables can be specified to overall surface height of:
T4 Top tapered 4 side (useronly)	2. Depth	7. Finish, Leg Anodized aluminum finish or painted finish option excluding silver.	
L L-Leg	3. Leg height (to underside of surface) 27 = 27"h 28 = 28 3/8"h		28 3/8" : specify 27" leg. 29 5/8" : specify 28" leg.
42 42" wide	4. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	See page 7 for finish options applicable.	
42 42" deep	5. Finish, Surface Laminate, Mixed, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.	
27 Leg height	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Grommets are not optional for tables. Worksurface stiffener included with rectangular table desks 60"w and over.	
V Surface type, veneer			
V316 Finish top, Maple			
() Edge finish (L)			
AA Finish, leg			


Table Desks With L-Legs

description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
 Rectangular table desk with L-legs and full front & side modesties	28 3/8"	48"	30"	27"	ATDT1LFS483027(L/M/V) () () () ()	\$5,428.	\$6,275.	\$6,744.	\$6,466.	\$7,431.
	28 3/8"	60"	30"	27"	ATDT1LFS603027(L/M/V) () () () ()	\$5,502.	\$6,355.	\$6,832.	\$6,548.	\$7,531.
	28 3/8"	72"	30"	27"	ATDT1LFS723027(L/M/V) () () () ()	\$5,565.	\$6,430.	\$6,917.	\$6,623.	\$7,619.
	28 3/8"	72"	36"	27"	ATDT1LFS723627(L/M/V) () () () ()	\$5,610.	\$6,485.	\$6,975.	\$6,682.	\$7,682.
	29 5/8"	48"	30"	28 3/8"	ATDT1LFS483028(L/M/V) () () () ()	\$5,590.	\$6,456.	\$6,942.	\$6,652.	\$7,651.
	29 5/8"	60"	30"	28 3/8"	ATDT1LFS603028(L/M/V) () () () ()	\$5,661.	\$6,542.	\$7,032.	\$6,736.	\$7,753.
	29 5/8"	72"	30"	28 3/8"	ATDT1LFS723028(L/M/V) () () () ()	\$5,727.	\$6,619.	\$7,116.	\$6,814.	\$7,841.
	29 5/8"	72"	36"	28 3/8"	ATDT1LFS723628(L/M/V) () () () ()	\$5,771.	\$6,671.	\$7,172.	\$6,870.	\$7,905.

 Rectangular table desk with L-legs and partial front & side modesties	28 3/8"	48"	30"	27"	ATDT1LPS483027(L/M/V) () () () ()	\$5,154.	\$5,956.	\$6,403.	\$6,133.	\$7,052.
	28 3/8"	60"	30"	27"	ATDT1LPS603027(L/M/V) () () () ()	\$5,224.	\$6,040.	\$6,495.	\$6,219.	\$7,156.
	28 3/8"	72"	30"	27"	ATDT1LPS723027(L/M/V) () () () ()	\$5,292.	\$6,109.	\$6,573.	\$6,298.	\$7,242.
	28 3/8"	72"	36"	27"	ATDT1LPS723627(L/M/V) () () () ()	\$5,339.	\$6,166.	\$6,633.	\$6,353.	\$7,306.
	29 5/8"	48"	30"	28 3/8"	ATDT1LPS483028(L/M/V) () () () ()	\$5,314.	\$6,140.	\$6,601.	\$6,325.	\$7,271.
	29 5/8"	60"	30"	28 3/8"	ATDT1LPS603028(L/M/V) () () () ()	\$5,389.	\$6,222.	\$6,691.	\$6,410.	\$7,373.
	29 5/8"	72"	30"	28 3/8"	ATDT1LPS723028(L/M/V) () () () ()	\$5,450.	\$6,295.	\$6,771.	\$6,484.	\$7,460.
	29 5/8"	72"	36"	28 3/8"	ATDT1LPS723628(L/M/V) () () () ()	\$5,495.	\$6,353.	\$6,830.	\$6,546.	\$7,529.

Order Code	Specification Information	Application Notes
Example:ATAT4LL424227 V316AA	To order please specify pattern number including:	
A AutoStrada		* Finish, Edge(if applicable) Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish
TA Table	1. Width	
T4 Top tapered 4 side (useronly)	2. Depth	7. Finish, Leg Anodized aluminum finish or painted finish option excluding silver.
L L-Leg	3. Leg height (to underside of surface) 27 = 27"h 28 = 28 3/8"h	See page 7 for finish options applicable.
42 42" wide	4. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	Product on this page will accept wood grain laminate where laminate is currently an option.
42 42" deep	5. Finish, Surface Laminate, Mixed, V1, V2 or V3 finish	Grommets are not optional for tables.
27 Leg height	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Worksurface stiffener included with rectangular table desks 60"w and over.
V Surface type, veneer		
V316 Finish top, Maple		
() Edge finish (L)		
AA Finish, leg		

Spine-Based Support

description	type	width	depth	height	pattern no.	painting	list
Adjustable cantilever bracket (up to 24"D) 		3"	20"	23-33"	AB 1 AC24 ()	\$372.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
Adjustable end support bracket 			6"	23-33"	AB 2 AE ()	\$300.	
Compact fixed height end support bracket 	for 28"h worksurface		6"	27"	AB 2 FE27 ()	\$253.	
	for 29 5/8"h worksurface		6"	28"	AB 2 FE28 ()	\$253.	
Adjustable cantilever bridging bracket		3"	20"	23-33"	AB 1-ABC24()	\$485.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
spacers (20 per pack) use with spine worksurface support brackets					AA 1 BS		\$22.

Order Code	Specification Information	Application Notes
Example: AB 1 AC24118 AB 1 Bracket AC Type 24 Depth 118 Finish	Please specify painted finish from paint options listed on page 5. Specify worksurface cantilever and end support brackets to attach worksurfaces to spine walls. Specify two cantilever brackets to support any 24"D worksurface up to 84" wide, or one back edge of corner worksurface. Specify three cantilever brackets to support any 24"D worksurface greater than 84" wide. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.	Adjustable height cantilever and bridging cantilever brackets support underside of worksurface in 1" increments from 23" to 33"H (24" to 34" top height). Spacers (AA1 BS) to be used with adjustable cantilever or end support brackets to accommodate wood case AutoStrada pedestals and lower storage with optional cabinet feet. Resulting overall worksurface height achieved 29 5/8"h. Adjustable bridging cantilever supports adjacent 48"W straight or corner worksurfaces. End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support worksurface at 28"H and 29 5/8" Cannot exceed maximum of 24" deep worksurfaces cantilevered from Spine.


Spine-Based Support

description	type	width	depth	height	pattern no.	paint	list
Fixed end support bracket	Fixed		6"	27"	AB 1 FE ()		\$240.



Order Code	Specification Information	Application Notes
Example: AB 1 AC24118 AB 1 Bracket AC Type 24 Depth 118 Finish	Please specify painted finish from paint options listed on page 5. Specify work surface cantilever and end support brackets to attach work surfaces to spine walls. Specify two cantilever brackets to support any 24"D work surface up to 84" wide, or one back edge of corner work surface. Specify three cantilever brackets to support any 24"D work surface greater than 84" wide. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.	Adjustable height cantilever and bridging cantilever brackets support underside of work surface in 1" increments from 23" to 33"H (24" to 34" top height). Spacers (AA1 BS) to be used with adjustable cantilever or end support brackets to accommodate wood case AutoStrada pedestals and lower storage with optional cabinet feet. Resulting overall work surface height achieved 29 5/8"h. Adjustable bridging cantilever supports adjacent 48"W straight or corner work surfaces. End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support work surface at 28"H and 29 5/8" Cannot exceed maximum of 24" deep work surfaces cantilevered from Spine.

Panel Hung Worksurface Support


description	d	pattern no.	P1	P2	P3
top to top brackets (pair) for use when top to top condition is without tapered edges	6" x 1"	RBF	\$6.		
					
Top to top bracket for use with tapered edge worksurface conditions ('tapered to tapered' or 'tapered to straight')	4" x 7"	AT2TB (pair)	\$177.		
					

Order code	Specification information	Application notes
Example: RBC18L111 R from Reff B Bracket C Cantilever 18 18" deep L Left hand 111 Finish, Jetblack	To order please specify pattern number including: 1. Left or right hand where applicable 2. Paint finish where applicable Specify painted finish from paint options listed on page 5.	Flat edge to flat edge: RBF top to top brackets are for end to end worksurface connection, no tapered edges. A cantilever bracket should be used to join two adjacent straight worksurfaces along with pair of RBF top to top brackets. RBF brackets install between screw ports on cantilever bracket to underside of worksurface. Tapered edges: AT2TB top to top brackets are for connection of worksurfaces at right angle, with one or both edges tapered. A cantilever bracket should be used to join two worksurfaces along with pair of AT2TB top to top brackets. Install one AT2TB bracket behind cantilever and one in front of cantilever. Midspan support required every 48" for all worksurfaces. Side hung support brackets provide primary connection of a worksurface to a panel, not recommended for midspan support.

Worksurface Support

Straight Legs, Wide Legs and L-Legs

AutoStrada



description	type	height	pattern number	list
Straight leg (pair) 	Fixed height	27"	AB1AS27 ()	\$701.
	Fixed height	28 3/8"	AB1AS28 ()	\$739.
	Fixed height	30 1/8"	AB1AS30 ()	\$763.
Straight leg with casters (pair) 	Fixed height	27"	AB1ASC27 ()	\$701.
	Fixed height	28 3/8"	AB1ASC28 ()	\$739.
	Fixed height	30 1/8"	AB1ASC30 ()	\$763.
Wide leg 	Fixed height	27"	AB1AW27 ()	\$650.
	Fixed height	28 3/8"	AB1AW28 ()	\$688.

Order Code	Specification Information	Application Notes
Example: AB1AS28 AA A AutoStrada leg S Straight 28 Height AA Finish	AutoStrada straight legs, wide legs and L-Legs are available in anodized aluminum or painted finish option listed on page excluding silver. To order specify pattern number including height 1. Specify finish	A pair of straight legs or a pair of L-legs or one wide leg can support one end of the worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB bracket. If distance between support spans over 48", additional support is required. Two pairs of straight legs or L-legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 36" with a corresponding worksurface stiffener. AutoStrada straight legs are available in three heights with or without casters:
		27" from floor to underside of worksurface (28 3/8" desk ht) 28 3/8" from floor to underside of worksurface (29 3/4" desk ht) 30 1/8" from floor to underside of worksurface (31 1/2" desk ht) AutoStradawide legs are only available on glides, 27" or 28 3/8" to underside of worksurface. AutoStrada L-legs are available in three heights, glide only (no caster option) 26 1/2"h, 27"h and 28 3/8"h.

Worksurface Support

Straight Legs, Wide Legs and L-Legs


AutoStrada

description	type	height	pattern number	list
	Fixed height	26 1/2"	APTLL26()	\$1,249.
	Fixed height	27"	APTLL27()	\$1,278.
	Fixed height	28 3/8"	APTLL28()	\$1,299.
	Fixed height	27"	AWFL27()	\$1,111.
	Fixed height	28 3/8"	AWFL28()	\$1,111.

Order Code	Specification Information	Application Notes
Example: AB1AS28 AA A AutoStrada leg S Straight 28 Height AA Finish	AutoStrada straight legs, wide legs and L-Legs are available in anodized aluminum or painted finish option listed on page excluding silver. To order specify pattern number including height 1. Specify finish	A pair of straight legs or a pair of L-legs or one wide leg can support one end of the worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB bracket. If distance between support spans over 48", additional support is required. Two pairs of straight legs or L-legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 36" with a corresponding worksurface stiffener. AutoStrada straight legs are available in three heights with or without casters:
		27" from floor to underside of worksurface (28 3/8" desk ht) 28 3/8" from floor to underside of worksurface (29 3/4" desk ht) 30 1/8" from floor to underside of worksurface (31 1/2" desk ht) AutoStradawide legs are only available on glides, 27" or 28 3/8" to underside of worksurface. AutoStrada L-legs are available in three heights, glide only (no caster option) 26 1/2"h, 27"h and 28 3/8"h.


Worksurface Support

Modesty Panels

description	h	w	pattern no.	L	V1	V2	V3
 Half height suspended modesty	12"	33 1/2"	AHHSM36 ()	\$557.	\$698.	\$745.	\$946.
	12"	39 1/2"	AHHSM42 ()	\$573.	\$714.	\$764.	\$976.
	12"	45 1/2"	AHHSM48 ()	\$588.	\$727.	\$781.	\$997.
	12"	51 1/2"	AHHSM54 ()	\$608.	\$738.	\$803.	\$1,023.
	12"	57 1/2"	AHHSM60 ()	\$623.	\$757.	\$825.	\$1,051.
	12"	63 1/2"	AHHSM66 ()	\$636.	\$771.	\$841.	\$1,076.
	12"	69 1/2"	AHHSM72 ()	\$653.	\$782.	\$865.	\$1,098.
	12"	75 1/2"	AHHSM78 ()	\$675.	\$799.	\$885.	\$1,127.
	12"	81 1/2"	AHHSM84 ()	\$687.	\$811.	\$904.	\$1,155.
	12"	87 1/2"	AHHSM90 ()	\$702.	\$826.	\$928.	\$1,182.
	12"	93 1/2"	AHHSM96 ()	\$719.	\$841.	\$948.	\$1,205.

Order code	Specification information	Application notes
Example: AHHSM30V316 A AutoStrada HH Half height S Suspended M Modesty 30 for 30"w work surface V316 Finish, Maple	To order please specify pattern number including: 1. Finish Laminate, V1, V2 or V3 finish See finish pages for applicable options . Product on this page will accept wood grain laminate where laminate is currently an option.	To be used for free-standing private office applications. Half height suspended modesty intended for optional use with work surfaces when creating configurations including a peninsula top supported at one end by a pair of legs (legs on page) or "freestanding" table desk by set of legs and would install just behind the legs by angle bracket that ships with modesty. Attachment hardware included. If installing below worksurface with grommets, be sure to specify recessed grommet location.




Stiffeners

description	type	width	depth	height	pattern number	list
 Stiffener for worksurface, full depths	36"	20"	1 1/2"	1"	AWM1 S36	\$103.
	42"	26"	1 1/2"	1"	AWM1 S42	\$111.
	48"	32"	1 1/2"	1"	AWM1 S48	\$114.
	60"	44"	1 1/2"	1"	AWM1 S60	\$116.
	66"	50"	1 1/2"	1"	AWM1 S66	\$122.
	72"	56"	1 1/2"	1"	AWM1 S72	\$127.
	78"	62"	1 1/2"	1"	AWM1 S78	\$134.
	84"	68"	1 1/2"	1"	AWM1 S84	\$136.

Order Code	Specification Information	Application Notes
Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.

Worksurface Stand-Offs and Cabinet Feet Accessories


AutoStrada

description	height	width	dia.	pattern no.	list
AutoStrada Stand-Off 	5"	12"	2 1/4"	AST()	\$172.
AutoStrada Power Center Stand-Off 	5"	10"	6"	A2PCST()	\$219.
Cabinet feet (pair) 	1 7/8"		1 3/4"	ACF1 ()	\$253.
Worksurface stand-off (pair), for "ganging" 	1"		1 3/4"	AWSOG ()	\$51.

Order code	Specification information	Application notes
Example: AWSOAA A AutoStrada WSO Work surface stand-off AA Finish, anodized aluminum	To order please specify pattern number including: 1. Finish AA - anodized aluminum or painted finish option from page excluding silver	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between work surfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1"h. Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29 5/8". Note: Free-standing cabinets on page include cabinet feet. If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
		When "ganging" units together to create "build-to-spec" credenzas, one pair of worksurface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet. Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29 5/8" (or 28 3/8" to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27" from floor to underside of worksurface. To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.


Worksurface Stand-Offs and Cabinet Feet Accessories

description	height	width	dia.	pattern no.	list
Cabinet feet (pair) for "ganging"	1 7/8"		1 3/4"	ACFG1 ()	\$253.




Order code	Specification information	Application notes	
Example:AWSOAA	To order please specify pattern number including:	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between worksurfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1"h.	When "ganging" units together to create "build-to-spec" credenzas, one pair of worksurface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet.
A AutoStrada	1. Finish	Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29 5/8".	Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29 5/8" (or 28 3/8" to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27" from floor to underside of worksurface.
WSO Work surface stand-off	AA - anodized aluminum or painted finish option from page excluding silver	Note: Free-standing cabinets on page include cabinet feet.	To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.
AA Finish, anodized aluminum		If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.	


without Cabinet Feet





with Cabinet Feet



Note: Planning Side Elevations are nominal. Dimensions are actual.




MEDIANS AND STACK-ON OVERHEADS




FLOOR-STANDING CABINETS

DETAIL B
OVERHEAD w/ HINGED DOOR



DETAIL C
OVERHEAD w/ SLIDING DOOR



Alpha-Numeric Index

AG1B3948	39	APCA 1612 A	14	APSA 0945 ()	16
AG1B3954	39	APCA 1624	13	APSA 0948 ()	16
AG1B3960	39	APCA 1624 A	14	APSA 0957 ()	16
AG1B3966	39	APCA 1636	13	APSA 0960 ()	16
AG1B3972	39	APCA 1636 A	14	APSA 0969 ()	16
AG1B3978	39	APCA 1648	13	APSA 0972 ()	16
AG1B3984	39	APCA 1648 A	14	APSA 1621 ()	16
AG1B3990	39	APCA 1660	13	APSA 1624 ()	16
AG1B3996	39	APCA 1660 A	14	APSA 1633 ()	16
AG1B4920	39	APCA 1672	13	APSA 1636 ()	16
AG1B4924	39	APCA 1672 A	14	APSA 1645 ()	16
AG1B4930	39	APCA 1812	13	APSA 1648 ()	16
AG1B4936	39	APCA 1812 A	14	APSA 1657 ()	16
AG1B4942	39	APCA 1824	13	APSA 1660 ()	16
AG1B4948	39	APCA 1824 A	14	APSA 1669 ()	16
AG1B4954	39	APCA 1836	13	APSA 1672 ()	16
AG1B4960	39	APCA 1836 A	14	APT1 C24 ()	9
AG1B4966	39	APCA 1848	13	APT1 C36 ()	9
AG1B4972	39	APCA 1848 A	14	APT1 C48 ()	9
AG1B4978	39	APCA 1860	13	APT1 C60 ()	9
AG1B4984	39	APCA 1860 A	14	APT1 C72 ()	9
AG1B4990	39	APCA 1872	13	APTA 48 ()	8
AG1B4996	39	APCA 1872 A	14	APTA 60 ()	8
AHHS36 ()	88	APCA 2712	13	APTA 72 ()	8
AHHS42 ()	88	APCA 2712 A	14	APTA C24 ()	9
AHHS48 ()	88	APCA 2724	13	APTA C36 ()	9
AHHS54 ()	88	APCA 2724 A	14	APTA C48 ()	9
AHHS60 ()	88	APCA 2736	13	APTA C60 ()	9
AHHS66 ()	88	APCA 2736 A	14	APTA C72 ()	9
AHHS72 ()	88	APCA 2748	13	APTA CC ()	9
AHHS78 ()	88	APCA 2748 A	14	APTA CC1 ()	9
AHHS84 ()	88	APCA 2760	13	APTH ()	10
AHHS90 ()	88	APCA 2760 A	14	APTH 120 ()	8
AHHS96 ()	88	APCA 2772	13	APTH 48 ()	8
APA 39	7	APCA 2772 A	14	APTH 60 ()	8
APA 48	7	APCA AZ48 ()	12	APTH 72 ()	8
APCA 0912	13	APCA AZ48S ()	11	APTH 96 ()	8
APCA 0912 A	14	APCA AZ60 ()	12	APTL ()	9
APCA 0912 C ()	15	APCA AZ60S ()	11	APTL 120 ()	8
APCA 0912 S ()	15	APCA AZ72 ()	12	APTL 48 ()	8
APCA 0924	13	APCA AZ72S ()	11	APTL 60 ()	8
APCA 0924 A	14	APCA HOC ()	18	APTL 72 ()	8
APCA 0924 C ()	15	APCA HOC ()	37	APTL 96 ()	8
APCA 0924 S ()	15	APCA OC ()	18	APTL26 ()	87
APCA 0936	13	APCOCF ()	18	APTL27 ()	87
APCA 0936 A	14	APF 1848	41	APTL28 ()	87
APCA 0936 C ()	15	APF 1860	41	APX CIP4 ()	36
APCA 0936 S ()	15	APF 1872	41	APX CIP4 ()	48
APCA 0948	13	APFA1 3948	7	APX CIP6 ()	48
APCA 0948 A	14	APFA1 3960	7	APX CIP8 ()	48
APCA 0948 C ()	15	APFA1 3972	7	AR OF	48
APCA 0948 S ()	15	APFA1 4848	7	AR1 DA	32
APCA 0960	13	APFA1 4860	7	AR1 DA	34
APCA 0960 A	14	APFA1 4872	7	AR1 DB	32
APCA 0960 C ()	15	APRA 480 ()	8	AR1 DB	34
APCA 0960 S ()	15	APRA 600 ()	8	AR1 DC	34
APCA 0972	13	APRA 720 ()	8	AR1 DX	32
APCA 0972 A	14	APSA 0921 ()	16	AR1 DX	34
APCA 0972 C ()	15	APSA 0924 ()	16	AR1 DY	32
APCA 0972 S ()	15	APSA 0933 ()	16	AR1 DY	34
APCA 1612	13	APSA 0936 ()	16	AR1 DZ	34

Alpha-Numeric Index

AR1 EJ1	33	ATA1R36 () () ()	78	ATDT1LPM723027(L/M/V) () () ()	81
AR1 EJ10	33	ATA1R42 () () ()	78	ATDT1LPM723028(L/M/V) () () ()	81
AR1 EJ12	33	ATA1R48 () () ()	78	ATDT1LPM723627(L/M/V) () () ()	81
AR1 EJ2	33	ATA1T44242 () () ()	78	ATDT1LPM723628(L/M/V) () () ()	81
AR1 EJ3	33	ATA1T44830 () () ()	78	ATDT1LPS483027(L/M/V) () () ()	82
AR1 EJ4	33	ATA1T44848 () () ()	78	ATDT1LPS483028(L/M/V) () () ()	82
AR1 EJ5	33	ATA1T46030 () () ()	78	ATDT1LPS603027(L/M/V) () () ()	82
AR1 EJ6	33	ATA1T47230 () () ()	78	ATDT1LPS603028(L/M/V) () () ()	82
AR1 EJ8	33	ATA1T47236 () () ()	78	ATDT1LPS723027(L/M/V) () () ()	82
AR1 EOM	32	ATARLL3627(L/M/V) () ()	79	ATDT1LPS723028(L/M/V) () () ()	82
AR1 EPH1	32	ATARLL3628(L/M/V) () ()	79	ATDT4LL483027(L/M/V) () ()	80
AR1 EPH2	32	ATARLL4227(L/M/V) () ()	79	ATDT4LL483028(L/M/V) () ()	80
AR1 EPHF	45	ATARLL4228(L/M/V) () ()	79	ATDT4LL603027(L/M/V) () ()	80
AR1 EPI5	32	ATARLL4827(L/M/V) () ()	79	ATDT4LL603028(L/M/V) () ()	80
AR1 EPIC	32	ATARLL4828(L/M/V) () ()	79	ATDT4LL723027(L/M/V) () ()	80
AR1 HCC H10	36	ATAT4LL424227(L/M/V) () ()	79	ATDT4LL723028(L/M/V) () ()	80
AR1 HCC H10	48	ATAT4LL424228(L/M/V) () ()	79	ATDT4LL723627(L/M/V) () ()	80
AR1 HOB	18	ATAT4LL484827(L/M/V) () ()	79	ATDT4LL723628(L/M/V) () ()	80
AR1 HOB	37	ATAT4LL484828(L/M/V) () ()	79	AUA1 0824 G ()	38
AR1 HOB2	18	ATDT1LFM483027(L/M/V) () () ()	81	AUA1 0836 G ()	38
AR1 HOB2	37	ATDT1LFM483028(L/M/V) () () ()	81	AUA1 0848 G ()	38
AR1 PCC 100	36	ATDT1LFM603027(L/M/V) () () ()	81	AUA1 0860 G ()	38
AR1 RCM 10	48	ATDT1LFM603028(L/M/V) () () ()	81	AUA1 0872 G ()	38
AR1 TJ1	35	ATDT1LFS483027(L/M/V) () () ()	82	AUA1 1224 G ()	38
AR1 TJ10	35	ATDT1LFS483028(L/M/V) () () ()	82	AUA1 1236 G ()	38
AR1 TJ12	35	ATDT1LFS603027(L/M/V) () () ()	82	AUA1 1248 G ()	38
AR1 TJ2	35	ATDT1LFS603028(L/M/V) () () ()	82	AUA1 1260 G ()	38
AR1 TJ3	35	ATDT1LFS723027(L/M/V) () () ()	82	AUA1 1272 G ()	38
AR1 TJ4	35	ATDT1LFS723028(L/M/V) () () ()	82	AUA1 1524 G ()	38
AR1 TJ5	35	ATDT1LPM483027(L/M/V) () () ()	81	AUA1 1536 G ()	38
AR1 TJ6	35	ATDT1LPM483028(L/M/V) () () ()	81	AUA1 1548 G ()	38
AR1 TJ8	35	ATDT1LPM603027(L/M/V) () () ()	81	AUA1 1560 G ()	38
AR1 TOM	34	ATDT1LPM603028(L/M/V) () () ()	81	AUA1 1572 G ()	38
AR1 TPH1	34	ATDT1LRF1820 () () ()	52	AW1T1RF1820 () () ()	52
AR1 TPH2	34	ATDT1LRF1824 () () ()	53	AW1T1RF1824 () () ()	53
AR1 TPHF	45	ATDT1LRF1830 () () ()	54	AW1T1RF1830 () () ()	54
AR1 TPI5	34	ATDT1LRF1836 () () ()	55	AW1T1RF1836 () () ()	55
AR1 TPIC	34	ATDT1LRF2020 () () ()	52	AW1T1RF2020 () () ()	52
AR1-ELS-B	32	ATDT1LRF2024 () () ()	53	AW1T1RF2024 () () ()	53
AR1-ELS-B	34	ATDT1LRF2030 () () ()	54	AW1T1RF2030 () () ()	54
AR1VCM	45				
AR1VCM5	45				
AR1VCM6	45				
AROF	18				
AROF	37				
AS1 DPAD ()	49				
AS1 DPAD ()	50				
AS1 SPAD ()	49				
AS1 SPAD ()	50				
ASAMP1616 ()	56				
ASBF1 36 ()	51				
ASBF1 42 ()	51				
ASBF1 48 ()	51				
ASBS1 36 () ()	51				
ASBS1 42 () ()	51				
ASBS1 48 () ()	51				
ASBT1 36()	51				
ASBT1 42()	51				
ASBT1 48()	51				
AST()	90				
AT2TB (pair)	85				

Alpha-Numeric Index

AW1T2R6030 () () ()	61	AX1 S	22	AX1SED3939 () () ()	24
AW1T2R6036 () () ()	62	AX1 SWS39 ()	22	AX1SED4239 () ()	24
AW1T2R6042 () () ()	63	AX1 SWS48 ()	22	AX1SED4848 () () ()	24
AW1T2R6630 () () ()	61	AX1 T18 ()	42	AX1SED5039 () ()	24
AW1T2R6636 () () ()	62	AX1 V18 ()	42	AX1SED5048 () ()	24
AW1T2R6642 () () ()	63	AX1 X18	42	AX1SED5739 () ()	24
AW1T2R7230 () () ()	61	AX1 Y18 ()	43	AX1SED5748 () ()	24
AW1T2R7236 () () ()	62	AX1A C39 ()	19	AX1SED6439 () ()	24
AW1T2R7242 () () ()	63	AX1A C48 ()	19	AX1SED6448 () ()	24
AW1T2R7830 () () ()	61	AX1A C64 ()	19	AX1SED7848 () ()	24
AW1T2R7836 () () ()	62	AX1A EH39 ()	19	AX1SX39 A (L/C/P) () ()	25
AW1T2R7842 () () ()	63	AX1A EH48 ()	19	AX1SX48 A (L/C/P) () ()	25
AW1T2R8430 () () ()	61	AX1A EH64 ()	19	RBF	85
AW1T2R8436 () () ()	62	AX1A EL39 ()	19	X-APX CIP6 ()	36
AW1T2R8442 () () ()	63	AX1A EL48 ()	19	X-APX CIP8 ()	36
AW1T2R9030 () () ()	61	AX1A EL64 ()	19		
AW1T2R9036 () () ()	62	AX1A F18H ()	44		
AW1T2R9042 () () ()	63	AX1A F18L ()	44		
AW1T2R9636 () () ()	62	AX1A L39 () ()	20		
AW1T2R9642 () () ()	63	AX1A L48 () ()	20		
AW1T2W4823 () () ()	64	AX1A T39 () ()	20		
AW1T2W4832 () () ()	64	AX1A T48 () ()	20		
AW1T2W6023 () () ()	64	AX1A V39 () ()	20		
AW1T2W6032 () () ()	64	AX1A V48 () ()	20		
AW1T2W7226 () () ()	64	AX1A X39 ()	20		
AW1T2W7262 () () ()	64	AX1A X48 ()	20		
AWFL27()	87	AX1A Y39 () ()	21		
AWFL28()	87	AX1A Y48 () ()	21		
AWM1 S36	89	AX1DHES3600L(5)()	27		
AWM1 S42	89	AX1DHES3600R(5)()	27		
AWM1 S48	89	AX1DHES3603L(5)()	27		
AWM1 S60	89	AX1DHES3603R(5)()	27		
AWM1 S66	89	AX1DHES4200L(5)()	27		
AWM1 S72	89	AX1DHES4200R(5)()	27		
AWM1 S78	89	AX1DHES4203L(5)()	27		
AWM1 S84	89	AX1DHES4203R(5)()	27		
AWSOG ()	90	AX1DHES5000L(5)()	27		
AX1 F18 ()	44	AX1DHES5000R(5)()	27		
AX1 FF ()	41	AX1DHES5003L(5)()	27		
AX1 FWS 39	45	AX1DHES5003R(5)()	27		
AX1 FWS 48	45	AX1DHES5700L(5)()	28		
AX1 HLS4839 () ()	22	AX1DHES5700R(5)()	28		
AX1 L18 ()	42	AX1DHES5703L(5)()	28		
		AX1DHES5703R(5)()	28		
		AX1DHES6400L(5)()	28		
		AX1DHES6400R(5)()	28		
		AX1DHES6403L(5)()	28		
		AX1DHES6403R(5)()	28		
		AX1GES39 () ()	26		
		AX1GES48 () ()	26		
		AX1LEG ()	41		
		AX1LEG5 ()	41		
		AX1LEG6 ()	41		
		AX1SEA3939 () () ()	23		
		AX1SEA4239 () ()	23		
		AX1SEA4848 () () ()	23		
		AX1SEA4939 () ()	23		
		AX1SEA4948 () ()	23		
		AX1SEA6439 () ()	23		
		AX1SEA6448 () ()	23		
		AX1SEA7948 () ()	23		

Wall Mounting of Knoll Products

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

Wall Mounting of Knoll Products

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix ("2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$11
KBLANK	Shrouded Key Blank	\$11
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$23
KCHANGE	Change Key	\$11
HLKRKMASTER*	Master Key	\$14

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.