

Tone™

Price list
June 2025

Knoll

Price Adjustment Summary

- February 3, 2025: Veneer (all grades): +1%
- June 2, 2025: Average 5.25%

(see next page for details and examples)

Important :

This price book is for reference only and does not reflect current list pricing. Refer to the Specification Tool for the latest pricing and product-specific details. Exceptions may apply.

Price Adjustment Summary

Effective February 3, 2025

- Veneer (all grades): +1%

Effective June 2, 2025

- Bases: +5.25%
- Antenna Worksurfaces: +3.5%
- Reff Profiles Worksurfaces: +4.5%
- Dividends Horizon and Postform Worksurfaces: +4.25%
- AutoStrada Worksurfaces: +9%
- Accessories: +5.25%

To calculate:

- Veneer products: apply 1% adjustment (Feb) before applying June adjustment.
- Non-Veneer products: apply June adjustment only.

Estimating Updated Pricing

Product Price	List	Adjustment Steps	Final Estimate
Veneer	\$1,140	×1.01 (Feb) → ×1.045 (June)	\$1,203
Non veneer	\$605	×1.045 (June only)	\$632

Important:

This price book is for reference only and does not reflect current list pricing.

Refer to the ***Specification Tool*** for the latest pricing and product-specific details.
Exceptions may apply.

Introduction

Finish Options	1
Height Adjustable Tables	3

Bases

Standard Electric	4
Extended Electric	12
Handcrank	19
Extended Handcrank	22
Pin-Set	25
Fixed Height	29

Tops

Antenna Workspaces Worksurfaces	33
AutoStrada Worksurfaces	39
Dividends Horizon Worksurfaces	41
Postform Worksurfaces	48
Reff Profiles Worksurfaces	51

Accessories

Accessories	56
-----------------------	----

Alpha Numeric Index

Alpha Numeric Index	60
-------------------------------	----

Base Finish Options

8Q	Fokstone Grey (CP)
91	White (CP)
98	Studio White (CP)
112	Brown
115	Medium Grey
116	Sandstone
118	Bright White @
611	Beige Mist Metallic (CP)
612	Medium Metallic Grey(CP)
613	Silver (CP)
CRB	Carbon (CP)
G1	Graphite (CP)
WL	Warm Stone (CP)
UBK	Ultra Black (CP)

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

Gloss Level	Fill Level
A Low Gloss	Closed Pore
B MediumGloss	Closed Pore
C High Gloss	Closed Pore
D Low Gloss	Open Pore
E Medium Gloss	Open Pore
F High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

*Note:

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate Surface / Edge

8Q	Folkstone Grey ** (CP)
91	White ** (CP)
98	Studio White ** (CP)
115	Medium Grey **
118	Bright White ** @
WL	Warm Stone ** (CP)
UBK	Ultra Black (CP)

****Melamine finish.**

Products manufactured in Melamine are available in High Pressure Laminate at a 15% upcharge. Contact customfinish@knoll.com for information on how to specify.

Note: All core Laminate worksurfaces are available with matching and non matching edges.
ie; A worksurface in 119 can have 139 edge finish.

Wood Grain Laminates Surface / Edge

125	Natural Maple** (CP)
126	Natural Cherry ** (CP)
127	Walnut** (CP)
139	Light Ash** (CP)
140	Warm Ash** (CP)
141	Whitened Ash**
142	Grey Ash**
143	Classic Oak**
144	Graphite Pear**
LBA	Clear on Ash ** (CP)
LBB	Oak on Ash ** (CP)
LBC	Walnut on Ash ** (CP)
LBU	Medium Matte Walnut ** (CP)

Additional Edge Options

for Laminate worksurfaces (only):
WPLY Ply Edge - Wood (V1 Pricing)
SPLY Ply edge - Synthetic (L Pricing)

The following Central Palette Laminates feature a woodgrain textured surface for HPL only:
LBA – Clear on Ash,
LBB – Oak on Ash,
LBC – Walnut on Ash.
TFL (Melamine) versions of these laminates have a smooth surface.

Impact Resistant Laminate Core & Wood Grain Laminates

Surface - Edge

911	Jet Black
918	Bright White @
925	Natural Maple
926	Natural Cherry
927	Walnut (CP)

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25%Upcharge applies to te laminate pricing for the Impact Resistant Laminates.

Note:

@ = Limited Availability

CP = Central Palette

Note: For Reff Profiles, AutoStrada and Antenna / Telescope you can chose from V1, V2 and V3. For Dividends Horizon you can chose from V1 only.

Please refer to individual price lists for detailed information on finish options.

Tone Height-Adjustable Tables

Base Types and Height Ranges

Tone Height-Adjustable Tables

Tone is available in six base types with a range of height-adjustability options to meet a variety of workplace needs. Tone Height-Adjustable Tables are available in four height-adjustable options that are controlled by the user - Electric, Extended Electric, Handcrank and Extended Handcrank. Both types of Electric bases have button controls on the front edge of the base underneath the top to adjust the top up and down. Handcrank table bases have a handle on the front of the table underneath the top that turns to adjust the height of the table. Pin-Set bases adjust with the placement of a pin in each leg to create the appropriate height worksurface for each user - this adjustment is not adjustable by the user. A fixed-height option is also available.

The energy use per electric Tone table during operation ranges from 180-320 Watts, which translates to 1.5-3.2 Amps. Energy consumption during standby is .45 Watts, which translates to .00375 Amps. Power requirements and usage per table: 120-240V, 50-60 HZ; 3.2 amp 120V running draw.

Base Types	Fixed	Pin-Set	Handcrank	Extended Handcrank	Electric	Extended Electric
Height Range *	26.8"	25.8"- 40.8"	25.6"- 42.1"	21.6"- 47.8"	25.6"- 42.1"	21.6" - 47.8"
Adjustments	N/A	1" increments	6 turns per inch	6 turns per inch	1-2" per second	1-2" per second
Load Capacity (Rectangular)	265 lbs.	265 lbs.	135 lbs.	135 lbs.	265 lbs.	265 lbs.
Load Capacity (Corner and 120°)	395 lbs.	395 lbs.	N/A	N/A	395 lbs.	395 lbs.

* Height ranges shown do not include top thickness


* Heights above are for Tone with glides. Casters raise the table 1 1/8"

Published heights are measured to the underside of the worksurface. When planning with storage or other object under the desk, account for 2 1/2" of base structure. Do not specify items that interfere with the travel of the table.

A 15" worksurface overhang is permitted on one or both sides.

Standard Electric Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCEF3522 () ()	\$3,715.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCEF4122 () ()	\$3,715.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCEF4722 () ()	\$3,715.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCEF5322 () ()	\$3,715.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCEF5922 () ()	\$3,748.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCEF6522 () ()	\$3,748.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCEF7122 () ()	\$3,748.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCEF3528 () ()	\$3,779.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCEF4128 () ()	\$3,779.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCEF4728 () ()	\$3,779.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCEF5328 () ()	\$3,779.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCEF5928 () ()	\$3,813.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCEF6528 () ()	\$3,813.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCEF7128 () ()	\$3,813.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg Bases Example: TBCEF5328GD613 TB Tone Base C C-Leg E Electric F Fixed Width 53 Width 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Standard Electric Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list price
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTEF4128 () ()	\$3,779.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTEF4728 () ()	\$3,779.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTEF5328 () ()	\$3,779.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTEF5928 () ()	\$3,813.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTEF6528 () ()	\$3,813.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	28"	TBTEF7128 () ()	\$3,813.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg Bases Example: TBCEF5328GD613 TB Tone Base C C-Leg E Electric F Fixed Width 53 Width 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Standard Electric Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
Corner Base 	For use with 48"W Corner Top	48"	44"	16"	TBKEF444416 () ()	\$5,265.
120° Base 	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVEF454516 () ()	\$5,265.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVEF515116 () ()	\$5,298.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVEF575716 () ()	\$5,330.


* Nominal width

Order Code	Specification Information	Application Notes
T-Leg Bases Example: TBCEF5328GD613 TB Tone Base C C-Leg E Electric F Fixed Width 53 Width 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Standard Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
	For use with 42"W, 24"D C-Leg Top	42"	35"	23"	TBCEF3523 () ()	\$3,715.
	For use with 48"W, 24"D C-Leg Top	48"	41"	23"	TBCEF4123 () ()	\$3,715.
	For use with 54"W, 24"D C-Leg Top	54"	47"	23"	TBCEF4723 () ()	\$3,715.
	For use with 60"W, 24"D C-Leg Top	60"	53"	23"	TBCEF5323 () ()	\$3,715.
	For use with 66"W, 24"D C-Leg Top	66"	59"	23"	TBCEF5923 () ()	\$3,748.
	For use with 72"W, 24"D C-Leg Top	72"	65"	23"	TBCEF6523 () ()	\$3,748.
	For use with 78"W, 24"D C-Leg Top	78"	71"	23"	TBCEF7123 () ()	\$3,748.
	For use with 42"W, 30"D C-Leg Top	42"	35"	29"	TBCEF3529 () ()	\$3,779.
	For use with 48"W, 30"D C-Leg Top	48"	41"	29"	TBCEF4129 () ()	\$3,779.
	For use with 54"W, 30"D C-Leg Top	54"	47"	29"	TBCEF4729 () ()	\$3,779.
	For use with 60"W, 30"D C-Leg Top	60"	53"	29"	TBCEF5329 () ()	\$3,779.
	For use with 66"W, 30"D C-Leg Top	66"	59"	29"	TBCEF5929 () ()	\$3,813.
	For use with 72"W, 30"D C-Leg Top	72"	65"	29"	TBCEF6529 () ()	\$3,813.
	For use with 78"W, 30"D C-Leg Top	78"	71"	29"	TBCEF7129 () ()	\$3,813.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEF5328GD613 TB Tone Base C C-Leg E Electric F Fixed Width 53 Width 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screens are specified.

Standard Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	30"	TBTEF4130 () ()	\$3,779.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	30"	TBTEF4730 () ()	\$3,779.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	30"	TBTEF5330 () ()	\$3,779.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	30"	TBTEF5930 () ()	\$3,813.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	30"	TBTEF6530 () ()	\$3,813.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	30"	TBTEF7130 () ()	\$3,813.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEF5328GD613 TB Tone Base C C-Leg E Electric F Fixed Width 53 Width 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screens are specified.

Standard Electric Adjustable Width Base



Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCEAS22 () ()	\$3,878.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCEAM22 () ()	\$3,910.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCEAL22 () ()	\$3,943.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCEAS28 () ()	\$3,972.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCEAM28 () ()	\$4,005.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCEAL28 () ()	\$4,039.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTEAS28 () ()	\$3,972.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTEAM28 () ()	\$4,005.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTEAL28 () ()	\$4,039.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEAS28GD613 TB Tone Base C C-Leg E Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Standard Electric Adjustable Width Base

Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Medium - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKEAM16 () ()	\$5,361.
	Small - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKEAS16 () ()	\$5,330.
	Small/Medium - For use with Extended Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKEASM16 () ()	\$5,361.
120° Base	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVEAS16 () ()	\$5,361.
					

Order Code	Specification Information	Application Notes
Example: TBCEAS28GD613 TB Tone Base C C-Leg E Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Standard Electric Adjustable Width Base, Extended Heel


Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	23"	TBCEAS23 () ()	\$3,878.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	23"	TBCEAM23 () ()	\$3,910.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	23"	TBCEAL23 () ()	\$3,943.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	29"	TBCEAS29 () ()	\$3,972.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	29"	TBCEAM29 () ()	\$4,005.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	29"	TBCEAL29 () ()	\$4,039.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	30"	TBTEAS30 () ()	\$3,972.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	30"	TBTEAM30 () ()	\$4,005.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	30"	TBTEAL30 () ()	\$4,039.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEAS28GD613 TB Tone Base C C-Leg E Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Extended Electric Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCEXF3522 () ()	\$4,557.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCEXF4122 () ()	\$4,557.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCEXF4722 () ()	\$4,557.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCEXF5322 () ()	\$4,557.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCEXF5922 () ()	\$4,589.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCEXF6522 () ()	\$4,589.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCEXF7122 () ()	\$4,589.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCEXF3528 () ()	\$4,620.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCEXF4128 () ()	\$4,620.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCEXF4728 () ()	\$4,620.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCEXF5328 () ()	\$4,620.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCEXF5928 () ()	\$4,650.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCEXF6528 () ()	\$4,650.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCEXF7128 () ()	\$4,650.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEXF4722CS613 TB Tone Base C C-Leg EX Extended Electric F Fixed Width 47 Width 22 Depth C Casters S Standard Display 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Extended Electric Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTEXF4128 () ()	\$4,620.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTEXF4728 () ()	\$4,620.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTEXF5328 () ()	\$4,620.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTEXF5928 () ()	\$4,650.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTEXF6528 () ()	\$4,650.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	28"	TBTEXF7128 () ()	\$4,650.
	For use with 48"W Corner Top	48"	44"	16"	TBKEXF444416 () ()	\$6,461.
	For use with 48"W, 120° Tops up to 30"D	48"	45"	16"	TBVEXF454516 () ()	\$6,299.
	For use with 54"W, 120° Tops up to 30"D	54"	51"	16"	TBVEXF515116 () ()	\$6,398.
	For use with 60"W, 120° Tops up to 30"D	60"	57"	16"	TBVEXF575716 () ()	\$6,463.


* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEXF4722CS613 TB Tone Base C C-Leg EX Extended Electric F Fixed Width 47 Width 22 Depth C Casters S Standard Display 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Extended Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
	For use with 42"W, 24"D C-Leg Top	42"	35"	23"	TBCEXF3523 () ()	\$4,557.
	For use with 48"W, 24"D C-Leg Top	48"	41"	23"	TBCEXF4123 () ()	\$4,557.
	For use with 54"W, 24"D C-Leg Top	54"	47"	23"	TBCEXF4723 () ()	\$4,557.
	For use with 60"W, 24"D C-Leg Top	60"	53"	23"	TBCEXF5323 () ()	\$4,557.
	For use with 66"W, 24"D C-Leg Top	66"	59"	23"	TBCEXF5923 () ()	\$4,589.
	For use with 72"W, 24"D C-Leg Top	72"	65"	23"	TBCEXF6523 () ()	\$4,589.
	For use with 78"W, 24"D C-Leg Top	78"	71"	23"	TBCEXF7123 () ()	\$4,589.
	For use with 42"W, 30"D C-Leg Top	42"	35"	29"	TBCEXF3529 () ()	\$4,620.
	For use with 48"W, 30"D C-Leg Top	48"	41"	29"	TBCEXF4129 () ()	\$4,620.
	For use with 54"W, 30"D C-Leg Top	54"	47"	29"	TBCEXF4729 () ()	\$4,620.
	For use with 60"W, 30"D C-Leg Top	60"	53"	29"	TBCEXF5329 () ()	\$4,620.
	For use with 66"W, 30"D C-Leg Top	66"	59"	29"	TBCEXF5929 () ()	\$4,650.
	For use with 72"W, 30"D C-Leg Top	72"	65"	29"	TBCEXF6529 () ()	\$4,650.
	For use with 78"W, 30"D C-Leg Top	78"	71"	29"	TBCEXF7129 () ()	\$4,650.


* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEXF4722CS613 TB Tone Base C C-Leg EX Extended Electric F Fixed Width 47 Width 22 Depth C Casters S Standard Display 613 Silver Finish	- Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. - Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. - Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Extended Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list
30" Deep T-Leg Bases 	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	30"	TBTEXF4130 () ()	\$4,620.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	30"	TBTEXF4730 () ()	\$4,620.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	30"	TBTEXF5330 () ()	\$4,620.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	30"	TBTEXF5930 () ()	\$4,650.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	30"	TBTEXF6530 () ()	\$4,650.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	30"	TBTEXF7130 () ()	\$4,650.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCEXF4722CS613 TB Tone Base C C-Leg EX Extended Electric F Fixed Width 47 Width 22 Depth C Casters S Standard Display 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Extended Electric Adjustable Width Base



Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCEXAS22 () ()	\$4,715.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCEXAM22 () ()	\$4,749.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCEXAL22 () ()	\$4,781.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCEXAS28 () ()	\$4,813.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCEXAM28 () ()	\$4,845.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCEXAL28 () ()	\$4,879.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTexas28 () ()	\$4,813.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTexasM28 () ()	\$4,845.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTexasL28 () ()	\$4,879.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBTexas28GD613 TB Tone Base T T-Leg EX Extended Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Extended Electric Adjustable Width Base


Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKEXAS16 () ()	\$6,589.
	Medium - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKEXAM16 () ()	\$6,623.
	Small/Medium - For use with Extended Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKEXASM16 () ()	\$6,623.
	For use with 48", 54" and 60"W 120° Tops up to 30"D	43 1/4" - 58 1/2"	16"	TBVEXAS16 () ()	\$6,460.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBTEXAS28GD613 TB Tone Base T T-Leg EX Extended Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Extended Electric Adjustable Width Base, Extended Heel



Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	23"	TBCEXAS23 () ()	\$4,715.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	23"	TBCEXAM23 () ()	\$4,749.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	23"	TBCEXAL23 () ()	\$4,781.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	29"	TBCEXAS29 () ()	\$4,813.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	29"	TBCEXAM29 () ()	\$4,845.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	29"	TBCEXAL29 () ()	\$4,879.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	30"	TBTexas30 () ()	\$4,813.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	30"	TBTexasM30 () ()	\$4,845.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	30"	TBTexasL30 () ()	\$4,879.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBTEXAS28GD613 TB Tone Base T T-Leg EX Extended Electric A Adjustable Width S Small 28 Depth G Glides D Digital Control Switch 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Control Switch: "S" specifies the Standard Up/Down Switch. "TR" specifies the red Toggle Switch. "TG" specifies the grey Toggle Switch. An upcharge of \$110 applies to the "Toggle Switch option". "D" specifies the Digital Control Switch with programmable setting. Add \$351 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered. 3. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D. Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Handcrank Fixed Width

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCHF3522 () ()	\$2,946.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCHF4122 () ()	\$2,946.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCHF4722 () ()	\$2,946.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCHF5322 () ()	\$2,946.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCHF5922 () ()	\$2,976.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCHF6522 () ()	\$2,976.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCHF7122 () ()	\$2,976.
	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCHF3528 () ()	\$3,010.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCHF4128 () ()	\$3,010.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCHF4728 () ()	\$3,010.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCHF5328 () ()	\$3,010.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCHF5928 () ()	\$3,041.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCHF6528 () ()	\$3,041.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCHF7128 () ()	\$3,041.

* Nominal width

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg H Handcrank F Fixed Width 35 Width 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Handcrank Fixed Width

Tone Height Adjustable Tables


description	type	w*	w	d	pattern no.	list
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTHF4128 () ()	\$3,010.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTHF4728 () ()	\$3,010.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTHF5328 () ()	\$3,010.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTHF5928 () ()	\$3,041.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTHF6528 () ()	\$3,041.

* Nominal width

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg H Handcrank F Fixed Width 35 Width 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Handcrank Adjustable Width



Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	22"	TBCHAS22 () ()	\$3,041.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	22"	TBCHAM22 () ()	\$3,074.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	22"	TBCHAL22 () ()	\$3,105.
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBCHAS28 () ()	\$3,136.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	28"	TBCHAM28 () ()	\$3,166.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	28"	TBCHAL28 () ()	\$3,197.
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBTHAS28 () ()	\$3,136.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	28"	TBTHAM28 () ()	\$3,166.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	28"	TBTHAL28 () ()	\$3,197.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg H Handcrank A Adjustable Width M Medium 22 Depth G Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Extended Handcrank Fixed Width

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCHXF3522 () ()	\$3,704.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCHXF4122 () ()	\$3,704.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCHXF4722 () ()	\$3,704.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCHXF5322 () ()	\$3,704.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCHXF5922 () ()	\$3,739.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCHXF6522 () ()	\$3,739.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCHXF7122 () ()	\$3,739.
	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCHXF3528 () ()	\$3,769.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCHXF4128 () ()	\$3,769.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCHXF4728 () ()	\$3,769.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCHXF5328 () ()	\$3,769.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCHXF5928 () ()	\$3,800.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCHXF6528 () ()	\$3,800.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCHXF7128 () ()	\$3,800.


* Nominal width

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg HX Extended Handcrank F Fixed Width 35 Width 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Extended Handcrank

Fixed Width

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTHXF4128 () ()	\$3,769.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTHXF4728 () ()	\$3,769.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTHXF5328 () ()	\$3,769.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTHXF5928 () ()	\$3,800.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTHXF6528 () ()	\$3,800.

* Nominal width

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg HX Extended Handcrank F Fixed Width 35 Width 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Extended Handcrank Adjustable Width

Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	22"	TBCHXAS22 (X)	\$3,895.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	22"	TBCHXAM22 (X)	\$3,925.
	Large - For use with 66" - 72"W Tops	61 1/4" - 89 1/4"	22"	TBCHXAL22 (X)	\$3,959.
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBCHXAS28 (X)	\$3,925.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	28"	TBCHXAM28 (X)	\$3,959.
	Large - For use with 66" - 72"W Tops	61 1/4" - 89 1/4"	28"	TBCHXAL28 (X)	\$3,990.
	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBTHXAS28 (X)	\$3,925.
	Medium - For use with 30" - 54"W Tops	41 3/4" - 69 1/4"	28"	TBTHXAM28 (X)	\$3,959.
	Large - For use with 30" - 54"W Tops	61 1/4" - 89 1/4"	28"	TBTHXAL28 (X)	\$3,990.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases Example: TBCHF3522C613 TB Tone Base C C-Leg HX Extended Handcrank A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy screen can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.

Pin-Set Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list price
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCPF3522 () ()	\$2,036.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCPF4122 () ()	\$2,036.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCPF4722 () ()	\$2,036.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCPF5322 () ()	\$2,036.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCPF5922 () ()	\$2,068.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCPF6522 () ()	\$2,068.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCPF7122 () ()	\$2,068.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCPF3528 () ()	\$2,101.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCPF4128 () ()	\$2,101.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCPF4728 () ()	\$2,101.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCPF5328 () ()	\$2,101.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCPF5928 () ()	\$2,132.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCPF6528 () ()	\$2,132.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCPF7128 () ()	\$2,132.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCPF4722G,613 TB Tone Base C C-Leg P Pin-Set F Fixed Width 47 Width 22 Depth G Glides 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.
		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support 48" Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Pin-Set Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list price
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTPF4128 () ()	\$2,101.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTPF4728 () ()	\$2,101.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTPF5328 () ()	\$2,101.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTPF5928 () ()	\$2,132.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTPF6528 () ()	\$2,132.
	For use with 48"W Corner Top	48"	44"	16"	TBKP444416 () ()	\$3,035.
	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVPF454516 () ()	\$3,035.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVPF515116 () ()	\$3,070.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVPF575716 () ()	\$3,100.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCPF4722G,613 TB Tone Base C C-Leg P Pin-Set F Fixed Width 47 Width 22 Depth G Glides 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.
22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support 48" Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.		

Pin-Set Adjustable Width Base

Tone Height Adjustable Tables



description	type	w*	d	pattern no.	list price
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCPAS22 () ()	\$2,132.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCPAM22 () ()	\$2,164.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCPAL22 () ()	\$2,196.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCPAS28 () ()	\$2,229.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCPAM28 () ()	\$2,262.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCPAL28 () ()	\$2,294.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTPAS28 () ()	\$2,229.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTPAM28 () ()	\$2,262.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTPAL28 () ()	\$2,294.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCPAM22C,613 TB Tone Base C C-Leg P Pin-Set A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides. 22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Pin-Set Adjustable Width Base

Tone Height Adjustable Tables


description	type	w*	d	pattern no.	list price
	Small - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKPAS16 () ()	\$3,103.
	Medium - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKPAM16 () ()	\$3,135.
	Small/Medium - For use with Extended corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKPASM16 () ()	\$3,135.
120° Base	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVPAS16 () ()	\$3,135.
					

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCPAM22C,613 TB Tone Base C C-Leg P Pin-Set A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.
22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.		

Fixed Height Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list price
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCFF3522 () ()	\$1,713.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCFF4122 () ()	\$1,713.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCFF4722 () ()	\$1,713.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCFF5322 () ()	\$1,713.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCFF5922 () ()	\$1,743.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCFF6522 () ()	\$1,743.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCFF7122 () ()	\$1,743.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCFF3528 () ()	\$1,776.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCFF4128 () ()	\$1,776.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCFF4728 () ()	\$1,776.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCFF5328 () ()	\$1,776.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCFF5928 () ()	\$1,808.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCFF6528 () ()	\$1,808.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCFF7128 () ()	\$1,808.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCFF4722G,613 TB Tone Base C C-Leg F Fixed F Fixed Width 47 Width 22 Depth G Glides 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.
		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Fixed Height Fixed Width Base

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list price
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTFF4128 () ()	\$1,776.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTFF4728 () ()	\$1,776.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTFF5328 () ()	\$1,776.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTFF5928 () ()	\$1,808.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTFF6528 () ()	\$1,808.
	For use with 48"W Corner Top	48"	44"	16"	TBKFF444416 () ()	\$2,488.
	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVFF454516 () ()	\$2,488.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVFF515116 () ()	\$2,518.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVFF575716 () ()	\$2,552.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCFF4722G,613 TB Tone Base C C-Leg F Fixed F Fixed Width 47 Width 22 Depth G Glides 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.
22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120° tops up to 30"D.		

Fixed Height Adjustable Width Base

Tone Height Adjustable Tables

description	type	w*	d	pattern no.	list price
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCFAS22 (X)	\$1,808.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCFAM22 (X)	\$1,841.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCFAL22 (X)	\$1,874.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCFAS28 (X)	\$1,904.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCFAM28 (X)	\$1,937.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCFAL28 (X)	\$1,968.
	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTFAS28 (X)	\$1,904.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTFAM28 (X)	\$1,937.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTFAL28 (X)	\$1,968.



* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCFAM22C,613 TB Tone Base C C-Leg F Fixed A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120" bases support 120" tops up to 30"D.

Fixed Height Adjustable Width Base

Tone Height Adjustable Tables

description	type	w*	d	pattern no.	list price
	Small - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKFAS16 () ()	\$2,647.
	Medium - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKFAM16 () ()	\$2,681.
	Small/Medium - For use with Extended corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKFASM16 () ()	\$2,681.
	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVFAS16 () ()	\$2,681.

* Nominal width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases Example: TBCFAM22C,613 TB Tone Base C C-Leg F Fixed A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$76 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy Screens can only be specified with glides.


22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Antenna Workspaces Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
 Antenna C-Leg Tops, 24" Deep	For use with 24"D C-Leg Base	42"	39"	24"	1 1/4"	TTYR3924()	\$405.	\$751.	\$865.	\$1,163.
	For use with 24"D C-Leg Base	42"	39"	24"	1 1/4"	TTYR3924()	\$421.	\$781.	\$900.	\$1,210.
	For use with 24"D C-Leg Base	54"	51"	24"	1 1/4"	TTYR5124()	\$511.	\$868.	\$999.	\$1,349.
	For use with 24"D C-Leg Base	60"	57"	24"	1 1/4"	TTYR5724()	\$552.	\$924.	\$1,065.	\$1,437.
	For use with 24"D C-Leg Base	66"	63"	24"	1 1/4"	TTYR6324()	\$595.	\$963.	\$1,106.	\$1,494.
	For use with 24"D C-Leg Base	72"	69"	24"	1 1/4"	TTYR6924()	\$621.	\$998.	\$1,151.	\$1,551.
	For use with 24"D C-Leg Base	78"	69"	24"	1 1/4"	TTYR7524()	\$671.	\$1,045.	\$1,205.	\$1,623.

* Nominal width



Order Code	Application Notes	Options
Example: TTYR5724L118118 TT Tone Top Y Antenna R Rectangular 57 Width 24 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. 120° Tops are for use with 16"D 3-legged 120° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Antenna Workspaces Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
Antenna C-Leg and T-Leg Tops, 30" Deep 	For use with 30"D C-Leg Base	42"	39"	30"	1 1/4"	TTYR3930()	\$497.	\$853.	\$980.	\$1,322.
	For use with 30"D C-Leg or T-Leg Bases	48"	45"	30"	1 1/4"	TTYR4530()	\$552.	\$917.	\$1,056.	\$1,421.
	For use with 30"D C-Leg or T-Leg Bases	54"	51"	30"	1 1/4"	TTYR5130()	\$627.	\$972.	\$1,115.	\$1,506.
	For use with 30"D C-Leg or T-Leg Bases	60"	57"	30"	1 1/4"	TTYR5730()	\$687.	\$1,025.	\$1,177.	\$1,595.
	For use with 30"D C-Leg or T-Leg Bases	66"	63"	30"	1 1/4"	TTYR6330()	\$771.	\$1,045.	\$1,205.	\$1,623.
	For use with 30"D C-Leg or T-Leg Bases	72"	69"	30"	1 1/4"	TTYR6930()	\$795.	\$1,081.	\$1,244.	\$1,682.
	For use with 30"D C-Leg or T-Leg Bases	78"	75"	30"	1 1/4"	TTYR7530()	\$852.	\$1,142.	\$1,293.	\$1,751.
Antenna T-Leg Tops, 36" Deep 	For use with 30"D T-Leg Base	48"	45"	36"	1 1/4"	TTYR4536()	\$605.	\$991.	\$1,140.	\$1,535.
	For use with 30"D T-Leg Base	54"	51"	36"	1 1/4"	TTYR5136()	\$685.	\$1,045.	\$1,205.	\$1,623.
	For use with 30"D T-Leg Base	60"	57"	36"	1 1/4"	TTYR5736()	\$759.	\$1,100.	\$1,266.	\$1,708.
	For use with 30"D T-Leg Base	66"	63"	36"	1 1/4"	TTYR6336()	\$846.	\$1,155.	\$1,327.	\$1,790.
	For use with 30"D T-Leg Base	72"	69"	36"	1 1/4"	TTYR6936()	\$873.	\$1,210.	\$1,390.	\$1,879.
	For use with 30"D T-Leg Base	78"	75"	36"	1 1/4"	TTYR7536()	\$933.	\$1,266.	\$1,457.	\$1,964.

* Nominal width


Order Code	Application Notes	Options
Example: TTYR5724L118118 TT Tone Top Y Antenna R Rectangular 57 Width 24 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. 120° Tops are for use with 16"D 3-legged 120° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Antenna Workspaces Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
 Antenna 120° Tops	For use with 24"D C-Leg 120° Bases	48"	47"	24"	1 1/4"	TTYV4724()	\$1,210.	\$2,670.	\$3,069.	\$3,990.
	For use with 24"D C-Leg 120° Bases	54"	53"	24"	1 1/4"	TTYV5324()	\$1,290.	\$2,819.	\$3,246.	\$4,217.
	For use with 24"D C-Leg 120° Bases	60"	59"	24"	1 1/4"	TTYV5924()	\$1,492.	n/a	n/a	n/a
	For use with 27"D C-Leg 120° Bases	48"	47"	27"	1 1/4"	TTYV4727()	\$1,227.	\$2,712.	\$3,119.	\$4,057.
	For use with 27"D C-Leg 120° Bases	54"	53"	27"	1 1/4"	TTYV5327()	\$1,429.	n/a	n/a	n/a
	For use with 27"D C-Leg 120° Bases	60"	59"	27"	1 1/4"	TTYV5927()	\$1,515.	n/a	n/a	n/a

* Nominal width

Order Code	Application Notes	Options
Example: TTYR5724L118118 TT Tone Top Y Antenna R Rectangular 57 Width 24 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. 120° Tops are for use with 16"D 3-legged 120° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Antenna Workspaces Worksurfaces

Radiused Tops for C-Leg and T-Leg Tables

24", 30" and 36" Deep

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
 Antenna Rectangular Radiused 24" Deep	For use with 24"D C-Leg Base	42"	39"	24"	1 1/4"	TTYRC3924()	\$520.	\$961.	\$1,108.	\$1,492.
	For use with 24"D C-Leg Base	48"	45"	24"	1 1/4"	TTYRC4524()	\$581.	\$1,002.	\$1,154.	\$1,563.
	For use with 24"D C-Leg Base	54"	51"	24"	1 1/4"	TTYRC5124()	\$631.	\$1,070.	\$1,230.	\$1,664.
	For use with 24"D C-Leg Base	60"	57"	24"	1 1/4"	TTYRC5724()	\$679.	\$1,137.	\$1,314.	\$1,773.
	For use with 24"D C-Leg Base	66"	63"	24"	1 1/4"	TTYRC6324()	\$734.	\$1,186.	\$1,363.	\$1,842.
	For use with 24"D C-Leg Base	72"	69"	24"	1 1/4"	TTYRC6924()	\$763.	\$1,229.	\$1,421.	\$1,913.
	For use with 24"D C-Leg Base	78"	75"	24"	1 1/4"	TTYRC7524()	\$824.	\$1,289.	\$1,483.	\$2,002.

* Nominal width


Order Code	Application Notes	Options
Example: TTYRC5730L, 118, 118 TT Tone Top Y Antenna RC Rectangular Radiused Top 57 Width 30 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

Antenna Workspaces Worksurfaces

Radiused Tops for C-Leg and T-Leg Tables

24", 30" and 36" Deep

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
 Antenna Rectangular Radiused Tops, 30" Deep	For use with 30"D C-Leg or T-Leg Base	42"	39"	30"	1 1/4"	TTYRC3930()	\$615.	\$1,051.	\$1,210.	\$1,630.
	For use with 30"D C-Leg or T-Leg Bases	48"	45"	30"	1 1/4"	TTYRC4530()	\$679.	\$1,129.	\$1,301.	\$1,750.
	For use with 30"D C-Leg or T-Leg Bases	54"	51"	30"	1 1/4"	TTYRC5130()	\$771.	\$1,197.	\$1,377.	\$1,856.
	For use with 30"D C-Leg or T-Leg Bases	60"	57"	30"	1 1/4"	TTYRC5730()	\$850.	\$1,264.	\$1,453.	\$1,964.
	For use with 30"D C-Leg or T-Leg Bases	66"	63"	30"	1 1/4"	TTYRC6330()	\$948.	\$1,289.	\$1,453.	\$2,002.
	For use with 30"D C-Leg or T-Leg Bases	72"	69"	30"	1 1/4"	TTYRC6930()	\$981.	\$1,331.	\$1,532.	\$2,072.
	For use with 30"D C-Leg or T-Leg Bases	78"	75"	30"	1 1/4"	TTYRC7530()	\$1,150.	\$1,560.	\$1,794.	\$2,418.

* Nominal width


Order Code	Application Notes	Options
Example: TTYRC5730L, 118, 118 TT Tone Top Y Antenna RC Rectangular Radiused Top 57 Width 30 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

Antenna Workspaces Worksurfaces

Radiused Tops for C-Leg and T-Leg Tables

24", 30" and 36" Deep

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
 Antenna Rectangular Radiused Tops, 36" Deep	For use with 30"D T-Leg Base	48"	45"	36"	1 1/4"	TTYRC4536()	\$746.	\$1,219.	\$1,404.	\$1,891.
	For use with 30"D T-Leg Base	54"	51"	36"	1 1/4"	TTYRC5136()	\$847.	\$1,289.	\$1,483.	\$2,002.
	For use with 30"D T-Leg Base	60"	57"	36"	1 1/4"	TTYRC5736()	\$936.	\$1,347.	\$1,560.	\$2,104.
	For use with 30"D T-Leg Base	66"	63"	36"	1 1/4"	TTYRC6336()	\$1,040.	\$1,427.	\$1,636.	\$2,207.
	For use with 30"D T-Leg Base	72"	69"	36"	1 1/4"	TTYRC6936()	\$1,078.	\$1,492.	\$1,715.	\$2,318.
	For use with 30"D T-Leg Base	78"	75"	36"	1 1/4"	TTYRC7536()	\$1,150.	\$1,560.	\$1,794.	\$2,418.

* Nominal width


Order Code	Application Notes	Options
Example: TTYRC5730L, 118, 118 TT Tone Top Y Antenna RC Rectangular Radiused Top 57 Width 30 Depth L Laminate 118 Bright White Laminate 118 Bright White Edge	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

AutoStrada Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
AutoStrada C-Leg Tops, 24" Deep 	For use with 24"D C-Leg Base	42"	40"	\$24.	23"	1 1/4"	TTAR4023()N	\$770.	\$1,132.	\$1,195.	\$1,557.
	For use with 24"D C-Leg Base	48"	46"	\$24.	23"	1 1/4"	TTAR4623()N	\$850.	\$1,212.	\$1,281.	\$1,667.
	For use with 24"D C-Leg Base	54"	52"	\$24.	23"	1 1/4"	TTAR5223()N	\$859.	\$1,297.	\$1,372.	\$1,785.
	For use with 24"D C-Leg Base	60"	58"	\$24.	23"	1 1/4"	TTAR5823()N	\$902.	\$1,386.	\$1,466.	\$1,904.
	For use with 24"D C-Leg Base	66"	64"	\$24.	23"	1 1/4"	TTAR6423()N	\$976.	\$1,439.	\$1,512.	\$1,971.
	For use with 24"D C-Leg Base	72"	70"	\$24.	23"	1 1/4"	TTAR7023()N	\$1,004.	\$1,499.	\$1,586.	\$2,065.
	For use with 24"D C-Leg Base	78"	76"	\$24.	23"	1 1/4"	TTAR7623()N	\$1,034.	\$1,567.	\$1,667.	\$2,164.
AutoStrada T-Leg Tops, 36" Deep	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTAR4635()N	\$940.	\$1,540.	\$1,638.	\$2,131.
	For use with 30"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTAR5235()N	\$971.	\$1,693.	\$1,777.	\$2,311.
	For use with 30"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTAR5835()N	\$979.	\$1,701.	\$1,788.	\$2,323.
	For use with 30"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTAR6435()N	\$1,087.	\$1,709.	\$1,817.	\$2,359.
	For use with 30"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTAR7035()N	\$1,122.	\$1,759.	\$1,860.	\$2,421.
	For use with 30"D T-Leg Base	78"	76"	36"	35"	1 1/4"	TTAR7635()N	\$1,177.	\$1,793.	\$1,907.	\$2,482.

* Nominal

Order Code	Application Notes	Options
Example: TTAR4623()N118 TT Tone Top A AutoStrada R Rectangular 46 Width 23 Depth L Laminate N No Grommet 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. 24" and 30" worksurfaces are user edge tapered. 36" worksurfaces are user and approach edges tapered.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge. Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

AutoStrada Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
AutoStrada C-Leg/T-Leg Tops,30" Deep	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTAR4029()N	\$786.	\$1,275.	\$1,351.	\$1,758.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTAR4629()N	\$870.	\$1,364.	\$1,450.	\$1,888.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTAR5229()N	\$895.	\$1,477.	\$1,564.	\$2,032.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTAR6429()N	\$1,023.	\$1,566.	\$1,657.	\$2,155.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTAR7029()N	\$1,056.	\$1,608.	\$1,701.	\$2,210.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTAR7629()N	\$1,093.	\$1,680.	\$1,783.	\$2,313.
AutoStrada C-Leg/T-Leg Tops ,30" Deep	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTAR5829()N	\$951.	\$1,531.	\$1,619.	\$2,104.

* Nominal

Order Code	Application Notes	Options
Example: TTAR4623()N118 TT Tone Top A AutoStrada R Rectangular 46 Width 23 Depth L Laminate N No Grommet 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. 24" and 30" worksurfaces are user edge tapered. 36" worksurfaces are user and approach edges tapered.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge. Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Dividends Horizon Worksurfaces

Tone Height Adjustable Tables

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon C-Leg Tops, 24" Deep 	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTDR4023N	\$429.	\$471.	\$823.
	For use with 24"D C-Leg Base	48"	46"	24"	23"	1 1/4"	TTDR4623N	\$479.	\$528.	\$864.
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	TTDR5223N	\$521.	\$573.	\$911.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	TTDR5823N	\$566.	\$617.	\$953.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	TTDR6423N	\$607.	\$666.	\$994.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	TTDR7023N	\$634.	\$699.	\$1,040.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	TTDR7623N	\$683.	\$746.	\$1,089.

* Nominal


Order Code	Application Notes	Options
Example: TTDR4029NL118 TT Tone Top D Dividends Horizon R Rectangular 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base. 120° tops are for use with 16"D 3-legged 1 20° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	Top Finish Options: Laminate with ABS edge. Laminate with woodgrain edge. Techwood with techwood edge. Techwood available with synthetic edge only. Note: When woodgrain laminates are specified on corner worksurfaces a grain direction option must be specified. (L) = Left (R) = Right (D) = Diagonal (Add \$28 to list price) Note: Techwood corner worksurfaces have a diagonal grain direction. See grain direction page for more information.

Dividends Horizon Worksurfaces

Tone Height Adjustable Tables

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon C-Leg/T-Leg Tops, 30" Deep 	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTDR4029N	\$508.	\$557.	\$896.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTDR4629N	\$566.	\$617.	\$950.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTDR5229N	\$641.	\$701.	\$992.
	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTDR5829N	\$704.	\$776.	\$1,036.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTDR6429N	\$782.	\$861.	\$1,076.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTDR7029N	\$812.	\$888.	\$1,114.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTDR7629N	\$866.	\$961.	\$1,168.

* Nominal


Order Code	Application Notes	Options
Example: TTDR4029NL118 TT Tone Top D Dividends Horizon R Rectangular 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base. 120° tops are for use with 16"D 3-legged 1 20° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	Top Finish Options: Laminate with ABS edge. Laminate with woodgrain edge. Techwood with techwood edge. Techwood available with synthetic edge only. Note: When woodgrain laminates are specified on corner worksurfaces a grain direction option must be specified. (L) = Left (R) = Right (D) = Diagonal (Add \$28 to list price) Note: Techwood corner worksurfaces have a diagonal grain direction. See grain direction page for more information.

Dividends Horizon Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon T-Leg Tops, 36" Deep 	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTDR4635N	\$737.	\$793.	\$1,128.
	For use with 30"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTDR5235N	\$814.	\$878.	\$1,169.
	For use with 30"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTDR5835N	\$899.	\$989.	\$1,226.
	For use with 30"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTDR6435N	\$993.	\$1,096.	\$1,269.
	For use with 30"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTDR7035N	\$1,096.	\$1,210.	\$1,315.
	For use with 30"D T-Leg Base	78"	76"	36"	35"	1 1/4"	TTDR7635N	\$1,168.	\$1,239.	\$1,328.

* Nominal


Order Code	Application Notes	Options
Example: TTDR4029NL118 TT Tone Top D Dividends Horizon R Rectangular 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base. 120° tops are for use with 16"D 3-legged 1 20° bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	Top Finish Options: Laminate with ABS edge. Laminate with woodgrain edge. Techwood with techwood edge. Techwood available with synthetic edge only. Note: When woodgrain laminates are specified on corner worksurfaces a grain direction option must be specified. (L) = Left (R) = Right (D) = Diagonal (Add \$28 to list price) Note: Techwood corner worksurfaces have a diagonal grain direction. See grain direction page for more information.

Dividends Horizon Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon 120° Tops, 24" Deep	For use with 120° Base	48"	46"	24"	23"	1 1/4"	TTDV4623N	\$1,401.	\$1,534.	n/a
										
Dividends Horizon Corner Tops, 24" or 30" Deep	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTDK464623N	\$994.	\$1,103.	\$1,902.
	For use with C-Leg Corner Base	48"	46"	30"	29"	1 1/4"	TTDK464629N	\$1,076.	\$1,183.	\$1,923.
										

* Nominal

Order Code	Application Notes	Options
Example: TTDR4029NL118 TT Tone Top D Dividends Horizon R Rectangular 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	Top Finish Options: Add an (L) for laminate or (V) for veneer suffix pattern number. Veneer available with synthetic edge only.

Dividends Horizon Worksurfaces Radiused Tops for C-Leg and T-Leg Tables 24", 30" and 36" Deep

Tone Height Adjustable Tables


description	type	w*	w	d*	d	h	pattern no.	Lam w/ ABS edge	Lam w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon Rectangular Radiused Top, 24" deep 	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTDRC4023N	\$532.	\$581.	\$1,012.
	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTDRC4623N	\$590.	\$653.	\$1,066.
	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTDRC5223N	\$644.	\$707.	\$1,121.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	TTDRC5823N	\$697.	\$762.	\$1,179.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	TTDRC6423N	\$746.	\$823.	\$1,226.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	TTDRC7023N	\$780.	\$863.	\$1,279.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	TTDRC7623N	\$839.	\$922.	\$1,341.
	For use with 24"D C-Leg Base									

* Nominal

Order Code	Application Notes	Options
Example: TTDRC4029NL,118 TT Tone Top D Dividends Horizon RC Rectangular Radiused Top 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 249, 309 and 369 rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 19 on each side edge and by 19 on the back edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

Dividends Horizon Worksurfaces Radiused Tops for C-Leg and T-Leg Tables 24", 30" and 36" Deep

Tone Height Adjustable Tables


description	type	w*	w	d*	d	h	pattern no.	Lam w/ ABS edge	Lam w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon Rectangular Radiused Top, 30" deep 	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTDRC4029N	\$627.	\$686.	\$1,104.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTDRC4629N	\$697.	\$762.	\$1,173.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTDRC5229N	\$788.	\$864.	\$1,223.
	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTDRC5829N	\$865.	\$957.	\$1,275.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTDRC6429N	\$964.	\$1,062.	\$1,326.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTDRC7629N	\$1,068.	\$1,184.	\$1,441.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTDRC7029N	\$1,003.	\$1,096.	\$1,372.

* Nominal

Order Code	Application Notes	Options
Example: TTDRC4029NL,118 TT Tone Top D Dividends Horizon RC Rectangular Radiused Top 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 249, 309 and 369 rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 19 on each side edge and by 19 on the back edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

Dividends Horizon Worksurfaces Radiused Tops for C-Leg and T-Leg Tables 24", 30" and 36" Deep

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	Lam w/ ABS edge	Lam w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon Rectangular Radiused Top, 36" deep 	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTDRC4635N	\$910.	\$975.	\$1,390.
	For use with 30"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTDRC5235N	\$1,005.	\$1,082.	\$1,442.
	For use with 30"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTDRC5835N	\$1,109.	\$1,220.	\$1,513.
	For use with 30"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTDRC6435N	\$1,224.	\$1,350.	\$1,565.
	For use with 30"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTDRC7035N	\$1,350.	\$1,489.	\$1,622.
	For use with 30"D T-Leg Base	78"	76"	36"	35"	1 1/4"	TTDRC7635N	\$1,441.	\$1,529.	\$1,635.

* Nominal


Order Code	Application Notes	Options
Example: TTDRC4029NL,118 TT Tone Top D Dividends Horizon RC Rectangular Radiused Top 40 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 249, 309 and 369 rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 19 on each side edge and by 19 on the back edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number. Veneer available with synthetic edge only.

Postform Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2
 Postform C-Leg Tops, 24" Deep	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTMR4023()	\$626.	\$1,044.	\$1,552.
	For use with 24"D C-Leg Base	48"	46"	24"	23"	1 1/4"	TTMR4623()	\$684.	\$1,128.	\$1,769.
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	TTMR5223()	\$751.	\$1,267.	\$1,936.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	TTMR5823()	\$811.	\$1,328.	\$2,034.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	TTMR6423()	\$877.	\$1,466.	\$2,251.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	TTMR7023()	\$938.	\$1,565.	\$2,465.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	TTMR7623()	\$1,000.	\$1,614.	\$2,570.

* Nominal



Order Code	Application Notes	Options
Example: TTMR4635L118 TT Tone Top M Postform R Rectangular 46 Width 35 Depth L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge. Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Postform Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2
	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTMR4029()	\$712.	\$1,166.	\$1,793.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTMR4629()	\$781.	\$1,262.	\$1,931.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTMR5229()	\$840.	\$1,400.	\$2,106.
	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTMR5829()	\$904.	\$1,498.	\$2,281.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTMR6429()	\$966.	\$1,592.	\$2,489.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTMR7029()	\$1,059.	\$1,721.	\$2,661.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTMR7629()	\$1,125.	\$1,813.	\$2,800.
	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTMR4635()	\$863.	\$1,377.	\$2,063.
	For use with 30"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTMR5235()	\$915.	\$1,516.	\$2,245.
	For use with 30"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTMR5835()	\$988.	\$1,646.	\$2,494.
	For use with 30"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTMR6435()	\$1,033.	\$1,691.	\$2,688.
	For use with 30"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTMR7035()	\$1,160.	\$1,855.	\$2,812.

* Nominal


Order Code	Application Notes	Options
Example: TTMR4635L118 TT Tone Top M Postform R Rectangular 46 Width 35 Depth L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge. Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Postform Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular and Curvilinear Corners

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2
Postform Corner Tops, 24" or 30" Deep 	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTMK464623()	\$1,617.	\$2,203.	\$3,240.
	For use with C-Leg Corner Base	48"	46"	30"	29"	1 1/4"	TTMK464629()	\$1,617.	\$2,203.	\$3,240.

* Nominal


Order Code	Application Notes	Options
Example: TTMR4635L118 TT Tone Top M Postform R Rectangular 46 Width 35 Depth L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Corner tops are for use with 16"D 3-legged fixed width Corner Base.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge. Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Reff Profiles Worksurfaces

Tone Height Adjustable Tables

C-Leg and T-Leg Tables

24", 30" and 36"D Rectangular and Curvilinear Corners

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
Reff Profiles C-Leg Tops 24" deep 	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTRR4023N	\$660.	\$705.	\$812.	\$1,092.
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	TTRR5223N	\$748.	\$808.	\$928.	\$1,251.
	For use with 24"D C-Leg Base	48"	46"	24"	23"	1 1/4"	TTRR4623N	\$699.	\$759.	\$870.	\$1,173.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	TTRR5823N	\$811.	\$865.	\$991.	\$1,341.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	TTRR6423N	\$828.	\$890.	\$1,027.	\$1,384.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	TTRR7023N	\$872.	\$932.	\$1,075.	\$1,453.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	TTRR7623N	\$909.	\$975.	\$1,129.	\$1,518.

* Nominal



Order Code	Application Notes	Options
Example: TTRR5229NL, 118 TT Tone Top R Reff Profiles R Rectangular 52 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Reff Profiles Worksurfaces

Tone Height Adjustable Tables

C-Leg and T-Leg Tables

24", 30" and 36"D Rectangular and Curvilinear Corners

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
Reff Profiles C-Leg/T-Leg Tops, 30" deep 	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTRR4029N	\$745.	\$797.	\$920.	\$1,242.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTRR4629N	\$797.	\$852.	\$976.	\$1,319.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTRR5229N	\$861.	\$923.	\$1,054.	\$1,423.
	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTRR5829N	\$890.	\$953.	\$1,094.	\$1,479.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTRR6429N	\$908.	\$974.	\$1,128.	\$1,517.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTRR7029N	\$934.	\$999.	\$1,145.	\$1,549.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTRR7629N	\$977.	\$1,044.	\$1,202.	\$1,621.
Reff Profiles T-Leg Top, 36" deep 	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTRR4635N	\$923.	\$991.	\$1,141.	\$1,535.
	For use with 30"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTRR5235N	\$1,006.	\$1,082.	\$1,237.	\$1,661.
	For use with 30"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTRR5835N	\$1,026.	\$1,099.	\$1,262.	\$1,702.
	For use with 30"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTRR6435N	\$1,063.	\$1,137.	\$1,313.	\$1,771.
	For use with 30"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTRR7035N	\$1,099.	\$1,177.	\$1,357.	\$1,830.
	For use with 30"D T-Leg Base	78"	76"	36"	35"	1 1/4"	TTRR7635N	\$1,167.	\$1,250.	\$1,438.	\$1,941.

* Nominal


Order Code	Application Notes	Options
Example: TTRR5229NL, 118 TT Tone Top R Reff Profiles R Rectangular 52 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Reff Profiles Worksurfaces

Tone Height Adjustable Tables

C-Leg and T-Leg Tables

24", 30" and 36"D Rectangular and Curvilinear Corners

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
Reff Profiles Corner Tops 24" or 30" Deep 	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTRK464623N	\$1,558.	\$1,721.	\$1,976.	\$2,664.
	For use with C-Leg Corner Base	48"	46"	30"	29"	1 1/4"	TTRK464629N	\$1,744.	\$1,928.	\$2,209.	\$2,977.

* Nominal


Order Code	Application Notes	Options
Example: TTRR5229NL, 118 TT Tone Top R Reff Profiles R Rectangular 52 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Reff Profiles Worksurfaces

Radiused Tops for C-Leg and T-Leg Table

24", 30" and 36" Deep

Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
 Reff Profiles Rectangular Radiused Top, 24" deep	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTRRC4023()N	\$815.	\$867.	\$998.	\$1,345.
	For use with 24"D C-Leg Base	48"	46"	24"	23"	1 1/4"	TTRRC4623()N	\$861.	\$935.	\$1,073.	\$1,446.
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	TTRRC5223()N	\$922.	\$992.	\$1,145.	\$1,545.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	TTRRC5823()N	\$997.	\$1,067.	\$1,222.	\$1,651.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	TTRRC6423()N	\$1,023.	\$1,098.	\$1,265.	\$1,708.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	TTRRC7023()N	\$1,076.	\$1,148.	\$1,327.	\$1,789.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	TTRRC7623()N	\$1,121.	\$1,202.	\$1,391.	\$1,873.

* Nominal



Order Code	Application Notes	Options
Example: TTRRC5229NL, 118 TT Tone Top R Reff Profiles RC Rectangular Radiused Top 52 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Reff Profiles Worksurfaces

Radiused Tops for C-Leg and T-Leg Table

24", 30" and 36" Deep

Tone Height Adjustable Tables





description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
 Reff Profiles Rectangular Radiused Top, 30" deep	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTRRC4029()N	\$917.	\$981.	\$1,132.	\$1,531.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTRRC4629()N	\$981.	\$1,050.	\$1,204.	\$1,627.
	For use with 30"D C-Leg or T-Leg Base	54"	52"	30"	29"	1 1/4"	TTRRC5229()N	\$1,062.	\$1,136.	\$1,301.	\$1,756.
	For use with 30"D C-Leg or T-Leg Base	60"	58"	30"	29"	1 1/4"	TTRRC5829()N	\$1,098.	\$1,174.	\$1,348.	\$1,824.
	For use with 30"D C-Leg or T-Leg Base	66"	64"	30"	29"	1 1/4"	TTRRC6429()N	\$1,120.	\$1,201.	\$1,389.	\$1,868.
	For use with 30"D C-Leg or T-Leg Base	72"	70"	30"	29"	1 1/4"	TTRRC7029()N	\$1,153.	\$1,231.	\$1,412.	\$1,909.
	For use with 30"D C-Leg or T-Leg Base	78"	76"	30"	29"	1 1/4"	TTRRC7629()N	\$1,205.	\$1,288.	\$1,483.	\$2,000.
 Reff Profiles Rectangular Radiused Top, 36" deep	For use with 3"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTRRC4635()N	\$1,140.	\$1,228.	\$1,414.	\$1,900.
	For use with 3"D T-Leg Base	54"	52"	36"	35"	1 1/4"	TTRRC5235()N	\$1,246.	\$1,340.	\$1,531.	\$2,056.
	For use with 3"D T-Leg Base	60"	58"	36"	35"	1 1/4"	TTRRC5835()N	\$1,264.	\$1,354.	\$1,554.	\$2,098.
	For use with 3"D T-Leg Base	66"	64"	36"	35"	1 1/4"	TTRRC6435()N	\$1,309.	\$1,400.	\$1,618.	\$2,181.
	For use with 3"D T-Leg Base	72"	70"	36"	35"	1 1/4"	TTRRC7035()N	\$1,354.	\$1,452.	\$1,671.	\$2,256.
	For use with 3"D T-Leg Base	78"	76"	36"	35"	1 1/4"	TTRRC7635()N	\$1,443.	\$1,547.	\$1,779.	\$2,405.

* Nominal

Order Code	Application Notes	Options
Example: TTRRC5229NL, 118 TT Tone Top R Reff Profiles RC Rectangular Radiused Top 52 Width 29 Depth N No Grommet L Laminate 118 Bright White Laminate	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables. 24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases. Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.

Accessories



Tone Height Adjustable Tables

description	type	w	d	h	pattern no.	list
Digital Control Switch 	For Tone Standard Electric and Extended Electric				TB2DPD	\$490.
Tone Toggle Switch 	Grey Toggle for Use with Tone Standard Electric and Extended Electric Bases Red Toggle for Use with Tone Standard Electric and Extended Electric Bases	2 1/2" 2 1/2"		3/4" 3/4"	TBTG TBTR	\$319. \$319.
Cleat Plate 	For Tone Height Adjustable Table	25"	3 3/4"	2 1/4"	TBCP	\$177.
Hinged Wire Cover 	For Tone Fixed and Adjustable-Width Bases	28"	7 1/2"	2"	TBHCPC	\$186.

Order Code	Specification Information	Application Notes
Digital Control Switch Example: TBCP TB Tone Base CP Cleat Plate	1. Digital Control Switch ships with wood screws, and 31 1/2" power cord. 2. Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.	1. Digital Control Switch is not handed. 2. Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars. 3. Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager. The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars. The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases. The Vertical Wire Manager manages the table power cord.

Accessories



Tone Height Adjustable Tables

description	type	w	d	h	pattern no.	list
Snap-On Wire Cover	For Tone Fixed Width Bases	28"	7 1/4"	2 1/2"	TBSCPC	\$139.
						
Power Strip, 10' Power Cord	For Tone Height-Adjustable Tables, 4 Outlets	12"	2"	2"	TBPS12	\$522.
	For Tone Height-Adjustable Tables, 8 Outlets	24 3/4"	2"	2"	TBPS24	\$549.
Z-Manager	For Tone Extended Electric Height Range				TBZEX	\$322.
	For Tone Standard Electric Height Range				TBZES	\$314.
Vertical Wire Manager	For Tone Extended Electric	1"	3/4"	16 1/2"	TBVWMEX	\$44.
	For Tone Standard Electric	1"	3/4"	20"	TBVWMES	\$44.

Order Code	Specification Information	Application Notes
Digital Control Switch Example: TBCP TB Tone Base CP Cleat Plate	- Digital Control Switch ships with wood screws, and 31 1/2" power cord. - Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.	- Digital Control Switch is not handed. - Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars. - Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager. The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars. The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases. The Vertical Wire Manager manages the table power cord.

Accessories

Tone Height Adjustable Tables

description	type	w	d	h	pattern no.	list
Casters 	Kit of 4, all locking	2"	1 1/2"	1 1/2"	TBCAS	\$108.
Worksurface Reinforcement 		54"	4"		DB1WR54	\$106.
		60"	4"		DB1WR60	\$107.
		66"	4"		DB1WR66	\$113.
		72"	4"		DB1WR72	\$119.
Flat Brackets (Single Pack) 	For 24"D Worksurfaces	3 3/4"	14 5/8"		DB1F24SP	\$47.
	For 30"D Worksurfaces	3 3/4"	20 15/16"		DB1F30SP	\$53.
Flat Brackets (Pack of 10) 	For 24"D Worksurfaces	3 3/4"	14 5/8"		DB1F24TP	\$368.
	For 30"D Worksurfaces	3 3/4"	20 15/16"		DB1F30TP	\$422.
Worksurface Collision sensor 	For use with Tone Standard Electric and Extended Electric Bases	4"	6 1/4"	1 1/2"	TBWCS	\$268.

Order Code	Specification Information	Application Notes
Digital Control Switch Example: TBCP TB Tone Base CP Cleat Plate	1. Digital Control Switch ships with wood screws, and 31 1/2" power cord. 2. Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.	1. Digital Control Switch is not handed. 2. Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars. 3. Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager. The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars. The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases. The Vertical Wire Manager manages the table power cord.

Accessories

Tone Height Adjustable Tables

description	type	w	d	h	pattern no.	list
Carpet Gripper 	Kit of 4, for use with Glides"	1 1/2"		1/2"	TBCG	\$9.

Order Code

Digital Control Switch
Example: TBCP
TB Tone Base
CP Cleat Plate

Specification Information

1. Digital Control Switch ships with wood screws, and 3 1/2" power cord.
2. Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.

Application Notes

1. Digital Control Switch is not handed.
2. Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars.
3. Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager.

The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars.
The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases.

The Vertical Wire Manager manages the table power cord.

Alpha-Numeric Index

DB1F24SP	58	TBCEXAS29()()	18	TBCHF4728()()	19
DB1F24TP	58	TBCEXF3522()()	12	TBCHF5322()()	19
DB1F30SP	58	TBCEXF3523()()	14	TBCHF5328()()	19
DB1F30TP	58	TBCEXF3528()()	12	TBCHF5922()()	19
DB1WR54	58	TBCEXF3529()()	14	TBCHF5928()()	19
DB1WR60	58	TBCEXF4122()()	12	TBCHF6522()()	19
DB1WR66	58	TBCEXF4123()()	14	TBCHF6528()()	19
DB1WR72	58	TBCEXF4128()()	12	TBCHF7122()()	19
TB2DPD	56	TBCEXF4129()()	14	TBCHF7128()()	19
TBCAS	58	TBCEXF4722()()	12	TBCHXAL22()()	24
TBCEAL22()()	9	TBCEXF4723()()	14	TBCHXAL28()()	24
TBCEAL23()()	11	TBCEXF4728()()	12	TBCHXAM22()()	24
TBCEAL28()()	9	TBCEXF4729()()	14	TBCHXAM28()()	24
TBCEAL29()()	11	TBCEXF5322()()	12	TBCHXAS22()()	24
TBCEAM22()()	9	TBCEXF5323()()	14	TBCHXAS28()()	24
TBCEAM23()()	11	TBCEXF5328()()	12	TBCHXF3522()()	22
TBCEAM28()()	9	TBCEXF5329()()	14	TBCHXF3528()()	22
TBCEAM29()()	11	TBCEXF5922()()	12	TBCHXF4122()()	22
TBCEAS22()()	9	TBCEXF5923()()	14	TBCHXF4128()()	22
TBCEAS23()()	11	TBCEXF5928()()	12	TBCHXF4722()()	22
TBCEAS28()()	9	TBCEXF5929()()	14	TBCHXF4728()()	22
TBCEAS29()()	11	TBCEXF6522()()	12	TBCHXF5322()()	22
TBCEF3522()()	4	TBCEXF6523()()	14	TBCHXF5328()()	22
TBCEF3523()()	7	TBCEXF6528()()	12	TBCHXF5922()()	22
TBCEF3528()()	4	TBCEXF6529()()	14	TBCHXF5928()()	22
TBCEF3529()()	7	TBCEXF7122()()	12	TBCHXF6522()()	22
TBCEF4122()()	4	TBCEXF7123()()	14	TBCHXF6528()()	22
TBCEF4123()()	7	TBCEXF7128()()	12	TBCHXF7122()()	22
TBCEF4128()()	4	TBCEXF7129()()	14	TBCHXF7128()()	22
TBCEF4129()()	7	TBCFAL22()()	31	TBCP	56
TBCEF4722()()	4	TBCFAL28()()	31	TBCPAL22()()	27
TBCEF4723()()	7	TBCFAM22()()	31	TBCPAL28()()	27
TBCEF4728()()	4	TBCFAM28()()	31	TBCPAM22()()	27
TBCEF4729()()	7	TBCFAS22()()	31	TBCPAM28()()	27
TBCEF5322()()	4	TBCFAS28()()	31	TBCPAS22()()	27
TBCEF5323()()	7	TBCFF3522()()	29	TBCPAS28()()	27
TBCEF5328()()	4	TBCFF3528()()	29	TBCPF3522()()	25
TBCEF5329()()	7	TBCFF4122()()	29	TBCPF3528()()	25
TBCEF5922()()	4	TBCFF4128()()	29	TBCPF4122()()	25
TBCEF5923()()	7	TBCFF4722()()	29	TBCPF4128()()	25
TBCEF5928()()	4	TBCFF4728()()	29	TBCPF4722()()	25
TBCEF5929()()	7	TBCFF5322()()	29	TBCPF4728()()	25
TBCEF6522()()	4	TBCFF5328()()	29	TBCPF5322()()	25
TBCEF6523()()	7	TBCFF5922()()	29	TBCPF5328()()	25
TBCEF6528()()	4	TBCFF5928()()	29	TBCPF5922()()	25
TBCEF6529()()	7	TBCFF6522()()	29	TBCPF5928()()	25
TBCEF7122()()	4	TBCFF6528()()	29	TBCPF6522()()	25
TBCEF7123()()	7	TBCFF7122()()	29	TBCPF6528()()	25
TBCEF7128()()	4	TBCFF7128()()	29	TBCPF7122()()	25
TBCEF7129()()	7	TBCG	59	TBCPF7128()()	25
TBCEXAL22()()	16	TBCHAL22()()	21	TBHCP	56
TBCEXAL23()()	18	TBCHAL28()()	21	TBKEAM16()()	10
TBCEXAL28()()	16	TBCHAM22()()	21	TBKEAS16()()	10
TBCEXAL29()()	18	TBCHAM28()()	21	TBKEASM16()()	10
TBCEXAM22()()	16	TBCHAS22()()	21	TBKEF444416()()	6
TBCEXAM23()()	18	TBCHAS28()()	21	TBKEXAM16()()	17
TBCEXAM28()()	16	TBCHF3522()()	19	TBKEXAS16()()	17
TBCEXAM29()()	18	TBCHF3528()()	19	TBKEXASM16()()	17
TBCEXAS22()()	16	TBCHF4122()()	19	TBKEXF444416()()	13
TBCEXAS23()()	18	TBCHF4128()()	19	TBKFAM16()()	32
TBCEXAS28()()	16	TBCHF4722()()	19	TBKFAS16()()	32

Alpha-Numeric Index

TBKFA16 ()	32	TBTHF6528 ()	20	TTDR4023N	41
TBKFF444416 ()	30	TBTHXAL28 ()	24	TTDR4029N	42
TBKPA16 ()	28	TBTHXAM28 ()	24	TTDR4623N	41
TBKPA16 ()	28	TBTHXAS28 ()	24	TTDR4629N	42
TBKPA16 ()	28	TBTHXF4128 ()	23	TTDR4635N	43
TBKPF444416 ()	26	TBTHXF4728 ()	23	TTDR5223N	41
TBPS12	57	TBTHXF5328 ()	23	TTDR5229N	42
TBPS24	57	TBTHXF5928 ()	23	TTDR5235N	43
TBSCPC	57	TBTHXF6528 ()	23	TTDR5823N	41
TBTEAL28 ()	9	TBTPAL28 ()	27	TTDR5829N	42
TBTEAL30 ()	11	TBTAPAM28 ()	27	TTDR5835N	43
TBTEAM28 ()	9	TBTAPAS28 ()	27	TTDR6423N	41
TBTEAM30 ()	11	TBTPF4128 ()	26	TTDR6429N	42
TBTEAS28 ()	9	TBTPF4728 ()	26	TTDR6435N	43
TBTEAS30 ()	11	TBTPF5328 ()	26	TTDR7023N	41
TBTEF4128 ()	5	TBTPF5928 ()	26	TTDR7029N	42
TBTEF4130 ()	8	TBTPF6528 ()	26	TTDR7035N	43
TBTEF4728 ()	5	TBTR	56	TTDR7623N	41
TBTEF4730 ()	8	TBVEAS16 ()	10	TTDR7629N	42
TBTEF5328 ()	5	TBVEF454516 ()	6	TTDR7635N	43
TBTEF5330 ()	8	TBVEF515116 ()	6	TTDRC4023N	45
TBTEF5928 ()	5	TBVEF575716 ()	6	TTDRC4029N	46
TBTEF5930 ()	8	TBVEXAS16 ()	17	TTDRC4623N	45
TBTEF6528 ()	5	TBVEXF454516 ()	13	TTDRC4629N	46
TBTEF6530 ()	8	TBVEXF515116 ()	13	TTDRC4635N	47
TBTEF7128 ()	5	TBVEXF575716 ()	13	TTDRC5223N	45
TBTEF7130 ()	8	TBVFAS16 ()	32	TTDRC5229N	46
TBTEXAL28 ()	16	TBVFF454516 ()	30	TTDRC5235N	47
TBTEXAL30 ()	18	TBVFF515116 ()	30	TTDRC5823N	45
TBTEXAM28 ()	16	TBVFF575716 ()	30	TTDRC5829N	46
TBTEXAM30 ()	18	TBVPAS16 ()	28	TTDRC5835N	47
TBTEXAS28 ()	16	TBVPF454516 ()	26	TTDRC6423N	45
TBTEXAS30 ()	18	TBVPF515116 ()	26	TTDRC6429N	46
TBTEXF4128 ()	13	TBVPF575716 ()	26	TTDRC6435N	47
TBTEXF4130 ()	15	TBVWMS	57	TTDRC7023N	45
TBTEXF4728 ()	13	TBVWMEX	57	TTDRC7029N	46
TBTEXF4730 ()	15	TBWCS	58	TTDRC7035N	47
TBTEXF5328 ()	13	TBZES	57	TTDRC7623N	45
TBTEXF5330 ()	15	TBZEX	57	TTDRC7629N	46
TBTEXF5928 ()	13	TTAR4023()	39	TTDRC7635N	47
TBTEXF5930 ()	15	TTAR4029()	40	TTDV4623N	44
TBTEXF6528 ()	13	TTAR4623()	39	TTMK464623()	50
TBTEXF6530 ()	15	TTAR4629()	40	TTMK464629()	50
TBTEXF7128 ()	13	TTAR4635()	39	TTMR4023()	48
TBTEXF7130 ()	15	TTAR5223()	39	TTMR4029()	49
TBTAL28 ()	31	TTAR5229()	40	TTMR4623()	48
TBTAM28 ()	31	TTAR5235()	39	TTMR4629()	49
TBTAS28 ()	31	TTAR5823()	39	TTMR4635()	49
TBTFF4128 ()	30	TTAR5829()	40	TTMR5223()	48
TBTFF4728 ()	30	TTAR5835()	39	TTMR5229()	49
TBTFF5328 ()	30	TTAR6423()	39	TTMR5235()	49
TBTFF5928 ()	30	TTAR6429()	40	TTMR5235()	48
TBTFF6528 ()	30	TTAR6435()	39	TTMR5829()	49
TBTG	56	TTAR7023()	39	TTMR5835()	49
TBTHAL28 ()	21	TTAR7029()	40	TTMR6423()	48
TBTHAM28 ()	21	TTAR7035()	39	TTMR6429()	49
TBTHAS28 ()	21	TTAR7623()	39	TTMR6435()	49
TBTHF4128 ()	20	TTAR7629()	40	TTMR7023()	48
TBTHF4728 ()	20	TTAR7635()	39	TTMR7029()	49
TBTHF5328 ()	20	TTDK464623N	44	TTMR7035()	49
TBTHF5928 ()	20	TTDK464629N	44	TTMR7623()	48

Alpha-Numeric Index

TTMR7629()	49	TTYR7530()	34
TTRK464623N	53	TTYR7536()	34
TTRK464629N	53	TTYRC3924()	36
TTRR4023N	51	TTYRC3930()	37
TTRR4029N	52	TTYRC4524()	36
TTRR4623N	51	TTYRC4530()	37
TTRR4629N	52	TTYRC4536()	38
TTRR4635N	52	TTYRC5124()	36
TTRR5223N	51	TTYRC5130()	37
TTRR5229N	52	TTYRC5136()	38
TTRR5235N	52	TTYRC5724()	36
TTRR5823N	51	TTYRC5730()	37
TTRR5829N	52	TTYRC5736()	38
TTRR5835N	52	TTYRC6324()	36
TTRR6423N	51	TTYRC6330()	37
TTRR6429N	52	TTYRC6336()	38
TTRR6435N	52	TTYRC6924()	36
TTRR7023N	51	TTYRC6930()	37
TTRR7029N	52	TTYRC6936()	38
TTRR7035N	52	TTYRC7524()	36
TTRR7623N	51	TTYRC7530()	37
TTRR7629N	52	TTYRC7536()	38
TTRR7635N	52	TTYV4724()	35
TTRRC4023()N	54	TTYV4727()	35
TTRRC4029()N	55	TTYV5324()	35
TTRRC4623()N	54	TTYV5327()	35
TTRRC4629()N	55	TTYV5924()	35
TTRRC4635()N	55	TTYV5927()	35
TTRRC5223()N	54		
TTRRC5229()N	55		
TTRRC5235()N	55		
TTRRC5823()N	54		
TTRRC5829()N	55		
TTRRC5835()N	55		
TTRRC6423()N	54		
TTRRC6429()N	55		
TTRRC6435()N	55		
TTRRC7023()N	54		
TTRRC7029()N	55		
TTRRC7035()N	55		
TTRRC7623()N	54		
TTRRC7629()N	55		
TTRRC7635()N	55		
TTYR3924()	33		
TTYR3924()	33		
TTYR3930()	34		
TTYR4530()	34		
TTYR4536()	34		
TTYR5124()	33		
TTYR5130()	34		
TTYR5136()	34		
TTYR5724()	33		
TTYR5730()	34		
TTYR5736()	34		
TTYR6324()	33		
TTYR6330()	34		
TTYR6336()	34		
TTYR6924()	33		
TTYR6930()	34		
TTYR6936()	34		
TTYR7524()	33		