

# Anchor™

Price list  
June 2025

# Knoll

## Price Adjustment Summary

- June 2, 2025: All categories: +4.75%

(See next page for example and detail)

## Important:

This price book is for reference only and does not reflect current list pricing. Refer to the Specification Tool for the latest pricing and product-specific details. Exceptions may apply.

## Price Adjustment Summary

Effective June 2, 2025

- Storage and Accessories +4.75%

---

### To calculate:

- Apply the June adjustment percentage to all list prices.

---

### Estimating Updated Pricing

List Price	Adjustment Steps	Final Estimate
\$1,473	×1.0475 (June only)	\$1,543

### Important:

This price book is for reference only and does not reflect current list pricing.

Refer to the ***Specification Tool*** for the latest pricing and product-specific details. Exceptions may apply.

## Introduction

Finish Options . . . . .	1
Knoll Textiles and Spinneybeck Approvals . . . . .	2
Knoll Textiles Spinneybeck for Cushions . . . . .	4
Grain Direction Planning Guide . . . . .	5
Mixed Laminate Finishes . . . . .	6

## Raised Storage

Raised Storage . . . . .	7
--------------------------	---

## Credenzas

Credenza Specifications Information . . . . .	9
Credenzas . . . . .	11
Credenza Accessories . . . . .	37
Credenza Cushions . . . . .	39

## Pedestals

Pedestal Specifications . . . . .	40
Pedestal Planning & Stability Guidelines . . . . .	43
Pedestals . . . . .	44
Pedestal Shelves and Accessories . . . . .	71
Pedestal Tops . . . . .	74
Counterweight Kits . . . . .	76

## Stackers

Stacker Specifications . . . . .	77
Credenza Stackers . . . . .	78
Worksurface Stackers . . . . .	82

## Overhead Storage

Overhead Storage . . . . .	93
Overhead Shelves . . . . .	95

## Slide Out Towers

Slide Out Tower Specifications . . . . .	96
Slide Out Towers . . . . .	97
Slide Out Tower Shelves and Accessories . . . . .	101
Slide Out Tower Tops . . . . .	103

## Towers

Tower Specifications . . . . .	104
Towers . . . . .	106
Tower Shelves . . . . .	130
Tower Accessories . . . . .	131
Tower Front Panel . . . . .	132

## Workstation Lockers

---

Workstation Locker Specification . . . . .	134
Workstation Lockers . . . . .	135
Workstation Lockers for use with Feet . . . . .	138
Counterweight Kits . . . . .	141
Workstation Locker Shelves . . . . .	142

Lockers

---

Locker Specifications . . . . .	143
Locker Interior Planning . . . . .	144
Lockers . . . . .	146
Locker Tops . . . . .	151
Locker Shelves . . . . .	153
Locker Accessories . . . . .	155

Keyless Locking

---

Digital Keypad and RFID Lock Specifications . . . . .	156
Keyless Locking Accessories . . . . .	159

Electrical Components

---

Electrical System Specifications . . . . .	160
Electrical Planning Guidelines . . . . .	164
Electrical Components . . . . .	166

Alpha Numeric Index

---

Alpha Numeric Index . . . . .	172
-------------------------------	-----

Wall Mounting of Knoll Products

---

Wall Mounting of Knoll Products . . . . .	179
KnollKey Lock Program . . . . .	181



**KNOLL CORE LAMINATES**

KNOLL CORE AND CENTRAL PALETTE FINISH OPTIONS (CP)  
Refers to the central palette materials selections. Central palette material options are available to order on Knoll and Herman Miller products.

**KNOLL CORE LAMINATES**

*Matching edge band unless noted otherwise*

**L1 - Solid Colors**

8Q	Folkstone Grey (CP)
91	White (CP)
98	Studio White (CP)
118*	Bright White @
WL	Warm Stone (CP)

**L2 - Solid Colors**

115*	Medium Grey
------	-------------

**L2 - Wood Grain**

125*	Natural Maple (CP)
126*	Natural Cherry (CP)
127*	Walnut (CP)
139*	Light Ash (CP)
140*	Warm Ash (CP)
141*	Whitened Ash
142*	Grey Ash
143*	Classic Oak
144*	Graphite Pear
LBA	Clear on Ash (CP) *
LBB	Oak on Ash (CP) *
LBC	Walnut on Ash (CP) *
LBU	Medium Matte Walnut (CP) *

**PULL FINISHES****Knoll Core Paints**

8Q	Folkstone Grey (CP)
91	White (CP)
98	Studio White (CP)
112	Brown
115	Medium Grey
116	Sandstone
118	Bright White @
611	Beige Mist Metallic (CP)
612	Medium Grey Metallic
613	Silver (CP)
CRB	Carbon (CP)
UBK	Ultra Black (CP)
WL	Warm Stone (CP)

**Accent Paints**

130	Dark Red
131	Slate Blue
132	Olive Green
133	Canary Yellow
134	Knoll Red

**Anodized Finishes**

AA	Anodized Aluminum
AN	Anodized Nickel

*Anodized pulls have grooved underside.*

**FOOT FINISHES****Paint**

8QT	Textured Folkstone Grey (CP)
91T	Textured White (CP)
98T	Textured Studio White (CP)
115T	Textured Medium Grey
118T	Textured Bright White@
613T	Textured Silver
CRBT	Textured Carbon (CP)
UBKT	Textured Ultra Black (CP)

**LOCK FINISHES****Standard Lock**

B	Black
C	Chrome

**Digital Keypad and RFID Lock, all units**

NO	Brushed Nickel
----	----------------

**Digital Keypad on Credenzas, Doublewide Pedestals also available in**

B	Black
---	-------

**PET FINISHES****Nomad**

6150	Gull
6151	Smoke
6152	Powder
6153	Sage
6154	Goldmound

**Notes:**

@ (Limited Availability)

\* denotes melamine finish

Melamine laminates are available in

High Pressure Laminate at an upcharge and quoted separately

- Approved
- Approved; refer to upholstery grade
- \* Approved; refer to panel grade

[N] implies Non-woven textile  
*See below for exception notes*

COM	<i>Customer's Own Material</i>
W1360	Annex
W1597	Beacon
W1619	Broadcloth II
W1754	Circuit
W1077	Element
W692	Growth Spurt
W2061	Messa
W1926	Pivot
W1718	Skylark
W1610	Tailor Made II
W1923	Twister
W432	Versatility
W2410	Wrap Up

K2026	Delite
W2111	Edo
K1523	Hourglass
K2263	Infinite
W1620	Nematic li
W1695	Photon li
W2382	Ponder
W884	Reflect

K1779	Commuter Cloth
W465	Micro
W1020	Relay
Wc2826	Villa Unbacked

K1828	Boundary
K2085	Crossroad

1 Refer to price book appendices and Omni for COM/COL information  
2 Annex Salt - not available due to Read through

- Approved
- Approved; refer to upholstery grade
- \* Approved; refer to panel grade

[N] implies Non-woven textile  
*See below for exception notes*

<

1 Refer to price book appendices and Omni for COM/COL information

- Approved
- Approved; refer to upholstery grade
- \* Approved; refer to panel grade

[N] implies Non-woven textile  
*See below for exception notes*

K1206	Knoll Hopsack
K2112	Little Devil
K2827	Olympia
K1925	Prairie
K2433	Puff
K2398	Shadow Play
K2020	Summit
K2397	Topos
K2432	Vast
K1558	Venue
K2154	Vibe li
K1949	Westwood
K2240	Wild Thing

K1054	Circa
K162	Classic Boucle 1994
K2226	Color Field
K2476	Contour
K1885	Durand
K2355	Entwine
K1753	Greenwich
K1765	Hudson
K1999	Magnolia
K2293	On Point
K2030	Palisade
K2292	Patchwork
K2420	Plaid On
K2450	Prestini
K2124	Pullman
K1268	Smart
K1798	Tight Rope
K2371	Utopia
K2857	Winnow
K2050	Wit
K2401	Woodland II
K2362	Wow Factor

						Workspaces - Panel Products							
						<div>Anchor Tackboard</div>							
						<div>Antenna Screens</div>							
						<div>Autostrada Segmented Panels Access Covers</div>							
						<div>AutoStrada Crinion Fiberglass Panel</div>							
						<div>CURRENTS Fabric Covered Core</div>							
						<div>DIVIDENDS Horizon Fiberglass Panel</div>							
						<div>EXTRA Fabricboard Fabric</div>							
						<div>K Bench Center Screen Fabric</div>							
						<div>K Bench Fabric Board</div>							
						<div>COVE Collection Wall Panel</div>							
						<div>REFF Profiles Segmented Panels</div>							
						<div>REFF Profiles Tackboard</div>							
						<div>Rockwell Unscripted Conversation Wall</div>							
						<div>Rockwell Unscripted Creative Wall</div>							
						Workspaces - Upholstered Products							
						<div>K Lounge Upholstery</div>							
						<div>Marc Kruisin Pixel Lounge Upholstery</div>							
						<div>Rockwell Unscripted Pillows &amp; Removeable Cushions:</div>							
						<div>Rockwell Unscripted Lounge Seat Cushion</div>							
						<div>Rockwell Unscripted Lounge Throw Pillows</div>							
						<div>Rockwell Unscripted Lounge Touchdown</div>							
						<div>Rockwell Unscripted Steps Upholstery</div>							
						<div>Workspaces Credenza Cushion</div>							
						<div>Workspaces Pedestal Cushion</div>							

						Workspaces - Panel Products							
						<div>Anchor Tackboard</div>							
						<div>Antenna Screens</div>							
						<div>Autostrada Segmented Panels Access Covers</div>							
						<div>AutoStrada Crinion Fiberglass Panel</div>							
						<div>CURRENTS Fabric Covered Core</div>							
						<div>DIVIDENDS Horizon Fiberglass Panel</div>							
						<div>EXTRA Fabricboard Fabric</div>							
						<div>K Bench Center Screen Fabric</div>							
						<div>K Bench Fabric Board</div>							
						<div>COVE Collection Wall Panel</div>							
						<div>REFF Profiles Segmented Panels</div>							
						<div>REFF Profiles Tackboard</div>							
						<div>Rockwell Unscripted Conversation Wall</div>							
						<div>Rockwell Unscripted Creative Wall</div>							
						Workspaces - Upholstered Products							
						<div>K Lounge Upholstery</div>							
						<div>Marc Kruisin Pixel Lounge Upholstery</div>							
						<div>Rockwell Unscripted Pillows &amp; Removeable Cushions:</div>							
						<div>Rockwell Unscripted Lounge Seat Cushion</div>							
						<div>Rockwell Unscripted Lounge Throw Pillows</div>							
						<div>Rockwell Unscripted Lounge Touchdown</div>							
						<div>Rockwell Unscripted Steps Upholstery</div>							
						<div>Workspaces Credenza Cushion</div>							
						<div>Workspaces Pedestal Cushion</div>							

# Knoll

- Approved
- Approved; refer to upholstery grade
- \* Approved; refer to panel grade

[N] implies Non-woven textile  
*See below for exception notes*

Upholstery Grade D

K2373	Buzz
K2829	Caliper
K2251	Code
K1104	Eclat Weave
K2053	Island
K2429	Pathway
K2238	Plaidtastic
K2367	Retreat

### Upholstery Grade E

K2074	Aegean
K2424	Circle Point
K2168	Cleo
K2486	Currents
K2830	Dactyl
K2418	Flower Power
K2797	Hummingbird
K1703	Ikat Square
K2123	Midpoint
K2408	Off The Grid
K2261	Rebel
K2151	Seurat
K1789	Sherman
K2377	Tempest
K2361	Vice Versa
K1386	Whip

### Upholstery Grade F

K1607	Atelier
K1771	Biscayne
K2428	Homage
K2333	Imprint
K2190	In Stitches
K1630	Mod Plaid
K2475	Placid
K1080	Rivington

[illegible]

### 3 Available on the Pixel Straight Components

6 Available on Removeable Cushions only

- Approved
- Approved; refer to upholstery grade
- \* Approved; refer to panel grade

[N] implies Non-woven textile  
*See below for exception notes*

<b>Upholstery Grade G</b>								
K2349	Color Collage							
K2338	Dapper							
K2348	Fancy Twill							
K2390	Looped In							
K1882	Melange							
K2155	Modern Tweed							
K1827	Striae Stripe							
K2399	Texnet							
K1021	Ultrasuede							
K1807	Utrillo							
K2447	Vert							

<b>Upholstery Grade H</b>								
K2021	Firefly							
K2249	Chiseled							
K2188	Stretch Appeal							
K2264	Twist Tie							
K2208	World Piece							

<b>Upholstery Grade I</b>								
K2357	Floressence							
H800	Cato 1961							
K2351	Chic							
K2449	Doily							
K1617	Dynamic 1971							
K2430	Guisse							
K2079	Limani							
K1159	North Island							
K2237	Prince Hairly							
K1214	Sandis							
K2368	Stripe It							

6 Available on Removeable Cushions only

---

## Spinneybeck Leather Options for Cushions

### ***Grade U***

***P*** Volo

### ***Grade V***

***P*** Andes

***P*** Espana

***P*** Maremma

***P*** Velluto Pelle

### ***Grade W***

***P*** Alaska

***P*** Amazon

***P*** Arizona

***P*** Derby

***P*** Sabrina

### ***Grade X***

***P*** Ducale

***P*** Ducale Velours

### ***Grade Y***

***P*** Cervo

***P*** Copenhagen

***P*** Cordovan

***P*** Distressed

***P*** Marissa


***P*** Prima

***P*** Riva


***P*** Saddle

***P*** Salon


Credenza




Doublewide Pedestal




Mobile Pedestal




Floorstanding Pedestal




Side Access Stacker




Front Access Stacker




Side Access Tower



Front Access Tower



Locker






# Mixed Laminate Finishes


Anchor laminates are classified in two price tiers, L1 and L2. See Finishes for details.

Anchor storage components may be specified with mixed finishes. An L2 "adder" will be added to the L1 base price for each surface for which an L2 finish is selected.


L1 base price applies when all surfaces are specified with L1 finishes  
Two L1 finishes may be mixed on a single unit without added upcharge



Case: L1  
Front: L1  
Top: L1  
Price: L1




Case: L1  
Front: L1  
Top: L1  
Price: L1




Case: L1  
Front: L1  
Top: L1  
Price: L1


Apply applicable "L2 adder" to L1 base price for each surface specified with an L2 finish



L1 Base Price	\$\$
+ L2 Front Adder	+\$
Total List Price	\$\$\$



L1 Base Price	\$\$
+ L2 Front Adder	+\$
+ L2 Top Adder	+\$
Total List Price	\$\$\$



L1 Base Price	\$\$
+ L2 Case Adder	+\$
+ L2 Front Adder	+\$
+L2 Top Adder	+\$
Total List Price	\$\$\$

## Anchor Raised Storage

Anchor Raised Storage is a collection of storage elements designed to be specified with a raised foot option.

Feet are nominally 3" high with black leveling glide. Foot kits are specified separately as kits and installed on-site.

**Feet are not retrofittable onto existing Anchor units. Feet are available only for products as stated in the application notes on the pricing pages and within this section.**


## Application

Anchor Raised Storage units may be used freestanding or ganged to panels or adjacent storage units as noted within applicable pricing sections.


When used freestanding, counterweights may be required. Refer to applicable counterweight specification information for details.

Anchor Raised Storage components of uniformed depth may be ganged to one another via T-Feet. Components of differing depths may not utilize shared T-Feet for ganging.

When ganging two units together, (4) Corner Feet will be replaced by (2) T-Feet spanning the seam between the units.



*Individual Units, 8 Corner Feet*



*Ganged Units, 4 Corner Feet + 2 T-Feet*

Corner Feet are available in a 4-piece kit or as 40-piece bulk kits. T-Feet are available in a 2-piece kit or as 20-piece bulk kits. Hardware is included to attach to storage unit.

## Credenzas

To specify Anchor Raised Credenzas, utilize standard credenza pattern numbers (WC22 . .). Credenzas include pre-installed leveling glides to be removed on-site when utilizing foot kits.

Feet are additive to the height of a standard credenza. Overall height of a credenza raised on Anchor Feet is 25" high.

Individual units 18"-42" wide require (4) Corner Feet per unit. Credenzas 48"-84" wide require (4) Corner Feet and (2) T-Feet for additional support.

## Workstation Lockers

Workstation Lockers for use with Feet (WLWF . .) do not include pre-installed leveling glides. Applicable foot kits must be specified for use.

**Foot kits may not be used with (WLW . .) or (WL . .) pattern numbers.**

Noted elevation heights of Workstation Lockers for Use with Feet include height of 3" feet. Case height of Workstation Lockers for Use with Feet is 3" less than Workstation Lockers with standard leveling glides to accommodate height of foot.

## Towers

Noted elevation heights of Towers for Use with Feet include height of 3" feet. Case height and upper drawer height are modified to maintain overall alignment with Dividends Horizons panel and worksurface heights to accommodate height of foot.

## Pedestals

Pedestals for Use with Feet (WPF . .) do not include pre-installed leveling glides. Applicable foot kits must be specified for use.

**Foot Kits may not be used with (WP . .) pattern numbers.**

Noted elevation height of Pedestals include height of 3" feet. Case height of Pedestals for use with Feet is 3" less than Pedestals with standard leveling glides to accommodate height of foot.

## Anchor Electrical

Anchor 4-circuit electrical components may run only beneath storage units raised on Anchor Foot Kits.

Refer to Electrical System Specifications for details.

## Raised Storage Foot Kits

## Anchor Storage

description	type	pattern number	paint
Foot Kit, Corner	Corner foot kit, 4 pieces	WAFC04P	\$166.
	Corner foot kit, bulk, 40 pieces	WAFC40P	\$1,550.
Foot Kit, T	T foot kit, 2 pieces	WAFT02P	\$112.
	T foot kit, bulk, 20 pieces	WAFT20P	\$1,005.

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>1. <i>Base Pattern Number</i></li> <li>2. <i>Finish</i> See Finish Options page</li> </ol>	Foot Kit, Corner, Kit of 4 Example: WAFC04P W      Anchor Storage AF     Accessory, Foot C      Corner 04     Kit of 4 P      Painted	<p>Foot kits are specified separately as kits and installed on site. Kits include hardware for attaching feet to the storage unit.</p> <p>Individual units require 4 corner feet. Individual units 60" and wider additionally require 2 T-feet for support.</p> <p>When ganging two units side-by-side, units must be of uniform depth. Two ganged units require a total of 4 corner feet plus 2 T-feet at the seam. Two additional T-feet are required for support on any unit 60" and wider.</p>	<p>Feet are nominally 3" high and include a black leveling glide. Feet are additive to the height of the standard credenza bringing the overall finished height of the credenza on feet to 25" high (nominal). Pedstals and workstation lockers for use with Feet feature a shorter case to compensate for height of feet maintaining overall elevation height as noted.</p> <p>Foot kits are not retrofittable onto existing Anchor units.</p> <p>Foot kits are only compatible with Anchor Credenzas, Workstation Lockers for use with feet and Pedestals for Use with Feet.</p>

# Credenza Specifications

## Credenza Counterweight Kits

Anchor Storage

### Counterweight Applications

Open units with shelf do not require counterweight. In freestanding application, select units with Open/File or Box/File components require counterweight as noted in the chart below. If units are connected to a panel, supporting a worksurface or ganged back-to-back with another unit, no counterweight is required. When required, counterweights are specified separately and field-installed.

Pattern Numbers	Standard Leveling Glides	Raised on Feet
WC221816FL	must be ganged for stability	(1) WCWKIT03
WC2218FL	must be ganged for stability	(1) WCWKIT03
WC221816BL	must be ganged for stability	(1) WCWKIT03
WC2218BL	must be ganged for stability	(1) WCWKIT03
WC222416FL	(1) WCWKIT05	(1) WCWKIT04
WC2224FL	(1) WCWKIT05	(1) WCWKIT04
WC222416BL	(1) WCWKIT06	(1) WCWKIT05
WC2224BL	(1) WCWKIT06	(1) WCWKIT05
WC223016FL	(1) WCWKIT04	(1) WCWKIT03
WC2230FL	(1) WCWKIT06	(1) WCWKIT03
WC223016BL	(1) WCWKIT05	(1) WCWKIT03
WC2230BL	(1) WCWKIT06	(1) WCWKIT03
WC223016F18O12L	(1) WCWKIT01	(1) WCWKIT01
WC2230F18O12L	(1) WCWKIT01	(1) WCWKIT01
WC223016O12F18L	(1) WCWKIT01	(1) WCWKIT01
WC2230O12F18L	(1) WCWKIT01	(1) WCWKIT01
WC223016B18O12L	(1) WCWKIT01	(1) WCWKIT01
WC2230B18O12L	(1) WCWKIT01	(1) WCWKIT01
WC223016O12B18L	(1) WCWKIT01	(1) WCWKIT01
WC2230O12B18L	(1) WCWKIT01	(1) WCWKIT01
WC223616FL	(1) WCWKIT05	(1) WCWKIT03
WC2236FL	(1) WCWKIT07	(1) WCWKIT03
WC223616BL	(1) WCWKIT07	(1) WCWKIT05
WC2236BL	(1) WCWKIT07	(1) WCWKIT05
WC223616F24O12L	(1) WCWKIT02	(1) WCWKIT01
WC2236F24O12L	(1) WCWKIT02	(1) WCWKIT01
WC223616O12F24L	(1) WCWKIT02	(1) WCWKIT01
WC2236O12F24L	(1) WCWKIT02	(1) WCWKIT01
WC223616B24O12L	(1) WCWKIT02	(1) WCWKIT01
WC2236B24O12L	(1) WCWKIT02	(1) WCWKIT01
WC223616O12B24L	(1) WCWKIT02	(1) WCWKIT01
WC2236O12B24L	(1) WCWKIT02	(1) WCWKIT01
WC223616F18O18L	counterweight not required	counterweight not required
WC2236F18O18L	counterweight not required	counterweight not required
WC223616O18F18L	counterweight not required	counterweight not required
WC2236O18F18L	counterweight not required	counterweight not required
WC223616B18O18L	counterweight not required	counterweight not required
WC2236B18O18L	counterweight not required	counterweight not required
WC223616O18B18L	counterweight not required	counterweight not required
WC2236O18B18L	counterweight not required	counterweight not required
WC224216FL	(1) WCWKIT08	(1) WCWKIT05
WC2242FL	(1) WCWKIT07	(1) WCWKIT05
WC224216BL	(1) WCWKIT08	(1) WCWKIT06
WC2242BL	(1) WCWKIT08	(1) WCWKIT06
WC224816F30O18L	(1) WCWKIT01	no counterweight required
WC224816O18F30L	(1) WCWKIT01	no counterweight required
WC2248F30O18L	(1) WCWKIT01	no counterweight required
WC2248O18F30L	(1) WCWKIT01	no counterweight required
WC224816B30O18L	(1) WCWKIT01	no counterweight required
WC224816O18B30L	(1) WCWKIT01	no counterweight required
WC2248B30O18L	(1) WCWKIT01	no counterweight required
WC2248O18B30L	(1) WCWKIT01	no counterweight required
WC226016F36O24L	(1) WCWKIT02	(1) WCWKIT01
WC226016F42O18L	(1) WCWKIT03	(1) WCWKIT01
WC226016O18F42L	(1) WCWKIT03	(1) WCWKIT01
WC226016O24F36L	(1) WCWKIT02	(1) WCWKIT01
WC2260F36O24L	(1) WCWKIT02	(1) WCWKIT01
WC2260F42O18L	(1) WCWKIT03	(1) WCWKIT01
WC2260O18F42L	(1) WCWKIT03	(1) WCWKIT01
WC2260O24F36L	(1) WCWKIT02	(1) WCWKIT01
WC226016B30O30L	(1) WCWKIT01	no counterweight required
WC226016B36O24L	(1) WCWKIT02	(1) WCWKIT01
WC226016B42O18L	(1) WCWKIT03	(1) WCWKIT01
WC226016O18B42L	(1) WCWKIT03	(1) WCWKIT01
WC226016O24B36L	(1) WCWKIT02	(1) WCWKIT01
WC226016O30B30L	(1) WCWKIT01	no counterweight required
WC2260B30O30L	(1) WCWKIT01	no counterweight required
WC2260B36O24L	(1) WCWKIT02	(1) WCWKIT01
WC2260B42O18L	(1) WCWKIT03	(1) WCWKIT01
WC2260O18B42L	(1) WCWKIT03	(1) WCWKIT01
WC2260O24B36L	(1) WCWKIT02	(1) WCWKIT01
WC2260O30B30L	(1) WCWKIT01	no counterweight required
WC226016F30F30L	(1) WCWKIT06	(1) WCWKIT04
WC2260F30F30L	(1) WCWKIT06	(1) WCWKIT04

# Credenza Specifications

## *Credenza Counterweight Kits*

Anchor Storage

WC226016B30B30L .....	(1) WCWKIT06.....	(1) WCWKIT04
WC2260B30B30L .....	(1) WCWKIT06.....	(1) WCWKIT04
WC227216F42O30L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC227216O30F42L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC2272F42O30L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC2272O30F42L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC227216B36O36L .....	(1) WCWKIT05.....	(1) WCWKIT01
WC227216B42O30L .....	(1) WCWKIT05.....	(1) WCWKIT02
WC227216O30B42L .....	(1) WCWKIT05.....	(1) WCWKIT02
WC227216O36B36L .....	(1) WCWKIT05.....	(1) WCWKIT01
WC2272B36O36L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC2272B42O30L .....	(1) WCWKIT05 .....	(1) WCWKIT02
WC2272O30B42L .....	(1) WCWKIT05 .....	(1) WCWKIT02
WC2272O36B36L .....	(1) WCWKIT05 .....	(1) WCWKIT01
WC227216F36F36L .....	(2) WCWKIT08 .....	(2) WCWKIT05
WC2272F36F36L .....	(2) WCWKIT08 .....	(2) WCWKIT05
WC227216B36B36L .....	(2) WCWKIT08.....	(2) WCWKIT05
WC2272B36B36L .....	(2) WCWKIT08.....	(2) WCWKIT05
WC228416F30O24F30L .....	(2) WCWKIT07 .....	(2) WCWKIT04
WC2284F30O24F30L .....	(2) WCWKIT07 .....	(2) WCWKIT04
WC228416B30B30O24L .....	(1) WCWKIT07.....	(1) WCWKIT06
WC228416B30O24B30L .....	(1) WCWKIT07.....	(1) WCWKIT06
WC228416O24B30B30L .....	(1) WCWKIT07.....	(1) WCWKIT06
WC2284B30B30O24L .....	(2) WCWKIT07.....	(2) WCWKIT04
WC2284B30O24B30L .....	(2) WCWKIT07.....	(2) WCWKIT04
WC2284O24B30B30L .....	(2) WCWKIT07.....	(2) WCWKIT04
WC228416F42F42L .....	(2) WCWKIT10 .....	(2) WCWKIT06
WC2284F42F42L .....	(2) WCWKIT10 .....	(2) WCWKIT06
WC228416B42B42L .....	(1) WCWKIT09 + (1) WCWKIT10.....	(2) WCWKIT06
WC2284B42B42L .....	(1) WCWKIT09 + (1) WCWKIT10.....	(2) WCWKIT06

### Anchor Mobile Credenzas

Mobile credenzas are 25" high overall including 22" high wood construction case with 3" high casters. Credenzas feature one or two midpanels providing a unique combination of open and enclosed storage.

Mobile credenzas are available in 8 widths and 2 depths with a variety of configurations.

### Available Sizes

Height: 25"

Widths: 18", 24", 30", 36", 42", 48", 60", 72"

Depths: 16", 20"

Mobile credenzas 48" wide and smaller require four 2-1/2" corner casters with decorative caster plate. Mobile credenzas 60" wide and larger require four 2 1/2" corner casters and one 2 1/2" center caster with decorative caster plate. The front two corner casters are locking.

In addition, mobile credenzas with drawers require one additional 2" caster assembly beneath each file drawer to prevent tipping when drawer is extended.

Appropriate caster kits are included with mobile credenzas (WCM25. .) pattern numbers. Casters are not intended for use with (WC22. .) pattern numbers.

Mobile credenza cases ship assembled including top and decorative caster plates. All casters and counterweight kits are field installed.

### Construction

- Credenzas are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on credenza bottom and midpanels, 3/4" on credenza back, sides, interior shelves and drawer fronts.
- Material thickness: 1 3/16" (nominal) on credenza tops
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer (aligned vertically) opening at a time.
- Decorative Caster Plate: Painted cast aluminum, black
- Casters: Single wheel, hard rubber caster, black

### Internal Drawer Dimensions\*

#### Box Drawer


- Internal height: 3 3/4" (5 1/8" clearance)
- Internal width: 14 3/4", 20 3/4", 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4" (20D), 12 3/4" (16D)

#### File Drawer

- Internal height: 9 3/4" (11 3/4" clearance)
- Internal width: 14 3/4", 20 3/4", 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4" (20D), 12 3/4" (16D)

### Internal Clearances- Open sections\*

- Internal height A: 6 1/2"
- Internal height B: 11 15/16"
- Internal width by nominal configuration size: 18" w configuration = 16 1/2" w  
24" w configuration = 22 1/2" w  
30" w configuration = 28 1/2" w  
36" w configuration = 34 1/2" w  
42" w configuration = 40 1/2" w
- Internal depth: 18 1/4" (20D), 13 7/8" (16D)



\*Actual dimensions to the nearest 1/16th of an inch.

### Filing


Credenza file drawers within 20" deep units provide standard side-to-side letter or legal filing and front-to-back letter filing.

Credenza file drawers within 16" deep units accommodate side-to-side letter filing only, front-to-back file bars may be specified separately.

### Locks

Anchor credenzas may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1-9/16" from top edge, 1-1/2" from side. Dual-tab lock design allows one shared lock core per box/file configuration.



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference Knoll Key Lock Program.


Keyless lock options with manual bolt are available for select sizes and configurations. Refer to Digital Keypad and RFID Lock Specifications for details.

### Pulls

Finger Pull, 10" long; centered horizontally on drawers.

Top drawer: mounted 3/4" from bottom of drawer

Bottom drawer: mounted 3/4" from top of drawer




# Credenza Specifications


## Credenza Planning & Stability Guidelines

Anchor Storage


A variety of planning scenarios with the required connection or support brackets are shown below. Single freestanding credenzas may require counterweight kits; refer to pricing pages for specific requirements. Below applications may not be used with credenzas raised on feet.




Credenza supporting a Dividends Horizon desk. Specify a **WACS22P Credenza Spacer** to support one end of the work surface.  
No counterweight kit required.  
\*In this application, a credenza with a centered midpanel will require the spacer to be mounted off-center.




Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **WACS22P Credenza Spacer** per credenza.  
No counterweight kit required.




Credenzas mounted to Dividends Horizon panels. For each credenza, specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel.  
No counterweight kit required.



Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **WACS22P Credenza Spacer** for each credenza.  
No counterweight kit required.  
When used as freestanding units (not supporting the work surfaces), units may be ganged back-to-back for stability.



Credenzas supporting Antenna Big Table. Specify **Template/Antenna YBATBT22 Floorstanding Cabinet Desk Support Adapters for Big Table** in place of an end leg. Two YBATBT22 adapters would be required for the configuration shown. Units may be ganged back-to-back and/or side-by-side for additional stability. No counterweight kit required.






Credenzas supporting an Antenna desk. Specify **Template/Antenna YBATE22 (pair) Floorstanding Cabinet Desk Support Adapters** to support one end of the work surface.  
No counterweight kit required.

# Credenzas

## Credenzas 18" wide, 16" and 20" deep

Anchor Storage

description	w	h	d	pattern no.	L1	L2 case (adder)	L2 front (adder)	L2 top (adder)
All Open 	18"	22 3/16"	15"	WC221816OL	\$869.	\$162.	\$0.	\$33.
	18"	22 3/16"	19 1/16"	WC2218OL	\$963.	\$178.	\$0.	\$33.
Open / File 	18"	22 3/16"	15"	WC221816FL(N)	\$1,854.	\$162.	\$33.	\$33.
	18"	22 3/16"	19 1/16"	WC2218FL(N)	\$1,927.	\$178.	\$33.	\$33.
Box / File 	18"	22 3/16"	15"	WC221816BL(N)	\$2,617.	\$162.	\$45.	\$33.
	18"	22 3/16"	19 1/16"	WC2218BL(N)	\$2,804.	\$178.	\$45.	\$33.




Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Case Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> </ol>	Credenza, 48" wide, Open 18" - Open 30" Example: WC2248O18O30L W Woodcore Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Credenzas with file drawers may require counterweights when used in freestanding applications. When applicable, corresponding counterweights kits are noted within the pricing section above.  Add \$40 to the list price per standard key lock. Add \$474 to the list price for manual digital keypad lock. Digital keypad locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas are preassembled including top.  Rails included with file drawer for side-to-side and front-to-back filing.



# Credenzas

## Credenzas 24" wide, 16" and 20" deep

## Anchor Storage

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
All Open 	24"	22 3/16"	15"	WC222416OL	\$1,019.	\$189.	\$0.	\$39.
	24"	22 3/16"	19 1/16"	WC2224OL	\$1,126.	\$212.	\$0.	\$39.
Open / File 	24"	22 3/16"	15"	WC222416FL(N)	\$1,897.	\$189.	\$39.	\$39.
	24"	22 3/16"	19 1/16"	WC2224FL(N)	\$2,028.	\$212.	\$39.	\$39.
Box / File 	24"	22 3/16"	15"	WC222416BL(N)	\$2,717.	\$189.	\$50.	\$39.
	24"	22 3/16"	19 1/16"	WC2224BL(N)	\$2,905.	\$212.	\$50.	\$39.

### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page for detailed requirements.

Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas are preassembled including top.




Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

# Credenzas

## Credenzas 30" wide, 16" and 20" deep

Anchor Storage

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
All Open 	30"	22 3/16"	15"	WC223016OL	\$1,163.	\$200.	\$0.	\$45.
	30"	22 3/16"	19 1/16"	WC2230OL	\$1,291.	\$223.	\$0.	\$45.
Open/File 	30"	22 3/16"	15"	WC223016FL(N)	\$1,970.	\$200.	\$45.	\$45.
	30"	22 3/16"	19 1/16"	WC2230FL(N)	\$2,147.	\$223.	\$45.	\$45.
Box/File 	30"	22 3/16"	15"	WC223016BL(N)	\$2,782.	\$200.	\$56.	\$45.
	30"	22 3/16"	19 1/16"	WC2230BL(N)	\$3,037.	\$223.	\$56.	\$45.

### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.



Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Credenzas 30" wide, 16" and 20" deep

## Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open with File 	12"O - 18"F	30"	22 3/16"	15"	WC223016O12F18L(N)	\$2,228.	\$200.	\$33.	\$45.
	12"O - 18"F (shown)	30"	22 3/16"	19 1/16"	WC2230O12F18LN	\$2,486.	\$223.	\$33.	\$45.
	18"F - 12"O	30"	22 3/16"	15"	WC223016F18O12L(N)	\$2,228.	\$200.	\$33.	\$45.
	18"F - 12"O	30"	22 3/16"	19 1/16"	WC2230F18O12LN	\$2,486.	\$223.	\$33.	\$45.
Open with Box/File 	12"O - 18"BF	30"	22 3/16"	15"	WC223016O12B18L(N)	\$2,960.	\$200.	\$45.	\$45.
	12"O - 18"BF (shown)	30"	22 3/16"	19 1/16"	WC2230O12B18L(N)	\$3,286.	\$223.	\$45.	\$45.
	18"BF - 12"O	30"	22 3/16"	15"	WC223016B18O12L(N)	\$2,960.	\$200.	\$45.	\$45.
	18"BF - 12"O	30"	22 3/16"	19 1/16"	WC2230B18O12L(N)	\$3,286.	\$223.	\$45.	\$45.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Case Finish</i> See Finish Options page 3. <i>Top Finish</i> See Finish Options page	Credenza, 48" wide, Open 18" - Open 30" Example: WC2248O18O30L W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.  Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Credenzas 36" wide, 16" and 20" deep

Anchor Storage


description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
All Open 	36"	22 3/16"	15"	WC223616OL	\$1,310.	\$223.	\$0.	\$50.
	36"	22 3/16"	19 1/16"	WC2236OL	\$1,456.	\$245.	\$0.	\$50.
Box/File 	36"	22 3/16"	15"	WC223616BL(N)	\$2,875.	\$223.	\$61.	\$50.
	36"	22 3/16"	19 1/16"	WC2236BL(N)	\$3,138.	\$245.	\$61.	\$50.
Open/File 	36"	22 3/16"	15"	WC223616FL(N)	\$2,138.	\$223.	\$50.	\$50.
	36"	22 3/16"	19 1/16"	WC2236FL(N)	\$2,332.	\$245.	\$50.	\$50.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Credenza, 48" wide, Open 18" - Open 30" Example: WC2248O18O30L W Woodcore Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.  Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Anchor Storage

### Credenzas 36" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"F - 18"O	36"	22 3/16"	15"	WC223616F18O18L(N)	\$2,263.	\$223.	\$33.	\$50.
	18"O - 18"F	36"	22 3/16"	15"	WC223616O18F18L(N)	\$2,263.	\$223.	\$33.	\$50.
	12"O - 24"F	36"	22 3/16"	15"	WC223616O12F24L(N)	\$2,308.	\$223.	\$39.	\$50.
	24"F - 12"O	36"	22 3/16"	15"	WC223616F24O12L(N)	\$2,308.	\$223.	\$39.	\$50.
	18"F - 18"O	36"	22 3/16"	19 1/16"	WC2236F18O18L(N)	\$2,515.	\$245.	\$33.	\$50.
	18"O - 18"F (shown)	36"	22 3/16"	19 1/16"	WC2236O18F18L(N)	\$2,515.	\$245.	\$33.	\$50.
	12"O - 24"F	36"	22 3/16"	19 1/16"	WC2236O12F24L(N)	\$2,567.	\$245.	\$39.	\$50.
	24"F - 12"O	36"	22 3/16"	19 1/16"	WC2236F24O12L(N)	\$2,567.	\$245.	\$39.	\$50.

	18"BF - 18"O	36"	22 3/16"	15"	WC223616B18O18L(N)	\$2,996.	\$223.	\$45.	\$50.
	18"O - 18"BF	36"	22 3/16"	15"	WC223616O18B18L(N)	\$2,996.	\$223.	\$45.	\$50.
	12"O - 24"BF	36"	22 3/16"	15"	WC223616O12B24L(N)	\$3,091.	\$223.	\$50.	\$50.
	24"BF - 12"O	36"	22 3/16"	15"	WC223616B24O12L(N)	\$3,091.	\$223.	\$50.	\$50.
	18"BF - 18"O	36"	22 3/16"	19 1/16"	WC2236B18O18L(N)	\$3,313.	\$245.	\$45.	\$50.
	18"O - 18"BF (shown)	36"	22 3/16"	19 1/16"	WC2236O18B18L(N)	\$3,313.	\$245.	\$45.	\$50.
	12"O - 24"BF	36"	22 3/16"	19 1/16"	WC2236O12B24L(N)	\$3,365.	\$245.	\$50.	\$50.
	24"BF - 12"O	36"	22 3/16"	19 1/16"	WC2236B24O12L(N)	\$3,365.	\$245.	\$50.	\$50.

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Case Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> </ol>	Credenza, 48" wide, Open 18" - Open 30" Example: WC2248O18O30L W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page for detailed requirements.  Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.


# Credenzas

## Credenzas 42" wide, 16" and 20" deep

Anchor Storage


description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
-------------	---	---	---	-------------	----	--------------------	---------------------	-------------------

All Open




42"	22 3/16"	15"	WC224216OL	\$1,450.	\$240.	\$0.	\$56.
42"	22 3/16"	19 1/16"	WC2242OL	\$1,614.	\$261.	\$0.	\$56.

Box/File



42"	22 3/16"	15"	WC224216BL(N)	\$3,029.	\$240.	\$66.	\$56.
42"	22 3/16"	19 1/16"	WC2242BL(N)	\$3,300.	\$261.	\$66.	\$56.

Open/File



42"	22 3/16"	15"	WC224216FL(N)	\$2,306.	\$240.	\$56.	\$56.
42"	22 3/16"	19 1/16"	WC2242FL(N)	\$2,513.	\$261.	\$56.	\$56.

### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.


Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.


# Credenzas

## Credenzas 48" wide, 16" and 20" deep

## Anchor Storage


description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"O - 30"O	48"	22 3/16"	15"	WC224816O18O30L	\$1,723.	\$250.	\$0.	\$61.
	30"O - 18"O	48"	22 3/16"	15"	WC224816O30O18L	\$1,723.	\$250.	\$0.	\$61.
	18"O - 30"O (shown)	48"	22 3/16"	19 1/16"	WC2248O18O30L	\$1,902.	\$255.	\$0.	\$57.
	30"O - 18"O	48"	22 3/16"	19 1/16"	WC2248O30O18L	\$1,902.	\$255.	\$0.	\$57.

### Open with File



30"F - 18"O	48"	22 3/16"	15"	WC224816F30O18L(N)	\$2,428.	\$250.	\$45.	\$61.
18"O - 30"F	48"	22 3/16"	15"	WC224816O18F30L(N)	\$2,428.	\$250.	\$45.	\$61.
30"F - 18"O	48"	22 3/16"	19 1/16"	WC2248F30O18L(N)	\$2,686.	\$273.	\$45.	\$61.
18"O - 30"F	48"	22 3/16"	19 1/16"	WC2248O18F30L(N)	\$2,686.	\$273.	\$45.	\$61.

### Open with Box/File



30"BF - 18"O	48"	22 3/16"	15"	WC224816B30O18L(N)	\$2,920.	\$250.	\$56.	\$61.
18"O - 30"BF	48"	22 3/16"	15"	WC224816O18B30L(N)	\$2,920.	\$250.	\$56.	\$61.
30"BF - 18"O	48"	22 3/16"	19 1/16"	WC2248B30O18L(N)	\$3,180.	\$273.	\$56.	\$61.
18"O - 30"BF	48"	22 3/16"	19 1/16"	WC2248O18B30L(N)	\$3,180.	\$273.	\$56.	\$61.

### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.


Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Credenzas 60" wide, 16" and 20" deep

## Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"O - 42"O	60"	22 3/16"	15"	WC226016O18O42L	\$1,992.	\$268.	\$0.	\$73.
	24"O - 36"O	60"	22 3/16"	15"	WC226016O24O36L	\$1,992.	\$268.	\$0.	\$73.
	30"O - 30"O	60"	22 3/16"	15"	WC226016O30O30L	\$1,992.	\$268.	\$0.	\$73.
	36"O - 24"O	60"	22 3/16"	15"	WC226016O36O24L	\$1,992.	\$268.	\$0.	\$73.
	O42"O - 18"O	60"	22 3/16"	15"	WC226016O42O18L	\$1,992.	\$268.	\$0.	\$73.
	18"O - 42"O (shown)	60"	22 3/16"	19 1/16"	WC2260O18O42L	\$2,342.	\$289.	\$0.	\$73.
	24"O - 36"O	60"	22 3/16"	19 1/16"	WC2260O24O36L	\$2,342.	\$289.	\$0.	\$73.
	30"O - 30"O	60"	22 3/16"	19 1/16"	WC2260O30O30L	\$2,342.	\$289.	\$0.	\$73.
	36"O - 24"O	60"	22 3/16"	19 1/16"	WC2260O36O24L	\$2,342.	\$289.	\$0.	\$73.
	42"O - 18"O	60"	22 3/16"	19 1/16"	WC2260O42O18L	\$2,342.	\$289.	\$0.	\$73.

	36"F - 24"O	60"	22 3/16"	15"	WC226016F36O24L(N)	\$2,743.	\$268.	\$50.	\$73.
	42"F - 18"O	60"	22 3/16"	15"	WC226016F42O18L(N)	\$2,792.	\$268.	\$56.	\$73.
	18"O - 42"F	60"	22 3/16"	15"	WC226016O18F42L(N)	\$2,792.	\$268.	\$56.	\$73.
	24"O - 36"F	60"	22 3/16"	15"	WC226016O24F36L(N)	\$2,743.	\$268.	\$50.	\$73.
	36"F - 24"O	60"	22 3/16"	19 1/16"	WC2260F36O24L(N)	\$3,041.	\$289.	\$50.	\$73.
	42"F - 18"O	60"	22 3/16"	19 1/16"	WC2260F42O18L(N)	\$3,069.	\$289.	\$56.	\$73.
	18"O - 42"F	60"	22 3/16"	19 1/16"	WC2260O18F42L(N)	\$3,069.	\$289.	\$56.	\$73.
	24"O - 36"F	60"	22 3/16"	19 1/16"	WC2260O24F36L(N)	\$3,041.	\$289.	\$50.	\$73.

	30"BF - 30"O	60"	22 3/16"	15"	WC226016B30O30L(N)	\$3,209.	\$268.	\$56.	\$73.
	36"BF - 24"O	60"	22 3/16"	15"	WC226016B36O24L(N)	\$3,244.	\$268.	\$61.	\$73.
	42"BF - 18"O	60"	22 3/16"	15"	WC226016B42O18L(N)	\$3,272.	\$268.	\$66.	\$73.
	18"O - 42"BF	60"	22 3/16"	15"	WC226016O18B42L(N)	\$3,272.	\$268.	\$66.	\$73.
	24"O - 36"BF	60"	22 3/16"	15"	WC226016O24B36L(N)	\$3,244.	\$268.	\$61.	\$73.
	30"O - 30"BF	60"	22 3/16"	15"	WC226016O30B30L(N)	\$3,209.	\$268.	\$56.	\$73.
	30"BF - 30"O	60"	22 3/16"	19 1/16"	WC2260B30O30L(N)	\$3,502.	\$289.	\$56.	\$73.
	36"BF - 24"O	60"	22 3/16"	19 1/16"	WC2260B36O24L(N)	\$3,537.	\$289.	\$61.	\$73.
	42"BF - 18"O	60"	22 3/16"	19 1/16"	WC2260B42O18L(N)	\$3,568.	\$289.	\$66.	\$73.
	24"O - 36"BF	60"	22 3/16"	19 1/16"	WC2260O24B36L(N)	\$3,537.	\$289.	\$61.	\$73.
	30"O - 30"BF	60"	22 3/16"	19 1/16"	WC2260O30B30L(N)	\$3,502.	\$289.	\$56.	\$73.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Credenza, 48" wide, Open 18" - Open 30" Example: WC2248O18O30L W Woodcore Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.  Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.




# Credenzas


## Anchor Storage

### Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
File, File Credenza	30"F - 30"F	60"	22 3/16"	15"	WC226016F30F30L(N)	\$3,064.	\$268.	\$89.	\$73.
	30"F - 30"F	60"	22 3/16"	19 1/16"	WC2260F30F30L(N)	\$3,590.	\$289.	\$89.	\$73.



Box/File, Box/File Credenza	30"BF - 30"BF	60"	22 3/16"	15"	WC226016B30B30L(N)	\$4,177.	\$268.	\$111.	\$73.
	30"BF - 30"BF	60"	22 3/16"	19 1/16"	WC2260B30B30L(N)	\$4,648.	\$289.	\$111.	\$73.






Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Credenza, 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. Case Finish	Example: WC2248O18O30L		
See Finish Options page	W Woodcore Storage		
3. Top Finish	C Credenza		
See Finish Options page	22 22" High		Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front	Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas are preassembled including top.
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
		Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.
		Dimensions listed under w h d are actual to the nearest 1/16".	

# Credenzas

## Credenzas 72" wide, 16" and 20" deep

## Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	30"O - 42"O	72"	22 3/16"	15"	WC227216O30O42L	\$2,275.	\$306.	\$0.	\$83.
	36"O - 36"O	72"	22 3/16"	15"	WC227216O36O36L	\$2,275.	\$306.	\$0.	\$83.
	42"O - 30"O	72"	22 3/16"	15"	WC227216O42O30L	\$2,275.	\$306.	\$0.	\$83.
	30"O - 42"O (shown)	72"	22 3/16"	19 1/16"	WC2272O30O42L	\$2,668.	\$334.	\$0.	\$83.
	36"O - 36"O	72"	22 3/16"	19 1/16"	WC2272O36O36L	\$2,668.	\$334.	\$0.	\$83.
	42"O - 30"O	72"	22 3/16"	19 1/16"	WC2272O42O30L	\$2,668.	\$334.	\$0.	\$83.
	42"F - 30"O	72"	22 3/16"	15"	WC227216F42O30L(N)	\$3,061.	\$306.	\$56.	\$83.
	30"O - 42"F	72"	22 3/16"	15"	WC227216O30F42L(N)	\$3,061.	\$306.	\$56.	\$83.
	42"F - 30"O	72"	22 3/16"	19 1/16"	WC2272F42O30L(N)	\$3,384.	\$334.	\$56.	\$83.
	30"O - 42"F	72"	22 3/16"	19 1/16"	WC2272O30F42L(N)	\$3,384.	\$334.	\$56.	\$83.
	36"BF - 36"O	72"	22 3/16"	15"	WC227216B36O36L(N)	\$3,521.	\$306.	\$61.	\$83.
	42"BF - 30"O	72"	22 3/16"	15"	WC227216B42O30L(N)	\$3,559.	\$306.	\$66.	\$83.
	30"O - 42"BF	72"	22 3/16"	15"	WC227216O30B42L(N)	\$3,559.	\$306.	\$66.	\$83.
	36"O - 36"BF	72"	22 3/16"	15"	WC227216O36B36L(N)	\$3,521.	\$306.	\$61.	\$83.
	36"BF - 36"O	72"	22 3/16"	19 1/16"	WC2272B36O36L(N)	\$3,838.	\$334.	\$61.	\$83.
	42"BF - 30"O	72"	22 3/16"	19 1/16"	WC2272B42O30L(N)	\$3,883.	\$334.	\$66.	\$83.
	30"O - 42"BF	72"	22 3/16"	19 1/16"	WC2272O30B42L(N)	\$3,883.	\$334.	\$66.	\$83.
	36"O - 36"BF	72"	22 3/16"	19 1/16"	WC2272O36B36L(N)	\$3,838.	\$334.	\$61.	\$83.

### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas


## Anchor Storage

### Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
File, File Credenza	36"F - 36"F	72"	22 3/16"	15"	WC227216F36F36L(N)	\$3,384.	\$306.	\$101.	\$83.
	36"F - 36"F	72"	22 3/16"	19 1/16"	WC2272F36F36L(N)	\$3,960.	\$334.	\$101.	\$83.



Box/File, Box/File Credenza	36"BF - 36"BF	72"	22 3/16"	15"	WC227216B36B36L(N)	\$4,526.	\$306.	\$122.	\$83.
	36"BF - 36"BF	72"	22 3/16"	19 1/16"	WC2272B36B36L(N)	\$5,036.	\$334.	\$122.	\$83.





Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Credenza, 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. Case Finish	Example: WC2248O18O30L		
See Finish Options page	W Woodcore Storage		
3. Top Finish	C Credenza		
See Finish Options page	22 22" High		Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front	Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas are preassembled including top.
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
		Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.
		Dimensions listed under w h d are actual to the nearest 1/16".	

# Credenzas

## Anchor Storage

### Credenzas 84" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	24"O - 30"O - 30"O	84"	22 3/16"	15"	WC228416O24O30O30L	\$2,668.	\$356.	\$0.	\$94.
	30"O - 24"O - 30"O	84"	22 3/16"	15"	WC228416O30O24O30L	\$2,668.	\$356.	\$0.	\$94.
	30"O - 30"O - 24"O	84"	22 3/16"	15"	WC228416O30O30O24L	\$2,668.	\$356.	\$0.	\$94.
	24"O - 30"O - 30"O	84"	22 3/16"	19 1/16"	WC2284O24O30O30L	\$3,122.	\$389.	\$0.	\$94.
	30"O - 24"O - 30"O (shown)	84"	22 3/16"	19 1/16"	WC2284O30O24O30L	\$3,122.	\$389.	\$0.	\$94.
	30"O - 30"O - 24"O	84"	22 3/16"	19 1/16"	WC2284O30O30O24L	\$3,122.	\$389.	\$0.	\$94.
	30"F - 24"O - 30"F	84"	22 3/16"	15"	WC228416F30O24F30L(N)	\$4,007.	\$356.	\$89.	\$94.
	30"F - 24"O - 30"F	84"	22 3/16"	19 1/16"	WC2284F30O24F30L(N)	\$4,369.	\$389.	\$89.	\$94.
	30"BF - 30"BF - 24"O	84"	22 3/16"	15"	WC228416B30B30O24L(N)	\$5,013.	\$356.	\$111.	\$94.
	30"BF - 24"O - 30"BF	84"	22 3/16"	15"	WC228416B30O24B30L(N)	\$4,849.	\$356.	\$111.	\$94.
	24"O - 30"BF - 30"BF	84"	22 3/16"	15"	WC228416O24B30B30L(N)	\$5,013.	\$356.	\$111.	\$94.
	30"BF - 30"BF - 24"O	84"	22 3/16"	19 1/16"	WC2284B30B30O24L(N)	\$5,466.	\$389.	\$111.	\$94.
	30"BF - 24"O - 30"BF	84"	22 3/16"	19 1/16"	WC2284B30O24B30L(N)	\$5,427.	\$389.	\$111.	\$94.
	24"O - 30"BF - 30"BF	84"	22 3/16"	19 1/16"	WC2284O24B30B30L(N)	\$5,466.	\$389.	\$111.	\$94.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.




Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Anchor Storage

### Credenzas 84" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
File, File Credenza 	42"F - 42"F	84"	22 3/16"	15"	WC228416F42F42L(N)	\$4,000.	\$356.	\$111.	\$94.
	42"F - 42"F	84"	22 3/16"	19 1/16"	WC2284F42F42L(N)	\$4,362.	\$389.	\$111.	\$94.
Box/File, Box/File Credenza 	42"BF - 42"BF	84"	22 3/16"	15"	WC228416B42B42L(N)	\$4,962.	\$356.	\$134.	\$94.
	42"BF - 42"BF	84"	22 3/16"	19 1/16"	WC2284B42B42L(N)	\$5,410.	\$389.	\$134.	\$94.
Open with Box/File 	30"BF - 30"O - 84"	22 3/16"	15"		WC228416B30O30O24L(N)	\$3,907.	\$356.	\$56.	\$94.
	24"O								
	24"O - 30"O - 84"	22 3/16"	15"		WC228416O24O30B30L(N)	\$3,907.	\$356.	\$56.	\$94.
	30"BF								
	30"BF - 30"O - 84"	22 3/16"	19 1/16"		WC2284B30O30O24L(N)	\$4,279.	\$389.	\$56.	\$94.
	24"O								
	24"O - 30"O - 84"	22 3/16"	19 1/16"		WC2284O24O30B30L(N)	\$4,279.	\$389.	\$56.	\$94.
	30"BF								

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WC2248O18O30L  
 W Woodcore Storage  
 C Credenza  
 22 22" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.




Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

# Credenzas

## Anchor Storage

### Mobile Credenzas 18" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open 	18"	25"	15"	WCM251816OL	\$1,291.	\$162.	\$0.	\$33.
	18"	25"	19 1/16"	WCM2518OL	\$1,385.	\$178.	\$0.	\$33.
Open/File 	18"	25"	15"	WCM251816FL(N)	\$2,654.	\$162.	\$33.	\$33.
	18"	25"	19 1/16"	WCM2518FL(N)	\$2,725.	\$178.	\$33.	\$33.
Box/File 	18"	25"	15"	WCM251816BL(N)	\$3,402.	\$162.	\$45.	\$33.
	18"	25"	19 1/16"	WCM2518BL(N)	\$3,587.	\$178.	\$45.	\$33.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Woodcore Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.




Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 24" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open 	24"	25"	15"	WCM252416OL	\$1,438.	\$189.	\$0.	\$39.
	24"	25"	19 1/16"	WCM2524OL	\$1,545.	\$212.	\$0.	\$39.
Open/File 	24"	25"	15"	WCM252416FL(N)	\$2,697.	\$189.	\$56.	\$39.
	24"	25"	19 1/16"	WCM2524FL(N)	\$2,825.	\$212.	\$56.	\$39.
Box/File 	24"	25"	15"	WCM252416BL(N)	\$3,502.	\$189.	\$50.	\$39.
	24"	25"	19 1/16"	WCM2524BL(N)	\$3,683.	\$212.	\$50.	\$39.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Woodcore Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.




Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 30" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open 	30"	25"	15"	WCM253016OL	\$1,579.	\$200.	\$0.	\$45.
	30"	25"	19 1/16"	WCM2530OL	\$1,708.	\$223.	\$0.	\$45.
Open/File 	30"	25"	15"	WCM253016FL(N)	\$2,776.	\$200.	\$45.	\$45.
	30"	25"	19 1/16"	WCM2530FL(N)	\$2,950.	\$223.	\$45.	\$45.
Box/File 	30"	25"	15"	WCM253016BL(N)	\$3,757.	\$200.	\$56.	\$45.
	30"	25"	19 1/16"	WCM2530BL(N)	\$4,005.	\$223.	\$56.	\$45.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Anchor Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.



Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.



# Credenzas

## Anchor Storage

### Mobile Credenzas 30" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	12"O - 18"F	30"	25"	15"	WCM253016O12F18L(N)	\$2,752.	\$200.	\$33.	\$45.
	18"F - 12"O	30"	25"	15"	WCM253016F18O12L(N)	\$2,752.	\$200.	\$33.	\$45.
	12"O - 18"F (shown)	30"	25"	19 1/16"	WCM2530O12F18L(N)	\$3,075.	\$223.	\$33.	\$45.
	18"F - 12"O	30"	25"	19 1/16"	WCM2530F18O12L(N)	\$3,075.	\$223.	\$33.	\$45.
	12"O - 18"BF	30"	25"	15"	WCM253016O12B18L(N)	\$3,687.	\$200.	\$45.	\$45.
	18"BF - 12"O	30"	25"	15"	WCM253016B18O12L(N)	\$3,687.	\$200.	\$45.	\$45.
	12"O - 18"BF (shown)	30"	25"	19 1/16"	WCM2530O12B18L(N)	\$4,005.	\$223.	\$45.	\$45.
	18"BF - 12"O	30"	25"	19 1/16"	WCM2530B18O12L(N)	\$4,005.	\$223.	\$45.	\$45.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Anchor Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.




Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 36" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open 	36"	25"	15"	WCM253616OL	\$1,724.	\$223.	\$0.	\$50.
	36"	25"	19 1/16"	WCM2536OL	\$1,870.	\$245.	\$0.	\$50.
Open/File 	36"	25"	15"	WCM253616FL(N)	\$2,941.	\$223.	\$50.	\$50.
	36"	25"	19 1/16"	WCM2536FL(N)	\$3,131.	\$245.	\$50.	\$50.
Box/File 	36"	25"	15"	WCM253616BL(N)	\$3,925.	\$223.	\$61.	\$50.
	36"	25"	19 1/16"	WCM2536BL(N)	\$4,073.	\$245.	\$61.	\$50.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Anchor Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.



Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 36" wide, 16" and 20" deep




description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"F - 18"O	36"	25"	15"	WCM253616F18O18L(N)	\$2,783.	\$223.	\$33.	\$50.
	18"O - 18"F	36"	25"	15"	WCM253616O18F18L(N)	\$2,783.	\$223.	\$33.	\$50.
	12"O - 24"F	36"	25"	15"	WCM253616O12F24L(N)	\$2,829.	\$223.	\$39.	\$50.
	24"F - 12"O	36"	25"	15"	WCM253616F24O12L(N)	\$2,829.	\$223.	\$39.	\$50.
	18"F - 18"O	36"	25"	19 1/16"	WCM2536F18O18L(N)	\$3,101.	\$245.	\$33.	\$50.
	18"O - 18"F (shown)	36"	25"	19 1/16"	WCM2536O18F18L(N)	\$3,101.	\$245.	\$33.	\$50.
	12"O - 24"F	36"	25"	19 1/16"	WCM2536O12F24L(N)	\$3,152.	\$245.	\$39.	\$50.
	24"F - 12"O	36"	25"	19 1/16"	WCM2536F24O12L(N)	\$3,152.	\$245.	\$39.	\$50.
	18"BF - 18"O	36"	25"	15"	WCM253616B18O18L(N)	\$3,721.	\$223.	\$45.	\$50.
	18"O - 18"BF	36"	25"	15"	WCM253616O18B18L(N)	\$3,721.	\$223.	\$45.	\$50.
	12"O - 24"BF	36"	25"	15"	WCM253616O12B24L(N)	\$3,815.	\$223.	\$50.	\$50.
	24"BF - 12"O	36"	25"	15"	WCM253616B24O12L(N)	\$3,815.	\$223.	\$50.	\$50.
	18"BF - 18"O	36"	25"	19 1/16"	WCM2536B18O18L(N)	\$4,033.	\$245.	\$45.	\$50.
	18"O - 18"BF (shown)	36"	25"	19 1/16"	WCM2536O18B18L(N)	\$4,033.	\$245.	\$45.	\$50.
	12"O - 24"BF	36"	25"	19 1/16"	WCM2536O12B24L(N)	\$4,084.	\$245.	\$50.	\$50.
	24"BF - 12"O	36"	25"	19 1/16"	WCM2536B24O12L(N)	\$4,084.	\$245.	\$50.	\$50.

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>1. <i>Base Pattern Number</i></li> <li>2. <i>Case Finish</i> See Finish Options page</li> <li>3. <i>Top Finish</i> See Finish Options page</li> </ol>	Credenza, 48" wide, Open 18" - Open 30" Example: WCM2548O18O30L W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Mobile Credenzas include applicable caster kit and counterweight kits if required.  Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.  Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 42" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open 	42"	25"	15"	WCM254216OL	\$1,864.	\$240.	\$0.	\$56.
	42"	25"	19 1/16"	WCM2542OL	\$2,024.	\$261.	\$0.	\$56.
Open/File 	42"	25"	15"	WCM254216FL(N)	\$3,105.	\$240.	\$56.	\$56.
	42"	25"	19 1/16"	WCM2542FL(N)	\$3,311.	\$261.	\$56.	\$56.
Box/File 	42"	25"	15"	WCM254216BL(N)	\$4,136.	\$240.	\$66.	\$56.
	42"	25"	19 1/16"	WCM2542BL(N)	\$4,341.	\$261.	\$66.	\$56.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
Example: WCM2548O18O30L  
W Anchor Storage  
CM Mobile Credenza  
25 25" High  
48 48" Wide  
O18 Left: Open 18"  
O30 Right: Open 30"  
L Laminate case and front  
(118) Case Finish, Bright White  
(118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.




Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 48" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"O - 30"O	48"	25"	15"	WCM254816O18O30L	\$2,129.	\$250.	\$0.	\$61.
	18"O - 30"O (shown)	48"	25"	19 1/16"	WCM2548O18O30L	\$2,437.	\$273.	\$0.	\$61.
	30"O - 18"O	48"	25"	15"	WCM254816O30O18L	\$2,129.	\$250.	\$0.	\$61.
	30"O - 18"O	48"	25"	19 1/16"	WCM2548O30O18L	\$2,437.	\$273.	\$0.	\$61.
	18"O - 30"F	48"	25"	15"	WCM254816O18F30L(N)	\$3,226.	\$250.	\$45.	\$61.
	18"O - 30"F (shown)	48"	25"	19 1/16"	WCM2548O18F30L(N)	\$3,476.	\$273.	\$45.	\$61.
	30"F - 18"O	48"	25"	15"	WCM254816F30O18L(N)	\$3,226.	\$250.	\$45.	\$61.
	30"F - 18"O	48"	25"	19 1/16"	WCM2548F30O18L(N)	\$3,476.	\$273.	\$45.	\$61.
	18"O - 30"BF	48"	25"	15"	WCM254816O18B30L(N)	\$3,706.	\$250.	\$56.	\$61.
	18"O - 30"BF (shown)	48"	25"	19 1/16"	WCM2548O18B30L(N)	\$3,965.	\$273.	\$56.	\$61.
	30"BF - 18"O	48"	25"	15"	WCM254816B30O18L(N)	\$3,706.	\$250.	\$56.	\$61.
	30"BF - 18"O	48"	25"	19 1/16"	WCM2548B30O18L(N)	\$3,965.	\$273.	\$56.	\$61.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Anchor Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.




Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)	
	Open	18"O - 42"O	60"	25"	15"	WCM256016O18O42L	\$2,687.	\$268.	\$0.	\$73.
		24"O - 36"O	60"	25"	15"	WCM256016O24O36L	\$2,687.	\$268.	\$0.	\$73.
		30"O - 30"O	60"	25"	15"	WCM256016O30O30L	\$2,687.	\$268.	\$0.	\$73.
		36"O - 24"O	60"	25"	15"	WCM256016O36O24L	\$2,687.	\$268.	\$0.	\$73.
		42"O - 18"O	60"	25"	15"	WCM256016O42O18L	\$2,687.	\$268.	\$0.	\$73.
		18"O - 42"O	60"	25"	19 1/16"	WCM2560O18O42L	\$3,031.	\$289.	\$0.	\$73.
		24"O - 36"O	60"	25"	19 1/16"	WCM2560O24O36L	\$3,031.	\$289.	\$0.	\$73.
		30"O - 30"O	60"	25"	19 1/16"	WCM2560O30O30L	\$3,031.	\$289.	\$0.	\$73.
		36"O - 24"O	60"	25"	19 1/16"	WCM2560O36O24L	\$3,031.	\$289.	\$0.	\$73.
		42"O - 18"O (shown)	60"	25"	19 1/16"	WCM2560O42O18L	\$3,031.	\$289.	\$0.	\$73.
	Open with File	24"O - 36"F	60"	25"	15"	WCM256016O24F36L(N)	\$3,719.	\$268.	\$50.	\$73.
		36"F - 24"O	60"	25"	15"	WCM256016F36O24L(N)	\$3,719.	\$268.	\$50.	\$73.
		18"O - 42"F	60"	25"	15"	WCM256016O18F42L(N)	\$3,766.	\$268.	\$56.	\$73.
		42"F - 18"O	60"	25"	15"	WCM256016F42O18L(N)	\$3,766.	\$268.	\$56.	\$73.
		24"O - 36"F	60"	25"	19 1/16"	WCM2560O24F36L(N)	\$4,011.	\$289.	\$50.	\$73.
		36"F - 24"O	60"	25"	19 1/16"	WCM2560F36O24L(N)	\$4,011.	\$289.	\$50.	\$73.
		18"O - 42"F (shown)	60"	25"	19 1/16"	WCM2560O18F42L(N)	\$4,037.	\$306.	\$56.	\$73.
		42"F - 18"O	60"	25"	19 1/16"	WCM2560F42O18L(N)	\$4,037.	\$289.	\$56.	\$73.
	Open with Box/File	30"BF - 30"O	60"	25"	15"	WCM256016B30O30L(N)	\$4,175.	\$268.	\$56.	\$73.
		30"O - 30"BF	60"	25"	15"	WCM256016O30B30L(N)	\$4,175.	\$268.	\$56.	\$73.
		24"O - 36"BF	60"	25"	15"	WCM256016O24B36L(N)	\$4,212.	\$268.	\$61.	\$73.
		36"BF - 24"O	60"	25"	15"	WCM256016B36O24L(N)	\$4,212.	\$268.	\$61.	\$73.
		18"O - 42"BF	60"	25"	15"	WCM256016O18B42L(N)	\$4,389.	\$268.	\$66.	\$73.
		42"BF - 18"O	60"	25"	15"	WCM256016B42O18L(N)	\$4,389.	\$268.	\$66.	\$73.
		30"BF - 30"O	60"	25"	19 1/16"	WCM2560B30O30L(N)	\$4,460.	\$289.	\$56.	\$73.
		30"O - 30"BF	60"	25"	19 1/16"	WCM2560O30B30L(N)	\$4,460.	\$289.	\$56.	\$73.
		24"O - 36"BF	60"	25"	19 1/16"	WCM2560O24B36L(N)	\$4,499.	\$289.	\$61.	\$73.
		36"BF - 24"O	60"	25"	19 1/16"	WCM2560B36O24L(N)	\$4,499.	\$289.	\$61.	\$73.
		18"O - 42"BF	60"	25"	19 1/16"	WCM2560O18B42L(N)	\$4,679.	\$289.	\$66.	\$73.
		42"BF - 18"O	60"	25"	19 1/16"	WCM2560B42O18L(N)	\$4,679.	\$289.	\$66.	\$73.


Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Case Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> </ol>	Credenza, 48" wide, Open 18" - Open 30" Example: WCM2548O18O30L W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Mobile Credenzas include applicable caster kit and counterweight kits if required.  Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.  Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.  Credenzas are preassembled including top.  Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.  Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.  Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas


## Anchor Storage

### Mobile Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open/File, Open/File Mobile Credenza	30"F - 30"F	60"	25"	15"	WCM256016F30F30L(N)	\$4,325.	\$268.	\$89.	\$73.
	30"F - 30"F (shown)	60"	25"	19 1/16"	WCM2560F30F30L(N)	\$4,843.	\$289.	\$89.	\$73.



Box/File, Box/File Mobile Credenza	30"BF - 30"BF	60"	25"	15"	WCM256016B30B30L(N)	\$5,736.	\$268.	\$111.	\$73.
	30"BF - 30"BF (shown)	60"	25"	19 1/16"	WCM2560B30B30L(N)	\$6,202.	\$289.	\$111.	\$73.






Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Credenza, 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. Case Finish	Example: WCM2548O18O30L		
See Finish Options page	W Anchor Storage		
3. Top Finish	CM Mobile Credenza		
See Finish Options page	25 25" High	Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		Credenzas are preassembled including top.
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
		Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.
		Dimensions listed under w h d are actual to the nearest 1/16".	Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

# Credenzas

## Anchor Storage

### Mobile Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	30"O - 42"O	72"	25"	15"	WCM257216O30O42L	\$2,964.	\$306.	\$0.	\$83.
	36"O - 36"O	72"	25"	15"	WCM257216O36O36L	\$2,964.	\$306.	\$0.	\$83.
	42"O - 30"O	72"	25"	15"	WCM257216O42O30L	\$2,964.	\$306.	\$0.	\$83.
	36"O - 36"O	72"	25"	19 1/16"	WCM2572O36O36L	\$3,337.	\$334.	\$0.	\$83.
	30"O - 42"O (shown)	72"	25"	19 1/16"	WCM2572O30O42L	\$3,353.	\$334.	\$0.	\$83.
	42"O - 30"O	72"	25"	19 1/16"	WCM2572O42O30L	\$3,353.	\$334.	\$0.	\$83.
	30"O - 42"F	72"	25"	15"	WCM257216O30F42L(N)	\$4,032.	\$306.	\$56.	\$83.
	42"F - 30"O	72"	25"	15"	WCM257216F42O30L(N)	\$4,032.	\$306.	\$56.	\$83.
	30"O - 42"F (shown)	72"	25"	19 1/16"	WCM2572O30F42L(N)	\$4,347.	\$334.	\$56.	\$83.
	42"F - 30"O	72"	25"	19 1/16"	WCM2572F42O30L(N)	\$4,347.	\$334.	\$56.	\$83.
	36"BF - 36"O	72"	25"	15"	WCM257216B36O36L(N)	\$4,482.	\$306.	\$61.	\$83.
	36"O - 36"BF	72"	25"	15"	WCM257216O36B36L(N)	\$4,482.	\$306.	\$61.	\$83.
	30"O - 42"BF	72"	25"	15"	WCM257216O30B42L(N)	\$4,519.	\$306.	\$66.	\$83.
	42"BF - 30"O	72"	25"	15"	WCM257216B42O30L(N)	\$4,519.	\$306.	\$66.	\$83.
	36"BF - 36"O	72"	25"	19 1/16"	WCM2572B36O36L(N)	\$4,794.	\$334.	\$61.	\$83.
	36"O - 36"BF	72"	25"	19 1/16"	WCM2572O36B36L(N)	\$4,794.	\$334.	\$61.	\$83.
	30"O - 42"BF (shown)	72"	25"	19 1/16"	WCM2572O30B42L(N)	\$4,834.	\$334.	\$66.	\$83.
	42"BF - 30"O	72"	25"	19 1/16"	WCM2572B42O30L(N)	\$4,834.	\$334.	\$66.	\$83.

#### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

#### Order Code

Credenza, 48" wide, Open 18" - Open 30"  
 Example: WCM2548O18O30L  
 W Anchor Storage  
 CM Mobile Credenza  
 25 25" High  
 48 48" Wide  
 O18 Left: Open 18"  
 O30 Right: Open 30"  
 L Laminate case and front  
 (118) Case Finish, Bright White  
 (118) Top Finish, Bright White

#### Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.




# Credenzas


## Anchor Storage

### Mobile Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Open/File, Open/File	36"F - 36"F	72"	25"	15"	WCM257216F36F36L(N)	\$4,642.	\$306.	\$101.	\$83.
	36"F - 36"F (shown)	72"	25"	19 1/16"	WCM2572F36F36L(N)	\$5,207.	\$334.	\$101.	\$83.



Box/File, Box/File	36"BF - 36"BF	72"	25"	15"	WCM257216B36B36L(N)	\$6,120.	\$306.	\$122.	\$83.
	36"BF - 36"BF (shown)	72"	25"	19 1/16"	WCM2572B36B36L(N)	\$6,620.	\$334.	\$122.	\$83.



Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Case Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> </ol>	<p>Credenza, 48" wide, Open 18" - Open 30"</p> <p>Example: WCM2548O18O30L</p> <p>W Anchor Storage</p> <p>CM Mobile Credenza</p> <p>25 25" High</p> <p>48 48" Wide</p> <p>O18 Left: Open 18"</p> <p>O30 Right: Open 30"</p> <p>L Laminate case and front</p> <p>(118) Case Finish, Bright White</p> <p>(118) Top Finish, Bright White</p>	<p>Mobile Credenzas include applicable caster kit and counterweight kits if required.</p> <p>Add \$40 to the list price per standard key lock. Add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.</p> <p>Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.</p> <p>Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.</p> <p>Dimensions listed under w h d are actual to the nearest 1/16".</p>	<p>Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.</p> <p>Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.</p> <p>Credenzas are preassembled including top.</p> <p>Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.</p> <p>Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.</p> <p>Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.</p>

## Credenza Accessories


## Anchor Storage

description	type	pattern no.	list
Extended Leveling Glides	Extended Leveling Glides, pack of 20	WAGE20	\$56.
	Extended Leveling Glides, pack of 100	WAGE100	\$269.
Counterweight Kits	Counterweight Kit 01	WCWKIT01	\$155.
	Counterweight Kit 02	WCWKIT02	\$186.
	Counterweight Kit 03	WCWKIT03	\$261.
	Counterweight Kit 04	WCWKIT04	\$296.
	Counterweight Kit 05	WCWKIT05	\$327.
	Counterweight Kit 06	WCWKIT06	\$369.
	Counterweight Kit 07	WCWKIT07	\$399.
	Counterweight Kit 08	WCWKIT08	\$439.
	Counterweight Kit 09	WCWKIT09	\$505.
	Counterweight Kit 10	WCWKIT10	\$553.
	Counterweight Kit 11	WCWKIT11	\$348.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Example: WAGE20 W Anchor A Accessories GE Extended Glide 20 Bulk Pack of 20	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.  Counterweight kits include hardware to mount the counterweight plates.  Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the credenza.	Extended leveling glides are specified separately when additional leveling capabilities are required or for units overlaying table foot.  Extended leveling glides provide a clearance range of 1 1/4"- 2".  Specify version 2 (WA2FB) for: - 30" wide credenza drawers shipped April 30, 2021 or later - 36" wide credenza drawers shipped May 14, 2021 or later - 42" wide credenza drawers shipped May 28, 2021 or later - 18" and 24" wide credenza drawers shipped June 11, 2021 or later Specify version 1 (WAFB) for credenza drawers shipped prior to above listed dates.

## Credenza Accessories

## Anchor Storage

description	type	pattern no.	list	P1	P2	P3
Front to Back File Bars for 16" deep credenzas and Pedestals, version 1	Front to Back File Bars, version 1, Kit of 12	WAFB1612	\$412.			
	Front to Back File Bars, version 1, Kit of 24	WAFB1624	\$759.			
	Front to Back File Bars, version 1, Kit of 4	WAFB1604	\$159.			
Front to Back File Bars for 16" deep credenzas and Pedestals, version 2	Front to Back File Bars, version 2, Kit of 2	WA2FB1602	\$78.			
						
Credenza Spacer	Credenza Spacer for Dividends Horizon worksurface	WACS22P	\$0.	\$258.	\$289.	\$299.

### Order Information

1. Base Pattern Number

### Order Code

Example: WAGE20  
W Anchor  
A Accessories  
GE Extended Glide  
20 Bulk Pack of 20

### Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 11 for detailed requirements.

Counterweight kits include hardware to mount the counterweight plates.

Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the credenza.

### Application Notes

Extended leveling glides are specified separately when additional leveling capabilities are required or for units overlaying table foot.




Extended leveling glides provide a clearance range of 1 1/4"- 2".

Specify version 2 (WA2FB) for:  
- 30" wide credenza drawers shipped April 30, 2021 or later  
- 36" wide credenza drawers shipped May 14, 2021 or later  
- 42" wide credenza drawers shipped May 28, 2021 or later  
- 18" and 24" wide credenza drawers shipped June 11, 2021 or later  
Specify version 1 (WAFB) for credenza drawers shipped prior to above listed dates.

Credenza spacer may be used to support one end of a Dividends Horizon worksurface. Spacer may not be used with credenzas raised on feet.

## Credenza Cushions

## Anchor Storage

description	w	d	h	pattern no.	A	B(COM)	C	D	E	F	G	H	I
Credenza Cushion, 14" deep 	18"	14"	1 1/4"	WCCT1814	\$574.	\$628.	\$670.	\$684.	\$748.	\$824.	\$873.	\$954.	\$1,081.
	24"	14"	1 1/4"	WCCT2414	\$600.	\$656.	\$697.	\$711.	\$776.	\$852.	\$901.	\$981.	\$1,110.
	30"	14"	1 1/4"	WCCT3014	\$628.	\$684.	\$724.	\$738.	\$804.	\$880.	\$929.	\$1,010.	\$1,136.
	36"	14"	1 1/4"	WCCT3614	\$656.	\$714.	\$751.	\$758.	\$829.	\$907.	\$957.	\$1,038.	\$1,170.
	42"	14"	1 1/4"	WCCT4214	\$686.	\$743.	\$781.	\$787.	\$858.	\$937.	\$985.	\$1,067.	\$1,198.
Credenza Cushion, 18" deep 	18"	18"	1 1/4"	WCCT1818	\$580.	\$636.	\$675.	\$693.	\$754.	\$831.	\$881.	\$962.	\$1,088.
	24"	18"	1 1/4"	WCCT2418	\$611.	\$664.	\$704.	\$720.	\$783.	\$860.	\$911.	\$991.	\$1,117.
	30"	18"	1 1/4"	WCCT3018	\$640.	\$694.	\$734.	\$746.	\$815.	\$889.	\$939.	\$1,020.	\$1,147.
	36"	18"	1 1/4"	WCCT3618	\$671.	\$725.	\$767.	\$771.	\$842.	\$920.	\$970.	\$1,053.	\$1,183.
	42"	18"	1 1/4"	WCCT4218	\$701.	\$758.	\$797.	\$802.	\$873.	\$953.	\$1,004.	\$1,085.	\$1,214.
Credenza Cushion, 22" deep 	18"	22"	1 1/4"	WCCT1822	\$584.	\$640.	\$675.	\$693.	\$756.	\$834.	\$881.	\$962.	\$1,090.
	24"	22"	1 1/4"	WCCT2422	\$618.	\$673.	\$712.	\$724.	\$791.	\$869.	\$915.	\$995.	\$1,126.
	30"	22"	1 1/4"	WCCT3022	\$649.	\$705.	\$744.	\$755.	\$824.	\$901.	\$947.	\$1,028.	\$1,160.
	36"	22"	1 1/4"	WCCT3622	\$686.	\$739.	\$780.	\$788.	\$859.	\$937.	\$982.	\$1,064.	\$1,194.
	42"	22"	1 1/4"	WCCT4222	\$722.	\$776.	\$817.	\$822.	\$896.	\$974.	\$1,020.	\$1,102.	\$1,231.

### Order Information

1. Base Pattern Number
2. Fabric  
See Finish Options page

### Order Code

Example: WCCT3018 ( )  
W Anchor  
CCT Credenza Cushion Top  
30 30" Wide  
18 18" Deep  
( ) Fabric

### Application Notes

Cushions are designed for use atop Anchor credenzas or doublewide pedestals, worksurface top must also be specified. Cushion does not replace worksurface top.

14" deep cushions for use with 16" deep storage  
18" deep cushions for use with 20" deep storage  
22" deep cushions for use with 24" deep storage

Cushions are designed to be centered front-to-back on storage with slight reveal on each front and back.

For Customers Own Material (COM) applications, specify the following yardage per cushion:

14" deep, 18" or 24" wide: 1.0 yards  
14" deep, 30" or 36" wide: 1.25 yards  
14" deep, 42" wide: 1.5 yards  
18" deep, 18" - 36" wide: 1.25 yards  
18" deep, 42" wide: 1.5 yards  
22" deep, 18" - 42" wide: 1.5 yards.

### Anchor Mobile Pedestals

Anchor Mobile Pedestals provide flexible storage solutions with a range of configurations offering varying levels of security and compartmentalization for user organization. Anchor mobile pedestals are freestanding wood construction cabinets with casters.

Anchor mobile pedestals ship assembled including a finished top. Casters are field installed.

### Available Sizes (nominal)

Height, Tray Top or Finished Laminate Top: 23-7/8"

Height, with optional Cushion Top installed: 24-7/8"

Widths: 12", 16"

Depth: 20-3/4"

### Available Configurations 9

available configurations:

- Open
- Hinged Door (right or left)
- Open/File
- Concealed Shelf/File
- Box/File
- Recessed Box/File
- Slide Out
- File Drawer/Tray Top
- Hinged Door/Tray Top (right or left)

### Construction

- Mobile Pedestals are constructed of wood core, laminate and non-PVC edge banding; cam and dowel construction
- Material thickness: 1-3/16" (nominal) on pedestal bottom and top, 3/4" on pedestal back, sides, interior shelves and drawer fronts
- Pedestal drawer bodies are metal (excluding slide out pedestal).
- Full suspension, ball bearing drawer slides standard for all drawer types including Box, File and Slide Out drawers.
- All mobile pedestals include (4) non-locking hard-wheeled casters. Mobile pedestals with File drawer or Slide Out include additional 5th wheel to be mounted beneath the drawer to provide stability as lower drawer is extended, preventing tip hazard
- Casters provide 2-3/16" clearance beneath mobile pedestal case

### Internal Drawer Dimensions, 12" wide

#### Box Drawer, 12" wide

- Internal Height: 3-3/4"
- Internal Width: 9-1/4"
- Internal Depth: 15-5/16"

#### File Drawer, 12" wide

- Internal Height: 9-1/2"
- Internal Width: 9-1/4"
- Internal Depth: 16-5/16"

### Slide Out Drawer, 12" wide

#### Drawer Body:

- Internal Height: 3-1/16" (18-9/16" clearance)
  - Internal Width: 8"
  - Internal Depth: 15-1/8"
- Slatwall Area:
- Width: 16-1/8"
  - Height: 15-1/2"

### Internal Clearance

#### Open and Hinged Door, 12" wide

- Internal Height, excluding shelf: 19-5/16"  
\*Reduced by 2-9/16" within Tray Top version
- Internal Width: 10-1/2"
- Internal Depth: 19-15/16"

### Internal Drawer Dimensions, 16" wide

#### Box Drawer, 16" wide

- Internal Height: 3-3/4"
- Internal Width: 12-3/16"
- Internal Depth: 16-1/4"

#### File Drawer, 16" wide

- Internal Height: 9-1/2"
- Internal Width: 12-3/16"
- Internal Depth: 16-1/4"

### Slide Out Pedestal, 16" wide

#### Drawer Body:

- Internal Height: 3-1/16" (18-9/16" clearance)
  - Internal Width: 11-1/2"
  - Internal Depth: 15-1/8"
- Slatwall Area:
- Width: 16-1/8"
  - Internal Depth: 15-1/2"

### Internal Clearance

#### Open and Hinged Door, 16" wide

- Internal Height, excluding shelf: 19-5/16" \*Reduced by 2-9/16" within Tray Top version
- Internal Width: 13-11/16"
- Internal Depth: 19-15/16"

### Filing and Accessories

Box drawers of 16" wide mobile pedestals may accept Knoll Universal plastic pencil tray (DS2PPT). 16" wide pedestal file drawer allows for front-to-back letter filing. 12" wide pedestal file drawer allows for side-to-side letter or legal filing.

Slide Out pedestal configuration includes slatwall mounted within interior to support select slatwall accessories including hook and basket, specified separately.

Tray top mobile pedestals include recessed tray finished with selected case laminate. Optional lay-in liner accessories are available, specified separately. Liners are available in laminated cork or in 5 standard colors of recycled PET. Note: Cork liner is not FSC certified.

### Mobile Pedestal Cushion

Mobile pedestals include finished laminate top, 16" wide pedestals may be specified with drilled top to accept pedestal cushion. Cushions are available in a range of KnollTextiles, Spinneybeck leather or upholstered in customer's own material. When specified, cushion adds 1" to overall finished height of the pedestal. Cushions are field installed. Cushions are not intended for use with tray top mobile pedestals.

### Locks

All mobile pedestals with door or drawer(s) are available non-locking or locking with cylinder lock and key. When specified as non-locking, lock drilling is omitted. Dual-tab lock design allows one shared lock core on units with 2 drawers. Locks are available in black or chrome finishes.



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Select configurations including Hinged Door, Slide Out, Concealed Shelf-File and Hinged Door/Tray Top are available with Digital Keypad or RFID keyless lock options with automatic bolt. Digital Keypad and RFID locks are standard with brushed nickel face plate finish and black buttons and RFID reader. Refer to Digital Keypad and RFID Lock Specifications for details.

### Pulls

Mobile pedestals include standard Anchor Finger Pull, centered horizontally on all drawers, positioned vertically on all doors. Drawers of 16" wide mobile pedestals include 10" pulls. Drawers of 12" wide mobile pedestals and all mobile pedestals with hinged door include 5" pulls.

Top Drawer: 3/4" from bottom of drawer front  
Bottom Drawer: 3/4" from top of drawer front  
Full Height Single Drawer Front: 13 1/8" from bottom of drawer front  
Doors: 1-1/8" below top edge of door



# Pedestal Specifications

## Floorstanding Pedestal Technical Specifications

Anchor Storage

### Anchor Floorstanding Pedestals

Anchor Floorstanding Pedestals are desk height wood construction cabinets designed to support work surfaces in both panel wrapped and freestanding applications. No cantilevers or other supports are required at the end of the work surface supported by a pedestal. Opposite end of the extended work surface must be supported by support leg or a panel.

**Floorstanding pedestals are not intended for freestanding use.** Floorstanding pedestals 12" and 16" wide are available in 9 configurations. Select configurations are available for use with Anchor foot kits. When applicable, foot kits are specified separately. Reference pricing pages for full product scope.

Floorstanding Pedestals ship assembled, excluding a finished top.

### Available Sizes (nominal)

Height: 28" overall height including work surface (specified separately)  
Widths: 12", 16", 24", 30"  
Depth: 24"

### Available Configurations

Floorstanding pedestals, 12" and 16" wide

- Open
- Full Door (right or left)
- Open/File
- Open/Box File
- Box (File Front) File
- Shelf/Box/File (Single Front)
- Box/Box (File Front) File
- File/File
- Slide Out with Slatwall

Floorstanding Pedestals for Use with Feet, 12" and 16" wide

- Open
- Full Door (right or left)
- Box/File
- Open/File
- Shelf/File (Single Front)
- Shelf/Box/File (Single Front)

### Construction

- Floorstanding Pedestals are constructed of wood core, laminate and non-PVC edge banding; cam and dowel construction.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on pedestal bottom and midpanels (where applicable),  $\frac{3}{4}$ " on pedestal back, sides, interior shelves and drawer fronts.
- Pedestal drawer bodies are metal.
- Box and File drawer suspension: Full extension, ball bearing slides
- Leveling glides:  $\frac{5}{16}$ " diameter steel stem with  $\frac{11}{16}$ " of height adjustment, 4 per pedestal.
- Longer glides are available to provide an additional  $\frac{11}{16}$ " of height adjustment; order separately.

### Internal Drawer Dimensions 16" wide Box drawer

- Internal height:  $3\frac{3}{4}$ "
- Internal width:  $12\frac{3}{16}$ "
- Internal depth:  $16\frac{1}{4}$ "


### File drawer

- Internal height:  $9\frac{1}{2}$ "
- Internal width:  $12\frac{3}{16}$ "
- Internal depth:  $16\frac{1}{4}$ "

### Internal Clearances \*


#### Pedestal with standard glides

- Internal height A:  $4\frac{7}{8}$ "
- Internal height B:  $6\frac{1}{2}$ "
- Internal height C:  $11\frac{15}{16}$ "
- Internal height D:  $12\frac{1}{8}$ "



### Pedestal for Use with Feet

- Internal height A:  $3\frac{1}{8}$ "
- Internal height B:  $4\frac{9}{16}$ "
- Internal height C:  $11\frac{15}{16}$ "
- Internal height D:  $9\frac{3}{16}$ "



### Filing

16" wide pedestal file drawer allows for front-to-back letter filing. 12" wide pedestal file drawer allows for side-to-side letter or legal filing.

### Locks

Anchor Floorstanding Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.



Dual-tab lock design allows one shared lock core on units with 2 drawers in vertical alignment.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Keyless lock options with automatic bolt are available on select 12" wide and 16" wide floorstanding pedestals including, FD, F1, F2, CS, SO and RB configurations.

### Pulls

Finger Pull, centered horizontally on drawers, positioned vertically on doors. Top drawer:  $\frac{3}{4}$ " from bottom of drawer  
Bottom drawer:  $\frac{3}{4}$ " from top of drawer  
Doors:  $1\frac{1}{8}$ " below top edge of door



\*Actual dimensions to the nearest  $\frac{1}{16}$ th of an inch.

### Anchor Doublewide Pedestals

Anchor Doublewide Pedestals are 28" high wood construction cabinets sized to align with desk height (when specified with top) and are designed to be used in a variety of applications.

Doublewide pedestals are available in 5 widths and 5 interior configurations. Select configurations are available for use with Anchor foot kits. When applicable, foot kits are specified separately. Reference pricing pages for full product scope.


#### Available Sizes (nominal)

Height: 28" (including top)  
Widths: 18", 24", 30", 36", 42"  
Depth: 16", 20", 24"


Doublewide Pedestals ship assembled excluding the top. **Doublewide pedestal tops must be specified separately.**

Doublewide pedestals may be specified with a full-width individual top, common top spanning two side-by-side units (facing the same or opposite direction) or with an extended top. Opposite end of the extended worksurface must be supported by a perpendicular work surface, support leg or a panel.


Counterweight kit must be specified for certain doublewide pedestals in applications that are not connected to a desk or another unit. Further information is detailed on pricing pages.




Individual top



Common top, units facing same direction



Common top, units facing opposite direction



Extended top connected to a perpendicular surface.

### Construction

- Doublewide Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on pedestal bottom,  $\frac{3}{4}$ " on pedestal back, sides, interior shelves and drawer fronts.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on pedestal tops (specified separately)
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer opening at a time.
- Leveling glides:  $\frac{5}{16}$ " diameter steel stem with  $\frac{11}{16}$ " of height adjustment, 4 per doublewide pedestal.
- Longer glides are included to provide an additional  $\frac{11}{16}$ " of height adjustment; 2 per doublewide pedestal.

### Internal Drawer Dimensions \*

#### Box drawer

- Internal height:  $3\frac{3}{4}$ " ( $5\frac{1}{8}$ " clearance)
- Internal width:  $14\frac{3}{4}$ ",  $20\frac{3}{4}$ ",  $26\frac{3}{4}$ ",  $32\frac{3}{4}$ ",  $38\frac{3}{4}$ "
- Internal depth:  $12\frac{13}{16}$ ",  $16\frac{1}{4}$ "

#### File drawer


- Internal height:  $9\frac{3}{4}$ " ( $11\frac{3}{4}$ " clearance)
- Internal widths:  $14\frac{3}{4}$ ",  $20\frac{3}{4}$ ",  $26\frac{3}{4}$ ",  $32\frac{3}{4}$ ",  $38\frac{3}{4}$ "
- Internal depths:  $12\frac{13}{16}$ ",  $16\frac{1}{4}$ "

### Internal Clearances \*

- Internal wide:  $28\frac{1}{2}$ ",  $34\frac{1}{2}$ ",  $40\frac{1}{2}$ "
- Internal depth:  $18\frac{1}{4}$ "


### Pedestal with standard glides

- Internal height A:  $4\frac{7}{8}$ "
- Internal height B:  $6\frac{1}{2}$ "
- Internal height C:  $11\frac{15}{16}$ "
- Internal height D:  $12\frac{1}{8}$ "



### Pedestals for Use with Feet

- Internal height A:  $3\frac{7}{8}$ "
- Internal height B:  $4\frac{9}{16}$ "
- Internal height C:  $11\frac{15}{16}$ "
- Internal height D:  $9\frac{3}{16}$ "



\*Actual dimensions to the nearest  $\frac{1}{16}$ th of an inch.


### Filing

File drawers of 30" wide and larger, 20" and 24" deep doublewide provide side-to-side and front-to-back letter and legal filing. File drawers of all 18" wide, 24" wide, and 16" deep doublewides accommodate side-to-side letter filing only. Front-to-back file bars for 16" deep units may be specified separately.


### Locks

Anchor Doublewide Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is  $1\frac{9}{16}$ " from top edge,  $1\frac{1}{2}$ " from side. Dual-tab lock design allows one shared lock core per box/file and file/file configuration.



Single drawer, single-tab lock core



Two drawers share dual-tab lock core





Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Keyless lock options are available for drawers 30" wide or larger. Refer to *Digital Keypad and RFID Lock Specifications* for details.

### Pulls


Finger Pull, 10" long, centered horizontally on drawers

Top drawer:  $\frac{3}{4}$ " from bottom of drawer  
Bottom drawer:  $\frac{3}{4}$ " from top of drawer







Doublewide pedestal with extended top. Specify **Dividends Horizon DB1F24SP flat bracket** for connection to perpendicular work surface. No counterweight kit required.




Doublewide pedestal with individual top. Specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel. No counterweight kit required.




Doublewide pedestals with extended tops. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface. No counterweight kits required.



Common top spanning two doublewide pedestals facing opposite directions. No counterweight kits required.



Doublewide pedestals each with extended top. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface. No Counterweight kits required.






Doublewide Pedestals facing opposite directions with common top. No counterweight kits required.



# Pedestals

# Anchor Storage

## Mobile Pedestals 12" wide




description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	Open	12"	23 7/8"	20 3/4"	WPM2412OPL	\$794.	\$134.	\$0.	\$30.
	Open, 1 Shelf (shown)	12"	23 7/8"	20 3/4"	WPM2412O1L	\$862.	\$134.	\$0.	\$30.
	LH (shown)	12"	23 7/8"	20 3/4"	WPM2412FDLHL(N)	\$1,010.	\$134.	\$33.	\$30.
	LH, 1 Shelf	12"	23 7/8"	20 3/4"	WPM2412F1LHL(N)	\$1,080.	\$134.	\$33.	\$30.
	RH	12"	23 7/8"	20 3/4"	WPM2412FDRHL(N)	\$1,010.	\$134.	\$33.	\$30.
	RH, 1 Shelf	12"	23 7/8"	20 3/4"	WPM2412F1RHL(N)	\$1,080.	\$134.	\$33.	\$30.
Open/File		12"	23 7/8"	20 3/4"	WPM2412OFL(N)	\$1,270.	\$134.	\$22.	\$30.
									

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Top Finish See Finish Options page 6. Pull style T = 10" finger pull 7. Pull finish B = Black 8. Lock Finish C = Chrome 9. Predrilled top for cushion D = Drilled N = Non-drilled	Mobile Pedestal, 12" Wide Example: WPM2412OFL(L) WPM 24 24" High 12 12" Wide OF Open/File L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome (D) Drilled top for cushion	Add \$40 to the list price per standard key lock. (D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately. Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.	Dimensions listed under w h d are actual to the nearest 1/16". Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case Pedestals with drawer fronts or doors are 21 5/8" deep overall. 12" wide pedestal file drawer allows for side-to-side letter or legal filing. Tray Top mobile pedestals include recessed tray top finished with case laminate.

# Pedestals

## Mobile Pedestals 12" wide

## Anchor Storage




description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Shelf/File	Single Front	12"	23 7/8"	20 3/4"	WPM2412CSL(N)	\$1,293.	\$134.	\$33.	\$30.
									
Box/File		12"	23 7/8"	20 3/4"	WPM2412BFL(N)	\$1,423.	\$134.	\$33.	\$30.
									
Recessed Box/File	Single Front	12"	23 7/8"	20 3/4"	WPM2412CML(N)	\$1,446.	\$134.	\$33.	\$30.
									

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Mobile Pedestal, 12" Wide	Add \$40 to the list price per standard key lock.	Dimensions listed under w h d are actual to the nearest 1/16".
2. Lock option	Example: WPM2412OFL(L)	(D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately.	Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case Pedestals with drawer fronts or doors are 21 5/8" deep overall.
3. Case Finish	WPM 24 12" High		
See Finish Options page	OF Open/File		
4. Front Finish	L Laminate		12" wide pedestal file drawer allows for side-to-side letter or legal filing.
See Finish Options page	(L) Lock option, Locking		
5. Top Finish	(118) Case Finish		
See Finish Options page	(118) Front Finish		
6. Pull style	(T) Pull Style		
T = 10" finger pull	(118) Pull Finish		
7. Pull finish	(C) Lock finish, Chrome	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Tray Top mobile pedestals include recessed tray top finished with case laminate.
8. Lock Finish	(D) Drilled top for cushion		
C = Chrome			
9. Predrilled top for cushion		Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.	
D = Drilled			
N = Non-drilled			

# Pedestals

## Anchor Storage

### Mobile Pedestals 12" wide

description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	Slat wall with bin, LH	12"	23 7/8"	20 3/4"	WPM2412SOLHL(N)	\$1,682.	\$134.	\$33.	\$30.
	Slat wall with bin, RH (shown)	12"	23 7/8"	20 3/4"	WPM2412SORHL(N)	\$1,682.	\$134.	\$33.	\$30.
	LH (shown)	12"	23 7/8"	20 3/4"	WPM2412DTLHL(N)	\$1,153.	\$134.	\$33.	\$0.
	RH	12"	23 7/8"	20 3/4"	WPM2412DTRHL(N)	\$1,153.	\$134.	\$33.	\$0.
		12"	23 7/8"	20 3/4"	WPM2412FTL(N)	\$1,331.	\$134.	\$33.	\$0.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Top Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
B = Black  
C = Chrome
- Lock Finish  
C = Chrome
- Pre-drilled top for cushion  
D = Drilled  
N = Non-drilled

#### Order Code

Mobile Pedestal, 12" Wide  
Example: WPM2412OFL(L)  
WPM 24 24" High  
12 12" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome  
(D) Drilled top for cushion

#### Specification Information

Add \$40 to the list price per standard key lock.  
(D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.




#### Application Notes

Dimensions listed under w h d are actual to the nearest 1/16".  
  
Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case Pedestals with drawer fronts or doors are 21 5/8" deep overall.  
  
12" wide pedestal file drawer allows for side-to-side letter or legal filing.  
  
Tray Top mobile pedestals include recessed tray top finished with case laminate.

# Pedestals

## Mobile Pedestals 16" wide

## Anchor Storage

description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	Open	14 15/16"	23 7/8"	20 3/4"	WPM2416OPL	\$797.	\$228.	\$0.	\$33.
	Open, 1 Shelf (shown)	14 15/16"	23 7/8"	20 3/4"	WPM2416O1L	\$871.	\$228.	\$0.	\$33.
	LH	14 15/16"	23 7/8"	20 3/4"	WPM2416FDLHL(N)	\$1,022.	\$228.	\$39.	\$33.
	LH, 1 Shelf	14 15/16"	23 7/8"	20 3/4"	WPM2416F1LHL(N)	\$1,097.	\$228.	\$39.	\$33.
	RH (shown)	14 15/16"	23 7/8"	20 3/4"	WPM2416FDRHL(N)	\$1,022.	\$228.	\$39.	\$33.
	RH, 1 Shelf	14 15/16"	23 7/8"	20 3/4"	WPM2416F1RHL(N)	\$1,097.	\$228.	\$39.	\$33.
	Open/File	14 15/16"	23 7/8"	20 3/4"	WPM2416OFL(N)	\$1,442.	\$228.	\$28.	\$33.

### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
B = Black
- Lock Finish  
C = Chrome
- Predrilled top for cushion  
D = Drilled  
N = Non-drilled

### Order Code

Mobile Pedestal, 16" Wide, Open/File  
 Example: WPM2416OFL(L)  
 WPM 24 16" High  
 16 16" Wide  
 OF Open/File  
 L Laminate  
 (L) Lock option, Locking  
 (118) Case Finish  
 (118) Front Finish  
 (T) Pull Style  
 (118) Pull Finish  
 (C) Lock finish, Chrome  
 (D) Drilled top for cushion

### Specification Information

Add \$40 to the list price per standard key lock.  
 (D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately.  
 Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
 Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately).  
 Tray Top mobile pedestals are not available with cushion top.




### Application Notes

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  
 Dimensions listed under w h d are actual to the nearest 1/16".  
 Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case. Pedestals with drawer fronts or doors are 21 5/8" deep overall.  
 16" wide pedestal file drawer allows for side-to-side letter or legal filing.  
 Tray Top mobile pedestals include recessed tray top finished with case laminate.

# Pedestals

## Anchor Storage

### Mobile Pedestals 16" wide




description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Shelf/File	Single Front	14 15/16"	23 7/8"	20 3/4"	WPM2416CSL(N)	\$1,474.	\$228.	\$39.	\$33.
									
Box/File		14 15/16"	23 7/8"	20 3/4"	WPM2416BFL(N)	\$1,652.	\$228.	\$39.	\$33.
									
Recessed Box/File	Single Front	14 15/16"	23 7/8"	20 3/4"	WPM2416CML(N)	\$1,676.	\$228.	\$39.	\$33.
									

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Mobile Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.
2. Lock option	Example: WPM2416OFL(L)	(D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately.	Dimensions listed under w h d are actual to the nearest 1/16".
3. Case Finish	WPM 24 16" High		Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case Pedestals with drawer fronts or doors are 21 5/8" deep overall.
See Finish Options page	OF Open/File		
4. Front Finish	L Laminate		
See Finish Options page	(L) Lock option, Locking		
5. Pull style	(118) Case Finish		
T = 10" finger pull	(118) Front Finish		
6. Pull finish	(T) Pull Style		
B = Black	(118) Pull Finish		
7. Lock Finish	(C) Lock finish, Chrome	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	16" wide pedestal file drawer allows for side-to-side letter or legal filing.
C = Chrome	(D) Drilled top for cushion		
8. Predrilled top for cushion		Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately). Tray Top mobile pedestals are not available with cushion top.	Tray Top mobile pedestals include recessed tray top finished with case laminate.
D = Drilled			
N = Non-drilled			

# Pedestals

## Mobile Pedestals 16" wide

## Anchor Storage

description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	Slat wall with bin, LH	14 15/16"	23 7/8"	20 3/4"	WPM2416SOLHL(N)	\$1,816.	\$228.	\$39.	\$33.
	Slat wall with bin, RH (shown)	14 15/16"	23 7/8"	20 3/4"	WPM2416SORHL(N)	\$1,816.	\$228.	\$39.	\$33.
	LH (shown)	14 15/16"	23 7/8"	20 3/4"	WPM2416DTLHL(N)	\$1,170.	\$228.	\$39.	\$0.
	RH	14 15/16"	23 7/8"	20 3/4"	WPM2416DTRHL(N)	\$1,170.	\$228.	\$39.	\$0.
		14 15/16"	23 7/8"	20 3/4"	WPM2416FTL(N)	\$1,532.	\$228.	\$39.	\$0.

### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
B = Black  
C = Chrome
- Lock Finish  
C = Chrome  
D = Drilled  
N = Non-drilled

### Order Code

Mobile Pedestal, 16" Wide, Open/File  
 Example: WPM2416OFL(L)  
 WPM 24 16" High  
 16 16" Wide  
 OF Open/File  
 L Laminate  
 (L) Lock option, Locking  
 (118) Case Finish  
 (118) Front Finish  
 (T) Pull Style  
 (118) Pull Finish  
 (C) Lock finish, Chrome  
 (D) Drilled top for cushion

### Specification Information

Add \$40 to the list price per standard key lock.  
 (D) Digital Keypad locks available on FD, F1, CS, CM, SO and DT mobile pedestal configurations, add \$622 List. (R) RFID locks available on FD, F1, CS, SO and DT mobile pedestal configurations, add \$672 List. D and R locks require program and manager key(s), specified separately.  
 Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
 Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately). Tray Top mobile pedestals are not available with cushion top.



### Application Notes

Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details.  
 Dimensions listed under w h d are actual to the nearest 1/16".  
 Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case. Pedestals with drawer fronts or doors are 21 5/8" deep overall.  
 16" wide pedestal file drawer allows for side-to-side letter or legal filing.  
 Tray Top mobile pedestals include recessed tray top finished with case laminate.

# Pedestals

## Tray Top Liner

## Anchor Storage

description	type	w	d	h	pattern no.	list
PET Liner, for use with Anchor Tray Top Pedestals 	Nomad PET Liner, for 12" wide pedestal	10 7/16"	19 1/16"	1/8"	WPL1224N	\$107.
	Nomad PET Liner, for 16" wide pedestal	13 11/16"	19 1/16"	1/8"	WPL1624N	\$131.
Cork Liner, for use with Anchor Tray Top Pedestals 	Cork Liner, for 12" wide pedestal	10 7/16"	19 1/16"	1/16"	WPL1224C	\$107.
	Cork Liner, for 16" wide pedestal	13 11/16"	19 1/16"	1/16"	WPL1624C	\$131.

### Order Information

Tray Top Liner

1. Base Pattern Number
2. Finish  
See Finish Options page

### Order Code

Tray Top Liners  
 Example: WPL1224N(6150)  
 WPL Anchor Pedestal Liner  
 12 12"  
 24 24"  
 N Nomad PET Material  
 6150 Gull

### Specification Information

For use with Anchor Mobile Tray Top Pedestals.  
 Tray Top Liners are undersized from nominal to appropriately fit within pedestal tray top.

### Application Notes


Liner accessories are designed to lay loose in recessed tray of Anchor tray top mobile pedestal for ease of removal or replacement.  
 PET liners are composed of recycled material, 3mm thick.  
 Cork liners are composed of thin profile, laminated cork with stabilizing backer. Cork liners are not FSC certified.

# Pedestals

## Mobile Pedestal Cushion

### Fabric

Anchor Storage

description	w	d	h	pattern no.	A	B	C	D	E	F	G	H	I
Pedestal Cushion	14 7/8"	20 3/4"	1"	WPMC16	\$393.	\$442.	\$519.	\$505.	\$591.	\$643.	\$712.	\$788.	\$816.
													
For 16"w Mobile Pedestal													

Ordering Information	Order Code	Specification Information	Application Notes
Seat Cushions	Mobile Pedestal Cushions Example: WPMC16,Y351	For use on Anchor Mobile Pedestals.	Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)
1. Base Pattern Number	WPM Anchor Mobile Pedestal	Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.	
2. Fabric Finish	C Cushion		
	16 16" Wide		
	K448 Common Ground		For Customer's Own Material (COM) applications, specify 0.9 yards of fabric per seat cushion.




# Pedestals

## Mobile Pedestal Cushion

### Leather

Anchor Storage




description	w	d	h	pattern no.	U	V	W	X	Y
Pedestal Cushion	14 7/8"	20 3/4"	1"	WPMC16	\$788.	\$937.	\$1,151.	\$1,206.	\$1,278.
									
For 16"w Mobile Pedestal									

Ordering Information	Order Code	Specification Information	Application Notes
Seat Cushions	Mobile Pedestal Cushions Example: WPMC16,VO	For use on Anchor Mobile Pedestals.	Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)
1. Base Pattern Number	WPM Anchor Mobile Pedestal	Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.	For perforated leather, add \$105 to the list price.
2. Fabric Finish	C Cushion		Use Grade U pricing for customer's own leather.
	16 16" Wide		
	VO Volo		

# Pedestals

## Floorstanding Pedestals 24" deep 12" wide

## Anchor Storage




description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
	Open	12"	27 1/16"	23 1/2"	WP2812OPL	\$799.	\$223.	\$0.
	Open, 1 Shelf (shown)	12"	27 1/16"	23 1/2"	WP2812O1L	\$872.	\$223.	\$0.
	Open, 2 Shelves	12"	27 1/16"	23 1/2"	WP2812O2L	\$963.	\$223.	\$0.
	LH	12"	27 1/16"	23 1/2"	WP2812FDLHL(N)	\$1,092.	\$223.	\$39.
	RH (shown)	12"	27 1/16"	23 1/2"	WP2812FDRHL(N)	\$1,092.	\$223.	\$39.
	1 Shelf LH	12"	27 1/16"	23 1/2"	WP2812F1LHL(N)	\$1,164.	\$223.	\$39.
	1 Shelf RH	12"	27 1/16"	23 1/2"	WP2812F1RHL(N)	\$1,164.	\$223.	\$39.
	2 Shelves LH	12"	27 1/16"	23 1/2"	WP2812F2LHL(N)	\$1,239.	\$223.	\$39.
	2 Shelves RH	12"	27 1/16"	23 1/2"	WP2812F2RHL(N)	\$1,239.	\$223.	\$39.
Open/File	Open/File	12"	27 1/16"	23 1/2"	WP2812OFL(N)	\$1,226.	\$223.	\$28.
								

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Lock option L = Locking N = Non-locking</li> <li>Case Finish See Finish Options page</li> <li>Front Finish See Finish Options page</li> <li>Pull style T = 10" finger pull</li> <li>Pull finish See Finish Options page</li> <li>Lock finish B = Black C = Chrome</li> </ol>	Pedestal, 16" Wide, Open/File Example: WP2816OFL(L) WP Anchor Pedestal 28 27 1/16" High 16 16" Wide OF Open/File L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Add \$40 to the list price per standard key lock. Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately. Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration. Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use. Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall. Pedestals complete with top (specified separately) align with desk height. Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Floorstanding Pedestals 24" deep 12" wide

## Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Open/Box/File 	Open/Box/File	12"	27 1/16"	23 1/2"	WP2812OBL(N)	\$1,391.	\$223.	\$39.
Box (File Front)/File 	Concealed shelf/Box/File	12"	27 1/16"	23 1/2"	WP2812CFL(N)	\$1,415.	\$223.	\$45.
Shelf/Box/File 	Concealed Shelf/Box/File, single front	12"	27 1/16"	23 1/2"	WP2812CSL(N)	\$1,458.	\$223.	\$39.

### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

### Order Code

Pedestal, 16" Wide, Open/File  
Example: WP2816OFL(L)  
WP 28 Anchor Pedestal  
28 27 1/16" High  
16 16" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
  
Dimensions listed under w h d are actual to the nearest 1/16".




### Application Notes

Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.  
  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
  
Pedestals complete with top (specified separately) align with desk height.  
  
Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Floorstanding Pedestals 24" deep 12" wide

## Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Box/Box (File Front)/File 	Recessed Box/Box/File	12"	27 1/16"	23 1/2"	WP2812CBL(N)	\$1,520.	\$223.	\$45.
File/File 	File/File	12"	27 1/16"	23 1/2"	WP2812FFL(N)	\$1,418.	\$223.	\$45.
Slide Out 	Slat wall with bin, LH	12"	27 1/16"	23 1/2"	WP2812SOLHL(N)	\$1,667.	\$223.	\$39.
	Slat wall with bin, RH (shown)	12"	27 1/16"	23 1/2"	WP2812SORHL(N)	\$1,667.	\$223.	\$39.

### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

### Order Code

Pedestal, 16" Wide, Open/File  
Example: WP2816OFL(L)  
WP Anchor Pedestal  
28 27 1/16" High  
16 16" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
  
Dimensions listed under w h d are actual to the nearest 1/16".

### Application Notes



Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.  
  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
  
Pedestals complete with top (specified separately) align with desk height.  
  
Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Floorstanding Pedestals 24" deep

### 16" wide

## Anchor Storage




description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
	Open	14 13/16"	27 1/16"	23 1/2"	WP2816OPL	\$816.	\$273.	\$0.
	1 Shelf (shown)	14 13/16"	27 1/16"	23 1/2"	WP2816O1L	\$910.	\$273.	\$0.
	2 Shelves	14 13/16"	27 1/16"	23 1/2"	WP2816O2L	\$1,000.	\$273.	\$0.
	1 Shelf LH	14 13/16"	27 1/16"	23 1/2"	WP2816F1LHL(N)	\$1,162.	\$273.	\$45.
	1 Shelf RH	14 13/16"	27 1/16"	23 1/2"	WP2816F1RHL(N)	\$1,162.	\$273.	\$45.
	2 Shelves LH	14 13/16"	27 1/16"	23 1/2"	WP2816F2LHL(N)	\$1,253.	\$273.	\$45.
	2 Shelves RH	14 13/16"	27 1/16"	23 1/2"	WP2816F2RHL(N)	\$1,253.	\$273.	\$45.
	LH	14 13/16"	27 1/16"	23 1/2"	WP2816FDLHL(N)	\$1,072.	\$273.	\$45.
	RH (shown)	14 13/16"	27 1/16"	23 1/2"	WP2816FDRHL(N)	\$1,072.	\$273.	\$45.
Open/File	Open/File	14 13/16"	27 1/16"	23 1/2"	WP2816OFL(N)	\$1,278.	\$273.	\$33.

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Lock option L = Locking N = Non-locking</li> <li>Case Finish See Finish Options page</li> <li>Front Finish See Finish Options page</li> <li>Pull style T = 10" finger pull</li> <li>Pull finish See Finish Options page</li> <li>Lock finish B = Black C = Chrome</li> </ol>	Pedestal, 16" Wide, Open/File Example: WP2816OFL(L) WP Anchor Pedestal 28 27 1/16" High 16 16" Wide OF Open/File L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Add \$40 to the list price per standard key lock. Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Floorstanding Pedestals 24" deep 16" wide

Anchor Storage




description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Open/Box/File 	Open/Box/File	14 13/16"	27 1/16"	23 1/2"	WP2816OBL(N)	\$1,489.	\$273.	\$45.
Box (File Front)/File 	Concealed shelf/Box/File	14 13/16"	27 1/16"	23 1/2"	WP2816CFL(N)	\$1,519.	\$273.	\$50.
Shelf/Box/File 	Concealed Shelf/Box/File, single front	14 13/16"	27 1/16"	23 1/2"	WP2816CSL(N)	\$1,560.	\$273.	\$45.

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Lock option L = Locking N = Non-locking</li> <li>Case Finish See Finish Options page</li> <li>Front Finish See Finish Options page</li> <li>Pull style T = 10" finger pull</li> <li>Pull finish See Finish Options page</li> <li>Lock finish B = Black C = Chrome</li> </ol>	Pedestal, 16" Wide, Open/File Example: WP2816OFL(L) WP Anchor Pedestal 28 27 1/16" High 16 16" Wide OF Open/File L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Add \$40 to the list price per standard key lock. Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Floorstanding Pedestals 24" deep 16" wide

### Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Box/Box (File Front)/File 	Recessed Box/Box/File	14 13/16"	27 1/16"	23 1/2"	WP2816CBL(N)	\$1,676.	\$273.	\$50.
File/File 	File/File	14 13/16"	27 1/16"	23 1/2"	WP2816FFL(N)	\$1,467.	\$273.	\$50.
Slide Out 	Slat wall with bin, LH	14 13/16"	27 1/16"	23 1/2"	WP2816SOLHL(N)	\$1,743.	\$273.	\$45.
	Slat wall with bin, RH (shown)	14 13/16"	27 1/16"	23 1/2"	WP2816SORHL(N)	\$1,743.	\$273.	\$45.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

#### Order Code

Pedestal, 16" Wide, Open/File  
Example: WP2816OFL(L)  
WP Anchor Pedestal  
28 27 1/16" High  
16 16" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

#### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
  
Dimensions listed under w h d are actual to the nearest 1/16".





#### Application Notes

Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  
  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
  
Pedestals complete with top (specified separately) align with desk height.  
  
Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

# Pedestals

## Anchor Storage

### Floorstanding Pedestals 24" deep for use with feet 12" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Open 	1 shelf	12"	27 1/16"	23 1/2"	WPF2812O1L	\$872.	\$223.	\$0.
Full Door 	LH (shown) RH	12" 12"	27 1/16" 27 1/16"	23 1/2" 23 1/2"	WPF2812FDLHL(N) WPF2812FDRHL(N)	\$1,092. \$1,092.	\$223. \$223.	\$39. \$39.
Shelf/file 	single front	12"	27 1/16"	23 1/2"	WPF2812CSL(N)	\$1,415.	\$223.	\$39.
Open/File 	Open/File	12"	27 1/16"	23 1/2"	WPF2812OFL(N)	\$1,226.	\$223.	\$28.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 5" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

#### Order Code

Pedestal, 16" Wide, Open/File  
Example: WPF2816OFL(L)  
WPF 28 27 1/16" High  
12 12" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

#### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes



Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
Pedestals complete with top (specified separately) align with desk height.  
Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.



# Pedestals

## Anchor Storage

### Floorstanding Pedestals 24" deep for use with feet 12" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Box/File	Box/File	12"	27 1/16"	23 1/2"	WPF2812BFL(N)	\$1,391.	\$223.	\$39.
								
Recessed Box/File	Single Front	12"	27 1/16"	23 1/2"	WPF2812RBL(N)	\$1,458.	\$223.	\$39.
								

#### Order Information

#### Order Code

#### Specification Information

#### Application Notes

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 5" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

Pedestal, 16" Wide, Open/File  
Example: WPF2816OFL(L)  
WPF 28 27 1/16" High  
12 12" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.

Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.





Pedestals complete with top (specified separately) align with desk height.

Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestals

## Anchor Storage

### Floorstanding Pedestals 24" deep for use with feet 16" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Open 	1 Shelf (shown)	14 13/16"	27 1/16"	23 1/2"	WPF2816O1L	\$910.	\$273.	\$0.
Full Door 	LH (shown)	14 13/16"	27 1/16"	23 1/2"	WPF2816FDLHL(N)	\$1,072.	\$273.	\$45.
	RH	14 13/16"	27 1/16"	23 1/2"	WPF2816FDRHL(N)	\$1,072.	\$273.	\$45.
Shelf/file 	Single Front	14 13/16"	27 1/16"	23 1/2"	WPF2816CSL(N)	\$1,519.	\$273.	\$45.
Open/File 	Open/File	14 13/16"	27 1/16"	23 1/2"	WPF2816OFL(N)	\$1,278.	\$273.	\$33.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

#### Order Code

Pedestal, 16" Wide, Open/File  
Example: WPF2816OFL(L)  
WPF 28 16" High  
OF 16" Wide  
L Open/File  
(L) Laminate  
(118) Lock option, Locking  
(118) Case Finish  
(T) Front Finish  
(118) Pull Style  
(C) Pull Finish  
(C) Lock finish, Chrome

#### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
Dimensions listed under w h d are actual to the nearest 1/16".



#### Application Notes

Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
Pedestals complete with top (specified separately) align with desk height.  
Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestals

## Anchor Storage

### Floorstanding Pedestals 24" deep for use with feet 16" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Box/File 	Box/File	14 13/16"	27 1/16"	23 1/2"	WPF2816BFL(N)	\$1,489.	\$273.	\$45.
Recessed Box/File 	Single Front	14 13/16"	27 1/16"	23 1/2"	WPF2816RBL(N)	\$1,560.	\$273.	\$45.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

#### Order Code

Pedestal, 16" Wide, Open/File  
Example: WPF2816OFL(L)  
WPF Anchor Pedestal for use with feet  
28 27 1/16" High  
16 16" Wide  
OF Open/File  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

#### Specification Information

Add \$40 to the list price per standard key lock.  
Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$622 to the list price for digital keypad lock, add \$672 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.  
  
Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
  
Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes


Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface ( specified separately) and are not intended for freestanding use.  
  
Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.  
  
Pedestals complete with top (specified separately) align with desk height.  
  
Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestals

## Anchor Storage

### Freestanding Doublewide Pedestals

Open with shelf, 16", 20" and 24" deep

description	configuration	w	h	d	pattern no.	L1	L2 Case (adder)
	1 shelf	18"	27 1/16"	15"	WP281816OSL	\$962.	\$223.
	1 shelf	18"	27 1/16"	19 1/16"	WP2818OSL	\$1,053.	\$245.
	1 shelf	18"	27 1/16"	23 1/2"	WP281824OSL	\$1,128.	\$273.
	1 shelf	24"	27 1/16"	15"	WP282416OSL	\$1,100.	\$250.
	1 shelf	24"	27 1/16"	23 1/2"	WP282424OSL	\$1,288.	\$295.
	2 shelves	30"	27 1/16"	15"	WP283016OSL	\$1,273.	\$261.
	2 shelves	30"	27 1/16"	19 1/16"	WP2830OSL	\$1,515.	\$284.
	2 shelves	30"	27 1/16"	23 1/2"	WP283024OSL	\$1,493.	\$306.
	2 shelves	36"	27 1/16"	15"	WP283616OSL	\$1,420.	\$284.
	2 shelves	36"	27 1/16"	19 1/16"	WP2836OSL	\$1,685.	\$306.
	2 shelves	36"	27 1/16"	23 1/2"	WP283624OSL	\$1,667.	\$328.
	2 shelves	42"	27 1/16"	15"	WP284216OSL	\$1,504.	\$301.
	2 shelves	42"	27 1/16"	23 1/2"	WP284224OSL	\$1,766.	\$345.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. Lock option	Example: WP2830OFL(L)		
L = Locking	WP Anchor Pedestal		
N = Non-locking	28 28" High		
3. Case Finish	30 30" Wide		Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
See Finish Options page	OF Open / File		
4. Front Finish	L Laminate case and front	Add \$40 to the list price per standard key lock.	
See Finish Options page	(L) Lock option, Locking		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
5. Pull style	(118) Case Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
T = 10" Finger pull	(118) Front Finish, Bright White		Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
6. Pull finish	(T) Pull Style, 10" Finger pull		
See Finish Options page	(118) Pull Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
7. Lock finish	(C) Lock finish, Chrome		Pedestals complete with top (specified separately) align with desk height.
See Finish Options page		Dimensions listed under w h d are actual to the nearest 1/16".	

# Pedestals

## Freestanding Doublewide Pedestals

### Open / File, 16", 20" and 24" deep

## Anchor Storage

description	w	h	d	counterweight requirements	pattern no.	L1	L2 Front (adder)	L2 Case (adder)
 Open / File	18"	27 1/16"	15"	WCWKIT01	WP281816OFL(N)	\$1,557.	\$223.	\$33.
	18"	27 1/16"	23 1/2"	NR	WP281824OFL(N)	\$1,717.	\$273.	\$33.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818OFL(N)	\$1,603.	\$245.	\$33.
	24"	27 1/16"	15"	WCWKIT01	WP282416OFL(N)	\$1,727.	\$250.	\$56.
	24"	27 1/16"	23 1/2"	NR	WP282424OFL(N)	\$1,908.	\$295.	\$56.
	24"	27 1/16"	19 1/16"	WCWKIT02	WP2824OFL(N)	\$1,778.	\$273.	\$56.
	30"	27 1/16"	15"	WCWKIT02	WP283016OFL(N)	\$1,970.	\$261.	\$45.
	30"	27 1/16"	23 1/2"	NR	WP283024OFL(N)	\$2,162.	\$306.	\$45.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830OFL(N)	\$2,158.	\$284.	\$45.
	36"	27 1/16"	15"	WCWKIT03	WP283616OFL(N)	\$2,142.	\$284.	\$50.
	36"	27 1/16"	23 1/2"	NR	WP283624OFL(N)	\$2,355.	\$328.	\$50.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836OFL(N)	\$2,352.	\$306.	\$50.
	42"	27 1/16"	15"	WCWKIT04	WP284216OFL(N)	\$2,421.	\$301.	\$56.
	42"	27 1/16"	23 1/2"	NR	WP284224OFL(N)	\$2,649.	\$345.	\$56.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842OFL(N)	\$2,642.	\$323.	\$56.
	NR = Not Required							


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WP2830OFL(L) WP 28 Anchor Pedestal 28 28" High 30 30" Wide OF Open / File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.  Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Keyless locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Pedestal top must be specified separately, see "Pedestal Tops" section.  Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals, see Pedestal Accessories for details.

# Pedestals

## Anchor Storage

### Freestanding Doublewide Pedestals

Open / Box / File, 16", 20" and 24" deep

description	w	h	d	counterweight requirements	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
 Open / Box / File	18"	27 1/16"	15"	WCWKIT01	WP281816OBL(N)	\$1,938.	\$223.	\$45.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818OBL(N)	\$1,954.	\$245.	\$45.
	18"	27 1/16"	23 1/2"	NR	WP281824OBL(N)	\$2,273.	\$273.	\$45.
	24"	27 1/16"	15"	WCWKIT01	WP282416OBL(N)	\$2,169.	\$250.	\$50.
	24"	27 1/16"	19 1/16"	WCWKIT02	WP2824OBL(N)	\$2,177.	\$273.	\$50.
	24"	27 1/16"	23 1/2"	NR	WP282424OBL(N)	\$2,536.	\$295.	\$50.
	30"	27 1/16"	15"	WCWKIT02	WP283016OBL(N)	\$2,468.	\$261.	\$56.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830OBL(N)	\$2,619.	\$284.	\$56.
	30"	27 1/16"	23 1/2"	NR	WP283024OBL(N)	\$2,889.	\$306.	\$56.
	36"	27 1/16"	15"	WCWKIT03	WP283616OBL(N)	\$2,662.	\$284.	\$61.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836OBL(N)	\$2,827.	\$306.	\$61.
	36"	27 1/16"	23 1/2"	NR	WP283624OBL(N)	\$3,119.	\$328.	\$61.
	42"	27 1/16"	15"	WCWKIT04	WP284216OBL(N)	\$2,919.	\$301.	\$66.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842OBL(N)	\$3,093.	\$323.	\$66.
	NR = Not Required							


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WP2830OFL(L) WP Anchor Pedestal 28 28" High 30 30" Wide OF Open / File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.  Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Keyless locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Pedestal top must be specified separately, see "Pedestal Tops" section.  Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals, see Pedestal Accessories for details.

# Pedestals

## Anchor Storage

### Freestanding Doublewide Pedestals

Box (File Front) / File, 16", 20" and 24" deep

description	w	h	d	counterweight requirements	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
 Box (File Front) / File	18"	27 1/16"	15"	WCWKIT01	WP281816CFL(N)	\$1,975.	\$223.	\$50.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818CFL(N)	\$1,994.	\$245.	\$50.
	18"	27 1/16"	23 1/2"	NR	WP281824CFL(N)	\$2,317.	\$273.	\$50.
	24"	27 1/16"	15"	WCWKIT01	WP282416CFL(N)	\$2,210.	\$250.	\$56.
	24"	27 1/16"	23 1/2"	NR	WP282424CFL(N)	\$2,584.	\$295.	\$56.
	30"	27 1/16"	15"	WCWKIT02	WP283016CFL(N)	\$2,517.	\$261.	\$61.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830CFL(N)	\$2,672.	\$284.	\$61.
	30"	27 1/16"	23 1/2"	NR	WP283024CFL(N)	\$2,949.	\$306.	\$61.
	36"	27 1/16"	23 1/2"	NR	WP283624CFL(N)	\$3,191.	\$328.	\$66.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836CFL(N)	\$2,889.	\$306.	\$66.
	36"	27 1/16"	15"	WCWKIT03	WP283616CFL(N)	\$2,722.	\$284.	\$66.
	42"	27 1/16"	15"	WCWKIT04	WP284216CFL(N)	\$3,003.	\$301.	\$73.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842CFL(N)	\$3,186.	\$323.	\$73.
	42"	27 1/16"	23 1/2"	NR	WP284224CFL(N)	\$3,510.	\$345.	\$73.
NR = Not Required								


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WP2830OFL(L) WP Anchor Pedestal 28 28" High 30 30" Wide OF Open / File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications indicated above. Counterweight is required when used to support one end of a pedestal surface or when ganged to another unit.  Add \$40 to the list price per standard key lock. For pedestals 30" wide and larger, add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to list price per lock for manual RFID lock. Digital pad and RFID locks require program and master key(s), specified separately.  If less locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Steel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are available. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Pedestal top must be specified separately, see "Pedestal Tops" section.  Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals, see Pedestal Accessories for details.

# Pedestals

## Freestanding Doublewide Pedestals

### File / File, 16", 20" and 24" deep

## Anchor Storage

description	w	h	d	counterweight requirements	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
File / File (NR = Not Required) 	18"	27 1/16"	15"	WCWKIT01	WP281816FFL(N)	\$1,876.	\$223.	\$50.
	18"	27 1/16"	19 1/16"	NR	WP2818FFL(N)	\$1,880.	\$245.	\$50.
	18"	27 1/16"	23 1/2"	NR	WP281824FFL(N)	\$2,002.	\$273.	\$50.
	24"	27 1/16"	15"	WCWKIT01	WP282416FFL(N)	\$2,080.	\$250.	\$56.
	24"	27 1/16"	19 1/16"	WCWKIT01	WP2824FFL(N)	\$2,091.	\$273.	\$56.
	24"	27 1/16"	23 1/2"	NR	WP282424FFL(N)	\$2,227.	\$295.	\$56.
	30"	27 1/16"	15"	WCWKIT02	WP283016FFL(N)	\$2,389.	\$261.	\$61.
	30"	27 1/16"	19 1/16"	WCWKIT02	WP2830FFL(N)	\$2,495.	\$306.	\$66.
	30"	27 1/16"	23 1/2"	NR	WP283024FFL(N)	\$2,498.	\$306.	\$61.
	36"	27 1/16"	15"	WCWKIT02	WP283616FFL(N)	\$2,537.	\$284.	\$66.
	36"	27 1/16"	19 1/16"	WCWKIT03	WP2836FFL(N)	\$2,660.	\$306.	\$66.
	42"	27 1/16"	23 1/2"	NR	WP284224FFL(N)	\$2,915.	\$345.	\$73.
	42"	27 1/16"	15"	WCWKIT03	WP284216FFL(N)	\$2,814.	\$301.	\$73.
	42"	27 1/16"	19 1/16"	WCWKIT04	WP2842FFL(N)	\$2,925.	\$323.	\$73.
	36"	27 1/16"	23 1/2"	NR	WP283624FFL(N)	\$2,659.	\$328.	\$66.
	NR = Not Required							


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WP2830OFL(L) WP 28 Anchor Pedestal 28 28" High 30 30" Wide OF Open / File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications indicated above. Counterweight is required when used to support one end of a pedestal or when ganged to another unit.  Add \$40 to the list price per standard key lock. For 30" wide and larger, add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to list price per lock for manual RFID lock. Digital pad and RFID locks require program and master key(s), specified separately.  Locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Steel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are priced. Refer to Mixed Laminate Finishes for details.  Dimensions listed under w h d are actual to the rest 1/16".	<b>Pedestal top must be specified separately, see "Pedestal Tops" section.</b>  Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals, see Pedestal Accessories for details.



# Pedestals

## Anchor Storage

### Doublewide Pedestals for use with feet Open with shelf, 16", 20" and 24" deep

description	type	w	h	d	pattern no.	L1	L2 Case (adder)
All Open for use with feet 	Open, 1 shelf	18"	27 1/16"	15"	WPF281816OSL	\$949.	\$223.
	Open, 1 shelf	18"	27 1/16"	19 1/16"	WPF2818OSL	\$1,037.	\$245.
	Open, 1 shelf	18"	27 1/16"	23 1/2"	WPF281824OSL	\$1,115.	\$273.
	Open, 1 shelf	24"	27 1/16"	15"	WPF282416OSL	\$1,087.	\$250.
	Open, 1 shelf	24"	27 1/16"	19 1/16"	WPF2824OSL	\$1,188.	\$273.
	Open, 1 shelf	24"	27 1/16"	23 1/2"	WPF282424OSL	\$1,278.	\$295.
	Open, 1 shelf	30"	27 1/16"	15"	WPF283016OSL	\$1,259.	\$261.
	Open, 1 shelf	30"	27 1/16"	19 1/16"	WPF2830OSL	\$1,499.	\$284.
	Open, 1 shelf	30"	27 1/16"	23 1/2"	WPF283024OSL	\$1,478.	\$306.
	Open, 1 shelf	36"	27 1/16"	15"	WPF283616OSL	\$1,407.	\$284.
	Open, 1 shelf	36"	27 1/16"	19 1/16"	WPF2836OSL	\$1,669.	\$306.
	Open, 1 shelf	36"	27 1/16"	23 1/2"	WPF283624OSL	\$1,650.	\$328.
	Open, 1 shelf	42"	27 1/16"	15"	WPF284216OSL	\$1,489.	\$301.
	Open, 1 shelf	42"	27 1/16"	19 1/16"	WPF2842OSL	\$1,774.	\$323.
	Open, 1 shelf	42"	27 1/16"	23 1/2"	WPF284224OSL	\$1,749.	\$345.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Pull style  
T = 10" Finger pull
- Pull finish  
See Finish Options page
- Lock finish  
See Finish Options page

#### Order Code

Doublewide Pedestal, 30" wide, Open / File  
Example: WPF2830OSL(L)  
WPF Anchor Pedestal for use with Feet  
28 28" High  
30 30" Wide  
OS Open with one Shelf  
L Laminate case and front  
(L) Lock option, Locking  
(118) Case Finish, Bright White  
(118) Front Finish, Bright White  
(T) Pull Style, 10" Finger pull  
(118) Pull Finish, Bright White  
(C) Lock finish, Chrome

#### Specification Information

Doublewide Pedestals with file drawers may require counterweights when used in **freestanding applications** as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.

Add \$40 to the list price per standard key lock.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.

Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.

Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.

Pedestals complete with top and feet (specified separately) align with desk height.

Pedestal top must be specified separately, see "Pedestal Tops" section.


Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestals

## Anchor Storage

### Doublewide Pedestals for use with feet

Open / File, 16", 20" and 24" deep

description	counterweight requirements	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
<div>Open / File for use with feet</div> <div></div>	NR	18"	27 1/16"	23 1/2"	WPF281824OFL(N)	\$1,699.	\$273.	\$33.
	NR	24"	27 1/16"	23 1/2"	WPF282424OFL(N)	\$1,889.	\$295.	\$56.
	NR	30"	27 1/16"	23 1/2"	WPF283024OFL(N)	\$2,140.	\$306.	\$45.
	NR	36"	27 1/16"	23 1/2"	WPF283624OFL(N)	\$2,332.	\$328.	\$50.
	NR	42"	27 1/16"	23 1/2"	WPF284224OFL(N)	\$2,623.	\$345.	\$56.
	WCWKIT01	18"	27 1/16"	19 1/16"	WPF2818OFL(N)	\$1,585.	\$245.	\$33.
	WCWKIT02	24"	27 1/16"	19 1/16"	WPF2824OFL(N)	\$1,760.	\$273.	\$56.
	WCWKIT02	30"	27 1/16"	19 1/16"	WPF2830OFL(N)	\$2,135.	\$284.	\$45.
	WCWKIT03	18**	27 1/16"	15"	WPF281816OFL(N)	\$1,539.	\$223.	\$33.
	WCWKIT03	24**	27 1/16"	15"	WPF282416OFL(N)	\$1,710.	\$250.	\$56.
	WCWKIT03	30**	27 1/16"	15"	WPF283016OFL(N)	\$1,952.	\$261.	\$45.
	WCWKIT04	36**	27 1/16"	15"	WPF283616OFL(N)	\$2,121.	\$284.	\$50.
	WCWKIT03	36"	27 1/16"	19 1/16"	WPF2836OFL(N)	\$2,328.	\$306.	\$50.
	WCWKIT04	42"	27 1/16"	19 1/16"	WPF2842OFL(N)	\$2,615.	\$323.	\$56.
	WCWKIT05	42**	27 1/16"	15"	WPF284216OFL(N)	\$2,399.	\$301.	\$56.
	NR = Not Required							


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WPF2830OFL(L) WPF Anchor Pedestals for use with Feet 28 28" High 30 30" Wide OF Open / File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.  Add \$40 to the list price per standard key lock. For units 30" wide and larger add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Keyless locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top and feet (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with ( * ). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).  Pedestal top must be specified separately, see "Pedestal Tops" section.  Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestals

## Anchor Storage

### Doublewide Pedestals for use with feet




Box (File Front) / File, 16", 20" and 24" deep

description	counterweight w requirements	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Box (File Front) / File for use with feet 	NR	18"	27 1/16"	23 1/2"	WPF281824CFL(N)	\$2,293.	\$273.	\$50.
	NR	24"	27 1/16"	23 1/2"	WPF282424CFL(N)	\$2,558.	\$295.	\$56.
	NR	30"	27 1/16"	23 1/2"	WPF283024CFL(N)	\$2,919.	\$306.	\$61.
	NR	36"	27 1/16"	23 1/2"	WPF283624CFL(N)	\$3,162.	\$328.	\$66.
	NR	42"	27 1/16"	23 1/2"	WPF284224CFL(N)	\$3,474.	\$345.	\$73.
	WCWKIT01	18"	27 1/16"	19 1/16"	WPF2818CFL(N)	\$1,974.	\$245.	\$50.
	WCWKIT02	24"	27 1/16"	19 1/16"	WPF2824CFL(N)	\$2,200.	\$273.	\$56.
	WCWKIT03	18**	27 1/16"	15"	WPF281816CFL(N)	\$1,957.	\$223.	\$50.
	WCWKIT03	24**	27 1/16"	15"	WPF282416CFL(N)	\$2,190.	\$250.	\$56.
	WCWKIT03	30**	27 1/16"	15"	WPF283016CFL(N)	\$2,492.	\$261.	\$61.
	WCWKIT03	30"	27 1/16"	19 1/16"	WPF2830CFL(N)	\$2,645.	\$284.	\$61.
	WCWKIT04	36**	27 1/16"	15"	WPF283616CFL(N)	\$2,697.	\$284.	\$66.
	WCWKIT04	36"	27 1/16"	19 1/16"	WPF2836CFL(N)	\$2,861.	\$306.	\$66.
	WCWKIT04	42"	27 1/16"	19 1/16"	WPF2842CFL(N)	\$3,157.	\$323.	\$73.
	WCWKIT05	42**	27 1/16"	15"	WPF284216CFL(N)	\$2,977.	\$301.	\$73.
	NR = Not Required							

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Lock option L = Locking N = Non-locking 3. Case Finish See Finish Options page 4. Front Finish See Finish Options page 5. Pull style T = 10" Finger pull 6. Pull finish See Finish Options page 7. Lock finish See Finish Options page	Doublewide Pedestal, 30" wide, Open / File Example: WPF2830CFL(L) WPF Anchor Pedestal for use with Feet 28 28" High 30 30" Wide CF Box (file front)/File L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.  Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$512 to the list price per lock for manual digital keypad lock. Add \$605 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.  Keyless locking is not available for 18" or 24" widths.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.  Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.  Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.  Pedestals complete with top and feet (specified separately) align with desk height.  Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with ( * ). * Indicates side-to-side Letter filing only.  Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).  Pedestal top must be specified separately, see "Pedestal Tops" section. Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

# Pedestal Shelves and Accessories




## Anchor Storage

description	application	w	d	h	pattern no.	L1	L2	list
	single shelf, for 12"w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1201L	\$156.	\$175.	
	single shelf, for 16" w pedestal	13 5/16"	22 3/4"	3/4"	WPSF1601L	\$156.	\$175.	
	pack of 4 shelves, for 12"w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1204L	\$439.	\$579.	
	pack of 4 shelves, for 16"w pedestal	13 5/16"	22 3/4"	3/4"	WPSF1604L	\$541.	\$740.	
	single shelf, for 12"w mobile pedestal	12"			WPMSF1201L	\$133.	\$148.	
	single shelf, for 16"w mobile pedestal	16"			WPMSF1601L	\$158.	\$186.	
	pack of 4 shelves, for 12"w mobile pedestal	12"			WPMSF1204L	\$486.	\$565.	
	pack of 4 shelves, for 16"w mobile pedestal	16"			WPMSF1604L	\$596.	\$704.	
	Large Tray, black	20 3/4"	5 1/2"		WPSOTRL01			\$94.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Full-depth pedestal shelf	Each shelf includes 4 mounding pins.	12" wide pedestal shelves are for use in 12" wide floorstanding pedestal.
2. Finish	Example: WPSF1201L	Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestal.
See Finish Options page	WP Anchor Pedestal Shelf, full-depth	Basket and Hook are compatible with 12" and 16" wide slide out pedestal.	
	12 for 12" wide pedestal		
	01 single shelf		
	L Laminate		
	(118) Finish, Bright White		

# Pedestal Shelves and Accessories

## Anchor Storage

description	application	w	d	h	pattern no.	L1	L2	list
Small Tray, for use with Anchor Slatwall 	Small Tray, black	14"	5 1/2"		WPSOTRS01			\$85.
Hoop for use with Anchor Slatwall 	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"		WPSOHP01			\$103.
Basket for use with Anchor Slatwall 	Basket, black Basket, black, pack of 5	12 1/4" 12 1/4"	5 1/2" 5 1/2"		WPSOB01 WPSOB05			\$127. \$594.

### Order Information

1. Base Pattern Number
2. Finish  
See Finish Options page

### Order Code

Full-depth pedestal shelf  
Example: WPSF1201L  
WP Anchor Pedestal  
SF Shelf, full-depth  
12 for 12" wide pedestal  
01 single shelf  
L Laminate  
(118) Finish, Bright White

### Specification Information



Each shelf includes 4 mounding pins.  
  
Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.  
  
Basket and Hook are compatible with 12" and 16" wide slide out pedestal.

### Application Notes

12" wide pedestal shelves are for use in 12" wide floorstanding pedestals.  
  
16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.

# Pedestal Shelves and Accessories

## Anchor Storage

description	application	w	d	h	pattern no.	L1	L2	list
	Accessory Hook, black, pack of 5				WPSOH05			\$90.
	Accessory Hook, black, pack of 40				WPSOH40			\$578.
	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"		WPSOTRC01			\$103.

### Order Information

1. Base Pattern Number
2. Finish  
See Finish Options page

### Order Code

Full-depth pedestal shelf  
 Example: WPSF1201L  
 WP Anchor Pedestal  
 SF Shelf, full-depth  
 12 for 12" wide pedestal  
 01 single shelf  
 L Laminate  
 (118) Finish, Bright White

### Specification Information

Each shelf includes 4 mounding pins.  
 Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.  
 Basket and Hook are compatible with 12" and 16" wide slide out pedestal.  
 PET liner accessory is designed to lay loose in recessed tray of Anchor tray top mobile pedestal.


### Application Notes


12" wide pedestal shelves are for use in 12" wide floorstanding pedestals.  
 16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.

# Pedestal Tops

## For Freestanding Doublewide Pedestals

Anchor Storage

description	w	d	h	pattern no.	L1	L2
Doublewide Pedestal Tops, 16" deep 	18"	14 7/8"	1 1/8"	WPT1816L	\$254.	\$301.
	24"	14 7/8"	1 1/8"	WPT2416L	\$282.	\$335.
	30"	14 7/8"	1 1/8"	WPT3016L	\$314.	\$372.
	36"	14 7/8"	1 1/8"	WPT3616L	\$352.	\$417.
	42"	14 7/8"	1 1/8"	WPT4216L	\$400.	\$484.
	48"	14 7/8"	1 1/8"	WPT4816L	\$444.	\$537.
	54"	14 7/8"	1 1/8"	WPT5416L	\$480.	\$575.
	60"	14 7/8"	1 1/8"	WPT6016L	\$521.	\$624.
	66"	14 7/8"	1 1/8"	WPT6616L	\$557.	\$671.
	72"	14 7/8"	1 1/8"	WPT7216L	\$592.	\$710.
	78"	14 7/8"	1 1/8"	WPT7816L	\$631.	\$758.
	84"	14 7/8"	1 1/8"	WPT8416L	\$669.	\$803.


Doublewide Pedestal Tops, 20" deep 	18"	19 1/16"	1 1/8"	WPT1820L	\$254.	\$301.
	24"	19 1/16"	1 1/8"	WPT2420L	\$282.	\$335.
	30"	19 1/16"	1 1/8"	WPT3020L	\$314.	\$372.
	36"	19 1/16"	1 1/8"	WPT3620L	\$352.	\$417.
	42"	19 1/16"	1 1/8"	WPT4220L	\$400.	\$484.
	48"	19 1/16"	1 1/8"	WPT4820L	\$444.	\$537.
	54"	19 1/16"	1 1/8"	WPT5420L	\$480.	\$575.
	60"	19 1/16"	1 1/8"	WPT6020L	\$521.	\$624.
	66"	19 1/16"	1 1/8"	WPT6620L	\$557.	\$671.
	72"	19 1/16"	1 1/8"	WPT7220L	\$592.	\$710.
	78"	19 1/16"	1 1/8"	WPT7820L	\$631.	\$758.
	84"	19 1/16"	1 1/8"	WPT8420L	\$669.	\$803.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Laminate Finish See Finish Options page 3. Edge Finish See Finish Options page	Doublewide Pedestal Top, 30" wide x 19" Example: WPT3020 ( ) WPT 30 30" Wide 20 19" deep (118) Laminate Finish, Bright White (118) Edge Finish, Bright White	For use with Anchor Doublewide Pedestals only.  Mounting hardware included with Pedestals.  See Pedestal Specifications for Pedestal Top planning.	Doublewide Pedestal tops for Antenna are designed to match Antenna laminate top thickness and edge band details.

# Pedestal Tops

## For Freestanding Doublewide Pedestals

Anchor Storage

description	w	d	h	pattern no.	L1	L2
Doublewide Pedestal Tops, 24" deep 	18"	23 1/2"	1 1/8"	WPT1824L	\$318.	\$375.
	24"	23 1/2"	1 1/8"	WPT2424L	\$353.	\$417.
	30"	23 1/2"	1 1/8"	WPT3024L	\$391.	\$463.
	36"	23 1/2"	1 1/8"	WPT3624L	\$438.	\$519.
	42"	23 1/2"	1 1/8"	WPT4224L	\$502.	\$601.
	48"	23 1/2"	1 1/8"	WPT4824L	\$555.	\$670.
	54"	23 1/2"	1 1/8"	WPT5424L	\$597.	\$717.
	60"	23 1/2"	1 1/8"	WPT6024L	\$649.	\$779.
	66"	23 1/2"	1 1/8"	WPT6624L	\$692.	\$837.
	72"	23 1/2"	1 1/8"	WPT7224L	\$738.	\$884.
	78"	23 1/2"	1 1/8"	WPT7824L	\$784.	\$945.
	84"	23 1/2"	1 1/8"	WPT8424L	\$832.	\$998.

Doublewide Pedestal Tops for Antenna 	30"	19 1/16"	1 1/4"	WPTY3020L	\$296.	\$352.
	36"	19 1/16"	1 1/4"	WPTY3620L	\$332.	\$395.
	42"	19 1/16"	1 1/4"	WPTY4220L	\$381.	\$454.
	48"	19 1/16"	1 1/4"	WPTY4820L	\$422.	\$507.
	54"	19 1/16"	1 1/4"	WPTY5420L	\$452.	\$541.
	60"	19 1/16"	1 1/4"	WPTY6020L	\$492.	\$589.
	66"	19 1/16"	1 1/4"	WPTY6620L	\$525.	\$636.
	72"	19 1/16"	1 1/4"	WPTY7220L	\$559.	\$667.
	78"	19 1/16"	1 1/4"	WPTY7820L	\$594.	\$717.
	84"	19 1/16"	1 1/4"	WPTY8420L	\$632.	\$755.

### Order Information

1. Base Pattern Number
2. Laminate Finish  
See Finish Options page
3. Edge Finish  
See Finish Options page

### Order Code

Doublewide Pedestal Top, 30"wide x 19"  
 Example: WPT3020 ( )  
 WPT 30 20  
 (118) Laminate Finish, Bright  
 White  
 (118) Edge Finish, Bright  
 White

### Specification Information

For use with Anchor Doublewide Pedestals only.  
 Mounting hardware included with Pedestals.  
 See Pedestal Specifications for Pedestal Top planning.

### Application Notes


Doublewide Pedestal tops for Antenna are designed to match Antenna laminate top thickness and edge band details.



# Counterweight Kits For Doublewide Pedestals

## Anchor Storage

description	type	w	h	pattern no.	list
Counterweight Kits	Counterweight Kit 01			WCWKIT01	\$155.
	Counterweight Kit 02			WCWKIT02	\$186.
	Counterweight Kit 03			WCWKIT03	\$261.
	Counterweight Kit 04			WCWKIT04	\$296.
	Counterweight Kit 05			WCWKIT05	\$327.
	Counterweight Kit 06			WCWKIT06	\$369.
	Counterweight Kit 07			WCWKIT07	\$399.
	Counterweight Kit 08			WCWKIT08	\$439.
	Counterweight Kit 09			WCWKIT09	\$505.
	Counterweight Kit 10			WCWKIT10	\$553.
	Counterweight Kit 11			WCWKIT11	\$348.
Front to Back File Bars for 16" deep credenzas and Pedestals, version 1	Front to Back File Bars, version 1, Kit of 12			WAFB1612	\$412.
	Front to Back File Bars, version 1, Kit of 24			WAFB1624	\$759.
	Front to Back File Bars, version 1, Kit of 4			WAFB1604	\$159.
Front to Back File Bars for 16" deep credenzas and Pedestals, version 2	Front to Back File Bars, version 2, Kit of 2			WA2FB1602	\$78.



Order Information	Order Code	Specification Information	Application Notes
		Counterweight may be required when using doubles wide pedestals in freestanding application. Refer to Pedestal Specifications for details.	Counterweight kits include hardware to mount the counterweight plates.
		When applicable, reference the pedestal pricing pages to identify the appropriate kit.	Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the pedestal.
			16" deep credenzas require separately specified bars for front-to-back Letter or Legal filing.
			Specify version 2 (WA2FB) for: - 30" wide doublewides shipped April 30, 2021 or later - 36" wide doublewides shipped May 14, 2021 or later - 42" wide doublewides shipped May 28, 2021 or later - 18" and 24" wide doublewides shipped June 11, 2021 or later Specify version 1 (WAFB) for doublewides shipped prior to above listed dates.

### Anchor Stackers

Anchor offers Worksurface and Credenza Stackers, wood construction cabinets designed to provide privacy and offer open storage above low storage or desk height. Stackers are designed to be installed directly onto a work surface or credenza top and do not include a base.

Stackers ship preassembled including a finished top. Two-sided mounting tape is included.

### Elevation Heights

Elevation heights correspond with Dividends Horizon panel heights when installed.

Worksurface Stackers are designed to mount atop standard Dividends Horizon worksurfaces. Anchor Worksurface Stackers may be used atop Anchor Doublewide Pedestals or Anchor Raised Doublewide Pedestals with finished top.

Credenza Stackers are designed to mount atop standard 22" high Anchor Credenzas. Credenza stackers may be mounted atop Anchor Raised Credenzas installed with feet, however, elevation height of stackers will not align with standard Dividends Horizon panel heights in such condition.


### Construction

- Worksurface Stackers are constructed of wood core, laminate and ABS edgebanding; cam and dowel construction
- Material thickness: 1- $\frac{3}{16}$ " (nominal) on stacker top,  $\frac{3}{4}$ " on back, sides and interior shelves

### Sizes and Applications


#### Parallel Credenza Stacker

Elevation Heights: 42", 50", 57", 64"  
(when installed on standard 22" high credenza) Widths: 30", 36", 42"  
Depth: 12"




### Side Access Worksurface Stacker

Elevation Heights: 42", 50", 57", 64"  
(when installed on standard height worksurface) Widths: 12", 16"  
Depths (for use with Dividends Horizon worksurfaces): 20", 24", 30"  
Depths (for use with Antenna Workspaces worksurfaces): 24", 27", 30"




### Parallel Worksurface Stacker

Elevation Heights: 42", 50", 57", 64"  
(when installed on standard height worksurface) Widths: 30", 36", 42"  
Depth: 12"



### Shelf Positions and Clearances




### Credenza Stackers

Internal Height:

A: 5  $\frac{9}{16}$ "  
B: 11  $\frac{15}{16}$ "  
C: 12"  
D: 6  $\frac{1}{2}$ "  
E: 13  $\frac{13}{16}$ "  
F: 11  $\frac{1}{4}$ "  
G: 9  $\frac{1}{16}$ "

Uppermost shelf with 64" elevation height stacker is fixed (non-removeable). All other shelves are removeable.



### Worksurface Stackers

Internal Heights:

A: 11  $\frac{15}{16}$ "  
B: 6  $\frac{5}{16}$ "  
C: 13  $\frac{15}{16}$ "  
D: 8  $\frac{5}{16}$ "

Uppermost shelf within 64" elevation height stacker is fixed (non-removeable). All other shelves are removeable.

### Inset Back (Tackboard back applications)

Worksurface and credenza stackers may be specified with an inset back for use with tackboard insert (specified separately.) When specified, the back panel of the stacker is inset  $\frac{1}{2}$ " into the unit to accommodate mounting a tackboard on the outside of the stacker. **Tackboards are not intended for use inside stackers with shelves.**

### Markerboard Back

Worksurface and credenza stackers are available with markerboard back panel. When specified, back panel is finished with two sided white markerboard laminate for use with dry erase markers.

### Planning with Height Adjustable Tables

Stackers should not be used on height adjustable tables unless **both** of the following conditions are met:

- Load is offset. No individual leg may be loaded more than the other(s).
- Total weight (including stacker and contents) does not exceed lifting capacity of the table


# Credenza Stackers

## Parallel Credenza Stackers


### 12" deep

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Parallel Credenza Stacker, 30" W Front Access Open	42"h elevation	30"	12"	19 3/8"	WSPCFO4230L	\$732.	\$162.	\$45.
	50"h elevation	30"	12"	26 11/16"	WSPCFO5030L	\$952.	\$172.	\$45.
	57"h elevation	30"	12"	34"	WSPCFO5730L	\$1,059.	\$178.	\$45.
	64"h elevation	30"	12"	41 1/4"	WSPCFO6430L	\$1,264.	\$184.	\$45.



Parallel Credenza Stacker, 36"W Front Access Open	42"h elevation	36"	12"	19 3/8"	WSPCFO4236L	\$815.	\$184.	\$50.
	50"h elevation	36"	12"	26 11/16"	WSPCFO5036L	\$1,061.	\$195.	\$50.
	57"h elevation	36"	12"	34"	WSPCFO5736L	\$1,189.	\$200.	\$50.
	64"h elevation	36"	12"	41 1/4"	WSPCFO6436L	\$1,423.	\$205.	\$50.



Parallel Credenza Stacker, 42"W Front Access Open	42"h elevation	42"	12"	19 3/8"	WSPCFO4242L	\$897.	\$205.	\$56.
	50"h elevation	42"	12"	26 11/16"	WSPCFO5042L	\$1,183.	\$217.	\$56.
	57"h elevation	42"	12"	34"	WSPCFO5742L	\$1,312.	\$223.	\$56.
	64"h elevation	42"	12"	41 1/4"	WSPCFO6442L	\$1,576.	\$228.	\$56.




Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Credenza Stackers 42"h elevation Example: WSPCFO4230L WSPC FO 42 30 L Anchor Parallel Credenza Stacker Front Access 42" High Elevation 12" Wide Laminate (118) Case Finish (118) Top Finish	Parallel credenza stackers are designed to mount parallel onto a credenza.  Parallel stackers are available with an inset back for use with a tackboard insert ( specified separately). To specify a stacker with inset back, replace "FO" with "FOB".  Tackboards are not intended for use with markerboard back.  Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.  Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenza stackers mount directly to a credenza; mounting kit included.  Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.

# Credenza Stackers


Anchor Storage

## Parallel Credenza Stackers, with markerboard back 12" deep

description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Parallel Credenza Stacker, 30" w, with markerboard back, Front Access Open	42" h elevation	30"	12"	19 3/8"	WSPCFOM4230L	\$837.	\$162.	\$45.
	50" h elevation	30"	12"	26 11/16"	WSPCFOM5030L	\$1,120.	\$172.	\$45.
	57" h elevation	30"	12"	34"	WSPCFOM5730L	\$1,285.	\$178.	\$45.
	64" h elevation	30"	12"	41 3/4"	WSPCFOM6430L	\$1,542.	\$184.	\$45.



Parallel Credenza Stacker, 36" w, with markerboard back, Front Access Open	42" h elevation	36"	12"	19 3/8"	WSPCFOM4236L	\$939.	\$184.	\$50.
	50" h elevation	36"	12"	26 11/16"	WSPCFOM5036L	\$1,269.	\$195.	\$50.
	57" h elevation	36"	12"	34"	WSPCFOM5736L	\$1,454.	\$200.	\$50.
	64" h elevation	36"	12"	41 3/4"	WSPCFOM6436L	\$1,756.	\$205.	\$50.



### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza Stackers 42" h elevation  
with Markerboard  
Example: WSPCFOM4230L  
WSPC Anchor Parallel Credenza Stacker  
FOM Front Access with Markerboard  
42 42" High Elevation  
30 12" Wide  
L Laminate  
(118) Case Finish  
(118) Top Finish

### Specification Information

Parallel credenza stackers are designed to mount parallel onto a credenza.

Parallel stackers are available with an inset back for use with a tackboard insert ( specified separately). To specify a stacker with inset back, replace "FO" with "FOB".

Tackboards are not intended for use with markerboard back.

Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.

Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

### Application Notes

Credenza stackers mount directly to a credenza; mounting kit included.


Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.

# Credenza Stackers

Anchor Storage

## Parallel Credenza Stackers, with markerboard back 12" deep

description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Parallel Credenza Stacker, 42"w, with markerboard back, Front Access Open	42" h elevation	42"	12"	19 3/8"	WSPCFOM4242L	\$1,045.	\$205.	\$56.
	50" h elevation	42"	12"	26 11/16"	WSPCFOM5042L	\$1,420.	\$217.	\$56.
	57" h elevation	42"	12"	34"	WSPCFOM5742L	\$1,631.	\$223.	\$56.
	64" h elevation	42"	12"	41 3/4"	WSPCFOM6442L	\$1,970.	\$228.	\$56.



### Order Information

1. Base Pattern Number
2. Case Finish  
See Finish Options page
3. Top Finish  
See Finish Options page

### Order Code

Credenza Stackers 42"h elevation  
with Markerboard  
Example: WSPCFOM4230L  
WSPC Anchor Parallel Credenza Stacker  
FOM Front Access with Markerboard  
42 42" High Elevation  
30 12" Wide  
L Laminate  
(118) Case Finish  
(118) Top Finish

### Specification Information

Parallel credenza stackers are designed to mount parallel onto a credenza.

Parallel stackers are available with an inset back for use with a tackboard insert ( specified separately). To specify a stacker with inset back, replace "FO" with "FOB".

Tackboards are not intended for use with markerboard back.

Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.

Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

### Application Notes




Credenza stackers mount directly to a credenza; mounting kit included.

Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.

# Credenza Stackers

## Anchor Storage

### Tackboards for Parallel Credenza Stackers with inset back

description	height elevation	thick	pattern no.	10	20	30	40	50	55
Tackboard insert for Parallel Credenza Stacker 30" wide with inset back 	42" h elevation	1/2"	WSPCT4230	\$266.	\$289.	\$302.	\$311.	\$340.	\$346.
	50" h elevation	1/2"	WSPCT5030	\$286.	\$307.	\$321.	\$332.	\$367.	\$371.
	57" h elevation	1/2"	WSPCT5730	\$302.	\$325.	\$337.	\$350.	\$387.	\$393.
	64" h elevation	1/2"	WSPCT6430	\$316.	\$340.	\$354.	\$370.	\$401.	\$411.
Tackboard insert for Parallel Credenza Stacker 36" wide with inset back 	42" h elevation	1/2"	WSPCT4236	\$295.	\$316.	\$330.	\$343.	\$373.	\$383.
	50" h elevation	1/2"	WSPCT5036	\$317.	\$343.	\$357.	\$371.	\$407.	\$413.
	57" h elevation	1/2"	WSPCT5736	\$349.	\$379.	\$395.	\$411.	\$447.	\$454.
	64" h elevation	1/2"	WSPCT6436	\$371.	\$399.	\$421.	\$437.	\$474.	\$480.
Tackboard insert for Parallel Credenza Stacker 42" wide with inset back 	42" h elevation	1/2"	WSPCT4242	\$300.	\$321.	\$334.	\$347.	\$383.	\$388.
	50" h elevation	1/2"	WSPCT5042	\$322.	\$349.	\$368.	\$382.	\$415.	\$422.
	57" h elevation	1/2"	WSPCT5742	\$357.	\$388.	\$406.	\$419.	\$460.	\$464.
	64" h elevation	1/2"	WSPCT6442	\$384.	\$413.	\$434.	\$447.	\$489.	\$498.

#### Order Information

1. Base Pattern Number
2. Fabric Finish

#### Order Code

Tackboard insert for Parallel Credenza Stackers with inset back  
 Example: WSPCT4230  
 W Anchor  
 SPC Parallel Credenza Stacker  
 T Tackboard  
 42 42" High Elevation  
 30 30" Wide

#### Specification Information

Tackboards are designed to fit within the inset back of a parallel credenza stacker specified with inset back option.  
 Tackboards are not compatible for use on stackers with standard back.

#### Application Notes

Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.


# Worksurface Stackers

## Side Access 20", 24" and 30" deep


### 12" and 16" wide

## Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Worksurface Stacker, Side Access, 20" deep, 12" wide	42"h elevation	12"	19 1/2"	13 3/8"	WSWSA421220L	\$568.	\$111.	\$30.
	50"h elevation	12"	19 1/2"	20 11/16"	WSWSA501220L	\$686.	\$134.	\$30.
	57"h elevation	12"	19 1/2"	28"	WSWSA571220L	\$783.	\$150.	\$30.
	64"h elevation	12"	19 1/2"	35 1/4"	WSWSA641220L	\$887.	\$162.	\$30.



Worksurface Stacker, Side Access open 24" deep, 12" wide	42"h elevation	12"	23 1/2"	13 3/8"	WSWSA4212L	\$579.	\$134.	\$33.
	50"h elevation	12"	23 1/2"	20 11/16"	WSWSA5012L	\$696.	\$156.	\$33.
	57"h elevation (shown)	12"	23 1/2"	28"	WSWSA5712L	\$796.	\$184.	\$33.
	64"h elevation	12"	23 1/2"	35 1/4"	WSWSA6412L	\$896.	\$212.	\$33.



Work Surface Stacker, Side Access 30" deep, 12" wide	42"h elevation	12"	29 1/2"	13 3/8"	WSWSA421230L	\$670.	\$167.	\$50.
	50"h elevation	12"	29 1/2"	20 11/16"	WSWSA501230L	\$808.	\$178.	\$50.
	57"h elevation	12"	29 1/2"	28"	WSWSA571230L	\$924.	\$189.	\$50.
	64"h elevation	12"	29 1/2"	35 1/4"	WSWSA641230L	\$1,048.	\$200.	\$50.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Work Surface Stacker 42H elevation,	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. Case Finish	12W x 23.5D, Full Door, Left Hand		
3. Top Finish	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
See Finish Options page	WSW Anchor Work Surface Stacker		
See Finish Options page	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


# Worksurface Stackers

## Side Access 20", 24" and 30" deep


### 12" and 16" wide

## Anchor Storage

description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Worksurface Stacker, Side Access open 24" deep, 16" wide	42"h elevation	14 13/16"	23 1/2"	13 3/8"	WSWSA4216L	\$674.	\$156.	\$50.
	50"h elevation	14 13/16"	23 1/2"	20 11/16"	WSWSA5016L	\$809.	\$178.	\$50.
	57"h elevation (shown)	14 13/16"	23 1/2"	28"	WSWSA5716L	\$922.	\$200.	\$50.
	64"h elevation	14 13/16"	23 1/2"	35 1/4"	WSWSA6416L	\$1,042.	\$233.	\$50.



Work Surface Stacker, Side Access 30" deep, 16" wide	42"h elevation	14 13/16"	29 1/2"	13 3/8"	WSWSA421630L	\$783.	\$167.	\$50.
	50"h elevation	14 13/16"	29 1/2"	20 11/16"	WSWSA501630L	\$941.	\$178.	\$50.
	57"h elevation	14 13/16"	29 1/2"	28"	WSWSA571630L	\$1,079.	\$212.	\$66.
	64"h elevation	14 13/16"	29 1/2"	35 1/4"	WSWSA641630L	\$1,216.	\$223.	\$66.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Work Surface Stacker 42H elevation, 12W x 23.5D, Full Door, Left Hand Example: WSW4212FDLHL WSW Anchor Work Surface Stacker FD Full Door 42 42" High Elevation 12 12" Wide LH Left hand L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (118) Top Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".  Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.  Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.  Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.




# Worksurface Stackers


## Anchor Storage

*Side Access 20", 24" and 30" deep, with markerboard back  
12" and 16" wide*


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Work Surface Stacker, Side Access with markerboard back, 20" deep, 12" wide	42"h	12"	19 1/2"	13 3/8"	WSWSAM421220L	\$586.	\$111.	\$30.
	50"h	12"	19 1/2"	20 11/16"	WSWSAM501220L	\$722.	\$134.	\$30.
	57"h	12"	19 1/2"	28"	WSWSAM571220L	\$837.	\$150.	\$30.
	64"h	12"	19 1/2"	35 1/4"	WSWSAM641220L	\$954.	\$162.	\$30.



Work Surface Stacker, Side Access with markerboard back, 24" deep, 12" wide	42"h	12"	23 1/2"	13 3/8"	WSWSAM4212L	\$596.	\$134.	\$33.
	42"h	12"	23 1/2"	20 11/16"	WSWSAM5012L	\$729.	\$156.	\$33.
	57"h	12"	23 1/2"	28"	WSWSAM5712L	\$846.	\$184.	\$33.
	64"h	12"	23 1/2"	35 1/4"	WSWSAM6412L	\$962.	\$212.	\$33.



Work Surface Stacker, Side Access with markerboard back, 30" deep, 12" wide	42"h	12"	29 1/2"	13 3/8"	WSWSAM421230L	\$692.	\$167.	\$50.
	50"h	12"	29 1/2"	20 11/16"	WSWSAM501230L	\$851.	\$178.	\$50.
	57"h	12"	29 1/2"	28"	WSWSAM571230L	\$981.	\$189.	\$50.
	64"h	12"	29 1/2"	35 1/4"	WSWSAM641230L	\$1,121.	\$200.	\$50.






Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish 3. Top Finish See Finish Options page	Work Surface Stacker 42H elevation, 12W x 23.5D, Full Door, Left Hand Example: WSWSAM4212L WSW Anchor Work Surface Stacker SAM Parallel Cedenza Stacker with Markerboard 42 42" High Elevation 12 12" Wide L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (118) Top Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB". Tackboards are not intended for use with markerboard back.  Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.  Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Work surface stackers 20", 24" and 309 deep (nominal) have 191/16", 231/2" and 291/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.  Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.

# Worksurface Stackers

# Anchor Storage

## Tackboards for Side Access Stackers with inset back

description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
 Tackboard insert for Side Access Stacker 20" deep with inset back	42" h elevation	1/2"	WSWT4220	\$247.	\$262.	\$279.	\$289.	\$316.	\$318.
	50" h elevation	1/2"	WSWT5020	\$247.	\$266.	\$281.	\$289.	\$314.	\$317.
	57" h elevation	1/2"	WSWT5720	\$271.	\$295.	\$304.	\$316.	\$346.	\$349.
	64" h elevation	1/2"	WSWT6420	\$285.	\$304.	\$318.	\$331.	\$362.	\$369.
 Tackboard insert for Side Access Stacker 24" deep with inset back	42" h elevation	1/2"	WSWT4224	\$250.	\$268.	\$282.	\$291.	\$318.	\$322.
	50" h elevation	1/2"	WSWT5024	\$256.	\$279.	\$291.	\$302.	\$328.	\$332.
	57" h elevation	1/2"	WSWT5724	\$279.	\$302.	\$314.	\$325.	\$354.	\$362.
	64" h elevation	1/2"	WSWT6424	\$295.	\$316.	\$330.	\$343.	\$373.	\$383.
 Tackboard insert for Side Access Stacker 30" deep with inset back	42" h elevation	1/2"	WSWT4230	\$253.	\$273.	\$286.	\$296.	\$321.	\$328.
	50" h elevation	1/2"	WSWT5030	\$268.	\$290.	\$303.	\$314.	\$343.	\$349.
	57" h elevation	1/2"	WSWT5730	\$288.	\$308.	\$322.	\$333.	\$368.	\$372.
	64" h elevation	1/2"	WSWT6430	\$303.	\$327.	\$340.	\$353.	\$388.	\$394.

### Order Information

1. Base Pattern Number
2. Fabric Finish

### Order Code

Tackboard insert for Parallel Credenza Stackers  
 Example: WSPCT4230  
 WS Anchor Credenza Stacker  
 PCT Parallel Credenza Stacker Tackboard  
 42 42" High Elevation  
 30 30" Wide

### Specification Information

Tackboards are designed to fit within the inset back of a side access stacker specified with back option. Tackboards are not compatible for use on stackers with a standard back.  
 Tackboard mounting tape included.

### Application Notes


Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.

# Worksurface Stackers


## Anchor Storage

Side Access for Antenna tops 24", 27" and 30" deep,  
12" wide


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Work Surface Stacker, Side Access 12" wide for 24" deep Antenna top	42"h	12"	24"		WSWSAY421224L	\$579.	\$134.	\$33.
	50"h	12"	24"		WSWSAY501224L	\$696.	\$156.	\$33.
	57"h	12"	24"		WSWSAY571224L	\$796.	\$184.	\$33.
	64"h	12"	24"		WSWSAY641224L	\$896.	\$212.	\$33.



Work Surface Stacker, Side Access 12" wide for 27" deep Antenna top	42"h	12"	27"		WSWSAY421227L	\$653.	\$162.	\$45.
	50"h	12"	27"		WSWSAY501227L	\$784.	\$167.	\$45.
	57"h	12"	27"		WSWSAY571227L	\$903.	\$178.	\$45.
	64"h	12"	27"		WSWSAY641227L	\$1,021.	\$189.	\$45.



Work Surface Stacker, Side Access 12" wide for 30" deep Antenna top	42"h	12"	30"		WSWSAY421230L	\$670.	\$167.	\$50.
	50"h	12"	30"		WSWSAY501230L	\$808.	\$178.	\$50.
	57"h	12"	30"		WSWSAY571230L	\$924.	\$189.	\$50.
	64"h	12"	30"		WSWSAY641230L	\$1,048.	\$200.	\$50.




Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Work Surface Stacker 42H elevation,	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SAY" with "SAYB". Tackboards are not intended for use with markerboard back.	Antenna work surface stackers 24", 27" and 30" deep mount directly to an Antenna work surface of matching depth. Not for use with Antenna hinge door tops. Mounting tape included.
2. Case Finish	12W x 23.5D, Full Door, Left Hand		
3. See Finish Options page	Example: WSW4212FDLHL		
Top Finish	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high include 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

## Worksurface Stackers


## Anchor Storage

**Side Access for Antenna tops 24", 27" and 30" deep,  
with markerboard back  
12" wide**

description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Work Surface Stacker, Side Access with markerboard back, 24" deep, 12" wide, for use with Antenna top	42"h	12"	24"		WSWSAYM421224L	\$596.	\$134.	\$33.
	50"h	12"	24"		WSWSAYM501224L	\$729.	\$156.	\$33.
	57"h	12"	24"		WSWSAYM571224L	\$846.	\$184.	\$33.
	64"h	12"	24"		WSWSAYM641224L	\$962.	\$212.	\$33.



Work Surface Stacker, Side Access with markerboard back, 27" deep, 12" wide, for use with Antenna top	42"h	12"	27"		WSWSAYM421227L	\$672.	\$162.	\$45.
	50"h	12"	27"		WSWSAYM501227L	\$822.	\$167.	\$45.
	57"h	12"	27"		WSWSAYM571227L	\$954.	\$178.	\$45.
	64"h	12"	27"		WSWSAYM641227L	\$1,087.	\$189.	\$45.




Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Work Surface Stacker 42H elevation, 12W x 23.5D, Full Door, Left Hand Example: WSWSAM4212FDLHL WSW Anchor Work Surface Stacker SAM Parallel Credenza Stacker with Markerboard 42 42" High Elevation 12 12" Wide LH Left hand L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (118) Top Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB". Tackboards are not intended for use with markerboard back.  Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.  Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.  Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.

## Worksurface Stackers

## Anchor Storage

**Side Access for Antenna tops 24", 27" and 30" deep,  
with markerboard back  
12" wide**

description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Work Surface Stacker, Side Access with markerboard back, 30" deep, 12" wide, for use with Antenna top	42"	12"	30"	13 3/8"	WSWSAYM421230L	\$69	\$167.	\$50.
	50"h	12"	30"	20 11/16"	WSWSAYM501230L	\$85	\$178.	\$50.
	57"h	12"	30"	28"	WSWSAYM571230L	\$98	\$189.	\$50.
	64"h	12"	30"	35 1/4"	WSWSAYM641230L	\$1,12	\$200.	\$50.





Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Work Surface Stacker 42H elevation,	Side Access stackers are available with an inset back	Work surface stackers 20", 24" and 30"
2. Case Finish	12W x 23.5D, Full Door, Left Hand	for use with a tackboard insert (specified separately).	deep (nominal) have 19 1/16", 23 1/2" and 29 1/2"
See Finish Options page	Example: WSWSAM4212FDLHL	To specify a stacker with inset back, replace "SA"	deep cases respectively and mount directly to a work
3. Top Finish	WSW Anchor Work Surface Stacker	with "SAB".	surface of matching depth. Not for use with Antenna
See Finish Options page	SAM Parallel Credenza Stacker	Tackboards are not intended for use with	tops. Mounting tape included.
	with Markerboard	markerboard back.	
	42 42" High Elevation		Elevation height represents the overall nominal
	12 12" Wide	Work surface stacker shelf count: 42" high, no shelf,	height of a stacker when mounted to a standard
	LH Left hand	50" and 57" high include 1 shelf, 64" high includes 2	height work surface.
	L Laminate	shelves.	
	(L) Lock option, Locking		
	(118) Case Finish	Work surface stackers specified with mixed laminate	
	(118) Front Finish	finishes are L2 pricing. Refer to Mixed Laminate	
	(118) Top Finish	Finishes for further details.	
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


# Worksurface Stackers

# Anchor Storage

## Tackboards for Side Access Antenna Stackers with inset back

description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
Tackboard insert for Side Access Antenna Stacker 24" deep with inset back 	42" h elevation	1/2"	WSWTY4224	\$250.	\$268.	\$282.	\$291.	\$318.	\$322.
	50" h elevation	1/2"	WSWTY5024	\$256.	\$279.	\$291.	\$302.	\$328.	\$332.
	57" h elevation	1/2"	WSWTY5724	\$279.	\$302.	\$314.	\$325.	\$354.	\$362.
	64" h elevation	1/2"	WSWTY6424	\$295.	\$316.	\$330.	\$343.	\$373.	\$383.

Tackboard insert for Side Access Antenna Stacker 27" deep with inset back 	42" h elevation	1/2"	WSWTY4227	\$251.	\$271.	\$285.	\$295.	\$319.	\$327.
	50" h elevation	1/2"	WSWTY5027	\$261.	\$286.	\$300.	\$307.	\$334.	\$340.
	57" h elevation	1/2"	WSWTY5727	\$285.	\$306.	\$318.	\$330.	\$362.	\$369.
	64" h elevation	1/2"	WSWTY6427	\$300.	\$321.	\$334.	\$349.	\$383.	\$388.

Tackboard insert for Side Access Antenna Stacker 30" deep with inset back 	42" h elevation	1/2"	WSWTY4230	\$253.	\$273.	\$286.	\$296.	\$321.	\$328.
	50" h elevation	1/2"	WSWTY5030	\$268.	\$290.	\$303.	\$314.	\$343.	\$349.
	57" h elevation	1/2"	WSWTY5730	\$288.	\$308.	\$322.	\$333.	\$368.	\$372.
	64" h elevation	1/2"	WSWTY6430	\$303.	\$327.	\$340.	\$353.	\$388.	\$394.

### Order Information

1. Base Pattern Number
2. Fabric Finish

### Order Code

Tackboard insert for Parallel Worksurface Stackers  
Example: WSWT4220  
WSW Anchor Worksurface Stacker  
T Tackboard  
42 42" High Elevation  
20 30" Wide

### Specification Information

Tackboards are designed to fit within the inset back of a side access stacker specified with inset back option.  
Tackboards are not compatible for use on stackers with a standard back.  
Antenna stacker tackboards are only compatible with Antenna stackers.

Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.

### Application Notes

Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.  
Tackboard mounting tape included.


# Worksurface Stackers

## Parallel worksurface stackers


### 12" deep

## Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Parallel Work Surface Stacker, 30" Wide, Front Access Open	42"h	30"	12"	13 3/8"	WSPWFO4230L	\$610.	\$150.	\$45.
	50"h	30"	12"	20 11/16"	WSPWFO5030L	\$794.	\$167.	\$45.
	57"h	30"	12"	28"	WSPWFO5730L	\$903.	\$172.	\$45.
	64"h	30"	12"	35 1/4"	WSPWFO6430L	\$1,120.	\$178.	\$45.



Parallel Work Surface Stacker, 36" Wide, Front Access Open	42"h	36"	12"	13 3/8"	WSPWFO4236L	\$613.	\$172.	\$50.
	50"h	36"	12"	20 11/16"	WSPWFO5036L	\$883.	\$189.	\$50.
	57"h	36"	12"	28"	WSPWFO5736L	\$1,003.	\$195.	\$50.
	64"h	36"	12"	35 1/4"	WSPWFO6436L	\$1,249.	\$200.	\$50.



Parallel Work Surface Stacker, 42" Wide, Front Access Open	42"h	42"	12"	13 3/8"	WSPWFO4242L	\$670.	\$195.	\$56.
	50"h	42"	12"	20 11/16"	WSPWFO5042L	\$967.	\$212.	\$56.
	57"h	42"	12"	28"	WSPWFO5742L	\$1,101.	\$217.	\$56.
	64"h	42"	12"	35 1/4"	WSPWFO6442L	\$1,375.	\$223.	\$56.




Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Case Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> </ol>	<p>Work Surface Stacker 42H elevation, 12W x 30D, Front Access Open</p> <p>Example: WSWFO4230L</p> <p>WSW Anchor Work Surface Stacker</p> <p>FO Front Access Open</p> <p>42 42" High Elevation</p> <p>30 30" Wide</p> <p>L Laminate</p> <p>(118) Case Finish</p> <p>(118) Top Finish</p>	<p>Parallel work surface stackers are designed to mount parallel onto a work surface.</p> <p>Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".</p> <p>Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.</p> <p>Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.</p>	<p>Work surface stackers mount directly to a work surface; mounting tape include.</p> <p>Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.</p>

# Worksurface Stackers


## Anchor Storage

### Parallel Worksurface Stackers, with markerboard back 30", 36" and 42" wide


description	height elevation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Parallel Worksurface Stacker, Front Access Open with markerboard back, 30"W	42"h	30"	12"	13 3/8"	WSPWFOM4230L	\$651.	\$150.	\$45.
	50"h	30"	12"	20 11/16"	WSPWFOM5030L	\$951.	\$167.	\$45.
	57"h	30"	12"	28"	WSPWFOM5730L	\$1,114.	\$172.	\$45.
	64"h	30"	12"	35 1/4"	WSPWFOM6430L	\$1,385.	\$178.	\$45.



Parallel Worksurface Stacker, Front Access Open with markerboard back, 36"W	42"h	36"	12"	13 3/8"	WSPWFOM4236L	\$728.	\$172.	\$50.
	50"h	36"	12"	20 11/16"	WSPWFOM5036L	\$1,067.	\$189.	\$50.
	57"h	36"	12"	28"	WSPWFOM5736L	\$1,256.	\$195.	\$50.
	60"h	36"	12"	35 1/4"	WSPWFOM6436L	\$1,570.	\$200.	\$50.



Parallel Worksurface Stacker, Front Access Open with markerboard back, 42"W	42"h	42"	12"	13 3/8"	WSPWFOM4242L	\$799.	\$195.	\$56.
	50"h	42"	12"	20 11/16"	WSPWFOM5042L	\$1,190.	\$212.	\$56.
	57"h	42"	12"	28"	WSPWFOM5742L	\$1,402.	\$217.	\$56.
	60"h	42"	12"	35 1/4"	WSPWFOM6442L	\$1,754.	\$223.	\$56.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Case Finish See Finish Options page 3. Top Finish See Finish Options page	Work Surface Stacker 42H elevation, 12W x 30D, Front Access Open Example: WSWFOM4230L WSW Anchor Work Surface Stacker FOM Front Access Open with Markerboard 42 42" High Elevation 30 30" Wide L Laminate (118) Case Finish (118) Top Finish	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.  Add \$40 to the list price per standard key lock.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.  Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Work surface stackers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.  Work surface stackers mount directly to a 23 1/2" deep work surface; mounting tape included.  Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.




# Worksurface Stackers


## Anchor Storage

### Tackboards for Parallel Worksurface Stackers with inset back


description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
Tackboard insert for Parallel Work Surface Stacker 30" wide with inset back	42" h elevation	1/2"	WSPWT4230	\$253.	\$273.	\$286.	\$296.	\$321.	\$328.
	50" h elevation	1/2"	WSPWT5030	\$268.	\$290.	\$303.	\$314.	\$343.	\$349.
	57" h elevation	1/2"	WSPWT5730	\$288.	\$308.	\$322.	\$333.	\$368.	\$372.
	64" h elevation	1/2"	WSPWT6430	\$303.	\$327.	\$340.	\$353.	\$388.	\$394.



Tackboard insert for Parallel Work Surface Stacker 36" wide with inset back	42" h elevation	1/2"	WSPWT4236	\$273.	\$295.	\$307.	\$317.	\$347.	\$352.
	50" h elevation	1/2"	WSPWT5036	\$300.	\$321.	\$334.	\$347.	\$383.	\$388.
	57" h elevation	1/2"	WSPWT5736	\$325.	\$350.	\$369.	\$383.	\$418.	\$424.
	64" h elevation	1/2"	WSPWT6436	\$350.	\$382.	\$396.	\$412.	\$448.	\$457.



Tackboard insert for Parallel Work Surface Stacker 42" wide with inset back	42" h elevation	1/2"	WSPWT4242	\$275.	\$300.	\$309.	\$321.	\$350.	\$357.
	50" h elevation	1/2"	WSPWT5042	\$303.	\$327.	\$340.	\$353.	\$388.	\$394.
	57" h elevation	1/2"	WSPWT5742	\$331.	\$357.	\$378.	\$391.	\$425.	\$432.
	64" h elevation	1/2"	WSPWT6442	\$362.	\$392.	\$408.	\$424.	\$462.	\$470.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Fabric Finish	Tackboard insert for Parallel Worksurface Stackers Example: WSWTY4224 WSW Anchor Worksurface Stacker TY Tackboard for Side Access for Antenna Tops 42 42" High Elevation 20 30" Wide	Tackboards are designed to fit within the inset back of a side access stacker specified withinset back option. Tackboards are not compatible for use on stackers with a standard back. Antenna stacker tackboards are only compatible with Antenna stackers.  Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.  Tackboard mounting tape included.

### Anchor Overhead Storage

Anchor Overhead Storage units are wood construction cabinets designed to be wall mounted for above desk storage.

Overhead Storage units have a preassembled case. Sliding doors are to be field-installed.


### Available Sizes (nominal)

Height: 16"


Widths: 24", 30", 36", 42", 48", 60", 72", 84" Depth: 15"

Configurations include:


Open



Sliding Door (Left Hand)



Sliding Door (Right Hand)



### Construction

- Overhead Storage units are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on overhead top and bottom; 3/4" on back, sides, interior shelves and door fronts.

### Internal Clearances\*

- Internal height 13 3/4"
- Internal width by nominal configuration size: 24" w overall = 22 1/2" w  
30" w overall = 28 1/2" w  
36" w overall = 34 1/2" w  
42" w overall = 40 1/2" w  
48" w overall = (2) 22 14/16" w sections  
60" w overall = (2) 28 14/16" w sections  
72" w overall = (2) 34 14/16" w sections
- Internal depth clearance:  
Open units: 13 5/8"  
Sliding Door units: 12 1/4"

\*Actual dimensions to the nearest 1/16th of an inch

### Locks

Anchor Overhead Storage units with sliding door may be ordered with or without locks. No lock hole is drilled on units specified as nonlocking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

### Pulls




Finger Pull, 10" long, positioned vertically on doors.

**Overhead pulls are field installed.**

# Overhead Storage

## Overhead Storage, Wall Mount

## Anchor Storage

description	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
	24"	16"	14 3/8"	WOWOP24L	\$1,029.	\$268.	\$0.
	30"	16"	14 3/8"	WOWOP30L	\$1,165.	\$311.	\$0.
	36"	16"	14 3/8"	WOWOP36L	\$1,298.	\$356.	\$0.
	42"	16"	14 3/8"	WOWOP42L	\$1,432.	\$412.	\$0.
	48"	16"	14 3/8"	WOWOP48L	\$1,657.	\$495.	\$0.
	60"	16"	14 3/8"	WOWOP60L	\$1,978.	\$590.	\$0.
	72"	16"	14 3/8"	WOWOP72L	\$2,290.	\$685.	\$0.
	48"	16"	14 3/8"	WOWSD48LHL(N)	\$2,486.	\$495.	\$122.
	60"	16"	14 3/8"	WOWSD60LHL(N)	\$2,971.	\$590.	\$139.
	72"	16"	14 3/8"	WOWSD72LHL(N)	\$3,463.	\$685.	\$167.
	48"	16"	14 3/8"	WOWSD48RHL(N)	\$2,486.	\$495.	\$122.
	60"	16"	14 3/8"	WOWSD60RHL(N)	\$2,971.	\$590.	\$139.
	72"	16"	14 3/8"	WOWSD72RHL(N)	\$3,463.	\$685.	\$167.

### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Top Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock Finish  
B = Black  
C = Chrome

### Order Code

Overhead Storage Unit, 48" wide  
with LH Sliding Door, locking  
Example: WOWOP48L  
W Woodcore Storage  
SD Sliding Door  
48 48" Wide  
LH Left Hand  
L Laminate case and front  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(118) Top Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome

### Specification Information


Add \$40 to the list price per standard key lock.  
  
Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.  
  
Overheads specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  
  
Dimensions listed under w h d are actual to the nearest 1/16".  
  
Overhead units 48" and wider feature a centered midpanel.  
  
Overhead units do not include shelves. Shelves must be specified separately.

### Application Notes

Overheads have a preassembled case. Sliding door and door pull to be field installed.  
  
Overheads have a 14 3/8" deep case. Overheads with a door are 15 5/16" deep overall.  
  
Wall-mount Overheads ship with 2-piece wall mounting cleat set.  
  
Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.  
A certified building contractor should be consulted.  
  
Please refer to wall mounting information section.  
  
Tasklights are not included.  
  
Overheads are not designed to be installed at desk-height or below.

## Overhead Shelves

## Anchor Storage

description	application	w	pattern no.	L1	L2
Shelf for Overhead Storage Unit without midpanel 	single shelf for 24" w overhead	22 1/2"	WOWSF2401L	\$170.	\$185.
	single shelf for 30" w overhead	28 1/2"	WOWSF3001L	\$190.	\$213.
	single shelf for 36" w overhead	34 1/2"	WOWSF3601L	\$215.	\$241.
	single shelf for 42" w overhead	40 1/2"	WOWSF4201L	\$239.	\$266.
	pack of 4 shelves for 24"w overhead	22 1/2"	WOWSF2404L	\$567.	\$633.
	pack of 4 shelves for 30"w overhead	28 1/2"	WOWSF3004L	\$639.	\$728.
	pack of 4 shelves for 36"w overhead	34 1/2"	WOWSF3604L	\$710.	\$817.
	pack of 4 shelves for 42"w overhead	40 1/2"	WOWSF4204L	\$781.	\$907.
Shelf for Overhead Storage Unit with midpanel 	single shelf for half of 48"w overhead	22 3/4"	WOWSF4801L	\$170.	\$185.
	single shelf for half of 60"w overhead	28 3/4"	WOWSF6001L	\$190.	\$213.
	single shelf for half of 72"w overhead	34 3/4"	WOWSF7201L	\$215.	\$241.
	pack of 4 shelves for half of 48"w overhead	22 3/4"	WOWSF4804L	\$567.	\$633.
	pack of 4 shelves for half of 60"w overhead	28 3/4"	WOWSF6004L	\$639.	\$728.
	pack of 4 shelves for half of 72"w overhead	34 3/4"	WOWSF7204L	\$710.	\$817.

### Order Information

- Base Pattern Number
- Finish

### Order Code

Single Shelf for Overhead Storage Unit, 48" w  
 Example: WOWSF4801L  
 W Woodcore Storage  
 OW Overhead, Wall Mount  
 SF Shelf  
 48 for half of 48" w unit  
 01 Single Shelf  
 L Laminate  
 (118) Finish

### Specification Information

Overhead units 48" and wider feature a centered midpanel. Shelves specified for units with a midpanel are sized to fit in one half of the unit. If a shelf is desired in both halves of the unit, two shelves must be specified.  
  
 Dimension listed under w h d are actual to the nearest 1/16".

### Application Notes

**Anchor Slide Out Towers**

Anchor Towers are 15" and 18" wide wood construction cabinets offered in 2 heights designed to correspond with Dividends Horizon panel heights. Slide Out Towers are available left or right handed and feature a side access interior offered in two customizable configurations, detailed below.

**Available Sizes (nominal)**

Height: 42", 50"  
Widths: 15", 18"  
Depth: 24", 30"

**Slide Out Tower Interior Details**

All Slide Out Towers include a 7" fixed upper shelf and shallow bin at the bottom. 30" deep towers include a 5 1/4" coat cubby at the back with a dual-prong coat hook. 24" deep towers do not include a coat cubby or coat hook.

- 1) **Adjustable Shelves Interior** additionally includes 2 adjustable shelves; not compatible with slatwall tools. White interior finish.
- 2) **Slatwall Interior** additionally includes slatwall below the fixed shelf, for use with slatwall tools, specified separately. Adjustable shelves may be specified separately. White interior finish with gray slatwall.

**Construction**

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on tower top, bottom, and vertical and horizontal midpanels, 3/4" on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides: 5/16" diameter steel stem with 11/16" of height adjustment, 4 per tower.

**Locks**


Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Keyless lock options with automatic bolt are available. Refer to Digital Keypad and RFID Lock Specifications for detail.

**Pulls**


Finger Pull, 10" long, horizontal position.




WTSO421524STLHL(N)




WTSO421524WTLHL(N)




WTSO421530STLHL(N)




WTSO421530WTLHL(N)




WTSO501524STLHL(N)



WTSO501524WTLHL(N)



WTSO501530STLHL(N)




WTSO501530WTLHL(N)

# Slide Out Towers


## 42" High Slide Out Tower

### 24" and 30" deep

## Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
 Slide Out Tower, 42" h, 24" d, includes finished top	adjustable shelves, LH	15"	23 1/2"	41 9/16"	WTSO421524STLHL(N)	\$3,276.	\$228.	\$89.	\$50.
	adjustable shelves, RH	15"	23 1/2"	41 9/16"	WTSO421524STRHL(N)	\$3,276.	\$228.	\$89.	\$50.
	slatwall interior, LH	15"	23 1/2"	41 9/16"	WTSO421524WTLHL(N)	\$3,442.	\$228.	\$89.	\$50.
	slatwall interior, RH	15"	23 1/2"	41 9/16"	WTSO421524WTRHL(N)	\$3,442.	\$228.	\$89.	\$50.
	adjustable shelves, LH	18"	23 1/2"	41 9/16"	WTSO421824STLHL(N)	\$3,460.	\$301.	\$94.	\$66.
	adjustable shelves, RH	18"	23 1/2"	41 9/16"	WTSO421824STRHL(N)	\$3,460.	\$301.	\$94.	\$66.
	slatwall interior, LH	18"	23 1/2"	41 9/16"	WTSO421824WTLHL(N)	\$3,620.	\$301.	\$94.	\$66.
	slatwall interior, RH	18"	23 1/2"	41 9/16"	WTSO421824WTRHL(N)	\$3,620.	\$301.	\$94.	\$66.

 Slide Out Tower, 42" h, 24" d, no top	adjustable shelves, LH	15"	23 1/2"	41 9/16"	WTSO421524SNLHL(N)	\$3,079.	\$228.	\$89.	\$0.
	adjustable shelves, RH	15"	23 1/2"	41 9/16"	WTSO421524SNRHL(N)	\$3,079.	\$228.	\$89.	\$0.
	adjustable shelves, LH	18"	23 1/2"	41 9/16"	WTSO421824SNLHL(N)	\$3,244.	\$301.	\$94.	\$0.
	adjustable shelves, RH	18"	23 1/2"	41 9/16"	WTSO421824SNRHL(N)	\$3,244.	\$301.	\$94.	\$0.
	slatwall interior, LH	15"	23 1/2"	41 9/16"	WTSO421524WNLHL(N)	\$3,244.	\$228.	\$89.	\$0.
	slatwall interior, RH	15"	23 1/2"	41 9/16"	WTSO421524WNRHL(N)	\$3,244.	\$228.	\$89.	\$0.
	slatwall interior, LH	18"	23 1/2"	41 9/16"	WTSO421824WNLHL(N)	\$3,404.	\$301.	\$94.	\$0.
	slatwall interior, RH	18"	23 1/2"	41 9/16"	WTSO421824WNRHL(N)	\$3,404.	\$301.	\$94.	\$0.

 Slide Out Tower, 42" h, 30" d, includes finished top	adjustable shelves, LH	15"	29 1/2"	41 9/16"	WTSO421530STLHL(N)	\$3,639.	\$301.	\$89.	\$66.
	adjustable shelves, RH	15"	29 1/2"	41 9/16"	WTSO421530STRHL(N)	\$3,639.	\$301.	\$89.	\$66.
	slatwall interior, LH	15"	29 1/2"	41 9/16"	WTSO421530WTLHL(N)	\$3,807.	\$301.	\$89.	\$66.
	slatwall interior, RH	15"	29 1/2"	41 9/16"	WTSO421530WTRHL(N)	\$3,807.	\$301.	\$89.	\$66.
	adjustable shelves, LH	18"	29 1/2"	41 9/16"	WTSO421830STLHL(N)	\$3,820.	\$372.	\$94.	\$73.
	adjustable shelves, RH	18"	29 1/2"	41 9/16"	WTSO421830STRHL(N)	\$3,820.	\$372.	\$94.	\$73.
	slatwall interior, LH	18"	29 1/2"	41 9/16"	WTSO421830WTLHL(N)	\$3,977.	\$372.	\$94.	\$73.
	slatwall interior, RH	18"	29 1/2"	41 9/16"	WTSO421830WTRHL(N)	\$3,977.	\$372.	\$94.	\$73.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower, 42" high, 15" wide,	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. Lock option	24" deep, Slatwall interior, with finished top, Left hand		
L = Locking	Example: WTSO421524WTLHL(L)		Adjustable shelves interior option does not include slatwall and is not compatible with slatwall tools.
N = Non-locking	WTSO	Add \$40 to the list price per standard key lock.	Slatwall Interior option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
D = Digital Locking	42	Add \$622 to the list price per digital keypad lock and \$672 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
3. Case Finish	24		
See Finish Options page	15		
4. Front Finish	24		
See Finish Options page	W		
5. Top Finish	T		
See Finish Options page	LH		
6. Pull style	L	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
T = 10" finger pull	(L)		
7. Pull finish	(118)		
See Finish Options page	(118)		
8. Lock finish	(118)		
B = Black	(T)		
C = Chrome	(118)		
	(C)	Dimensions listed under w h d are actual to the nearest 1/16".	

# Slide Out Towers

## 42" High Slide Out Tower

### 24" and 30" deep

## Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
 Slide Out Tower, 42" h, 30" d, no top	adjustable shelves, LH	15"	29 1/2"	41 9/16"	WTSO421530SNLHL(N)	\$3,435.	\$301.	\$89.	\$0.
	adjustable shelves, LH	18"	29 1/2"	41 9/16"	WTSO421830SNLHL(N)	\$3,572.	\$372.	\$94.	\$0.
	adjustable shelves, RH	15"	29 1/2"	41 9/16"	WTSO421530SNRHL(N)	\$3,435.	\$301.	\$89.	\$0.
	adjustable shelves, RH	18"	29 1/2"	41 9/16"	WTSO421830SNRHL(N)	\$3,572.	\$372.	\$94.	\$0.
	slatwall interior, LH	15"	29 1/2"	41 9/16"	WTSO421530WNLHL(N)	\$3,597.	\$301.	\$89.	\$0.
	slatwall interior, LH	18"	29 1/2"	41 9/16"	WTSO421830WNLHL(N)	\$3,730.	\$372.	\$94.	\$0.
	slatwall interior, RH	15"	29 1/2"	41 9/16"	WTSO421530WNRHL(N)	\$3,597.	\$301.	\$89.	\$0.
	slatwall interior, RH	18"	29 1/2"	41 9/16"	WTSO421830WNRHL(N)	\$3,730.	\$372.	\$94.	\$0.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower, 42" high, 15" wide,	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. Lock option	24" deep, Slatwall interior, with finished top, Left hand		
L = Locking	Example: WTSO421524WTLHL(L)		
N = Non-locking	WTSO		
D = Digital Locking	Anchor Tower, Slide Out		
3. Case Finish	42	Add \$40 to the list price per standard key lock.	Adjustable shelves interior option does not include slatwall and is not compatible with slatwall tools.
See Finish Options page	15	Add \$622 to the list price per digital keypad lock and \$672 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	Slatwall Interior option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
4. Front Finish	24		
See Finish Options page	W		
5. Top Finish	T		
See Finish Options page	LH		
6. Pull style	L	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
T = 10" finger pull	(L)		
7. Pull finish	(118)		
See Finish Options page	(118)		
8. Lock finish	(118)	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
B = Black	(T)		
C = Chrome	(118)		
	(C)	Dimensions listed under w h d are actual to the nearest 1/16".	


# Slide Out Towers


## 50" High Slide Out Tower

### 24" and 30" deep

## Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
 Slide Out Tower, 50" h, 24" d, includes finished top	adjustable shelves, LH	15"	23 1/2"	48 7/8"	WTSO421524STLHL(N)	\$3,276.	\$228.	\$89.	\$50.
	adjustable shelves, RH	15"	23 1/2"	48 7/8"	WTSO421524STRHL(N)	\$3,276.	\$228.	\$89.	\$50.
	slatwall interior, LH	15"	23 1/2"	48 7/8"	WTSO421524WTLHL(N)	\$3,442.	\$228.	\$89.	\$50.
	slatwall interior, RH	15"	23 1/2"	48 7/8"	WTSO421524WTRHL(N)	\$3,442.	\$228.	\$89.	\$50.
	adjustable shelves, LH	18"	23 1/2"	48 7/8"	WTSO421824STLHL(N)	\$3,460.	\$301.	\$94.	\$66.
	adjustable shelves, RH	18"	23 1/2"	48 7/8"	WTSO421824STRHL(N)	\$3,460.	\$301.	\$94.	\$66.
	slatwall interior, LH	18"	23 1/2"	48 7/8"	WTSO421824WTLHL(N)	\$3,620.	\$301.	\$94.	\$66.
	slatwall interior, RH	18"	23 1/2"	48 7/8"	WTSO421824WTRHL(N)	\$3,620.	\$301.	\$94.	\$66.

 Slide Out Tower, 50" h, 24" d, no top	adjustable shelves, LH	15"	23 1/2"	48 7/8"	WTSO501524SNLHL(N)	\$3,107.	\$250.	\$94.	\$0.
	adjustable shelves, RH	15"	23 1/2"	48 7/8"	WTSO501524SNRHL(N)	\$3,107.	\$250.	\$94.	\$0.
	slatwall interior, LH	15"	23 1/2"	48 7/8"	WTSO501524WNLHL(N)	\$3,429.	\$250.	\$94.	\$0.
	slatwall interior, RH	15"	23 1/2"	48 7/8"	WTSO501524WNRHL(N)	\$3,429.	\$250.	\$94.	\$0.
	adjustable shelves, LH	18"	23 1/2"	48 7/8"	WTSO501824SNLHL(N)	\$3,273.	\$367.	\$101.	\$0.
	adjustable shelves, RH	18"	23 1/2"	48 7/8"	WTSO501824SNRHL(N)	\$3,273.	\$367.	\$101.	\$0.
	slatwall interior, LH	18"	23 1/2"	48 7/8"	WTSO501824WNLHL(N)	\$3,588.	\$367.	\$101.	\$0.
	slatwall interior, RH	18"	23 1/2"	48 7/8"	WTSO501824WNRHL(N)	\$3,588.	\$367.	\$101.	\$0.

 Slide Out Tower, 50" h, 30" d, includes finished top	adjustable shelves, LH	15"	29 1/2"	48 7/8"	WTSO501530STLHL(N)	\$3,669.	\$339.	\$94.	\$66.
	adjustable shelves, RH	15"	29 1/2"	48 7/8"	WTSO501530STRHL(N)	\$3,669.	\$339.	\$94.	\$66.
	slatwall interior, LH	15"	29 1/2"	48 7/8"	WTSO501530WTLHL(N)	\$3,995.	\$339.	\$94.	\$66.
	slatwall interior, RH	15"	29 1/2"	48 7/8"	WTSO501530WTRHL(N)	\$3,995.	\$339.	\$94.	\$66.
	adjustable shelves, LH	18"	29 1/2"	48 7/8"	WTSO501830STLHL(N)	\$3,851.	\$456.	\$101.	\$73.
	adjustable shelves, RH	18"	29 1/2"	48 7/8"	WTSO501830STRHL(N)	\$3,851.	\$456.	\$101.	\$73.
	slatwall interior, LH	18"	29 1/2"	48 7/8"	WTSO501830WTLHL(N)	\$4,168.	\$456.	\$101.	\$73.
	slatwall interior, RH	18"	29 1/2"	48 7/8"	WTSO501830WTRHL(N)	\$4,168.	\$456.	\$101.	\$73.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower, 42" high, 15" wide,	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. Lock option	24" deep, Slatwall interior, with finished top, Left hand		
L = Locking	Example: WTSO421524WTLHL(L)		Adjustable shelves interior option does not include slatwall and is not compatible with slatwall tools.
N = Non-locking	WTSO		Slatwall Interior option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
D = Digital Locking	42		
3. Case Finish	Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock.	
See Finish Options page	15	Add \$622 to the list price per digital keypad lock and \$672 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	
4. Front Finish	24		Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
See Finish Options page	W		
5. Top Finish	Slatwall interior		
See Finish Options page	T		
6. Pull style	Finished top		
T = 10" finger pull	LH	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
7. Pull finish	L		
See Finish Options page	(L)		
8. Lock finish	Lock option, Locking		
B = Black	(118)		
C = Chrome	(118)		
	(118)		
	(T)		
	(118)		
	(C)		
	Case Finish		
	Front Finish		
	Top Finish		
	Pull Style		
	Pull Finish		
	Lock finish, Chrome		
		Dimensions listed under w h d are actual to the nearest 1/16".	




# Slide Out Towers

## 50" High Slide Out Tower

### 24" and 30" deep





## Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2 Case	L2 Front (adder)	L2 Top (adder)
 <p>Slide Out Tower, 50" h, 30" d, no top</p>	adjustable shelves, LH	15"	29 1/2"	48 7/8"	WTSO501530SNLHL(N)	\$3,465.	\$339.	\$94.	\$0.
	adjustable shelves, RH	15"	29 1/2"	48 7/8"	WTSO501530SNRHL(N)	\$3,465.	\$339.	\$94.	\$0.
	slatwall interior, LH	15"	29 1/2"	48 7/8"	WTSO501530WNLHL(N)	\$3,788.	\$339.	\$94.	\$0.
	slatwall interior, RH	15"	29 1/2"	48 7/8"	WTSO501530WNRHL(N)	\$3,788.	\$339.	\$94.	\$0.
	adjustable shelves, LH	18"	29 1/2"	48 7/8"	WTSO501830SNLHL(N)	\$3,604.	\$456.	\$101.	\$0.
	adjustable shelves, RH	18"	29 1/2"	48 7/8"	WTSO501830SNRHL(N)	\$3,604.	\$456.	\$101.	\$0.
	slatwall interior, RH	18"	29 1/2"	48 7/8"	WTSO501830WNRHL(N)	\$3,922.	\$456.	\$101.	\$0.
	slatwall interior, LH	18"	23 1/2"	48 7/8"	WTSO501824WNLHL(N)	\$3,588.	\$367.	\$101.	\$0.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower, 42" high, 15" wide,	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. Lock option	24" deep, Slatwall interior, with finished top, Left hand		
L = Locking	Example: WTSO421524WTLHL(L)		
N = Non-locking	WTSO		
D = Digital Locking	Anchor Tower, Slide Out		
3. Case Finish	42	Add \$40 to the list price per standard key lock.	Adjustable shelves interior option does not include slatwall and is not compatible with slatwall tools.
See Finish Options page	15	Add \$622 to the list price per digital keypad lock and \$672 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	Slatwall Interior option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
4. Front Finish	24		
See Finish Options page	W		
5. Top Finish	T		
See Finish Options page	LH		
6. Pull style	L	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
T = 10" finger pull	(L)		
7. Pull finish	(118)		
See Finish Options page	(118)		
8. Lock finish	(118)	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
B = Black	(T)		
C = Chrome	(118)		
	(C)	Dimensions listed under w h d are actual to the nearest 1/16".	

# Slide Out Tower Shelves and Accessories




## Anchor Storage

description	configuration	w	d	pattern no.	list
Adjustable shelves for Slide Out Tower 24" and 30" deep 	single shelf for 15w tower	21 3/4"	11"	WTSOSB1501L	\$339.
	pack of 4 shelves, for 15w tower	21 3/4"	11"	WTSOSB1504L	\$914.
	single shelf for 18w tower	21 3/4"	14"	WTSOSB1801L	\$354.
	pack of 4 shelves, for 18w tower	21 3/4"	14"	WTSOSB1804L	\$975.
Basket for use with Anchor Slatwall 	Basket, black	12 1/4"	5 1/2"	WPSOB01	\$127.
	Basket, black, pack of 5	12 1/4"	5 1/2"	WPSOB05	\$594.
Accessory Hook for use with Anchor Slatwall 	Accessory Hook, black, pack of 5			WPSOH05	\$90.
	Accessory Hook, black, pack of 40			WPSOH40	\$578.
Large Tray, for use with Anchor Slatwall 	Large Tray, black	20 3/4"	5 1/2"	WPSOTRL01	\$94.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate Example: WTSOB1501L WTSO Anchor Tower, Slide Out SB Shelf with bracket 15 for 15" Wide tower 01 single shelf L Laminate	Adjustable shelves are for use in 24" and 30" deep towers.  Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	

# Slide Out Tower Shelves and Accessories



## Anchor Storage

description	configuration	w	d	pattern no.	list
Small Tray, for use with Anchor Slatwall 	Small Tray, black	14"	5 1/2"	WPSOTRS01	\$85.
Large Tray with cut-out, for use with Anchor Slatwall 	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"	WPSOTRC01	\$103.
Hoop for use with Anchor Slatwall 	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"	WPSOHP01	\$103.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate Example: WTSOB1501L WTSO Anchor Tower, Slide Out SB Shelf with bracket 15 for 15" Wide tower 01 single shelf L Laminate	Adjustable shelves are for use in 24" and 30" deep towers.  Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	

## Slide Out Tower Tops

## Anchor Storage

description	configuration	w	d	pattern no.	L1	L2 Top (adder)
	Common tops for Slide Out Tower, 24" deep	30w for (2) 15w towers, single top	24"	WTSOT302401L	\$592.	\$758.
		30w for (2) 15w towers, pack of 4	24"	WTSOT302404L	\$1,733.	\$2,419.
		36w for (2) 18w towers, single top	24"	WTSOT362401L	\$727.	\$758.
		36w for (2) 18w towers, pack of 4	24"	WTSOT362404L	\$2,268.	\$2,419.
	Common tops for Slide Out Tower, 30" deep	30w for (2) 15w towers, single top	30"	WTSOT303001L	\$592.	\$862.
		30w for (2) 15w towers, pack of 4	30"	WTSOT303004L	\$1,719.	\$2,818.
		36w for (2) 18w towers, single top	30"	WTSOT363001L	\$742.	\$886.
		36w for (2) 18w towers, pack of 4	30"	WTSOT363004L	\$2,312.	\$2,903.

### Order Information

1. Base Pattern Number
2. Top Finish  
See Finish Options page

### Order Code

Slide Out Tower Common Top  
single top, laminate  
Example: WTSOT302401L  
WTSO Anchor Tower, Slide Out  
T Common Top  
30 30" wide  
24 24" deep  
01 single top  
L Laminate  
(118) Top Finish

### Specification Information

Common tops are designed to be used for two same-sized Anchor Slide Out Towers specified without an individual finished top.

### Application Notes

Common tops are field installed.

### Anchor Towers

Anchor Towers are 24" and 30" wide wood construction cabinets offered in 4 heights designed to correspond with Dividends Horizon panel heights. Towers ship assembled including a finished top.

#### Available Sizes (nominal)


Height: 42", 50", 57", 64"

Widths: 24", 30"

Depth: 24"

Towers are categorized by the upper configuration (A) and include 2 pedestal options (B) and 1 locker option (C). Towers are available in left or right hand, defined by the location of the locker. (Right hand tower shown below.)


#### Configuration Options:



**A: Upper Configuration**  
Side Access (open)  
Front Access Open  
Front Access with Door


**B: Pedestal Configuration**  
Box/Box(file front)/File  
File/File

**C: Locker Configuration**  
Full Door



Side Access tower, Front Access Open tower

#### Front Panel for Side Access Tower



A laminate, markerboard or tackboard front panel may be specified (separately) for Side Access towers. To accept front panel mounting, Side Access tower must be specified with a drilled front.

### Construction

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on tower top, bottom, and vertical and horizontal midpanels,  $\frac{3}{4}$ " on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides:  $\frac{5}{16}$ " diameter steel stem with  $\frac{1}{16}$ " of height adjustment, 4 per locker.
- Longer glides are included to provide an additional  $\frac{1}{16}$ " of height adjustment; 2 per pedestal.

### Locks

Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

### Pulls

Finger Pull, 10" long, vertical pulls on 42" towers are 8" long.



#### Pull Position:

Doors: vertical,  $1\frac{1}{8}$ " below top edge of door.

Drawers: centered horizontally

Top drawer:  $\frac{3}{4}$ " from bottom of drawer

Bottom drawer:  $\frac{3}{4}$ " from top of drawer



Tower doors open from midpanel; hinges are located on the end panels.

# Tower Specifications

## Tower Shelf Count

Anchor Storage

Tower shelf count					
Tower Interior Component	Configuration	42" high	50" high	57" high	64" high
Locker segment	Full Door	1	1	1	1
Upper segment	Side Access	0	1	1	2
	Front Access	0	1	1	2
	Front Access with Door	0	1	1	2
Pedestal segment	Box/Box(File Front) File	0	0	0	0
	File/File	0	0	0	0

*\*all shelves are removable unless noted as fixed*

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING



# Towers

## 42" High Side Access Open, Full Door Locker

### 24" and 30" wide

Anchor Storage

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, LH, 24"w	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFFLHL(N)	\$3,300.	\$556.	\$128.	\$39.
	BBF Pedestal (File Front)	24"	23 1/2"	41 9/16"	WTSA4224FDCBLHL(N)	\$3,336.	\$556.	\$128.	\$39.
Tower, Side Access Open, Full Door Locker, RH, 24"w	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFFRHL(N)	\$3,300.	\$556.	\$128.	\$39.
	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTSA4230FDCBRHL(N)	\$3,617.	\$668.	\$134.	\$45.
Tower, Side Access Open, Full Door Locker, LH, 30"w	FF Pedestal (shown)	30"	23 1/2"	41 9/16"	WTSA4230FDFFLHL(N)	\$3,578.	\$668.	\$134.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTSA4230FDCBLHL(N)	\$3,617.	\$668.	\$134.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option L = Locking N = Non-locking	Example: WTSA4224FDFFLHL WTSA Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
3. Case Finish See Finish Options page	42 42" High 24 24" Wide	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
4. Front Finish See Finish Options page	FD Locker configuration, Full Door FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
5. Top Finish See Finish Options page	LH Left hand L Laminate	Dimensions listed under w h d are actual to the nearest 1/16".	
6. Pull style T = 10" finger pull	(L) Lock option, Locking (118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
7. Pull finish See Finish Options page	(118) Front Finish (118) Top Finish		
8. Lock finish B = Black C = Chrome	(T) Pull Style (118) Pull Finish (C) Lock finish, Chrome		
9. Predrill for (optional) Front Panel D = Drilled N = Non-drill	(D) Drilled for front panel		


# Towers

## 42" High Side Access Open, Full Door Locker

### 24" and 30" wide

Anchor Storage

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, RH, 30"w	FF Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFFRHL(N)	\$3,578.	\$668.	\$134.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTSA4230FDCBRHL(N)	\$3,617.	\$668.	\$134.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTSA4224FDFFLHL		
N = Non-locking	WTSA Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	42 42" High		field installed.
See Finish Options page	24 24" Wide		
4. Front Finish	FD Locker configuration, Full Door	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish		
7. Pull finish	(118) Front Finish	Dimensions listed under w h d are actual to the	
See Finish Options page	(118) Top Finish	nearest 1/16".	
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish	A laminate or markerboard front panel may be	
C = Chrome	(C) Lock finish, Chrome	specified (separately) for side access towers. To	
9. Predrill for (optional) Front Panel	(D) Drilled for front panel	accept front panel mounting hardware, side access	
D = Drilled		towers must be specified with "D" for a predrilled	
N = Non-drill		front.	



# Towers

## 50" High Side Access Open, Full Door Locker


### 24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, LH, 24" w	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTSA5024FDCBLHL(N)	\$3,654.	\$668.	\$134.	\$39.
	BBF Pedestal (File Front)	30"	23 1/2"	48 7/8"	WTSA5030FDCBLHL(N)	\$3,956.	\$779.	\$139.	\$45.



Tower, Side Access Open, Full Door Locker, RH, 24" w	FF Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024FDFFRHL(N)	\$3,617.	\$668.	\$134.	\$39.
	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTSA5024FDCBRHL(N)	\$3,654.	\$668.	\$134.	\$39.
	BBF Pedestal (File Front)	30"	23 1/2"	48 7/8"	WTSA5030FDCBRHL(N)	\$3,956.	\$779.	\$139.	\$45.



Tower, Side Access Open, Full Door Locker, LH, 30" w	FF Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFFLHL(N)	\$3,920.	\$779.	\$139.	\$45.
--	---------------------	-----	---------	---------	--------------------	----------	--------	--------	-------



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option L = Locking N = Non-locking	Example: WTSA5024FDFFLHL WTSA Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
3. Case Finish See Finish Options page	50 42" High 24 24" Wide	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
4. Front Finish See Finish Options page	FD Locker configuration, Full Door FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
5. Top Finish See Finish Options page	LH Left hand L Laminate	Dimensions listed under w h d are actual to the nearest 1/16".	
6. Pull style T = 10" finger pull	(L) Lock option, Locking (118) Case Finish	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
7. Pull finish See Finish Options page	(118) Front Finish (118) Top Finish		
8. Lock finish B = Black C = Chrome	(T) Pull Style (118) Pull Finish (C) Lock finish, Chrome		
9. Predrill for (optional) Front Panel D = Drilled N = Non-drill	(D) Drilled for front panel		


# Towers

## Anchor Storage

### 50" High Side Access Open, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, RH, 30" w	FF Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFFRHL(N)	\$3,920.	\$779.	\$139.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	50" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTSA5024FDFFLHL		
N = Non-locking	WTSA Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	50 42" High		field installed.
See Finish Options page	24 24" Wide	Add \$15 to the list price per pull for Anodized	
4. Front Finish	FD Locker configuration, Full Door	Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File		filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish	Dimensions listed under w h d are actual to the	
7. Pull finish	(118) Front Finish	nearest 1/16".	
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style	A laminate or markerboard front panel may be	
B = Black	(118) Pull Finish	specified (separately) for side access towers. To	
C = Chrome	(C) Lock finish, Chrome	accept front panel mounting hardware, side access	
9. Predrill for (optional) Front Panel	(D) Drilled for front panel	towers must be specified with "D" for a predrilled	
D = Drilled		front.	
N = Non-drill			

# Towers

## Anchor Storage

### 57" High Side Access Open, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, LH, 24"w 	FF Ped. (shown)	24"	23 1/2"	56 3/16"	WTS A5724FDFFLHL(N)	\$3,808.	\$779.	\$139.	\$39.
	BBF Ped. (File Front)	24"	23 1/2"	56 3/16"	WTS A5724FDCBLHL(N)	\$4,051.	\$779.	\$139.	\$39.
Tower, Side Access Open, Full Door Locker, RH, 24"w 	FF Ped. (shown)	24"	23 1/2"	56 3/16"	WTS A5724FDFFRHL(N)	\$3,808.	\$779.	\$139.	\$39.
	BBF Ped. (File Front)	24"	23 1/2"	56 3/16"	WTS A5724FDCBRHL(N)	\$4,051.	\$779.	\$139.	\$39.
Tower, Side Access Open, Full Door Locker, LH, 30"w 	FF Ped. (shown)	30"	23 1/2"	56 3/16"	WTS A5730FDFFLHL(N)	\$4,136.	\$890.	\$144.	\$45.
	BBF Ped. (File Front)	30"	23 1/2"	56 3/16"	WTS A5730FDCBLHL(N)	\$4,373.	\$890.	\$144.	\$45.

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Top Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome
- Predrill for (optional) Front Panel  
D = Drilled  
N = Non-drill

#### Order Code

Tower, Side Access Open, Full Door Locker,  
57" high, 24" wide, F/F pedestal, Left hand  
Example: WTS A5724FDFFLHL  
WTS A Anchor Tower, Side Access  
57 42" High  
24 24" Wide  
FD Locker configuration, Full Door  
FF Pedestal configuration, File/File  
LH Left hand  
L Laminate  
(L) Lock option, Locking  
(118) Case Finish  
(118) Front Finish  
(118) Top Finish  
(T) Pull Style  
(118) Pull Finish  
(C) Lock finish, Chrome  
(D) Drilled for front panel

#### Specification Information

Refer to Tower Shelf count for number of included  
shelves with each interior configuration.  
  
Add \$40 to the list price per standard key lock.  
  
Add \$15 to the list price per pull for Anodized  
Nickel (AN) or Aluminum (AA) finish.  
  
Towers specified with mixed laminate finishes are L2  
pricing. Refer to Mixed Laminate Finishes for further  
details.  
  
Dimensions listed under w h d are actual to the  
nearest 1/16".  
  
A laminate or markerboard front panel may be  
specified (separately) for side access towers. To  
accept front panel mounting hardware, side access  
towers must be specified with "D" for a predrilled  
front.

#### Application Notes

Towers 24" deep (nominal) have a 23 1/2" deep  
case; 24 3/8" overall depth including door.  
  
Towers with full door include a coat hook to be  
field installed.  
  
Pedestal File drawer allows for front-to-back letter  
filing. For legal filing, specify a Series 2 DS1PFS  
File Support Channel separately.


# Towers

## Anchor Storage

### 57" High Side Access Open, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, RH, 30"w	FF Ped. (shown)	30"	23 1/2"	56 3/16"	WTSA5730FDFFRHL(N)	\$4,136.	\$890.	\$144.	\$45.
	BBF Ped. (File Front)	30"	23 1/2"	56 3/16"	WTSA5730FDCBRHL(N)	\$4,373.	\$890.	\$144.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	57" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTSA5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
N = Non-locking	WTSA Anchor Tower, Side Access		field installed.
3. Case Finish	57 42" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
4. Front Finish	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	pricing. Refer to Mixed Laminate Finishes for further	
5. Top Finish	LH Left hand	details.	
See Finish Options page	L Laminate	Dimensions listed under w h d are actual to the	
6. Pull style	(L) Lock option, Locking	nearest 1/16".	
T = 10" finger pull	(118) Case Finish	A laminate or markerboard front panel may be	
7. Pull finish	(118) Front Finish	specified (separately) for side access towers. To	
See Finish Options page	(118) Top Finish	accept front panel mounting hardware, side access	
8. Lock finish	(T) Pull Style	towers must be specified with "D" for a predrilled	
B = Black	(118) Pull Finish	front.	
C = Chrome	(C) Lock finish, Chrome		
9. Predrill for (optional) Front Panel	(D) Drilled for front panel		
D = Drilled			
N = Non-drill			


# Towers

## 64" High Side Access Open, Full Door Locker


### 24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, LH, 24"w	FF Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSa6424FDFFLHL(N)	\$4,097.	\$890.	\$144.	\$39.
	BBF Pedestal (File Front)	24"	23 1/2"	63 7/16"	WTSa6424FDCBLHL(N)	\$4,139.	\$890.	\$144.	\$39.



Tower, Side Access Open, Full Door Locker, RH, 24"w	FF Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSa6424FDFFRHL(N)	\$4,097.	\$890.	\$144.	\$39.
	BBF Pedestal (File Front)	24"	23 1/2"	63 7/16"	WTSa6424FDCBRHL(N)	\$4,139.	\$890.	\$144.	\$39.



Tower, Side Access Open, Full Door Locker, LH, 30"w	FF Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSa6430FDFFLHL(N)	\$4,446.	\$1,002.	\$150.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	63 7/16"	WTSa6430FDCBLHL(N)	\$4,484.	\$1,002.	\$150.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTSa6424FDFFLHL		
N = Non-locking	WTSa Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	64 42" High		field installed.
See Finish Options page	24 24" Wide	Add \$15 to the list price per pull for Anodized	
4. Front Finish	FD Locker configuration, Full Door	Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File		filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish	Dimensions listed under w h d are actual to the	
7. Pull finish	(118) Front Finish	nearest 1/16".	
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style	A laminate or markerboard front panel may be	
B = Black	(118) Pull Finish	specified (separately) for side access towers. To	
C = Chrome	(C) Lock finish, Chrome	accept front panel mounting hardware, side access	
9. Predrill for (optional) Front Panel	(D) Drilled for front panel	towers must be specified with "D" for a predrilled	
D = Drilled		front.	
N = Non-drill			


# Towers

## Anchor Storage

### 64" High Side Access Open, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Side Access Open, Full Door Locker, RH, 30"w	FF Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430FDFFRHL(N)	\$4,446.	\$1,002.	\$150.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	63 7/16"	WTSA6430FDCBRHL(N)	\$4,484.	\$1,002.	\$150.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Side Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTSA6424FDFFLHL		
N = Non-locking	WTSA Anchor Tower, Side Access	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	64 42" High		field installed.
See Finish Options page	24 24" Wide		
4. Front Finish	FD Locker configuration, Full Door	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish		
7. Pull finish	(118) Front Finish	Dimensions listed under w h d are actual to the	
See Finish Options page	(118) Top Finish	nearest 1/16".	
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish	A laminate or markerboard front panel may be	
C = Chrome	(C) Lock finish, Chrome	specified (separately) for side access towers. To	
9. Predrill for (optional) Front Panel	(D) Drilled for front panel	accept front panel mounting hardware, side access	
D = Drilled		towers must be specified with "D" for a predrilled	
N = Non-drill		front.	

# Towers

## 42" High Front Access Open, Full Door Locker


### 24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	41 9/16"	WTFO4224FDCBLHL(N)	\$3,528.	\$556.	\$128.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFO4224FDFFLHL(N)	\$3,220.	\$556.	\$128.	\$39.



Tower, Front Access Open, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	41 9/16"	WTFO4224FDCBRHL(N)	\$3,528.	\$556.	\$128.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFO4224FDFFRHL(N)	\$3,220.	\$556.	\$128.	\$39.



Tower, Front Access Open, Full Door Locker, LH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTFO4230FDCBLHL(N)	\$3,806.	\$668.	\$134.	\$45.
	FF Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDFFLHL(N)	\$3,500.	\$668.	\$134.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option	42" high, 24" wide, F/F pedestal, Left hand		
L = Locking	Example: WTFO4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
N = Non-locking	WTFO Anchor Tower, Front Access Open		
3. Case Finish	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
See Finish Options page	24 24" Wide		
4. Front Finish	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
See Finish Options page	FF Pedestal configuration, File/File		
5. Top Finish	LH Left hand		
See Finish Options page	L Laminate		
6. Pull style	(L) Lock option, Locking	Dimensions listed under w h d are actual to the nearest 1/16".	
T = 10" finger pull	(118) Case Finish		
7. Pull finish	(118) Front Finish		
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		


# Towers

## 42" High Front Access Open, Full Door Locker

### 24" and 30" wide

Anchor Storage

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, RH, 30"w	FF Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDFFRHL(N)	\$3,500.	\$668.	\$134.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTFO4230FDCBRHL(N)	\$3,806.	\$668.	\$134.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	42" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTFO4224FDFFLHL		
N = Non-locking	WTFO Anchor Tower, Front Access Open	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	42 42" High		field installed.
See Finish Options page	24 24" Wide	Add \$15 to the list price per pull for Anodized	
4. Front Finish	FD Locker configuration, Full Door	Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File		filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish	Dimensions listed under w h d are actual to the	
7. Pull finish	(118) Front Finish	nearest 1/16".	
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		




# Towers

## Anchor Storage


### 50" High Front Access Open, Full Door Locker

24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTFO5024FDCBLHL(N)	\$3,870.	\$668.	\$134.	\$39.
	FF Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDFFLHL(N)	\$3,563.	\$668.	\$134.	\$39.



Tower, Front Access Open, Full Door Locker, rH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTFO5024FDCBRHL(N)	\$3,870.	\$668.	\$134.	\$39.
	FF Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDFFRHL(N)	\$3,563.	\$668.	\$134.	\$39.



Tower, Front Access Open, Full Door Locker, LH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	48 7/8"	WTFO5030FDCBLHL(N)	\$4,172.	\$779.	\$139.	\$45.
	FF Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDFFLHL(N)	\$3,866.	\$779.	\$139.	\$45.




Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	50" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTFO5024FDFFLHL		
N = Non-locking	WTFO Anchor Tower, Front Access Open	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	50 50" High		field installed.
See Finish Options page	24 24" Wide	Add \$15 to the list price per pull for Anodized	
4. Front Finish	FD Locker configuration, Full Door	Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File		filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking	details.	
T = 10" finger pull	(118) Case Finish	Dimensions listed under w h d are actual to the	
7. Pull finish	(118) Front Finish	nearest 1/16".	
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		

# Towers

## Anchor Storage

### 50" High Front Access Open, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, RH, 30"w	FF Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDFFRHL(N)	\$3,866.	\$779.	\$139.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	48 7/8"	WTFO5030FDCBRHL(N)	\$4,172.	\$779.	\$139.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	50" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking	Example: WTFO5024FDFFLHL		
N = Non-locking	WTFO Anchor Tower, Front Access Open	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	50 50" High		field installed.
See Finish Options page	24 24" Wide	Add \$15 to the list price per pull for Anodized	
4. Front Finish	FD Locker configuration, Full Door	Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter
See Finish Options page	FF Pedestal configuration, File/File		filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	LH Left hand	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	L Laminate	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	(L) Lock option, Locking		
T = 10" finger pull	(118) Case Finish	Dimensions listed under w h d are actual to the	
7. Pull finish	(118) Front Finish	nearest 1/16".	
See Finish Options page	(118) Top Finish		
8. Lock finish	(T) Pull Style		
B = Black	(118) Pull Finish		
C = Chrome	(C) Lock finish, Chrome		


# Towers

## 57" High Front Access Open, Full Door Locker


### 24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, LH, 24"w	BBF (File Front)	24"	23 1/2"	56 3/16"	WTFO5724FDCBLHL(N)	\$4,087.	\$779.	\$139.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFO5724FDFFLHL(N)	\$3,781.	\$779.	\$139.	\$39.



Tower, Front Access Open, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	56 3/16"	WTFO5724FDCBRHL(N)	\$4,087.	\$779.	\$139.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFO5724FDFFRHL(N)	\$3,781.	\$779.	\$139.	\$39.



Tower, Front Access Open, Full Door Locker, LH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	56 3/16"	WTFO5730FDCBLHL(N)	\$4,417.	\$890.	\$144.	\$45.
	FF Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFO5730FDFFLHL(N)	\$4,108.	\$890.	\$144.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option L = Locking N = Non-locking	Example: WTFO5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed. Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
3. Case Finish See Finish Options page	WTFO 57	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
4. Front Finish See Finish Options page	24		
5. Top Finish See Finish Options page	FD		
6. Pull style T = 10" finger pull	FF	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
7. Pull finish See Finish Options page	LH	Dimensions listed under w h d are actual to the nearest 1/16".	
8. Lock finish B = Black C = Chrome	L (L) (118) (118) (118) (T) (118) (C)		


# Towers

## Anchor Storage

### 57" High Front Access Open, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, RH, 30"w	FF Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFO5730FDFFRHL(N)	\$4,108.	\$890.	\$144.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	56 3/16"	WTFO5730FDCBRHL(N)	\$4,417.	\$890.	\$144.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	57" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking	Example: WTFO5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field
3. Case Finish	WTFO Anchor Tower, Front Access Open		installed. Pedestal File drawer allows for
See Finish Options page	57 57" High	Add \$15 to the list price per pull for Anodized	front-to-back
4. Front Finish	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	letter filing. For legal filing, specify a Series 2
See Finish Options page	FD Locker configuration, Full Door		DS1PFS
5. Top Finish	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	File Support Channel separately.
See Finish Options page	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
6. Pull style	L Laminate	details.	
T = 10" finger pull	(L) Lock option, Locking		
7. Pull finish	(118) Case Finish	Dimensions listed under w h d are actual to the	
See Finish Options page	(118) Front Finish	nearest 1/16".	
8. Lock finish	(118) Top Finish		
B = Black	(T) Pull Style		
C = Chrome	(118) Pull Finish		
	(C) Lock finish, Chrome		


# Towers

## 64" High Front Access Open, Full Door Locker


### 24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	63 7/16"	WTFO6424FDCBLHL(N)	\$4,400.	\$890.	\$144.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFO6424FDFFLHL(N)	\$4,092.	\$890.	\$144.	\$39.



Tower, Front Access Open, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	63 7/16"	WTFO6424FDCBRHL(N)	\$4,400.	\$890.	\$144.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFO6424FDFFRHL(N)	\$4,092.	\$890.	\$144.	\$39.



Tower, Front Access Open, Full Door Locker, LH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	63 7/16"	WTFO6430FDCBLHL(N)	\$4,747.	\$1,002.	\$150.	\$45.
	FF Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFO6430FDFFLHL(N)	\$4,443.	\$1,002.	\$150.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Open Door,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFO6424FDFFLHL		field installed.
See Finish Options page	WTFO Anchor Tower, Front Access Open		
4. Front Finish	64 64" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	FD Locker configuration, Full Door		File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L Laminate	details.	
7. Pull finish	(L) Lock option, Locking		
See Finish Options page	(118) Case Finish	Dimensions listed under w h d are actual to the	
8. Lock finish	(118) Front Finish	nearest 1/16".	
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


# Towers

## Anchor Storage

### 64" High Front Access Open, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access Open, Full Door Locker, RH, 30"w	FF Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFO6430FDFFRHL(N)	\$4,443.	\$1,002.	\$150.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	63 7/16"	WTFO6430FDCBRHL(N)	\$4,747.	\$1,002.	\$150.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access Open, Full Open Door,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFO6424FDFFLHL		field installed.
See Finish Options page	WTFO Anchor Tower, Front Access Open		
4. Front Finish	64 64" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	FD Locker configuration, Full Door		File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L Laminate	details.	
7. Pull finish	(L) Lock option, Locking		
See Finish Options page	(118) Case Finish	Dimensions listed under w h d are actual to the	
8. Lock finish	(118) Front Finish	nearest 1/16".	
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

# Towers

## Anchor Storage

### 42" High Front Access with Door, Full Door Locker 24" and 30" wide




description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	41 9/16"	WTFD4224FDCBLHL(N)	\$3,665.	\$556.	\$162.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFD4224FDFFLHL(N)	\$3,427.	\$556.	\$162.	\$39.
Tower, Front Access with Door, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	41 9/16"	WTFD4224FDCBRHL(N)	\$3,665.	\$556.	\$162.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFD4224FDFFRHL(N)	\$3,427.	\$556.	\$162.	\$39.
Tower, Front Access with Door, Full Door Locker, RH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTFD4230FDCBRHL(N)	\$3,941.	\$668.	\$167.	\$45.
	FF Pedestal (shown)	30"	23 1/2"	41 9/16"	WTFD4230FDFFRHL(N)	\$3,702.	\$668.	\$167.	\$45.
Tower, Front Access with Door, Full Door Locker, LH, 30"w	FF Pedestal (shown)	30"	23 1/2"	41 9/16"	WTFD4230FDFFLHL(N)	\$3,702.	\$668.	\$167.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	41 9/16"	WTFD4230FDCBLHL(N)	\$3,941.	\$668.	\$167.	\$45.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	42" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFD4224FDFFLHL		field installed.
See Finish Options page	WTFD Anchor Tower, Front Access with Door		
4. Front Finish	42 42" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	FD Locker configuration, Full Door		File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L Laminate	details.	
7. Pull finish	(L) Lock option, Locking		
See Finish Options page	(118) Case Finish	Dimensions listed under w h d are actual to the	
8. Lock finish	(118) Front Finish	nearest 1/16".	
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

# Towers

## Anchor Storage

### 50" High Front Access with Door, Full Door Locker 24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTFD5024FDCBLHL(N)	\$4,047.	\$668.	\$172.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFLHL(N)	\$3,806.	\$668.	\$172.	\$39.
									
Tower, Front Access with Door, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	48 7/8"	WTFD5024FDCBRHL(N)	\$4,047.	\$668.	\$172.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFRHL(N)	\$3,806.	\$668.	\$172.	\$39.
									
Tower, Front Access with Door, Full Door Locker, RH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	48 7/8"	WTFD5030FDCBRHL(N)	\$4,348.	\$779.	\$178.	\$45.
									

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	50" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFD5024FDFFLHL		field installed.
See Finish Options page	WTFD Anchor Tower, Front Access with Door		
4. Front Finish	50 50" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back letter
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	filing. For legal filing, specify a Series 2 DS1PFS
5. Top Finish	FD Locker configuration, Full Door		File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L Laminate	details.	
7. Pull finish	(L) Lock option, Locking		
See Finish Options page	(118) Case Finish	Dimensions listed under w h d are actual to the	
8. Lock finish	(118) Front Finish	nearest 1/16".	
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		




# Towers


## Anchor Storage

### 57" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, LH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	56 3/16"	WTFD5724FDCBLHL(N)	\$4,300.	\$779.	\$184.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFLHL(N)	\$4,060.	\$779.	\$184.	\$39.



Tower, Front Access with Door, Full Door Locker, RH, 24"w	BBF Pedestal (File Front)	24"	23 1/2"	56 3/16"	WTFD5724FDCBRHL(N)	\$4,300.	\$779.	\$184.	\$39.
	FF Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFRHL(N)	\$4,060.	\$779.	\$184.	\$39.



Tower, Front Access with Door, Full Door Locker, LH, 30"w	BBF Pedestal (File Front)	30"	23 1/2"	56 3/16"	WTFD5730FDCBLHL(N)	\$4,622.	\$890.	\$189.	\$45.
	FF Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFLHL(N)	\$4,380.	\$890.	\$189.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option L = Locking N = Non-locking	Example: WTFD5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
3. Case Finish See Finish Options page	WTFD Anchor Tower, Front Access with Door	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
4. Front Finish See Finish Options page	57 57" High		
5. Top Finish See Finish Options page	24 24" Wide		
6. Pull style T = 10" finger pull	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
7. Pull finish See Finish Options page	FF Pedestal configuration, File/File		
8. Lock finish B = Black C = Chrome	LH Left hand L Laminate (L) Lock option, Locking (118) Case Finish (118) Front Finish (118) Top Finish (T) Pull Style (118) Pull Finish (C) Lock finish, Chrome	Dimensions listed under w h d are actual to the nearest 1/16".	


# Towers

## Anchor Storage

### 57" High Front Access with Door, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, RH, 30"w	FF Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFRHL(N)	\$4,380.	\$890.	\$189.	\$45.
	BBF Pedestal (File Front)	30"	23 1/2"	56 3/16"	WTFD5730FDCBRHL(N)	\$4,622.	\$890.	\$189.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	57" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFD5724FDFFLHL		field installed.
See Finish Options page	WTFD Anchor Tower, Front Access with Door		
4. Front Finish	57 57" High	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back
See Finish Options page	24 24" Wide	Nickel (AN) or Aluminum (AA) finish.	letter filing. For legal filing, specify a Series 2
5. Top Finish	FD Locker configuration, Full Door		DS1PFS File Support Channel separately.
See Finish Options page	FF Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH Left hand	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L Laminate	details.	
7. Pull finish	(L) Lock option, Locking		
See Finish Options page	(118) Case Finish	Dimensions listed under w h d are actual to the	
8. Lock finish	(118) Front Finish	nearest 1/16".	
B = Black	(118) Top Finish		
C = Chrome	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


# Towers

## Anchor Storage


### 64" High Front Access with Door, Full Door Locker

#### 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, LH, 24"w	BBF Ped. (File Front)	24"	23 1/2"	63 7/16"	WTFD6424FDCBLHL(N)	\$4,643.	\$890.	\$195.	\$39.
	FF Ped. (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFLHL(N)	\$4,400.	\$890.	\$195.	\$39.



Tower, Front Access with Door, Full Door Locker, RH, 24"w	BBF Ped. (File Front)	24"	23 1/2"	63 7/16"	WTFD6424FDCBRHL(N)	\$4,643.	\$890.	\$195.	\$39.
	FF Ped. (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFRHL(N)	\$4,400.	\$890.	\$195.	\$39.



Tower, Front Access with Door, Full Door Locker, LH, 30"w	BBF Ped. (File Front)	30"	23 1/2"	63 7/16"	WTFD6430FDCBLHL(N)	\$4,986.	\$1,002.	\$200.	\$45.
	FF Ped. (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFLHL(N)	\$4,749.	\$1,002.	\$200.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFD6424FDFFLHL		field installed.
See Finish Options page	WTFD	Anchor Tower, Front Access with Door	
4. Front Finish	64	Add \$15 to the list price per pull for Anodized	Pedestal File drawer allows for front-to-back
See Finish Options page	24	Nickel (AN) or Aluminum (AA) finish.	letter filing. For legal filing, specify a Series 2
5. Top Finish	FD		DS1PFS File Support Channel separately.
See Finish Options page	FF	Towers specified with mixed laminate finishes are L2	
6. Pull style	LH	pricing. Refer to Mixed Laminate Finishes for further	
T = 10" finger pull	L	details.	
7. Pull finish	(L)		
See Finish Options page	(118)	Dimensions listed under w h d are actual to the	
8. Lock finish	(118)	nearest 1/16".	
B = Black	(T)		
C = Chrome	(118)		
	(C)		


# Towers

## Anchor Storage

### 64" High Front Access with Door, Full Door Locker

24" and 30" wide

description	pedestal configuration	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Tower, Front Access with Door, Full Door Locker, RH, 30"w	FF Ped. (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFRHL(N)	\$4,749.	\$1,002.	\$200.	\$45.
	BBF Ped. (File Front)	30"	23 1/2"	63 7/16"	WTFD6430FDCBRHL(N)	\$4,986.	\$1,002.	\$200.	\$45.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker,	Refer to Tower Shelf count for number of included	Towers 24" deep (nominal) have a 23 1/2" deep
2. Lock option	64" high, 24" wide, F/F pedestal, Left hand	shelves with each interior configuration.	case; 24 3/8" overall depth including door.
L = Locking			
N = Non-locking		Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be
3. Case Finish	Example: WTFD6424FDFFLHL		field installed.
See Finish Options page	WTFD	Anchor Tower, Front Access with Door	
4. Front Finish	64	64" High	Add \$15 to the list price per pull for Anodized
See Finish Options page	24	24" Wide	Nickel (AN) or Aluminum (AA) finish.
5. Top Finish	FD	Locker configuration, Full Door	
See Finish Options page	FF	Pedestal configuration, File/File	Towers specified with mixed laminate finishes are L2
6. Pull style	LH	Left hand	pricing. Refer to Mixed Laminate Finishes for further
T = 10" finger pull	L	Laminate	details.
7. Pull finish	(L)	Lock option, Locking	
See Finish Options page	(118)	Case Finish	Dimensions listed under w h d are actual to the
8. Lock finish	(118)	Front Finish	nearest 1/16".
B = Black	(118)	Top Finish	
C = Chrome	(T)	Pull Style	
	(118)	Pull Finish	
	(C)	Lock finish, Chrome	

# Towers

## Anchor Storage

### 42" High Front and Side Access Towers for use with feet 24" wide

description	orientation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Front Access with Door Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	41 9/16"	WTFFD4224FDBFLHL(N)	\$3,427.	\$556.	\$162.	\$39.
	Locker Right, shown	24"	23 1/2"	41 9/16"	WTFFD4224FDBFRHL(N)	\$3,427.	\$556.	\$162.	\$39.
Front Access Open Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	41 9/16"	WTFFO4224FDBFLHL(N)	\$3,220.	\$556.	\$128.	\$39.
	Locker Right, shown	24"	23 1/2"	41 9/16"	WTFFO4224FDBFRHL(N)	\$3,220.	\$556.	\$128.	\$39.
Side Access Open Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	41 9/16"	WTFSA4224FDBFLHL(N)	\$3,300.	\$556.	\$128.	\$39.
	Locker Right, shown	24"	23 1/2"	41 9/16"	WTFSA4224FDBFRHL(N)	\$3,300.	\$556.	\$128.	\$39.






Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Tower, Front Access with Door, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. Lock option L = Locking N = Non-locking	Example: WTFFD4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
3. Case Finish See Finish Options page	WTFFD	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
4. Front Finish See Finish Options page	42	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Anchor foot kit must be specified separately, see "Anchor Foot Kits" section. Noted elevation heights include height of Anchor foot.
5. Top Finish See Finish Options page	FD		
6. Pull style T = 10" finger pull	FF		
7. Pull finish See Finish Options page	LH		
8. Lock finish B = Black C = Chrome	L		
	(L)		
	(118)		
	(118)		
	(118)		
	(T)		
	(118)		
	(C)		

# Towers

## Anchor Storage

### 50" High Front and Side Access Towers for use with feet 24" wide

description	orientation	w	d	h	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Front Access with Door Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	48 7/8"	WTFFD5024FDBFLHL(N)	\$3,806.	\$668.	\$167.	\$39.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFFD5024FDBFRHL(N)	\$3,806.	\$668.	\$167.	\$39.
									
Front Access Open Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	48 7/8"	WTFFO5024FDBFLHL(N)	\$3,563.	\$668.	\$128.	\$39.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFFO5024FDBFRHL(N)	\$3,563.	\$668.	\$128.	\$39.
									
Side Access Open Full Door Locker, BF Pedestal	Locker Left	24"	23 1/2"	48 7/8"	WTFSA5024FDBFLHL(N)	\$3,617.	\$668.	\$134.	\$39.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFSA5024FDBFRHL(N)	\$3,617.	\$668.	\$134.	\$39.
									

#### Order Information

- Base Pattern Number
- Lock option  
L = Locking  
N = Non-locking
- Case Finish  
See Finish Options page
- Front Finish  
See Finish Options page
- Top Finish  
See Finish Options page
- Pull style  
T = 10" finger pull
- Pull finish  
See Finish Options page
- Lock finish  
B = Black  
C = Chrome

#### Order Code

Tower, Front Access with Door, Full Door Locker,  
64" high, 24" wide, F/F pedestal, Left hand

Example: WTFFD5024FDFFLHL  
 50 Anchor Tower, Front Access with Door  
 24 64" High  
 24 24" Wide  
 FD Locker configuration, Full Door  
 FF Pedestal configuration, File/File  
 LH Left hand  
 L Laminate  
 (L) Lock option, Locking  
 (118) Case Finish  
 (118) Front Finish  
 (118) Top Finish  
 (T) Pull Style  
 (118) Pull Finish  
 (C) Lock finish, Chrome

#### Specification Information

Refer to Tower Shelf count for number of included shelves with each interior configuration.

Add \$40 to the list price per standard key lock.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

#### Application Notes

Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.


Towers with full door include a coat hook to be field installed.

Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.

Anchor foot kit must be specified separately, see "Anchor Foot Kits" section. Noted elevation heights include height of Anchor foot.

# Tower Shelves



# Anchor Storage

description	application	w	d	h	pattern no.	L1	L2
	single shelf, for 24"w tower	7 1/4"	22 3/4"	3/4"	WTLSF2401L	\$127.	\$139.
	pack of 4 shelves, for 24"w tower	7 1/4"	22 3/4"	3/4"	WTLSF2404L	\$358.	\$470.
	single shelf, for 30"w tower	13 1/4"	22 3/4"	3/4"	WTLSF3001L	\$166.	\$188.
	pack of 4 shelves, for 30"w tower	13 1/4"	22 3/4"	3/4"	WTLSF3004L	\$486.	\$667.
	single shelf, for 24"w tower	7 1/4"	11 3/8"	3/4"	WTLSP2401L	\$89.	\$101.
	pack of 4 shelves, for 24"w tower	7 1/4"	11 3/8"	3/4"	WTLSP2404L	\$229.	\$285.
	single shelf, for 30"w tower	13 1/4"	11 3/8"	3/4"	WTLSP3001L	\$108.	\$120.
	pack of 4 shelves, for 30"w tower	13 1/4"	11 3/8"	3/4"	WTLSP3004L	\$300.	\$387.
	single shelf, for 24"w tower	7 1/4"	22 3/4"	3/4"	WTLCRKIT2401L	\$219.	\$234.
	single shelf, for 30"w tower	13 1/4"	22 3/4"	3/4"	WTLCRKIT3001L	\$274.	\$300.
	pack of 4 shelves, for 24"w tower	7 1/4"	22 3/4"	3/4"	WTLCRKIT2404L	\$538.	\$648.
	pack of 4 shelves, for 30"w tower	13 1/4"	22 3/4"	3/4"	WTLCRKIT3004L	\$689.	\$867.
	single shelf	13 5/16"	22 3/4"	3/4"	WPSF1601L	\$156.	\$175.
	pack of 4 shelves	13 5/16"	22 3/4"	3/4"	WPSF1604L	\$541.	\$740.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Finish See Finish Options page	Full-depth shelf for 24"w tower locker  Example: WTLSF2401L WT Anchor Tower LSF Locker Shelf (full depth) 24 for 24" wide tower 01 single shelf L Laminate (118) Finish, Bright White	Each shelf includes 4 mounding pins.  Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	Tower Locker shelves are for use with open or full door lockers within Anchor Towers only; not for use with Anchor Lockers  Tower Pedestal/Upper shelves are for use within the pedestal segment of towers and upper segment of Front Access towers. Not for use in upper segment of Side Access towers.

# Tower Accessories

# Anchor Storage

description	application	finish	pattern no.	list
Coat Hook, side mount	Anodized Silver		WACH	\$56.
				
Coat Rod, top mount	For locker in 24" wide tower	Chrome	WTLCRTM24	\$148.
	For locker in 30" wide tower	Chrome	WTLCRTM30	\$156.


Order Information	Order Code	Specification Information	Application Notes
			Coat rods are for use with open or full door lockers within Anchor Towers only; not for use with Anchor Lockers.

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING




# Tower Front Panel for Side Access Tower

Anchor Storage

description	application	pattern no.	L1	L2	List
	for 42"h side access tower	WTFP42L	\$215.	\$235.	
	for 50"h side access tower	WTFP50L	\$256.	\$281.	
	for 57"h side access tower	WTFP57L	\$300.	\$332.	
	for 64"h side access tower	WTFP64L	\$332.	\$379.	

## Markerboard Front Panel




for 42"h side access tower	WTFP42M		\$332.
for 50"h side access tower	WTFP50M		\$407.
for 57"h side access tower	WTFP57M		\$479.
for 64"h side access tower	WTFP64M		\$547.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Markerboard front panel for SA Tower	Front panels include mounting hardware to install on side access tower. Side access towers must be specified with a drilled front to accept front panel mounting hardware.	Markerboard front panel is finished with 118 Bright White edgebanding.
2. Finish	Example: WTFP57M		
See Finish Options page	WT Anchor Tower		
	FP Front panel		
	57 for 57" high side access tower		
	M Markerboard laminate		

# Tower Front Panel for Side Access Tower

Anchor Storage

description	application	pattern no.	grade 10	20	30	40	45	50	55
 Tackboard Front Panel	for 42" high side access tower	WTFP42T	\$442.	\$467.	\$475.	\$484.	\$504.	\$516.	\$537.
	for 50" high side access tower	WTFP50T	\$452.	\$479.	\$485.	\$498.	\$517.	\$526.	\$548.
	for 57" high side access tower	WTFP57T	\$467.	\$492.	\$498.	\$506.	\$526.	\$537.	\$559.
	for 64" high side access tower	WTFP64T	\$476.	\$500.	\$506.	\$517.	\$537.	\$547.	\$568.

## Order Information

1. Base Pattern Number
2. Finish  
See Finish Options page

## Order Code

Tackboard front panel for SA Tower

Example: WTFP42T  
 WT Anchor Tower  
 FP Front panel  
 42 for 42" high side access tower  
 T Tackboard Panel

## Specification Information

Front panels include mounting bracket to install on side access tower. Side access towers must be specified with a drilled front to accept front panel mounting hardware.

### Anchor Workstation Lockers

Anchor Workstation Lockers are 12" wide wood construction cabinets offered in 3 depths and 4 heights designed to correspond with Dividends Horizon panel heights.

Workstation Locker configurations include all open with shelves or enclosed with a door.

#### Available Sizes (nominal)


Height: 42", 50", 57", 64"

Widths: 12"

Depth: 20", 24", 30"

Workstation Lockers ship assembled including a finished top.

Workstation Lockers may be used in freestanding applications or used to support one end of a worksurface with **WLLB** L-bracket accessory.



Workstation Locker supporting one end of a work surface utilizing L-bracket accessory

Workstation Lockers feature an inlay back design, mimicking the design of Anchor credenzas and pedestals. The end panels extend the full depth of the unit providing a seamless side, intended for applications within a workstation.

Standard Lockers feature an overlay back design, intended for banks outside of the workstation.

#### Stability Requirements

Workstation lockers 64" high x 20" deep require a field installed counterweight kit (WLCWKIT09) when used in freestanding applications. If locker is ganged to a wall, panel or other storage unit or is used as worksurface support with L-bracket, additional counterweight is not required.

All other workstation lockers pass required stability testing without counterweight. If additional counterweight is preferred, WLCWKIT09, WLCWKIT10, or WLCWKIT11 may be specified but are not required.

WLCWKIT11 is only compatible with 30" deep workstation lockers and is not designed for use with 20" or 24" deep lockers.

WLCWKIT09 = 9.2 lbs

WLCWKIT10 = 10.4 lbs

WLCWKIT11 = 14.6 lbs

### Anchor Raised Storage

Workstation Lockers for use with Feet must be specified with applicable Anchor Foot Kit. Foot Kit is not included with cost of locker unit. Feet are nominally 3" high and include a leveling glide. Height of 3" foot is included in overall noted height of Workstation Lockers for use with Feet.

#### Construction

- Lockers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness:  $\frac{13}{16}$ " (nominal) on locker bottom,  $\frac{3}{4}$ " on locker back, sides, subtop, interior shelves and doors.
- Material thickness:  $\frac{13}{16}$ " (nominal) on locker tops (specified separately)
- Leveling glides:  $\frac{9}{16}$ " diameter steel stem with  $\frac{11}{16}$ " of height adjustment, 4 per locker.

### Locks


Anchor Lockers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Keyless lock options with automatic bolt are available. Refer to Digital Keypad and RFID Lock Specifications for detail.

#### Pulls




Finger Pull, 10" long; vertically positioned  $1\frac{1}{8}$ " below top edge of door; exceptions shown below.



# Workstation Lockers

## Open with Shelves, 20", 24" and 30" deep

## Anchor Storage

description	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
	42"	41 9/16"	12"	19 1/16"	WLW421220OSL	\$1,391.	\$223.	\$30.
	50"	48 7/8"	12"	19 1/16"	WLW501220OSL	\$1,496.	\$245.	\$30.
	57"	56 3/16"	12"	19 1/16"	WLW571220OSL	\$1,588.	\$268.	\$30.
	64"	63 7/8"	12"	19 1/16"	WLW641220OSL	\$1,682.	\$289.	\$30.
	42"	41 9/16"	12"	23 1/2"	WLW421224OSL	\$1,610.	\$223.	\$33.
	50"	48 7/8"	12"	23 1/2"	WLW501224OSL	\$1,709.	\$245.	\$33.
	57"	56 3/16"	12"	23 1/2"	WLW571224OSL	\$1,775.	\$268.	\$33.
	64"	63 7/16"	12"	23 1/2"	WLW641224OSL	\$2,024.	\$289.	\$33.
	42"	41 9/16"	12"	29 3/8"	WLW421230OSL	\$1,780.	\$295.	\$50.
	50"	48 7/8"	12"	29 3/8"	WLW501230OSL	\$2,001.	\$334.	\$50.
	57"	56 3/16"	12"	29 3/8"	WLW571230OSL	\$2,159.	\$372.	\$50.
	64"	63 7/16"	12"	29 3/8"	WLW641230OSL	\$2,180.	\$412.	\$50.

h\* = Nominal Height

Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Finish</li> </ol> See Finish Options page	Locker, 12W, 42H, 20D Open with Shelves  Example: WLW421220OSL WLW Anchor Workstation Locker 42 42" High 12 12" Wide OS Open with Shelves L Laminate (118) Case Finish, Bright White	Workstation Locker Includes a finished top.  Open Workstation lockers include full depth adjustable shelves. Shelf quantity varies by height as follows: 42"h 2 adjustable shelves 50"h 3 adjustable shelves 57"h 3 adjustable shelves 64"h 4 adjustable shelves  Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.  Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.  Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.  Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.

# Workstation Lockers


# Anchor Storage

## Full Door including coat hook 20", 24" and 30" deep

description	configuration	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Full Height Door, including coat hook, 20" deep (left hand shown)	left hand	42"	41 9/16"	12"	19 1/16"	WLW421220FDLHL(N)	\$1,637.	\$223.	\$83.	\$30.
	right hand	42"	41 9/16"	12"	19 1/16"	WLW421220FDRHL(N)	\$1,637.	\$223.	\$83.	\$30.
	left hand	50"	48 7/8"	12"	19 1/16"	WLW501220FDLHL(N)	\$1,763.	\$245.	\$89.	\$30.
	right hand	50"	48 7/8"	12"	19 1/16"	WLW501220FDRHL(N)	\$1,763.	\$245.	\$89.	\$30.
	left hand	57"	56 3/16"	12"	19 1/16"	WLW571220FDLHL(N)	\$1,874.	\$268.	\$94.	\$30.
	right hand	57"	56 3/16"	12"	19 1/16"	WLW571220FDRHL(N)	\$1,874.	\$268.	\$94.	\$30.
	left hand	64"	63 7/16"	12"	19 1/16"	WLW641220FDLHL(N)	\$1,987.	\$289.	\$101.	\$30.
	right hand	64"	63 7/16"	12"	19 1/16"	WLW641220FDRHL(N)	\$1,987.	\$289.	\$101.	\$30.



Full Height Door, including coat hook, 24" deep (left hand shown)	left hand	42"	41 9/16"	12"	23 1/2"	WLWF421224FDLHL(N)	\$1,790.	\$223.	\$83.	\$33.
	right hand	42"	41 9/16"	12"	23 1/2"	WLWF421224FDRHL(N)	\$1,790.	\$223.	\$83.	\$33.
	left hand	50"	48 7/8"	12"	23 1/2"	WLWF501224FDLHL(N)	\$1,936.	\$245.	\$89.	\$33.
	right hand	50"	48 7/8"	12"	23 1/2"	WLWF501224FDRHL(N)	\$1,936.	\$245.	\$89.	\$33.
	left hand	57"	56 3/16"	12"	23 1/2"	WLWF571224FDLHL(N)	\$2,059.	\$268.	\$94.	\$33.
	right hand	57"	56 3/16"	12"	23 1/2"	WLWF571224FDRHL(N)	\$2,059.	\$268.	\$94.	\$33.
	left hand	64"	63 7/8"	12"	23 1/2"	WLWF641224FDLHL(N)	\$2,183.	\$289.	\$101.	\$33.
	left hand	64"	63 7/8"	12"	23 1/2"	WLWF641224FDRHL(N)	\$2,183.	\$289.	\$101.	\$33.



h\* = Nominal Height


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 12W, 42H, 20D, full door, incl. coat hook, left hand, laminate, locking	Workstation Locker includes a finished top.	Workstation Lockers must be used in freestanding applications.
2. Lock option	Example: WLW421220FDLHL(L)	Workstation Lockers with full door include 1 adjustable shelf.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
3. Finish	WLW Anchor Workstation Locker	Additional full-depth and half-depth shelves may be ordered separately.	
4. Door Finish	42 42" High	Add \$40 to the list price per standard key lock.	
5. Top Finish	12 12" Wide	Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Workstation Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
6. Pull style	20 20" Deep	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	
7. Pull finish	FH Full Door, with Coat Hook	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
8. Lock finish	LH Left Hand	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	L Laminate	Dimensions listed under w h d are actual to the nearest 1/16".	
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(118) Top Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

# Workstation Lockers

# Anchor Storage

## Full Door including coat hook 20", 24" and 30" deep

description	configuration	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Full Height Door, including coat hook, 30" deep (left hand shown)	left hand	42"	41 9/16"	12"	29 3/8"	WLW421230FDLHL(N)	\$2,019.	\$295.	\$83.	\$50.
	right hand	42"	41 9/16"	12"	29 3/8"	WLW421230FDRHL(N)	\$2,019.	\$295.	\$83.	\$50.
	left hand	50"	48 7/8"	12"	29 3/8"	WLW501230FDLHL(N)	\$2,187.	\$334.	\$89.	\$50.
	right hand	50"	48 7/8"	12"	29 3/8"	WLW501230FDRHL(N)	\$2,187.	\$334.	\$89.	\$50.
	left hand	57"	56 3/16"	12"	29 3/8"	WLW571230FDLHL(N)	\$2,333.	\$372.	\$94.	\$50.
	right hand	57"	56 3/16"	12"	29 3/8"	WLW571230FDRHL(N)	\$2,333.	\$372.	\$94.	\$50.
	left hand	64"	63 7/16"	12"	29 3/8"	WLW641230FDLHL(N)	\$2,478.	\$412.	\$101.	\$50.
	right hand	64"	63 7/16"	12"	29 3/8"	WLW641230FDRHL(N)	\$2,478.	\$412.	\$101.	\$50.



h\* = Nominal Height


Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Lock option L = Locking N = Non-locking D = Digital keypad lock</li> <li>Finish See Finish Options page</li> <li>Door Finish See Finish Options page</li> <li>Top Finish See Finish Options page</li> <li>Pull style T = 10" Finger pull</li> <li>Pull finish See Finish Options page</li> <li>Lock finish See Finish Options page</li> </ol>	<p>Locker, 12W, 42H, 20D, full door, incl. coat hook, left hand, laminate, locking</p> <p>Example: WLW421220FDLHL(L) Anchor Workstation Locker</p> <p>42 42" High 12 12" Wide 20 20" Deep FH Full Door, with Coat Hook LH Left Hand L Laminate (L) Locking (118) Case Finish, Bright White (118) Door Finish, Bright White (118) Top Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome</p>	<p>Workstation Locker includes a finished top.</p> <p>Workstation Lockers with full door include 1 adjustable shelf.</p> <p>Additional full-depth and half-depth shelves may be ordered separately.</p> <p>Add \$40 to the list price per standard key lock.</p> <p>Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.</p> <p>Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.</p> <p>Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.</p> <p>Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.</p> <p>Dimensions listed under w h d are actual to the nearest 1/16".</p>	<p>Workstation Lockers must be used in freestanding applications.</p> <p>Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.</p> <p>Workstation Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.</p> <p>Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.</p>

# Workstation Lockers for use with Feet


## Open with Shelves, 20", 24" and 30" deep

### Anchor Storage


description	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Top (adder)
Open with Shelves, for use with feet, 20" deep	42"	41 9/16"	12"	19 1/16"	WLWF421220OSL	\$1,391.	\$223.	\$30.
	50"	48 7/8"	12"	19 1/16"	WLWF501220OSL	\$1,496.	\$245.	\$30.
	57"	56 3/16"	12"	19 1/16"	WLWF571220OSL	\$1,588.	\$268.	\$30.
	64"	63 7/16"	12"	19 1/16"	WLWF641220OSL	\$1,682.	\$289.	\$30.



Open with Shelves, for use with feet, 24" deep	42"	41 9/16"	12"	23 1/2"	WLWF421224OSL	\$1,610.	\$223.	\$33.
	57"	56 3/16"	12"	23 1/2"	WLWF501224OSL	\$1,775.	\$268.	\$33.
	50"	48 7/8"	12"	23 1/2"	WLWF571224OSL	\$1,709.	\$245.	\$33.
	64"	63 7/16"	12"	23 1/2"	WLWF641224OSL	\$2,024.	\$289.	\$33.



Open with Shelves, for use with feet, 30" deep	42"	41 9/16"	12"	29 3/8"	WLWF421230OSL	\$1,780.	\$295.	\$50.
	50"	48 7/8"	12"	29 3/8"	WLWF501230OSL	\$2,001.	\$334.	\$50.
	57"	56 3/16"	12"	29 3/8"	WLWF571230OSL	\$2,159.	\$372.	\$50.
	64"	63 7/16"	12"	29 3/8"	WLWF641230OSL	\$2,180.	\$412.	\$50.



h\* = Nominal Height

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Finish See Finish Options page	Locker, 12W, 42H, 20D Open with Shelves  Example: WLWF421220OSL Anchor Workstation Locker for use with feet 42 42" High 12 12" Wide 20 20" Deep OS Open with Shelves L Laminate (118) Case Finish, Bright White	Workstation Locker Includes a finished top.  Foot Kits not included, must be specified separately and installed on site.  Open Workstation lockers include full depth adjustable shelves. Shelf quantity varies by height as follows: 42"h2 adjustable shelves 50"h3 adjustable shelves 57"h3 adjustable shelves 64"h4 adjustable shelves  Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.  Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Workstation Lockers may be used in freestanding applications.  Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.  Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.  Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.

# Workstation Lockers for use with Feet


## Full Door including coat hook, 20", 24" and 30" deep

Anchor Storage

description	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Full Height Door, including coat hook, for use with feet, 20" deep (left hand shown)	42"	41 9/16"	12"	19 1/16"	WLWF421220FDLHL(N)	\$1,637.	\$223.	\$83.	\$30.
	42"	41 9/16"	12"	19 1/16"	WLWF421220FDRHL(N)	\$1,637.	\$223.	\$83.	\$30.
	50"	48 7/8"	12"	19 1/16"	WLWF501220FDLHL(N)	\$1,763.	\$245.	\$89.	\$30.
	50"	48 7/8"	12"	19 1/16"	WLWF501220FDRHL(N)	\$1,763.	\$245.	\$89.	\$30.
	57"	56 3/16"	12"	19 1/16"	WLWF571220FDLHL(N)	\$1,874.	\$268.	\$94.	\$30.
	57"	56 3/16"	12"	19 1/16"	WLWF571220FDRHL(N)	\$1,874.	\$268.	\$94.	\$30.
	64"	63 7/16"	12"	19 1/16"	WLWF641220FDLHL(N)	\$1,987.	\$289.	\$101.	\$30.
	64"	63 7/16"	12"	19 1/16"	WLWF641220FDRHL(N)	\$1,987.	\$289.	\$101.	\$30.



Full Height Door, including coat hook, for use with feet, 24" deep (left hand shown)	42"	41 9/16"	12"	23 1/2"	WLWF421224FDLHL(N)	\$1,790.	\$223.	\$83.	\$33.
	42"	41 9/16"	12"	23 1/2"	WLWF421224FDRHL(N)	\$1,790.	\$223.	\$83.	\$33.
	50"	48 7/8"	12"	23 1/2"	WLWF501224FDLHL(N)	\$1,936.	\$245.	\$89.	\$33.
	50"	48 7/8"	12"	23 1/2"	WLWF501224FDRHL(N)	\$1,936.	\$245.	\$89.	\$33.
	57"	56 3/16"	12"	23 1/2"	WLWF571224FDLHL(N)	\$2,059.	\$268.	\$94.	\$33.
	57"	56 3/16"	12"	23 1/2"	WLWF571224FDRHL(N)	\$2,059.	\$268.	\$94.	\$33.
	64"	63 7/8"	12"	23 1/2"	WLWF641224FDLHL(N)	\$2,183.	\$289.	\$101.	\$33.
	64"	63 7/8"	12"	23 1/2"	WLWF641224FDRHL(N)	\$2,183.	\$289.	\$101.	\$33.



\*h = Nominal Height

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 12W, 42H, 20D full door, incl. coat hook, left hand, laminate, locking	Workstation Locker Includes a finished top.	Workstation Lockers may be used in freestanding applications.
2. Lock option	L = Locking	Foot Kits not include, must be specified separately and installed on site.	
	N = Non-locking		
	D = Digital keypad lock		
3. Finish	WLWF	Workstation Lockers with full door include 1 adjustable shelf.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
See Finish Options page	42		
4. Door Finish	12	Additional full-depth and half-depth shelves may be ordered separately.	
See Finish Options page	20		
5. Top Finish	FD	Add \$40 to the list price per standard key lock.	
See Finish Options page	LH	Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
6. Pull style	L	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	
T = 10" Finger pull	(118)		
7. Pull finish	(118)		
See Finish Options page	(118)		
8. Lock finish	(T)		
See Finish Options page	(118)		
	(C)		




# Workstation Lockers for use with Feet

## Full Door including coat hook, 20", 24" and 30" deep

Anchor Storage

description	h*	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
Full Height Door, including coat hook, for use with feet, 30" deep (left hand shown)	42"	41 9/16"	12"	29 3/8"	WLWF421230FDLHL(N)	\$2,019.	\$295.	\$83.	\$50.
	42"	41 9/16"	12"	29 3/8"	WLWF421230FDRHL(N)	\$2,019.	\$295.	\$83.	\$50.
	50"	48 7/8"	12"	29 3/8"	WLWF501230FDLHL(N)	\$2,187.	\$334.	\$89.	\$50.
	50"	48 7/8"	12"	29 3/8"	WLWF501230FDRHL(N)	\$2,187.	\$334.	\$89.	\$50.
	57"	56 3/16"	12"	29 3/8"	WLWF571230FDLHL(N)	\$2,333.	\$372.	\$94.	\$50.
	57"	56 3/16"	12"	29 3/8"	WLWF571230FDRHL(N)	\$2,333.	\$372.	\$94.	\$50.
	64"	63 7/8"	12"	29 3/8"	WLWF641230FDLHL(N)	\$2,478.	\$412.	\$101.	\$50.
	64"	63 7/8"	12"	29 3/8"	WLWF641230FDRHL(N)	\$2,478.	\$412.	\$101.	\$50.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 12W, 42H, 20D full door, incl. coat hook, left hand, laminate, locking	Workstation Locker Includes a finished top.	Workstation Lockers may be used in freestanding applications.
2. Lock option	Example: WLWF421220FDLHL(N)	Foot Kits not include, must be specified separately and installed on site.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
3. Finish	WLWF	Workstation Lockers with full door include 1 adjustable shelf.	Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
See Finish Options page	42	Additional full-depth and half-depth shelves may be ordered separately.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
4. Door Finish	12		
See Finish Options page	20		
5. Top Finish	FD		
See Finish Options page	LH		
6. Pull style	L	Add \$40 to the list price per standard key lock.	
See Finish Options page	(118)	Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	
7. Pull finish	(118)	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	
See Finish Options page	(T)		
8. Lock finish	(118)		
See Finish Options page	(C)		
		Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

# Counterweight Kits

## for Workstation Lockers with and without Feet

Anchor Storage

description	type	pattern no.	list
Counterweight Kits	Counterweight Kit 09	WLCWKIT09	\$171.
	Counterweight Kit 10	WLCWKIT10	\$177.
	Counterweight Kit 11	WLCWKIT11	\$207.

### Order Information

### Order Code

### Specification Information

### Application Notes



Workstation Lockers 64" high x 20" deep require WLCWKIT09 for stability when specified in freestanding applications. All other workstation lockers may be used freestanding without counterweight. If additional counterweight is preferred, WLCWKIT09, WLCWKIT10, or WLCWKIT11 may be specified but are not required.

WLCWKIT11 is only compatible with 30" deep workstation lockers and is not designed for use with 20" or 24" deep lockers.  
WLCWKIT09 = 9.2 lbs.  
WLCWKIT10 = 10.04 lbs.  
WLCWKIT11 = 14.6 lbs.

Counterweight kits include hardware to mount the counterweight plates.

# Workstation Locker Shelves

## Anchor Storage

description	application	w	d	h	pattern no.	L1	L2	
	Full-depth Workstation Locker Shelf	pack of 4 shelves, for 20"d workstation locker	10 1/2"	18 3/8"	3/4"	WLWSF122004L	\$575.	\$658.
		pack of 4 shelves, for 24"d workstation locker	10 1/2"	22 3/4"	3/4"	WLWSF122404L	\$669.	\$831.
		pack of 4 shelves, for 30"d workstation locker	10 1/2"	28 3/4"	3/4"	WLWSF123004L	\$575.	\$978.
		single shelf, for 20"d workstation locker	10 1/2"	18 3/8"	3/4"	WLWSF122001L	\$193.	\$221.
		single shelf, for 24"d workstation locker	10 1/2"	22 3/4"	3/4"	WLWSF122401L	\$224.	\$277.
		single shelf, for 30"d workstation locker	10 1/2"	28 3/4"	3/4"	WLWSF123001L	\$240.	\$336.
	Partial-depth Workstation Locker Shelf	pack of 4 shelves	10 1/2"	9 1/2"	3/4"	WLWSP1204L	\$494.	\$553.
		single shelf	10 1/2"	9 1/2"	3/4"	WLWSP1201L	\$167.	\$187.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Finish See Finish Options page	Workstation Locker Shelf, 12W Example: WLWSF122001L WLWS Anchor Workstation Locker Shelf F Full Depth 12 12" Wide locker 20 20" Deep locker 01 Single Shelf L Laminate (118) Finish, Bright White	<b>For use with Anchor Workstation Lockers only. May not be used on standard WL Anchor lockers.</b>  Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.	WLWSP Partial Depth shelves may be used in any Workstation Locker 20", 24" or 30" deep.  WLWSF1220, 20" full depth shelf may also be used in 30" deep Workstation Lockers to serve as partial depth shelf.

### Anchor Lockers

Anchor Lockers are 12" wide wood construction cabinets offered in 2 depths and 5 heights.

Locker configurations include all open with shelves or enclosed with a door. Multiple door option is available in limited heights. Reference the Statement of Line for full product scope.

#### Available Sizes (nominal)

Height: 42", 50", 57", 64", 71"

Widths: 12"

Depth: 20", 24"

Lockers ship assembled excluding the top. **Locker tops must be specified separately.**


Lockers may be specified with a full-width individual top or specified in banks with a common top spanning up to eight units. They may be installed facing the same or opposite direction. Lockers may also be used to support one end of a work surface utilizing the accessory L-bracket.

#### Stability Requirements


Lockers 42", 50" and 57" high and 64" high x 24" deep lockers may be planned in freestanding applications without counterweight.

64" high x 20" deep require a field installed counterweight kit (WLCWKIT09) if planned in individual, freestanding applications. Lockers planned in banks of 2 or more do not require counterweight.


71" high lockers may not be planned as individual, freestanding units. 71" high lockers must always be planned in banks of 2 more lockers, or if planned individually, must be ganged to a wall or another storage unit for stability.



Lockers with common top (specified separately) spanning up to eight lockers




Locker connected to a workstation, ganged to another Anchor storage unit



Locker supporting one end of a work surface utilizing L-bracket accessory

#### Construction

- Lockers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on locker bottom,  $\frac{3}{4}$ " on locker back, sides, subtop, interior shelves and doors.
- Material thickness:  $1\frac{3}{16}$ " (nominal) on locker tops (specified separately)
- Leveling glides:  $\frac{5}{16}$ " diameter steel stem with  $\frac{1}{16}$ " of height adjustment, 4 per locker.



#### Internal Clearances\*

##### All Open with Shelves

Internal height:

- 42" high: A:  $11\frac{15}{16}$ ", B:  $12\frac{1}{4}$ "
- 50" high: A:  $11\frac{15}{16}$ ", C:  $19\frac{5}{16}$ "
- 57" high: A:  $11\frac{15}{16}$ ", D:  $13\frac{1}{8}$ "
- 64" high: A:  $11\frac{15}{16}$ ", E:  $16\frac{5}{8}$ "
- 71" high: A:  $11\frac{15}{16}$ ", F:  $20\frac{1}{8}$ "

Internal width:  $10\frac{1}{2}$ "

Internal depth:  $18\frac{5}{16}$ ",  $22\frac{3}{4}$ "

\*Actual dimensions to the nearest  $\frac{1}{16}$ th of an inch

### Locks


Anchor Lockers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Keyless lock options with automatic bolt are available. Refer to *Digital Keypad and RFID Lock Specifications* for detail.

### Pulls

Finger Pull, 10" long; vertically positioned  $1\frac{1}{8}$ " below top edge of door; exceptions shown below.



Standard Pull Position




Pull positions on 71" high lockers standard except the following:

- Full Door:  $11\frac{5}{8}$ " below top edge of door
- Double Door locker, top door:  $1\frac{1}{8}$ " above bottom edge of door
- Triple Door locker, top door:  $11\frac{1}{8}$ " below top edge of door

# Locker Interior Planning *Locker Shelf Positions*

Anchor Storage

## Locker Shelf Positions



Height	42"	42"	50"	50"	57"	57"	64"	64"	64"	71"	71"	71"	71"
Configuration	Open	Full Door	Open	Full Door	Open	Full Door	Open	Full Door	Double Door	Open	Full Door	Double Door	Triple Door
Number of shelves included standard	2	1	2	1*	3	1*	3	1	0	3	1	0	0
Total shelf positions predrilled	2	2	3	3*	3	3*	3	3	2**	5	5	4***	3**

\* Middle shelf position can only accept a partial-depth shelf

\*\* One shelf position per interior section

\*\*\* Two shelf positions per interior section

## Locker Coat Hook and Coat Rod specifications

### Locker with coat hook factory-installed

Sample pattern number:  
WL5724FHRHL(N) *Locker, Full Door, including coat hook*

Includes:

- One full-depth shelf
- Coat hook, factory-installed, see hook location details below

Also shown:

- Two partial-depth shelves (**must be specified separately**)
- Locker top (**must be specified separately**)


This configuration allows for storage shelves at the back of the locker and coat storage at the front of the locker to maximize internal space.

### To specify a locker with custom coat hook location:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat hook (pattern number WACH); field-installed
- Locker top specified separately

### To specify a locker with a coat rod:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat rod (pattern number WLCR); field-installed
- Locker top specified separately



*Locker cross-section*

### Coat hook standard location:

Coat hook is located on the same side panel as the door hinges.

3 1/2" (on center) from front edge of 20" deep locker case

5 5/8" (on center) from front edge of 24" deep locker case

1/2" below inner top (42", 50", 57", 64" high lockers)



1/2" below top shelf location (71" high locker)

# Lockers

## Open with Shelves

### 20" and 24" deep

## Anchor Storage

description	nominal height	h	w	d	pattern no.	L1	L2 Case (adder)
 Open with Shelves, 20" deep	42"	41 1/4"	12"	19 1/16"	WL4220OSL	\$1,312.	\$223.
	50"	48 5/16"	12"	19 1/16"	WL5020OSL	\$1,440.	\$245.
	57"	55 15/16"	12"	19 1/16"	WL5720OSL	\$1,646.	\$268.
	64"	63"	12"	19 1/16"	WL6420OSL	\$1,754.	\$289.
	71"	70 1/16"	12"	19 1/16"	WL7120OSL	\$1,856.	\$311.
 Open with Shelves, 24" deep	42"	41 1/4"	12"	23 1/2"	WL4224OSL	\$1,470.	\$223.
	50"	48 5/16"	12"	23 1/2"	WL5024OSL	\$1,599.	\$245.
	57"	55 15/16"	12"	23 1/2"	WL5724OSL	\$1,847.	\$268.
	64"	63"	12"	23 1/2"	WL6424OSL	\$1,968.	\$289.
	71"	70 1/16"	12"	23 1/2"	WL7124OSL	\$2,088.	\$311.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Finish See Finish Options page	Locker, 12W, 42H, 20D Open with Shelves Example: WL4220OSL WL Anchor Locker 42 42" High 20 20" Deep OS Open with Shelves L Laminate (118) Case Finish, Bright White	Locker top must be specified separately, see "Locker Tops" section.  Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.  Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.  Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.  Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.  Heights shown indicate the overall height of a locker complete with a top (specified separately).  Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).

# Lockers

## Full Door including coat hook

### 20" and 24" deep

## Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Locker with Full Height Door, including coat hook, 20" deep (right hand shown)	left hand	41 1/4"	42"	12"	19 1/16"	WL4220FHLHL(N)	\$1,632.	\$223.	\$83.
	left hand	48 5/16"	50"	12"	19 1/16"	WL5020FHLHL(N)	\$1,783.	\$245.	\$89.
	left hand	55 15/16"	57"	12"	19 1/16"	WL5720FHLHL(N)	\$1,916.	\$268.	\$94.
	left hand	63"	64"	12"	19 1/16"	WL6420FHLHL(N)	\$2,095.	\$289.	\$101.
	left hand	70 1/16"	71"	12"	19 1/16"	WL7120FHLHL(N)	\$2,227.	\$311.	\$106.
	right hand	41 1/4"	42"	12"	19 1/16"	WL4220FHRHL(N)	\$1,632.	\$223.	\$83.
	right hand	48 5/16"	50"	12"	19 1/16"	WL5020FHRHL(N)	\$1,783.	\$245.	\$89.
	right hand	55 15/16"	57"	12"	19 1/16"	WL5720FHRHL(N)	\$1,916.	\$268.	\$94.
	right hand	63"	64"	12"	19 1/16"	WL6420FHRHL(N)	\$2,095.	\$289.	\$101.
	right hand	70 1/16"	71"	12"	19 1/16"	WL7120FHRHL(N)	\$2,227.	\$311.	\$106.



Locker with Full Height Door, including coat hook, 24" deep (right hand shown)	left hand	41 1/4"	42"	12"	23 1/2"	WL4224FHLHL(N)	\$1,771.	\$223.	\$83.
	left hand	48 5/16"	50"	12"	23 1/2"	WL5024FHLHL(N)	\$1,938.	\$245.	\$89.
	left hand	55 15/16"	57"	12"	23 1/2"	WL5724FHLHL(N)	\$2,083.	\$268.	\$94.
	left hand	63"	64"	12"	23 1/2"	WL6424FHLHL(N)	\$2,280.	\$289.	\$101.
	left hand	70 1/16"	71"	12"	23 1/2"	WL7124FHLHL(N)	\$2,425.	\$311.	\$106.
	right hand	41 1/4"	42"	12"	23 1/2"	WL4224FHRHL(N)	\$1,771.	\$223.	\$83.
	right hand	48 5/16"	50"	12"	23 1/2"	WL5024FHRHL(N)	\$1,938.	\$245.	\$89.
	right hand	55 15/16"	57"	12"	23 1/2"	WL5724FHRHL(N)	\$2,083.	\$268.	\$94.
	right hand	63"	64"	12"	23 1/2"	WL6424FHRHL(N)	\$2,280.	\$289.	\$101.
	right hand	70 1/16"	71"	12"	23 1/2"	WL7124FHRHL(N)	\$2,425.	\$311.	\$106.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 42H, 20D, full door, incl.	Locker top must be specified separately, see "Locker Tops" section.	Refer to Locker Specifications for stability requirements.
2. Lock option	coat hook, left hand, laminate, locking		
3. Case Finish	Example: WL4220FHLHL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
4. Door Finish	WL 42" High		
5. Pull style	20 20" Deep		
6. Pull finish	FH Full Door, with Coat Hook		
7. Lock finish	LH Left Hand		
	L Laminate		
	(L) Locking	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	



# Lockers

## Full Door

### 20" and 24" deep

## Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Locker with Full Height Door, 20" deep (right hand shown)	left hand	41 1/4"	42"	12"	19 1/16"	WL4220FDLHL(N)	\$1,574.	\$223.	\$83.
	right hand	41 1/4"	42"	12"	19 1/16"	WL4220FDRHL(N)	\$1,574.	\$223.	\$83.
	left hand	48 5/16"	50"	12"	19 1/16"	WL5020FDLHL(N)	\$1,727.	\$245.	\$89.
	right hand	48 5/16"	50"	12"	19 1/16"	WL5020FDRHL(N)	\$1,727.	\$245.	\$89.
	left hand	55 15/16"	57"	12"	19 1/16"	WL5720FDLHL(N)	\$1,860.	\$268.	\$94.
	right hand	55 15/16"	57"	12"	19 1/16"	WL5720FDRHL(N)	\$1,860.	\$268.	\$94.
	left hand	63"	64"	12"	19 1/16"	WL6420FDLHL(N)	\$2,038.	\$289.	\$101.
	right hand	63"	64"	12"	19 1/16"	WL6420FDRHL(N)	\$2,038.	\$289.	\$101.
	left hand	70 1/16"	71"	12"	19 1/16"	WL7120FDLHL(N)	\$2,171.	\$311.	\$106.
	right hand	70 1/16"	71"	12"	19 1/16"	WL7120FDRHL(N)	\$2,171.	\$311.	\$106.



Locker with Full Height Door, 24" deep (right hand shown)	left hand	41 1/4"	42"	12"	23 1/2"	WL4224FDLHL(N)	\$1,715.	\$223.	\$83.
	left hand	48 5/16"	50"	12"	23 1/2"	WL5024FDLHL(N)	\$1,881.	\$245.	\$89.
	left hand	55 15/16"	57"	12"	23 1/2"	WL5724FDLHL(N)	\$2,028.	\$268.	\$94.
	left hand	63"	64"	12"	23 1/2"	WL6424FDLHL(N)	\$2,222.	\$289.	\$101.
	left hand	70 1/16"	71"	12"	23 1/2"	WL7124FDLHL(N)	\$2,368.	\$311.	\$106.
	right hand	41 1/4"	42"	12"	23 1/2"	WL4224FDRHL(N)	\$1,715.	\$223.	\$83.
	right hand	48 5/16"	50"	12"	23 1/2"	WL5024FDRHL(N)	\$1,881.	\$245.	\$89.
	right hand	55 15/16"	57"	12"	23 1/2"	WL5724FDRHL(N)	\$2,028.	\$268.	\$94.
	right hand	63"	64"	12"	23 1/2"	WL6424FDRHL(N)	\$2,222.	\$289.	\$101.
	right hand	70 1/16"	71"	12"	23 1/2"	WL7124FDRHL(N)	\$2,368.	\$311.	\$106.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 42H, 20D, full door, left hand,	Locker top must be specified separately, see "Locker Tops" section.	Refer to Locker Specifications for stability requirements.
2. Lock option	laminate, locking		
L = Locking	Example: WL4220FDLHLL		
N = Non-locking	WL Anchor Locker		
D = Digital keypad lock	42 42" High	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. Case Finish	20 20" Deep		
See Finish Options page	FD Full Door		
Door Finish	LH Left Hand		
See Finish Options page	L Laminate		Heights shown indicate the overall height of a locker complete with a top (specified separately).
Pull style	(L) Locking	Add \$40 to the list price per standard key lock.	
T = 10" Finger pull	(118) Case Finish, Bright White	Add \$560 to the list price per digital keypad lock.	
Pull finish	(118) Door Finish, Bright White	Lockers with double doors require two locks; lockers with triple doors require three locks.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details.
See Finish Options page	(T) Pull Style, 10" Finger pull	Digital keypad locks require program and manager key(s), specified separately. See specification page for details.	Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
Lock finish	(118) Pull Finish, Bright White		
See Finish Options page	(C) Lock finish, Chrome		
		Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	


# Lockers

## Double Door and Triple Door


### 20" and 24" deep

## Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Locker with Double Door, 20" deep	left hand	63"	64"	12"	19 1/16"	WL6420DDLHL(N)	\$2,032.	\$289.	\$106.
	left hand	70 1/16"	71"	12"	19 1/16"	WL7120DDLHL(N)	\$2,161.	\$311.	\$111.
	right hand	63"	64"	12"	19 1/16"	WL6420DDRHL(N)	\$2,032.	\$289.	\$106.
	right hand	70 1/16"	71"	12"	19 1/16"	WL7120DDRHL(N)	\$2,161.	\$311.	\$111.



Locker with Double Door, 24" deep	left hand	63"	64"	12"	23 1/2"	WL6424DDLHL(N)	\$2,206.	\$289.	\$106.
	left hand	70 1/16"	71"	12"	23 1/2"	WL7124DDLHL(N)	\$2,350.	\$311.	\$111.
	right hand	63"	64"	12"	23 1/2"	WL6424DDRHL(N)	\$2,206.	\$289.	\$106.
	right hand	70 1/16"	71"	12"	23 1/2"	WL7124DDRHL(N)	\$2,350.	\$311.	\$111.



Locker with Triple Door, 20" deep (right hand shown)	left hand	70 1/16"	71"	12"	19 1/16"	WL7120TDLHL(N)	\$2,416.	\$311.	\$122.
	right hand	70 1/16"	71"	12"	19 1/16"	WL7120TDRHL(N)	\$2,416.	\$311.	\$122.



Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 64H, 12W, 20D, double door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Refer to Locker Specifications for stability requirements.
2. Lock option L = Locking N = Non-locking D = Digital keypad lock	Example: WL6420DDLHLL WL Anchor Locker 64 64" High 20 20" Deep DD DoubleDoor LH Left Hand L Laminate (L) Locking (118) Case Finish, Bright White (118) Door Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.  Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details.  Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.  Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.  Dimensions listed under w h d are actual to the nearest 1/16".	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.  Heights shown indicate the overall height of a locker complete with a top (specified separately).  Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).

# Lockers

## Double Door and Triple Door

### 20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)
Locker with Triple Door, 24" deep (right hand shown)	left hand	70 1/16"	71"	12"	23 1/2"	WL7124TDLHL(N)	\$2,619.	\$311.	\$122.
	right hand	70 1/16"	71"	12"	23 1/2"	WL7124TDRHL(N)	\$2,619.	\$311.	\$122.





Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker, 64H, 12W, 20D, double door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Refer to Locker Specifications for stability requirements.
2. Lock option L = Locking N = Non-locking D = Digital keypad lock	Example: WL6420DDLHLL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. Case Finish See Finish Options page	64 64" High		
4. Door Finish See Finish Options page	20 20" Deep		
5. Pull style T = 109 Finger pull	DD DoubleDoor		
6. Pull finish See Finish Options page	LH Left Hand		
7. Lock finish See Finish Options page	L Laminate	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad locks require program and manager key(s), specified separately. See specification page for details.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		
		Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

# Locker Tops

## For 20" and 24" deep lockers

Anchor Storage

description	application	w	d	h	pattern no.	L1	L2
 Tops for 20" deep lockers	top for 1 locker	12 1/8"	19 1/8"	1 1/8"	WLT1220L	\$149.	\$195.
	common top for 2 lockers	24 3/16"	19 1/8"	1 1/8"	WLT2420L	\$243.	\$328.
	common top for 3 lockers	36 1/4"	19 1/8"	1 1/8"	WLT3620L	\$326.	\$447.
	common top for 4 lockers	48 5/16"	19 1/8"	1 1/4"	WLT4820L	\$409.	\$574.
	common top for 5 lockers	60 3/8"	19 1/8"	1 1/8"	WLT6020L	\$500.	\$703.
	common top for 6 lockers	72 7/16"	19 1/8"	1 1/8"	WLT7220L	\$599.	\$845.
	common top for 7 lockers	84 1/2"	19 1/8"	1 1/8"	WLT8420L	\$699.	\$983.
	common top for 8 lockers	96 9/16"	19 1/8"	1 1/8"	WLT9620L	\$788.	\$1,114.
 Tops for 24" deep lockers	top for 1 locker	12 1/8"	23 1/2"	1 1/8"	WLT1224L	\$168.	\$224.
	common top for 2 lockers	24 3/16"	23 1/2"	1 1/8"	WLT2424L	\$278.	\$388.
	common top for 3 lockers	36 1/4"	23 1/2"	1 1/8"	WLT3624L	\$379.	\$533.
	common top for 4 lockers	48 5/16"	23 1/2"	1 1/8"	WLT4824L	\$476.	\$687.
	common top for 5 lockers	60 3/8"	23 1/2"	1 1/8"	WLT6024L	\$584.	\$847.
	common top for 6 lockers	72 7/16"	23 1/2"	1 1/8"	WLT7224L	\$701.	\$1,013.
	common top for 7 lockers	84 1/2"	23 1/2"	1 1/8"	WLT8424L	\$814.	\$1,181.
	common top for 8 lockers	96 9/16"	23 1/2"	1 1/8"	WLT9624L	\$923.	\$1,341.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Locker Top, 12W x 20D	For use with Anchor Lockers only.	Locker tops are 19" and 23" deep nominal.
2. Laminate Finish	Example: WLT1220L		
3. Edge Finish	WLT 12 12" Wide	Back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.	Locker tops include hardware kit to secure to locker. Common locker tops include hardware to gang lockers together. Individual tops do not include ganging hardware.
See Finish Options page	20 20" Deep		
See Finish Options page	L Laminate		
	(118) Laminate Finish, Bright White		
	(118) Edge Finish, Bright White		Common locker top design features a slight overhang on all four sides.
			Ganging multiple locker banks together is not allowed. A run of ganged lockers should correspond to common top length with a maximum run of 8 ganged units.

# Locker Tops

## For 20" and 24" deep lockers

## Anchor Storage

description	application	w	d	h	pattern no.	L1	L2
Back-to-Back Tops for 20" deep lockers	top for 1 locker width	12 1/8"	38 1/4"	1 1/8"	WLT1240L	\$346.	\$395.
	common top for 2 lockers wide	24 3/6"	38 1/4"	1 1/8"	WLT2440L	\$534.	\$625.
	common top for 3 lockers wide	36 1/4"	38 1/4"	1 1/8"	WLT3640L	\$794.	\$930.
	common top for 4 lockers wide	48 5/16"	38 1/4"	1 1/8"	WLT4840L	\$989.	\$1,174.
	common top for 5 lockers wide	60 3/8"	38 1/4"	1 1/8"	WLT6040L	\$1,193.	\$1,425.
	common top for 6 lockers wide	72 7/16"	38 1/4"	1 1/8"	WLT7240L	\$1,406.	\$1,685.
	common top for 7 lockers wide	84 1/2"	38 1/4"	1 1/8"	WLT8440L	\$1,710.	\$1,987.
	common top for 8 lockers wide	96 9/16"	38 1/4"	1 1/8"	WLT9640L	\$1,937.	\$2,261.
Back-to-Back Tops for 24" deep lockers	top for 1 locker width	12 1/8"	47"	1 1/8"	WLT1248L	\$387.	\$444.
	common top for 2 lockers wide	24 3/16"	47"	1 1/8"	WLT2448L	\$607.	\$718.
	common top for 3 lockers wide	36 1/4"	47"	1 1/8"	WLT3648L	\$899.	\$1,067.
	common top for 4 lockers wide	48 5/16"	47"	1 1/8"	WLT4848L	\$1,126.	\$1,350.
	common top for 5 lockers wide	60 3/8"	47"	1 1/8"	WLT6048L	\$1,366.	\$1,649.
	common top for 6 lockers wide	72 7/16"	47"	1 1/8"	WLT7248L	\$1,615.	\$1,948.
	common top for 7 lockers wide	84 1/2"	47"	1 1/8"	WLT8448L	\$1,952.	\$2,340.
	common top for 8 lockers wide	96 9/16"	47"	1 1/8"	WLT9648L	\$2,210.	\$2,661.

### Order Information

1. Base Pattern Number
2. Laminate Finish  
See Finish Options page
3. Edge Finish  
See Finish Options page

### Order Code

Locker Top, 12W x 20D  
Example: WLT1220L  
WLT 12 Anchor Locker Top  
12 12" Wide  
20 20" Deep  
L Laminate  
(118) Laminate Finish, Bright White  
(118) Edge Finish, Bright White

### Specification Information





For use with Anchor Lockers only.  
  
Back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

### Application Notes

Locker tops are 19" and 23" deep nominal.  
  
Locker tops include hardware kit to secure to locker. Common locker tops include hardware to gang lockers together. Individual tops do not include ganging hardware.  
  
Common locker top design features a slight overhang on all four sides.  
  
Ganging multiple locker banks together is not allowed. A run of ganged lockers should correspond to common top length with a maximum run of 8 ganged units.

# Locker Shelves

## Anchor Storage


description	w	d	h	pattern no.	L1	L2
Full-depth shelf for 20" deep locker 	10 1/2"	18 3/8"	3/4"	WLSF1220L	\$149.	\$194.
Full-depth shelf for 24" deep locker 	10 1/2"	22 3/4"	3/4"	WLSF1224L	\$167.	\$213.
Partial-depth shelf for 20" and 24" deep locker 	10 1/2"	11 3/8"	3/4"	WLSH1224L	\$127.	\$148.
Shelf kit with coat rod for 24" deep locker 	12"	24"		WLCRKIT1224L	\$266.	\$300.

Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number 2. Finish See Finish Options page	Locker Shelf, 12W x 20D Example: WLSF1220L WLS Anchor Locker Shelf 12 12" Wide locker 20 20" Deep locker L Laminate (118) Finish, Bright White	For use with Anchor Lockers only.  Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.	

# Locker Shelves

# Anchor Storage

description	w	d	h	pattern no.	L1	L2
Shelf kit with coat rod for 20" deep locker	12"	19 1/16"		WLCRKIT1220L	\$253.	\$279.






Order Information	Order Code	Specification Information	Application Notes
<ol style="list-style-type: none"> <li>Base Pattern Number</li> <li>Finish See Finish Options page</li> </ol>	Locker Shelf, 12W x 20D Example: WLSF1220L WLS     Anchor Locker Shelf 12       12" Wide locker 20       20" Deep locker L        Laminate (118)   Finish, Bright White	For use with Anchor Lockers only.  Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.	

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

# Locker Accessories

## Anchor Storage

description	finish	pattern no.	list
Coat Hook, side mount 	Anodized Silver	WACH	\$56.
Coat Rod, side mount	Chrome	WLCR12	\$44.
Coat Rod, top mount 	Chrome	WLCRTM12	\$80.
L-bracket for side-mounted work surface 20" and 24" deep (nominal) 	Black	WLLB	\$65.


Order Information	Order Code	Specification Information	Application Notes
			WLLB L-bracket allows for a work surface to be mounted to the side of a locker (of matching depth).

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING





Digital Keypad lock, manual knob for credenzas and doublewide pedestals



RFID lock, manual knob for credenzas and doublewide pedestals

## Application

Anchor credenzas and doublewide pedestals with drawers 30" wide and larger are available with Digital Keypad or RFID lock options to support applications where workstations are shared by multiple users providing a secure storage alternative to a standard key lock. This eliminates the use of a standard key which can easily be misplaced or taken off site.

The Digital Keypad lock option requires input of a user-selected 4-digit code while the RFID lock operates when the user presents a compatible RFID card to the lock. To operate, the user must press the C or Key button depending on lock type, enter code or present RFID card, press the Key button again then rotate the knob to lock or unlock the unit.

If an RFID credential is lost or a code is forgotten, a Manager Key (specified separately) can be used to bypass the lost or forgotten credential and unlock the unit. In situations where a user is unable to operate the keypad or RFID reader, a User Key (specified separately) can be utilized to override code input or RFID requirement, allowing the lock to comply with ADA requirements.

**Each installation site with Digital Keypad or RFID lock requires one Programming Key and at least one Manager Key, specified separately.**

All Digital Keypad and RFID locks are shipped in default Shared Use mode. To operate in Shared Use mode, the user will select an unused unit, place their items within and follow the locking procedure. Once their items are retrieved, the lock will remain unlocked until it is locked by the next user. Locks may be converted to Assigned Use mode in which the lock remains locked until accessed by assigned user(s).

To convert an RFID lock to Assigned Use mode, an Assigned Use Reset Key must be used. Reset Key expires 6 weeks from date of order.

To convert Digital Keypad lock to Assigned Use mode, follow the sequence listed within the appropriate User Guide.

## Specifications and Features

- Brushed Nickel finish
- Horizontal body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Manual dead bolt (turn knob)
- Powered by 3 premium AA batteries (included)
- Duracell CopperTop or Energizer brand batteries required. Rechargeable batteries are not recommended.
- Shared Use Mode is default, locks may be converted to Assigned Use Mode
- Tamper guard
- Audible and visible usage indicators
- Lock can be bypassed with a Manager Key if code is forgotten, RFID credential is lost or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off for Digital Keypad locks at any time by following the procedure listed in the user guide.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.
- Note: Auto-unlock feature is not available for locks used on Anchor credenzas or doublewides (with manual knob). If auto-unlock is required, specify lockers or pedestals with automatic bolt style locks.

## Digital Keypad Lock

- Operated with a user-selected 4-digit code

To specify a credenza or doublewide pedestal with a Digital Keypad lock, select "D" in the pattern number for the lock option. *Example:* WC2236BL(D) - Credenza, box/file, 22H x 36W, laminate, **Digital Keypad lock**. When specified, Digital Keypad lock is factory installed. Instructions for programming are included.

## RFID Lock

- Operated with a compatible RFID Card or employee badge.
- Knoll RFID locks operate on 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443). Anchor RFID locks are not compatible with HID systems.

To specify a credenza or doublewide pedestal with a RFID lock, select "R" in the pattern number for the lock option. *Example:* WC2236BL(R) - Credenza, box/file, 22H x 36W, laminated, **RFID lock**. When specified, RFID lock is factory installed. Instructions for programming are included.

## User Key


- User Keys allow ADA access to Digital Keypad or RFID locks for users unable to operate the keypad or RFID reader.
- User Keys are used by touching key to prongs of the lock to lock and unlock the unit.

## Manager Key

- Manager Key is used to bypass a locked unit.
- Manager Keys are registered to locks using the Programming Key.
- Up to (6) Manager Keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional Manager Key(s) may be registered to a lock without erasing previously registered manager keys.
- Provides external power in case of battery failure.

## Programming Key

- The Programming Key is a communication device used to initialize locks out of factory default mode and to register Manager Keys to the locks. It is used to transfer, but not store information.
- **Only one Programming Key should be specified per installation site. Multiple programming keys cannot be used in conjunction with each other.**
- Add-on or phased orders for Digital Keypad or RFID locks should be initialized and programmed using the original Programming Key.
- Provides external power in case of battery failure.
- If a programming key is lost, a Replacement Programming Key may be ordered but the original programming key will become obsolete.



programming key (yellow)




user key (black)



manager key (black)



Digital Keypad lock, manual knob for credenzas and doublewide pedestals



RFID lock, manual knob for credenzas and doublewide pedestals

## Application

Anchor credenzas and doublewide pedestals with drawers 30" wide and larger are available with Digital Keypad or RFID lock options to support applications where workstations are shared by multiple users providing a secure storage alternative to a standard key lock. This eliminates the use of a standard key which can easily be misplaced or taken off site.

The Digital Keypad lock option requires input of a user-selected 4-digit code while the RFID lock operates when the user presents a compatible RFID card to the lock. To operate, the user must press the C or Key button depending on lock type, enter code or present RFID card, press the Key button again then rotate the knob to lock or unlock the unit.

If an RFID credential is lost or a code is forgotten, a Manager Key (specified separately) can be used to bypass the lost or forgotten credential and unlock the unit. In situations where a user is unable to operate the keypad or RFID reader, a User Key (specified separately) can be utilized to override code input or RFID requirement, allowing the lock to comply with ADA requirements.

**Each installation site with Digital Keypad or RFID lock requires one Programming Key and at least one Manager Key, specified separately.**

All Digital Keypad and RFID locks are shipped in default Shared Use mode. To operate in Shared Use mode, the user will select an unused unit, place their items within and follow the locking procedure. Once their items are retrieved, the lock will remain unlocked until it is locked by the next user. Locks may be converted to Assigned Use mode in which the lock remains locked until accessed by assigned user(s).

To convert an RFID lock to Assigned Use mode, an Assigned Use Reset Key must be used. Reset Key expires 6 weeks from date of order.

To convert Digital Keypad lock to Assigned Use mode, follow the sequence listed within the appropriate User Guide.

## Specifications and Features

- Brushed Nickel finish
- Horizontal body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Manual dead bolt (turn knob)
- Powered by 3 premium AA batteries (included)
- Duracell CopperTop or Energizer brand batteries required. Rechargeable batteries are not recommended.
- Shared Use Mode is default, locks may be converted to Assigned Use Mode
- Tamper guard
- Audible and visible usage indicators
- Lock can be bypassed with a Manager Key if code is forgotten, RFID credential is lost or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off for Digital Keypad locks at any time by following the procedure listed in the user guide.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.
- Note: Auto-unlock feature is not available for locks used on Anchor credenzas or doublewides (with manual knob). If auto-unlock is required, specify lockers or pedestals with automatic bolt style locks.

## Digital Keypad Lock

- Operated with a user-selected 4-digit code

To specify a credenza or doublewide pedestal with a Digital Keypad lock, select "D" in the pattern number for the lock option. *Example:* WC2236BL(D) - Credenza, box/file, 22H x 36W, laminate, **Digital Keypad lock**. When specified, Digital Keypad lock is factory installed. Instructions for programming are included.

## RFID Lock

- Operated with a compatible RFID Card or employee badge.
- Knoll RFID locks operate on 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443). Anchor RFID locks are not compatible with HID systems.

To specify a credenza or doublewide pedestal with a RFID lock, select "R" in the pattern number for the lock option. *Example:* WC2236BL(R) - Credenza, box/file, 22H x 36W, laminated, **RFID lock**. When specified, RFID lock is factory installed. Instructions for programming are included.

## User Key


- User Keys allow ADA access to Digital Keypad or RFID locks for users unable to operate the keypad or RFID reader.
- User Keys are used by touching key to prongs of the lock to lock and unlock the unit.

## Manager Key

- Manager Key is used to bypass a locked unit.
- Manager Keys are registered to locks using the Programming Key.
- Up to (6) Manager Keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional Manager Key(s) may be registered to a lock without erasing previously registered manager keys.
- Provides external power in case of battery failure.

## Programming Key

- The Programming Key is a communication device used to initialize locks out of factory default mode and to register Manager Keys to the locks. It is used to transfer, but not store information.
- **Only one Programming Key should be specified per installation site. Multiple programming keys cannot be used in conjunction with each other.**
- Add-on or phased orders for Digital Keypad or RFID locks should be initialized and programmed using the original Programming Key.
- Provides external power in case of battery failure.
- If a programming key is lost, a Replacement Programming Key may be ordered but the original programming key will become obsolete.



programming key (yellow)



user key (black)



manager key (black)

### Calculating the total number of manager keys

The Digital Keypad and RFID lock systems are flexible, allowing the client to choose the number of manager keys required. Solutions may range from simple to complex, depending on client needs. It may be helpful to create a chart to organize and calculate the number of manager keys required, similar to the examples shown below.

Considerations:

- If units will be located on different floors, consider ordering keys that can be registered to bypass all locks as a floor-specific "master key".
- If units will be located within different zones or areas, consider ordering keys that can be registered to locks within specific zones on each floor.
- If the client would like to create a "master key", one or more manager keys can be registered to all locks to act as a "master key".
- Only one Programming Key is required per site regardless of total number of locks or Manager Keys.

### Manager key count examples

Sample project is a three story space, each floor is divided into three zones containing a varied number of lockers. Example 1 is a simple lock system showing two manager keys registered to all locks, regardless of floor or zone. Example 2 is a more complex solution showing manager keys registered to locks in a layered approach. At the lowest management level, keys are registered specific to zone, followed by keys that are floor-specific and at the top level, keys are registered to all locks to be used as overall master keys.

The manager key counts shown in the examples are sample numbers; the ratio of manager keys to the number of locks is decided by the client.

Example 1:

Two (2) manager keys registered to all locks throughout the space. No manager keys registered specific to floor or zone.

\*MK = Manager Key(s)

Floor(s)	Zone(s)	MK
All	All	2
<b>Total MK</b>		<b>2</b>

(2) MK registered to locks in all zones, all floors as "overall master keys"

Example 2:

- Manager keys registered to all locks within each specific zone on each floor. Number of manager keys is decided by client. Once registered, these manager keys may be used to bypass any lock within that zone on that floor, but will not be able to bypass any of the other units.
- One (1) manager key for each floor registered to all locks in all zones on that floor, used as first, second and third floor "master keys".
- Two (2) manager keys registered to all locks, in all zones on all floors used as "overall master keys".

\*MK = Manager Key(s)

Floor(s)	Zone(s)	MK
1	A	0
1	B	2
1	C	2
1	All	1
2	A	2
2	B	2
2	C	2
2	All	1
3	A	4
3	B	2
3	C	4
3	All	1
All	All	2
<b>Total MK</b>		<b>25</b>

(1) MK registered to all zones as 3rd floor "master key"

(1) MK registered to all zones as 2nd floor "master key"

(1) MK registered to all zones as 1st floor "master key"

(2) MK registered to locks in all zones, all floors as "overall master keys"

## Keyless Locking Accessories

## Anchor Storage

description	finish	pattern no.	list
Programming key for digital keypad and RFID lock	yellow	WDKEYP	\$370.
Manager key for digital keypad and RFID lock	black	WDKEYM	\$270.
User key for digital keypad and RFID lock	black	WDKEYU	\$121.
Reset Key, Shared Use Mode	yellow	WDKEYR	\$409.
Reset Key, Assigned Used Mode, Automatic Lock	yellow	WDKEYV	\$409.
Reset Key, Assigned Used Mode, Manual Lock	yellow	WDKEYH	\$409.

Order Information	Order Code	Specification Information	Application Notes
		<p>Programming and manager key(s) must be specified for units with digital keypad or RFID locks. See specification page for further details.</p> <p>User key for digital keypad and RFID lock is an optional key available for users who are unable to use a keypad or card reader function, allowing the lock to comply with ADA requirements. User key is not required to use digital keypad or RFID lock system.</p> <p>Reset key is an optional key when restoring lock to factory settings is desired. Using a reset key will erase all programming including programming key, manager key(s) and user credentials if applicable.</p> <p>Reset key is required when converting RFID lock from standard shared use mode to assigned use mode.</p>	<p>WDKEYR is used to reset any digital keypad or RFID lock to shared use mode.</p> <p>Resetting locks in assigned use mode requires specification of key specific to lock type. Specify WDKEYV to reset digital keypad or RFID locks with automatic bolt (lockers, slide out towers, pedestals) to assigned use mode. Specify WDKEYH to reset digital keypad or RFID locks with manual bolt (credenzas, doublewide pedestals) to assigned use mode.</p>

### Anchor Raised Storage, Electrical System

Anchor Raised Storage components can be powered by a modular distribution system. From a single point of connection to the building power supply, the Anchor Electrical system can distribute four 20-amp circuits. Two 8-wire systems are available:

- 3 + 1
- 2 + 2

System components include:

- Distribution Harness
- Power Infeed
- Jumper Cable
- Duplex Receptacle
- Distribution Cover
- Desktop Power Module

All components with the exception of the desktop power modules must be specified for appropriate 3+1 or 2+2 system. Components with varying circuitry may not be combined with one another.

All electrical components are field installed.

### 3 + 1 and 2 + 2 Electrical Systems

Each electrical system is designed for different usage.

The 2+2 electrical system is for areas requiring 2 circuits for standard power usage and 2 circuits for isolated power usage.

The 3+1 electrical system is for areas requiring significant power usage and an isolated circuit.

### Distribution Harness

The central component of the system is the distribution harness, which mounts beneath Anchor Raised storage components. The distribution harness accepts snap-in duplex outlets on each face which are concealed by steel distribution covers, specified separately. Each end of the harness has ports for two jumper cables, or a power infeed and a jumper cable. The power infeed connects power from a building junction box, and jumpers connect power from one harness to another, in either direction.

Distribution harnesses are 12" wide, 3" high and 2.5" deep with two duplex outlet location on each face providing access for up to four total duplex outlets per harness. Duplex outlets must be specified separately to access one of the four circuits.

### Power Infeed

The infeed includes a modular connector with a 36" or 72" pigtail to connect from a junction box in the floor and distribute power to the first distribution harness within a run. The power infeed may plug into any of the four port positions of the distribution harness.

Each run of electrical components must have only one power infeed.

**CAUTION: DO NOT CONNECT POWER UNTIL INSTALLATION IS COMPLETE. CONNECTION TO THE BUILDING POWER SOURCE MUST BE PERFORMED BY A LICENSED ELECTRICIAN.**

Refer to local codes for any specific requirements or restrictions.

### Jumper Cable

Jumper cables link power between distribution harnesses beneath adjacent Anchor Raised Storage components. Jumper cables are available in various lengths 15" to 96" in length.

Jumper cables feature a black metallic liquid-tight coating which runs the full length of the conduit. Flexible conduit allows jumper cables to bend around corners. Minimum bend radius is 3.5".

Jumper cables include conduit mounting clips for attachment beneath Anchor storage units.

### Duplex Receptacles

Duplex outlets are field-installed into distribution harnesses providing access to power. Install up to two duplex receptacles per face for access from either or both sides of the harness.

Duplex receptacles for all circuits can be specified in black with white letters identifying circuits. Outlets for isolated circuits are also available in orange with black letters or black with orange triangle and letters to designate protected circuits.

### Distribution Cover

Distribution covers snap onto distribution harness face to provide a clean appearance. One distribution cover per harness is recommended to conceal harness face. If desired, an additional distribution cover may be specified to conceal the rear facing side of the harness. Each distribution cover includes two cutouts to maintain access to duplex outlets. If needed, specify **Dividends Horizon DE2KC10 Knockout Replacement Cover** to fill any unused outlet opening.

Knockout covers are designed to closely mimic the appearance of adjacent power outlets. Knockout covers are black injection molded plastic, available in packages of 10.

### Power Capacity

Depending on national and local electrical codes, and the anticipated load of a particular application, typically each circuit can power 8-10 convenience duplex receptacles with normal loads. In heavier load situations, each circuit will power 3-5 duplex receptacles. If each workstation has two convenience duplex receptacles and one protected duplex receptacle, the 8-wire (4-circuit) system can supply a cluster of 6-10 workstations from each infeed. A single infeed may not exceed 52 total duplex receptacles.

## 2+2 Electrical System

Designed for areas where power usage is significant with sensitive electronic equipment requiring two isolated circuits.

The wiring configuration of the 2+2 electrical system is (see chart):

- Hot "1" (black)
- Hot "2" (red)
- Shared neutral "N1" (white/black) for circuits 1 and 2
- Shared ground "G1" (green) for circuits 1 and 2
- Hot "4" (tan)
- Hot "5" (pink)
- Isolated shared neutral "N2" (white/red) for circuits 4 and 5
- Isolated shared ground "G2" (green/yellow) for circuits 4 and 5

## 2+2 Duplex Receptacles

- Convenience duplex circuit number 1 (pattern number WE8R1)
- Convenience duplex circuit number 2 (pattern number WE8R2)
- Isolated duplex circuit number 4 (pattern number WE8R4)
- Isolated duplex circuit number 5 (pattern number WE8R5)

## 3+1 Electrical System

Designed for areas where power usage is significant with sensitive electronic equipment requiring a single isolated circuit.

The wiring configuration of the 3+1 electrical system is (see chart):

- Hot "1" (black)
- Hot "2" (red)
- Hot "3" (blue)
- Shared neutral "N1" (white/black) for circuits 1, 2 and 3
- Shared ground "G1" (green) for circuits 1, 2 and 3
- Hot "4" (pink)
- Isolated shared neutral "N2" (white/red) for circuit 4
- Isolated shared ground "G2" (green/yellow) for circuit 4

## 3+1 Duplex Receptacles

- Convenience duplex circuit number 1 (pattern number WE8R1)
- Convenience duplex circuit number 2 (pattern number WE8R2)
- Convenience duplex circuit number 3 (pattern number WE8R3)
- Isolated duplex circuit number 4 (pattern number WE8R4)

An optional orange-colored isolated duplex is also available:

- Isolated orange-colored duplex circuit number 4 (pattern number WE8RO4)

## Electrical System Technical Specifications

Four 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase or 120/208 volt three phase power. System components are 20 amp capacity.


Load should be balanced evenly among power circuits. In accordance with NEC2011 Article 210, the permissible load should not exceed 80% of the circuit ampere rating (16 amps on each 20 amp branch circuit).

Anchor electrical system components are listed under UL183.


## Compatibility

Both Anchor power systems use components that appear similar. However, component circuitry is pre-configured preventing each power system from being functionally, fully interchangeable. 3+1 components can be connected to 2+2 wire systems, however only 2 +1 will function.

Wiring Diagram (2+2)



Wiring Diagram (3+1)





# Electrical System Specifications

## *Anchor Raised Storage*

### *Anchor - Dividends Horizon Adapter Jumper*

Anchor Storage

#### **Anchor-Dividends Horizon Adapter Jumper**

The adapter jumper provides distribution of power from Anchor Raised storage (UL 183) to Dividends Horizon system (UL 1286) from a single Anchor base infeed. The adapter jumper is specifically designed to interface with Dividends Horizon and may not be utilized to transfer power from Anchor to other Knoll systems.

In certain situations, power may be transferred to the Anchor electrical system (UL 183) from a single infeed to the Dividends Horizon system (UL 1286). Such application is only permissible with Dividends Horizon product produced in 2018 or later. Dividends Horizon components produced prior to 2018 may not be retrofitted to power Anchor electrical components. Refer to local authorities to determine compliance with local codes and requirements of this application.

Transferring power from Anchor (UL 183) to Dividends Horizon (UL 1286) then back to Anchor (UL 183) is not permitted under any circumstance. Conversely, transferring power from Dividends Horizon (UL 1286) to Anchor (UL 183) and back to Dividends Horizon (UL 1286) is not permitted.

**IMPORTANT: Prior to installing adapter cables, disconnect system power supply from infeed source to prevent potential risk of injury.**

While Dividends Horizon duplex receptacles and other electrical components may appear similar to Anchor electrical components, components are not interchangeable between systems.

#### **Application**

Wiring configuration of the Anchor electrical system and the Dividends Horizon electrical components must correlate when utilizing the Anchor adapter jumper. For example, a 3+1 system may not be connected to a 2+2 system and vice versa.

**The Anchor-Dividends Horizon adapter jumper is not compatible with Dividends Horizon 250v electrical system.**

The adapter jumper connects an Anchor Distribution Harness to a Dividends Horizon power module by inserting into terminal block and attaching with two screws. Power may then be distributed throughout the Dividends Horizon system through standard Dividends Horizon power jumpers.

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

# Electrical System Specifications

## *Anchor Raised Storage*

### *Desktop Power Module*

Anchor Storage

#### **Desktop Power Module**

The Anchor desktop power module provides easily accessible outlets and USB charging ports atop Anchor storage units.

Power modules are available with 3-prong plug or hardwire infeed. When specifying power module with 3-prong plug, standard cord or braided fabric covered cord options are available to achieve desired aesthetic. Hardwire power modules are single circuit with 6-foot pigtail for connection directly to building power source. **Hardwire power modules must be installed by a licensed electrician.**

Power module includes flush-mount bracket which is installed on-site via two screws. Power modules may be located horizontally in any position along the back edge of any Anchor storage unit. Power modules with standard or braided cordset sit atop surface. Hardwire power modules include 1<sup>3/8</sup>" standoff from surface.

Hardwire Power Module:  
5<sup>9/16</sup>" wide x 4<sup>1/4</sup>" deep x 3<sup>f</sup>;1;4" high (overall)

Standard and Braided Cordset, 3-prong plug:  
5<sup>9/16</sup>" wide x 3<sup>f</sup>;3;8"d x 1<sup>7/8</sup>" high (overall)

Power module body, bracket and cordset are white. Power modules with standard or braided corded are available with 36" or 72" cord lengths, plastic cable clips are included for basic cable management. Hardwire power module body and bracket are white with black metallic liquid-tight conduit.

#### **Application**

Power modules include two simplex outlets and USB-A+C. Power modules may be used in conjunction with Anchor power distribution components or independently.

When used with Anchor power distribution components, the cord drops behind the Anchor storage unit and plugs into rear-facing duplex receptacle installed into distribution harness.

When distribution harness is centered beneath the Anchor Raised Credenza and aligned with the power module location, a 36" cord is adequate. In other situations, including use with Anchor Raised Pedestals and Doublewide pedestals, a 72" cord is recommended. In any application where distribution harness is mounted justified to the front edge of the storage unit, 72" cord must be specified.

**Power modules are not intended for use on mobile components including credenzas or pedestals.**

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING





### Anchor Raised Storage, Electrical

Electrical components are intended for use only with Anchor Raised Storage components. For safety reasons, electrical components may not be mounted beneath mobile credenzas. For system details, refer to *Electrical System Specifications*.

### Distribution Harness Mounting Locations

Distribution harness mounting location is determined on-site. Two typical mounting locations are common, **A** centered beneath the storage unit or **B** justified to the front of the unit for easily accessible convenience outlets. When mounting justified to the front, maintaining a 4" set back will allow adequate clearance to conceal plug head beneath the storage case.




### Power Distribution via Distribution Harness

Power supply provided by power infeed or jumper cable may connect to any of the four distribution harness ports. Additional jumper cable(s) connect to any of the 1-3 remaining plug ports to further distribute power to subsequent distribution harnesses.




### Planning Inline Jumper Cables

To calculate the jumper length required to join harnesses centered beneath Anchor storage units, subtract 12" from the on-center distance between the two harnesses.




To calculate the jumper length required to join harnesses justified to the front of Anchor storage units, subtract 6" from the on-center distance between the two harnesses.



Distribution harnesses planned immediately next to one another can be connected with the 15" jumper. This enables storage units 42" wide and larger to be served by more than four duplex outlets.

### Panel Pass-Through


Jumper cables may pass through Dividends Horizon panels through the data knockout location centered horizontally on base raceway covers.



Alternately, panel glides may be extended to allow jumper cables to pass under panel.


### Minimum Bend Radius

Jumper cables and infeed conduit require a minimum bend radius of 3.5". 90-degree bends require 4 square inches. Attempting to bend conduit tighter may result in permanent damage to conduit.




### Planning Jumper Cables Through Panels


Exact jumper cable length will vary based on specific application. *Example:*




**A** Center justified  
(1) 60" wide panel, 84" jumper cable





**B** Front justified  
(1) 60" wide panel, 90" jumper cable



**A** Center justified  
(2) 30" wide panels, 36" jumper cable






**B** Front justified  
(2) 30" wide panels, 66" jumper cable



# Electrical Components

## Anchor Storage

### Power Infeeds, Distribution Harnesses, Distribution Covers


description	type	length	pattern no.	list
	2+2	36"	WE8PI836	\$226.
	2+2	72"	WE8PI872	\$320.
	3+1	36"	WE8PIE36	\$226.
	3+1	72"	WE8PIE72	\$320.
	2+2	12"	WE8DH8D2	\$280.
	3+1	12"	WE8DHED2	\$280.
	Distribution Cover, Pack of 10	18 1/2"	WE8DC10	\$546.
	Distribution Cover, Pack of 40	18 1/2"	WE8DC40	\$1,966.
	Distribution Cover, Single	18 1/2"	WE8DC01	\$63.


Order Information	Order Code	Specification Information	Included with:
1. Base Pattern Number	Power Infeed,(2+2) Systems, 36"L Example: WE8PI836 W Anchor E Electrical 8 8 Wire PI Power Infeed 36 Length	Power Infeed Modular end with 8-wire whip Liquid-tight conduit  Distribution Harness Four modular ports, 2 per end Provides power for 1-4 duplex receptacles  Distribution Cover Black painted steel with two duplex access cutouts	Power Infeed Conduit Clips and hardware  Distribution Harness Attachment Hardware

# Electrical Components

## Jumper Cables

## Anchor Storage

description	type	length	pattern number	list
 Jumper Cable, (2+2)	2+2	15"	WE8J815	\$164.
	2+2	18"	WE8J818	\$178.
	2+2	24"	WE8J824	\$192.
	2+2	30"	WE8J830	\$211.
	2+2	36"	WE8J836	\$228.
	2+2	42"	WE8J842	\$243.
	2+2	48"	WE8J848	\$262.
	2+2	54"	WE8J854	\$279.
	2+2	60"	WE8J860	\$294.
	2+2	66"	WE8J866	\$314.
	2+2	72"	WE8J872	\$329.
	2+2	78"	WE8J878	\$346.
	2+2	84"	WE8J884	\$366.
	2+2	90"	WE8J890	\$381.
	2+2	96"	WE8J896	\$397.

 Jumper Cable, (3+1)	3+1	15"	WE8JE15	\$164.
	3+1	18"	WE8JE18	\$178.
	3+1	24"	WE8JE24	\$192.
	3+1	30"	WE8JE30	\$211.
	3+1	36"	WE8JE36	\$228.
	3+1	42"	WE8JE42	\$243.
	3+1	48"	WE8JE48	\$262.
	3+1	54"	WE8JE54	\$279.
	3+1	60"	WE8JE60	\$294.
	3+1	66"	WE8JE66	\$314.
	3+1	72"	WE8JE72	\$329.
	3+1	78"	WE8JE78	\$346.
	3+1	84"	WE8JE84	\$366.
	3+1	90"	WE8JE90	\$381.
	3+1	96"	WE8JE96	\$397.

Order Information	Order Code	Specification Information	Included with:
1. Base Pattern Number	Jumper Cable, (2+2) Systems, 15"L Example: WE8J815 W Anchor E Electrical 8 8 Wire J Jumper Cable 8 (2+2), E=(3+1) 15 Length	Black liquid-tight conduit.	Conduit clips and attachment hardware.

# Electrical Components

## Receptacles

Anchor Storage

description	type	pattern no.	single	ten pack
	Duplex, circuit 1	WE8R1( )	\$40.	\$353.
	Duplex, circuit 2	WE8R2( )	\$40.	\$353.
	Duplex, circuit 4	WE8R4( )	\$40.	\$353.
	Duplex, circuit 5	WE8R5( )	\$40.	\$353.
	Duplex, circuit 1	WE8R1( )	\$40.	\$353.
	Duplex, circuit 2	WE8R2( )	\$40.	\$353.
	Duplex, circuit 3	WE8R3( )	\$40.	\$353.
	Duplex, circuit 4	WE8R4( )	\$40.	\$353.
	Duplex, circuit 1	WE8RC1( )	\$40.	\$353.
	Duplex, circuit 2	WE8RC2( )	\$40.	\$353.
	Duplex, circuit 4	WE8RC4( )	\$40.	\$353.
	Duplex, circuit 1	WE8RC1( )	\$40.	\$353.
	Duplex, circuit 2	WE8RC2( )	\$40.	\$353.
	Duplex, circuit 4	WE8RC3( )	\$40.	\$353.
	Duplex, circuit 4	WE8RC4( )	\$40.	\$353.
	Duplex, circuit 5	WE8RC5( )	\$40.	\$353.
	Duplex, circuit 4	WE8RO4( )	\$40.	\$353.
	Duplex, circuit 5	WE8RO5( )	\$40.	\$353.

### Order Information

### Order Code

1. Base Pattern Number

Receptacle,(2+2) Systems

Example: WE8R2

W

Anchor

E

Electrical

8

8 Wire

R

Receptacle

2


Circuit

# Electrical Components

## Receptacles

Anchor Storage

description	type	pattern no.	single	ten pack
Receptacle, (3+1 Orange Receptacle)	Duplex, circuit 4	WE8RO4( )	\$40.	\$353.




Order Information	Order Code
1. Base Pattern Number	Receptacle, (2+2) Systems Example: WE8R2 W Anchor E Electrical 8 8 Wire R Receptacle 2 Circuit


REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

# Electrical Components

## Anchor - Dividends Horizon Adapter Jumper

Anchor Storage

description	type	length	pattern no.	list
 Anchor - Dividends HorizonAdapter Jumper Cable (2+2)	2+2	24"	WE8AJ824	\$288.
	2+2	30"	WE8AJ830	\$307.
	2+2	36"	WE8AJ836	\$324.
	2+2	42"	WE8AJ842	\$349.
	2+2	48"	WE8AJ848	\$367.
	2+2	54"	WE8AJ854	\$385.
	2+2	60"	WE8AJ860	\$405.
	2+2	66"	WE8AJ866	\$423.
	2+2	72"	WE8AJ872	\$443.

 Anchor - Dividends HorizonAdapter Jumper Cable (3+1)	3+1	24"	WE8AJE24	\$288.
	3+1	30"	WE8AJE30	\$307.
	3+1	36"	WE8AJE36	\$324.
	3+1	42"	WE8AJE42	\$349.
	3+1	48"	WE8AJE48	\$367.
	3+1	54"	WE8AJE54	\$385.
	3+1	60"	WE8AJE60	\$405.
	3+1	66"	WE8AJE66	\$423.
	3+1	72"	WE8AJE72	\$443.

### Order Information

### Order Code

- Base Pattern Number
  - Adapter Jumper Cable, (2+2) Systems, 24"L
  - Example: WE8AJ824
  - W Anchor
  - E Electrical
  - 8 8 Wire
  - AJ Adapter Jumper Cable
  - 8 (2+2), E=(3+1)
  - 24 Length

# Electrical Components


## Desktop Power Modules

Anchor Storage

description	type	w	d	h	pattern no.	list
Desktop Power Module USB/electrical includes USB-A+C and two electrical simplexes, 3-prong plug	Standard cordset	5 9/16"	3 3/8"	1 7/8"	WE8PM2P2UC36	\$773.
	Standard cordset	5 9/16"	3 3/8"	1 7/8"	WE8PM2P2UC72	\$798.
	Braided cordset	5 9/16"	3 3/8"	1 7/8"	WE8PM2P2UB36	\$827.
	Braided cordset	5 9/16"	3 3/8"	1 7/8"	WE8PM2P2UB72	\$914.



Desktop Power Module  
USB/electrical  
includes USB-A+C  
and two electrical simplexes,  
hardwire



Hardwire	5 9/16"	4 1/4"	3 1/4"	WE8PM2P2UH72	\$879.
----------	---------	--------	--------	--------------	--------

Order information	Order Code	Specification Information	Included with:
1. Base Pattern Number	Power Module, Standard Cordset Example: WE82P2UC36 W Anchor E Electrical 8 8 Wire PM Power Module 2P2U 2 Power, 2 USB Standard Cortset C B=Braided Cordset 36 Length	Desktop power modules are single circuit and include 2 simplex outlets and 2 USB charging ports.  Module body, mounting bracket and standard cordset are white.  Braided cordset includes mesh fabric covering the cordset. Braided mesh fabric is available in white or grey.  Hardwire power module body and bracket are white with black liquid-tight conduit.	Mounting Bracket Mounting Hardwire Cable Clips



# Alpha-Numeric Index

WA2FB1602	38	WC2236O12F24L(N)	16	WC227216O30F42L(N)	21
WA2FB1602	76	WC2236O18B18L(N)	16	WC227216O30O42L	21
WACH	131	WC2236O18F18L(N)	16	WC227216O36B36L(N)	21
WACH	155	WC2236OL	15	WC227216O36O36L	21
WACS22P	38	WC224216BL(N)	17	WC227216O42O30L	21
WAFB1604	38	WC224216FL(N)	17	WC2272B36B36L(N)	22
WAFB1604	76	WC224216OL	17	WC2272B36O36L(N)	21
WAFB1612	38	WC2242BL(N)	17	WC2272B42O30L(N)	21
WAFB1612	76	WC2242FL(N)	17	WC2272F36F36L(N)	22
WAFB1624	38	WC2242OL	17	WC2272F42O30L(N)	21
WAFB1624	76	WC224816B30O18L(N)	18	WC2272O30B42L(N)	21
WAFCO4P	8	WC224816F30O18L(N)	18	WC2272O30F42L(N)	21
WAFCO4P	8	WC224816O18B30L(N)	18	WC2272O30O42L	21
WAFTO2P	8	WC224816O18F30L(N)	18	WC2272O36B36L(N)	21
WAFT20P	8	WC224816O18O30L	18	WC2272O36O36L	21
WAGE100	37	WC224816O30O18L	18	WC2272O42O30L	21
WAGE20	37	WC2248B30O18L(N)	18	WC228416B30B30O24L(N)	23
WC221816BL(N)	11	WC2248F30O18L(N)	18	WC228416B30O24B30L(N)	23
WC221816FL(N)	11	WC2248O18B30L(N)	18	WC228416B30O30O24L(N)	24
WC221816OL	11	WC2248O18F30L(N)	18	WC228416B42B42L(N)	24
WC2218BL(N)	11	WC2248O18O30L	18	WC228416F30O24F30L(N)	23
WC2218FL(N)	11	WC2248O30O18L	18	WC228416F42F42L(N)	24
WC2218OL	11	WC226016B30B30L(N)	20	WC228416O24B30B30L(N)	23
WC222416BL(N)	12	WC226016B30O30L(N)	19	WC228416O24O30B30L(N)	24
WC222416FL(N)	12	WC226016B36O24L(N)	19	WC228416O24O30O30L	23
WC222416OL	12	WC226016B42O18L(N)	19	WC228416O30O24O30L	23
WC2224BL(N)	12	WC226016F30F30L(N)	20	WC228416O30O30O24L	23
WC2224FL(N)	12	WC226016F36O24L(N)	19	WC2284B30B30O24L(N)	23
WC2224OL	12	WC226016F42O18L(N)	19	WC2284B30O24B30L(N)	23
WC223016B18O12L(N)	14	WC226016O18B42L(N)	19	WC2284B30O30O24L(N)	24
WC223016BL(N)	13	WC226016O18F42L(N)	19	WC2284B42B42L(N)	24
WC223016F18O12L(N)	14	WC226016O18O42L	19	WC2284F30O24F30L(N)	23
WC223016FL(N)	13	WC226016O24B36L(N)	19	WC2284F42F42L(N)	24
WC223016O12B18L(N)	14	WC226016O24F36L(N)	19	WC2284O24B30B30L(N)	23
WC223016O12F18L(N)	14	WC226016O24O36L	19	WC2284O24O30B30L(N)	24
WC223016OL	13	WC226016O30B30L(N)	19	WC2284O24O30O30L	23
WC2230B18O12L(N)	14	WC226016O30O30L	19	WC2284O30O24O30L	23
WC2230BL(N)	13	WC226016O36O24L	19	WC2284O30O30O24L	23
WC2230F18O12LN	14	WC226016O42O18L	19	WCCT1814	39
WC2230FL(N)	13	WC2260B30B30L(N)	20	WCCT1818	39
WC2230O12B18L(N)	14	WC2260B30O30L(N)	19	WCCT1822	39
WC2230O12F18LN	14	WC2260B36O24L(N)	19	WCCT2414	39
WC2230OL	13	WC2260B42O18L(N)	19	WCCT2418	39
WC223616B18O18L(N)	16	WC2260F30F30L(N)	20	WCCT2422	39
WC223616B24O12L(N)	16	WC2260F36O24L(N)	19	WCCT3014	39
WC223616BL(N)	15	WC2260F42O18L(N)	19	WCCT3018	39
WC223616F18O18L(N)	16	WC2260O18F42L(N)	19	WCCT3022	39
WC223616F24O12L(N)	16	WC2260O18O42L	19	WCCT3614	39
WC223616FL(N)	15	WC2260O24B36L(N)	19	WCCT3618	39
WC223616O12B24L(N)	16	WC2260O24F36L(N)	19	WCCT3622	39
WC223616O12F24L(N)	16	WC2260O24O36L	19	WCCT4214	39
WC223616O18B18L(N)	16	WC2260O30B30L(N)	19	WCCT4218	39
WC223616O18F18L(N)	16	WC2260O30O30L	19	WCCT4222	39
WC223616OL	15	WC2260O36O24L	19	WCM251816BL(N)	25
WC2236B18O18L(N)	16	WC2260O42O18L	19	WCM251816FL(N)	25
WC2236B24O12L(N)	16	WC227216B36B36L(N)	22	WCM251816OL	25
WC2236BL(N)	15	WC227216B36O36L(N)	21	WCM2518BL(N)	25
WC2236F18O18L(N)	16	WC227216B42O30L(N)	21	WCM2518FL(N)	25
WC2236F24O12L(N)	16	WC227216F36F36L(N)	22	WCM2518OL	25
WC2236FL(N)	15	WC227216F42O30L(N)	21	WCM252416BL(N)	26
WC2236O12B24L(N)	16	WC227216O30B42L(N)	21	WCM252416FL(N)	26

## Alpha-Numeric Index

WCM252416OL	26	WCM256016B42O18L(N)	33	WCWKIT05	37
WCM2524BL(N)	26	WCM256016F30F30L(N)	34	WCWKIT05	76
WCM2524FL(N)	26	WCM256016F36O24L(N)	33	WCWKIT06	37
WCM2524OL	26	WCM256016F42O18L(N)	33	WCWKIT06	76
WCM253016B18O12L(N)	28	WCM256016O18B42L(N)	33	WCWKIT07	37
WCM253016BL(N)	27	WCM256016O18F42L(N)	33	WCWKIT07	76
WCM253016F18O12L(N)	28	WCM256016O18O42L	33	WCWKIT08	37
WCM253016FL(N)	27	WCM256016O24B36L(N)	33	WCWKIT08	76
WCM253016O12B18L(N)	28	WCM256016O24F36L(N)	33	WCWKIT09	37
WCM253016O12F18L(N)	28	WCM256016O24O36L	33	WCWKIT09	76
WCM253016OL	27	WCM256016O30B30L(N)	33	WCWKIT10	37
WCM2530B18O12L(N)	28	WCM256016O30O30L	33	WCWKIT10	76
WCM2530BL(N)	27	WCM256016O36O24L	33	WCWKIT11	37
WCM2530F18O12L(N)	28	WCM256016O42O18L	33	WCWKIT11	76
WCM2530FL(N)	27	WCM2560B30B30L(N)	34	WDKEYH	159
WCM2530O12B18L(N)	28	WCM2560B30O30L(N)	33	WDKEYM	159
WCM2530O12F18L(N)	28	WCM2560B36O24L(N)	33	WDKEYP	159
WCM2530OL	27	WCM2560B42O18L(N)	33	WDKEYR	159
WCM253616B18O18L(N)	30	WCM2560F30F30L(N)	34	WDKEYU	159
WCM253616B24O12L(N)	30	WCM2560F36O24L(N)	33	WDKEYV	159
WCM253616BL(N)	29	WCM2560F42O18L(N)	33	WE8AJ824	170
WCM253616F18O18L(N)	30	WCM2560O18B42L(N)	33	WE8AJ830	170
WCM253616F24O12L(N)	30	WCM2560O18F42L(N)	33	WE8AJ836	170
WCM253616FL(N)	29	WCM2560O18O42L	33	WE8AJ842	170
WCM253616O12B24L(N)	30	WCM2560O24B36L(N)	33	WE8AJ848	170
WCM253616O12F24L(N)	30	WCM2560O24F36L(N)	33	WE8AJ854	170
WCM253616O18B18L(N)	30	WCM2560O24O36L	33	WE8AJ860	170
WCM253616O18F18L(N)	30	WCM2560O30B30L(N)	33	WE8AJ866	170
WCM253616OL	29	WCM2560O30O30L	33	WE8AJ872	170
WCM2536B18O18L(N)	30	WCM2560O36O24L	33	WE8AJE24	170
WCM2536B24O12L(N)	30	WCM2560O42O18L	33	WE8AJE30	170
WCM2536BL(N)	29	WCM257216B36B36L(N)	36	WE8AJE36	170
WCM2536F18O18L(N)	30	WCM257216B36O36L(N)	35	WE8AJE42	170
WCM2536F24O12L(N)	30	WCM257216B42O30L(N)	35	WE8AJE48	170
WCM2536FL(N)	29	WCM257216F36F36L(N)	36	WE8AJE54	170
WCM2536O12B24L(N)	30	WCM257216F42O30L(N)	35	WE8AJE60	170
WCM2536O12F24L(N)	30	WCM257216O30B42L(N)	35	WE8AJE66	170
WCM2536O18B18L(N)	30	WCM257216O30F42L(N)	35	WE8AJE72	170
WCM2536O18F18L(N)	30	WCM257216O30O42L	35	WE8DC01	166
WCM2536OL	29	WCM257216O36B36L(N)	35	WE8DC10	166
WCM254216BL(N)	31	WCM257216O36O36L	35	WE8DC40	166
WCM254216FL(N)	31	WCM257216O42O30L	35	WE8DH8D2	166
WCM254216OL	31	WCM2572B36B36L(N)	36	WE8DHED2	166
WCM2542BL(N)	31	WCM2572B36O36L(N)	35	WE8J815	167
WCM2542FL(N)	31	WCM2572B42O30L(N)	35	WE8J818	167
WCM2542OL	31	WCM2572F36F36L(N)	36	WE8J824	167
WCM254816B30O18L(N)	32	WCM2572F42O30L(N)	35	WE8J830	167
WCM254816F30O18L(N)	32	WCM2572O30B42L(N)	35	WE8J836	167
WCM254816O18B30L(N)	32	WCM2572O30F42L(N)	35	WE8J842	167
WCM254816O18F30L(N)	32	WCM2572O30O42L	35	WE8J848	167
WCM254816O18O30L	32	WCM2572O36B36L(N)	35	WE8J854	167
WCM254816O30O18L	32	WCM2572O36O36L	35	WE8J860	167
WCM2548B30O18L(N)	32	WCM2572O42O30L	35	WE8J866	167
WCM2548F30O18L(N)	32	WCWKIT01	37	WE8J872	167
WCM2548O18B30L(N)	32	WCWKIT01	76	WE8J878	167
WCM2548O18F30L(N)	32	WCWKIT02	37	WE8J884	167
WCM2548O18O30L	32	WCWKIT02	76	WE8J890	167
WCM2548O30O18L	32	WCWKIT03	37	WE8J896	167
WCM256016B30B30L(N)	34	WCWKIT03	76	WE8JE15	167
WCM256016B30O30L(N)	33	WCWKIT03	76	WE8JE18	167
WCM256016B36O24L(N)	33	WCWKIT04	37	WE8JE24	167
		WCWKIT04	76		

## Alpha-Numeric Index

WE8JE30	167	WL5720FDRHL(N)	148	WLT3624L	151
WE8JE36	167	WL5720FHLHL(N)	147	WLT3640L	152
WE8JE42	167	WL5720FHRHL(N)	147	WLT3648L	152
WE8JE48	167	WL5720OSL	146	WLT4820L	151
WE8JE54	167	WL5724FDLHL(N)	148	WLT4824L	151
WE8JE60	167	WL5724FDRHL(N)	148	WLT4840L	152
WE8JE66	167	WL5724FHLHL(N)	147	WLT4848L	152
WE8JE72	167	WL5724FHRHL(N)	147	WLT6020L	151
WE8JE78	167	WL5724OSL	146	WLT6024L	151
WE8JE84	167	WL6420DDLHL(N)	149	WLT6040L	152
WE8JE90	167	WL6420DDRHL(N)	149	WLT6048L	152
WE8JE96	167	WL6420FDLHL(N)	148	WLT7220L	151
WE8PI836	166	WL6420FDRHL(N)	148	WLT7224L	151
WE8PI872	166	WL6420FHLHL(N)	147	WLT7240L	152
WE8PIE36	166	WL6420FHRHL(N)	147	WLT7248L	152
WE8PIE72	166	WL6420OSL	146	WLT8420L	151
WE8PM2P2UB36	171	WL6424DDLHL(N)	149	WLT8424L	151
WE8PM2P2UB72	171	WL6424DDRHL(N)	149	WLT8440L	152
WE8PM2P2UC36	171	WL6424FDLHL(N)	148	WLT8448L	152
WE8PM2P2UC72	171	WL6424FDRHL(N)	148	WLT9620L	151
WE8PM2P2UH72	171	WL6424FHLHL(N)	147	WLT9624L	151
WE8R1( )	168	WL6424FHRHL(N)	147	WLT9640L	152
WE8R1( )	168	WL6424OSL	146	WLT9648L	152
WE8R2( )	168	WL7120DDLHL(N)	149	WLW421220FDLHL(N)	136
WE8R2( )	168	WL7120DDRHL(N)	149	WLW421220FDRHL(N)	136
WE8R3( )	168	WL7120FDLHL(N)	148	WLW421220OSL	135
WE8R4( )	168	WL7120FDRHL(N)	148	WLW421224OSL	135
WE8R4( )	168	WL7120FHLHL(N)	147	WLW421230FDLHL(N)	137
WE8R5( )	168	WL7120FHRHL(N)	147	WLW421230FDRHL(N)	137
WE8RC1( )	168	WL7120OSL	146	WLW421230OSL	135
WE8RC1( )	168	WL7120TDLHL(N)	149	WLW501220FDLHL(N)	136
WE8RC2( )	168	WL7120TDRHL(N)	149	WLW501220FDRHL(N)	136
WE8RC2( )	168	WL7124DDLHL(N)	149	WLW501220OSL	135
WE8RC3( )	168	WL7124DDRHL(N)	149	WLW501224OSL	135
WE8RC4( )	168	WL7124FDLHL(N)	148	WLW501230FDLHL(N)	137
WE8RC4( )	168	WL7124FDRHL(N)	148	WLW501230FDRHL(N)	137
WE8RC5( )	168	WL7124FHLHL(N)	147	WLW501230OSL	135
WE8RO4( )	168	WL7124FHRHL(N)	147	WLW571220FDLHL(N)	136
WE8RO4( )	169	WL7124OSL	146	WLW571220FDRHL(N)	136
WE8RO5( )	168	WL7124TDLHL(N)	150	WLW571220OSL	135
WL4220FDLHL(N)	148	WL7124TDRHL(N)	150	WLW571230FDLHL(N)	137
WL4220FDRHL(N)	148	WLCR12	155	WLW571230FDRHL(N)	137
WL4220FHLHL(N)	147	WLCRKIT1220L	154	WLW571230OSL	135
WL4220FHRHL(N)	147	WLCRKIT1224L	153	WLW641220FDLHL(N)	136
WL4220OSL	146	WLCRTM12	155	WLW641220FDRHL(N)	136
WL4224FDLHL(N)	148	WLCWKIT09	141	WLW641220OSL	135
WL4224FDRHL(N)	148	WLCWKIT10	141	WLW641224OSL	135
WL4224FHLHL(N)	147	WLCWKIT11	141	WLW641230FDLHL(N)	137
WL4224FHRHL(N)	147	WLLB	155	WLW641230FDRHL(N)	137
WL4224OSL	146	WLSF1220L	153	WLW641230OSL	135
WL5020FDLHL(N)	148	WLSF1224L	153	WLWF421220FDLHL(N)	139
WL5020FDRHL(N)	148	WLSH1224L	153	WLWF421220FDRHL(N)	139
WL5020FHLHL(N)	147	WLT1220L	151	WLWF421220OSL	138
WL5020FHRHL(N)	147	WLT1224L	151	WLWF421224FDLHL(N)	136
WL5020OSL	146	WLT1240L	152	WLWF421224FDLHL(N)	139
WL5024FDLHL(N)	148	WLT1248L	152	WLWF421224FDRHL(N)	136
WL5024FDRHL(N)	148	WLT2420L	151	WLWF421224FDRHL(N)	139
WL5024FHLHL(N)	147	WLT2424L	151	WLWF421224OSL	138
WL5024FHRHL(N)	147	WLT2440L	152	WLWF421230FDLHL(N)	140
WL5024OSL	146	WLT2448L	152	WLWF421230FDRHL(N)	140
WL5720FDLHL(N)	148	WLT3620L	151		

## Alpha-Numeric Index

WLWF421230OSL	138	WOWSF4201L	95	WP282416OSL	63
WLWF501220FDLHL(N)	139	WOWSF4204L	95	WP282424CFL(N)	66
WLWF501220FDRHL(N)	139	WOWSF4801L	95	WP282424FFL(N)	67
WLWF501220OSL	138	WOWSF4804L	95	WP282424OBL(N)	65
WLWF501224FDLHL(N)	136	WOWSF6001L	95	WP282424OFL(N)	64
WLWF501224FDLHL(N)	139	WOWSF6004L	95	WP282424OSL	63
WLWF501224FDRHL(N)	136	WOWSF7201L	95	WP2824FFL(N)	67
WLWF501224FDRHL(N)	139	WOWSF7204L	95	WP2824OBL(N)	65
WLWF501224OSL	138	WP2812CBL(N)	55	WP2824OFL(N)	64
WLWF501230FDLHL(N)	140	WP2812CFL(N)	54	WP283016CFL(N)	66
WLWF501230FDRHL(N)	140	WP2812CSL(N)	54	WP283016FFL(N)	67
WLWF501230OSL	138	WP2812F1LHL(N)	53	WP283016OBL(N)	65
WLWF571220FDLHL(N)	139	WP2812F1RHL(N)	53	WP283016OFL(N)	64
WLWF571220FDRHL(N)	139	WP2812F2LHL(N)	53	WP283016OSL	63
WLWF571220OSL	138	WP2812F2RHL(N)	53	WP283024CFL(N)	66
WLWF571224FDLHL(N)	136	WP2812FDLHL(N)	53	WP283024FFL(N)	67
WLWF571224FDLHL(N)	139	WP2812FDRHL(N)	53	WP283024OBL(N)	65
WLWF571224FDRHL(N)	136	WP2812FFL(N)	55	WP283024OFL(N)	64
WLWF571224FDRHL(N)	139	WP2812O1L	53	WP283024OSL	63
WLWF571224OSL	138	WP2812O2L	53	WP2830CFL(N)	66
WLWF571230FDLHL(N)	140	WP2812OBL(N)	54	WP2830FFL(N)	67
WLWF571230FDRHL(N)	140	WP2812OFL(N)	53	WP2830OBL(N)	65
WLWF571230OSL	138	WP2812OPL	53	WP2830OFL(N)	64
WLWF641220FDLHL(N)	139	WP2812SOLHL(N)	55	WP2830OSL	63
WLWF641220FDRHL(N)	139	WP2812SORHL(N)	55	WP283616CFL(N)	66
WLWF641220OSL	138	WP2816CBL(N)	58	WP283616FFL(N)	67
WLWF641224FDLHL(N)	136	WP2816CFL(N)	57	WP283616OBL(N)	65
WLWF641224FDLHL(N)	139	WP2816CSL(N)	57	WP283616OFL(N)	64
WLWF641224FDRHL(N)	136	WP2816F1LHL(N)	56	WP283616OSL	63
WLWF641224FDRHL(N)	139	WP2816F1RHL(N)	56	WP283624CFL(N)	66
WLWF641224OSL	138	WP2816F2LHL(N)	56	WP283624FFL(N)	67
WLWF641230FDLHL(N)	140	WP2816F2RHL(N)	56	WP283624OBL(N)	65
WLWF641230FDRHL(N)	140	WP2816FDLHL(N)	56	WP283624OFL(N)	64
WLWF641230OSL	138	WP2816FDRHL(N)	56	WP283624OSL	63
WLWSF122001L	142	WP2816FFL(N)	58	WP2836CFL(N)	66
WLWSF122004L	142	WP2816O1L	56	WP2836FFL(N)	67
WLWSF122401L	142	WP2816O2L	56	WP2836OBL(N)	65
WLWSF122404L	142	WP2816OBL(N)	57	WP2836OFL(N)	64
WLWSF123001L	142	WP2816OFL(N)	56	WP2836OSL	63
WLWSF123004L	142	WP2816OPL	56	WP284216CFL(N)	66
WLWSP1201L	142	WP2816SOLHL(N)	58	WP284216FFL(N)	67
WLWSP1204L	142	WP2816SORHL(N)	58	WP284216OBL(N)	65
WOWOP24L	94	WP281816CFL(N)	66	WP284216OFL(N)	64
WOWOP30L	94	WP281816FFL(N)	67	WP284216OSL	63
WOWOP36L	94	WP281816OBL(N)	65	WP284224CFL(N)	66
WOWOP42L	94	WP281816OFL(N)	64	WP284224FFL(N)	67
WOWOP48L	94	WP281816OSL	63	WP284224OFL(N)	64
WOWOP60L	94	WP281824CFL(N)	66	WP284224OSL	63
WOWOP72L	94	WP281824FFL(N)	67	WP2842CFL(N)	66
WOWSD48LHL(N)	94	WP281824OBL(N)	65	WP2842FFL(N)	67
WOWSD48RHL(N)	94	WP281824OFL(N)	64	WP2842OBL(N)	65
WOWSD60LHL(N)	94	WP281824OSL	63	WP2842OFL(N)	64
WOWSD60RHL(N)	94	WP2818CFL(N)	66	WPF2812BFL(N)	60
WOWSD72LHL(N)	94	WP2818FFL(N)	67	WPF2812CSL(N)	59
WOWSD72RHL(N)	94	WP2818OBL(N)	65	WPF2812FDLHL(N)	59
WOWSF2401L	95	WP2818OFL(N)	64	WPF2812FDRHL(N)	59
WOWSF2404L	95	WP2818OSL	63	WPF2812O1L	59
WOWSF3001L	95	WP282416CFL(N)	66	WPF2812OFL(N)	59
WOWSF3004L	95	WP282416FFL(N)	67	WPF2812RBL(N)	60
WOWSF3601L	95	WP282416OBL(N)	65	WPF2816BFL(N)	62
WOWSF3604L	95	WP282416OFL(N)	64	WPF2816CSL(N)	61

## Alpha-Numeric Index

WPF2816FDLHL(N)	61	WPM2412FDLHL(N)	44	WPT3620L	74
WPF2816FDRHL(N)	61	WPM2412FDRHL(N)	44	WPT3624L	75
WPF2816O1L	61	WPM2412FTL(N)	46	WPT4216L	74
WPF2816OFL(N)	61	WPM2412O1L	44	WPT4220L	74
WPF2816RBL(N)	62	WPM2412OFL(N)	44	WPT4224L	75
WPF281816CFL(N)	70	WPM2412OPL	44	WPT4816L	74
WPF281816OFL(N)	69	WPM2412SOLHL(N)	46	WPT4820L	74
WPF281816OSL	68	WPM2412SORHL(N)	46	WPT4824L	75
WPF281824CFL(N)	70	WPM2416BFL(N)	48	WPT5416L	74
WPF281824OFL(N)	69	WPM2416CML(N)	48	WPT5420L	74
WPF281824OSL	68	WPM2416CSL(N)	48	WPT5424L	75
WPF2818CFL(N)	70	WPM2416DTLHL(N)	49	WPT6016L	74
WPF2818OFL(N)	69	WPM2416DTRHL(N)	49	WPT6020L	74
WPF2818OSL	68	WPM2416F1LHL(N)	47	WPT6024L	75
WPF282416CFL(N)	70	WPM2416F1RHL(N)	47	WPT6616L	74
WPF282416OFL(N)	69	WPM2416FDLHL(N)	47	WPT6620L	74
WPF282416OSL	68	WPM2416FDRHL(N)	47	WPT6624L	75
WPF282424CFL(N)	70	WPM2416FTL(N)	49	WPT7216L	74
WPF282424OFL(N)	69	WPM2416O1L	47	WPT7220L	74
WPF282424OSL	68	WPM2416OFL(N)	47	WPT7224L	75
WPF2824CFL(N)	70	WPM2416OPL	47	WPT7816L	74
WPF2824OFL(N)	69	WPM2416SOLHL(N)	49	WPT7820L	74
WPF2824OSL	68	WPM2416SORHL(N)	49	WPT7824L	75
WPF283016CFL(N)	70	WPMC16	51	WPT8416L	74
WPF283016OFL(N)	69	WPMC16	52	WPT8420L	74
WPF283016OSL	68	WPM2416O1L	47	WPT8424L	75
WPF283024CFL(N)	70	WPM2416OFL(N)	47	WPTY3020L	75
WPF283024OFL(N)	69	WPM2416OPL	47	WPTY3620L	75
WPF283024OSL	68	WPM2416OFL(N)	47	WPTY4220L	75
WPF2830CFL(N)	70	WPM2416OPL	47	WPTY4820L	75
WPF2830OFL(N)	69	WPM2416SOLHL(N)	49	WPTY5420L	75
WPF2830OSL	68	WPM2416SORHL(N)	49	WPTY6020L	75
WPF283616CFL(N)	70	WPMC16	51	WPTY6620L	75
WPF283616OFL(N)	69	WPMC16	52	WPTY7220L	75
WPF283616OSL	68	WPM2416O1L	47	WPTY7820L	75
WPF283624CFL(N)	70	WPM2416OFL(N)	47	WPTY8420L	75
WPF283624OFL(N)	69	WPM2416OPL	47	WSPCFO4230L	78
WPF283624OSL	68	WPM2416OFL(N)	47	WSPCFO4236L	78
WPF2836CFL(N)	70	WPM2416OPL	47	WSPCFO4242L	78
WPF2836OFL(N)	69	WPM2416SOLHL(N)	49	WSPCFO5030L	78
WPF2836OSL	68	WPM2416SORHL(N)	49	WSPCFO5036L	78
WPF284216CFL(N)	70	WPMC16	51	WSPCFO5042L	78
WPF284216OFL(N)	69	WPMC16	52	WSPCFO5730L	78
WPF284216OSL	68	WPM2416O1L	47	WSPCFO5736L	78
WPF284224CFL(N)	70	WPM2416OFL(N)	47	WSPCFO5742L	78
WPF284224OFL(N)	69	WPM2416OPL	47	WSPCFO6430L	78
WPF284224OSL	68	WPM2416OFL(N)	47	WSPCFO6436L	78
WPF2842CFL(N)	70	WPM2416OPL	47	WSPCFO6442L	78
WPF2842OFL(N)	69	WPM2416SOLHL(N)	49	WSPCFOM4230L	79
WPF2842OSL	68	WPM2416SORHL(N)	49	WSPCFOM4236L	79
WPL1224C	50	WPMC16	51	WSPCFOM4242L	80
WPL1224N	50	WPMC16	52	WSPCFOM5030L	79
WPL1624C	50	WPM2416O1L	47	WSPCFOM5036L	79
WPL1624N	50	WPM2416OFL(N)	47	WSPCFOM5042L	80
WPM2412BFL(N)	45	WPM2416OPL	47	WSPCFOM5730L	79
WPM2412CML(N)	45	WPM2416OFL(N)	47	WSPCFOM5736L	79
WPM2412CSL(N)	45	WPM2416OPL	47	WSPCFOM5742L	80
WPM2412DTLHL(N)	46	WPM2416SOLHL(N)	49	WSPCFOM6430L	79
WPM2412DTRHL(N)	46	WPM2416SORHL(N)	49	WSPCFOM6436L	79
WPM2412F1LHL(N)	44	WPMC16	51	WSPCFOM6442L	80
WPM2412F1RHL(N)	44	WPMC16	52	WSPCT4230	81

## Alpha-Numeric Index

WSPCT4236	81	WSWSA5716L	83	WSWTY5727	89
WSPCT4242	81	WSWSA641220L	82	WSWTY5730	89
WSPCT5030	81	WSWSA641230L	82	WSWTY6424	89
WSPCT5036	81	WSWSA6412L	82	WSWTY6427	89
WSPCT5042	81	WSWSA641630L	83	WSWTY6430	89
WSPCT5730	81	WSWSA6416L	83	WTFD4224FDCBLHL(N)	122
WSPCT5736	81	WSWSAM421220L	84	WTFD4224FDCBRHL(N)	122
WSPCT5742	81	WSWSAM421230L	84	WTFD4224FDFFLHL(N)	122
WSPCT6430	81	WSWSAM4212L	84	WTFD4224FDFFRHL(N)	122
WSPCT6436	81	WSWSAM501220L	84	WTFD4230FDCBLHL(N)	122
WSPCT6442	81	WSWSAM501230L	84	WTFD4230FDCBRHL(N)	122
WSPWFO4230L	90	WSWSAM5012L	84	WTFD4230FDFFLHL(N)	122
WSPWFO4236L	90	WSWSAM571220L	84	WTFD4230FDFFRHL(N)	122
WSPWFO4242L	90	WSWSAM571230L	84	WTFD5024FDCBLHL(N)	123
WSPWFO5030L	90	WSWSAM5712L	84	WTFD5024FDCBRHL(N)	123
WSPWFO5036L	90	WSWSAM641220L	84	WTFD5024FDFFLHL(N)	123
WSPWFO5042L	90	WSWSAM641230L	84	WTFD5024FDFFRHL(N)	123
WSPWFO5730L	90	WSWSAM6412L	84	WTFD5030FDCBRHL(N)	123
WSPWFO5736L	90	WSWSAY421224L	86	WTFD5724FDCBLHL(N)	124
WSPWFO5742L	90	WSWSAY421227L	86	WTFD5724FDCBRHL(N)	124
WSPWFO6430L	90	WSWSAY421230L	86	WTFD5724FDFFLHL(N)	124
WSPWFO6436L	90	WSWSAY501224L	86	WTFD5724FDFFRHL(N)	124
WSPWFO6442L	90	WSWSAY501227L	86	WTFD5730FDCBLHL(N)	124
WSPWFOM4230L	91	WSWSAY501230L	86	WTFD5730FDCBRHL(N)	125
WSPWFOM4236L	91	WSWSAY571224L	86	WTFD5730FDFFLHL(N)	124
WSPWFOM4242L	91	WSWSAY571227L	86	WTFD5730FDFFRHL(N)	125
WSPWFOM5030L	91	WSWSAY571230L	86	WTFD6424FDCBLHL(N)	126
WSPWFOM5036L	91	WSWSAY641224L	86	WTFD6424FDCBRHL(N)	126
WSPWFOM5042L	91	WSWSAY641227L	86	WTFD6424FDFFLHL(N)	126
WSPWFOM5730L	91	WSWSAY641230L	86	WTFD6424FDFFRHL(N)	126
WSPWFOM5736L	91	WSWSAYM421224L	87	WTFD6430FDCBLHL(N)	126
WSPWFOM5742L	91	WSWSAYM421227L	87	WTFD6430FDCBRHL(N)	127
WSPWFOM6430L	91	WSWSAYM421230L	88	WTFD6430FDFFLHL(N)	126
WSPWFOM6436L	91	WSWSAYM501224L	87	WTFD6430FDFFRHL(N)	127
WSPWFOM6442L	91	WSWSAYM501227L	87	WTFD4224FDBFLHL(N)	128
WSPWT4230	92	WSWSAYM501230L	88	WTFD4224FDBFRHL(N)	128
WSPWT4236	92	WSWSAYM571224L	87	WTFD5024FDBFLHL(N)	129
WSPWT4242	92	WSWSAYM571227L	87	WTFD5024FDBFRHL(N)	129
WSPWT5030	92	WSWSAYM571230L	88	WTFD4224FDBFLHL(N)	128
WSPWT5036	92	WSWSAYM641224L	87	WTFD4224FDBFRHL(N)	128
WSPWT5042	92	WSWSAYM641227L	87	WTFD5024FDBFLHL(N)	129
WSPWT5730	92	WSWSAYM641230L	88	WTFD5024FDBFRHL(N)	129
WSPWT5736	92	WSWT4220	85	WTFD4224FDCBLHL(N)	114
WSPWT5742	92	WSWT4224	85	WTFD4224FDCBRHL(N)	114
WSPWT6430	92	WSWT4230	85	WTFD4224FDFFLHL(N)	114
WSPWT6436	92	WSWT5020	85	WTFD4224FDFFRHL(N)	114
WSPWT6442	92	WSWT5024	85	WTFD4230FDCBLHL(N)	114
WSWSA421220L	82	WSWT5030	85	WTFD4230FDCBRHL(N)	115
WSWSA421230L	82	WSWT5720	85	WTFD4230FDFFLHL(N)	114
WSWSA4212L	82	WSWT5724	85	WTFD4230FDFFRHL(N)	115
WSWSA421630L	83	WSWT5730	85	WTFD5024FDCBLHL(N)	116
WSWSA4216L	83	WSWT6420	85	WTFD5024FDCBRHL(N)	116
WSWSA501220L	82	WSWT6424	85	WTFD5024FDFFLHL(N)	116
WSWSA501230L	82	WSWT6430	85	WTFD5024FDFFRHL(N)	116
WSWSA5012L	82	WSWTY4224	89	WTFD5030FDCBLHL(N)	116
WSWSA501630L	83	WSWTY4227	89	WTFD5030FDCBRHL(N)	117
WSWSA5016L	83	WSWTY4230	89	WTFD5030FDFFLHL(N)	116
WSWSA571220L	82	WSWTY5024	89	WTFD5030FDFFRHL(N)	117
WSWSA571230L	82	WSWTY5027	89	WTFD5724FDCBLHL(N)	118
WSWSA5712L	82	WSWTY5030	89	WTFD5724FDCBRHL(N)	118
WSWSA571630L	83	WSWTY5724	89	WTFD5724FDFFLHL(N)	118

## Alpha-Numeric Index

WTF05724FDFRHL(N) . . . . .	118	WTS0501530WNLHL(N) . . . . .	100
WTF05730FDCBLHL(N) . . . . .	118	WTS0501530WNRHL(N) . . . . .	100
WTF05730FDCBRHL(N) . . . . .	119	WTS0501530WTLHL(N) . . . . .	99
WTF05730FDFFLHL(N) . . . . .	118	WTS0501530WTRHL(N) . . . . .	99
WTF05730FDFRHL(N) . . . . .	119	WTS0501824SNLHL(N) . . . . .	99
WTF06424FDCBLHL(N) . . . . .	120	WTS0501824SNRHL(N) . . . . .	99
WTF06424FDCBRHL(N) . . . . .	120	WTS0501824WNLHL(N) . . . . .	99
WTF06424FDFFLHL(N) . . . . .	120	WTS0501824WNLHL(N) . . . . .	100
WTF06424FDFRHL(N) . . . . .	120	WTS0501824WNRHL(N) . . . . .	99
WTF06430FDCBLHL(N) . . . . .	120	WTS0501830SNLHL(N) . . . . .	100
WTF06430FDCBRHL(N) . . . . .	121	WTS0501830SNRHL(N) . . . . .	100
WTF06430FDFFLHL(N) . . . . .	120	WTS0501830STLHL(N) . . . . .	99
WTF06430FDFRHL(N) . . . . .	121	WTS0501830STRHL(N) . . . . .	99
WTFP42L . . . . .	132	WTS0501830WNRHL(N) . . . . .	100
WTFP42M . . . . .	132	WTS0501830WTLHL(N) . . . . .	99
WTFP42T . . . . .	133	WTS0501830WTRHL(N) . . . . .	99
WTFP50L . . . . .	132	WTSOSB1501L . . . . .	101
WTFP50M . . . . .	132	WTSOSB1504L . . . . .	101
WTFP50T . . . . .	133	WTSOSB1801L . . . . .	101
WTFP57L . . . . .	132	WTSOSB1804L . . . . .	101
WTFP57M . . . . .	132	WTSOT302401L . . . . .	103
WTFP57T . . . . .	133	WTSOT302404L . . . . .	103
WTFP64L . . . . .	132	WTSOT303001L . . . . .	103
WTFP64M . . . . .	132	WTSOT303004L . . . . .	103
WTFP64T . . . . .	133	WTSOT362401L . . . . .	103
WTFSA4224FDBFLHL(N) . . . . .	128	WTSOT362404L . . . . .	103
WTFSA4224FDBFRHL(N) . . . . .	128	WTSOT363001L . . . . .	103
WTFSA5024FDBFLHL(N) . . . . .	129	WTSOT363004L . . . . .	103
WTFSA5024FDBFRHL(N) . . . . .	129		
WTLCKRKIT2401L . . . . .	130		
WTLCKRKIT2404L . . . . .	130		
WTLCKRKIT3001L . . . . .	130		
WTLCKRKIT3004L . . . . .	130		
WTLCRTM24 . . . . .	131		
WTLCRTM30 . . . . .	131		
WTLSF2401L . . . . .	130		
WTLSF2404L . . . . .	130		
WTLSF3001L . . . . .	130		
WTLSF3004L . . . . .	130		
WTLSP2401L . . . . .	130		
WTLSP2404L . . . . .	130		
WTLSP3001L . . . . .	130		
WTLSP3004L . . . . .	130		
WTS4224FDCBLHL(N) . . . . .	106		
WTS4224FDFFLHL(N) . . . . .	106		
WTS4224FDFRHL(N) . . . . .	106		
WTS4230FDCBLHL(N) . . . . .	106		
WTS4230FDCBRHL(N) . . . . .	106		
WTS4230FDCBRHL(N) . . . . .	107		
WTS4230FDFFLHL(N) . . . . .	106		
WTS4230FDFRHL(N) . . . . .	107		
WTS45024FDCBLHL(N) . . . . .	108		
WTS45024FDCBRHL(N) . . . . .	108		
WTS45024FDFRHL(N) . . . . .	108		
WTS45030FDCBLHL(N) . . . . .	108		
WTS45030FDCBRHL(N) . . . . .	108		
WTS45030FDFFLHL(N) . . . . .	108		
WTS45030FDFRHL(N) . . . . .	109		
WTS45724FDCBLHL(N) . . . . .	110		
WTS45724FDCBRHL(N) . . . . .	110		
WTS45724FDFFLHL(N) . . . . .	110		
WTS45724FDFRHL(N) . . . . .	110		
WTS45730FDCBLHL(N) . . . . .	110		
WTS45730FDCBRHL(N) . . . . .	111		
WTS45730FDFFLHL(N) . . . . .	110		
WTS45730FDFRHL(N) . . . . .	111		
WTS46424FDCBLHL(N) . . . . .	112		
WTS46424FDCBRHL(N) . . . . .	112		
WTS46424FDFFLHL(N) . . . . .	112		
WTS46424FDFRHL(N) . . . . .	112		
WTS46430FDCBLHL(N) . . . . .	112		
WTS46430FDCBRHL(N) . . . . .	113		
WTS46430FDFFLHL(N) . . . . .	112		
WTS46430FDFRHL(N) . . . . .	113		
WTSO421524SNLHL(N) . . . . .	97		
WTSO421524SNRHL(N) . . . . .	97		
WTSO421524STLHL(N) . . . . .	97		
WTSO421524STLHL(N) . . . . .	99		
WTSO421524STRHL(N) . . . . .	97		
WTSO421524STRHL(N) . . . . .	99		
WTSO421524WNLHL(N) . . . . .	97		
WTSO421524WNRHL(N) . . . . .	97		
WTSO421524WTLHL(N) . . . . .	97		
WTSO421524WTLHL(N) . . . . .	99		
WTSO421524WTRHL(N) . . . . .	97		
WTSO421524WTRHL(N) . . . . .	99		
WTSO421530SNLHL(N) . . . . .	98		
WTSO421530SNRHL(N) . . . . .	98		
WTSO421530STLHL(N) . . . . .	97		
WTSO421530STRHL(N) . . . . .	97		
WTSO421530WNLHL(N) . . . . .	98		
WTSO421530WNRHL(N) . . . . .	98		
WTSO421530WTLHL(N) . . . . .	97		
WTSO421530WTRHL(N) . . . . .	97		
WTSO421824SNLHL(N) . . . . .	97		
WTSO421824SNRHL(N) . . . . .	97		
WTSO421824STLHL(N) . . . . .	97		
WTSO421824STLHL(N) . . . . .	99		
WTSO421824STRHL(N) . . . . .	97		
WTSO421824STRHL(N) . . . . .	99		
WTSO421824WNLHL(N) . . . . .	97		
WTSO421824WNRHL(N) . . . . .	97		
WTSO421824WTLHL(N) . . . . .	97		
WTSO421824WTLHL(N) . . . . .	99		
WTSO421824WTRHL(N) . . . . .	97		
WTSO421824WTRHL(N) . . . . .	99		
WTSO421830SNLHL(N) . . . . .	98		
WTSO421830SNRHL(N) . . . . .	98		
WTSO421830STLHL(N) . . . . .	97		
WTSO421830STRHL(N) . . . . .	97		
WTSO421830WNLHL(N) . . . . .	98		
WTSO421830WNRHL(N) . . . . .	98		
WTSO421830WTLHL(N) . . . . .	97		
WTSO421830WTRHL(N) . . . . .	97		
WTSO501524SNLHL(N) . . . . .	99		
WTSO501524SNRHL(N) . . . . .	99		
WTSO501524WNLHL(N) . . . . .	99		
WTSO501524WNRHL(N) . . . . .	99		
WTSO501530SNLHL(N) . . . . .	100		
WTSO501530SNRHL(N) . . . . .	100		
WTSO501530STLHL(N) . . . . .	99		
WTSO501530STRHL(N) . . . . .	99		

# Wall Mounting of Knoll Products

## Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.



# Wall Mounting of Knoll Products

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
<b>Stud Specification</b>	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
<b>Stud Centers</b>	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
<b>Stud Height</b>	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
<b>Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*</b>	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer)  Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
<b>*Graham Wall Hung Shelf</b>	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
<b>Fasten the Knoll supplied wall cleat with...</b>	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

### Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$11
KBLANK	Shrouded Key Blank	\$11
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$23
KCHANGE	Change Key	\$11
HLKRKMASTER*	Master Key	\$14

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.