

# Pixel™ Collection

Price list  
June 2025

## Knoll

### Price Adjustment Summary

- June 2, 2025: All categories: +4.75%

(See next page for example)

### **Important :**

This price book is for reference only and does not reflect current list pricing. Refer to the Specification Tool for the latest pricing and product-specific details. Exceptions may apply.

## Price Adjustment Summary

Effective June 2, 2025

- Tables, Electricas and Accessories: **+4.75%**

---

### To calculate:

- Apply June adjustment to list prices.

---

### Estimating Updated Pricing

| List Price | Adjustment Steps    | Final Estimate |
|------------|---------------------|----------------|
| \$3,405    | ×1.0475 (June only) | \$3,567        |

### Important:













This price book is for reference only and does not reflect current list pricing.

Refer to the ***Specification Tool*** for the latest pricing and product-specific details. Exceptions may apply.






# Table of Contents

|                              |   |    |
|------------------------------|---|----|
| Introduction                 | Visual Index                                | 2  |
|                              | Using the Pixel Price List                  | 4  |
|                              | Intertek Clean Air Certified Pixel Products | 5  |
|                              | Materials and Finishes                      | 6  |
|                              | Product Maintenance                         | 7  |
|                              | Placing Your Pixel Order                    | 8  |
| Pixel Collection             | Marc Krusin : Pixel™ Table Series           | 10 |
|                              | Marc Krusin : Pixel™ Electrical             | 40 |
|                              | Marc Krusin : Pixel™ Accessories            | 52 |
| Selling Policy               |   | 62 |
| General Ordering Information |   | 64 |

# Visual Index

| Page | PIXEL COLLECTION   |  |
|------|--|--|
| 12   | KRUSIN   | Pixel™ C-Leg tables                                      |
|      |    |  |
| 20   |  | Pixel™ T-Leg tables                                      |
|      |    |  |
| 24   |  | Pixel™ Trapezoid tables<br>Fixed Top, Work Height        |
|      |     |  |
|      |  | Pixel™ Trapezoid Tables<br>Fixed Top, Pin Set Height     |
|      |    |  |
|      |  | Pixel™ Trapezoid Flip Top tables<br>Work Height, Casters |
|      |    |  |
|      |  | Pixel™ Trapezoid tables<br>Pin Set Height Adjustable     |
|      |   |  |
| 32   |  | Pixel™ Four Leg tables                                   |
|      |   |  |
|      |  | Pixel™ Y-Leg tables                                      |
|      |  |  |
|      |  | Pixel™ Y-Fold table                                      |
|      |   |  |
| 36   |  | Pixel™ Column Leg tables                                 |
|      |   |  |
| 36   |  | Pixel™ S table Series<br>C-Leg Fixed Top                 |
|      |   |  |
|      |  | C-Leg Flip Top   |
|      |  |  |

# Visual Index

| Page | PIXEL COLLECTION, continued |  |
|------|-----------------------------|--|
| 42   | KRUSIN                      | Pixel™ Electrical  |
|      |                             |    |
| 44   |                             | Pixel™ Electrical (continued)  |
|      |                             |    |
| 50   |                             | Pixel™ Trac  |
|      |                             |    |
| 52   |                             | Pixel™ Wire Management   |
|      |                             |   |
| 54   |                             | Pixel™ Modesty Screens   |
|      |                             |  |

# Using the Pixel Price List

---

## A Price List Overview

Where do I send my order? How should I maintain my marble table? From textile options to wood polishes, the KnollStudio price list is designed to provide you with everything you need to know in order to understand, specify, and care for furniture in the KnollStudio Collection.

This book is divided into three easy-to-use sections.

- Propeller Table Series
- Pixel™ Tables Series
- LSM Conference Tables

For a quick overview of the collection's scope, review the Visual Index on pages 0-3. If you're looking for pieces by a specific designer, try the Designer Index on page 0.

## Finishes

For detailed explanations of the many materials used in constructing KnollStudio furniture, consult page 7. A cross-reference of KnollStudio veneer or lumber finishes with standard Knoll Office veneers is provided on page 7. Easy-care maintenance information is also provided on pages 8-9.

## Placing Your KnollStudio Order

For information about where to send your order and key terms and conditions, see page 9. The complete Knoll Selling Policy is available on pages 64-65.

General Ordering Information and Knoll's Sustainability Statement is available on page 66

## Product Information On Each Page

On each page, the following features will assist you:

*Description* provides both the pattern number and a basic description of the product.

*Dimensions* provide the overall space the product will require. Statistics are based on the maximum width, depth, and height of the product.

*Weight* is based on the product itself. It does not include packaging. Weights are rounded to the nearest pound.

Weights of upholstered items do not include weight of textile/leather. To calculate total weight, multiply covering requirements by textile/leather weight, and add to product weight.

*Pattern Number* provides both the product identification number and all additional selections required for ordering. Finish options are enclosed in parentheses. Finish suffix descriptions are found under Finishes on the bottom portion of the page.

*Order Code/Ordering Information* outlines exactly how to specify KnollStudio product and the full scope of finishes and other options. The Order Code provides an example of how one pattern number on the page is specified.

*Construction* provides specific materials and finishes employed, as well as specific construction details.

## Note to Knoll Dealer Sellers:

The products contained in this price list are also available through the Knoll Essentials program, with limited exceptions. For additional information, please contact your customer service representative or visit Knoll Exchange.

## For More Information

For more information, contact your KnollStudio representative, a Knoll Space trailer or e-trailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit [www.knoll.com](http://www.knoll.com).

# Intertek Clean Air Certified Pixel Products

---

## Intertek Clean Air Certification

Intertek's Clean Air Certification validates the level of volatile organic compound (VOC) emissions from products. VOCs are gases emitted from products and include a variety of chemicals that may effect consumers' health in the short- and long-term. Both Intertek Clean Air GOLD and SILVER certifications ensure the user-health, safety and sustainability of Knoll products. A selection of Knoll Office and KnollStudio products are Intertek certified Clean Air, most of which are certified GOLD, which imposes more rigorous standards than certified SILVER.

- USGBC LEED credits
- California 01350 Special Environmental Requirements (CDPH)
- California Department of General Service (DGS) Indoor Air Quality Specifications for Open Panel Office Furniture
- Compliant to BIFMA e3 standard credit 7.6.2 and 7.6.3

## KnollStudio Natural Materials

Wood and marble are natural materials that vary. Use material samples and printed sample materials as reference only. KnollStudio printed and finish samples offer an example of what an “average” natural material may look like, within a range of acceptance carefully delineated by Knoll. Because of the breadth of variations possible with any natural material, Knoll specialists select these materials with stringent criteria, accepting only the top 3 - 5% of what is available.


### Wood

#### *Knoll Natural Veneers*

All natural finishes are selected from the finest hardwoods available around the world. Veneers are flat cut and carefully matched so that cathedral or heart patterns are perfectly balanced. Natural veneers also are cut to allow a generous margin of quarter-grain figuring ensuring invisible splicing.



*Quarter  
Pattern*



*Cathedral  
Pattern*

### Marble

Knoll selects the highest quality, structurally sound marble through a host of quarries in the United States, Turkey, Spain, Slovenia and Italy. Because each mountain range and quarry have their own signature, every marble piece - even within a single quarry - is unique. Hues, veins, crystals, fossils, clouds, and distinctive marks will vary from piece to piece. This is the extraordinary character of stone as a material. Its high quality and its unique nature give the Knoll tables a feel of incredible sculptural beauty. The following are the marbles that KnollStudio offers:

#### **Coated Marbles**

##### *Coated Marbles*

Coated marbles have transparent, high-polish, polyester coating to prevent use-associated stains. Even with this protection, coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

#### *Satin Coated Marble*

Satin coated marbles have transparent satin polyester coating to prevent use-associated stains. This satin finish gives the stone a natural, honed appearance while providing the same protective qualities as the Coated Marbles. Even with this protection, satin coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

#### *Arabescato*

Ivory white with dark grey veining. May contain random green veins.

#### *Calacatta*

Ivory white. Gold and beige random veins with additional veins varying from cream to green and grey.

#### *Grey Marble*

Grey with black and white veins. Hues vary in tone and intensity.

#### **Man-Made Materials & Finishes**

##### *Stainless Steel*

Completely rust-proof, highly durable, and resistant to bending stress.

#### *Polished Chrome*

Several-step plating process that includes a heavy layer of nickel for added rust protection and a bright mirror finish.

#### *Satin Chrome*

Chrome plating applied for a soft satinized chrome finish with a higher nickel content.

#### *Polished Aluminum*

A shiny, polished finish.

#### *Clear Anodized Aluminum*

A light grey satin finish.

#### *Laminate*

An exceptionally durable plastic surface. Highly resistant to most chemicals and extensive wear.

#### *Vetro Bianco:*

Vetro Bianco is an engineered resin free quartz surface. The brilliant white surface is nonporous, stain proof, and extremely durable making it suitable for indoor and outdoor use.



# Product Maintenance

---

*With proper care, your KnollStudio furniture should last for years to come. To help ensure the longevity of your purchase, below are helpful hints on routine cleaning for your KnollStudio piece. Most basic maintenance can be performed with common household cleaning products.*

## **Wood**

Clean with a commercial brand of liquid furniture polish twice a month. For stubborn dirt or light scratches, rub lightly with very fine steel wool before using furniture polish. Steel wool Grade #0000 is recommended. To rejuvenate luster, apply a furniture cream as a last step. Do not use water or household solvents: they will destroy the protective finish.

## **Marble with Polyester Coating**

Wash with lukewarm water. Wash more thoroughly with Windex, Fantastik, Ivory Flakes in warm water, or other non-abrasive solutions. Rinse with warm water and dry with a soft cloth.

## **Vetro Bianco**

Wash surface with lukewarm water. Clean more thoroughly with a non-abrasive solution such as Windex or Fantastik. Rinse with warm water and dry with a soft cloth. Wipe off stains immediately with water and a soft cloth. Never use steel wool or other abrasives on surface.

## **Glass/Acrylic Polycarbonate**

Clean with Windex, Fantastik or other non-abrasive cleaning solutions. Wipe dry with a clean cloth.

## **Laminate/Melamine**

Scrub with Windex, Fantastik, Mr. Clean, or other household soaps or detergents well dissolved in water, or with a very soft cloth dampened with alcohol or a synthetic thinner. For a dull finish, rub with jeweler's rouge as a polishing agent and finish with paste wax. Never use abrasives. Remove stubborn stains with Soft Scrub.

## **Stainless Steel**

Use Windex, Fantastik, or other non-abrasive household cleaners. For small scratches, rub with Comet, Ajax, or other mild abrasives in the direction of the grain. Apply a coat of auto wax to maintain beauty.

## **Chrome/Satin Chrome**

Clean with Windex or an automotive chrome cleaner such as Semi-Chrome twice a month. Apply a coat of hard paste wax to protect against moisture.

## **Polished Aluminum**

Clean with Windex, Fantastik, or other non-abrasive cleaning solutions. Coat with a hard paste wax semi-annually to maintain luster and prevent discoloration.

## **Anodized Aluminum**

Clean with mild soaps, detergents, or other non-abrasive cleaning agents. Apply paste wax or DuPont non-abrasive car polish #7 twice a year to prevent oxidation.

For stubborn stains or discolorations, apply navel jelly aluminum cleaner.

## **Urethane Edge**

Clean with household soaps and detergents well dissolved in water. Do not use abrasive cleaning solutions.

## **Powder Coat Paint**

Clean with Windex or Endust using a soft cloth. Remove stubborn stains with Soft Scrub.

# Placing Your Pixel Order

---

## Use the Following Address:

If you would like to send an order directly to our order entry departments, please use the following address:

Knoll, Inc.  
P.O. Box 157  
East Greenville, PA 18041  
Attn: Order Entry

Fax: 215 679-1570  
Tel: 800 343-KNOLL

## When Placing Your Order, Include:

- All information requested on the order form.
- Local taxes for the “delivered to” address.
- For orders \$2,000 or under (including applicable taxes and delivery/installation fees, if any), full payment must be made when order is placed.
- For orders over \$2,000, a deposit equal to one-half of the complete order value is required at order placement. Balance must be settled before shipment.

## Key Points to Remember:

All accepted orders will be confirmed in writing on the Knoll standard acknowledgement form. A copy of the acknowledgement will be mailed to the customer prior to production.

Freight within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories and Newfoundland, is prepaid and included in the price of all orders.

For residential orders, Knoll strongly recommends White Glove delivery service to most locations in the Continental United States and Canada. White Glove service includes inside delivery, unpacking, furniture installation and removing cartons and crates. The fee for this service will be quoted at the point of purchase.

KnollStudio’s limited warranty covers all furniture against manufacturing defects in this price list for a period of five years after delivery to the customer.

All pricing is in U.S. dollars.






## For More Information:

For complete Knoll Selling Policy and warranty information, please refer to pages 64-65 in the back of this price list.

For additional information on KnollStudio, contact your KnollStudio representative, a Knoll Space retailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit [www.knoll.com](http://www.knoll.com).



Marc Krusin  
Pixel™ Table Series  
C-Leg Advanced Tables, Fixed Top

|  | description   | w  | d   | h            | leg type | table wgt. (lbs) |
|--|---|--|-----|--------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015<br><br><i>Award(s):</i><br>Best of Neon Gold Award, 2015  |  | <b>KCXW</b> Work Height, Fixed Top   |     |              |          |                  |
|  |   | 48"  | 18" | 28 ¾"        | C-Leg    | 52               |
|  |   | 60"  | 18" | 28 ¾"        | C-Leg    | 61               |
|  |   | 72"  | 18" | 28 ¾"        | C-Leg    | 70               |
|  |   | 48"  | 21" | 28 ¾"        | C-Leg    | 63               |
|  |   | 60"  | 21" | 28 ¾"        | C-Leg    | 74               |
|  |   | 72"  | 21" | 28 ¾"        | C-Leg    | 85               |
|  |   | 48"  | 24" | 28 ¾"        | C-Leg    | 63               |
|  |   | 60"  | 24" | 28 ¾"        | C-Leg    | 74               |
|  |   | 72"  | 24" | 28 ¾"        | C-Leg    | 85               |
|  |   | 48"  | 30" | 28 ¾"        | C-Leg    | 74               |
|  |   | 60"  | 30" | 28 ¾"        | C-Leg    | 87               |
|  |   | 72"  | 30" | 28 ¾"        | C-Leg    | 101              |
|  |   | <b>KCXA</b> Pin Set Height Adjustable, Fixed Top                                   |     |              |          |                  |
|  |   | 48"  | 18" | 28 3/4 - 34" | C-Leg    | 55               |
| <br> |  | 60"  | 18" | 28 3/4 - 34" | C-Leg    | 64               |
|  |   | 72"  | 18" | 28 3/4 - 34" | C-Leg    | 73               |
|  |   | 48"  | 21" | 28 3/4 - 34" | C-Leg    | 66               |
|  |   | 60"  | 21" | 28 3/4 - 34" | C-Leg    | 77               |
|  |   | 72"  | 21" | 28 3/4 - 34" | C-Leg    | 89               |
|  |   | 48"  | 24" | 28 3/4 - 34" | C-Leg    | 66               |
|  |   | 60"  | 24" | 28 3/4 - 34" | C-Leg    | 77               |
|  |   | 72"  | 24" | 28 3/4 - 34" | C-Leg    | 89               |
|  |   | 48"  | 30" | 28 3/4 - 34" | C-Leg    | 77               |
|  |   | 60"  | 30" | 28 3/4 - 34" | C-Leg    | 91               |
|  |   | 72"  | 30" | 28 3/4 - 34" | C-Leg    | 104              |
|  |   | <b>KGANG</b> Pixel ganging mechanism   |     |              |          |                  |
|  |   |  |     |              |          |                  |






| Order Code   | Finishes   |
|--|--|
| <i>Example:</i> <b>KCXW7224-C-114-004T-Y-115T</b>  |  |
| <b>KCXW7224</b>  | 72" x 24" Work Height, Fixed Top   |
| <b>C</b>   | Locking casters  |
| <b>8Q</b>  | Folkstone laminate   |
| <b>004T</b>  | Folkstone flat edgeband  |
| <b>Y</b>   | No grommet   |
| <b>115T</b>  | Medium Grey legs   |
| <i>Specify:</i><br>1. Pattern number<br>2. Locking casters or glide selection<br>3. Top finish selection<br>4. Edgeband selection<br>5. Cutout option<br>6. Leg finish |  |
|  | <div><div><div><i>Colored laminate finishes:</i><br/>White (suffix 91)<br/>Bright White, matte (suffix 118)<br/>Folkstone, matte (suffix 8Q)<br/>Ultra Black(suffix UBK)</div><div><i>Woodgrain laminate finishes:</i><br/>Natural Maple (suffix 125)<br/>Natural Cherry (suffix 126)<br/>Walnut (suffix 127)<br/>Light Ash (suffix 139)<br/>Warm Ash (suffix 140)<br/>Whitened Ash (suffix 141)<br/>Grey Ash (suffix 142)<br/>Classic Oak (suffix 143)<br/>Graphite Pear (suffix 144)</div><div><i>Veneer top/edge finishes:</i><br/>American Walnut (suffix AW)<br/>Natural Oak (suffix ON)<br/>Fumed Oak (suffix OF)<br/>Ebonized Oak (suffix OE)</div></div><div><div><i>Molded edgeband finishes:</i><br/>Black (suffix 300M)<br/>Mink (suffix 324M)<br/>Innertone (suffix 386M)<br/>Platinum (suffix 367M)<br/>Folkstone (suffix 004M)</div><div><i>Flat edgeband finishes:</i><br/>Mink (suffix 324)<br/>Innertone (suffix 386)<br/>Platinum (suffix 367)<br/>Folkstone (suffix 004)<br/>Bright White (suffix 118)<br/>White (suffix 91)</div><div><i>Woodgrain flat edgeband finishes:</i><br/>Natural Maple (suffix 125)<br/>Natural Cherry (suffix 126)<br/>Walnut (suffix 127)<br/>Light Ash (suffix 139)<br/>Warm Ash (suffix 140)<br/>Whitened Ash (suffix 141)<br/>Grey Ash (suffix 142)<br/>Classic Oak (suffix 143)<br/>Graphite Pear (suffix 144)</div></div><div><div><i>Leg finishes:</i><br/>White (suffix 91T)<br/>Bright White (suffix 118T) *<br/>Medium Grey (suffix 115T)<br/>Sterling (suffix 906T)</div><div><i>Glides/Casters:</i><br/>Glides (suffix G)<br/>Casters (suffix C)</div><div><b>Hybrid Chrome Base:</b><br/>Chromed legs are available on KCXW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. Please note Hybrid Chrome base is not available on 18" depth tables on casters.<br/><i>Example:</i><br/><b>KCXW6030-C-118-300-Y-118T-C</b></div></div></div> |

\*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

| pattern no.                  | laminate/flat edge | laminate/molded edge | veneer/wood |
|------------------------------|--------------------|----------------------|-------------|
| <b>KCXW4818-(-)(-)(-)(-)</b> | \$2,373.           | \$2,539.             | \$4,178.    |
| <b>KCXW6018-(-)(-)(-)(-)</b> | \$2,477.           | \$2,662.             | \$4,359.    |
| <b>KCXW7218-(-)(-)(-)(-)</b> | \$2,566.           | \$2,765.             | \$4,571.    |
| <b>KCXW4821-(-)(-)(-)(-)</b> | \$2,458.           | \$2,636.             | \$4,379.    |
| <b>KCXW6021-(-)(-)(-)(-)</b> | \$2,568.           | \$2,766.             | \$4,640.    |
| <b>KCXW7221-(-)(-)(-)(-)</b> | \$2,663.           | \$2,889.             | \$4,905.    |
| <b>KCXW4824-(-)(-)(-)(-)</b> | \$2,458.           | \$2,636.             | \$4,379.    |
| <b>KCXW6024-(-)(-)(-)(-)</b> | \$2,568.           | \$2,766.             | \$4,640.    |
| <b>KCXW7224-(-)(-)(-)(-)</b> | \$2,663.           | \$2,889.             | \$4,905.    |
| <b>KCXW4830-(-)(-)(-)(-)</b> | \$2,577.           | \$2,773.             | \$4,654.    |
| <b>KCXW6030-(-)(-)(-)(-)</b> | \$2,698.           | \$2,916.             | \$4,966.    |
| <b>KCXW7230-(-)(-)(-)(-)</b> | \$2,804.           | \$3,049.             | \$5,193.    |
| <b>KCXA4818-(-)(-)(-)(-)</b> | \$2,653.           | \$2,814.             | \$4,424.    |
| <b>KCXA6018-(-)(-)(-)(-)</b> | \$2,752.           | \$2,938.             | \$4,608.    |
| <b>KCXA7218-(-)(-)(-)(-)</b> | \$2,841.           | \$3,053.             | \$4,819.    |
| <b>KCXA4821-(-)(-)(-)(-)</b> | \$2,734.           | \$2,913.             | \$4,630.    |
| <b>KCXA6021-(-)(-)(-)(-)</b> | \$2,842.           | \$3,047.             | \$4,887.    |
| <b>KCXA7221-(-)(-)(-)(-)</b> | \$2,939.           | \$3,168.             | \$5,147.    |
| <b>KCXA4824-(-)(-)(-)(-)</b> | \$2,734.           | \$2,913.             | \$4,630.    |
| <b>KCXA6024-(-)(-)(-)(-)</b> | \$2,842.           | \$3,047.             | \$4,887.    |
| <b>KCXA7224-(-)(-)(-)(-)</b> | \$2,939.           | \$3,168.             | \$5,147.    |
| <b>KCXA4830-(-)(-)(-)(-)</b> | \$2,853.           | \$3,047.             | \$4,906.    |
| <b>KCXA6030-(-)(-)(-)(-)</b> | \$2,972.           | \$3,197.             | \$5,210.    |
| <b>KCXA7230-(-)(-)(-)(-)</b> | \$3,079.           | \$3,328.             | \$5,437.    |
| <b>KGANG</b>                 | \$42.              | n/a                  | n/a         |

| Electrical   | Construction   | Features   |
|--|--|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><b>Trough cutout on C-Leg Only</b><br>TAS - Center Cutout<br><br>C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.<br><br><i>Maintenance:</i><br>See pages 7.<br><br><i>Note:</i><br>Pixel tables are certified Clean Air GOLD. |

Marc Krusin  
Pixel™ Table Series  
C-Leg Advanced Tables, Flip Top

|   | description   | w   | d   | h                | leg type | table wgt. (lbs) |  |
|---|---|---|-----|------------------|----------|------------------|--|
| <i>Designer(s):</i><br>Marc Krusin, 2015<br><br><i>Award(s):</i><br>Best of Neocon Gold Award, 2015 |   | 48"   | 18" | 28 3/4"          | C-Leg    | 74               |  |
|   |   | 60"   | 18" | 28 3/4"          | C-Leg    | 66               |  |
|   |   | 72"   | 18" | 28 3/4"          | C-Leg    | 75               |  |
|   |   | 48"   | 21" | 28 3/4"          | C-Leg    | 74               |  |
|   |   | 60"   | 21" | 28 3/4"          | C-Leg    | 78               |  |
|   |   | 72"   | 21" | 28 3/4"          | C-Leg    | 91               |  |
|   |   | 48"   | 24" | 28 3/4"          | C-Leg    | 74               |  |
|   |   | 60"   | 24" | 28 3/4"          | C-Leg    | 78               |  |
|   |   | 72"   | 24" | 28 3/4"          | C-Leg    | 91               |  |
|   |   | 48"   | 30" | 28 3/4"          | C-Leg    | 74               |  |
|   |   | 60"   | 30" | 28 3/4"          | C-Leg    | 93               |  |
|   |   | 72"   | 30" | 28 3/4"          | C-Leg    | 106              |  |
|   |   | <b>KCPA</b> Pin Set Height Adjustable, Flip Top, Casters                          |     |                  |          |                  |  |
|   |   | 48"   | 21" | 28 3/4 - 33 1/4" | C-Leg    | 71               |  |
|   |   | 60"   | 21" | 28 3/4 - 33 1/4" | C-Leg    | 82               |  |
|   |   | 72"   | 21" | 28 3/4 - 33 1/4" | C-Leg    | 94               |  |
|   |   | 48"   | 24" | 28 3/4 - 33 1/4" | C-Leg    | 71               |  |
|   |   | 60"   | 24" | 28 3/4 - 33 1/4" | C-Leg    | 82               |  |
|   |   | 72"   | 24" | 28 3/4 - 33 1/4" | C-Leg    | 94               |  |
|   |   | 48"   | 30" | 28 3/4 - 33 1/4" | C-Leg    | 82               |  |
|   |   | 60"   | 30" | 28 3/4 - 33 1/4" | C-Leg    | 96               |  |
|   |   | 72"   | 30" | 28 3/4 - 33 1/4" | C-Leg    | 109              |  |
|   |   | <b>KGANG</b> Pixel ganging mechanism  |     |                  |          |                  |  |
|   |   |  |     |                  |          |                  |  |





| pattern no.                     | laminate/flat edge | laminate/molded edge | veneer/wood |
|---------------------------------|--------------------|----------------------|-------------|
| <b>KCPW4818-(C)-( )-( )-( )</b> | \$2,619.           | \$2,782.             | \$4,515.    |
| <b>KCPW6018-(C)-( )-( )-( )</b> | \$2,724.           | \$2,913.             | \$4,706.    |
| <b>KCPW7218-(C)-( )-( )-( )</b> | \$2,817.           | \$3,028.             | \$4,919.    |
| <b>KCPW4821-(C)-( )-( )-( )</b> | \$2,701.           | \$2,881.             | \$4,722.    |
| <b>KCPW6021-(C)-( )-( )-( )</b> | \$2,817.           | \$3,022.             | \$4,989.    |
| <b>KCPW7221-(C)-( )-( )-( )</b> | \$2,916.           | \$3,147.             | \$5,249.    |
| <b>KCPW4824-(C)-( )-( )-( )</b> | \$2,701.           | \$2,881.             | \$4,722.    |
| <b>KCPW6024-(C)-( )-( )-( )</b> | \$2,817.           | \$3,022.             | \$4,989.    |
| <b>KCPW7224-(C)-( )-( )-( )</b> | \$2,916.           | \$3,147.             | \$5,249.    |
| <b>KCPW4830-(C)-( )-( )-( )</b> | \$2,825.           | \$3,018.             | \$5,002.    |
| <b>KCPW6030-(C)-( )-( )-( )</b> | \$2,946.           | \$3,170.             | \$5,314.    |
| <b>KCPW7230-(C)-( )-( )-( )</b> | \$3,061.           | \$3,310.             | \$5,540.    |
| <b>KCPA4821-(C)-( )-( )-( )</b> | \$2,898.           | \$3,077.             | \$4,894.    |
| <b>KCPA6021-(C)-( )-( )-( )</b> | \$3,013.           | \$3,219.             | \$5,158.    |
| <b>KCPA7221-(C)-( )-( )-( )</b> | \$3,113.           | \$3,343.             | \$5,422.    |
| <b>KCPA4824-(C)-( )-( )-( )</b> | \$2,898.           | \$3,077.             | \$4,894.    |
| <b>KCPA6024-(C)-( )-( )-( )</b> | \$3,013.           | \$3,219.             | \$5,158.    |
| <b>KCPA7224-(C)-( )-( )-( )</b> | \$3,113.           | \$3,343.             | \$5,422.    |
| <b>KCPA4830-(C)-( )-( )-( )</b> | \$3,018.           | \$3,218.             | \$5,173.    |
| <b>KCPA6030-(C)-( )-( )-( )</b> | \$3,146.           | \$3,368.             | \$5,486.    |
| <b>KCPA7230-(C)-( )-( )-( )</b> | \$3,257.           | \$3,507.             | \$5,717.    |
| <b>KGANG</b>                    | \$42.              | n/a                  | n/a         |

| Order Code   | Finishes   |   |   |
|--|--|---|---|
| <i>Example:</i> <b>KCPW7224-C-8Q-004T-Y-115T</b>   | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)   | <b>Hybrid Chrome Base:</b><br>Chromed legs are available on KCPW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. Please note Hybrid Chrome base is not available on 18" depth tables on casters.<br><i>Example:</i><br><b>KCPW6030-C-118-300-Y-118T-C</b> |
| <b>C</b> Locking casters   | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   | <i>Note:</i><br>Glides are not available on flip top tables.  |
| <b>8Q</b> Folkstone laminate   |  | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.   |
| <b>004T</b> Folkstone flat edgeband  | <i>Veneer top/edge finishes:</i><br>American Walnut (suffix AW)<br>Natural Oak (suffix ON)<br>Fumed Oak (suffix OF)<br>Ebonized Oak (suffix OE)  |   |   |
| <b>Y</b> No grommet  |  |   |   |
| <b>115T</b> Medium Grey legs   |  |   |   |
| <i>Specify:</i><br>1. Pattern number<br>2. Locking casters or glide selection<br>3. Top finish selection<br>4. Edgeband selection<br>5. Cutout option<br>6. Leg finish |  |   |   |
| <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)  |  |   |   |

| Electrical   | Construction   | Features   |
|--|--|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><b>Trough cutout on C-Leg Only</b><br>TAS - Center Cutout<br><br>C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.<br><br><i>Maintenance:</i><br>See pages 7.<br><br><i>Note:</i><br>Pixel tables are certified Clean Air GOLD. |

*Caution:*  
When moving flip top tables on casters, only push tables while the top is down in the flat position.

Marc Krusin  
Pixel™ Table Series  
C-Leg Simplified Tables, Fixed Top

|  | description   | w   | d   | h          | leg type | table wgt. (lbs) |
|--|---|-----|-----|------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KLCXW</b> Work Height, Fixed Top   | 48" | 18" | 28¾"       | C-Leg    | 52               |
|  |   | 60" | 18" | 28¾"       | C-Leg    | 61               |
| <i>Award(s):</i><br>Best of Neocon Gold Award, 2015                                |   | 72" | 18" | 28¾"       | C-Leg    | 70               |
|  |   | 48" | 21" | 28¾"       | C-Leg    | 63               |
|    |   | 60" | 21" | 28¾"       | C-Leg    | 74               |
|  |   | 72" | 21" | 28¾"       | C-Leg    | 85               |
|  |   | 48" | 24" | 28¾"       | C-Leg    | 63               |
|  |   | 60" | 24" | 28¾"       | C-Leg    | 74               |
|  |   | 72" | 24" | 28¾"       | C-Leg    | 85               |
|  |   | 48" | 30" | 28¾"       | C-Leg    | 74               |
|  |   | 60" | 30" | 28¾"       | C-Leg    | 87               |
|  |   | 72" | 30" | 28¾"       | C-Leg    | 101              |
|  | <b>KLCXA</b> Pin Set Height Adjustable, Fixed Top   | 48" | 18" | 28¾" - 34" | C-Leg    | 55               |
|  |   | 60" | 18" | 28¾" - 34" | C-Leg    | 64               |
|  |   | 72" | 18" | 28¾" - 34" | C-Leg    | 73               |
|  |   | 48" | 21" | 28¾" - 34" | C-Leg    | 66               |
|  |   | 60" | 21" | 28¾" - 34" | C-Leg    | 77               |
|  |   | 72" | 21" | 28¾" - 34" | C-Leg    | 89               |
|  |   | 48" | 24" | 28¾" - 34" | C-Leg    | 66               |
|  |   | 60" | 24" | 28¾" - 34" | C-Leg    | 77               |
|  |   | 72" | 24" | 28¾" - 34" | C-Leg    | 89               |
|  |   | 48" | 30" | 28¾" - 34" | C-Leg    | 77               |
|  |   | 60" | 30" | 28¾" - 34" | C-Leg    | 91               |
|  |   | 72" | 30" | 28¾" - 34" | C-Leg    | 104              |
| <b>KGANG</b> Pixel ganging mechanism   |   |     |     |            |          |                  |
|  |   |     |     |            |          |                  |





| pattern no.                        | laminate/flat edge |
|------------------------------------|--------------------|
| <b>KLCXW4818-(C,G)-( )-( )-( )</b> | \$1,600.           |
| <b>KLCXW6018-(C,G)-( )-( )-( )</b> | \$1,669.           |
| <b>KLCXW7218-(C,G)-( )-( )-( )</b> | \$1,733.           |
| <b>KLCXW4821-(C,G)-( )-( )-( )</b> | \$1,600.           |
| <b>KLCXW6021-(C,G)-( )-( )-( )</b> | \$1,669.           |
| <b>KLCXW7221-(C,G)-( )-( )-( )</b> | \$1,733.           |
| <b>KLCXW4824-(C,G)-( )-( )-( )</b> | \$1,600.           |
| <b>KLCXW6024-(C,G)-( )-( )-( )</b> | \$1,669.           |
| <b>KLCXW7224-(C,G)-( )-( )-( )</b> | \$1,733.           |
| <b>KLCXW4830-(C,G)-( )-( )-( )</b> | \$1,674.           |
| <b>KLCXW6030-(C,G)-( )-( )-( )</b> | \$1,752.           |
| <b>KLCXW7230-(C,G)-( )-( )-( )</b> | \$1,822.           |
| <b>KLCXA4818-(C,G)-( )-( )-( )</b> | \$1,724.           |
| <b>KLCXA6018-(C,G)-( )-( )-( )</b> | \$1,788.           |
| <b>KLCXA7218-(C,G)-( )-( )-( )</b> | \$1,847.           |
| <b>KLCXA4821-(C,G)-( )-( )-( )</b> | \$1,778.           |
| <b>KLCXA6021-(C,G)-( )-( )-( )</b> | \$1,848.           |
| <b>KLCXA7221-(C,G)-( )-( )-( )</b> | \$1,912.           |
| <b>KLCXA4824-(C,G)-( )-( )-( )</b> | \$1,778.           |
| <b>KLCXA6024-(C,G)-( )-( )-( )</b> | \$1,848.           |
| <b>KLCXA7224-(C,G)-( )-( )-( )</b> | \$1,912.           |
| <b>KLCXA4830-(C,G)-( )-( )-( )</b> | \$1,854.           |
| <b>KLCXA6030-(C,G)-( )-( )-( )</b> | \$1,932.           |
| <b>KLCXA7230-(C,G)-( )-( )-( )</b> | \$2,003.           |
| <b>KGANG</b>                       | \$42.              |

| Order Code  | Finishes                         |  |   |
|---|----------------------------------|--|---|
| <i>Example:</i> <b>KLCXW6024-C-8Q-004T-Y-115T</b>   |                                  |  |   |
| <b>KLCXW6024</b>  | 60" x 24" Work Height, Fixed Top | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Flat edgeband finishes:</i><br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   |
| <b>C</b>  | Locking casters                  | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |
| <b>8Q</b>   | Folkstone laminate               |  |   |
| <b>004T</b>   | Folkstone flat edgeband          |  |   |
| <b>Y</b>  | No grommet                       |  |   |
| <b>115T</b>   | Medium Grey legs                 |  |   |
| <i>Specify:</i>   |                                  |  |   |
| 1. Pattern number   |                                  |  |   |
| 2. Locking casters or glide selection   |                                  |  |   |
| 3. Top finish selection   |                                  |  |   |
| 4. Edgeband selection   |                                  |  |   |
| 5. Cutout option  |                                  |  |   |
| 6. Leg finish   |                                  |  |   |
| <i>Note:</i><br>Glides are not available on flip top tables.<br><br>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black. |                                  |  |   |

| Electrical  | Construction  | Features   |
|---|---|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.   | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. |
| <i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.   | <i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Wire Management:</i><br>Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.                    |
|   |   | <i>Maintenance:</i><br>See pages 7.  |
|   |   | <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.   |



Marc Krusin  
Pixel™ Table Series  
C-Leg Simplified Tables, Flip Top






|   | description  | w   | d   | h             | leg type | table wgt. (lbs) |
|---|--|-----|-----|---------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015<br><br><i>Award(s):</i><br>Best of Neon Gold Award, 2015<br><br> | <b>KLCPW</b> Work Height, Flip Top, Casters<br>  | 48" | 18" | 28 3/4"       | C-Leg    | 74               |
|   |  | 60" | 18" | 28 3/4"       | C-Leg    | 66               |
|   |  | 72" | 18" | 28 3/4"       | C-Leg    | 75               |
|   |  | 48" | 21" | 28 3/4"       | C-Leg    | 74               |
|   |  | 60" | 21" | 28 3/4"       | C-Leg    | 78               |
|   |  | 72" | 21" | 28 3/4"       | C-Leg    | 91               |
|   |  | 48" | 24" | 28 3/4"       | C-Leg    | 74               |
|   |  | 60" | 24" | 28 3/4"       | C-Leg    | 78               |
|   |  | 72" | 24" | 28 3/4"       | C-Leg    | 91               |
|   |  | 48" | 30" | 28 3/4"       | C-Leg    | 74               |
|   |  | 60" | 30" | 28 3/4"       | C-Leg    | 93               |
|   |  | 72" | 30" | 28 3/4"       | C-Leg    | 106              |
|   | <b>KLCPA</b> Pin Set Height Adjustable, Flip Top, Casters  | 48" | 18" | 28 3/4" - 34" | C-Leg    | 60               |
|   |  | 60" | 18" | 28 3/4" - 34" | C-Leg    | 69               |
|   |  | 72" | 18" | 28 3/4" - 34" | C-Leg    | 78               |
|   |  | 48" | 21" | 28 3/4" - 34" | C-Leg    | 71               |
|   |  | 60" | 21" | 28 3/4" - 34" | C-Leg    | 82               |
|   |  | 72" | 21" | 28 3/4" - 34" | C-Leg    | 94               |
|   |  | 48" | 24" | 28 3/4" - 34" | C-Leg    | 71               |
|   |  | 60" | 24" | 28 3/4" - 34" | C-Leg    | 82               |
|   |  | 72" | 24" | 28 3/4" - 34" | C-Leg    | 94               |
|   |  | 48" | 30" | 28 3/4" - 34" | C-Leg    | 82               |
|   |  | 60" | 30" | 28 3/4" - 34" | C-Leg    | 96               |
|   |  | 72" | 30" | 28 3/4" - 34" | C-Leg    | 109              |
|   | <b>KGANG</b> Pixel ganging mechanism<br>   |     |     |               |          |                  |

| Order Code   | Finishes                          |  |   |
|--|-----------------------------------|--|---|
| <i>Example:</i>  | <b>KLCPW6024-C-8Q-004T-Y-115T</b> | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 004)<br>Bright White (suffix 118)<br>White (suffix 91)  |
| <b>KLCPW</b>   | 60" x 24" Work Height, Flip Top   |  | <i>Note:</i><br>Glides are not available on flip top tables.  |
| <b>6024</b>  |                                   |  |   |
| <b>C</b>   | Locking casters                   |  | *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.   |
| <b>8Q</b>  | Folkstone laminate                | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |
| <b>004T</b>  | Folkstone flat edgeband           |  |   |
| <b>Y</b>   | No grommet                        |  |   |
| <b>115T</b>  | Medium Grey legs                  |  |   |
| <i>Specify:</i><br>1. Pattern number<br>2. Locking casters or glide selection<br>3. Top finish selection<br>4. Edgeband selection<br>5. Cutout option<br>6. Leg finish |                                   |  |   |
| <i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T) *<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)           |                                   |  |   |
| <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)  |                                   |  |   |

| pattern no.                          | laminate/flat edge |
|--------------------------------------|--------------------|
| <b>KLCPW4818-(C)-( )-( )-( )-( )</b> | \$2,025.           |
| <b>KLCPW6018-(C)-( )-( )-( )-( )</b> | \$2,112.           |
| <b>KLCPW7218-(C)-( )-( )-( )-( )</b> | \$2,187.           |
| <b>KLCPW4821-(C)-( )-( )-( )-( )</b> | \$2,025.           |
| <b>KLCPW6021-(C)-( )-( )-( )-( )</b> | \$2,112.           |
| <b>KLCPW7221-(C)-( )-( )-( )-( )</b> | \$2,187.           |
| <b>KLCPW4824-(C)-( )-( )-( )-( )</b> | \$2,025.           |
| <b>KLCPW6024-(C)-( )-( )-( )-( )</b> | \$2,112.           |
| <b>KLCPW7224-(C)-( )-( )-( )-( )</b> | \$2,187.           |
| <b>KLCPW4830-(C)-( )-( )-( )-( )</b> | \$2,116.           |
| <b>KLCPW6030-(C)-( )-( )-( )-( )</b> | \$2,211.           |
| <b>KLCPW7230-(C)-( )-( )-( )-( )</b> | \$2,294.           |
| <b>KLCPA4818-(C)-( )-( )-( )-( )</b> | \$2,110.           |
| <b>KLCPA6018-(C)-( )-( )-( )-( )</b> | \$2,188.           |
| <b>KLCPA7218-(C)-( )-( )-( )-( )</b> | \$2,259.           |
| <b>KLCPA4821-(C)-( )-( )-( )-( )</b> | \$2,176.           |
| <b>KLCPA6021-(C)-( )-( )-( )-( )</b> | \$2,259.           |
| <b>KLCPA7221-(C)-( )-( )-( )-( )</b> | \$2,335.           |
| <b>KLCPA4824-(C)-( )-( )-( )-( )</b> | \$2,176.           |
| <b>KLCPA6024-(C)-( )-( )-( )-( )</b> | \$2,259.           |
| <b>KLCPA7224-(C)-( )-( )-( )-( )</b> | \$2,335.           |
| <b>KLCPA4830-(C)-( )-( )-( )-( )</b> | \$2,263.           |
| <b>KLCPA6030-(C)-( )-( )-( )-( )</b> | \$2,359.           |
| <b>KLCPA7230-(C)-( )-( )-( )-( )</b> | \$2,444.           |
| <b>KGANG</b>                         | \$42.              |

| Electrical   | Construction   | Features  |   |
|--|--|---|---|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><i>Wire Management:</i><br>Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar. | <i>Caution:</i><br>When moving flip top tables on casters, only push tables while the top is down in the flat position. |
| <i>Flip Mechanism:</i><br>To flip tabletop, pull red button on right side of the table and use other hand to gently lift the tabletop up. Black button on left side of the table can also be pushed while performing the same movement.  |  |   |   |
| <i>Maintenance:</i><br>See pages 7.  |  |   |   |
| <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.   |  |   |   |

Marc Krusin  
Pixel™ Table Series  
T-Leg Advanced Tables, Fixed Top

|  | description   | w   | d   | h                | leg type | table wgt. (lbs) |
|--|---|-----|-----|------------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KTXW</b> Work Height, Fixed Top<br>               | 60" | 30" | 28 3/4"          | T-Leg    | 84               |
|  |   | 72" | 30" | 28 3/4"          | T-Leg    | 98               |
|  |   | 60" | 36" | 28 3/4"          | T-Leg    | 98               |
|  |   | 72" | 36" | 28 3/4"          | T-Leg    | 114              |
| <i>Award(s):</i><br>Best of Neocon Gold Award, 2015                              | <b>KTXA</b> Pin Set Height Adjustable, Fixed Top<br> | 60" | 30" | 28 3/4 - 33 3/4" | T-Leg    | 88               |
|  |   | 72" | 30" | 28 3/4 - 33 3/4" | T-Leg    | 102              |
|  |   | 60" | 36" | 28 3/4 - 33 3/4" | T-Leg    | 101              |
|  |   | 72" | 36" | 28 3/4 - 33 3/4" | T-Leg    | 117              |
|  | <b>KGANG</b> Pixel ganging mechanism<br>             |     |     |                  |          |                  |
|  |   |     |     |                  |          |                  |
|  |   |     |     |                  |          |                  |
|  |   |     |     |                  |          |                  |






| pattern no.                   | laminate/flat edge | laminate/molded edge | veneer/wood |
|-------------------------------|--------------------|----------------------|-------------|
| <b>KTXW6030-</b> (-)(-)(-)(-) | \$2,545.           | \$2,770.             | \$4,817.    |
| <b>KTXW7230-</b> (-)(-)(-)(-) | \$2,667.           | \$2,921.             | \$5,682.    |
| <b>KTXW6036-</b> (-)(-)(-)(-) | \$2,604.           | \$2,849.             | \$5,029.    |
| <b>KTXW7236-</b> (-)(-)(-)(-) | \$2,804.           | \$3,077.             | \$5,674.    |
|                               |                    |                      |             |
| <b>KTXA6030-</b> (-)(-)(-)(-) | \$2,727.           | \$2,956.             | \$5,097.    |
| <b>KTXA7230-</b> (-)(-)(-)(-) | \$2,979.           | \$3,232.             | \$5,353.    |
| <b>KTXA6036-</b> (-)(-)(-)(-) | \$2,984.           | \$3,227.             | \$5,366.    |
| <b>KTXA7236-</b> (-)(-)(-)(-) | \$3,182.           | \$3,456.             | \$6,008.    |
|                               |                    |                      |             |
| <b>KGANG</b>                  | \$42.              | n/a                  | n/a         |

| Order Code   | Finishes   |   |
|--|--|---|
| <i>Example:</i> <b>KTXW7224-C-114-004T-Y-115T</b>  | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)   |
| <b>KTXW7224</b> 72" x 24" Work Height, Fixed Top   |  |   |
| <b>C</b> Locking casters   | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   |
| <b>114</b> Folkstone laminate  |  |   |
| <b>004T</b> Folkstone flat edgeband  | <i>Veneer top/edge finishes:</i><br>American Walnut (suffix AW)<br>Natural Oak (suffix ON)<br>Fumed Oak (suffix OF)<br>Ebonized Oak (suffix OE)  | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |
| <b>Y</b> No grommet  |  |   |
| <b>115T</b> Medium Grey legs   |  |   |
| <i>Specify:</i><br>1. Pattern number<br>2. Locking casters or glide selection<br>3. Top finish selection<br>4. Edgeband selection<br>5. Cutout option<br>6. Leg finish |  |   |
|  |  | <i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T)*<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)   |
|  |  | <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)   |

| Electrical   | Construction   | Features   |
|--|--|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops with have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><b>Trough cutout on C-Leg Only</b><br>TAS - Center Cutout<br><br>C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.<br><br><i>Maintenance:</i><br>See pages 7.<br><br><i>Note:</i><br>Pixel tables are certified Clean Air GOLD. |



Marc Krusin  
Pixel™ Table Series  
T-Leg Advanced Tables, Flip Top

|  | description  | w   | d   | h            | leg type | table wgt. (lbs) |
|--|--|-----|-----|--------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KTPW</b> Work Height, Flip Top, Casters                | 60" | 30" | 28 3/4"      | T-Leg    | 93               |
|  |  | 72" | 30" | 28 3/4"      | T-Leg    | 107              |
|  |  | 60" | 36" | 28 3/4"      | T-Leg    | 106              |
|  |  | 72" | 36" | 28 3/4"      | T-Leg    | 122              |
|  | <b>KTPA</b> Pin Set Height Adjustable, Flip top, Casters  | 60" | 30" | 28 3/4 - 34" | T-Leg    | 96               |
|  |  | 72" | 30" | 28 3/4 - 34" | T-Leg    | 110              |
|  |  | 60" | 36" | 28 3/4 - 34" | T-Leg    | 109              |
|  |  | 72" | 36" | 28 3/4 - 34" | T-Leg    | 125              |
|  | <b>KGANG</b> Pixel ganging mechanism                      |     |     |              |          |                  |

| pattern no.                     | laminate/flat edge | laminate/molded edge | veneer/wood |
|---------------------------------|--------------------|----------------------|-------------|
| <b>KTPW6030-(C)-( )-( )-( )</b> | \$3,405.           | \$3,635.             | \$5,715.    |
| <b>KTPW7230-(C)-( )-( )-( )</b> | \$3,543.           | \$3,798.             | \$5,985.    |
| <b>KTPW6036-(C)-( )-( )-( )</b> | \$3,541.           | \$3,788.             | \$5,989.    |
| <b>KTPW7236-(C)-( )-( )-( )</b> | \$3,749.           | \$4,027.             | \$6,641.    |
|                                 |                    |                      |             |
| <b>KTPA6030-(C)-( )-( )-( )</b> | \$3,682.           | \$3,904.             | \$5,963.    |
| <b>KTPA7230-(C)-( )-( )-( )</b> | \$3,814.           | \$4,067.             | \$6,234.    |
| <b>KTPA6036-(C)-( )-( )-( )</b> | \$3,808.           | \$4,054.             | \$6,256.    |
| <b>KTPA7236-(C)-( )-( )-( )</b> | \$4,019.           | \$4,296.             | \$6,892.    |
|                                 |                    |                      |             |
| <b>KGANG</b>                    | \$42.              | n/a                  | n/a         |






| Order Code   | Finishes   |
|--|--|
| <i>Example:</i> <b>KTPW6036-C-114-004T-Y-115T</b>                      | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   |
| <b>KTPW6036</b> 60" x 36" rectangle, T-Leg, Flip, Work Height, Casters |  |
| <b>C</b> Locking casters   |  |
| <b>114</b> Folkstone laminate  |  |
| <b>004T</b> Folkstone flat edgeband                                    | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144)   |
| <b>Y</b> No grommet  |  |
| <b>115T</b> Medium Grey legs   | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)<br><br><i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367) Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)<br><br><i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144)<br><br><i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T) *<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)<br><br><i>Glides/Casters:</i><br>Casters (suffix C) |

- Specify:*
1. Pattern number
  2. Locking caster or glide selection
  3. Top finish selection
  4. Edgeband selection
  5. Cutout option
  6. Leg finish

| Electrical   | Construction   | Features  |
|--|--|---|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><i>Maintenance:</i><br>See pages 7.<br><br><i>Note:</i><br>Pixel tables are certified Clean Air GOLD. |

*Caution:*  
When moving flip top tables on casters, only push tables while the top is down in the flat position.

Marc Krusin  
Pixel™ Table Series  
T-Leg Advanced Tables, Trapezoid, Fixed Top






|  | description   | w   | side d | h            | leg type | table wgt. (lbs) |
|--|---|-----|--------|--------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KZTXW</b> Work Height, Fixed Top   | 48" | 24"    | 28 ¾"        | T-Leg    |                  |
|  |  | 60" | 24"    | 28 ¾"        | T-Leg    |                  |
|  |   | 60" | 30"    | 28 ¾"        | T-Leg    |                  |
| <i>Award(s):</i><br>Best of Neocon Gold Award, 2015  | <b>KZTXA</b> Pin Set Height Adjustable, Fixed Top                                 | 48" | 24"    | 28 3/4 - 34" | T-Leg    |                  |
|  |  | 60" | 24"    | 28 3/4 - 34" | T-Leg    |                  |
|  |   | 60" | 30"    | 28 3/4 - 34" | T-Leg    |                  |
| <br><br> | <b>KGANG</b> Pixel ganging mechanism  |     |        |              |          |                  |
|  |  |     |        |              |          |                  |

| pattern no.                   | laminate/flat edge | laminate/molded edge |
|-------------------------------|--------------------|----------------------|
| <b>KZTXW4824-(-)(-)(-)(-)</b> | \$2,412.           | \$2,585.             |
| <b>KZTXW6024-(-)(-)(-)(-)</b> | \$2,520.           | \$2,715.             |
| <b>KZTXW6030-(-)(-)(-)(-)</b> | \$2,645.           | \$2,860.             |
|                               |                    |                      |
| <b>KZTXA4824-(-)(-)(-)(-)</b> | \$2,682.           | \$2,856.             |
| <b>KZTXA6024-(-)(-)(-)(-)</b> | \$2,788.           | \$2,990.             |
| <b>KZTXA6030-(-)(-)(-)(-)</b> | \$2,916.           | \$3,134.             |
|                               |                    |                      |
| <b>KGANG</b>                  | \$42.              | n/a                  |

| Order Code   | Finishes   |   |
|--|--|---|
| <i>Example:</i> <b>KZTXW6024-C-114-004T-Y-115T</b>   | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)   |
| <b>C</b> Locking casters   | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   |
| <b>114</b> Folkstone laminate  |  | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |
| <b>004T</b> Folkstone flat edgeband  |  | <i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T)*<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)   |
| <b>Y</b> No grommet  |  | <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)   |
| <b>115T</b> Medium Grey legs   |  |   |
| <i>Specify:</i><br>1. Pattern number<br>2. Locking casters or glide selection<br>3. Top finish selection<br>4. Edgeband selection<br>5. Cutout option<br>6. Leg finish |  |   |

| Electrical   | Construction   | Features  |
|--|--|---|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br>The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series.<br><br><i>Maintenance:</i><br>See pages 7. |

Marc Krusin  
Pixel™ Table Series  
T-Leg Advanced Tables, Trapezoid, Flip Top



|  | description   | w   | side d | h            | leg type | table wgt. (lbs) |
|--|---|-----|--------|--------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KZTPW</b> Work Height, Flip Top, Casters                | 48" | 24"    | 28 3/4"      | T-Leg    |                  |
|  |   | 60" | 24"    | 28 3/4"      | T-Leg    |                  |
|  |   | 60" | 30"    | 28 3/4"      | T-Leg    |                  |
| <i>Award(s):</i><br>Best of Neocon Gold Award, 2015  | <b>KZTPA</b> Pin Set Height Adjustable, Flip Top, Casters  | 48" | 24"    | 28 3/4 - 34" | T-Leg    |                  |
|  |   | 60" | 24"    | 28 3/4 - 34" | T-Leg    |                  |
|  |   | 60" | 30"    | 28 3/4 - 34" | T-Leg    |                  |
| <br><br> | <b>KGANG</b> Pixel ganging mechanism                       |     |        |              |          |                  |

| pattern no.                      | laminate/flat edge | laminate/molded edge |
|----------------------------------|--------------------|----------------------|
| <b>KZTPW4824-(C)-( )-( )-( )</b> | \$2,650.           | \$2,827.             |
| <b>KZTPW6024-(C)-( )-( )-( )</b> | \$2,763.           | \$2,965.             |
| <b>KZTPW6030-(C)-( )-( )-( )</b> | \$2,891.           | \$3,110.             |
|                                  |                    |                      |
| <b>KZTPA4824-(C)-( )-( )-( )</b> | \$2,842.           | \$3,018.             |
| <b>KZTPA6024-(C)-( )-( )-( )</b> | \$2,956.           | \$3,154.             |
| <b>KZTPA6030-(C)-( )-( )-( )</b> | \$3,084.           | \$3,302.             |
|                                  |                    |                      |
| <b>KGANG</b>                     | \$42.              | n/a                  |

| Order Code   | Finishes   |   |   |
|--|--|---|---|
| <i>Example:</i> <b>KZTPW4824-C-114-004T-Y-115T</b>   | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)   | <i>Note:</i><br>Glides are not available on flip top tables.<br><br>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black. |
| <b>KZTPW4824</b> 48" x 24" rectangle, T-Leg, Flip, Work Height, Casters  |  |   |   |
| <b>C</b> Locking casters   |  |   |   |
| <b>114</b> Folkstone laminate  |  |   |   |
| <b>004T</b> Folkstone flat edgeband  | <i>Woodgrain laminate finishes:</i><br>Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   | <i>Dimensions:</i><br>Side depth refers to the shorter non-parallel sides of the trapezoid top.   |
| <b>Y</b> No grommet  |  |   |   |
| <b>115T</b> Medium Grey legs   |  | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |   |
|  |  |   |   |
| <i>Leg finishes:</i><br>Jet Black (suffix 111T)<br>White (suffix 91T)<br>Bright White (suffix 118T) *<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T) |  |   |   |
| <i>Glides/Casters:</i><br>Casters (suffix C)   |  |   |   |

| Electrical   | Construction  | Features   |   |
|--|---|--|---|
| <i>Cutout Options:</i> (\$33 list per cutout)<br>Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.   | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. | <i>Caution:</i><br>When moving flip top tables on casters, only push tables while the top is down in the flat position. |
| <i>Note:</i><br>Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables.   | <i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series.<br><br><i>Maintenance:</i><br>See pages 7.              |   |

Marc Krusin  
Pixel™ Table Series  
T-Leg Simplified Tables, Fixed Top

|   | description   | w   | d   | h       | leg type | table wgt. (lbs) |
|---|---|-----|-----|---------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015<br><br><i>Award(s):</i><br>Best of Neocon Gold Award, 2015 | <b>KLTXW</b> Work Height, Fixed Top<br>  | 48" | 24" | 28 3/4" | T-Leg    | 64               |
|   |   | 60" | 24" | 28 3/4" | T-Leg    | 74               |
|   |   | 72" | 24" | 28 3/4" | T-Leg    | 85               |
|   |   | 48" | 30" | 28 3/4" | T-Leg    | 74               |
|   |   | 60" | 30" | 28 3/4" | T-Leg    | 87               |
|   |   | 72" | 30" | 28 3/4" | T-Leg    | 100              |
|   |   | 48" | 36" | 28 3/4" | T-Leg    | 84               |
|   |   | 60" | 36" | 28 3/4" | T-Leg    | 100              |
|   |   | 72" | 36" | 28 3/4" | T-Leg    | 115              |
|   |   |     |     |         |          |                  |
|   | <b>KGANG</b> Pixel ganging mechanism<br> |     |     |         |          |                  |





| Order Code                            | Finishes                           |  |  |
|---------------------------------------|------------------------------------|--|--|
| <i>Example:</i>                       | <b>KLTXW6024-C-114-004T-Y-115T</b> |  |  |
| <b>KLTXW6024</b>                      | 60" x 24" Work Height, Fixed Top   |  |  |
| <b>C</b>                              | Locking casters                    |  |  |
| <b>114</b>                            | Folkstone laminate                 |  |  |
| <b>004T</b>                           | Folkstone flat edgeband            |  |  |
| <b>Y</b>                              | No grommet                         |  |  |
| <b>115T</b>                           | Medium Grey legs                   |  |  |
| <i>Specify:</i>                       |                                    |  |  |
| 1. Pattern number                     |                                    |  |  |
| 2. Locking casters or glide selection |                                    |  |  |
| 3. Top finish selection               |                                    |  |  |
| 4. Edgeband selection                 |                                    |  |  |
| 5. Cutout option                      |                                    |  |  |
| 6. Leg finish                         |                                    |  |  |

|  |   |   |
|--|---|---|
| <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)   | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)   | <i>Note:</i><br>Glides are not available on flip top tables.<br><br>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black. |
| <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |   |
|  | <i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T)*<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)   |   |
|  | <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)   |   |

| pattern no.                        | laminate/flat edge |
|------------------------------------|--------------------|
| <b>KLTXW4824-(C,G)-( )-( )-( )</b> | \$1,562.           |
| <b>KLTXW6024-(C,G)-( )-( )-( )</b> | \$1,669.           |
| <b>KLTXW7224-(C,G)-( )-( )-( )</b> | \$1,733.           |
| <b>KLTXW4830-(C,G)-( )-( )-( )</b> | \$1,674.           |
| <b>KLTXW6030-(C,G)-( )-( )-( )</b> | \$1,752.           |
| <b>KLTXW7230-(C,G)-( )-( )-( )</b> | \$1,822.           |
| <b>KLTXW4836-(C,G)-( )-( )-( )</b> | \$1,774.           |
| <b>KLTXW6036-(C,G)-( )-( )-( )</b> | \$1,857.           |
| <b>KLTXW7236-(C,G)-( )-( )-( )</b> | \$1,932.           |
| <b>KGANG</b>                       | \$42.              |

| Electrical  | Construction  | Features   |
|---|---|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.   | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. |
| <i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.   | <i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Wire Management:</i><br>Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.                    |
|   |   | <i>Maintenance:</i><br>See pages 7.  |
|   |   | <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.   |

Marc Krusin  
Pixel™ Table Series  
T-Leg Simplified Tables, Flip Top

|  | description  | w   | d   | h          | leg type | table wgt. (lbs) |
|--|--|-----|-----|------------|----------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015<br><br><i>Award(s):</i><br>Best of Neocon Gold Award, 2015<br><br> | <b>KLTPW</b> Work Height, Flip Top, Casters<br>               | 48" | 24" | 28¾"       | T-Leg    | 71               |
|  |  | 60" | 24" | 28¾"       | T-Leg    | 83               |
|  |  | 72" | 24" | 28¾"       | T-Leg    | 95               |
|  |  | 48" | 30" | 28¾"       | T-Leg    | 81               |
|  |  | 60" | 30" | 28¾"       | T-Leg    | 96               |
|  |  | 72" | 30" | 28¾"       | T-Leg    | 110              |
|  |  | 48" | 36" | 28¾"       | T-Leg    | 92               |
|  |  | 60" | 36" | 28¾"       | T-Leg    | 109              |
|  |  | 72" | 36" | 28¾"       | T-Leg    | 125              |
|  | <b>KLTPA</b> Pin Set Height Adjustable, Flip Top, Casters<br> | 48" | 24" | 28¾" - 34" | T-Leg    | 74               |
|  |  | 60" | 24" | 28¾" - 34" | T-Leg    | 86               |
|  |  | 72" | 24" | 28¾" - 34" | T-Leg    | 98               |
|  |  | 48" | 30" | 28¾" - 34" | T-Leg    | 84               |
|  |  | 60" | 30" | 28¾" - 34" | T-Leg    | 99               |
|  |  | 72" | 30" | 28¾" - 34" | T-Leg    | 113              |
|  |  | 48" | 36" | 28¾" - 34" | T-Leg    | 95               |
|  |  | 60" | 36" | 28¾" - 34" | T-Leg    | 112              |
|  |  | 72" | 36" | 28¾" - 34" | T-Leg    | 129              |
|  | <b>KGANG</b> Pixel ganging mechanism<br>                      |     |     |            |          |                  |
|  |  |     |     |            |          |                  |

| pattern no.                      | laminate/flat edge |
|----------------------------------|--------------------|
| <b>KLTPW4824-(C)-( )-( )-( )</b> | \$2,025.           |
| <b>KLTPW6024-(C)-( )-( )-( )</b> | \$2,112.           |
| <b>KLTPW7224-(C)-( )-( )-( )</b> | \$2,187.           |
| <b>KLTPW4830-(C)-( )-( )-( )</b> | \$2,116.           |
| <b>KLTPW6030-(C)-( )-( )-( )</b> | \$2,211.           |
| <b>KLTPW7230-(C)-( )-( )-( )</b> | \$2,294.           |
| <b>KLTPW4836-(C)-( )-( )-( )</b> | \$2,243.           |
| <b>KLTPW6036-(C)-( )-( )-( )</b> | \$2,343.           |
| <b>KLTPW7236-(C)-( )-( )-( )</b> | \$2,433.           |
| <b>KLTPA4824-(C)-( )-( )-( )</b> | \$2,176.           |
| <b>KLTPA6024-(C)-( )-( )-( )</b> | \$2,259.           |
| <b>KLTPA7224-(C)-( )-( )-( )</b> | \$2,335.           |
| <b>KLTPA4830-(C)-( )-( )-( )</b> | \$2,263.           |
| <b>KLTPA6030-(C)-( )-( )-( )</b> | \$2,359.           |
| <b>KLTPA7230-(C)-( )-( )-( )</b> | \$2,444.           |
| <b>KLTPA4836-(C)-( )-( )-( )</b> | \$2,399.           |
| <b>KLTPA6036-(C)-( )-( )-( )</b> | \$2,501.           |
| <b>KLTPA7236-(C)-( )-( )-( )</b> | \$2,590.           |
| <b>KGANG</b>                     | \$42.              |




| Order Code   | Finishes  |   |   |
|--|---|---|---|
| <i>Example:</i>  | <b>KLTPW6024-C-114-004T-Y-115T</b>                    |   |   |
| <b>KLTPW 6024</b>  | 60" x 24" T-Leg S Series Table, Work Height, Flip Top | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 8Q)<br>Ultra Black (suffix UBK)  | <i>Flat edgeband finishes:</i><br>Black (suffix UBK)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 8Q)<br>Bright White (suffix 118)<br>White (suffix 91)             |
| <b>C</b>   | Locking casters                                       | <i>Woodgrain laminate finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144)      | <i>Note:</i><br>Glides are not available on flip top tables.<br><br>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black. |
| <b>114</b>   | Folkstone laminate                                    |   |   |
| <b>004T</b>  | Folkstone flat edgeband                               | <i>Woodgrain flat edgeband finishes:</i><br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |   |
| <b>Y</b>   | No grommet  |   |   |
| <b>115T</b>  | Medium Grey legs                                      |   |   |
| <i>Leg finishes:</i><br>Jet Black (suffix UBKT)<br>White (suffix 91T)<br>Bright White (suffix 118T) *<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T) |   |   |   |
| <i>Glides/Casters:</i><br>Glides (suffix G)<br>Casters (suffix C)  |   |   |   |

- Specify:*
1. Pattern number
  2. Locking casters or glide selection
  3. Top finish selection
  4. Edgeband selection
  5. Cutout option
  6. Leg finish

| Electrical   | Construction   | Features  |   |
|--|--|---|---|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate tops:</i><br>Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.<br><br><i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><i>Wire Management:</i><br>Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar. | <i>Caution:</i><br>When moving flip top tables on casters, only push tables while the top is down in the flat position. |
| <i>Flip Mechanism:</i><br>To flip tabletop, pull red button on right side of the table and use other hand to gently lift the tabletop up. Black button on left side of the table can also be pushed while performing the same movement.  |  |   |   |
| <i>Maintenance:</i><br>See pages 7.  |  |   |   |
| <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.   |  |   |   |



Marc Krusin  
Pixel™ Table Series  
Four Leg Advanced Tables, Fixed Top

|   | description  | w   | d   | h    | top       | 99sort | table wgt.<br>(lbs) |
|---|--|-----|-----|------|-----------|--------|---------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015            | <b>KFXW</b> Work Height, Fixed Top   | 36" | 36" | 28¾" | square    |        | 57                  |
|   |   | 42" | 42" | 28¾" | square    |        | 72                  |
| <i>Award(s):</i><br>Best of Neocon Gold Award, 2015 | <br> | 48" | 48" | 28¾" | square    |        | 89                  |
|   |  | 48" | 18" | 28¾" | rectangle |        | 43                  |
|   |  | 60" | 18" | 28¾" | rectangle |        | 56                  |
|   |  | 72" | 18" | 28¾" | rectangle |        | 65                  |
|   |  | 48" | 24" | 28¾" | rectangle |        | 53                  |
|   |  | 60" | 24" | 28¾" | rectangle |        | 62                  |
|   |  | 72" | 24" | 28¾" | rectangle |        | 79                  |
|   |  | 48" | 30" | 28¾" | rectangle |        | 62                  |
|   |  | 60" | 30" | 28¾" | rectangle |        | 73                  |
|   |  | 72" | 30" | 28¾" | rectangle |        | 85                  |
|   |  | 48" | 36" | 28¾" | rectangle |        | 71                  |
|   |  | 60" | 36" | 28¾" | rectangle |        | 85                  |
|   |  | 72" | 36" | 28¾" | rectangle |        | 99                  |






| pattern no.                 | laminate/flat edge | laminate/molded edge | veneer/wood |
|-----------------------------|--------------------|----------------------|-------------|
| <b>KFXW3636-()-()-()-()</b> | \$1,773.           | \$1,956.             | \$3,702.    |
| <b>KFXW4242-()-()-()-()</b> | \$1,950.           | \$2,162.             | \$3,989.    |
| <b>KFXW4848-()-()-()-()</b> | \$1,960.           | \$2,189.             | \$4,687.    |
| <b>KFXW4818-()-()-()-()</b> | \$1,712.           | \$1,899.             | \$3,389.    |
| <b>KFXW6018-()-()-()-()</b> | \$1,849.           | \$2,061.             | \$3,597.    |
| <b>KFXW7218-()-()-()-()</b> | \$1,925.           | \$2,161.             | \$3,768.    |
| <b>KFXW4824-()-()-()-()</b> | \$1,749.           | \$1,950.             | \$3,546.    |
| <b>KFXW6024-()-()-()-()</b> | \$1,810.           | \$2,034.             | \$3,763.    |
| <b>KFXW7224-()-()-()-()</b> | \$1,976.           | \$2,230.             | \$4,087.    |
| <b>KFXW4830-()-()-()-()</b> | \$1,802.           | \$2,016.             | \$3,763.    |
| <b>KFXW6030-()-()-()-()</b> | \$1,871.           | \$2,114.             | \$4,029.    |
| <b>KFXW7230-()-()-()-()</b> | \$1,934.           | \$2,213.             | \$4,239.    |
| <b>KFXW4836-()-()-()-()</b> | \$1,852.           | \$2,085.             | \$3,989.    |
| <b>KFXW6036-()-()-()-()</b> | \$1,935.           | \$2,194.             | \$4,223.    |
| <b>KFXW7236-()-()-()-()</b> | \$2,080.           | \$2,371.             | \$4,836.    |

| Order Code                            | Finishes                                       |                                     |                                  |
|---------------------------------------|--|-------------------------------------|----------------------------------|
| <i>Example:</i>                       | <b>KFXW6030-G-141-118T-Y-118T</b>              |                                     |                                  |
| <b>KFXW6030</b>                       | 60" x 30" rectangle, 4-Leg, Fixed, Work Height |                                     |                                  |
| <b>G</b>                              | Glides   |                                     |                                  |
| <b>141</b>                            | Whitened Ash laminate                          |                                     |                                  |
| <b>118T</b>                           | Bright White flat edgeband                     |                                     |                                  |
| <b>Y</b>                              | No grommet                                     |                                     |                                  |
| <b>118T</b>                           | Bright White legs                              |                                     |                                  |
| <i>Specify:</i>                       |  |                                     |                                  |
| 1. Pattern number                     |  |                                     |                                  |
| 2. Locking casters or glide selection |  |                                     |                                  |
| 3. Top finish selection               |  |                                     |                                  |
| 4. Edgeband selection                 |  |                                     |                                  |
| 5. Cutout option                      |  |                                     |                                  |
| 6. Leg finish                         |  |                                     |                                  |
|                                       |  | <i>Colored laminate finishes:</i>   | <i>Molded edgeband finishes:</i> |
|                                       |  | White (suffix 91)                   | Black (suffix 300M)              |
|                                       |  | Bright White, matte (suffix 118)    | Mink (suffix 324M)               |
|                                       |  | Folkstone, matte (suffix 114)       | Innertone (suffix 386M)          |
|                                       |  | Ultra Black (suffix UBK)            | Platinum (suffix 367M)           |
|                                       |  |                                     | Folkstone (suffix 004M)          |
|                                       |  | <i>Woodgrain laminate finishes:</i> | <i>Flat edgeband finishes:</i>   |
|                                       |  | Medium Cherry (suffix 124)          | Black (suffix 111)               |
|                                       |  | Natural Maple (suffix 125)          | Mink (suffix 324)                |
|                                       |  | Natural Cherry (suffix 126)         | Innertone (suffix 386)           |
|                                       |  | Walnut (suffix 127)                 | Platinum (suffix 367)            |
|                                       |  | Light Ash (suffix 139)              | Folkstone (suffix 004)           |
|                                       |  | Warm Ash (suffix 140)               | Bright White (suffix 118)        |
|                                       |  | Whitened Ash (suffix 141)           | White (suffix 91)                |
|                                       |  | Grey Ash (suffix 142)               |                                  |
|                                       |  | Classic Oak (suffix 143)            |                                  |
|                                       |  | Graphite Pear (suffix 144)          |                                  |
|                                       |  | <i>Veneer top/edge finishes:</i>    |                                  |
|                                       |  | American Walnut (suffix AW)         |                                  |
|                                       |  | Natural Oak (suffix ON)             |                                  |
|                                       |  | Fumed Oak (suffix OF)               |                                  |
|                                       |  | Ebonized Oak (suffix OE)            |                                  |

\*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

| Electrical  | Construction   | Features  |
|---|--|---|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double * cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code.<br><br>*Square tables may not have double cutout codes<br><br><i>Note:</i><br>Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.<br><br><i>Legs:</i><br>Legs are extruded aluminum and finished in a highly durable textured powder coat paint. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. Four leg tables have the ganging mechanism incorporated into the leg casting. To join the tables, align the mechanisms and slide the lever along the curved path to engage.<br><br><i>Maintenance:</i><br>See pages 7-0.<br><br><i>Note:</i><br>Pixel tables are certified Clean Air GOLD. |

Marc Krusin  
Pixel™ Table Series  
Y-Leg Advanced Tables, Fixed, Flip, and Fold Tops

|  | description   | w   | d   | h    | table wgt. (lbs) |
|--|---|-----|-----|------|------------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015   | <b>KYXW</b> Work Height, Fixed Top<br>           | 72" | 36" | 28¾" | 116              |
|  |   | 84" | 36" | 28¾" | 131              |
| <i>Award(s):</i><br>Best of Neoncon Gold Award, 2015<br> | <b>KYPW</b> Work Height, Flip Top, Casters<br>   | 72" | 36" | 28¾" | 118              |
|  |   | 84" | 36" | 28¾" | 133              |
|  | <b>KYDW</b> Work Height, Y-Fold Top, Casters<br> | 96" | 48" | 28¾" |                  |
|  | <b>KGANG</b> Pixel ganging mechanism<br>         |     |     |      |                  |

| pattern no.                  | laminate/flat edge | laminate/molded edge | veneer/wood | veneer/wood knife edge |
|------------------------------|--------------------|----------------------|-------------|------------------------|
| <b>KYXW7236-(-)(-)(-)(-)</b> | \$2,942.           | \$3,220.             | \$5,798.    | n/a                    |
| <b>KYXW8436-(-)(-)(-)(-)</b> | \$3,149.           | \$3,389.             | \$6,521.    | n/a                    |

|                               |          |          |          |     |
|-------------------------------|----------|----------|----------|-----|
| <b>KYPW7236-(C)-(-)(-)(-)</b> | \$3,275. | \$3,551. | \$6,215. | n/a |
| <b>KYPW8436-(C)-(-)(-)(-)</b> | \$3,506. | \$3,761. | \$6,761. | n/a |

|                               |           |           |     |     |
|-------------------------------|-----------|-----------|-----|-----|
| <b>KYDW9648-(C)-(-)(-)(-)</b> | \$12,021. | \$12,213. | n/a | n/a |
|-------------------------------|-----------|-----------|-----|-----|

|              |       |     |     |     |
|--------------|-------|-----|-----|-----|
| <b>KGANG</b> | \$42. | n/a | n/a | n/a |
|--------------|-------|-----|-----|-----|

| Order Code   | Finishes  |
|--|---|
| <i>Example:</i> <b>KYPW7236-C-142-367T-Y-906T</b>          | <i>Colored laminate finishes:</i>   |
| <b>KYPW7236</b> 36" x 72" rectangle, Y-Leg, Flip top table | White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 114)<br>Ultra Black (suffix UBK)  |
| <b>C</b> Locking casters                                   |   |
| <b>142</b> Grey Ash laminate                               | <i>Woodgrain laminate finishes:</i>   |
| <b>367T</b> Platinum flat edgeband                         | Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |
| <b>Y</b> No grommet  |   |
| <b>906T</b> Sterling legs                                  | <i>Flat edgeband finishes:</i><br>Black (suffix 111)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 004)<br>Bright White (suffix 118)<br>White (suffix 91)  |
|  | <i>Markerboard laminate finish:</i><br>White (suffix M) *   |
|  | *Available only on KYDW9648 with ABS flat edgeband.   |
|  | <i>Veneer top/edge finishes:</i><br>American Walnut (suffix AW)<br>Natural Oak (suffix ON)<br>Fumed Oak (suffix OF)<br>Ebonized Oak (suffix OE)   |

- Specify:*
1. Pattern number
  2. Locking caster or glide selection
  3. Top finish selection
  4. Edgeband selection
  5. Cutout option
  6. Leg finish

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

| Electrical  | Construction  | Features   |
|---|---|--|
| <i>Cutout Options: (\$33 list per cutout)</i><br>Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 0 for the proper cutout code. | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. | <i>Ganging tables:</i><br>Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. |
| Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.   |   | <i>Markerboard:</i><br>A white laminate markerboard top finish is available on the Y-Fold table with ABS edge.   |
| <i>Note:</i><br>KYDW9648 consists of two 48" x 48" square segments. One cutout will be placed in both sections for a total of two cutouts per table.  | <i>Note:</i><br>KYDW9648 Y-Fold table specified in white markerboard laminate is only available with ABS flat edgeband.   | <i>Maintenance:</i><br>See pages 7.  |
|   | <i>Legs:</i><br>Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.   | <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.   |




*Caution:*  
When moving flip top tables on casters, only push tables while the top is down in the flat position.

KYDW9648 Y-Fold table can be moved in the folded position.

*Note:*  
Folding the KYDW9648 Y-Fold table requires two people.

\* \*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.




Marc Krusin  
Pixel™ Table Series  
Pixel™ Corner Wedge

|  | description   | width   | side depth | depth | height |
|--|---|---------|------------|-------|--------|
| <i>Designer(s):</i><br>Marc Krusin, 2016 | <b>KP</b> Corner Wedge Top  | 25 1/2" | 18"        |       |        |
|  |  | 34"     | 24"        |       |        |
|  |   | 42.5"   | 30"        |       |        |
|  |  | 51"     | 36"        |       |        |
|  |   |         |            |       |        |
|  | <b>KGANG</b> Pixel ganging mechanism  |         |            |       |        |
|  |  |         |            |       |        |

| pattern no.            | laminate/flat edge | laminate/molded edge | veneer/wood |
|------------------------|--------------------|----------------------|-------------|
| <b>KP-18-(-)(-)(-)</b> | \$686.             | \$834.               | \$1,431.    |
| <b>KP-24-(-)(-)(-)</b> | \$725.             | \$894.               | \$1,780.    |
| <b>KP-30-(-)(-)(-)</b> | \$789.             | \$988.               | \$2,340.    |
| <b>KP-36-(-)(-)(-)</b> | \$866.             | \$1,087.             | \$2,568.    |
|                        |                    |                      |             |
| <b>KGANG</b>           | \$42.              | n/a                  | n/a         |





| Order Code                                | Finishes                  |  | Construction |
|---|---------------------------|--|--------------|
| <i>Example:</i> <b>KP-24-141-004-118T</b> |                           |  |              |
| <b>KP-24</b>                              | Corner Wedge Top, 24"     |  |              |
| <b>141</b>                                | Whitened Ash laminate     |  |              |
| <b>004</b>                                | Folkstone molded edgeband |  |              |
| <b>118T</b>                               | Bright white hanger       |  |              |
|   |                           |  |              |
| <i>Specify:</i>                           |                           |  |              |
| 1. Pattern number                         |                           |  |              |
| 2. Top finish selection                   |                           |  |              |
| 3. Edgeband finish selection              |                           |  |              |
| 4. Hanger finish selection                |                           |  |              |

|  |   |   |
|--|---|---|
| <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White, matte (suffix 118)<br>Folkstone, matte (suffix 114)<br>Ultra Black (suffix UBK)  | <i>Molded edgeband finishes:</i><br>Black (suffix 300M)<br>Mink (suffix 324M)<br>Innertone (suffix 386M)<br>Platinum (suffix 367M)<br>Folkstone (suffix 004M)   | <i>Laminate and Veneer tops:</i><br>Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. |
| <i>Woodgrain laminate finishes:</i><br>Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Flat edgeband finishes:</i><br>Black (suffix 111)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 004)<br>Bright White (suffix 118)<br>White (suffix 91)  | <i>Hangers:</i><br>Hangers are made of steel and finished in a highly durable textured powder coat paint.   |
| <i>Veneer top/edge finishes:</i><br>American Walnut (suffix AW)<br>Natural Oak (suffix ON)<br>Fumed Oak (suffix OF)<br>Ebonized Oak (suffix OE)  | <i>Woodgrain flat edgeband finishes:</i><br>Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) | <i>Dimensions:</i><br>Side depth refers to edges adjacent to connecting tables.<br>Width refers to edge facing the user.  |
|  | <i>Hanger finishes:</i><br>Jet Black (suffix 111T)<br>Bright White (suffix 118T)<br>White (suffix 91T)<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T)   |   |

| Features  | Configurations  |   |   |
|---|---|---|---|
| <i>Corner Wedge Top:</i><br>The Corner Wedge Top is used to easily transition Pixel rectangular training tables into L-shape, U-shape or hollow square configurations. This top connects to the adjacent tables by powder coated steel hangers and Pixel ganging brackets. By eliminating legs in the design, the Corner Wedge allows for unencumbered leg room in the corner position. | L-Shape Configuration:<br> | U-Shape Configuration:<br> | Hollow Square Configuration:<br> |
| <i>Corner Wedge Dolly:</i><br>The Corner Wedge Dolly is made of black powder coated steel on casters and can fit up to 12 wedges. The handle on the dolly can be used to support the weight of the Corner Wedge while ganging or removing from the Pixel Tables.  |   |   |   |
| <i>Maintenance:</i><br>See pages 7.   |   |   |   |
| <i>Note:</i><br>Pixel tables are certified Clean Air GOLD.  |   |   |   |



Marc Krusin  
Pixel™ Electrical  
Round Grommet, KE1, KE2, KE3

|                                   | description   | type               | power cord   |
|-----------------------------------|---|--------------------|--------------|
| Designer(s):<br>Marc Krusin, 2015 | <b>KERG</b> Round grommet   | Round Grommet      | n/a          |
|                                   |  |                    |              |
|                                   | <b>KE1</b> Two receptacle module  | 1 Power, 1 USB A+C | 120" Cordset |
|                                   |  | 2 Power            | 120" Cordset |
|                                   |   | 1 Power, 1 USB A+C | 48" Cordset  |
|                                   |   | 2 Power            | 48" Cordset  |
|                                   |   | 1 Power, 1 USB A+C | 72" Cordset  |
|                                   |   | 2 Power            | 72" Cordset  |
|                                   | <b>KE2</b> Three receptacle module  | 2 Power, 1 USB A+C | 48" Cordset  |
|                                   |  | 3 Power            | 48" Cordset  |
|                                   |   | 2 Power, 1 USB A+C | 72" Cordset  |
|                                   |   | 3 Power            | 72" Cordset  |
|                                   |   |                    |              |
|                                   | <b>KE3</b> Four receptacle module   | 2 Power, 2 USB A+C | 48" Cordset  |
|                                   |  | 4 Power            | 48" Cordset  |
|                                   |   | 2 Power, 2 USB A+C | 72" Cordset  |
|                                   |   | 4 Power            | 72" Cordset  |
|                                   |   |                    |              |





| pattern no.            | .      |
|------------------------|--------|
| <b>KERG-( )</b>        | \$36.  |
| <b>KE1101CC120-( )</b> | \$493. |
| <b>KE1200C120-( )</b>  | \$345. |
| <b>KE1101CC48-( )</b>  | \$493. |
| <b>KE1200C48-( )</b>   | \$345. |
| <b>KE1101CC72-( )</b>  | \$493. |
| <b>KE1200C72-( )</b>   | \$345. |
| <b>KE2201CC48-( )</b>  | \$500. |
| <b>KE2300C48-( )</b>   | \$359. |
| <b>KE2201CC72-( )</b>  | \$500. |
| <b>KE2300C72-( )</b>   | \$359. |
| <b>KE3202CC48-( )</b>  | \$791. |
| <b>KE3400C48-( )</b>   | \$556. |
| <b>KE3202CC72-( )</b>  | \$791. |
| <b>KE3400C72-( )</b>   | \$556. |

| Order Code                           | Ordering Information   | Construction   |
|--------------------------------------|--|--|
| <i>Case and Receptacle Finishes:</i> |  |  |
| <i>Example:</i> <b>ARE1-W</b>        | Black case with Black receptacles (suffix B)<br>White case with White receptacles (suffix W) | <i>Description:</i><br>Electrical modules are die-cast aluminum and plastic with powder coat matte paint finish. |
| <b>ARE1</b>                          |  |  |
| <b>W</b>                             |  |  |

Specify:

1. Pattern number
2. Case Finish

Marc Krusin  
Pixel™ Electrical  
KE4, KE5, KE7, KE8

| description  | type               | power cord     |
|--|--------------------|----------------|
| <b>KE4</b> Four receptacle module<br>                   | 4 Power            | 48" Cordset    |
|  | 4 Power            | 72" Cordset    |
|  | 3 Power, 1 USB A+C | 48" Cordset    |
|  | 3 Power, 1 USB A+C | 72" Cordset    |
|  | 3 Power, 1 USB A+C | 48" Pixel Link |
|  | 3 Power, 1 USB A+C | 60" Pixel Link |
|  | 2 Power, 2 USB A+C | 48" Cordset    |
|  | 2 Power, 2 USB A+C | 72" Cordset    |
|  | 2 Power, 2 USB A+C | 48" Pixel Link |
|  | 2 Power, 2 USB A+C | 60" Pixel Link |
| <b>KE5</b> Four receptacle module<br>                   | 2 Power, 2 USB A+C | 48" Cordset    |
|  | 2 Power, 2 USB A+C | 72" Cordset    |
|  | 2 Power, 2 USB A+C | 48" Pixel Link |
|  | 2 Power, 2 USB A+C | 60" Pixel Link |
|  | 2 Power, 2 USB A+C | 72" Hardwire   |
|  | 3 Power, 1 USB A+C | 48" Cordset    |
|  | 3 Power, 1 USB A+C | 72" Cordset    |
|  | 4 Power            | 48" Cordset    |
|  | 4 Power            | 72" Cordset    |
|  | 3 Power, 1 USB A+C | 48" Pixel Link |
|  | 3 Power, 1 USB A+C | 60" Pixel Link |
|  | 3 Power, 1 USB A+C | 72" Hardwire   |
| <b>KE7</b> Four receptacle module with clamp mount<br> | 2 Power, 2 USB A+C | 72" Cordset    |
|  | 3 Power, 1 USB A+C | 72" Cordset    |
|  | 4 Power            | 72" Cordset    |
|  |                    |                |
| <b>KE8</b> Three receptacle module<br>                | 3 Power            | 48" Cordset    |
|  | 3 Power            | 72" Cordset    |
|  | 3 Power            | 48" Pixel Link |
|  | 3 Power            | 60" Pixel Link |
|  | 3 Power            | 72" Hardwire   |
|  | 2 Power, 1 USB A+C | 48" Cordset    |
|  | 2 Power, 1 USB A+C | 72" Cordset    |
|  | 2 Power, 1 USB A+C | 48" Pixel Link |
|  | 2 Power, 1 USB A+C | 60" Pixel Link |
|  | 2 Power, 1 USB A+C | 72" Hardwire   |


| Order Code                          | Ordering Information  | Pixel Link   |  |
|-------------------------------------|---|--|--|
| <i>Example:</i> <b>KE8300L60-BK</b> | <i>Case and Receptacle Finishes:</i>  | Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. <b>Please specify a Starter Box (KLSC) if using the Pixel Link system.</b> Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units. |  |
| <b>KE8</b> KE8 Electrical Module    | Black case with Black receptacles (suffix BK)   |  |  |
| <b>300</b> 3 Power                  | White case with White receptacles (suffix WH)   |  |  |
| <b>L60</b> 60” Pixel Link           | Bright White case with Bright White receptacles (suffix 118)  |  |  |
| <b>BK</b> Black finish              |   |  |  |
| <i>Specify:</i>                     | <b>Note:</b>  |  |  |
| 1. Pattern number                   | White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match. |  |  |
| 2. Case Finish                      |   |  |  |
|                                     | Cutout Codes:   |  |  |
|                                     | Please refer to the Grommet and Electrical Module Cutout Matrix on page Of for table compatibility and cutout codes.  |  |  |
|                                     | <i>Note:</i>  |  |  |
|                                     | Power Modules with a Pixel Link require a Starter Box. 72” wide tables require a jumper cable. Please refer to page 52 of the price list for Pixel Link Starter Boxes and Cables.                             |  |  |

| pattern no.       | pattern no. |
|-------------------|-------------|
| KE4400C48-( )     | \$645.      |
| KE4400C72-( )     | \$645.      |
| KE4301CC48-( )    | \$711.      |
| KE4301CC72-( )    | \$711.      |
| KE4301CL48U2-( )  | \$802.      |
| KE4301CL60U2-( )  | \$806.      |
| KE4202CC48-( )    | \$842.      |
| KE4202CC72-( )    | \$842.      |
| KE4202CL48U2-( )  | \$992.      |
| KE4202CL60U2-( )  | \$994.      |
| KE5202CC48-( )    | \$1,025.    |
| KE5202CC72-( )    | \$1,025.    |
| KE5202CL48U2-( )  | \$1,066.    |
| KE5202CL60U2-( )  | \$1,069.    |
| KE5202CH(L,R)-( ) | \$1,127.    |
| KE5301CC48-( )    | \$883.      |
| KE5301CC72-( )    | \$883.      |
| KE5400C48-( )     | \$906.      |
| KE5400C72-( )     | \$906.      |
| KE5301CL48U2-( )  | \$925.      |
| KE5301CL60U2-( )  | \$927.      |
| KE5301CH(L,R)-( ) | \$988.      |
| KE7202CC72-( )    | \$1,025.    |
| KE7301CC72-( )    | \$883.      |
| KE7400C72-( )     | \$907.      |

|                   |        |
|-------------------|--------|
| KE8300C48-( )     | \$684. |
| KE8300C72-( )     | \$684. |
| KE8300L48U2-( )   | \$726. |
| KE8300L60U2-( )   | \$729. |
| KE8300H(L,R)-( )  | \$787. |
| KE8201CC48-( )    | \$844. |
| KE8201CC72-( )    | \$844. |
| KE8201CL48U2-( )  | \$887. |
| KE8201CL60U2-( )  | \$889. |
| KE8201CH(L,R)-( ) | \$947. |

| Construction   | Electrical   |
|--|--|
| <p><i>Description:</i></p> <p>KE4: Die-cast aluminum with powder coat matte paint finish.</p> <p>KE5: Aluminum case with powder coat matte paint finish.</p> <p>KE7: Aluminum case with powder coat matte paint finish. *</p> <p>KE8: Aluminum case with powder coat matte paint finish.</p> <p><br/></p> <p>*KE7 Electrical Module is compatible with flat edge tops only. This mount will not work with knife edge tables.</p> | <p><i>USB:</i></p> <p>The USB option that is included in the KE4 module will have (2) USB jacks per position. For example a KE4202C72 module includes (2) Power and (2) USB but will actually have (2) Power and (4) USB jacks.</p> <p><br/></p> <p>The USB option that is included in the KE5, KE7, and KE8 modules will only have (1) USB jack per position. For example a KE5202C72 module includes (2) Power and (2) USB and will have (2) Power and (2) USB jacks.</p> <p><br/></p> <p><i>USB: 2 Amps</i></p> <p><br/></p> <p><i>Note:</i></p> <p>Additional data and power configurations can be requested through Custom Product Development.</p> |

Marc Krusin  
Pixel™ Electrical  
KE6: C-Leg Trough Only

|  | description  | type               | power cord     |
|--|--|--------------------|----------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015 | <b>KE6</b> Four receptacle module<br> | 3 Power, 1 USB A+C | 48" Cordset    |
|  |  | 3 Power, 1 USB A+C | 72" Cordset    |
|  |  | 3 Power, 1 USB A+C | 48" Pixel Link |
|  |  | 3 Power, 1 USB A+C | 60" Pixel Link |
|  |  | 3 Power, 1 USB A+C | 72" Hardwire   |
|  |  |                    |                |

| pattern no.             |          |
|-------------------------|----------|
| <b>KE6301CC48-( )</b>   | \$1,044. |
| <b>KE6301CC72-( )</b>   | \$1,044. |
| <b>KE6301CL48U2-( )</b> | \$1,077. |
| <b>KE6301CL60U2-( )</b> | \$1,080. |
| <b>KE6301CH-( )</b>     | \$1,147. |



| Order Code  | Ordering Information                 |   | Pixel Link   |
|---|--------------------------------------|---|--|
| <i>Example:</i> <b>KE6301C72</b>  | <i>Case and Receptacle Finishes:</i> |   | Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. <b>Please specify a Starter Box (KLSC) if using the Pixel Link system.</b> Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units. |
| <b>KE6</b>  | KE6 Electrical Module                | Cutout Codes:<br>Please refer to the Grommet and Electrical Module Cutout Matrix on page 0 for table compatibility and cutout codes.<br><br><i>Note:</i><br>Power Modules with a Pixel Link require a Starter Box. 72” wide tables require a jumper cable. Please refer to page 52 of the price list for Pixel Link Starter Boxes and Cables. |  |
| <b>301</b>  | 3 Power, 1 High Speed USB            |   |  |
| <b>C72</b>  | 72” Cordset                          |   |  |
| <b>BK</b>   | Black finish                         |   |  |
| <i>Specify:</i><br>1. Pattern number<br>2. Case Finish  |                                      |   |  |
| <b>Note:</b><br>White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.<br><br><b>KE6 Electrical Modules are only available on C-Leg tables with trough cutout.</b> |                                      |   |  |

REFER TO THE SPECIFICATION TOOL FOR THE CURRENT PRICING

| Pixel Link   |
|--|
| Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. <b>Please specify a Starter Box (KLSC) if using the Pixel Link system.</b> Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units. |

| Construction   | Electrical   |
|--|--|
| <i>Description:</i><br>KE6: Aluminum case with powder coat matte paint finish. | <i>USB:</i><br><br>The USB option that is included in the KE6 module will only have (1) USB jack per position. For example a KE6301C72 module includes (3) Power and (1) USB and will have (3) Power and (1) USB jack.<br><br>USB: 2 Amps<br><br><i>Note:</i><br>Additional data and power configurations can be requested through Custom Product Development. |

Marc Krusin  
Pixel™ Electrical  
Pixel™ Link Starter Boxes and Jumper Cables

|  | description  | type         | power cord  |
|--|--|--------------|-------------|
| <i>Designer(s):</i><br>Marc Krusin, 2015 | <b>KLJ</b> Jumper cable<br> | Jumper cable | 12"         |
|  |  | Jumper cable | 24"         |
|  |  | Jumper cable | 36"         |
|  |  | Jumper cable | 48"         |
|  |  | Jumper cable | 60"         |
|  |  |              |             |
|  | <b>KLSC</b> Starter box<br> | Starter box  | 72" Cordset |
| Starter box                              |  | 120" Cordset |             |
| <b>KLA1-2</b> Pixel Link Adaptor         |  |              |             |
| <b>KLA2-1</b> Pixel Link Adaptor         |  |              |             |




|             |        |
|-------------|--------|
| pattern no. | .      |
| KLJ12U2     | \$144. |
| KLJ24U2     | \$150. |
| KLJ36U2     | \$159. |
| KLJ48U2     | \$167. |
| KLJ60U2     | \$176. |
|             |        |
| KLSC72U2    | \$728. |
| KLSC120U2   | \$749. |

|        |        |
|--------|--------|
| KLA1-2 | \$144. |
| KLA2-1 | \$144. |

| Order Code  | Pixel Link             | Pixel Link Rules       | Pixel Link Adaptor: |                 |  |   |   |
|---|------------------------|------------------------|---------------------|-----------------|--|---|---|
| <p><i>Example:</i> <b>KLSC120</b></p> <table> <tr> <td><b>KLSC</b></td><td>Pixel Link Starter Box</td></tr> <tr> <td><b>120</b></td><td>120" power cord</td></tr> </table> <p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Cord length</li> </ol> | <b>KLSC</b>            | Pixel Link Starter Box | <b>120</b>          | 120" power cord | <p>Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one starter box. The smart LED indicators will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.</p> | <p><b>Starter Boxes:</b></p> <p>Starter Boxes can accommodate a maximum of (8) electrical modules and/or jumper cables (do not count the Starter Box itself).</p> <p><i>Example:</i> (8) Electrical Modules <b>or</b> (4) Electrical Modules with (4) Jumper Cables.</p> <p><b>Electrical Modules:</b></p> <p>Cordset: Choose an Electrical Module with the appropriate length cordset to reach the power source.</p> <p>Pixel Link: Choose an electrical module with a Pixel Link length equivalent to the width of your table. The maximum Pixel Link cable length is 60". Therefore, on 72" tables, you will need to order the electrical module with 60" Pixel Link cable and an additional 12" jumper cable.</p> <p><b>Cutout Codes:</b></p> <p>Refer to the Pixel Grommet and Electrical Module Cutout Matrix on page 0 for table compatibility and cutout codes.</p> <p><b>Corner Wedge:</b></p> <p>If utilizing a Corner Wedge in your configuration, specify a 24" Pixel Link to accommodate the added distance and curve for each corner wedge top.</p> | <p>As of January 1, 2020, the Pixel Link male/female connectors have been updated and will not fit previous Pixel Link electrical modules and starter boxes. If you need to add additional Pixel Link modules to your existing run, specify a <b>KLA1-2</b> adaptor cable in between your existing module and the new module. If you need to replace an old starter box but still need to use your existing electrical modules, specify a <b>KLA2-1</b> adaptor cable in between your new starter box and existing electrical module. Please note that you are still limited to 8 connections per starter box and this adaptor cable counts towards that limit.</p> |
| <b>KLSC</b>   | Pixel Link Starter Box |                        |                     |                 |  |   |   |
| <b>120</b>  | 120" power cord        |                        |                     |                 |  |   |   |

| Ordering Information   |  |
|--|--|
| <b>How to Specify Pixel Link Power System:</b>   |  |
| <b>Example 1:</b><br>Need: (3) rows of (8) tables  | <b>Example 2:</b><br>Need: (3) rows of (8) tables  |
| Table Specifications:<br>(24) 60" x 24" Pixel C-Leg Tables with consistent cutout positions on all tables.   | Table Specifications:<br>(24) 72" x 30" Pixel C-Leg Tables with consistent cutout positions on all tables.   |
| Starter boxes can only accommodate a maximum of (8) electrical modules + jumper cables (do not count the starter box itself). For this application, we will need to specify (3) starter boxes (one for each row) since no jumpers are required. Choose the length cord that matches the distance to your power source. | Here we are going to show the same application with larger tables. Again, we have used (24) KE4 electrical modules with a 60" Pixel Link connector. Since our tables are 72" we will need to add 12" jumper cables to our specification to accommodate the added length.   |
| Electrical Specifications:<br>(24) KE4 Pixel Electrical Module - KE4301L60BK<br>(3) Pixel Link Starter Box with 72" Cordset - KLSC72   | Since we now have two components per table (electrical module + jumper cable) we will need a starter box for every (4) tables. In this case we will need (6) starter boxes. An additional power source will need to be provided for each row. Choose the length cord that matches the distance to each power source. |
|  | Electrical Specifications:<br>(24) KE4 Pixel Electrical Module - KE4301L60BK<br>(18) 12" Pixel Jumper Cable - KLJ12<br>(6) Pixel Link Starter Box with 72" Cordset - KLSC72  |

Marc Krusin  
Pixel™ Electrical  
Pixel™ Trac










|                                   | description   | type                            | power cord         |
|-----------------------------------|---|---------------------------------|--------------------|
| Designer(s):<br>Marc Krusin, 2015 | <b>KTk</b> Pixel Trac Kit<br>        | Single Duplex Kit for 48" table | 48" metal conduit  |
|                                   |   | Single Duplex Kit for 60" table | 60" metal conduit  |
|                                   |   | Single Duplex Kit for 72" table | 72" metal conduit  |
|                                   |   | Single Duplex Kit               | 84" metal conduit  |
|                                   |   | Single Duplex Kit               | 96" metal conduit  |
|                                   | <b>KTD</b> Pixel Trac Duplex Kit<br> | Single Duplex Kit               | –                  |
|                                   | <b>KTSH</b> Pixel Trac Starter<br>   | Starter Cable for 72" Hardwire  | 72" metal conduit  |
|                                   |   | Starter Cable for 120" Hardwire | 120" metal conduit |

| pattern no.    |        |
|----------------|--------|
| <b>KTk48</b>   | \$249. |
| <b>KTk60</b>   | \$262. |
| <b>KTk72</b>   | \$279. |
| <b>KTk84</b>   | \$293. |
| <b>KTk96</b>   | \$308. |
|                |        |
| <b>KTD</b>     | \$118. |
|                |        |
|                |        |
|                |        |
| <b>KTSH72</b>  | \$163. |
| <b>KTSH120</b> | \$203. |

| Order Code   | Pixel Trac   | Ordering Information  |
|--|--|---|
| Example: <b>KTSH120</b>                            | Pixel Trac is a non-sequential modular power system that allows users to link up to 13 duplex receptacles together off of one hardwired power infeed. With locking and keyed connectors, installation is a snap. Pixel Trac is a UL Listed Manufactured Wiring System. | <b>How to Specify Pixel Trac Power System:</b>  |
| <b>KTSH</b> Pixel Trac metal conduit               |  | <b>Example 1:</b><br>Need: (2) rows of (13) tables  |
| <b>120</b> 120" metal conduit                      |  | Table Specifications:   |
|  |  | (26) 60" x 24" Pixel C-Leg Tables with a Front Center (EA) cutout for a KE5 power module in all tables.   |
|  |  | Each starter (infeed) cable can accommodate a maximum of (13) Pixel Trac jumper kits. Choose the length starter that matches the distance to your power source. For this application we will need to specify (2) Pixel Trac Starters, one for each row.   |
| Specify:<br>1. Pattern number<br>2. Conduit length |  | Select the Pixel Trac Kit that is the same length as the table. For this application we will need (26) of the 60" Pixel Trac Kits, (1) for each table.  |
|  |  | Review the Grommet and Electrical Module Cutout Matrix to verify that the preferred power module is available in the requested location. Choose the power module with the 48" cordset to reduce the amount of excess cord that needs to be stored in each trough. For this application we will need (26) of the KE4 Electrical Modules. |
|  |  | Electrical Specifications:  |
|  |  | (26) KE5 Pixel Electrical Module - KE5202C48<br>(26) 60" Pixel Trac Kit - KTK60<br>(2) Pixel Trac Starter - KTSH72  |

REQUEST THE SPECIFICATION TOOL FOR THE CURRENT PRICING

Marc Krusin  
Pixel™ Electrical  
Pixel™ Wire Management

|  |  |
|--|--|
|  | description  |
| <i>Designer(s):</i><br>Marc Krusin, 2015 | <b>KE-VF</b> Vertical wire management clips for Four Leg Pixel Tables<br>                                 |
|  | <b>KE-VB</b> Vertical wire management clips for Column Base Pixel Tables<br>                              |
|  | <b>KE-VCT</b> Vertical wire management clips for C and T Leg Pixel Tables<br>                             |
|  | <b>KE-VCTE</b> Vertical wire management clips for Electric Height Adjustable C and T Leg Pixel Tables<br> |
|  | <b>KE-VY</b> Vertical wire management clips for Y Leg Pixel Tables<br>                                    |
|  | <b>KE-H</b> Horizontal wire management clips for Pixel Tables<br>   |
|  | <b>KE-KLH</b> Magnetic wire management clips for Pixel S Series Tables<br>                               |
|  | <b>KE-VC</b> Vertical cord cover for C and T leg tables with casters<br>                                |
|  | <b>KE-VG</b> Vertical cord cover for C and T leg tables with glides<br>                                 |

| Order Code  | Finishes  | Features   |   |
|---|---|--|---|
| <i>Example:</i> <b>KE-CT</b><br><b>KE-CT</b> Vertical wire management clips for C and T Leg                                       | <i>Cord cover finishes:</i><br>Jet Black (suffix 111T)<br>White (suffix 91T)<br>Bright White (suffix 118T)<br>Medium Grey (suffix 115T)<br>Sterling (suffix 906T) | <i>Vertical Wire Management Clips:</i><br>Vertical wire management clips easily snap on to the leg of the Pixel Table in order to guide the wires and cords down to the floor. Clips slide up and down the leg for adjustment. | <i>Horizontal Wire Management Clips:</i><br>Horizontal wire management clips screw onto the underside of the table top which secure the wires or cables in place. |
| <i>Specify:</i><br>1. Pattern number  |   | <i>Note:</i><br>Vertical wire management clips are clear and come in a pack of 2.  | <i>Note:</i><br>Horizontal wire mangement clips are black and come in a pack of 4.  |
| <i>Example:</i> <b>KE-VG-118T</b><br><b>KE-VG</b> Vertical cord cover for C and T Leg table on glides<br><b>118T</b> Bright White |   |  |   |





*Specify:*  
1. Pattern number  
2. Paint finish

|                  |       |
|------------------|-------|
| pattern no.      | .     |
| <b>KE-VF</b>     | \$28. |
| <b>KE-VB</b>     | \$28. |
| <b>KE-VCT</b>    | \$43. |
| <b>KE-VCTE</b>   | \$29. |
| <b>KE-VY</b>     | \$28. |
| <b>KE-H</b>      | \$33. |
| <b>KE-KLH</b>    | \$77. |
| <b>KE-VC-( )</b> | \$83. |
| <b>KE-VG-( )</b> | \$90. |

*Cord Covers:*  
Cord covers can be specified for both C and T leg Pixel tables on casters or glides. Covers are extruded aluminum and snap onto the leg to hide vertical wires and allow for a more seamless look. Specify paint finish to match table leg finish. Recommended for use when specifying Pixel Trac.

*Note:*  
Cord covers cannot be used on electric and pinset height adjustable tables.

Marc Krusin  
Pixel™ Accessories  
Pixel™ Modesty and Privacy Screens

|                                   | description  | h   | w   | d    |
|-----------------------------------|--|-----|-----|------|
| Designer(s):<br>Marc Newson, 2022 | <b>KS48L</b> Pixel modesty/privacy screen, 48".<br>For all C-Leg tables. For use on<br>Four Leg tables for privacy only  | 14" | 48" | 1/2" |
|                                   |   |     |     |      |
|                                   | <b>KS60L</b> Pixel modesty/privacy screen, 60".<br>For all C-Leg tables and T-Leg fix tables.<br>For use on Four Leg tables for privacy only                       | 14" | 60" | 1/2" |
|                                   |   |     |     |      |
|                                   | <b>KS72L</b> Pixel modesty/privacy screen, 72".<br>For all C-Leg tables, T-Leg fix tables, and<br>Y-Leg fix tables.<br>For use on Four Leg tables for privacy only | 14" | 72" | 1/2" |
|                                   |    |     |     |      |
|                                   | <b>KS84L</b> Pixel modesty/privacy screen, 84".<br>For Y-Leg fix tables  | 14" | 84" | 1/2" |
|                                   |   |     |     |      |

| Order Code  | Finishes                            | Construction                             |
|---|-------------------------------------|--|
| <i>Example:</i> <b>KS48L-141-118T</b>                   | <i>Colored laminate finishes:</i>   | <i>Flat edgeband finishes:</i>           |
| <b>KS48L</b> Pixel Modesty/Privacy screen, 48" laminate | White (suffix 91)                   | Black (suffix 111)                       |
| <b>141</b> Whitened Ash laminate finish                 | Bright White (suffix 118)           | Mink (suffix 324)                        |
| <b>118T</b> White flat edgeband                         | Folkstone Grey (suffix 114)         | Innertone (suffix 386)                   |
|   | Ultra Black (suffix UBK)            | Platinum (suffix 367)                    |
|   | <i>Woodgrain laminate finishes:</i> | Folkstone (suffix 004)                   |
|   | Medium Cherry (suffix 124)          | Birght White (suffix 118)                |
|   | Natural Maple (suffix 125)          | White (Suffix 91)                        |
|   | Natural Cherry (suffix 126)         | <i>Woodgrain flat edgeband finishes:</i> |
|   | Walnut (suffix 127)                 | Medium Cherry (suffix 124)               |
|   | Light Ash (suffix 139)              | Natural Maple (suffix 125)               |
|   | Warm Ash (suffix 140)               | Natural Cherry (suffix 126)              |
|   | Whitened Ash (suffix 141)           | Walnut (suffix 127)                      |
|   | Grey Ash (suffix 142)               | Light Ash (suffix 139)                   |
|   | Classic Oak (suffix 143)            | Warm Ash (suffix 140)                    |
|   | Graphite Pear (suffix 144)          | Whitened Ash (suffix 141)                |
|   |                                     | Grey Ash (suffix 142)                    |
|   |                                     | Classic Oak (suffix 143)                 |
|   |                                     | Graphite Pear (suffix 144)               |

|             |        |
|-------------|--------|
| pattern no. | list   |
| KS48L-()-() | \$679. |
| KS60L-()-() | \$740. |
| KS72L-()-() | \$883. |
| KS84L-()-() | \$993. |

## Features






---

*Modesty Screens:*  
Modesty screens can remain attached to Pixel Flip-Top Tables while tables are flipped and nested due to the flexibility of the Hytrel® hinge.

*Note:* Tables cannot be flipped or nested if privacy screen is attached.

*Modesty/Privacy screen brackets:*  
Two brackets are required for each modesty and privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty Brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.

Marc Krusin  
Pixel™ Accessories  
Pixel™ Modesty and Privacy Screens

|  | description  | h   | w   | d  |
|--|--|-----|-----|----|
| <i>Designer(s):</i><br>Marc Newson, 2022 | <b>KSF48L</b> Pixel modesty screen, 44".<br>For 48" Four leg tables only           | 14" | 44" | ½" |
|  |   |     |     |    |
|  | <b>KSF60L</b> Pixel modesty screen, 56".<br>For 60" Four leg tables only           | 14" | 56" | ½" |
|  |   |     |     |    |
|  | <b>KSF72L</b> Pixel modesty screen, 68".<br>For 72" Four leg tables only           | 14" | 68" | ½" |
|  |   |     |     |    |
|  | <b>KST60L</b> Pixel modesty screen, 38".<br>For 60" T-Leg flip tables only         | 14" | 38" | ½" |
|  |   |     |     |    |
|  | <b>KST72L</b> Pixel modesty screen, 50".<br>For 72" T-Leg flip tables only         | 14" | 50" | ½" |
|  |  |     |     |    |




| pattern no.          | list   |
|----------------------|--------|
| <b>KSF48L-(-)(-)</b> | \$675. |
|                      |        |
|                      |        |
| <b>KSF60L-(-)(-)</b> | \$738. |
|                      |        |
|                      |        |
| <b>KSF72L-(-)(-)</b> | \$881. |
|                      |        |
|                      |        |
| <b>KST60L-(-)(-)</b> | \$672. |
|                      |        |
|                      |        |
| <b>KST72L-(-)(-)</b> | \$730. |

| Order Code   | Finishes  | Construction  |
|--|---|---|
| <i>Example:</i> <b>KSF60-111-111T</b>  | <i>Colored laminate finishes:</i><br>White (suffix 91)<br>Bright White (suffix 118)<br>Folkstone Grey (suffix 114)<br>Ultra Black (suffix UBK)  | <i>Flat edgeband finishes:</i><br>White (suffix 91)<br>Black (suffix 111)<br>Mink (suffix 324)<br>Innertone (suffix 386)<br>Platinum (suffix 367)<br>Folkstone (suffix 004)<br>Bright White (suffix 118)<br>White (suffix 91) |
| <b>KSF60</b>   |   |   |
| <b>111</b>   |   |   |
| <b>111T</b>  |   |   |
|  |   |   |
|  | <i>Woodgrain laminate finishes:</i><br>Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144)      | <i>Laminate screens:</i><br>Constructed of MDF substrate sandwiched between laminate veneer. Laminate screens are specified with a flat .8mm ABS edgeband.  |
| <i>Specify:</i><br>1. Pattern number<br>2. Screen finish<br>3. Edgeband finish | <i>Woodgrain flat edgeband finishes:</i><br>Medium Cherry (suffix 124)<br>Natural Maple (suffix 125)<br>Natural Cherry (suffix 126)<br>Walnut (suffix 127)<br>Light Ash (suffix 139)<br>Warm Ash (suffix 140)<br>Whitened Ash (suffix 141)<br>Grey Ash (suffix 142)<br>Classic Oak (suffix 143)<br>Graphite Pear (suffix 144) |   |

| Features   |
|--|
| <i>Modesty Screens:</i><br>Modesty screens can remain attached to Pixel Flip-Top Tables while tables are flipped and nested due to the flexibility of the Hytel® hinge.  |
| <i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.   |
| <i>Modesty/Privacy screen brackets:</i><br>Two brackets are required for each modesty and privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty Brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top. |



Marc Krusin  
Pixel™ Accessories  
Pixel™ Modesty and Privacy Screens

| description  | h   | w   | d    |
|--|-----|-----|------|
| <i>Designer(s):</i><br>Marc Newson, 2022   |     |     |      |
| <b>KS24L</b> Pixel side privacy screen, 24".<br>For all C-Leg, T-Leg, and Four leg tables        | 14" | 24" | 1/2" |
|                 |     |     |      |
| <b>KS30L</b> Pixel side privacy screen, 30".<br>For all C-Leg, T-Leg, and Four leg tables        | 14" | 30" | 1/2" |
|                 |     |     |      |
| <b>KS36L</b> Pixel side privacy screen, 36".<br>For all C-Leg, T-Leg, Y-Leg, and Four leg tables | 14" | 36" | 1/2" |
|                 |     |     |      |

| pattern no. | list   |
|-------------|--------|
| KS24L-()-() | \$550. |
| KS30L-()-() | \$579. |
| KS36L-()-() | \$652. |





| Order Code   | Finishes                            | Construction                             |
|--|-------------------------------------|--|
| <i>Example:</i> <b>KS24L-118-118T</b>                | <i>Colored laminate finishes:</i>   | <i>Flat edgeband finishes:</i>           |
| <b>KS24L</b> Pixel Side Privacy screen, 24" laminate | White (suffix 91)                   | Black (suffix 111)                       |
| <b>118</b> Bright White laminate finish              | Bright White (suffix 118)           | Mink (suffix 324)                        |
| <b>118T</b> White flat edgeband                      | Folkstone Grey (suffix 114)         | Innertone (suffix 386)                   |
|  | Ultra Black (suffix UBK)            | Platinum (suffix 367)                    |
|  |                                     | Folkstone (suffix 004)                   |
|  | <i>Woodgrain laminate finishes:</i> | White (suffix 118)                       |
|  | Medium Cherry (suffix 124)          | White (suffix 91)                        |
|  | Natural Maple (suffix 125)          |  |
|  | Natural Cherry (suffix 126)         | <i>Woodgrain flat edgeband finishes:</i> |
|  | Walnut (suffix 127)                 | Medium Cherry (suffix 124)               |
|  | Light Ash (suffix 139)              | Natural Maple (suffix 125)               |
|  | Warm Ash (suffix 140)               | Natural Cherry (suffix 126)              |
|  | Whitened Ash (suffix 141)           | Walnut (suffix 127)                      |
|  | Grey Ash (suffix 142)               | Light Ash (suffix 139)                   |
|  | Classic Oak (suffix 143)            | Warm Ash (suffix 140)                    |
|  | Graphite Pear (suffix 144)          | Whitened Ash (suffix 141)                |
|  |                                     | Grey Ash (suffix 142)                    |
|  |                                     | Classic Oak (suffix 143)                 |
|  |                                     | Graphite Pear (suffix 144)               |

| Features   |  |
|--|--|
| <p><i>Privacy screen brackets:</i></p> <p>Two privacy screen brackets are required for each privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Privacy screen brackets clamp onto the table top.</p> <p><i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.</p> |  |

Marc Krusin

Pixel™ Accessories

Pixel™ Modesty and Privacy Screen Brackets

|  | description   |
|--|---|
| <i>Designer(s):</i><br>Marc Newson, 2022 | <b>KSB-M</b> Pixel Modesty Screen Bracket<br>                              |
|  | <b>KSB-PS</b> Pixel Privacy Screen Bracket - Single table<br>              |
|  | <b>KSB-PD</b> Pixel Shared Privacy Screen Bracket<br>                      |
|  | <b>KSB-MCB</b> Pixel Shared Privacy Screen Mid-span Connecting Bracket<br> |

| Order Code                        | Finishes                     | Construction  | Features  |
|-----------------------------------|------------------------------|---|---|
| <i>Example:</i> <b>KSB-M-118T</b> | <i>Bracket finishes:</i>     | <i>Modesty and Privacy bracket:</i>   | <i>Modesty and Privacy screen brackets:</i>   |
| <b>KSB-M</b>                      | Pixel modesty screen bracket | Brackets are constructed using a combination of cast aluminum and a Hytrel® hinge which allows tables to flip while screens are attached. Aluminum parts are powder coated and available in Bright White and Jet Black. | Two brackets are required for each modesty screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top. |
| <b>118T</b>                       | White bracket finish         |   |   |
| <i>Specify:</i>                   |                              |   |   |
| 1. Pattern number                 |                              |   |   |
| 2. Specify bracket finish         |                              |   |   |
|                                   |                              | <i>Note:</i>  |   |
|                                   |                              | <b>Bracket screws are always black.</b>   |   |

| pattern no.        | list   |
|--------------------|--------|
| <b>KSB-M-( )</b>   | \$118. |
| <b>KSB-PS-( )</b>  | \$177. |
| <b>KSB-PD-( )</b>  | \$192. |
| <b>KSB-MCB-( )</b> | \$167. |

| Specifications  |
|---|
| <b>KSB-M:</b> Specify if only modesty is required.  |
| <b>KSB-PS:</b> Specify if only privacy is required.<br><i>Note:</i> If both modesty and privacy are being used together, specify both KSB-M and KSB-PS.                             |
| <b>KSB-PD:</b> Specify if privacy screen is shared by two tables. Bracket will also double as ganging bracket to join adjacent tables together.                                     |
| <b>KSB-MCB:</b> Specify in conjunction with KSB-PS if privacy screen is shared by two perpendicular tables along the long edge of one table and the short edge of the second table. |

# Alpha-Numeric Index

| <i>pattern no.</i> | <i>page</i> | <i>pattern no.</i> | <i>page</i> | <i>pattern no.</i> | <i>page</i>                                    | <i>pattern no.</i> | <i>page</i> |
|--------------------|-------------|--------------------|-------------|--------------------|--|--------------------|-------------|
| KCPA4821           | 12          | KE1101C120         | 40          | KE-VF              | 50   | KLCXW4830          | 14          |
| KCPA4824           | 12          | KE1101C48          | 40          | KE-VG              | 50   | KLCXW6018          | 14          |
| KCPA4830           | 12          | KE1101C72          | 40          | KE-VY              | 50   | KLCXW6021          | 14          |
| KCPA6021           | 12          | KE1200C120         | 40          | KFXW3636           | 30   | KLCXW6024          | 14          |
| KCPA6024           | 12          | KE1200C48          | 40          | KFXW4242           | 30   | KLCXW6030          | 14          |
| KCPA6030           | 12          | KE1200C72          | 40          | KFXW4818           | 30   | KLCXW7218          | 14          |
| KCPA7221           | 12          | KE2201C48          | 40          | KFXW4824           | 30   | KLCXW7221          | 14          |
| KCPA7224           | 12          | KE2201C72          | 40          | KFXW4830           | 30   | KLCXW7224          | 14          |
| KCPA7230           | 12          | KE2300C48          | 40          | KFXW4836           | 30   | KLCXW7230          | 14          |
| KCPW4818           | 12          | KE2300C72          | 40          | KFXW4848           | 30   | KLJ12U2            | 46          |
| KCPW4821           | 12          | KE3202C48          | 40          | KFXW6018           | 30   | KLJ24U2            | 46          |
| KCPW4824           | 12          | KE3202C72          | 40          | KFXW6024           | 30   | KLJ36U2            | 46          |
| KCPW4830           | 12          | KE3400C48          | 40          | KFXW6030           | 30   | KLJ48U2            | 46          |
| KCPW6018           | 12          | KE3400C72          | 40          | KFXW6036           | 30   | KLJ60U2            | 46          |
| KCPW6021           | 12          | KE4202C48          | 42          | KFXW7218           | 30   | KLSC120U2          | 46          |
| KCPW6024           | 12          | KE4202C72          | 42          | KFXW7224           | 30   | KLSC72U2           | 46          |
| KCPW6030           | 12          | KE4202L48U2        | 42          | KFXW7230           | 30   | KLTPA4824          | 28          |
| KCPW7218           | 12          | KE4202L60U2        | 42          | KFXW7236           | 30   | KLTPA4830          | 28          |
| KCPW7221           | 12          | KE4301C48          | 42          | KGANG              | 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 32, 38 | KLTPA4836          | 28          |
| KCPW7224           | 12          | KE4301C72          | 42          |                    |  | KLTPA6024          | 28          |
| KCPW7230           | 12          | KE4301L48U2        | 42          | KL A1-2            | 46   | KLTPA6030          | 28          |
| KCXA4818           | 10          | KE4301L60U2        | 42          | KL A2-1            | 46   | KLTPA6036          | 28          |
| KCXA4821           | 10          | KE4400C48          | 42          | KLCPA4818          | 16   | KLTPA7224          | 28          |
| KCXA4824           | 10          | KE4400C72          | 42          | KLCPA4821          | 16   | KLTPA7230          | 28          |
| KCXA4830           | 10          | KE5202C48          | 42          | KLCPA4824          | 16   | KLTPA7236          | 28          |
| KCXA6018           | 10          | KE5202C72          | 42          | KLCPA4830          | 16   | KLTPW4824          | 28          |
| KCXA6021           | 10          | KE5202H(L,R)       | 42          | KLCPA6018          | 16   | KLTPW4830          | 28          |
| KCXA6024           | 10          | KE5202L48U2        | 42          | KLCPA6021          | 16   | KLTPW4836          | 28          |
| KCXA6030           | 10          | KE5202L60U2        | 42          | KLCPA6024          | 16   | KLTPW6024          | 28          |
| KCXA7218           | 10          | KE5301C48          | 42          | KLCPA6030          | 16   | KLTPW6030          | 28          |
| KCXA7221           | 10          | KE5301C72          | 42          | KLCPA7218          | 16   | KLTPW6036          | 28          |
| KCXA7224           | 10          | KE5301H(L,R)       | 42          | KLCPA7221          | 16   | KLTPW7224          | 28          |
| KCXA7230           | 10          | KE5301L48U2        | 42          | KLCPA7224          | 16   | KLTPW7230          | 28          |
| KCXW4818           | 10          | KE5301L60U2        | 42          | KLCPA7230          | 16   | KLTPW7236          | 28          |
| KCXW4821           | 10          | KE5400C48          | 42          | KLCPW4818          | 16   | KLTXW4824          | 26          |
| KCXW4824           | 10          | KE5400C72          | 42          | KLCPW4821          | 16   | KLTXW4830          | 26          |
| KCXW4830           | 10          | KE6301C48          | 44          | KLCPW4824          | 16   | KLTXW4836          | 26          |
| KCXW6018           | 10          | KE6301C72          | 44          | KLCPW4830          | 16   | KLTXW6024          | 26          |
| KCXW6021           | 10          | KE6301H            | 44          | KLCPW6018          | 16   | KLTXW6030          | 26          |
| KCXW6024           | 10          | KE6301L48U2        | 44          | KLCPW6021          | 16   | KLTXW6036          | 26          |
| KCXW6030           | 10          | KE6301L60U2        | 44          | KLCPW6024          | 16   | KLTXW7224          | 26          |
| KCXW7218           | 10          | KE7202C72          | 42          | KLCPW6030          | 16   | KLTXW7230          | 26          |
| KCXW7221           | 10          | KE7301C72          | 42          | KLCPW7218          | 16   | KLTXW7236          | 26          |
| KCXW7224           | 10          | KE7400C72          | 42          | KLCPW7221          | 16   | KP-18              | 38          |
| KCXW7230           | 10          | KE8201C48          | 42          | KLCPW7224          | 16   | KP-24              | 38          |
|                    |             | KE8201C72          | 42          | KLCPW7230          | 16   | KP-30              | 38          |
|                    |             | KE8201H(L,R)       | 42          | KLCXA4818          | 14   | KP-36              | 38          |
|                    |             | KE8201L48U2        | 42          | KLCXA4821          | 14   | KS24L              | 56          |
|                    |             | KE8201L60U2        | 42          | KLCXA4824          | 14   | KS30L              | 56          |
|                    |             | KE8300C48          | 42          | KLCXA4830          | 14   | KS36L              | 56          |
|                    |             | KE8300C72          | 42          | KLCXA6018          | 14   | KS48L              | 52          |
|                    |             | KE8300H(L,R)       | 42          | KLCXA6021          | 14   | KS60L              | 52          |
|                    |             | KE8300L48U2        | 42          | KLCXA6024          | 14   | KS72L              | 52          |
|                    |             | KE8300L60U2        | 42          | KLCXA6030          | 14   | KS84L              | 52          |
|                    |             | KE-H               | 50          | KLCXA7218          | 14   | KSB-M              | 58          |
|                    |             | KE-KLH             | 50          | KLCXA7221          | 14   | KSB-MCB            | 58          |
|                    |             | KERG               | 40          | KLCXA7224          | 14   | KSB-PD             | 58          |
|                    |             | KE-VB              | 50          | KLCXA7230          | 14   | KSB-PS             | 58          |
|                    |             | KE-VC              | 50          | KLCXW4818          | 14   | KSf48L             | 54          |
|                    |             | KE-VCT             | 50          | KLCXW4821          | 14   | KSf60L             | 54          |
|                    |             | KE-VCTE            | 50          | KLCXW4824          | 14   |                    |             |

| <i>pattern no.</i> | <i>page</i> |
|--------------------|-------------|
| KSF72L             | 54          |
| KST60L             | 54          |
| KST72L             | 54          |
| KTD                | 48          |
| KTk48              | 48          |
| KTk60              | 48          |
| KTk72              | 48          |
| KTk84              | 48          |
| KTk96              | 48          |
| KTPA6030           | 20          |
| KTPA6036           | 20          |
| KTPA7230           | 20          |
| KTPA7236           | 20          |
| KTPW6030           | 20          |
| KTPW6036           | 20          |
| KTPW7230           | 20          |
| KTPW7236           | 20          |
| KTSH120            | 48          |
| KTSH72             | 48          |
| KTXA6030           | 18          |
| KTXA6036           | 18          |
| KTXA7230           | 18          |
| KTXA7236           | 18          |
| KTXW6030           | 18          |
| KTXW6036           | 18          |
| KTXW7230           | 18          |
| KTXW7236           | 18          |
| KYDW9648           | 32          |
| KYPW7236           | 32          |
| KYPW8436           | 32          |
| KYXW7236           | 32          |
| KYXW8436           | 32          |
| KZTPA4824          | 24          |
| KZTPA6024          | 24          |
| KZTPA6030          | 24          |
| KZTPW4824          | 24          |
| KZTPW6024          | 24          |
| KZTPW6030          | 24          |
| KZTXA4824          | 22          |
| KZTXA6024          | 22          |
| KZTXA6030          | 22          |
| KZTXW4824          | 22          |
| KZTXW6024          | 22          |
| KZTXW6030          | 22          |

# Selling Policy

|  |   |
|--|---|
|  | <p>This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.</p>   |
| <b>Terms &amp; Conditions of Sales</b> | <p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>  |
| <b>Ordering Information</b>            | <p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>   |
| <b>Order Confirmation</b>              | <p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>  |
| <b>Pricing Policies</b>                | <p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>  |
| <b>Taxes</b>                           | <p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>  |
| <b>Terms of Payment</b>                | <p>Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p> |
| <b>Changes and Cancellation</b>        | <p>Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p> <p>QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.</p>   |
| <b>Freight Prepaid</b>                 | <p>For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p> <p>Freight for all Muuto orders must be specified at time of order placement and added to the PO.</p>  |
| <b>Delivery/Freight Charges</b>        | <p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>   |
| <b>Claims</b>                          | <p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>  |

# Selling Policy

|                                   |  |
|-----------------------------------|--|
| <b>Seller's Security Interest</b> | Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.  |
| <b>Returns</b>                    | The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.  |
| <b>Held Orders/Storage</b>        | If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.  |
| <b>Customer's Own Material</b>    | A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product. |
| <b>Delay/Force Majeure</b>        | Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.   |
| <b>Compliance with Law</b>        | PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.   |
| <b>Patents</b>                    | Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.   |
|                                   | The foregoing indemnity does not apply to the following:   |
|                                   | <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>   |
| <b>Limitations of Liability</b>   | <b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b><br><br>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.   |
| <b>Warranty</b>                   | please visit warranty website link <a href="https://www.knoll.com/help/warranty">https://www.knoll.com/help/warranty</a> for up-to-date information.   |

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.  
1235 Water Street  
P.O. Box 157  
East Greenville, PA 18041  
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

# Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."