

HAWORTH

Fixed Height Tables

GSA Price List – March 2025

Includes Compose, Cultivate, Executive Wood, Immerse, Jive, Masters Series, Pip, Planes, PopUp, PREMISE and Reside Tables



This price list is based upon Haworth's February 2025 commercial pricing.

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables

(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)

Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large

Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000



Electronic Update Page – Fixed Height Tables Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
Click Here	March 2025	16, 244-268	Update – The Planes Column Base was redesigned and updated.
Click Here	March 2025	24	Update – Correction to Mounting Bracket pricing.
Click Here	May 2025	55, 121, 122, 146, 147,	Update – The Jive C-Leg/T-Leg Flip Base Rectangular Tables have been updated with a new option that features angled feet for in-line nesting of the the tables.
Click Here	May 2025	272, 274, 276	Update – Finish for the Horizontal Leg Rail was clarified.



This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH, INC.

GENERAL SERVICES ADMINISTRATION

FEDERAL ACQUISITION SERVICES

Authorized Federal Supply Schedule Furniture (FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)

Contract Number:	GS-03F-057DA
Contract Start Date:	February 8, 2016
Contract End Date:	February 7, 2026
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 http://www.haworth.com/government
Business Size:	Large

Information for Ordering Activities I-FSS-600

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).

This Page Intentionally Left Blank

Fixed Height Tables Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Fixed Height Tables.

Compose Tables

Cultivate Tables

Immerse Tables and Planter

Jive Tables

Masters Series Tables

Pip Tables

Planes Tables

Planes Carts

Planes Credenzas

Planes Conference Tables

Planes Conference Table Tops and Support

PopUp Tables

Table of Contents

Price List

Statement of Line	9	Jive Tables — Post Round Base	
Compose Tables		Round	73
Round — Post Base	18	Square	75
Cultivate Tables		Pebble	77
Tops — Catalog Logic	19	Rectangle	80
Frames — Catalog Logic	20	Racetrack	83
No Storage	21	Trapezoid	85
For use with Storage	22	Crescent	87
Cultivate Table Frames	23	Half Racetrack	88
Bag Hook	24	Half Pebble	89
Mounting Clip for Flip Top Unit	24	Jive Tables — X-Base	
Mounting Bracket for Enhanced Power Modules	24	Round	90
Wire Management Basket	25	Square	92
Basket Cover	25	Pebble	94
Vertical Wire Channel - Leg Attached	25	Rectangle	96
Immerse — Ledge Tables		Jive Tables — Bridge Base	
Rectangle — Painted Legs	26	Round	98
Rectangle — Wood Legs	27	Square	99
Immerse — Overlap Tables		Pebble	100
Rectangle/Rectangle — Painted Legs	28	Rectangle	104
Rectangle/Round — Painted Legs	30	Racetrack	107
Racetrack/Round — Painted Legs	31	Half Racetrack	110
Rectangle/Ledge — Painted Legs	32	Half Pebble	112
Rectangle/Rectangle — Wood Legs	33	Half Hexagon	114
Rectangle/Round — Wood Legs	35	Jive Tables — C-Leg	
Racetrack/Round — Wood Legs	36	Extruded — Rectangle	115
Rectangle/Ledge — Wood Legs	37	Round — Rectangle	118
Immerse — Shift Tables		Flip Base (Round or Extruded) — Rectangle	121
Rectangle/Rectangle — Painted Legs	38	Jive Tables — Disc Base	
Rectangle/Round — Painted Legs	39	Round	123
Racetrack/Round — Painted Legs	40	Square	125
Rectangle/Rectangle — Wood Legs	41	Pebble	126
Rectangle/Round — Wood Legs	42	Rectangle	127
Racetrack/Round — Wood Legs	43	Jive Tables — Dual Disc Base	
Immerse — Single Tables		Pebble	128
Round — Painted Legs	44	Rectangle	129
Square — Painted Legs	45	Racetrack	130
Rectangle — Painted Legs	46	Jive Table — Disc Base — Pneumatic Adjustment	
Racetrack — Painted Legs	47	Round — Square — Pebble	131
Round — Wood Legs	48	Jive Tables — T-Leg	
Square — Wood Legs	49	Extruded — Rectangle	132
Rectangle — Wood Legs	50	Extended — Pebble	135
Racetrack — Wood Legs	51	Extruded — Racetrack	136
Immerse — Stack Table		Extruded — Trapezoid	137
Rectangle — Painted Legs	52	Round — Rectangle	139
Immerse — Planters		Round — Pebble	142
Oblong	53	Round — Racetrack	143
Round	54	Round — Trapezoid	144
Jive Tables		Flip Base (Round or Extruded) — Rectangle	146
Catalog Logic	55	Jive Tables — Swivel Base	
Jive Tables — Post Extruded Base		Square	148
Round	56	Rectangle	149
Square	58	Trapezoid	150
Pebble	60	Crescent	151
Rectangle	63	Corner, Transitional Extended	152
Racetrack	66	Corner, Extended	153
Trapezoid	68	Masters Series Tables	
Crescent	70	Round	154
Half Racetrack	71	Pip Tables	
Half Pebble	72	Catalog Logic	155
		Personal Laptop	156
		Collaborative	156

Table of Contents

Planes Collaborative Tables

Rectangular — Flip Top Table — Non-Flip Top Table	157
Pebble — Flip Top Table — Non-Flip Top Table	158
Hexagon — Flip Top Table — Non-Flip Top Table	159
Half Round — Flip Top Table — Non-Flip Top Table	160
Polygon — Flip Top Table — Non-Flip Top Table	161
Vertical Wire Management	162
Y-Leg Bumper	162
Ganging Mechanism	162
Ganging Clip	162
Casters	163
Glides	163

Planes Tables — X Base

Planes Tables — Disc Base

Planes Tables — Dual X Base

Rectangle	168
Hexagon	170
Pebble	172

Planes Tables — Dual Disc Base

Rectangle	174
Hexagon	176
Pebble	178

Planes Training Tables

Terminology	180
Catalog Logic	181
Rectangular — Flip Top Table — Non-Flip Top Table	182
Crescent — Flip Top Table — Non-Flip Top Table	184
Trapezoid — Flip Top Table — Non-Flip Top Table	185
Polygon — Flip Top Table — Non-Flip Top Table	186
Pie Connector	187
Modesty Panels	188
Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	190
Hardwire Modular Base Feed — 2-Circuit	190
Wall Feed — 2-Circuit	190
Pass-Through Connector — 2-Circuit	191
Modular Power Kits — 2-Circuit	192
Receptacles — 15 Amp 2-Circuit	193
Receptacle Block Connector	193
Four-Port Splitter	194
Mounting Bracket — Receptacle	194
Quick Connect Two Power — Flip Top Unit with Smooth Bezel	195
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box	197
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Pass-Through Connector	197
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box Bracket	198
Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Wire Manager Clips	198
Ganging Mechanism	199
Casters	199
Glides	199
Wire Manager Clips	200
Vertical Wire Manager	200
Grommet	200

Planes Cart

Small Media	201
Medium Media	201
Catering	202
Podium	202

Planes Credenza Bases and Tops

19"H	203
With Slider Unit — 29"H	204
With Slider Unit — 35"H	206
29"H	208
With Slider Unit — 39"H	209
With Slider Unit — 45"H	211
Credenza Top	213
Grommet	213

Planes Conference Tables

Interior Leg — Round, Square, Rectangular	214
Interior Leg — Half Round	216
Interior Leg — Polygon	217
Interior Leg — Rectangular	218
Interior Leg — Pebble — One-Piece Top	220
Interior Leg — Hexagon — One-Piece Top	222
Interior Leg — Rectangular — Two-Piece Top	224
Interior Leg — Pebble — Two-Piece Top	226
Interior Leg — Hexagon — Two-Piece Top	228
Interior Leg — Rectangular — Three-Piece Top	230
Interior Leg — Pebble — Three-Piece Top	232
Interior Leg — Hexagon — Three-Piece Top	234
Perimeter Leg — Square, Rectangular — 2"(51mm) Edge	236
Perimeter Leg — Rectangular — 2"(51mm) Edge	238
Perimeter Leg — Rectangular — 2"(51mm) Edge — Two-Piece Top	240
Perimeter Leg — Rectangular — 2"(51mm) Edge — Three-Piece Top	242

Planes Conference Table Tops

Catalog Logic — for use with Column Base	244
Component Specification Overview	245
Round, Square, Pebble (for use with Column Base)	247
Rectangle (for use with Column Base)	248
Pebble (for use with Column Base)	251
Hexagon (for use with Column Base)	254

Planes Conference End Supported Top

Catalog Logic	257
Component Specification Overview	258
D-Shape Convergent (for use with Column Base)	260
Rectangular Conference End (for use with Column Base)	261
Key Conference (for use with Column Base)	262
(for use with End Supported Top)	263
Square and Round	264
Planes Conference Table Column Base J-Channel	265
Planes Conference Table Column Base J-Channel Tray	265
Wall Mount Bracket	266
Side/Corner Bracket	266
Side Bracket for use with Knife Edge	266

Planes Conference Table Accessories

Cable Base	267
Cable Column	267
Cable Reel	268
Cable Reel Bracket	268
Belong View — Table Mount With Shroud	269
Belong View — Table Mount Without Shroud	269
Belong View — Table Mount With Shroud Dual Monitor	270
Belong View — Table Mount Without Shroud Dual Monitor	270

PopUp Tables

Catalog Logic	271
Rectangle	272
Oval (Rectangular Radius Corner)	274
Racetrack	276
Accent Plate	278
Vertical Wire Channel — Leg Attached	278

Table of Contents

Resources

Fabrics and Finishes

Compose Table	652
Cultivate Table	653
Immerse Table	654
Jive Table	655
Masters Series Table	656
Pip Table	657
Planes Table	658
PopUp Table	660


Index	661
--------------------	-----

Lifetime Product Warranty	Inside Back Cover
--	-------------------


Statement of Line

Compose Tables

Page 18



Round — Post Base -
Laminate




Round — Post Base -
Wood

Cultivate Tables


Pages 21-25




No Storage




With Storage - 3 High




With Storage - 2 High




Seated Height




Standing Height




Bag Hook




Mounting Clip for Flip Top
Unit




Mounting Bracket for
Enhanced Power Modules



Wire Management Basket



Basket Cover



Vertical Wire Channel - Leg
Attached

Immerse Tables

Pages 26-54



Ledge Table
Rectangle
Painted Legs



Ledge Table
Rectangle
Wood Legs



Overlap Table
Rectangle/Rectangle
Painted Legs



Overlap Table
Rectangle/Round
Painted Legs



Overlap Table
Racetrack/Round
Painted Legs



Overlap Table
Rectangle/Ledge
Painted Legs



Overlap Table
Rectangle/Rectangle
Wood Legs



Overlap Table
Rectangle/Round
Wood Legs



Overlap Table
Racetrack/Round
Wood Legs



Overlap Table
Rectangle/Ledge
Wood Legs

Statement of Line

Immerse Tables (cont'd)

Pages 26-54



Shift Table
Rectangle/Rectangle
Painted Legs



Shift Table
Rectangle/Round
Painted Legs



Shift Table
Racetrack/Round
Painted Legs



Shift Table
Rectangle/Rectangle
Wood Legs



Shift Table
Rectangle/Round
Wood Legs



Shift Table
Racetrack/Round
Wood Legs



Single Table
Round
Painted Legs



Single Table
Square
Painted Legs



Single Table
Rectangle
Painted Legs



Single Table
Racetrack
Painted Legs



Single Table
Round
Wood Legs



Single Table
Square
Wood Legs





Single Table
Rectangle
Wood Legs




Single Table
Racetrack
Wood Legs



Stack Table
Rectangle
Painted Legs



Planter — Oblong




Planter — Round


Statement of Line

Jive Tables


Pages 56-153



Post Extruded Base — Round




Post Extruded Base — Square



Post Extruded Base — Pebble (Symmetrical)




Post Extruded Base — Pebble (Asymmetrical)




Post Extruded Base — Rectangle




Post Extruded Base — Racetrack




Post Extruded Base — Trapezoid



Post Extruded Base — Crescent




Post Extruded Base — Half Racetrack




Post Extruded Base — Half Pebble



Post Round Base — Round




Post Round Base — Square



Post Round Base — Pebble (Symmetrical)



Post Round Base — Pebble (Asymmetrical)




Post Round Base — Rectangle



Post Round Base — Racetrack




Post Round Base — Trapezoid




Post Round Base — Crescent



Post Round Base — Half Racetrack



Post Round Base — Half Pebble



X-Base — Round (Power)




X-Base — Round (No Power)



X-Base — Square (Power)




X-Base — Square (No Power)



X-Base — Pebble (Power)



X-Base — Pebble (No Power)




X-Base — Rectangular (Power)



X-Base — Rectangular (No Power)



Bridge Base — Round



Bridge Base — Square

Statement of Line

Jive Tables (cont'd)

Pages 56-153




**Bridge Base —
Pebble
(Symmetrical)**



**Bridge Base —
Pebble
(Asymmetrical)**




**Bridge Base —
Rectangle**



**Bridge Base —
Racetrack**




**Bridge Base —
Half Racetrack**




**Bridge Base —
Half Pebble**




**Bridge Base —
Half Hexagon**



**C-Leg — Extruded —
Rectangle**




**C-Leg — Round —
Rectangle**



**C-Leg (Round or Extruded) — Flip Base —
Rectangle**




**Disc Base —
Round**



**Disc Base —
Square**




**Disc Base —
Pebble**



**Disc Base —
Rectangle**



**Dual Disc Base —
Pebble**




**Dual Disc Base —
Rectangle**




**Dual Disc Base —
Racetrack**



**Disc Base — Pneumatic
Adjustment —
Round**



**Disc Base — Pneumatic
Adjustment —
Square**



**Disc Base — Pneumatic
Adjustment —
Pebble**



**T-Leg — Extruded —
Rectangle**




**T-Leg — Extruded —
Pebble**



**T-Leg — Extruded —
Racetrack**



**T-Leg — Extruded —
Trapezoid**



**T-Leg — Round —
Rectangle**



**T-Leg — Round —
Pebble**





**T-Leg — Round —
Racetrack**




**T-Leg — Round —
Trapezoid**




**T-Leg (Round or Extruded) — Flip Base —
Rectangle**




**Swivel Base —
Square**




**Swivel Base —
Rectangle**




**Swivel Base —
Trapezoid**




**Swivel Base —
Crescent**




**Swivel Base —
Corner, Transitional
Extended**




**Swivel Base —
Corner, Extended**




**Swivel Base —
Square**



**Swivel Base —
Rectangle**



**Swivel Base —
Trapezoid**



**Swivel Base —
Crescent**



**Swivel Base —
Corner, Transitional
Extended**




**Swivel Base —
Corner, Extended**

Statement of Line

Masters Series Tables

Page 154



Round

Pip Tables

Page 156



Personal Laptop Table



Collaborative Table

Planes Collaborative Tables

Pages 157-163



Y-Leg — Rectangular —
Flip Top or Non-Flip Top



Y-Leg — Pebble —
Flip Top or Non-Flip Top



Y-Leg — Hexagon —
Flip Top or Non-Flip Top




Y-Leg — Half Round —
Flip Top or Non-Flip Top



Y-Leg — Polygon —
Flip Top or Non-Flip Top



Vertical Wire
Management



Y-Leg Bumper




Ganging Mechanism



Ganging Clip




Casters




Glides

Planes Tables


Pages 164-178




Round — X Base




Square — X Base




Pebble — X Base



Round — Disc Base



Square — Disc Base



Pebble — Disc Base




Rectangle — Dual X Base




Hexagon — Dual X Base



Pebble — Dual X Base



Rectangle —
Dual Disc Base



Hexagon — Dual Disc Base



Pebble — Dual Disc Base

Planes Training Tables

Pages 182-200



Rectangular




Crescent




Trapezoid



Polygon



Pie Connector




Modesty Panels

Statement of Line


Planes Training Tables (cont'd)

Pages 182-200



Planes Carts



Pages 201-202



Statement of Line

Planes Credenza Bases and Tops

Pages 203-213




Laminate or Wood



Grommet

Planes Conference Tables


Pages 214-242



Statement of Line

Planes Conference Table Tops and Support

Pages 247-270



Statement of Line

PopUp Tables

Pages 272-278



Rectangle
Laminate or Wood




Oval — Rectangle
Radius Corner
Laminate or Wood



Racetrack
Laminate or Wood




Accent Plate



Vertical Wire Channel —
Leg Attached

Compose Table

Round — Post Base



TZRN-L
TZRN-W
Class CAO

Features

- Includes top and four post legs with glides.
- Height adjustable- 26"(660mm)-32"(813mm) in 0.5"(13mm) increments.

To Order, Specify:

- 1) Product number, including:
- 1 Edge Option:**
- J** Edgeband (Laminate)
 - F** Knife (Laminate)
 - K** Edgeband (Wood)
 - U** Knife (Wood)
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: **\$26.42** upcharge list for Metallic and accent trim color.

Diameter	Number	①	HPL				Wood			
			A		B		A		B	
			J	F	J	F	K	U	K	U
HPL										
48"(1219mm)	TZRN-4848-L	SCJG	\$3893.06	\$4406.40	\$3929.68	\$4443.02				
60"(1524mm)	TZRN-6060-L	SCJG	5667.74	6198.36	5710.84	6241.46				
Wood										
48"(1219mm)	TZRN-4848-W	SCJG					\$4679.42	\$5202.36	\$5171.20	\$5722.94

Cultivate Table

Tops

Catalog Logic

	TY	RA - 36	60 - L	J	S	N
Platform: _____						
(TY) Cultivate						
Top Shape: _____						
(RA) Rectangle						
Depth: _____						
36 - 36"(914mm)						
42 - 42"(1067mm)						
Top - No Storage Width: _____						
60 - 60"(1524mm)						
72 - 72"(1829mm)						
84 - 84"(2134mm)						
96 - 96"(2438mm)						
A8 - 108"(2743mm)						
CO - 120"(3048mm)						
Top for use with Storage Width:						
1 Side						
2 Side						
79 - 79"(2007mm)						
98 - 98"(2489mm)						
91 - 91"(2311mm)						
B0 - 110"(2794mm)						
A3 - 103"(2616mm)						
C2 - 122"(3099mm)						
B5 - 115"(2921mm)						
D4 - 134"(3404mm)						
Top Surface: _____						
(L) High-Pressure Laminate (HPL)						
(W) Wood						
Edge: _____						
(J) - Edgeband (Laminate)						
(K) - Edgeband (Wood)						
Core Type: _____						
(S) 1.18"(30mm)						
(M) 2"(51mm)						
Cutout: _____						
(N) None						
(X) Center, Single-Sided 4 outlets						
(Z) Center, Single-Sided 6 outlets						
(M) Center, Double-Sided 8 outlets						
(Q) Center, Double-Sided 12 outlets						

Cultivate Table


Frames

Catalog Logic

	TY	BA	-	36	60	-	N	N	N	N	N	G	4	A
Platform: _____														
(TY) Cultivate														
Frame: _____														
(BA) Base Only														
Depth: _____														
36 - 36"(914mm)														
42 - 42"(1067mm)														
Width: _____														
60 - 60"(1524mm)														
72 - 72"(1829mm)														
84 - 84"(2134mm)														
96 - 96"(2438mm)														
Top Surface: _____														
(N) None														
Edge: _____														
(N) None														
Core Type: _____														
(N) None														
Cutout: _____														
(N) None														
Base Type: _____														
(N) None														
Base Foot: _____														
(G) Glide														
Height: _____														
4 - 28"(711mm)														
7 - 40"(1016mm)														
Base Material: _____														
(A) Painted														

Cultivate Table Tops

No Storage



TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN
Class CAO

Features

- Includes pre-drilled 1.18" (30mm) or 2" (51mm) thick top.
- High-Pressure Laminate (HPL) top with 3mm edgeband or wood veneer top with 3mm wood edgeband.

Specification Tips

- Tops are allowed to overhang the frame width and depth.
- 60" (1524mm), 72" (1829mm), 84" (2134mm) and 96" (2438mm) tops are flush to the frame. 108" (2743mm) and 120" (3048mm) tops will overhang the frame by 12" (305mm) on each side.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mount or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- These top sizes are not dimensioned for use with storage.
- Separately specified:
 - Frame
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband (Laminate)

K Edgeband (Wood)

3 Cutout Option:

N No Cutout

X Center, Flush Mount Power/4 ports (add **\$47.43** list)

Z Center, Flush Mount Power/6 ports (add **\$47.43** list)

M Center, Flip Top Double-Sided/8 ports (add **\$47.43** list)

Q Center, Flip Top Double-Sided/12 ports (add **\$47.43** list)


2) Laminate surface color or Wood surface color.

3) Edge trim color (laminate only).

No. of Pieces	Depth	Top Width	Pre-drilled for Frame Width	Number 1 2 3	HPL A	B	Wood A	B
1.18" (30mm) Thick Top								
1	36" (914mm)	60" (1524mm)	60" (1524mm)	TYRA-3660- S	\$ 477.95	\$ 589.07	\$ 919.13	\$1024.92
1		72" (1829mm)	72" (1829mm)	TYRA-3672- S	536.00	651.83	1000.28	1120.41
1		84" (2134mm)	84" (2134mm)	TYRA-3684- S	594.05	714.59	1081.43	1215.90
1		96" (2438mm)	96" (2438mm)	TYRA-3696- S	652.10	777.35	1162.58	1311.39
1		108" (2743mm)	84" (2134mm)	TYRA-36A8- S	710.15	840.11	1243.73	1406.88
1		120" (3048mm)	96" (2438mm)	TYRA-36C0- S	768.20	902.87	1324.88	1502.37
1	42" (1067mm)	60" (1524mm)	60" (1524mm)	TYRA-4260- S	\$ 516.65	\$ 630.91	\$ 973.23	\$1088.58
1		72" (1829mm)	72" (1829mm)	TYRA-4272- S	594.05	714.59	1081.43	1215.90
1		84" (2134mm)	84" (2134mm)	TYRA-4284- S	652.10	777.35	1162.58	1311.39
1		96" (2438mm)	96" (2438mm)	TYRA-4296- S	729.50	861.03	1270.78	1438.71
1		108" (2743mm)	84" (2134mm)	TYRA-42A8- S	966.25	1102.49	1530.63	1712.90
1		120" (3048mm)	96" (2438mm)	TYRA-42C0- S	1043.65	1186.17	1638.83	1840.22
2" (51mm) Thick Top								
1	36" (914mm)	60" (1524mm)	60" (1524mm)	TYRA-3660- M	\$1073.59	\$ 1184.71	N/A	N/A
1		72" (1829mm)	72" (1829mm)	TYRA-3672- M	1131.64	1247.47	N/A	N/A
1		84" (2134mm)	84" (2134mm)	TYRA-3684- M	1189.69	1310.23	N/A	N/A
1		96" (2438mm)	96" (2438mm)	TYRA-3696- M	1247.74	1372.99	N/A	N/A
1		108" (2743mm)	84" (2134mm)	TYRA-36A8- M	1305.79	1435.75	N/A	N/A
1		120" (3048mm)	96" (2438mm)	TYRA-36C0- M	1363.84	1498.51	N/A	N/A
1	42" (1067mm)	60" (1524mm)	60" (1524mm)	TYRA-4260- M	\$ 1112.29	\$1226.55	N/A	N/A
1		72" (1829mm)	72" (1829mm)	TYRA-4272- M	1189.69	1310.23	N/A	N/A
1		84" (2134mm)	84" (2134mm)	TYRA-4284- M	1247.74	1372.99	N/A	N/A
1		96" (2438mm)	96" (2438mm)	TYRA-4296- M	1325.14	1456.67	N/A	N/A
1		108" (2743mm)	84" (2134mm)	TYRA-42A8- M	1561.89	1698.13	N/A	N/A
1		120" (3048mm)	96" (2438mm)	TYRA-42C0- M	1639.29	1781.81	N/A	N/A

Cultivate Table Tops

For use with Storage



TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN
Class CL

Features

- Includes pre-drilled 1.18" (30mm) or 2" (51mm) thick top. Two-piece top comes with attachment hardware.
- High-Pressure Laminate (HPL) top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Table top seams on two-piece tops:
 - 1.18" (30mm) thick tops have 1mm edgeband seam
 - 2" (51mm) thick tops have a 3mm edgeband seam

Specification Tips

- Tops are allowed to overhang the frame. See Specification Guide for guidelines.
- Overhang of 19" (483mm) require storage support.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mounted or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- Tops are dimensioned to be used with X Series 18.75" (476mm) depth with 36" (914mm) or 42" (1067mm) width, 2H for seated height. 3H for standing height.
- Storage on 1 side has 19" (483mm) overhang and the other side is flush to frame. Storage on 2 side has 19" (483mm) overhang on each side.
- Separately specified:
 - Frame
 - Storage
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband (Laminate)

K Edgeband (Wood)

3 Cutout Option:

N No Cutout

X Center, Flush Mount Power/4 ports (add **\$47.43** list)

Z Center, Flush Mount Power/6 ports (add **\$47.43** list)

M Center, Flip Top Double-Sided/8 ports (add **\$47.43** list)



Q Center, Flip Top Double-Sided/12 ports (add **\$47.43** list)

2) Laminate surface color or Wood surface color.

3) Edge trim color (laminate only).

No. of Pieces	Depth	Top Width	Pre-drilled for Frame Width	Number 1 2 3	HPL A	B	Wood A	B
Storage on 1 side 1.18" (30mm) Thick Top								
1	36" (914mm)	79" (2007mm)	60" (1524mm)	TYRA-3679- S	\$ 574.70	\$ 693.67	\$1054.38	\$ 1184.07
1		91" (2311mm)	72" (1829mm)	TYRA-3691- S	632.75	756.43	1135.53	1279.56
1		103" (2616mm)	84" (2134mm)	TYRA-36A3- S	690.80	819.19	1216.68	1375.05
1		115" (2921mm)	96" (2438mm)	TYRA-36B5- S	748.85	881.95	1297.83	1470.54
1	42" (1067mm)	79" (2007mm)	60" (1524mm)	TYRA-4279- S	\$ 632.75	\$ 756.43	\$ 1135.53	\$ 1279.56
1		91" (2311mm)	72" (1829mm)	TYRA-4291- S	710.15	840.11	1243.73	1406.88
1		103" (2616mm)	84" (2134mm)	TYRA-42A3- S	768.20	902.87	1324.88	1502.37
1		115" (2921mm)	96" (2438mm)	TYRA-42B5- S	1024.30	1165.25	1611.78	1808.39
Storage on 1 side 2" (51mm) Thick Top								
1	36" (914mm)	79" (2007mm)	60" (1524mm)	TYRA-3679- M	\$ 1170.34	\$ 1289.31	N/A	N/A
1		91" (2311mm)	72" (1829mm)	TYRA-3691- M	1228.39	\$ 1352.07	N/A	N/A
1		103" (2616mm)	84" (2134mm)	TYRA-36A3- M	1286.44	1414.83	N/A	N/A
1		115" (2921mm)	96" (2438mm)	TYRA-36B5- M	1344.49	1477.59	N/A	N/A
1	42" (1067mm)	79" (2007mm)	60" (1524mm)	TYRA-4279- M	\$ 1228.39	\$ 1352.07	N/A	N/A
1		91" (2311mm)	72" (1829mm)	TYRA-4291- M	1305.79	1435.75	N/A	N/A
1		103" (2616mm)	84" (2134mm)	TYRA-42A3- M	1363.84	1498.51	N/A	N/A
1		115" (2921mm)	96" (2438mm)	TYRA-42B5- M	1619.94	1760.89	N/A	N/A
Storage on 2 sides 1.18" (30mm) Thick Top								
1	36" (914mm)	98" (2489mm)	60" (1524mm)	TYRA-3698- S	\$ 652.10	\$ 777.35	\$ 1162.58	\$ 1311.39
1		110" (2794mm)	72" (1829mm)	TYRA-36B0- S	710.15	840.11	1243.73	1406.88
2		122" (3099mm)	84" (2134mm)	TYRA-36C2- S	917.10	1051.77	1473.78	1651.27
2		134" (3404mm)	96" (2438mm)	TYRA-36D4- S	975.15	1114.53	1554.93	1746.76
1	42" (1067mm)	98" (2489mm)	60" (1524mm)	TYRA-4298- S	\$ 748.85	\$ 881.95	\$ 1297.83	\$ 1470.54
1		110" (2794mm)	72" (1829mm)	TYRA-42B0- S	985.60	1123.41	1557.68	1744.73
2		122" (3099mm)	84" (2134mm)	TYRA-42C2- S	1211.90	1355.99	1814.78	2020.95
2		134" (3404mm)	96" (2438mm)	TYRA-42D4- S	1269.95	1418.75	1895.93	2116.44
Storage on 2 sides 2" (51mm) Thick Top								
1	36" (914mm)	98" (2489mm)	60" (1524mm)	TYRA-3698- M	\$ 1247.74	\$ 1372.99	N/A	N/A
1		110" (2794mm)	72" (1829mm)	TYRA-36B0- M	1305.79	1435.75	N/A	N/A
2		122" (3099mm)	84" (2134mm)	TYRA-36C2- M	1803.13	1937.80	N/A	N/A
2		134" (3404mm)	96" (2438mm)	TYRA-36D4- M	1861.18	2000.56	N/A	N/A
1	42" (1067mm)	98" (2489mm)	60" (1524mm)	TYRA-4298- M	\$ 1344.49	\$ 1477.59	N/A	N/A
1		110" (2794mm)	72" (1829mm)	TYRA-42B0- M	1581.24	1719.05	N/A	N/A
2		122" (3099mm)	84" (2134mm)	TYRA-42C2- M	2097.93	2242.02	N/A	N/A
2		134" (3404mm)	96" (2438mm)	TYRA-42D4- M	2155.98	2304.78	N/A	N/A

Cultivate Table Frames



TYBA-NNNNNG4A
TYBA-NNNNNG7A
Class CL

Features

- Includes painted metal frame with two fixed-height leg assemblies, foot rail(s), support beam and attachment hardware.
- Seated height frame is standard with one foot rail.
- Standing height frame is standard with two foot rails.
- Glide adjustment 1.18"(30mm).

Specification Tips

- Tops are allowed to overhang the frame. 18"(457mm) maximum overhang per side on width or depth is allowed. See specification Guide for guidelines.
- Separately specified:
 - Top
 - Storage
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Structural frame provides a foundation for COM options, contact Tailored Solutions for feasibility.


To Order, Specify:

- 1) Product number.
- 2) Frame finish.

Height	Depth	Width	Number	Trim A	B
Seated Height					
28"(711mm)	36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG4A	\$ 1881.30	\$ 1942.02
		72"(1829mm)	TYBA-3672-NNNNNG4A	1990.50	2051.22
		84"(2134mm)	TYBA-3684-NNNNNG4A	2099.70	2160.42
		96"(2438mm)	TYBA-3696-NNNNNG4A	2208.90	2269.62
42"(1067mm)	42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG4A	\$ 1926.96	\$ 1987.68
		72"(1829mm)	TYBA-4272-NNNNNG4A	2036.16	2096.88
		84"(2134mm)	TYBA-4284-NNNNNG4A	2145.36	2206.08
		96"(2438mm)	TYBA-4296-NNNNNG4A	2254.56	2315.28
Standing Height					
40"(1016mm)	36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG7A	\$ 2191.14	\$ 2251.86
		72"(1829mm)	TYBA-3672-NNNNNG7A	2300.34	2361.06
		84"(2134mm)	TYBA-3684-NNNNNG7A	2409.54	2470.26
		96"(2438mm)	TYBA-3696-NNNNNG7A	2518.74	2579.46
42"(1067mm)	42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG7A	\$2236.80	\$ 2297.52
		72"(1829mm)	TYBA-4272-NNNNNG7A	2346.00	2406.72
		84"(2134mm)	TYBA-4284-NNNNNG7A	2455.20	2515.92
		96"(2438mm)	TYBA-4296-NNNNNG7A	2564.40	2625.12

Cultivate Table Accessories

Bag Hook



KUWH-0202
Class YA

Features

- Includes one hook and attachment hardware.
- Hook will swivel if plastic washers are installed.

Specification Tips


- Attaches to the bottom of the 1.18"(30mm) and 2"(51mm) thick top.
- Weight Limit 50 lbs max.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

	Number	Trim A	B
	KUWH-0202	\$59.92	\$67.80

Mounting Clip for Flip Top Unit



EUMC-0201
Class YA – GSA: Open Market

Features


- Includes twelve brackets.
- For mounting Flip Top Unit in 2"(51mm) hollow core top.
- Four brackets required per Flip Top Unit.
- Required for Flip Top Unit on the 2"(51mm) core worksurface.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Height	Width	Number	Price
2"(51mm)	0.5"(13mm)	EUMC-0201	\$161.68

Mounting Bracket for Enhanced Power Modules



EUDB-0000
Class YA – GSA: Open Market

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Modules or 2, 3, 4 and 5 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to the bottom of worksurface placing face of an Enhanced Power Module below perimeter tubing.

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Height	Width	Length	Number	Price
Black Bracket	1.75"(44mm)	2"(51mm)	3.38"(86mm)	EUDB-0000-BB	\$89.96
White Bracket				EUDB-0000-BW	\$89.96

Cultivate Table Wire Management

Wire Management Basket



TAWB
Class TA - GSA: Open Market

Features

- Includes one basket, four brackets and attachment hardware.
- Standard in black.
- Basket is 8.5"(216mm)D x 3.5"(89mm)H. With mounting hardware overall height is 4.94"(125mm) and depth is 10.82"(275mm).
- Accessible from both sides.
- Basket detaches without tools.

Specification Tips


- Verify mounting clearance with table understructure.
- Separately specify covers.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Width	Number	Price
	18"(457mm)	TAWB-0918	\$180.24
	24"(610mm)	TAWB-0924	189.28
	36"(914mm)	TAWB-0936	207.29

Basket Cover



TABC (Two covers shown)
Class TA - GSA: Open Market

Feature

- Includes one painted cover.

Specification Tips

- Designed to be used with wire management basket. Up to two can be installed.
- Order to match wire management basket width.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Note: \$15.79 upcharge list for Metallic and Accent trim colors.

	Width	Number	Price
	18"(457mm)	TABC-0918	\$ 49.78
	24"(610mm)	TABC-0924	66.83
	36"(914mm)	TABC-0936	100.81

Vertical Wire Channel - Leg Attached



TYVW
Class CL - GSA: Open Market

Feature

- Includes wire manager and attachment screws.

Specification Tips

- Order correct model for table height.
- Add additional Vertical Wire Channels if cord number exceeds three cords.
- Accommodates 2-3 cords/cables (depending on cable diameter) or one 0.5"(13mm) Flexible Conduit.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

For Use With	Height	Width	Number	Trim	
				A	B
28" Frame	25.7"(653mm)	1.17"(30mm)	TYVW-2601-P	\$114.85	\$121.62
40" Frame	37.7"(958mm)	1.17"(30mm)	TYVW-3801-P	120.80	130.67

Immerse — Ledge Table

Rectangle – Painted Legs



THLD
Class CL

Features

- Includes one ledge top, painted understructure and foot rail, four painted metal legs, adjustable glides and hardware.
- High-Pressure Laminate (HPL) or wood veneer 0.5"(13mm) thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Power is not available.

To Order, Specify:

1) Product number, including:

1 Surface Type:

L Laminate

W Wood

2) Laminate or wood finish color.

3) Understructure and Foot Rail trim color. Grade B (add **\$62.46** list).

4) Trim color. Grade B (add **\$62.46** list).

Height	Depth	Width	Number 1	HPL		Wood	
				A	B	A	B
36"(914mm)	22"(559mm)	57"(1448mm)	THLD-2257- WSNBG7P	\$4001.47	\$4338.79	\$4315.42	\$4605.57

Immerse — Ledge Table

Rectangle – Wood Legs



THLD
Class CL

Features

- Includes one ledge top, painted understructure and foot rail, four solid wood legs, adjustable glides and hardware.
- High-Pressure Laminate (HPL) or wood veneer 0.5"(0mm) thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5"(0mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Power is not available.

To Order, Specify:

1) Product number, including:

1 Surface Type:

L Laminate

W Wood

2) Laminate or wood finish color.

3) Understructure and Foot Rail trim color. Grade B (add **\$62.46** list).

4) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$212.38** list)

M6-W35 Clear on Walnut
(add **\$641.92** list)

Height	Depth	Width	Number ①	HPL		Wood	
				A	B	A	B
36"(914mm)	22"(559mm)	57"(1448mm)	THLD-2257-  WSNBG7W	\$5952.71	\$6290.03	\$6266.66	\$6556.81

Immerse — Overlap Table

Rectangle/Rectangle – Painted Legs



THRR
Class CL

Features

- Includes two tops, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.25" (32mm) thick
 - HPL and wood veneer 1.18" (30mm) (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5" (470mm).
- Seating capacity of 11 based upon 27" (686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29" (737mm)	60" (1524mm)	78" (1981mm)
37.5" (953mm)	60" (1524mm)	78" (1981mm)

Upper Top Dimensions

Height	Depth	Width
30.5" (775mm)	48" (1219mm)	96" (2438mm)
39" (991mm)	48" (1219mm)	96" (2438mm)

To Order, Specify:

- 1) Product number, including:

1 Cutout Option:

N No Cutout

U Cutout - Upper Top
(add **\$184.71** list)

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color.
Grade B (add **\$60.06** list).
- 7) Trim color. Grade B (add **\$60.06** list).


Immerse — Overlap Table

Rectangle/Rectangle – Painted Legs

Overall Width	Number	①	Upper Top HPL A	B	Trim A	B	Wood A	B	Solid Surface
Laminate Grade A Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$12565.19	\$12596.72	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 9898.95	\$ 10246.79	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 28531.91
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$ 12511.43	\$ 13532.87	N/A
Laminate Grade A Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$12795.05	\$12826.58	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$ 10128.81	\$ 10476.65	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 28761.77
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$ 12741.29	\$ 13762.73	N/A
Laminate Grade B Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$ 12916.95	\$12948.48	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 10250.71	\$ 10598.55	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$28883.67
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$12863.19	\$ 13884.63	N/A
Laminate Grade B Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$ 13146.81	\$ 13178.34	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$10480.57	\$ 10828.41	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 29113.53
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$13093.05	\$ 14114.49	N/A
Solid Surface Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-FUS	EGBP	N/A	N/A	\$31489.29	\$31520.82	N/A	N/A	N/A
	THRR-60F6-KFS	EGBP	\$28823.05	\$ 29170.89	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$47456.01
	THRR-60F6-EUS	EGBP	N/A	N/A	N/A	N/A	\$31435.53	\$32456.97	N/A
Solid Surface Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-FUS	EGCP	N/A	N/A	\$ 31719.15	\$31750.68	N/A	N/A	N/A
	THRR-60F6-KFS	EGCP	\$29052.91	\$29400.75	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$47685.87
	THRR-60F6-EUS	EGCP	N/A	N/A	N/A	N/A	\$31665.39	\$32686.83	N/A
Wood Group A Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$ 15218.49	\$15250.02	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$ 12552.25	\$ 12900.09	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 31185.21
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$ 15164.73	\$ 16186.17	N/A
Wood Group A Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$15448.35	\$15479.88	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$ 12782.11	\$ 13129.95	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$ 31415.07
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$15394.59	\$ 16416.03	N/A
Wood Group B Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$16255.89	\$ 16287.42	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$ 13589.65	\$ 13937.49	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$32222.61
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$16202.13	\$ 17223.57	N/A
Wood Group B Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$16485.75	\$ 16517.28	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$ 13819.51	\$ 14167.35	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$32452.47
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$ 16431.99	\$ 17453.43	N/A

Immerse — Overlap Table

Rectangle/Round – Painted Legs



THRD
Class CL

Features

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm)(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.
Grade B (add **\$60.06** list).

7) Trim color. Grade B (add **\$60.06** list).

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)


Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL A	B	Wood A	B	Solid Surface
Paint Grade A Lower Top							
138"(3505mm)	THRD-48D8-TFS	EGBP	\$11804.69	\$ 12097.65	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$ 26361.69
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13845.69	\$14643.69	N/A
Paint Grade B Lower Top							
138"(3505mm)	THRD-48D8-TFS	EGBP	\$11836.22	\$ 12129.18	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$26393.22
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13877.22	\$14675.22	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THRD-48D8-LFS	EGBP	\$ 9138.45	\$ 9431.41	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$23695.45
	THRD-48D8-QFS	EGBP	N/A	N/A	\$ 11179.45	\$ 11977.45	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THRD-48D8-LFS	EGBP	\$9486.29	\$ 9779.25	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$24043.29
	THRD-48D8-QFS	EGBP	N/A	N/A	\$ 11527.29	\$12325.29	N/A
Solid Surface Lower Top							
138"(3505mm)	THRD-48D8-KFS	EGBP	\$27771.41	\$28064.37	N/A	N/A	N/A
	THRD-48D8-SSS	EGBP	N/A	N/A	N/A	N/A	\$42328.41
	THRD-48D8-EUS	EGBP	N/A	N/A	\$29812.41	\$30610.41	N/A
Wood Group A Lower Top							
138"(3505mm)	THRD-48D8-RFS	EGBP	\$11750.93	\$ 12043.89	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$ 26307.93
	THRD-48D8-WUS	EGBP	N/A	N/A	\$ 13791.93	\$14589.93	N/A
Wood Group B Lower Top							
138"(3505mm)	THRD-48D8-RFS	EGBP	\$12772.37	\$ 13065.33	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$ 27329.37
	THRD-48D8-WUS	EGBP	N/A	N/A	\$ 14813.37	\$ 15611.37	N/A

Immerse — Overlap Table

Racetrack/Round – Painted Legs



THTD
Class CL

Features

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.25”(32mm) thick
 - HPL and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25”(413mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B (add **\$60.06** list).
- Trim color. Grade B (add **\$60.06** list).

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)


Upper Top Dimensions

Height	Diameter
30.5”(775mm)	60”(1524mm)

Overall Width	Number	①	Upper Top HPL A	B	Wood A	B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBP	\$11804.69	\$ 12097.65	N/A	N/A	N/A
	THTD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$ 26361.69
	THTD-48D8-IUS	EGBP	N/A	N/A	\$13845.69	\$14643.69	N/A
Paint Grade B Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBP	\$11836.22	\$ 12129.18	N/A	N/A	N/A
	THTD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$26393.22
	THTD-48D8-IUS	EGBP	N/A	N/A	\$ 13877.22	\$14675.22	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBP	\$ 9138.45	\$ 9431.41	N/A	N/A	N/A
	THTD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$23695.45
	THTD-48D8-QFS	EGBP	N/A	N/A	\$ 11179.45	\$ 11977.45	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBP	\$ 9486.29	\$ 9779.25	N/A	N/A	N/A
	THTD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$24043.29
	THTD-48D8-QFS	EGBP	N/A	N/A	\$ 11527.29	\$ 12325.29	N/A
Solid Surface Lower Top							
138”(3505mm)	THTD-48D8-KFS	EGBP	\$27771.41	\$28064.37	N/A	N/A	N/A
	THTD-48D8-SSS	EGBP	N/A	N/A	N/A	N/A	\$42328.41
	THTD-48D8-EUS	EGBP	N/A	N/A	\$29812.41	\$30610.41	N/A
Wood Group A Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBP	\$ 11750.93	\$ 12043.89	N/A	N/A	N/A
	THTD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$ 26307.93
	THTD-48D8-WUS	EGBP	N/A	N/A	\$ 13791.93	\$14589.93	N/A
Wood Group B Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBP	\$12772.37	\$ 13065.33	N/A	N/A	N/A
	THTD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$ 27329.37
	THTD-48D8-WUS	EGBP	N/A	N/A	\$ 14813.37	\$ 15611.37	N/A

Immerse — Overlap Table

Rectangle/Ledge – Painted Legs



THRL
Class CL

Features

- Includes one ledge upper top with 0.5"(13mm) spacer attached and one rectangle lower top, painted understructure, four painted metal legs, adjustable glides and hardware.
- Upper ledge top 0.5"(13mm) high-pressure laminate (HPL) or wood veneer with waterfall edge.
- Rectangle lower top available laminate, solid surface and wood veneer with knife edge.
 - HPL and wood veneer 1.18"(30mm)(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 9 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

1) Product number, including:

1 Cutout Option:

N No Cutout

L Cutout - Lower Top
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Understructure trim color.
Grade B (add **\$60.06** list).

6) Trim color. Grade B (add **\$60.06** list).

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	120"(3048mm)


Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	57"(1448mm)	22"(559mm)

Overall Width	Number	1	Upper Top HPL		Wood	
			A	B	A	B
Laminate Grade A Lower Top						
124"(3150mm)	THRL-48C4-LFS	EGBP	\$ 7687.46	\$ 7986.83	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 7989.16	\$ 8268.46
Laminate Grade B Lower Top						
124"(3150mm)	THRL-48C4-LFS	EGBP	\$ 8098.02	\$ 8397.39	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 8399.72	\$ 8679.02
Solid Surface Lower Top						
124"(3150mm)	THRL-48C4-KFS	EGBP	\$30978.66	\$31278.03	N/A	N/A
	THRL-48C4-ESS	EGBP	N/A	N/A	\$31280.36	\$31559.66
Wood Group A Lower Top						
124"(3150mm)	THRL-48C4-RFS	EGBP	\$ 10953.06	\$ 11252.43	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$ 11254.76	\$ 11534.06
Wood Group B Lower Top						
124"(3150mm)	THRL-48C4-RFS	EGBP	\$ 12229.86	\$12529.23	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$ 12531.56	\$ 12810.86

Immerse — Overlap Table

Rectangle/Rectangle – Wood Legs



THRR
Class CL

Features

- Includes two tops, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5" (470mm).
- Seating capacity of 11 based upon 27" (686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29" (737mm)	60" (1524mm)	78" (1981mm)
37.5" (953mm)	60" (1524mm)	78" (1981mm)

Upper Top Dimensions

Height	Depth	Width
30.5" (775mm)	48" (1219mm)	96" (2438mm)
39" (991mm)	48" (1219mm)	96" (2438mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

N No Cutout

U Cutout - Upper Top
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.
Grade B (add **\$60.06** list).

7) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge

M5-W35 Clear on White Oak
(add **\$316.20** list)

M6-W35 Clear on Walnut
(add **\$955.72** list)


Immerse — Overlap Table

Rectangle/Rectangle – Wood Legs

Overall Width	Number	①	Upper Top HPL		Trim		Wood		Solid Surface
			A	B	A	B	A	B	
Laminate Grade A Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18246.65	\$ 18278.18	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$ 15580.41	\$ 15928.25	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 34213.37
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18192.89	\$ 19214.33	N/A
Laminate Grade A Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-MFS	EGCW	N/A	N/A	\$ 18476.51	\$ 18508.04	N/A	N/A	N/A
	THRR-60F6-LSS	EGCW	\$ 15810.27	\$ 16158.11	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$34443.23
	THRR-60F6-QFS	EGCW	N/A	N/A	N/A	N/A	\$ 18422.75	\$ 19444.19	N/A
Laminate Grade B Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$ 18598.41	\$ 18629.94	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$ 15932.17	\$ 16280.01	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$34565.13
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$ 18544.65	\$ 19566.09	N/A
Laminate Grade B Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-MFS	EGCW	N/A	N/A	\$ 18828.27	\$ 18859.80	N/A	N/A	N/A
	THRR-60F6-LSS	EGCW	\$ 16162.03	\$ 16509.87	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$34794.99
	THRR-60F6-QFS	EGCW	N/A	N/A	N/A	N/A	\$ 18774.51	\$ 19795.95	N/A
Solid Surface Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-FUS	EGBW	N/A	N/A	\$ 37170.75	\$37202.28	N/A	N/A	N/A
	THRR-60F6-KFS	EGBW	\$34504.51	\$34852.35	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 53137.47
	THRR-60F6-EUS	EGBW	N/A	N/A	N/A	N/A	\$ 37116.99	\$ 38138.43	N/A
Solid Surface Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-FUS	EGCW	N/A	N/A	\$37400.61	\$37432.14	N/A	N/A	N/A
	THRR-60F6-KFS	EGCW	\$ 34734.37	\$35082.21	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 53367.33
	THRR-60F6-EUS	EGCW	N/A	N/A	N/A	N/A	\$ 37346.85	\$38368.29	N/A
Wood Group A Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$20899.95	\$ 20931.48	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 18233.71	\$ 18581.55	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$36866.67
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$20846.19	\$ 21867.63	N/A
Wood Group A Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-GUS	EGCW	N/A	N/A	\$ 21129.81	\$ 21161.34	N/A	N/A	N/A
	THRR-60F6-RFS	EGCW	\$ 18463.57	\$ 18811.41	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$37096.53
	THRR-60F6-WUS	EGCW	N/A	N/A	N/A	N/A	\$ 21076.05	\$ 22097.49	N/A
Wood Group B Lower Top – 29”(737mm)H									
156”(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$ 21937.35	\$ 21968.88	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$ 19271.11	\$ 19618.95	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$37904.07
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$ 21883.59	\$22905.03	N/A
Wood Group B Lower Top – 37.5”(953mm)H									
156”(3962mm)	THRR-60F6-GUS	EGCW	N/A	N/A	\$ 22167.21	\$ 22198.74	N/A	N/A	N/A
	THRR-60F6-RFS	EGCW	\$ 19500.97	\$ 19848.81	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 38133.93
	THRR-60F6-WUS	EGCW	N/A	N/A	N/A	N/A	\$ 22113.45	\$ 23134.89	N/A

Immerse — Overlap Table

Rectangle/Round – Wood Legs



THRD
Class CL

Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm)(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.
Grade B (add **\$60.06** list).

7) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$316.20** list)

M6-W35 Clear on Walnut
(add **\$955.72** list)

Overall Width	Number	1	Upper Top HPL A	B	Wood A	B	Solid Surface
Paint Grade A Lower Top							
138"(3505mm)	THRD-48D8-TFS	EGBW	\$ 17486.15	\$ 17779.11	N/A	N/A	N/A
	THRD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$ 32043.15
	THRD-48D8-IUS	EGBW	N/A	N/A	\$ 19527.15	\$ 20325.15	N/A
Paint Grade B Lower Top							
138"(3505mm)	THRD-48D8-TFS	EGBW	\$ 17517.68	\$ 17810.64	N/A	N/A	N/A
	THRD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$ 32074.68
	THRD-48D8-IUS	EGBW	N/A	N/A	\$ 19558.68	\$ 20356.68	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THRD-48D8-LFS	EGBW	\$ 14819.91	\$ 15112.87	N/A	N/A	N/A
	THRD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$ 29376.91
	THRD-48D8-QFS	EGBW	N/A	N/A	\$ 16860.91	\$ 17658.91	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THRD-48D8-LFS	EGBW	\$ 15167.75	\$ 15460.71	N/A	N/A	N/A
	THRD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$ 29724.75
	THRD-48D8-QFS	EGBW	N/A	N/A	\$ 17208.75	\$ 18006.75	N/A
Solid Surface Lower Top							
138"(3505mm)	THRD-48D8-KFS	EGBW	\$ 33452.87	\$ 33745.83	N/A	N/A	N/A
	THRD-48D8-SSS	EGBW	N/A	N/A	N/A	N/A	\$ 48009.87
	THRD-48D8-EUS	EGBW	N/A	N/A	\$ 35493.87	\$ 36291.87	N/A
Wood Group A Lower Top							
138"(3505mm)	THRD-48D8-RFS	EGBW	\$ 17432.39	\$ 17725.35	N/A	N/A	N/A
	THRD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$ 31989.39
	THRD-48D8-WUS	EGBW	N/A	N/A	\$ 19473.39	\$ 20271.39	N/A
Wood Group B Lower Top							
138"(3505mm)	THRD-48D8-RFS	EGBW	\$ 18453.83	\$ 18746.79	N/A	N/A	N/A
	THRD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$ 33010.83
	THRD-48D8-WUS	EGBW	N/A	N/A	\$ 20494.83	\$ 21292.83	N/A

Immerse — Overlap Table

Racetrack/Round – Wood Legs



THTD
Class CL

Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm)(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25"(413mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

Upper Top Dimensions

Height	Diameter
30.5"(775mm)	60"(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.
Grade B (add **\$60.06** list).

7) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$316.20** list)

M6-W35 Clear on Walnut
(add **\$955.72** list)

Overall Width	Number	1	Upper Top HPL A	B	Wood A	B	Solid Surface
Paint Grade A Lower Top							
138"(3505mm)	THTD-48D8-TFS	EGBW	\$ 17486.15	\$ 17779.11	N/A	N/A	N/A
	THTD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$ 32043.15
	THTD-48D8-IUS	EGBW	N/A	N/A	\$ 19527.15	\$ 20325.15	N/A
Paint Grade B Lower Top							
138"(3505mm)	THTD-48D8-TFS	EGBW	\$ 17517.68	\$ 17810.64	N/A	N/A	N/A
	THTD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$ 32074.68
	THTD-48D8-IUS	EGBW	N/A	N/A	\$ 19558.68	\$ 20356.68	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THTD-48D8-LFS	EGBW	\$ 14819.91	\$ 15112.87	N/A	N/A	N/A
	THTD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$ 29376.91
	THTD-48D8-QFS	EGBW	N/A	N/A	\$ 16860.91	\$ 17658.91	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THTD-48D8-LFS	EGBW	\$ 15167.75	\$ 15460.71	N/A	N/A	N/A
	THTD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$ 29724.75
	THTD-48D8-QFS	EGBW	N/A	N/A	\$ 17208.75	\$ 18006.75	N/A
Solid Surface Lower Top							
138"(3505mm)	THTD-48D8-KFS	EGBW	\$ 33452.87	\$ 33745.83	N/A	N/A	N/A
	THTD-48D8-SSS	EGBW	N/A	N/A	N/A	N/A	\$ 48009.87
	THTD-48D8-EUS	EGBW	N/A	N/A	\$ 35493.87	\$ 36291.87	N/A
Wood Group A Lower Top							
138"(3505mm)	THTD-48D8-RFS	EGBW	\$ 17432.39	\$ 17725.35	N/A	N/A	N/A
	THTD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$ 31989.39
	THTD-48D8-WUS	EGBW	N/A	N/A	\$ 19473.39	\$ 20271.39	N/A
Wood Group B Lower Top							
138"(3505mm)	THTD-48D8-RFS	EGBW	\$ 18453.83	\$ 18746.79	N/A	N/A	N/A
	THTD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$ 33010.83
	THTD-48D8-WUS	EGBW	N/A	N/A	\$ 20494.83	\$ 21292.83	N/A

Immerse — Overlap Table

Rectangle/Ledge – Wood Legs



THRL
Class CL

Features

- Includes one ledge upper top with 0.5"(13mm) spacer attached and one rectangle lower top, painted understructure, four solid wood legs, adjustable glides and hardware.
- Upper ledge top 0.5"(13mm) laminate or wood veneer with waterfall edge.
- Rectangle lower top available high-pressure laminate (HPL), solid surface and wood veneer with knife edge.
 - HPL and wood veneer 1.18"(30mm)(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 9 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

1) Product number, including:

1 Cutout Option:

N No Cutout

L Cutout - Lower Top
(add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Understructure trim color.
Grade B (add **\$60.06** list).

6) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge

M5-W35 Clear on White Oak
(add **\$204.21** list)

M6-W35 Clear on Walnut
(add **\$617.21** list)

Lower Top Dimensions

29"(737mm) **48"(1219mm)** **120"(3048mm)**


Upper Top Dimensions

Height	Depth	Width
30.5"(775mm)	57"(1448mm)	22"(559mm)

Overall Width	Number	1	Upper Top HPL A	B	Wood A	B
Laminate Grade A Lower Top						
124"(3150mm)	THRL-48C4-LFS	EGBW	\$ 11366.49	\$ 11665.86	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$ 11668.19	\$ 11947.49
Laminate Grade B Lower Top						
124"(3150mm)	THRL-48C4-LFS	EGBW	\$ 11777.05	\$ 12076.42	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$ 12078.75	\$ 12358.05
Solid Surface Lower Top						
124"(3150mm)	THRL-48C4-KFS	EGBW	\$34657.69	\$34957.06	N/A	N/A
	THRL-48C4-ESS	EGBW	N/A	N/A	\$34959.39	\$35238.69
Wood Group A Lower Top						
124"(3150mm)	THRL-48C4-RFS	EGBW	\$14632.09	\$ 14931.46	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$ 14933.79	\$ 15213.09
Wood Group B Lower Top						
124"(3150mm)	THRL-48C4-RFS	EGBW	\$15908.89	\$16208.26	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$ 16210.59	\$ 16489.89

Immerse — Shift Table

Rectangle/Rectangle – Painted Legs



THRR
Class CL

Features

- Includes two tops, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- Product number, including:

1 Cutout Option:

N No Cutout

U Cutout - Upper Top
(add **\$184.71** list)

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color.
Grade B (add **\$60.06** list).
- Trim color. Grade B (add **\$60.06** list).
- Stack spacer color.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)


Upper Top Dimensions

Height	Depth	Width
36"(914mm)	48"(1219mm)	96"(2438mm)

Overall Width	Number	①	Upper Top HPL		Trim		Wood		Solid Surface
			A	B	A	B	A	B	
Laminate Grade A Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$13062.13	\$13093.66	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$10395.89	\$10743.73	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$29028.85
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$13008.37	\$14029.81	N/A
Laminate Grade B Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$13413.89	\$13445.42	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$10747.65	\$11095.49	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$29380.61
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$13360.13	\$14381.57	N/A
Solid Surface Lower Top									
156”(3962mm)	THRR-60F6-FUS	DGAP	N/A	N/A	\$31986.23	\$32017.76	N/A	N/A	N/A
	THRR-60F6-KFS	DGAP	\$29319.99	\$29667.83	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$47952.95
	THRR-60F6-EUS	DGAP	N/A	N/A	N/A	N/A	\$31932.47	\$32953.91	N/A
Wood Group A Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$15715.43	\$15746.96	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$13049.19	\$13397.03	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$31682.15
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$15661.67	\$16683.11	N/A
Wood Group B Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$16752.83	\$16784.36	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$14086.59	\$14434.43	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$32719.55
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$16699.07	\$17720.51	N/A

Immerse — Shift Table

Rectangle/Round – Painted Legs



THRD
Class CL

Features

- Includes rectangle lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B (add **\$60.06** list).
- Trim color. Grade B (add **\$60.06** list).
- Stack spacer color.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)


Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL		Wood		Solid Surface
			A	B	A	B	
Paint Grade A Lower Top							
138”(3505mm)	THRD-48D8-TFS	DGAP	\$ 12301.63	\$12594.59	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26858.63
	THRD-48D8-IUS	DGAP	N/A	N/A	\$ 14342.63	\$ 15140.63	N/A
Paint Grade B Lower Top							
138”(3505mm)	THRD-48D8-TFS	DGAP	\$ 12333.16	\$12626.12	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26890.16
	THRD-48D8-IUS	DGAP	N/A	N/A	\$ 14374.16	\$ 15172.16	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THRD-48D8-LFS	DGAP	\$ 9635.39	\$ 9928.35	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$ 24192.39
	THRD-48D8-QFS	DGAP	N/A	N/A	\$ 11676.39	\$ 12474.39	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THRD-48D8-LFS	DGAP	\$ 9983.23	\$10276.19	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$24540.23
	THRD-48D8-QFS	DGAP	N/A	N/A	\$ 12024.23	\$12822.23	N/A
Solid Surface Lower Top							
138”(3505mm)	THRD-48D8-KFS	DGAP	\$28268.35	\$28561.31	N/A	N/A	N/A
	THRD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	\$ 42825.35
	THRD-48D8-EUS	DGAP	N/A	N/A	\$30309.35	\$ 31107.35	N/A
Wood Group A Lower Top							
138”(3505mm)	THRD-48D8-RFS	DGAP	\$ 12247.87	\$12540.83	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$26804.87
	THRD-48D8-WUS	DGAP	N/A	N/A	\$ 14288.87	\$15086.87	N/A
Wood Group B Lower Top							
138”(3505mm)	THRD-48D8-RFS	DGAP	\$ 13269.31	\$13562.27	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$ 27826.31
	THRD-48D8-WUS	DGAP	N/A	N/A	\$ 15310.31	\$ 16108.31	N/A

Immerse — Shift Table

Racetrack/Round – Painted Legs



THTD
Class CL

Features

- Includes racetrack lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL) solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B (add **\$60.06** list).
- Trim color. Grade B (add **\$60.06** list).
- Stack spacer color.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)


Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

Overall Width	Number	①	Upper Top HPL A	B	Wood A	B	Solid Surface
Paint Grade A Lower Top							
138"(3505mm)	THTD-48D8-TFS	DGAP	\$ 12301.63	\$12594.59	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26858.63
	THTD-48D8-IUS	DGAP	N/A	N/A	\$ 14342.63	\$ 15140.63	N/A
Paint Grade B Lower Top							
138"(3505mm)	THTD-48D8-TFS	DGAP	\$ 12333.16	\$12626.12	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$26890.16
	THTD-48D8-IUS	DGAP	N/A	N/A	\$ 14374.16	\$ 15172.16	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9635.39	\$ 9928.35	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$ 24192.39
	THTD-48D8-QFS	DGAP	N/A	N/A	\$ 11676.39	\$ 12474.39	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9983.23	\$10276.19	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$24540.23
	THTD-48D8-QFS	DGAP	N/A	N/A	\$ 12024.23	\$12822.23	N/A
Solid Surface Lower Top							
138"(3505mm)	THTD-48D8-KFS	DGAP	\$28268.35	\$28561.31	N/A	N/A	N/A
	THTD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	\$ 42825.35
	THTD-48D8-EUS	DGAP	N/A	N/A	\$30309.35	\$ 31107.35	N/A
Wood Group A Lower Top							
138"(3505mm)	THTD-48D8-RFS	DGAP	\$ 12247.87	\$12540.83	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$26804.87
	THTD-48D8-WUS	DGAP	N/A	N/A	\$ 14288.87	\$15086.87	N/A
Wood Group B Lower Top							
138"(3505mm)	THTD-48D8-RFS	DGAP	\$ 13269.31	\$13562.27	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$ 27826.31
	THTD-48D8-WUS	DGAP	N/A	N/A	\$ 15310.31	\$ 16108.31	N/A

Immerse — Shift Table

Rectangle/Rectangle – Wood Legs



THRR
Class CL

Features

- Includes two tops, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)

Upper Top Dimensions

Height	Depth	Width
36"(914mm)	48"(1219mm)	96"(2438mm)

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
- U** Cutout - Upper Top (add **\$184.71** list)

- Lower surface finish/color.

- Edge trim color (laminate only).

- Upper surface finish/color.

- Edge trim color (laminate only).

- Understructure trim color.
Grade B (add **\$60.06** list).

- Wood leg finish.

M7-W43 Ink on Ash -
no upcharge

M5-W35 Clear on White Oak
(add **\$316.20** list)


M6-W35 Clear on Walnut
(add **\$955.72** list)

- Stack spacer color.

Overall Width	Number	①	Upper Top HPL		Trim		Wood		Solid Surface
			A	B	A	B	A	B	
Laminate Grade A Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$ 19260.21	\$ 19291.74	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$ 16593.97	\$ 16941.81	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$35226.93
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$19206.45	\$ 20227.89	N/A
Laminate Grade B Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$ 19611.97	\$19643.50	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$ 16945.73	\$ 17293.57	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$35578.69
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$19558.21	\$20579.65	N/A
Solid Surface Lower Top									
156”(3962mm)	THRR-60F6-FUS	DGAW	N/A	N/A	\$ 38184.31	\$ 38215.84	N/A	N/A	N/A
	THRR-60F6-KFS	DGAW	\$ 35518.07	\$35865.91	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 54151.03
	THRR-60F6-EUS	DGAW	N/A	N/A	N/A	N/A	\$38130.55	\$ 39151.99	N/A
Wood Group A Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$ 21913.51	\$ 21945.04	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$ 19247.27	\$ 19595.11	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$37880.23
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$21859.75	\$ 22881.19	N/A
Wood Group B Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$22950.91	\$22982.44	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$20284.67	\$20632.51	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$ 38917.63
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$22897.15	\$ 23918.59	N/A

Immerse — Shift Table

Rectangle/Round – Wood Legs



THRD
Class CL

Features

- Includes rectangle lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75"(400mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Edge trim color (laminate only).

6) Understructure trim color.
Grade B (add **\$60.06** list).

7) Wood leg finish.


- M7-W43 Ink on Ash - no upcharge
- M5-W35 Clear on White Oak (add **\$316.20** list)
- M6-W35 Clear on Walnut (add **\$955.72** list)

8) Stack spacer color.

Overall Width	Number	①	Upper Top HPL		Wood		Solid Surface
			A	B	A	B	
Paint Grade A Lower Top							
138"(3505mm)	THRD-48D8-TFS	DGAW	\$ 18499.71	\$ 18792.67	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33056.71
	THRD-48D8-IUS	DGAW	N/A	N/A	\$20540.71	\$ 21338.71	N/A
Paint Grade B Lower Top							
138"(3505mm)	THRD-48D8-TFS	DGAW	\$ 18531.24	\$ 18824.20	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33088.24
	THRD-48D8-IUS	DGAW	N/A	N/A	\$20572.24	\$ 21370.24	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THRD-48D8-LFS	DGAW	\$ 15833.47	\$ 16126.43	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30390.47
	THRD-48D8-QFS	DGAW	N/A	N/A	\$ 17874.47	\$ 18672.47	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THRD-48D8-LFS	DGAW	\$ 16181.31	\$ 16474.27	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30738.31
	THRD-48D8-QFS	DGAW	N/A	N/A	\$ 18222.31	\$ 19020.31	N/A
Solid Surface Lower Top							
138"(3505mm)	THRD-48D8-KFS	DGAW	\$34466.43	\$34759.39	N/A	N/A	N/A
	THRD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$49023.43
	THRD-48D8-EUS	DGAW	N/A	N/A	\$36507.43	\$37305.43	N/A
Wood Group A Lower Top							
138"(3505mm)	THRD-48D8-RFS	DGAW	\$ 18445.95	\$ 18738.91	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$33002.95
	THRD-48D8-WUS	DGAW	N/A	N/A	\$20486.95	\$ 21284.95	N/A
Wood Group B Lower Top							
138"(3505mm)	THRD-48D8-RFS	DGAW	\$ 19467.39	\$ 19760.35	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$34024.39
	THRD-48D8-WUS	DGAW	N/A	N/A	\$ 21508.39	\$22306.39	N/A

Immerse — Shift Table

Racetrack/Round – Wood Legs



THTD
Class CL

Features

- Includes racetrack lower top and round upper top, 7"(178mm)H stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, high-pressure laminate (HPL), solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - HPL and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top (add **\$184.71** list)
- P** Cutout - Lower and Upper Top (add **\$369.41** list)
- U** Cutout - Upper Top (add **\$184.71** list)

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color.
Grade B (add **\$60.06** list).
- 7) Wood leg finish.
- M7-W43 Ink on Ash -
no upcharge
- M5-W35 Clear on White Oak
(add **\$316.20** list)
- M6-W35 Clear on Walnut (add **\$955.72** list)

8) Stack spacer color.

Overall Width	Number	①	Upper Top HPL		Wood		Solid Surface
			A	B	A	B	
Paint Grade A Lower Top							
138”(3505mm)	THTD-48D8-TFS	DGAW	\$ 18499.71	\$ 18792.67	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33056.71
	THTD-48D8-IUS	DGAW	N/A	N/A	\$20540.71	\$ 21338.71	N/A
Paint Grade B Lower Top							
138”(3505mm)	THTD-48D8-TFS	DGAW	\$ 18531.24	\$ 18824.20	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$33088.24
	THTD-48D8-IUS	DGAW	N/A	N/A	\$ 20572.24	\$ 21370.24	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THTD-48D8-LFS	DGAW	\$ 15833.47	\$ 16126.43	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30390.47
	THTD-48D8-QFS	DGAW	N/A	N/A	\$ 17874.47	\$ 18672.47	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THTD-48D8-LFS	DGAW	\$ 16181.31	\$ 16474.27	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$30738.31
	THTD-48D8-QFS	DGAW	N/A	N/A	\$ 18222.31	\$ 19020.31	N/A
Solid Surface Lower Top							
138”(3505mm)	THTD-48D8-KFS	DGAW	\$34466.43	\$34759.39	N/A	N/A	N/A
	THTD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$49023.43
	THTD-48D8-EUS	DGAW	N/A	N/A	\$ 36507.43	\$37305.43	N/A
Wood Group A Lower Top							
138”(3505mm)	THTD-48D8-RFS	DGAW	\$ 18445.95	\$ 18738.91	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$33002.95
	THTD-48D8-WUS	DGAW	N/A	N/A	\$20486.95	\$ 21284.95	N/A
Wood Group B Lower Top							
138”(3505mm)	THTD-48D8-RFS	DGAW	\$ 19467.39	\$ 19760.35	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$34024.39
	THTD-48D8-WUS	DGAW	N/A	N/A	\$ 21508.39	\$22306.39	N/A

Immerse — Single Table

Round – Painted Legs



THRN
Class CL

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60" (1524mm) diameter table only. Use Round Planter (EHPR-____).
- 60" (1524mm) diameter table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)

- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout (add **\$184.71** list)

2) Top surface finish/color.

3) Edge trim color (laminate only).


4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Trim color. Grade B (add **\$60.06** list).

Height	Diameter	Number	1 2 3	HPL		Trim		Wood		Solid Surface
				A	B	A	B	A	B	
				F	F	U	U	U	U	S
29" (737mm)	48" (1219mm)	THRN-4848-	SNAG4P	\$ 3916.63	\$ 4139.03	\$ 5249.75	\$ 5281.28	\$ 5222.87	\$ 5733.59	\$ 13233.11
	60" (1524mm)	THRN-6060-	S AG4P	4829.23	5122.19	N/A	N/A	6870.23	7668.23	19386.23
36" (914mm)	48" (1219mm)	THRN-4848-	SNAG6P	\$ 4095.41	\$ 4317.81	\$ 5428.53	\$ 5460.06	\$ 5401.65	\$ 5912.37	\$ 13411.89
	60" (1524mm)	THRN-6060-	S AG6P	5008.01	5300.97	N/A	N/A	7049.01	7847.01	19565.01
39" (991mm)	48" (1219mm)	THRN-4848-	SNAG7P	\$ 4172.03	\$ 4394.43	\$ 5505.15	\$ 5536.68	\$ 5478.27	\$ 5988.99	\$ 13488.51
	60" (1524mm)	THRN-6060-	S AG7P	5084.63	5377.59	N/A	N/A	7125.63	7923.63	19641.63

Immerse — Single Table

Square – Painted Legs



THRQ
Class CL

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60" (1524mm) depth table only. Use Round Planter (EHPR- _ _ _ _).
- 60" (1524mm) depth table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)

- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout (add **\$184.71** list)

2) Top surface finish/color.

3) Edge trim color (laminate only).


4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Trim color. Grade B (add **\$60.06** list).

Height	Depth	Width	Number	①	②	③	HPL		Trim		Wood		Solid Surface
							A	B	A	B	A	B	
							F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-			SNAG4P	\$3916.63	\$4139.03	\$5249.75	\$5281.28	\$5222.87	\$5733.59	\$13233.11
	60"(1524mm)	60"(1524mm)	THRQ-6060-			AG4P	4829.23	5122.19	N/A	N/A	6870.23	7668.23	19386.23
36"(914mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-			SNAG6P	\$4095.41	\$ 4317.81	\$5428.53	\$5460.06	\$5401.65	\$ 5912.37	\$ 13411.89
	60"(1524mm)	60"(1524mm)	THRQ-6060-			AG6P	5008.01	5300.97	N/A	N/A	7049.01	7847.01	19565.01
39"(991mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-			SNAG7P	\$ 4172.03	\$4394.43	\$5505.15	\$5536.68	\$5478.27	\$5988.99	\$13488.51
	60"(1524mm)	60"(1524mm)	THRQ-6060-			AG7P	5084.63	5377.59	N/A	N/A	7125.63	7923.63	19641.63

Immerse — Single Table

Rectangle – Painted Legs



THRA
Class CL

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Tops greater than 120" (3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 120" (3048mm) and 144" (3658mm) width tables not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout, (add **\$184.71** list) for one-piece (add **\$369.41** list) for two-piece

2) Top surface finish/color.

3) Edge trim color (laminate only).


4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Trim color. Grade B (add **\$60.06** list).

Height	Depth	Width	Number	1	2	3	HPL		Trim		Wood		Solid Surface
							A	B	A	B	A	B	
							F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG4P	\$5539.03	\$5886.87	\$8205.27	\$8236.80	\$8151.51	\$9172.95	\$24171.99
	48"(1219mm)	144"(3658mm)	THRA-48E4-		S	AG4P	7161.43	7634.71	N/A	N/A	11080.15	12612.31	35110.87
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG4P	7364.23	7853.19	N/A	N/A	11446.23	13042.23	36478.23
	60"(1524mm)	144"(3658mm)	THRA-60E4-		S	AG4P	8378.23	8945.59	N/A	N/A	13276.63	15191.83	43315.03
36"(914mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG6P	\$ 5717.81	\$6065.65	\$8384.05	\$ 8415.58	\$ 8330.29	\$ 9351.73	\$24350.77
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG6P	7543.01	8031.97	N/A	N/A	11625.01	13221.01	36657.01
39"(991mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG7P	\$5794.43	\$ 6142.27	\$8460.67	\$8492.20	\$8406.91	\$ 9428.35	\$24427.39
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG7P	7619.63	8108.59	N/A	N/A	11701.63	13297.63	36733.63

Immerse — Single Table

Racetrack – Painted Legs



THRT
Class CL

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Separately specified power available. Use Oblong Planter (EHPO-____).

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout (add **\$184.71** list)

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Trim color. Grade B (add **\$60.06** list).

Height	Depth	Width	Number	①	②	③	HPL		Trim		Wood		Solid Surface
							A	B	A	B	A	B	S
29"(737mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG4P	\$5539.03	\$5886.87	\$8205.27	\$8236.80	\$8151.51	\$9172.95	\$24171.99
36"(914mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG6P	\$ 5717.81	\$6065.65	\$8384.05	\$ 8415.58	\$8330.29	\$ 9351.73	\$24350.77
39"(991mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG7P	\$5794.43	\$ 6142.27	\$8460.67	\$8492.20	\$8406.91	\$9428.35	\$24427.39

Immerse — Single Table

Round – Wood Legs



THRN
Class CL

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60" (1524mm) diameter table only. Use Round Planter (EHPR-____).
- 60" (1524mm) diameter table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)

- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout (add **\$184.71** list)

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$204.21** list)

M6-W35 Clear on Walnut
(add **\$617.21** list)

Height	Diameter	Number	1 2 3	HPL		Trim		Wood		Solid Surface
				A	B	A	B	A	B	
				F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	THRN-4848-	SNAG4W	\$7633.02	\$7855.42	\$8966.14	\$8997.67	\$8939.26	\$9449.98	\$16949.50
	60"(1524mm)	THRN-6060-	S AG4W	8545.62	8838.58	N/A	N/A	10586.62	11384.62	23102.62
36"(914mm)	48"(1219mm)	THRN-4848-	SNAG6W	\$ 7811.80	\$8034.20	\$9144.92	\$ 9176.45	\$ 9118.04	\$9628.76	\$ 17128.28
	60"(1524mm)	THRN-6060-	S AG6W	8724.40	9017.36	N/A	N/A	10765.40	11563.40	23281.40
39"(991mm)	48"(1219mm)	THRN-4848-	SNAG7W	\$7888.42	\$ 8110.82	\$9221.54	\$9253.07	\$ 9194.66	\$9705.38	\$ 17204.90
	60"(1524mm)	THRN-6060-	S AG7W	8801.02	9093.98	N/A	N/A	10842.02	11640.02	23358.02

Immerse — Single Table

Square – Wood Legs



THRQ
Class CL

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60" (1524mm) depth table only. Use Round Planter (EHPR-___).
- 60" (1524mm) depth table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)

- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N** No Cutout
- P** Cutout (add **\$184.71** list)

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color.
Grade B (add **\$60.06** list).
- 5) Wood leg finish.
 - M7-W43 Ink on Ash -
no upcharge
 - M5-W35 Clear on White Oak
(add **\$204.21** list)
 - M6-W35 Clear on Walnut
(add **\$617.21** list)

Height	Depth	Width	Number	1 2 3	HPL		Trim		Wood		Solid Surface
					A	B	A	B	A	B	
					F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	SNAG4W	\$7633.02	\$7855.42	\$8966.14	\$8997.67	\$8939.26	\$9449.98	\$16949.50
	60"(1524mm)	60"(1524mm)	THRQ-6060-	S AG4W	8545.62	8838.58	N/A	N/A	10586.62	11384.62	23102.62
36"(914mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	SNAG6W	\$ 7811.80	\$8034.20	\$9144.92	\$ 9176.45	\$ 9118.04	\$9628.76	\$ 17128.28
	60"(1524mm)	60"(1524mm)	THRQ-6060-	S AG6W	8724.40	9017.36	N/A	N/A	10765.40	11563.40	23281.40
39"(991mm)	48"(1219mm)	48"(1219mm)	THRQ-4848-	SNAG7W	\$7888.42	\$ 8110.82	\$9221.54	\$9253.07	\$ 9194.66	\$9705.38	\$ 17204.90
	60"(1524mm)	60"(1524mm)	THRQ-6060-	S AG7W	8801.02	9093.98	N/A	N/A	10842.02	11640.02	23358.02

Immerse — Single Table

Rectangle – Wood Legs



THRA
Class CL

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Tops greater than 120" (3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 60" (1524mm) depth tables not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout, (add **\$184.71** list) for one-piece (add **\$369.41** list) for two-piece

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$204.21** list)

M6-W35 Clear on Walnut
(add **\$617.21** list)

Height	Depth	Width	Number	①	②	③	HPL		Trim		Wood		Solid Surface
							A	B	A	B	A	B	
							F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG4W	\$9255.42	\$9603.26	\$11921.66	\$11953.19	\$11867.90	\$12889.34	\$27888.38
	48"(1219mm)	144"(3658mm)	THRA-48E4-		S	AG4W	10877.82	11351.10	N/A	N/A	14796.54	16328.70	38827.26
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG4W	11080.62	11569.58	N/A	N/A	15162.62	16758.62	40194.62
	60"(1524mm)	144"(3658mm)	THRA-60E4-		S	AG4W	12094.62	12661.98	N/A	N/A	16993.02	18908.22	47031.42
36"(914mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG6W	\$ 9434.20	\$ 9782.04	\$12100.44	\$ 12131.97	\$12046.68	\$13068.12	\$ 28067.16
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG6W	11259.40	11748.36	N/A	N/A	15341.40	16937.40	40373.40
39"(991mm)	48"(1219mm)	96"(2438mm)	THRA-4896-		S	AG7W	\$ 9510.82	\$ 9858.66	\$ 12177.06	\$12208.59	\$ 12123.30	\$ 13144.74	\$ 28143.78
	60"(1524mm)	120"(3048mm)	THRA-60C0-		S	AG7W	11336.02	11824.98	N/A	N/A	15418.02	17014.02	40450.02

Immerse — Single Table

Racetrack – Wood Legs



THRT
Class CL

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, high-pressure laminate (HPL), solid surface or wood veneer top with knife edge.
 - Painted 1.125" (29mm) thick
 - HPL and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Table height options: 29" (737mm), 36" (914mm) and 39" (991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Separately specified power available. Use Oblong Planter (EHPO-____).

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:

- N** No Cutout
- P** Cutout (add **\$184.71** list)

2) Top surface finish/color.

3) Edge trim color (laminate only).

4) Understructure trim color.
Grade B (add **\$60.06** list).

5) Wood leg finish.

M7-W43 Ink on Ash -
no upcharge


M5-W35 Clear on White Oak
(add **\$204.21** list)

M6-W35 Clear on Walnut
(add **\$617.21** list)

Height	Depth	Width	Number	①	②	③	HPL		Trim		Wood		Solid Surface
							A	B	A	B	A	B	
							F	F	U	U	U	U	S
29"(737mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG4W	\$9255.42	\$9603.26	\$11921.66	\$11953.19	\$11867.90	\$12889.34	\$27888.38
36"(914mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG6W	\$9434.20	\$9782.04	\$12100.44	\$12131.97	\$12046.68	\$13068.12	\$28067.16
39"(991mm)	48"(1219mm)	96"(2438mm)	THRT-4896-		S	AG7W	\$9510.82	\$9858.66	\$12177.06	\$12208.59	\$12123.30	\$13144.74	\$28143.78

Immerse — Stack Table

Rectangle – Painted Legs



THRA
Class CL

Features

- Includes top, 0.125”(3mm) thick sill (below surface), painted metal legs, painted understructure, adjustable glides and hardware.
- Top (upper surface), high-pressure laminate (HPL), solid surface or wood veneer with knife edge.
 - HPL and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Sill is solid surface with flat edge or laminate.
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Tops greater than 120”(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-P) is selected, single piece table has one cutout and two piece tables has two cutouts. Order the correct number of planters.
- Stack table not available painted.


To Order, Specify:

- 1) Product number, including:
- 1 Surface Option:**
- L** Laminate
 - S** Solid Surface
 - W** Wood
- 2 Edge Option:**
- F** Knife (Laminate)
 - U** Knife (Wood Surface)
 - S** Solid Surface (for use with Solid Surface only)
- 3 Cutout Option:**
- N** No Cutout
 - P** Cutout,
(add **\$184.71** list) for one-piece
(add **\$369.41** list) for two-piece
- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Sill surface color.
- 5) Sill edge trim color (laminate only).
- 6) Understructure trim color.
Grade B (add **\$60.06** list).
- 7) Trim color. Grade B (add **\$60.06** list).

Height	Depth	Width	Number	1	2	3	HPL		Wood		Solid Surface
							A	B	A	B	
							F	F	U	U	S
39”(991mm)	60”(1524mm)	96”(2438mm)	THRA-6096-			CG7P	\$11373.11	\$11778.87	\$21467.51	\$22744.31	\$41493.11
		120”(3048mm)	THRA-60CO-			CG7P	15549.06	16032.02	28167.06	29763.06	53199.06
		144”(3658mm)	THRA-60E4-			CG7P	17745.86	18306.02	32887.46	34802.66	62925.86

Immerse — Planter

Oblong



EHPO
Class CL



Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with or without power.
- When ordering with power option:
 - Includes 2 power modules with a total of 8 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
 - Includes cable management clips.
- Corded option combines both power modules into a single NEMA-5-15P style circuit breaker plug.
- Power modules are UL listed.

Specification Tips

- The no power option cannot be modified for power in the field.
- Specify the power and USB port options (1 configuration for both power modules).
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- 1) Product number.
- 2) Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration (per side)	Number	Price
No Power						
					EHPO-000M-00	\$ 1077.01
Corded						
		6'(1829mm)	8	4 Power Receptacles	EHPO-PF0M-40	\$ 2547.09
				3 Power Receptacles, 1 USB Charging	EHPO-PF0M-31	2637.20
				2 Power Receptacles, 2 USB Charging	EHPO-PF0M-22	2727.31
		12'(3658mm)	8	4 Power Receptacles	EHPO-PL0M-40	\$2620.67
				3 Power Receptacles, 1 USB Charging	EHPO-PL0M-31	2710.78
				2 Power Receptacles, 2 USB Charging	EHPO-PL0M-22	2800.89
		21'(6401mm)	8	4 Power Receptacles	EHPO-PW0M-40	\$2694.25
				3 Power Receptacles, 1 USB Charging	EHPO-PW0M-31	2784.36
				2 Power Receptacles, 2 USB Charging	EHPO-PW0M-22	2874.47
Hardwire						
		6'(1829mm)	8	4 Power Receptacles	EHPO-HF0M-40	\$ 2748.30
				3 Power Receptacles, 1 USB Charging	EHPO-HF0M-31	2838.41
				2 Power Receptacles, 2 USB Charging	EHPO-HF0M-22	2928.52
		12'(3658mm)	8	4 Power Receptacles	EHPO-HL0M-40	\$ 2821.88
				3 Power Receptacles, 1 USB Charging	EHPO-HL0M-31	2911.99
				2 Power Receptacles, 2 USB Charging	EHPO-HL0M-22	3002.10

Immerse — Planter

Round



Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with and without power.
- When ordering with power option:
 - Includes a power module with a total of 4 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
- Power module is UL listed.

Specification Tips

- The no power option cannot be modified for power in the field.
- **Choosing 4 power ports and 0 USB requires the use of a NEMA-5-15P style circuit breaker plug.**
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:


- 1) Product number.
- 2) Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration (per side)	Number	Price
No Power						
					EHPR-000M-00	\$ 803.39
Corded						
		6'(1829mm)	4	4 Power Receptacles	EHPR-PF0M-40	\$ 1722.39
				3 Power Receptacles, 1 USB Charging	EHPR-PF0M-31	1812.50
				2 Power Receptacles, 2 USB Charging	EHPR-PF0M-22	1902.61
		12'(3658mm)	4	4 Power Receptacles	EHPR-PL0M-40	\$ 1795.97
				3 Power Receptacles, 1 USB Charging	EHPR-PL0M-31	1886.08
				2 Power Receptacles, 2 USB Charging	EHPR-PL0M-22	1976.19
		21'(6401mm)	4	4 Power Receptacles	EHPR-PW0M-40	\$ 1869.55
				3 Power Receptacles, 1 USB Charging	EHPR-PW0M-31	1959.66
				2 Power Receptacles, 2 USB Charging	EHPR-PW0M-22	2049.77
Hardwire						
		6'(1829mm)	4	4 Power Receptacles	EHPR-HF0M-40	\$ 1923.60
				3 Power Receptacles, 1 USB Charging	EHPR-HF0M-31	2013.71
				2 Power Receptacles, 2 USB Charging	EHPR-HF0M-22	2103.82
		12'(3658mm)	4	4 Power Receptacles	EHPR-HL0M-40	\$ 1997.18
				3 Power Receptacles, 1 USB Charging	EHPR-HL0M-31	2087.29
				2 Power Receptacles, 2 USB Charging	EHPR-HL0M-22	2177.40


Catalog Logic

	T	C	RA - 24	60 - L	J	S	J	B	M	4	A
Product Type:											
(T) Table											
Product Line:											
(C) Jive											
Shape:											
(BN) Crescent	(RA) Rectangle										
(CE) Extended Corner	(RN) Round										
(CX) Transitional Extended Corner	(RP) Pebble										
(HP) Half Pebble	(RQ) Square										
(HT) Half Race Track	(RT) Racetrack										
(HX) Half Hexagon	(TP) Trapezoid										
Depth:											
18 – 18"(457mm)	42 – 42"(1067mm)										
24 – 24"(610mm)	48 – 48"(1219mm)										
30 – 30"(762mm)	54 – 54"(1372mm)										
36 – 36"(914mm)	60 – 60"(1524mm)										
Width:											
18 – 18"(457mm)	72 – 72"(1829mm)										
24 – 24"(610mm)	84 – 84"(2134mm)										
30 – 30"(762mm)	96 – 96"(2438mm)										
36 – 36"(914mm)	A8 – 108"(2743mm)										
42 – 42"(1067mm)	C0 – 120"(3048mm)										
48 – 48"(1219mm)	E4 – 144"(3658mm)										
54 – 54"(1372mm)	J0 – 180"(4572mm)										
60 – 60"(1524mm)	M6 – 216"(5486mm)										
Surface Material:											
(L) High-Pressure Laminate (HPL)											
(W) Wood											
Edge:											
(F) Laminate Knife	(U) Wood Knife										
(J) Laminate Edgeband	(K) Wood Edgeband										
Core Type:											
(S) Standard											
Cutout:											
(N) No Cutout	(Q) Center, Double-Sided/12 outlets										
(A) Center, Single-Sided/2 outlets	(V) Left/Right, Single-Sided/4 outlets										
(F) Center, Single-Sided/4 outlets	(K) Left/Right, Single-Sided/6 outlets										
(J) Center, Single-Sided/6 outlets	(R) 3"(76mm) Round										
(M) Center, Double-Sided/8 outlets											
Base Type:											
(B) C-Leg Round	(G) Bridge										
(C) C-Leg Extruded	(R) Swivel										
(D) Disc	(T) T-Leg Extruded										
(E) Post Extruded	(V) Post Round										
(F) T-Leg Round	(X) X Base										
Base Foot and Wire Management:											
Base – Non Flip Top	Base – Flip Top – Diagonal Nesting					Base – Flip Top – In-Line Nesting					
No Power	No Power					No Power					
(C) Casters (G) Glides	(H) Casters		(F) Glides		(O) Casters		(P) Glides				
Power Ready	Power Ready				Power Ready						
(J) Casters (K) Glides	(L) Casters		(M) Glides		(Q) Casters		(R) Glides				
Height:											
1 – 16"(406mm)	4 – 29"(737mm)			7 – 42"(1067mm)							
2 – 20"(508mm)	6 – 36"(914mm)										
Base Foot Finish Option:											
(A) Painted	(B) Polished										

Jive Table — Post Extruded Base Round



TORN
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16" (406mm) and 20" (508mm) heights are available with glides only.
- 29" (737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" (737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" (737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base Round

Height	Depth	Width	Number	①	②	③	④	HPL		B	F	Wood		B	U
								A	F			A	U		
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S	E	1		\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26
	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	1		773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	1		862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	1		966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	1		1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S	E	2		\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75
	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	2		781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	2		870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	2		974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	2		1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	4		\$ 803.53	\$ 1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	4		892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	4		996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	4		1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31
	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	E	4		1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15
	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	E	4		1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62
Base — Power Ready — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S	E	1		\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75
	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	1		802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	1		891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	1		995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	1		1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-	S	E	2		\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24
	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	2		809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	2		898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	2		1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	2		1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-	S	E	4		\$ 832.02	\$ 1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82
	36"(914mm)	36"(914mm)	TCRN-3636-	S	E	4		921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00
	42"(1067mm)	42"(1067mm)	TCRN-4242-	S	E	4		1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48
	48"(1219mm)	48"(1219mm)	TCRN-4848-	S	E	4		1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80
	54"(1372mm)	54"(1372mm)	TCRN-5454-	S	E	4		1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64
	60"(1524mm)	60"(1524mm)	TCRN-6060-	S	E	4		1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11

Jive Table — Post Extruded Base Square



TORQ
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16" (406mm) and 20" (508mm) heights are available with glides only.
- 29" (737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base Square


								HPL					Wood			
Height	Depth	Width	Number	①	②	③	④	A	F	B	F	A	U	B	K	U
								J		J		K				
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	E	1	\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	1	773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	1	862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	1	966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	1	1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36	
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	E	2	\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	2	781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	2	870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	2	974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	2	1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	4	\$ 803.53	\$1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	4	892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	4	996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	4	1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31	
	54"(1372mm)	54"(1372mm)	TCRQ-5454-		S	E	4	1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15	
	60"(1524mm)	60"(1524mm)	TCRQ-6060-		S	E	4	1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62	
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	E	1	\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	1	802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	1	891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	1	995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	1	1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85	
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	E	2	\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	2	809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	2	898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	2	1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	2	1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-		S	E	4	\$ 832.02	\$1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	E	4	921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	E	4	1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	E	4	1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80	
	54"(1372mm)	54"(1372mm)	TCRQ-5454-		S	E	4	1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64	
	60"(1524mm)	60"(1524mm)	TCRQ-6060-		S	E	4	1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11	

Jive Table — Post Extruded Base


Pebble



TORP-4242
(Symmetrical)



TORP-3060
(Asymmetrical)
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16" (406mm) and 20" (508mm) heights are available with glides only.
- 29" (737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm)H tables)
 - **Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base Pebble

Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B	
								A	F	B	F	A	U	K	U
								J	F	J	F	K	U	K	U
Symmetrical — Base — No Power — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	E	1	\$ 699.54	\$ 922.01	\$ 792.47	\$ 1014.94	\$ 1126.86	\$ 1250.62	\$ 1209.83	\$ 1340.26
	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	1	773.58	1036.85	872.09	1135.36	1361.79	1575.64	1487.66	1722.38
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	1	862.58	1166.65	967.91	1271.98	1644.34	1977.29	1821.63	2194.56
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	1	966.54	1311.41	1079.93	1424.80	1974.51	2456.64	2211.74	2758.04
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	1	1085.46	1471.13	1208.15	1593.82	2352.30	3012.41	2657.99	3411.36
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	E	2	\$ 707.03	\$ 929.50	\$ 799.96	\$ 1022.43	\$ 1134.35	\$ 1258.11	\$ 1217.32	\$ 1347.75
	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	2	781.07	1044.34	879.58	1142.85	1369.28	1583.13	1495.15	1729.87
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	2	870.07	1174.14	975.40	1279.47	1651.83	1984.78	1829.12	2202.05
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	2	974.03	1318.90	1087.42	1432.29	1982.00	2464.13	2219.23	2765.53
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	2	1092.95	1478.62	1215.64	1601.31	2359.79	3019.90	2665.48	3418.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	4	\$ 803.53	\$1066.80	\$ 902.04	\$ 1165.31	\$ 1391.74	\$ 1605.59	\$ 1517.61	\$ 1752.33
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	4	892.53	1196.60	997.86	1301.93	1674.29	2007.24	1851.58	2224.51
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	4	996.49	1341.36	1109.88	1454.75	2004.46	2486.59	2241.69	2787.99
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	4	1115.41	1501.08	1238.10	1623.77	2382.25	3042.36	2687.94	3441.31
	54"(1372mm)	54"(1372mm)	TCRP-5454-		S	E	4	1249.29	1675.76	1382.52	1808.99	2807.66	3675.15	3190.33	4185.15
	60"(1524mm)	60"(1524mm)	TCRP-6060-		S	E	4	1398.13	1865.40	1543.14	2010.41	3280.69	4385.93	3748.86	5020.62
Symmetrical — Base — Power Ready — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	E	1	\$ 728.03	\$ 950.50	\$ 820.96	\$ 1043.43	\$ 1155.35	\$ 1279.11	\$ 1238.32	\$ 1368.75
	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	1	802.07	1065.34	900.58	1163.85	1390.28	1604.13	1516.15	1750.87
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	1	891.07	1195.14	996.40	1300.47	1672.83	2005.78	1850.12	2223.05
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	1	995.03	1339.90	1108.42	1453.29	2003.00	2485.13	2240.23	2786.53
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	1	1113.95	1499.62	1236.64	1622.31	2380.79	3040.90	2686.48	3439.85
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	E	2	\$ 735.52	\$ 957.99	\$ 828.45	\$ 1050.92	\$ 1162.84	\$ 1286.60	\$ 1245.81	\$ 1376.24
	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	2	809.56	1072.83	908.07	1171.34	1397.77	1611.62	1523.64	1758.36
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	2	898.56	1202.63	1003.89	1307.96	1680.32	2013.27	1857.61	2230.54
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	2	1002.52	1347.39	1115.91	1460.78	2010.49	2492.62	2247.72	2794.02
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	2	1121.44	1507.11	1244.13	1629.80	2388.28	3048.39	2693.97	3447.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-		S	E	4	\$ 832.02	\$1095.29	\$ 930.53	\$ 1193.80	\$ 1420.23	\$ 1634.08	\$ 1546.10	\$ 1780.82
	36"(914mm)	36"(914mm)	TCRP-3636-		S	E	4	921.02	1225.09	1026.35	1330.42	1702.78	2035.73	1880.07	2253.00
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	E	4	1024.98	1369.85	1138.37	1483.24	2032.95	2515.08	2270.18	2816.48
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	E	4	1143.90	1529.57	1266.59	1652.26	2410.74	3070.85	2716.43	3469.80
	54"(1372mm)	54"(1372mm)	TCRP-5454-		S	E	4	1277.78	1704.25	1411.01	1837.48	2836.15	3703.64	3218.82	4213.64
	60"(1524mm)	60"(1524mm)	TCRP-6060-		S	E	4	1426.62	1893.89	1571.63	2038.90	3309.18	4414.42	3777.35	5049.11


Jive Table — Post Extruded Base Pebble

Height	Depth	Width	Number	①	②	③	④	HPL				Wood			
								A		B		A		B	
								J	F	J	F	K	U	K	U
Asymmetrical — Base — No Power — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	1	\$ 881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69
		60"(1524mm)	TCRP-3060-		S	E	1	966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87
		72"(1829mm)	TCRP-3072-		S	E	1	1051.87	1482.91	1176.42	1607.46	2383.18	2925.75	2706.72	3321.46
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	1	\$1044.40	\$1430.07	\$ 1168.95	\$ 1554.62	\$2360.23	\$2843.82	\$ 2678.70	\$ 3225.65
		72"(1829mm)	TCRP-3672-		S	E	1	1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	2	\$ 889.07	\$ 1194.44	\$ 1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18
		60"(1524mm)	TCRP-3060-		S	E	2	973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36
		72"(1829mm)	TCRP-3072-		S	E	2	1059.36	1490.40	1183.91	1614.95	2390.67	2933.24	2714.21	3328.95
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	2	\$ 1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14
		72"(1829mm)	TCRP-3672-		S	E	2	1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	4	\$ 911.53	\$ 1216.90	\$ 1023.68	\$ 1329.05	\$ 1873.36	\$ 2252.57	\$ 2097.66	\$ 2524.64
		60"(1524mm)	TCRP-3060-		S	E	4	996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82
		72"(1829mm)	TCRP-3072-		S	E	4	1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	4	\$ 1074.35	\$ 1460.02	\$ 1198.90	\$ 1584.57	\$ 2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
		72"(1829mm)	TCRP-3672-		S	E	4	1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43
	42"(1067mm)	72"(1829mm)	TCRP-4272-		S	E	4	\$ 1268.55	\$ 1743.32	\$ 1407.98	\$ 1882.75	\$ 3006.70	\$ 3606.13	\$ 3437.37	\$ 4117.45
		48"(1219mm)	TCRP-4872-		S	E	4	\$ 1361.91	\$ 1858.55	\$ 1508.78	\$ 2005.42	\$ 3303.48	\$ 3931.34	\$ 3787.71	\$ 4500.48
Asymmetrical — Base — Power Ready — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	1	\$ 910.07	\$ 1215.44	\$ 1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$ 2096.20	\$ 2523.18
		60"(1524mm)	TCRP-3060-		S	E	1	994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36
		72"(1829mm)	TCRP-3072-		S	E	1	1080.36	1511.40	1204.91	1635.95	2411.67	2954.24	2735.21	3349.95
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	1	\$ 1072.89	\$ 1458.56	\$ 1197.44	\$ 1583.11	\$ 2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14
		72"(1829mm)	TCRP-3672-		S	E	1	1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	2	\$ 917.56	\$ 1222.93	\$ 1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67
		60"(1524mm)	TCRP-3060-		S	E	2	1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85
		72"(1829mm)	TCRP-3072-		S	E	2	1087.85	1518.89	1212.40	1643.44	2419.16	2961.73	2742.70	3357.44
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	2	\$ 1080.38	\$ 1466.05	\$ 1204.93	\$ 1590.60	\$ 2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63
		72"(1829mm)	TCRP-3672-		S	E	2	1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	E	4	\$ 940.02	\$ 1245.39	\$ 1052.17	\$ 1357.54	\$ 1901.85	\$ 2281.06	\$ 2126.15	\$ 2553.13
		60"(1524mm)	TCRP-3060-		S	E	4	1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31
		72"(1829mm)	TCRP-3072-		S	E	4	1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	E	4	\$ 1102.84	\$ 1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$ 2902.26	\$ 2737.14	\$ 3284.09
		72"(1829mm)	TCRP-3672-		S	E	4	1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92
	42"(1067mm)	72"(1829mm)	TCRP-4272-		S	E	4	\$ 1297.04	\$ 1771.81	\$ 1436.47	\$ 1911.24	\$ 3035.19	\$ 3634.62	\$ 3465.86	\$ 4145.94
		48"(1219mm)	TCRP-4872-		S	E	4	\$ 1390.40	\$ 1887.04	\$ 1537.27	\$ 2033.91	\$ 3331.97	\$ 3959.83	\$ 3816.20	\$ 4528.97

Jive Table — Post Extruded Base Rectangle



TORA
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base Rectangle


Height	Depth	Width	Number	1	2	3	4	HPL				Wood		B		
								A	F	B	F	A	U	K	U	
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	E	1	\$	881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69
		54"(1372mm)	TCRA-3054-		S	E	1		923.79	1258.37	1039.04	1373.62	1977.24	2394.42	2226.10	2696.73
		60"(1524mm)	TCRA-3060-		S	E	1		966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	1	\$	1044.40	\$1430.07	\$ 1168.95	\$ 1554.62	\$2360.23	\$2843.82	\$ 2678.70	\$ 3225.65
		72"(1829mm)	TCRA-3672-		S	E	1		1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	E	2	\$	889.07	\$ 1194.44	\$ 1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18
		54"(1372mm)	TCRA-3054-		S	E	2		931.28	1265.86	1046.53	1381.11	1984.73	2401.91	2233.59	2704.22
		60"(1524mm)	TCRA-3060-		S	E	2		973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	2	\$	1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14
		72"(1829mm)	TCRA-3672-		S	E	2		1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	E	4	\$	785.61	N/A	\$ 887.84	N/A	\$ 1473.25	N/A	\$ 1625.15	N/A
		54"(1372mm)	TCRA-1854-		S	E	4		812.62	N/A	916.71	N/A	1558.71	N/A	1726.50	N/A
		60"(1524mm)	TCRA-1860-		S	E	4		839.87	N/A	945.82	N/A	1644.92	N/A	1828.75	N/A
		66"(1676mm)	TCRA-1866-		S	E	4		867.36	N/A	975.17	N/A	1731.87	N/A	1931.91	N/A
		72"(1829mm)	TCRA-1872-		S	E	4		895.10	N/A	1004.77	N/A	1819.57	N/A	2035.98	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-		S	E	4	\$	780.07	\$ 1013.97	\$ 882.30	\$ 1116.20	\$ 1456.24	\$ 1742.52	\$ 1604.39	\$ 1924.56
		42"(1067mm)	TCRA-2442-		S	E	4		814.20	1073.63	918.91	1178.34	1564.40	1883.88	1732.44	2090.78
		48"(1219mm)	TCRA-2448-		S	E	4		848.57	1135.01	955.76	1242.20	1673.30	2027.90	1861.40	2260.10
		54"(1372mm)	TCRA-2454-		S	E	4		883.18	1198.10	992.85	1307.77	1782.95	2174.57	1991.27	2432.52
		60"(1524mm)	TCRA-2460-		S	E	4		918.03	1262.90	1030.18	1375.05	1893.34	2323.89	2122.05	2608.04
		66"(1676mm)	TCRA-2466-		S	E	4		953.12	1329.41	1067.75	1444.04	2004.47	2475.86	2253.73	2786.66
		72"(1829mm)	TCRA-2472-		S	E	4		988.46	1397.63	1105.57	1514.74	2116.35	2630.49	2386.33	2968.39
	30"(762mm)	36"(914mm)	TCRA-3036-		S	E	4	\$	827.83	\$ 1079.18	\$ 933.78	\$ 1185.13	\$ 1607.93	\$ 1916.92	\$ 1783.59	\$ 2129.86
		42"(1067mm)	TCRA-3042-		S	E	4		869.56	1147.19	978.61	1256.24	1740.28	2083.42	1940.17	2325.70
		48"(1219mm)	TCRA-3048-		S	E	4		911.53	1216.90	1023.68	1329.05	1873.36	2252.57	2097.66	2524.64
		54"(1372mm)	TCRA-3054-		S	E	4		953.74	1288.32	1068.99	1403.57	2007.19	2424.37	2256.05	2726.68
		60"(1524mm)	TCRA-3060-		S	E	4		996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82
		72"(1829mm)	TCRA-3072-		S	E	4		1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	4	\$	1074.35	\$ 1460.02	\$ 1198.90	\$ 1584.57	\$ 2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
		66"(1676mm)	TCRA-3666-		S	E	4		1124.65	1543.20	1252.92	1671.47	2549.68	3076.02	2897.38	3493.46
		72"(1829mm)	TCRA-3672-		S	E	4		1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43
	42"(1067mm)	60"(1524mm)	TCRA-4260-		S	E	4	\$	1152.51	\$ 1558.58	\$ 1283.26	\$ 1689.33	\$ 2638.60	\$ 3148.71	\$ 3001.95	\$ 3579.38
		72"(1829mm)	TCRA-4272-		S	E	4		1268.55	1743.32	1407.98	1882.75	3006.70	3606.13	3437.37	4117.45
	48"(1219mm)	72"(1829mm)	TCRA-4872-		S	E	4	\$	1361.91	\$ 1858.55	\$ 1508.78	\$ 2005.42	\$ 3303.48	\$ 3931.34	\$ 3787.71	\$ 4500.48

Jive Table — Post Extruded Base Rectangle


Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B				
								A				B			A	U	K	U
								J	F	J	F	K						
Base — Power Ready — No Cutout																		
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	E	1	\$	910.07	\$ 1215.44	\$1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$2096.20	\$ 2523.18		
		54"(1372mm)	TCRA-3054-		S	E	1		952.28	1286.86	1067.53	1402.11	2005.73	2422.91	2254.59	2725.22		
		60"(1524mm)	TCRA-3060-		S	E	1		994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36		
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	1	\$	1072.89	\$1458.56	\$ 1197.44	\$ 1583.11	\$2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14		
		72"(1829mm)	TCRA-3672-		S	E	1		1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97		
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	E	2	\$	917.56	\$1222.93	\$1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67		
		54"(1372mm)	TCRA-3054-		S	E	2		959.77	1294.35	1075.02	1409.60	2013.22	2430.40	2262.08	2732.71		
		60"(1524mm)	TCRA-3060-		S	E	2		1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85		
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	2	\$	1080.38	\$1466.05	\$1204.93	\$ 1590.60	\$2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63		
		72"(1829mm)	TCRA-3672-		S	E	2		1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46		
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	E	4	\$	814.10	N/A	\$ 916.33	N/A	\$ 1501.74	N/A	\$ 1653.64	N/A		
		54"(1372mm)	TCRA-1854-		S	E	4		841.11	N/A	945.20	N/A	1587.20	N/A	1754.99	N/A		
		60"(1524mm)	TCRA-1860-		S	E	4		868.36	N/A	974.31	N/A	1673.41	N/A	1857.24	N/A		
		66"(1676mm)	TCRA-1866-		S	E	4		895.85	N/A	1003.66	N/A	1760.36	N/A	1960.40	N/A		
		72"(1829mm)	TCRA-1872-		S	E	4		923.59	N/A	1033.26	N/A	1848.06	N/A	2064.47	N/A		
	24"(610mm)	36"(914mm)	TCRA-2436-		S	E	4	\$	808.56	\$1042.46	\$ 910.79	\$ 1144.69	\$ 1484.73	\$ 1771.01	\$ 1632.88	\$ 1953.05		
		42"(1067mm)	TCRA-2442-		S	E	4		842.69	1102.12	947.40	1206.83	1592.89	1912.37	1760.93	2119.27		
		48"(1219mm)	TCRA-2448-		S	E	4		877.06	1163.50	984.25	1270.69	1701.79	2056.39	1889.89	2288.59		
		54"(1372mm)	TCRA-2454-		S	E	4		911.67	1226.59	1021.34	1336.26	1811.44	2203.06	2019.76	2461.01		
		60"(1524mm)	TCRA-2460-		S	E	4		946.52	1291.39	1058.67	1403.54	1921.83	2352.38	2150.54	2636.53		
		66"(1676mm)	TCRA-2466-		S	E	4		981.61	1357.90	1096.24	1472.53	2032.96	2504.35	2282.22	2815.15		
		72"(1829mm)	TCRA-2472-		S	E	4		1016.95	1426.12	1134.06	1543.23	2144.84	2658.98	2414.82	2996.88		
	30"(762mm)	36"(914mm)	TCRA-3036-		S	E	4	\$	856.32	\$ 1107.67	\$ 962.27	\$ 1213.62	\$ 1636.42	\$ 1945.41	\$ 1812.08	\$ 2158.35		
		42"(1067mm)	TCRA-3042-		S	E	4		898.05	1175.68	1007.10	1284.73	1768.77	2111.91	1968.66	2354.19		
		48"(1219mm)	TCRA-3048-		S	E	4		940.02	1245.39	1052.17	1357.54	1901.85	2281.06	2126.15	2553.13		
		54"(1372mm)	TCRA-3054-		S	E	4		982.23	1316.81	1097.48	1432.06	2035.68	2452.86	2284.54	2755.17		
		60"(1524mm)	TCRA-3060-		S	E	4		1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31		
		72"(1829mm)	TCRA-3072-		S	E	4		1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90		
		36"(914mm)	60"(1524mm)	TCRA-3660-		S	E	4	\$	1102.84	\$1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$2902.26	\$ 2737.14	\$ 3284.09	
	42"(1067mm)	66"(1676mm)	TCRA-3666-		S	E	4		1153.14	1571.69	1281.41	1699.96	2578.17	3104.51	2925.87	3521.95		
		72"(1829mm)	TCRA-3672-		S	E	4		1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92		
		42"(1067mm)	60"(1524mm)	TCRA-4260-		S	E	4	\$	1181.00	\$1587.07	\$ 1311.75	\$ 1717.82	\$ 2667.09	\$ 3177.20	\$3030.44	\$ 3607.87	
	48"(1219mm)	72"(1829mm)	TCRA-4272-		S	E	4		1297.04	1771.81	1436.47	1911.24	3035.19	3634.62	3465.86	4145.94		
		48"(1219mm)	72"(1829mm)	TCRA-4872-		S	E	4	\$	1390.40	\$1887.04	\$ 1537.27	\$2033.91	\$ 3331.97	\$3959.83	\$ 3816.20	\$4528.97	

Jive Table — Post Extruded Base

Racetrack



TORT
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16" (406mm) and 20" (508mm) heights are available with glides only.
- 29" (737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" (737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" (737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base

Racetrack


Height	Depth	Width	Number	①	②	③	④	HPL				Wood			
								A		B		A		B	
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	1	\$ 881.58	\$ 1186.95	\$ 993.73	\$ 1299.10	\$ 1843.41	\$ 2222.62	\$ 2067.71	\$ 2494.69
		60"(1524mm)	TCRT-3060-		S	E	1	966.24	1331.51	1084.59	1449.86	2111.81	2568.88	2385.40	2901.87
		72"(1829mm)	TCRT-3072-		S	E	1	1051.87	1482.91	1176.42	1607.46	2383.18	2925.75	2706.72	3321.46
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	1	\$1044.40	\$1430.07	\$ 1168.95	\$ 1554.62	\$2360.23	\$ 2843.82	\$ 2678.70	\$ 3225.65
		72"(1829mm)	TCRT-3672-		S	E	1	1145.23	1598.14	1277.22	1730.13	2679.96	3250.96	3057.07	3704.48
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	2	\$ 889.07	\$ 1194.44	\$1001.22	\$ 1306.59	\$ 1850.90	\$ 2230.11	\$ 2075.20	\$ 2502.18
		60"(1524mm)	TCRT-3060-		S	E	2	973.73	1339.00	1092.08	1457.35	2119.30	2576.37	2392.89	2909.36
		72"(1829mm)	TCRT-3072-		S	E	2	1059.36	1490.40	1183.91	1614.95	2390.67	2933.24	2714.21	3328.95
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	2	\$ 1051.89	\$ 1437.56	\$ 1176.44	\$ 1562.11	\$ 2367.72	\$ 2851.31	\$ 2686.19	\$ 3233.14
		72"(1829mm)	TCRT-3672-		S	E	2	1152.72	1605.63	1284.71	1737.62	2687.45	3258.45	3064.56	3711.97
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	4	\$ 911.53	\$ 1216.90	\$1023.68	\$ 1329.05	\$ 1873.36	\$ 2252.57	\$ 2097.66	\$ 2524.64
		60"(1524mm)	TCRT-3060-		S	E	4	996.19	1361.46	1114.54	1479.81	2141.76	2598.83	2415.35	2931.82
		72"(1829mm)	TCRT-3072-		S	E	4	1081.82	1512.86	1206.37	1637.41	2413.13	2955.70	2736.67	3351.41
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	4	\$1074.35	\$1460.02	\$ 1198.90	\$ 1584.57	\$2390.18	\$ 2873.77	\$ 2708.65	\$ 3255.60
		72"(1829mm)	TCRT-3672-		S	E	4	1175.18	1628.09	1307.17	1760.08	2709.91	3280.91	3087.02	3734.43
	42"(1067mm)	72"(1829mm)	TCRT-4272-		S	E	4	\$1268.55	\$ 1743.32	\$1407.98	\$ 1882.75	\$3006.70	\$3606.13	\$ 3437.37	\$ 4117.45
		48"(1219mm)	TCRT-4872-		S	E	4	\$ 1361.91	\$ 1858.55	\$1508.78	\$2005.42	\$3303.48	\$ 3931.34	\$ 3787.71	\$4500.48
Base — Power Ready — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	1	\$ 910.07	\$ 1215.44	\$1022.22	\$ 1327.59	\$ 1871.90	\$ 2251.11	\$ 2096.20	\$ 2523.18
		60"(1524mm)	TCRT-3060-		S	E	1	994.73	1360.00	1113.08	1478.35	2140.30	2597.37	2413.89	2930.36
		72"(1829mm)	TCRT-3072-		S	E	1	1080.36	1511.40	1204.91	1635.95	2411.67	2954.24	2735.21	3349.95
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	1	\$1072.89	\$1458.56	\$ 1197.44	\$ 1583.11	\$ 2388.72	\$ 2872.31	\$ 2707.19	\$ 3254.14
		72"(1829mm)	TCRT-3672-		S	E	1	1173.72	1626.63	1305.71	1758.62	2708.45	3279.45	3085.56	3732.97
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	2	\$ 917.56	\$ 1222.93	\$1029.71	\$ 1335.08	\$ 1879.39	\$ 2258.60	\$ 2103.69	\$ 2530.67
		60"(1524mm)	TCRT-3060-		S	E	2	1002.22	1367.49	1120.57	1485.84	2147.79	2604.86	2421.38	2937.85
		72"(1829mm)	TCRT-3072-		S	E	2	1087.85	1518.89	1212.40	1643.44	2419.16	2961.73	2742.70	3357.44
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	2	\$1080.38	\$1466.05	\$1204.93	\$ 1590.60	\$2396.21	\$ 2879.80	\$ 2714.68	\$ 3261.63
		72"(1829mm)	TCRT-3672-		S	E	2	1181.21	1634.12	1313.20	1766.11	2715.94	3286.94	3093.05	3740.46
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	E	4	\$ 940.02	\$ 1245.39	\$1052.17	\$ 1357.54	\$ 1901.85	\$ 2281.06	\$ 2126.15	\$ 2553.13
		60"(1524mm)	TCRT-3060-		S	E	4	1024.68	1389.95	1143.03	1508.30	2170.25	2627.32	2443.84	2960.31
		72"(1829mm)	TCRT-3072-		S	E	4	1110.31	1541.35	1234.86	1665.90	2441.62	2984.19	2765.16	3379.90
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	E	4	\$ 1102.84	\$1488.51	\$ 1227.39	\$ 1613.06	\$ 2418.67	\$2902.26	\$ 2737.14	\$ 3284.09
		72"(1829mm)	TCRT-3672-		S	E	4	1203.67	1656.58	1335.66	1788.57	2738.40	3309.40	3115.51	3762.92
	42"(1067mm)	72"(1829mm)	TCRT-4272-		S	E	4	\$ 1297.04	\$ 1771.81	\$1436.47	\$ 1911.24	\$3035.19	\$3634.62	\$3465.86	\$ 4145.94
		48"(1219mm)	TCRT-4872-		S	E	4	\$1390.40	\$ 1887.04	\$ 1537.27	\$2033.91	\$ 3331.97	\$3959.83	\$ 3816.20	\$4528.97

Jive Table — Post Extruded Base

Trapezoid



TCTP
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High Pressure Laminate (HPL) with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
 - **Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base Trapezoid


Height	Depth	Width	Number	1	2	3	4	HPL		B		Wood		B		
								A	F	J	F	A	U	K	U	
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	E	4	\$ 848.59	\$ 1135.03	\$ 853.55	\$ 1139.99	\$ 1056.73	\$ 1411.33	\$ 1116.20	\$ 1514.90
		54"(1372mm)	TCTP-2454-			S	E	4	883.20	1198.12	890.64	1205.56	1166.38	1558.00	1246.07	1687.32
		60"(1524mm)	TCTP-2460-			S	E	4	918.05	1262.92	927.97	1272.84	1276.77	1707.32	1376.85	1862.84
		66"(1676mm)	TCTP-2466-			S	E	4	953.14	1329.43	965.54	1341.83	1387.90	1859.29	1508.53	2041.46
		72"(1829mm)	TCTP-2472-			S	E	4	988.48	1397.65	1003.36	1412.53	1499.78	2013.92	1641.13	2223.19
30"(762mm)	60"(1524mm)	TCTP-3060-			S	E	4	\$ 996.21	\$ 1361.48	\$ 1012.33	\$ 1377.60	\$ 1525.19	\$ 1982.26	\$ 1670.15	\$ 2186.62	
		66"(1676mm)	TCTP-3066-			S	E	4	1038.91	1436.33	1058.13	1455.55	1660.50	2159.37	1830.36	2394.86
		72"(1829mm)	TCTP-3072-			S	E	4	1081.84	1512.88	1104.16	1535.20	1796.56	2339.13	1991.47	2606.21
		36"(914mm)	84"(2134mm)	TCTP-3684-			S	E	4	\$ 1277.01	\$ 1803.03	\$ 1314.21	\$ 1840.23	\$ 2416.05	\$ 3082.10	\$ 2723.82
Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	E	4	\$ 877.08	\$ 1163.52	\$ 882.04	\$ 1168.48	\$ 1085.22	\$ 1439.82	\$ 1144.69	\$ 1543.39
		54"(1372mm)	TCTP-2454-			S	E	4	911.69	1226.61	919.13	1234.05	1194.87	1586.49	1274.56	1715.81
		60"(1524mm)	TCTP-2460-			S	E	4	946.54	1291.41	956.46	1301.33	1305.26	1735.81	1405.34	1891.33
		66"(1676mm)	TCTP-2466-			S	E	4	981.63	1357.92	994.03	1370.32	1416.39	1887.78	1537.02	2069.95
		72"(1829mm)	TCTP-2472-			S	E	4	1016.97	1426.14	1031.85	1441.02	1528.27	2042.41	1669.62	2251.68
30"(762mm)	60"(1524mm)	TCTP-3060-			S	E	4	\$ 1024.70	\$ 1389.97	\$ 1040.82	\$ 1406.09	\$ 1553.68	\$ 2010.75	\$ 1698.64	\$ 2215.11	
		66"(1676mm)	TCTP-3066-			S	E	4	1067.40	1464.82	1086.62	1484.04	1688.99	2187.86	1858.85	2423.35
		72"(1829mm)	TCTP-3072-			S	E	4	1110.33	1541.37	1132.65	1563.69	1825.05	2367.62	2019.96	2634.70
		36"(914mm)	84"(2134mm)	TCTP-3684-			S	E	4	\$ 1305.50	\$ 1831.52	\$ 1342.70	\$ 1868.72	\$ 2444.54	\$ 3110.59	\$ 2752.31

Jive Table — Post Extruded Base

Crescent



TCBN
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Three locking and three non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

Edge choice allows a flat seam between tables.

Specifying a cutout does not automatically include a Power Ready base.

Factory installed cutout is available for:

- Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
- Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm)H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
 - J** Edgeband
 - F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


							HPL				Wood			
Depth	Width	Number	①	②	③	④	A		B		A		B	
							J	F	J	F	K	U	K	U
Base — No Power — No Cutout														
24"(610mm)	60"(1524mm)	TCBN-2460-		S	E	4	\$1499.05	\$1843.92	\$1508.97	\$1853.84	\$1857.77	\$2288.32	\$1957.85	\$2443.84
30"(762mm)	72"(1829mm)	TCBN-3072-		S	E	4	1662.84	2093.88	1685.16	2116.20	2377.56	2920.13	2572.47	3187.21
36"(914mm)	84"(2134mm)	TCBN-3684-		S	E	4	1858.01	2384.03	1895.21	2421.23	2997.05	3663.10	3304.82	4061.47
Base — Power Ready — No Cutout														
24"(610mm)	60"(1524mm)	TCBN-2460-		S	E	4	\$1527.54	\$1872.41	\$1537.46	\$1882.33	\$1886.26	\$2316.81	\$1986.34	\$2472.33
30"(762mm)	72"(1829mm)	TCBN-3072-		S	E	4	1691.33	2122.37	1713.65	2144.69	2406.05	2948.62	2600.96	3215.70
36"(914mm)	84"(2134mm)	TCBN-3684-		S	E	4	1886.50	2412.52	1923.70	2449.72	3025.54	3691.59	3333.31	4089.96

Jive Table — Post Extruded Base

Half Racetrack



TCHT
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	1	2	3	4	HPL		Wood		B	
								A	F	A	U	K	U
								J	F	J	F	K	U
Base — No Power — No Cutout													
29" (737mm)	42" (1067mm)	42" (1067mm)	TCHT-4242-		S	E	4	\$1045.21	\$1390.08	\$1065.67	\$1410.54	\$1681.54	\$2163.67
	48" (1219mm)	48" (1219mm)	TCHT-4848-		S	E	4	1164.13	1549.80	1193.89	1579.56	2059.33	2719.44
	54" (1372mm)	54" (1372mm)	TCHT-5454-		S	E	4	1298.01	1724.48	1338.31	1764.78	2484.74	3352.23
	60" (1524mm)	60" (1524mm)	TCHT-6060-		S	E	4	1446.85	1914.12	1498.93	1966.20	2957.77	4063.01
Base — Power Ready — No Cutout													
29" (737mm)	42" (1067mm)	42" (1067mm)	TCHT-4242-		S	E	4	\$1073.70	\$1418.57	\$1094.16	\$1439.03	\$1710.03	\$2192.16
	48" (1219mm)	48" (1219mm)	TCHT-4848-		S	E	4	1192.62	1578.29	1222.38	1608.05	2087.82	2747.93
	54" (1372mm)	54" (1372mm)	TCHT-5454-		S	E	4	1326.50	1752.97	1366.80	1793.27	2513.23	3380.72
	60" (1524mm)	60" (1524mm)	TCHT-6060-		S	E	4	1475.34	1942.61	1527.42	1994.69	2986.26	4091.50

Jive Table — Post Extruded Base

Half Pebble



TCHP
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.


3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	1	2	3	4	HPL				Wood			
								A		B		A		B	
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-		S	E	4	\$1045.21	\$1390.08	\$1065.67	\$1410.54	\$1681.54	\$2163.67	\$1854.04	\$2400.34
	48"(1219mm)	48"(1219mm)	TCHP-4848-		S	E	4	1164.13	1549.80	1193.89	1579.56	2059.33	2719.44	2300.29	3053.66
	54"(1372mm)	54"(1372mm)	TCHP-5454-		S	E	4	1298.01	1724.48	1338.31	1764.78	2484.74	3352.23	2802.68	3797.50
	60"(1524mm)	60"(1524mm)	TCHP-6060-		S	E	4	1446.85	1914.12	1498.93	1966.20	2957.77	4063.01	3361.21	4632.97
Base — Power Ready — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-		S	E	4	\$1073.70	\$1418.57	\$1094.16	\$1439.03	\$1710.03	\$2192.16	\$1882.53	\$2428.83
	48"(1219mm)	48"(1219mm)	TCHP-4848-		S	E	4	1192.62	1578.29	1222.38	1608.05	2087.82	2747.93	2328.78	3082.15
	54"(1372mm)	54"(1372mm)	TCHP-5454-		S	E	4	1326.50	1752.97	1366.80	1793.27	2513.23	3380.72	2831.17	3825.99
	60"(1524mm)	60"(1524mm)	TCHP-6060-		S	E	4	1475.34	1942.61	1527.42	1994.69	2986.26	4091.50	3389.70	4661.46

Jive Table — Post Round Base Round



TORN-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
 - **Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" (737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" (737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Post Round Base Round

Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B									
								A				B			A	U	K	U					
								J	F	J	F	K	U	K	U								
Base — No Power — No Cutout																							
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-		S	V	1	\$	537.03	\$	759.50	\$	629.96	\$	852.43	\$	964.35	\$	1088.11	\$	1047.32	\$	1177.75
	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	1		611.07		874.34		709.58		972.85		1199.28		1413.13		1325.15		1559.87
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	1		700.07		1004.14		805.40		1109.47		1481.83		1814.78		1659.12		2032.05
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	1		804.03		1148.90		917.42		1262.29		1812.00		2294.13		2049.23		2595.53
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	1		922.95		1308.62		1045.64		1431.31		2189.79		2849.90		2495.48		3248.85
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-		S	V	2	\$	537.03	\$	759.50	\$	629.96	\$	852.43	\$	964.35	\$	1088.11	\$	1047.32	\$	1177.75
	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	2		611.07		874.34		709.58		972.85		1199.28		1413.13		1325.15		1559.87
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	2		700.07		1004.14		805.40		1109.47		1481.83		1814.78		1659.12		2032.05
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	2		804.03		1148.90		917.42		1262.29		1812.00		2294.13		2049.23		2595.53
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	2		922.95		1308.62		1045.64		1431.31		2189.79		2849.90		2495.48		3248.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	4	\$	611.07	\$	874.34	\$	709.58	\$	972.85	\$	1199.28	\$	1413.13	\$	1325.15	\$	1559.87
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	4		700.07		1004.14		805.40		1109.47		1481.83		1814.78		1659.12		2032.05
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	4		804.03		1148.90		917.42		1262.29		1812.00		2294.13		2049.23		2595.53
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	4		922.95		1308.62		1045.64		1431.31		2189.79		2849.90		2495.48		3248.85
	54"(1372mm)	54"(1372mm)	TCRN-5454-		S	V	4		1056.83		1483.30		1190.06		1616.53		2615.20		3482.69		2997.87		3992.69
	60"(1524mm)	60"(1524mm)	TCRN-6060-		S	V	4		1205.67		1672.94		1350.68		1817.95		3088.23		4193.47		3556.40		4828.16
Base — Power Ready — No Cutout																							
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-		S	V	1	\$	565.52	\$	787.99	\$	658.45	\$	880.92	\$	992.84	\$	1116.60	\$	1075.81	\$	1206.24
	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	1		639.56		902.83		738.07		1001.34		1227.77		1441.62		1353.64		1588.36
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	1		728.56		1032.63		833.89		1137.96		1510.32		1843.27		1687.61		2060.54
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	1		832.52		1177.39		945.91		1290.78		1840.49		2322.62		2077.72		2624.02
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	1		951.44		1337.11		1074.13		1459.80		2218.28		2878.39		2523.97		3277.34
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-		S	V	2	\$	565.52	\$	787.99	\$	658.45	\$	880.92	\$	992.84	\$	1116.60	\$	1075.81	\$	1206.24
	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	2		639.56		902.83		738.07		1001.34		1227.77		1441.62		1353.64		1588.36
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	2		728.56		1032.63		833.89		1137.96		1510.32		1843.27		1687.61		2060.54
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	2		832.52		1177.39		945.91		1290.78		1840.49		2322.62		2077.72		2624.02
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	2		951.44		1337.11		1074.13		1459.80		2218.28		2878.39		2523.97		3277.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-		S	V	4	\$	639.56	\$	902.83	\$	738.07	\$	1001.34	\$	1227.77	\$	1441.62	\$	1353.64	\$	1588.36
	36"(914mm)	36"(914mm)	TCRN-3636-		S	V	4		728.56		1032.63		833.89		1137.96		1510.32		1843.27		1687.61		2060.54
	42"(1067mm)	42"(1067mm)	TCRN-4242-		S	V	4		832.52		1177.39		945.91		1290.78		1840.49		2322.62		2077.72		2624.02
	48"(1219mm)	48"(1219mm)	TCRN-4848-		S	V	4		951.44		1337.11		1074.13		1459.80		2218.28		2878.39		2523.97		3277.34
	54"(1372mm)	54"(1372mm)	TCRN-5454-		S	V	4		1085.32		1511.79		1218.55		1645.02		2643.69		3511.18		3026.36		4021.18
	60"(1524mm)	60"(1524mm)	TCRN-6060-		S	V	4		1234.16		1701.43		1379.17		1846.44		3116.72		4221.96		3584.89		4856.65

Jive Table — Post Round Base Square



TORQ-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Round Base Square


Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B		
								A			B		A	U	K	U
								J	F	J	F	K		K	U	
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	V	1	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	1	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	1	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	1	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	1	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85	
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	V	2	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	2	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	2	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	2	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	2	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	4	\$ 611.07	\$ 874.34	\$ 709.58	\$ 972.85	\$ 1199.28	\$ 1413.13	\$ 1325.15	\$ 1559.87	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	4	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	4	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	4	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85	
	54"(1372mm)	54"(1372mm)	TCRQ-5454-		S	V	4	1056.83	1483.30	1190.06	1616.53	2615.20	3482.69	2997.87	3992.69	
	60"(1524mm)	60"(1524mm)	TCRQ-6060-		S	V	4	1205.67	1672.94	1350.68	1817.95	3088.23	4193.47	3556.40	4828.16	
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	V	1	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	1	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	1	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	1	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	1	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34	
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-		S	V	2	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24	
	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	2	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	2	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	2	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	2	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34	
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-		S	V	4	\$ 639.56	\$ 902.83	\$ 738.07	\$ 1001.34	\$ 1227.77	\$ 1441.62	\$ 1353.64	\$ 1588.36	
	36"(914mm)	36"(914mm)	TCRQ-3636-		S	V	4	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54	
	42"(1067mm)	42"(1067mm)	TCRQ-4242-		S	V	4	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02	
	48"(1219mm)	48"(1219mm)	TCRQ-4848-		S	V	4	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34	
	54"(1372mm)	54"(1372mm)	TCRQ-5454-		S	V	4	1085.32	1511.79	1218.55	1645.02	2643.69	3511.18	3026.36	4021.18	
	60"(1524mm)	60"(1524mm)	TCRQ-6060-		S	V	4	1234.16	1701.43	1379.17	1846.44	3116.72	4221.96	3584.89	4856.65	

Jive Table — Post Round Base


Pebble



TORP-4242-SNV
(Symmetrical)



TORP-3060-SNV
(Asymmetrical)
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" (737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" (737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Pebble

							HPL				Wood				
Height	Depth	Width	Number	①	②	③	A	F	B	F	A	U	B		
				④			J		J		K		K		
													U		
Symmetrical — Base — No Power — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	V	1	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75
	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	1	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	1	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	1	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	1	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	V	2	\$ 537.03	\$ 759.50	\$ 629.96	\$ 852.43	\$ 964.35	\$ 1088.11	\$ 1047.32	\$ 1177.75
	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	2	611.07	874.34	709.58	972.85	1199.28	1413.13	1325.15	1559.87
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	2	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	2	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	2	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	4	\$ 611.07	\$ 874.34	\$ 709.58	\$ 972.85	\$ 1199.28	\$ 1413.13	\$ 1325.15	\$ 1559.87
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	4	700.07	1004.14	805.40	1109.47	1481.83	1814.78	1659.12	2032.05
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	4	804.03	1148.90	917.42	1262.29	1812.00	2294.13	2049.23	2595.53
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	4	922.95	1308.62	1045.64	1431.31	2189.79	2849.90	2495.48	3248.85
	54"(1372mm)	54"(1372mm)	TCRP-5454-		S	V	4	1056.83	1483.30	1190.06	1616.53	2615.20	3482.69	2997.87	3992.69
	60"(1524mm)	60"(1524mm)	TCRP-6060-		S	V	4	1205.67	1672.94	1350.68	1817.95	3088.23	4193.47	3556.40	4828.16
Symmetrical — Base — Power Ready — No Cutout															
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	V	1	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24
	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	1	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	1	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	1	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	1	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-		S	V	2	\$ 565.52	\$ 787.99	\$ 658.45	\$ 880.92	\$ 992.84	\$ 1116.60	\$ 1075.81	\$ 1206.24
	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	2	639.56	902.83	738.07	1001.34	1227.77	1441.62	1353.64	1588.36
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	2	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	2	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	2	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-		S	V	4	\$ 639.56	\$ 902.83	\$ 738.07	\$ 1001.34	\$ 1227.77	\$ 1441.62	\$ 1353.64	\$ 1588.36
	36"(914mm)	36"(914mm)	TCRP-3636-		S	V	4	728.56	1032.63	833.89	1137.96	1510.32	1843.27	1687.61	2060.54
	42"(1067mm)	42"(1067mm)	TCRP-4242-		S	V	4	832.52	1177.39	945.91	1290.78	1840.49	2322.62	2077.72	2624.02
	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	V	4	951.44	1337.11	1074.13	1459.80	2218.28	2878.39	2523.97	3277.34
	54"(1372mm)	54"(1372mm)	TCRP-5454-		S	V	4	1085.32	1511.79	1218.55	1645.02	2643.69	3511.18	3026.36	4021.18
	60"(1524mm)	60"(1524mm)	TCRP-6060-		S	V	4	1234.16	1701.43	1379.17	1846.44	3116.72	4221.96	3584.89	4856.65


Jive Table — Post Round Base

Pebble


Height	Depth	Width	Number					HPL				Wood				
				①	②	③	④	A	F	B	F	A	U	B	U	
				J				J		J		K		K		
Asymmetrical — Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	1	\$ 719.07	\$1024.44	\$ 831.22	\$ 1136.59	\$1680.90	\$2060.11	\$ 1905.20	\$ 2332.18
		60"(1524mm)	TCRP-3060-			S	V	1	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36
		72"(1829mm)	TCRP-3072-			S	V	1	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	1	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-			S	V	1	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	2	\$ 719.07	\$1024.44	\$ 831.22	\$ 1136.59	\$1680.90	\$2060.11	\$ 1905.20	\$ 2332.18
		60"(1524mm)	TCRP-3060-			S	V	2	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36
		72"(1829mm)	TCRP-3072-			S	V	2	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	2	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-			S	V	2	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	4	\$ 719.07	\$1024.44	\$ 831.22	\$ 1136.59	\$1680.90	\$2060.11	\$ 1905.20	\$ 2332.18
		60"(1524mm)	TCRP-3060-			S	V	4	803.73	1169.00	922.08	1287.35	1949.30	2406.37	2222.89	2739.36
		72"(1829mm)	TCRP-3072-			S	V	4	889.36	1320.40	1013.91	1444.95	2220.67	2763.24	2544.21	3158.95
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	4	\$ 881.89	\$1267.56	\$1006.44	\$1392.11	\$ 2197.72	\$ 2681.31	\$ 2516.19	\$3063.14
		72"(1829mm)	TCRP-3672-			S	V	4	982.72	1435.63	1114.71	1567.62	2517.45	3088.45	2894.56	3541.97
	42"(1067mm)	72"(1829mm)	TCRP-4272-			S	V	4	\$1076.09	\$1550.86	\$ 1215.52	\$1690.29	\$ 2814.24	\$ 3413.67	\$3244.91	\$ 3924.99
		48"(1219mm)	TCRP-4872-			S	V	4	\$1169.45	\$1666.09	\$ 1316.32	\$ 1812.96	\$ 3111.02	\$ 3738.88	\$3595.25	\$4308.02
Asymmetrical — Base — Power Ready — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	1	\$ 747.56	\$1052.93	\$ 859.71	\$ 1165.08	\$1709.39	\$2088.60	\$ 1933.69	\$ 2360.67
		60"(1524mm)	TCRP-3060-			S	V	1	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
		72"(1829mm)	TCRP-3072-			S	V	1	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	1	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$ 2709.80	\$2544.68	\$ 3091.63
		72"(1829mm)	TCRP-3672-			S	V	1	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	2	\$ 747.56	\$1052.93	\$ 859.71	\$ 1165.08	\$1709.39	\$2088.60	\$ 1933.69	\$ 2360.67
		60"(1524mm)	TCRP-3060-			S	V	2	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
		72"(1829mm)	TCRP-3072-			S	V	2	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	2	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$ 2709.80	\$2544.68	\$ 3091.63
		72"(1829mm)	TCRP-3672-			S	V	2	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	4	\$ 747.56	\$1052.93	\$ 859.71	\$ 1165.08	\$1709.39	\$2088.60	\$ 1933.69	\$ 2360.67
		60"(1524mm)	TCRP-3060-			S	V	4	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
		72"(1829mm)	TCRP-3072-			S	V	4	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	4	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$ 2709.80	\$2544.68	\$ 3091.63
		72"(1829mm)	TCRP-3672-			S	V	4	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
	42"(1067mm)	72"(1829mm)	TCRP-4272-			S	V	4	\$1104.58	\$1579.35	\$1244.01	\$ 1718.78	\$2842.73	\$3442.16	\$3273.40	\$3953.48
		48"(1219mm)	TCRP-4872-			S	V	4	\$1197.94	\$1694.58	\$1344.81	\$ 1841.45	\$ 3139.51	\$ 3767.37	\$3623.74	\$4336.51

Jive Table — Post Round Base

Rectangle



TORA-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Rectangle

Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B									
								A	F	B	F	A	U	K	U								
								J	F	J	F	K	U	K	U								
Base — No Power — No Cutout																							
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	V	1	\$	719.07	\$1024.44	\$	831.22	\$	1136.59	\$	1680.90	\$	2060.11	\$	1905.20	\$	2332.18	
		54"(1372mm)	TCRA-3054-		S	V	1		761.28	1095.86		876.53		1211.11		1814.73		2231.91		2063.59		2534.22	
		60"(1524mm)	TCRA-3060-		S	V	1		803.73	1169.00		922.08		1287.35		1949.30		2406.37		2222.89		2739.36	
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	1	\$	881.89	\$1267.56	\$	1006.44	\$	1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14	
		72"(1829mm)	TCRA-3672-		S	V	1		982.72	1435.63		1114.71		1567.62		2517.45		3088.45		2894.56		3541.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	V	2	\$	719.07	\$1024.44	\$	831.22	\$	1136.59	\$	1680.90	\$	2060.11	\$	1905.20	\$	2332.18	
		54"(1372mm)	TCRA-3054-		S	V	2		761.28	1095.86		876.53		1211.11		1814.73		2231.91		2063.59		2534.22	
		60"(1524mm)	TCRA-3060-		S	V	2		803.73	1169.00		922.08		1287.35		1949.30		2406.37		2222.89		2739.36	
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	2	\$	881.89	\$1267.56	\$	1006.44	\$	1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14	
		72"(1829mm)	TCRA-3672-		S	V	2		982.72	1435.63		1114.71		1567.62		2517.45		3088.45		2894.56		3541.97	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	V	4	\$	593.15	N/A	\$	695.38	N/A	\$	1280.79	N/A	\$	1432.69	N/A				
		54"(1372mm)	TCRA-1854-		S	V	4		620.16	N/A		724.25	N/A		1366.25	N/A		1534.04	N/A				
		60"(1524mm)	TCRA-1860-		S	V	4		647.41	N/A		753.36	N/A		1452.46	N/A		1636.29	N/A				
		66"(1676mm)	TCRA-1866-		S	V	4		674.90	N/A		782.71	N/A		1539.41	N/A		1739.45	N/A				
		72"(1829mm)	TCRA-1872-		S	V	4		702.64	N/A		812.31	N/A		1627.11	N/A		1843.52	N/A				
	24"(610mm)	36"(914mm)	TCRA-2436-		S	V	4	\$	587.61	\$	821.51	\$	689.84	\$	923.74	\$	1263.78	\$	1550.06	\$	1411.93	\$	1732.10
		42"(1067mm)	TCRA-2442-		S	V	4		621.74		881.17		726.45		985.88		1371.94		1691.42		1539.98		1898.32
		48"(1219mm)	TCRA-2448-		S	V	4		656.11		942.55		763.30		1049.74		1480.84		1835.44		1668.94		2067.64
		54"(1372mm)	TCRA-2454-		S	V	4		690.72		1005.64		800.39		1115.31		1590.49		1982.11		1798.81		2240.06
		60"(1524mm)	TCRA-2460-		S	V	4		725.57		1070.44		837.72		1182.59		1700.88		2131.43		1929.59		2415.58
		66"(1676mm)	TCRA-2466-		S	V	4		760.66		1136.95		875.29		1251.58		1812.01		2283.40		2061.27		2594.20
		72"(1829mm)	TCRA-2472-		S	V	4		796.00		1205.17		913.11		1322.28		1923.89		2438.03		2193.87		2775.93
	30"(762mm)	36"(914mm)	TCRA-3036-		S	V	4	\$	635.37	\$	886.72	\$	741.32	\$	992.67	\$	1415.47	\$	1724.46	\$	1591.13	\$	1937.40
		42"(1067mm)	TCRA-3042-		S	V	4		677.10		954.73		786.15		1063.78		1547.82		1890.96		1747.71		2133.24
		48"(1219mm)	TCRA-3048-		S	V	4		719.07		1024.44		831.22		1136.59		1680.90		2060.11		1905.20		2332.18
54"(1372mm)		TCRA-3054-		S	V	4		761.28		1095.86		876.53		1211.11		1814.73		2231.91		2063.59		2534.22	
60"(1524mm)		TCRA-3060-		S	V	4		803.73		1169.00		922.08		1287.35		1949.30		2406.37		2222.89		2739.36	
72"(1829mm)		TCRA-3072-		S	V	4		889.36		1320.40		1013.91		1444.95		2220.67		2763.24		2544.21		3158.95	
36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	4	\$	881.89	\$1267.56	\$	1006.44	\$	1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14		
	66"(1676mm)	TCRA-3666-		S	V	4		932.19		1350.74		1060.46		1479.01		2357.22		2883.56		2704.92		3301.00	
	72"(1829mm)	TCRA-3672-		S	V	4		982.72		1435.63		1114.71		1567.62		2517.45		3088.45		2894.56		3541.97	
42"(1067mm)	60"(1524mm)	TCRA-4260-		S	V	4	\$	960.05	\$1366.12	\$	1090.80	\$	1496.87	\$	2446.14	\$	2956.25	\$	2809.49	\$	3386.92		
	72"(1829mm)	TCRA-4272-		S	V	4		1076.09		1550.86		1215.52		1690.29		2814.24		3413.67		3244.91		3924.99	
48"(1219mm)	72"(1829mm)	TCRA-4872-		S	V	4	\$	1169.45	\$1666.09	\$	1316.32	\$	1812.96	\$	3111.02	\$	3738.88	\$	3595.25	\$	4308.02		


Jive Table — Post Round Base

Rectangle


Height	Depth	Width	Number	①	②	③	④	HPL				Wood			
								A		B		A		B	
								J	F	J	F	K	U	K	U
Base — Power Ready — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	V	1	\$ 747.56	\$1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$2088.60	\$ 1933.69	\$2360.67
		54"(1372mm)	TCRA-3054-		S	V	1	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-		S	V	1	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	1	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68	\$ 3091.63
		72"(1829mm)	TCRA-3672-		S	V	1	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-		S	V	2	\$ 747.56	\$1052.93	\$ 859.71	\$ 1165.08	\$ 1709.39	\$2088.60	\$ 1933.69	\$2360.67
		54"(1372mm)	TCRA-3054-		S	V	2	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-		S	V	2	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
	36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	2	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68	\$ 3091.63
		72"(1829mm)	TCRA-3672-		S	V	2	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	V	4	\$ 621.64	N/A	\$ 723.87	N/A	\$ 1309.28	N/A	\$ 1461.18	N/A
		54"(1372mm)	TCRA-1854-		S	V	4	648.65	N/A	752.74	N/A	1394.74	N/A	1562.53	N/A
		60"(1524mm)	TCRA-1860-		S	V	4	675.90	N/A	781.85	N/A	1480.95	N/A	1664.78	N/A
		66"(1676mm)	TCRA-1866-		S	V	4	703.39	N/A	811.20	N/A	1567.90	N/A	1767.94	N/A
		72"(1829mm)	TCRA-1872-		S	V	4	731.13	N/A	840.80	N/A	1655.60	N/A	1872.01	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-		S	V	4	\$ 616.10	\$ 850.00	\$ 718.33	\$ 952.23	\$ 1292.27	\$ 1578.55	\$ 1440.42	\$ 1760.59
		42"(1067mm)	TCRA-2442-		S	V	4	650.23	909.66	754.94	1014.37	1400.43	1719.91	1568.47	1926.81
		48"(1219mm)	TCRA-2448-		S	V	4	684.60	971.04	791.79	1078.23	1509.33	1863.93	1697.43	2096.13
		54"(1372mm)	TCRA-2454-		S	V	4	719.21	1034.13	828.88	1143.80	1618.98	2010.60	1827.30	2268.55
		60"(1524mm)	TCRA-2460-		S	V	4	754.06	1098.93	866.21	1211.08	1729.37	2159.92	1958.08	2444.07
		66"(1676mm)	TCRA-2466-		S	V	4	789.15	1165.44	903.78	1280.07	1840.50	2311.89	2089.76	2622.69
		72"(1829mm)	TCRA-2472-		S	V	4	824.49	1233.66	941.60	1350.77	1952.38	2466.52	2222.36	2804.42
	30"(762mm)	36"(914mm)	TCRA-3036-		S	V	4	\$ 663.86	\$ 915.21	\$ 769.81	\$ 1021.16	\$ 1443.96	\$ 1752.95	\$ 1619.62	\$ 1965.89
		42"(1067mm)	TCRA-3042-		S	V	4	705.59	983.22	814.64	1092.27	1576.31	1919.45	1776.20	2161.73
		48"(1219mm)	TCRA-3048-		S	V	4	747.56	1052.93	859.71	1165.08	1709.39	2088.60	1933.69	2360.67
		54"(1372mm)	TCRA-3054-		S	V	4	789.77	1124.35	905.02	1239.60	1843.22	2260.40	2092.08	2562.71
		60"(1524mm)	TCRA-3060-		S	V	4	832.22	1197.49	950.57	1315.84	1977.79	2434.86	2251.38	2767.85
		72"(1829mm)	TCRA-3072-		S	V	4	917.85	1348.89	1042.40	1473.44	2249.16	2791.73	2572.70	3187.44
		36"(914mm)	60"(1524mm)	TCRA-3660-		S	V	4	\$ 910.38	\$1296.05	\$1034.93	\$1420.60	\$2226.21	\$2709.80	\$2544.68
	42"(1067mm)	66"(1676mm)	TCRA-3666-		S	V	4	960.68	1379.23	1088.95	1507.50	2385.71	2912.05	2733.41	3329.49
		72"(1829mm)	TCRA-3672-		S	V	4	1011.21	1464.12	1143.20	1596.11	2545.94	3116.94	2923.05	3570.46
		60"(1524mm)	TCRA-4260-		S	V	4	\$ 988.54	\$1394.61	\$ 1119.29	\$1525.36	\$2474.63	\$2984.74	\$ 2837.98	\$ 3415.41
		72"(1829mm)	TCRA-4272-		S	V	4	1104.58	1579.35	1244.01	1718.78	2842.73	3442.16	3273.40	3953.48
		48"(1219mm)	72"(1829mm)	TCRA-4872-		S	V	4	\$ 1197.94	\$1694.58	\$1344.81	\$ 1841.45	\$ 3139.51	\$ 3767.37	\$3623.74

Jive Table — Post Round Base

Racetrack



TORT-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add **\$23.44** list)
(29" (737mm) Height Only)

G Glides

Base - Power Ready:

J Casters (add **\$23.44** list)
(29" (737mm) Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Racetrack


Height	Depth	Width	Number	①	②	③	④	HPL				Wood									
								A	F	B	F	A	U	B	U						
								J	F	J	F	K	U	K	U						
Base — No Power — No Cutout																					
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	1	\$	719.07	\$1024.44	\$	831.22	\$	1136.59	\$1680.90	\$2060.11	\$	1905.20	\$	2332.18	
		60"(1524mm)	TCRT-3060-		S	V	1		803.73	1169.00		922.08		1287.35	1949.30	2406.37		2222.89		2739.36	
		72"(1829mm)	TCRT-3072-		S	V	1		889.36	1320.40		1013.91		1444.95	2220.67	2763.24		2544.21		3158.95	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	1	\$	881.89	\$1267.56	\$1006.44	\$1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14	
		72"(1829mm)	TCRT-3672-		S	V	1		982.72	1435.63		1114.71		1567.62	2517.45	3088.45		2894.56		3541.97	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	2	\$	719.07	\$1024.44	\$	831.22	\$	1136.59	\$1680.90	\$2060.11	\$	1905.20	\$	2332.18	
		60"(1524mm)	TCRT-3060-		S	V	2		803.73	1169.00		922.08		1287.35	1949.30	2406.37		2222.89		2739.36	
		72"(1829mm)	TCRT-3072-		S	V	2		889.36	1320.40		1013.91		1444.95	2220.67	2763.24		2544.21		3158.95	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	2	\$	881.89	\$1267.56	\$1006.44	\$1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14	
		72"(1829mm)	TCRT-3672-		S	V	2		982.72	1435.63		1114.71		1567.62	2517.45	3088.45		2894.56		3541.97	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	4	\$	719.07	\$1024.44	\$	831.22	\$	1136.59	\$1680.90	\$2060.11	\$	1905.20	\$	2332.18	
		60"(1524mm)	TCRT-3060-		S	V	4		803.73	1169.00		922.08		1287.35	1949.30	2406.37		2222.89		2739.36	
		72"(1829mm)	TCRT-3072-		S	V	4		889.36	1320.40		1013.91		1444.95	2220.67	2763.24		2544.21		3158.95	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	4	\$	881.89	\$1267.56	\$1006.44	\$1392.11	\$	2197.72	\$	2681.31	\$	2516.19	\$	3063.14	
		72"(1829mm)	TCRT-3672-		S	V	4		982.72	1435.63		1114.71		1567.62	2517.45	3088.45		2894.56		3541.97	
	42"(1067mm)	72"(1829mm)	TCRT-4272-		S	V	4	\$	1076.09	\$1550.86	\$	1215.52	\$1690.29	\$	2814.24	\$	3413.67	\$	3244.91	\$	3924.99
		48"(1219mm)	TCRT-4872-		S	V	4	\$	1169.45	\$1666.09	\$	1316.32	\$	1812.96	\$	3111.02	\$	3738.88	\$	3595.25	\$
Base — Power Ready — No Cutout																					
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	1	\$	747.56	\$1052.93	\$	859.71	\$	1165.08	\$1709.39	\$2088.60	\$	1933.69	\$	2360.67	
		60"(1524mm)	TCRT-3060-		S	V	1		832.22	1197.49		950.57		1315.84	1977.79	2434.86		2251.38		2767.85	
		72"(1829mm)	TCRT-3072-		S	V	1		917.85	1348.89		1042.40		1473.44	2249.16	2791.73		2572.70		3187.44	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	1	\$	910.38	\$1296.05	\$1034.93	\$1420.60	\$	2226.21	\$	2709.80	\$	2544.68	\$	3091.63	
		72"(1829mm)	TCRT-3672-		S	V	1		1011.21	1464.12		1143.20		1596.11	2545.94	3116.94		2923.05		3570.46	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	2	\$	747.56	\$1052.93	\$	859.71	\$	1165.08	\$1709.39	\$2088.60	\$	1933.69	\$	2360.67	
		60"(1524mm)	TCRT-3060-		S	V	2		832.22	1197.49		950.57		1315.84	1977.79	2434.86		2251.38		2767.85	
		72"(1829mm)	TCRT-3072-		S	V	2		917.85	1348.89		1042.40		1473.44	2249.16	2791.73		2572.70		3187.44	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	2	\$	910.38	\$1296.05	\$1034.93	\$1420.60	\$	2226.21	\$	2709.80	\$	2544.68	\$	3091.63	
		72"(1829mm)	TCRT-3672-		S	V	2		1011.21	1464.12		1143.20		1596.11	2545.94	3116.94		2923.05		3570.46	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	V	4	\$	747.56	\$1052.93	\$	859.71	\$	1165.08	\$1709.39	\$2088.60	\$	1933.69	\$	2360.67	
		60"(1524mm)	TCRT-3060-		S	V	4		832.22	1197.49		950.57		1315.84	1977.79	2434.86		2251.38		2767.85	
		72"(1829mm)	TCRT-3072-		S	V	4		917.85	1348.89		1042.40		1473.44	2249.16	2791.73		2572.70		3187.44	
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	V	4	\$	910.38	\$1296.05	\$1034.93	\$1420.60	\$	2226.21	\$	2709.80	\$	2544.68	\$	3091.63	
		72"(1829mm)	TCRT-3672-		S	V	4		1011.21	1464.12		1143.20		1596.11	2545.94	3116.94		2923.05		3570.46	
	42"(1067mm)	72"(1829mm)	TCRT-4272-		S	V	4	\$	1104.58	\$1579.35	\$	1244.01	\$	1718.78	\$2842.73	\$3442.16	\$	3273.40	\$	3953.48	
		48"(1219mm)	TCRT-4872-		S	V	4	\$	1197.94	\$1694.58	\$	1344.81	\$	1841.45	\$	3139.51	\$	3767.37	\$	3623.74	\$

Jive Table — Post Round Base

Trapezoid



TCTP-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Post Round Base

Trapezoid


Height	Depth	Width	Number	①	②	③	④	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-					\$ 666.56	\$ 953.00	\$ 671.52	\$ 957.96	\$ 874.70	\$ 1229.30	\$ 934.17	\$ 1332.87
		54"(1372mm)	TCTP-2454-					701.17	1016.09	708.61	1023.53	984.35	1375.97	1064.04	1505.29
		60"(1524mm)	TCTP-2460-					736.02	1080.89	745.94	1090.81	1094.74	1525.29	1194.82	1680.81
		66"(1676mm)	TCTP-2466-					771.11	1147.40	783.51	1159.80	1205.87	1677.26	1326.50	1859.43
		72"(1829mm)	TCTP-2472-					806.45	1215.62	821.33	1230.50	1317.75	1831.89	1459.10	2041.16
30"(762mm)	60"(1524mm)	TCTP-3060-					\$ 814.18	\$ 1179.45	\$ 830.30	\$ 1195.57	\$ 1343.16	\$ 1800.23	\$ 1488.12	\$ 2004.59	
		66"(1676mm)	TCTP-3066-					856.88	1254.30	876.10	1273.52	1478.47	1977.34	1648.33	2212.83
		72"(1829mm)	TCTP-3072-					899.81	1330.85	922.13	1353.17	1614.53	2157.10	1809.44	2424.18
36"(914mm)	84"(2134mm)	TCTP-3684-					\$1094.98	\$ 1621.00	\$1132.18	\$ 1658.20	\$2234.02	\$2900.07	\$ 2541.79	\$ 3298.44	
Base — Power Ready — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-					\$ 695.05	\$ 981.49	\$700.01	\$ 986.45	\$ 903.19	\$ 1257.79	\$ 962.66	\$ 1361.36
		54"(1372mm)	TCTP-2454-					729.66	1044.58	737.10	1052.02	1012.84	1404.46	1092.53	1533.78
		60"(1524mm)	TCTP-2460-					764.51	1109.38	774.43	1119.30	1123.23	1553.78	1223.31	1709.30
		66"(1676mm)	TCTP-2466-					799.60	1175.89	812.00	1188.29	1234.36	1705.75	1354.99	1887.92
		72"(1829mm)	TCTP-2472-					834.94	1244.11	849.82	1258.99	1346.24	1860.38	1487.59	2069.65
30"(762mm)	60"(1524mm)	TCTP-3060-					\$ 842.67	\$ 1207.94	\$858.79	\$ 1224.06	\$ 1371.65	\$ 1828.72	\$ 1516.61	\$ 2033.08	
		66"(1676mm)	TCTP-3066-					885.37	1282.79	904.59	1302.01	1506.96	2005.83	1676.82	2241.32
		72"(1829mm)	TCTP-3072-					928.30	1359.34	950.62	1381.66	1643.02	2185.59	1837.93	2452.67
36"(914mm)	84"(2134mm)	TCTP-3684-					\$ 1123.47	\$1649.49	\$1160.67	\$ 1686.69	\$2262.51	\$ 2928.56	\$2570.28	\$ 3326.93	

Jive Table — Post Round Base

Crescent



TCBN-SNV
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Three locking and three non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Depth	Width	Number	①	②	③	④	HPL		B		Wood		B	
							A	F	J	F	A	U	K	U
							J	F	J	F	K	U	K	U
Base — No Power — No Cutout														
24"(610mm)	60"(1524mm)	TCBN-2460-		S	V	4	\$ 767.42	\$ 1112.29	\$ 777.34	\$ 1122.21	\$ 1126.14	\$ 1556.69	\$ 1226.22	\$ 1712.21
30"(762mm)	72"(1829mm)	TCBN-3072-		S	V	4	931.21	1362.25	953.53	1384.57	1645.93	2188.50	1840.84	2455.58
36"(914mm)	84"(2134mm)	TCBN-3684-		S	V	4	1126.38	1652.40	1163.58	1689.60	2265.42	2931.47	2573.19	3329.84
Base — Power Ready — No Cutout														
24"(610mm)	60"(1524mm)	TCBN-2460-		S	V	4	\$ 795.91	\$ 1140.78	\$ 805.83	\$ 1150.70	\$ 1154.63	\$ 1585.18	\$ 1254.71	\$ 1740.70
30"(762mm)	72"(1829mm)	TCBN-3072-		S	V	4	959.70	1390.74	982.02	1413.06	1674.42	2216.99	1869.33	2484.07
36"(914mm)	84"(2134mm)	TCBN-3684-		S	V	4	1154.87	1680.89	1192.07	1718.09	2293.91	2959.96	2601.68	3358.33

Jive Table — Post Round Base

Half Racetrack



TCHT
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

Edge choice allows a flat seam between tables.

Specifying a cutout does not automatically include a Power Ready base.

Factory installed cutout is available for:

- Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
- Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	①	②	③	④	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-		S	V	4	\$550.75	\$ 895.62	\$ 571.21	\$ 916.08	\$ 1187.08	\$ 1669.21	\$ 1359.58	\$ 1905.88
	48"(1219mm)	48"(1219mm)	TCHT-4848-		S	V	4	669.67	1055.34	699.43	1085.10	1564.87	2224.98	1805.83	2559.20
	54"(1372mm)	54"(1372mm)	TCHT-5454-		S	V	4	803.55	1230.02	843.85	1270.32	1990.28	2857.77	2308.22	3303.04
	60"(1524mm)	60"(1524mm)	TCHT-6060-		S	V	4	952.39	1419.66	1004.47	1471.74	2463.31	3568.55	2866.75	4138.51
Base — Power Ready — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-		S	V	4	\$ 579.24	\$ 924.11	\$ 599.70	\$ 944.57	\$ 1215.57	\$ 1697.70	\$ 1388.07	\$ 1934.37
	48"(1219mm)	48"(1219mm)	TCHT-4848-		S	V	4	698.16	1083.83	727.92	1113.59	1593.36	2253.47	1834.32	2587.69
	54"(1372mm)	54"(1372mm)	TCHT-5454-		S	V	4	832.04	1258.51	872.34	1298.81	2018.77	2886.26	2336.71	3331.53
	60"(1524mm)	60"(1524mm)	TCHT-6060-		S	V	4	980.88	1448.15	1032.96	1500.23	2491.80	3597.04	2895.24	4167.00

Jive Table — Post Round Base

Half Pebble



TCHP
Class JV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) H tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	1	2	3	4	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-		S	V	4	\$550.75	\$ 895.62	\$ 571.21	\$ 916.08	\$ 1187.08	\$ 1669.21	\$ 1359.58	\$ 1905.88
	48"(1219mm)	48"(1219mm)	TCHP-4848-		S	V	4	669.67	1055.34	699.43	1085.10	1564.87	2224.98	1805.83	2559.20
	54"(1372mm)	54"(1372mm)	TCHP-5454-		S	V	4	803.55	1230.02	843.85	1270.32	1990.28	2857.77	2308.22	3303.04
	60"(1524mm)	60"(1524mm)	TCHP-6060-		S	V	4	952.39	1419.66	1004.47	1471.74	2463.31	3568.55	2866.75	4138.51
Base — Power Ready — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-		S	V	4	\$579.24	\$ 924.11	\$ 599.70	\$ 944.57	\$ 1215.57	\$ 1697.70	\$ 1388.07	\$ 1934.37
	48"(1219mm)	48"(1219mm)	TCHP-4848-		S	V	4	698.16	1083.83	727.92	1113.59	1593.36	2253.47	1834.32	2587.69
	54"(1372mm)	54"(1372mm)	TCHP-5454-		S	V	4	832.04	1258.51	872.34	1298.81	2018.77	2886.26	2336.71	3331.53
	60"(1524mm)	60"(1524mm)	TCHP-6060-		S	V	4	980.88	1448.15	1032.96	1500.23	2491.80	3597.04	2895.24	4167.00

Jive Table — X-Base

Round



(Base — Power Ready)



TORN-SNXF
(Base — No Power)
Class JV

Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24" (610mm) tops include 22" (559mm) X-Base
 - 30" (762mm) tops include 28" (711mm) X-Base
 - 36" (914mm) tops include 31" (787mm) X-Base
 - 42" (1067mm) tops include 37" (940mm) X-Base
 - 48" (1219mm) tops include 37" (940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout Option:

N No Cutout

(No Power or Power Ready)

R 3" (76mm) Cutout (Power Ready base option only, add \$48.13 list)

4 Base and Wire Management Option:

Base — No Power:

C Casters (add \$23.44 list)

G Glides

Base — Power Ready:

J Casters (add \$23.44 list)

K Glides

5 Base Finish Option:

A Painted

B Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — X-Base

Round

Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B		
									A	F	J	F	A	U	K	U	
									J	F	J	F	K	U	K	U	
Base — No Power																	
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-						SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
	30"(762mm)	30"(762mm)	TCRN-3030-						SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46
	36"(914mm)	36"(914mm)	TCRN-3636-						SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64
	42"(1067mm)	42"(1067mm)	TCRN-4242-						SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12
	48"(1219mm)	48"(1219mm)	TCRN-4848-						SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-						SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04
	30"(762mm)	30"(762mm)	TCRN-3030-						SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16
	36"(914mm)	36"(914mm)	TCRN-3636-						SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34
	42"(1067mm)	42"(1067mm)	TCRN-4242-						SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82
	48"(1219mm)	48"(1219mm)	TCRN-4848-						SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-						SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02
	30"(762mm)	30"(762mm)	TCRN-3030-						SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14
	36"(914mm)	36"(914mm)	TCRN-3636-						SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32
	42"(1067mm)	42"(1067mm)	TCRN-4242-						SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80
	48"(1219mm)	48"(1219mm)	TCRN-4848-						SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-						SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03
	30"(762mm)	30"(762mm)	TCRN-3030-						SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15
	36"(914mm)	36"(914mm)	TCRN-3636-						SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33
	42"(1067mm)	42"(1067mm)	TCRN-4242-						SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81
	48"(1219mm)	48"(1219mm)	TCRN-4848-						SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13
42"(1067mm)	24"(610mm)	24"(610mm)	TCRN-2424-						SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44
	30"(762mm)	30"(762mm)	TCRN-3030-						SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56
	36"(914mm)	36"(914mm)	TCRN-3636-						SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74
	42"(1067mm)	42"(1067mm)	TCRN-4242-						SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22
	48"(1219mm)	48"(1219mm)	TCRN-4848-						SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54
Base — Power Ready																	
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			XK1	\$1005.32	\$ 1227.79	\$1098.25	\$1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
	30"(762mm)	30"(762mm)	TCRN-3030-			S			XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16
	36"(914mm)	36"(914mm)	TCRN-3636-			S			XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74
	30"(762mm)	30"(762mm)	TCRN-3030-			S			XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86
	36"(914mm)	36"(914mm)	TCRN-3636-			S			XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			X 4	\$1036.00	\$1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72
	30"(762mm)	30"(762mm)	TCRN-3030-			S			X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84
	36"(914mm)	36"(914mm)	TCRN-3636-			S			X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			X 6	\$1029.01	\$ 1251.48	\$ 1121.94	\$1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
	30"(762mm)	30"(762mm)	TCRN-3030-			S			X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85
	36"(914mm)	36"(914mm)	TCRN-3636-			S			X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83
42"(1067mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			X 7	\$1044.42	\$1266.89	\$ 1137.35	\$1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14
	30"(762mm)	30"(762mm)	TCRN-3030-			S			X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26
	36"(914mm)	36"(914mm)	TCRN-3636-			S			X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24

Jive Table — X-Base

Square



TORQ-SNXF
(Base - Power Ready)



TORQ-SNX
(Base - No Power)
Class JV

Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Base Sizes:
 - 24" (610mm) tops include 22" (559mm) X-Base
 - 30" (762mm) tops include 28" (711mm) X-Base
 - 36" (914mm) tops include 31" (787mm) X-Base
 - 42" (1067mm) tops include 37" (940mm) X-Base
 - 48" (1219mm) tops include 37" (940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout Option:

N No Cutout

(No Power or Power Ready)

R 3" (76mm) Cutout (Power Ready base option only, add \$48.13 list)

4 Base and Wire Management Option:

Base - No Power:

C Casters (add \$23.44 list)

G Glides

Base - Power Ready:

J Casters (add \$23.44 list)

K Glides

5 Base Finish Option:

A Painted

B Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — X-Base

Square

Height	Depth	Width	Number	HPL					Wood			
				A		B		A		B		
				J	F	J	F	K	U	K	U	
Base — No Power												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
	30"(762mm)	30"(762mm)	TCRQ-3030-	SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46
	36"(914mm)	36"(914mm)	TCRQ-3636-	SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04
	30"(762mm)	30"(762mm)	TCRQ-3030-	SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16
	36"(914mm)	36"(914mm)	TCRQ-3636-	SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14
29"(737mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02
	30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14
	36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12
36"(914mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03
	30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15
	36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13
42"(1067mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44
	30"(762mm)	30"(762mm)	TCRQ-3030-	SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56
	36"(914mm)	36"(914mm)	TCRQ-3636-	SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54
Base — Power Ready												
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S XK1	\$1005.32	\$ 1227.79	\$1098.25	\$1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
	30"(762mm)	30"(762mm)	TCRQ-3030-	S XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16
	36"(914mm)	36"(914mm)	TCRQ-3636-	S XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	S XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	S XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74
	30"(762mm)	30"(762mm)	TCRQ-3030-	S XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86
	36"(914mm)	36"(914mm)	TCRQ-3636-	S XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	S XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	S XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84
29"(737mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S X 4	\$1036.00	\$1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72
	30"(762mm)	30"(762mm)	TCRQ-3030-	S X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84
	36"(914mm)	36"(914mm)	TCRQ-3636-	S X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82
36"(914mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S X 6	\$1029.01	\$ 1251.48	\$ 1121.94	\$1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
	30"(762mm)	30"(762mm)	TCRQ-3030-	S X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85
	36"(914mm)	36"(914mm)	TCRQ-3636-	S X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83
42"(1067mm)	24"(610mm)	24"(610mm)	TCRQ-2424-	S X 7	\$1044.42	\$1266.89	\$ 1137.35	\$1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14
	30"(762mm)	30"(762mm)	TCRQ-3030-	S X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26
	36"(914mm)	36"(914mm)	TCRQ-3636-	S X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44
	42"(1067mm)	42"(1067mm)	TCRQ-4242-	S X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92
	48"(1219mm)	48"(1219mm)	TCRQ-4848-	S X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24

Jive Table — X-Base

Pebble



TCRP-SNXF
(Base — Power Ready)



TCRP-SNX
(Base — No Power)
Class JV

Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24" (610mm) tops include 22" (559mm) X-Base
 - 30" (762mm) tops include 28" (711mm) X-Base
 - 36" (914mm) tops include 31" (787mm) X-Base
 - 42" (1067mm) tops include 37" (940mm) X-Base
 - 48" (1219mm) tops include 37" (940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout Option:

- N** No Cutout
(No Power or Power Ready)
- R** 3" (76mm) Cutout (Power Ready base option only, add \$48.13 list)

4 Base and Wire Management Option:

- Base — No Power:
- C** Casters (add \$23.44 list)
 - G** Glides

- Base — Power Ready:
- J** Casters (add \$23.44 list)
 - K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add \$66.68 list)

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — X-Base

Pebble

Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B		
									A	F	J	F	A	U	K	U	
Base — No Power																	
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-						SNXG1	\$ 678.62	\$ 901.09	\$ 771.55	\$ 994.02	\$ 1105.94	\$ 1229.70	\$ 1188.91	\$ 1319.34
	30"(762mm)	30"(762mm)	TCRP-3030-						SNXG1	752.66	1015.93	851.17	1114.44	1340.87	1554.72	1466.74	1701.46
	36"(914mm)	36"(914mm)	TCRP-3636-						SNXG1	841.66	1145.73	946.99	1251.06	1623.42	1956.37	1800.71	2173.64
	42"(1067mm)	42"(1067mm)	TCRP-4242-						SNXG1	945.62	1290.49	1059.01	1403.88	1953.59	2435.72	2190.82	2737.12
	48"(1219mm)	48"(1219mm)	TCRP-4848-						SNXG1	1064.54	1450.21	1187.23	1572.90	2331.38	2991.49	2637.07	3390.44
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-						SNXG2	\$ 686.32	\$ 908.79	\$ 779.25	\$ 1001.72	\$ 1113.64	\$ 1237.40	\$ 1196.61	\$ 1327.04
	30"(762mm)	30"(762mm)	TCRP-3030-						SNXG2	760.36	1023.63	858.87	1122.14	1348.57	1562.42	1474.44	1709.16
	36"(914mm)	36"(914mm)	TCRP-3636-						SNXG2	849.36	1153.43	954.69	1258.76	1631.12	1964.07	1808.41	2181.34
	42"(1067mm)	42"(1067mm)	TCRP-4242-						SNXG2	953.32	1298.19	1066.71	1411.58	1961.29	2443.42	2198.52	2744.82
	48"(1219mm)	48"(1219mm)	TCRP-4848-						SNXG2	1072.24	1457.91	1194.93	1580.60	2339.08	2999.19	2644.77	3398.14
29"(737mm)	24"(610mm)	24"(610mm)	TCRP-2424-						SNX 4	\$ 709.30	\$ 931.77	\$ 802.23	\$ 1024.70	\$ 1136.62	\$ 1260.38	\$ 1219.59	\$ 1350.02
	30"(762mm)	30"(762mm)	TCRP-3030-						SNX 4	783.34	1046.61	881.85	1145.12	1371.55	1585.40	1497.42	1732.14
	36"(914mm)	36"(914mm)	TCRP-3636-						SNX 4	872.34	1176.41	977.67	1281.74	1654.10	1987.05	1831.39	2204.32
	42"(1067mm)	42"(1067mm)	TCRP-4242-						SNX 4	976.30	1321.17	1089.69	1434.56	1984.27	2466.40	2221.50	2767.80
	48"(1219mm)	48"(1219mm)	TCRP-4848-						SNX 4	1095.22	1480.89	1217.91	1603.58	2362.06	3022.17	2667.75	3421.12
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-						SNX 6	\$ 702.31	\$ 924.78	\$ 795.24	\$ 1017.71	\$ 1129.63	\$ 1253.39	\$ 1212.60	\$ 1343.03
	30"(762mm)	30"(762mm)	TCRP-3030-						SNX 6	776.35	1039.62	874.86	1138.13	1364.56	1578.41	1490.43	1725.15
	36"(914mm)	36"(914mm)	TCRP-3636-						SNX 6	865.35	1169.42	970.68	1274.75	1647.11	1980.06	1824.40	2197.33
	42"(1067mm)	42"(1067mm)	TCRP-4242-						SNX 6	969.31	1314.18	1082.70	1427.57	1977.28	2459.41	2214.51	2760.81
	48"(1219mm)	48"(1219mm)	TCRP-4848-						SNX 6	1088.23	1473.90	1210.92	1596.59	2355.07	3015.18	2660.76	3414.13
42"(1067mm)	24"(610mm)	24"(610mm)	TCRP-2424-						SNX 7	\$ 717.72	\$ 940.19	\$ 810.65	\$ 1033.12	\$ 1145.04	\$ 1268.80	\$ 1228.01	\$ 1358.44
	30"(762mm)	30"(762mm)	TCRP-3030-						SNX 7	791.76	1055.03	890.27	1153.54	1379.97	1593.82	1505.84	1740.56
	36"(914mm)	36"(914mm)	TCRP-3636-						SNX 7	880.76	1184.83	986.09	1290.16	1662.52	1995.47	1839.81	2212.74
	42"(1067mm)	42"(1067mm)	TCRP-4242-						SNX 7	984.72	1329.59	1098.11	1442.98	1992.69	2474.82	2229.92	2776.22
	48"(1219mm)	48"(1219mm)	TCRP-4848-						SNX 7	1103.64	1489.31	1226.33	1612.00	2370.48	3030.59	2676.17	3429.54
Base — Power Ready																	
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-						S XK1	\$1005.32	\$ 1227.79	\$1098.25	\$1320.72	\$ 1432.64	\$ 1556.40	\$ 1515.61	\$ 1646.04
	30"(762mm)	30"(762mm)	TCRP-3030-						S XK1	1079.36	1342.63	1177.87	1441.14	1667.57	1881.42	1793.44	2028.16
	36"(914mm)	36"(914mm)	TCRP-3636-						S XK1	1168.36	1472.43	1273.69	1577.76	1950.12	2283.07	2127.41	2500.34
	42"(1067mm)	42"(1067mm)	TCRP-4242-						S XK1	1272.32	1617.19	1385.71	1730.58	2280.29	2762.42	2517.52	3063.82
	48"(1219mm)	48"(1219mm)	TCRP-4848-						S XK1	1391.24	1776.91	1513.93	1899.60	2658.08	3318.19	2963.77	3717.14
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-						S XK2	\$ 1013.02	\$ 1235.49	\$ 1105.95	\$ 1328.42	\$ 1440.34	\$ 1564.10	\$ 1523.31	\$ 1653.74
	30"(762mm)	30"(762mm)	TCRP-3030-						S XK2	1087.06	1350.33	1185.57	1448.84	1675.27	1889.12	1801.14	2035.86
	36"(914mm)	36"(914mm)	TCRP-3636-						S XK2	1176.06	1480.13	1281.39	1585.46	1957.82	2290.77	2135.11	2508.04
	42"(1067mm)	42"(1067mm)	TCRP-4242-						S XK2	1280.02	1624.89	1393.41	1738.28	2287.99	2770.12	2525.22	3071.52
	48"(1219mm)	48"(1219mm)	TCRP-4848-						S XK2	1398.94	1784.61	1521.63	1907.30	2665.78	3325.89	2971.47	3724.84
29"(737mm)	24"(610mm)	24"(610mm)	TCRP-2424-						S X 4	\$1036.00	\$1258.47	\$ 1128.93	\$ 1351.40	\$ 1463.32	\$ 1587.08	\$ 1546.29	\$ 1676.72
	30"(762mm)	30"(762mm)	TCRP-3030-						S X 4	1110.04	1373.31	1208.55	1471.82	1698.25	1912.10	1824.12	2058.84
	36"(914mm)	36"(914mm)	TCRP-3636-						S X 4	1199.04	1503.11	1304.37	1608.44	1980.80	2313.75	2158.09	2531.02
	42"(1067mm)	42"(1067mm)	TCRP-4242-						S X 4	1303.00	1647.87	1416.39	1761.26	2310.97	2793.10	2548.20	3094.50
	48"(1219mm)	48"(1219mm)	TCRP-4848-						S X 4	1421.92	1807.59	1544.61	1930.28	2688.76	3348.87	2994.45	3747.82
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-						S X 6	\$1029.01	\$ 1251.48	\$ 1121.94	\$1344.41	\$ 1456.33	\$ 1580.09	\$ 1539.30	\$ 1669.73
	30"(762mm)	30"(762mm)	TCRP-3030-						S X 6	1103.05	1366.32	1201.56	1464.83	1691.26	1905.11	1817.13	2051.85
	36"(914mm)	36"(914mm)	TCRP-3636-						S X 6	1192.05	1496.12	1297.38	1601.45	1973.81	2306.76	2151.10	2524.03
	42"(1067mm)	42"(1067mm)	TCRP-4242-						S X 6	1296.01	1640.88	1409.40	1754.27	2303.98	2786.11	2541.21	3087.51
	48"(1219mm)	48"(1219mm)	TCRP-4848-						S X 6	1414.93	1800.60	1537.62	1923.29	2681.77	3341.88	2987.46	3740.83
42"(1067mm)	24"(610mm)	24"(610mm)	TCRP-2424-						S X 7	\$1044.42	\$1266.89	\$ 1137.35	\$1359.82	\$ 1471.74	\$ 1595.50	\$ 1554.71	\$ 1685.14
	30"(762mm)	30"(762mm)	TCRP-3030-						S X 7	1118.46	1381.73	1216.97	1480.24	1706.67	1920.52	1832.54	2067.26
	36"(914mm)	36"(914mm)	TCRP-3636-						S X 7	1207.46	1511.53	1312.79	1616.86	1989.22	2322.17	2166.51	2539.44
	42"(1067mm)	42"(1067mm)	TCRP-4242-						S X 7	1311.42	1656.29	1424.81	1769.68	2319.39	2801.52	2556.62	3102.92
	48"(1219mm)	48"(1219mm)	TCRP-4848-						S X 7	1430.34	1816.01	1553.03	1938.70	2697.18	3357.29	3002.87	3756.24

Jive Table — X-Base

Rectangle



TCRA-SNXF
(Base — Power Ready)



TCRA-SNX
(Base — No Power)
Class JV

Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24" (610mm) tops include 22" (559mm) X-Base
 - 30" (762mm) tops include 28" (711mm) X-Base
 - 36" (914mm) tops include 31" (787mm) X-Base
 - 42" (1067mm) tops include 37" (940mm) X-Base
 - 48" (1219mm) tops include 37" (940mm) X-Base
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29" (737mm), 36" (914mm), and 42" (1067mm)H tables)
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout Option:

- N** No Cutout
(No Power or Power Ready)
- R** 3" (76mm) Cutout (Power Ready base option only, add \$48.13 list)

4 Base and Wire Management Option:

Base — No Power:

- C** Casters (add \$23.44 list)
- G** Glides

Base — Power Ready:

- J** Casters (add \$23.44 list)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add \$66.68 list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — X-Base

Rectangle


					HPL				Wood				
Height	Depth	Width	Number	12346	A	B		A	B		K	U	
					J	F	J	F	K	U			
Base — No Power													
16"(406mm)	24"(610mm)	30"(762mm)	TCRA-2430-		SNXG1	\$ 695.32	\$ 905.14	\$ 795.07	\$1004.89	\$ 1297.95	\$ 1552.94	\$ 1426.37	\$ 1710.58
		36"(914mm)	TCRA-2436-		SNXG1	729.20	963.10	831.43	1065.33	1405.37	1691.65	1553.52	1873.69
	30"(762mm)	36"(914mm)	TCRA-3036-		SNXG1	776.96	1028.31	882.91	1134.26	1557.06	1866.05	1732.72	2078.99
		42"(1067mm)	TCRA-3042-		SNXG1	818.69	1096.32	927.74	1205.37	1689.41	2032.55	1889.30	2274.83
20"(508mm)	24"(610mm)	30"(762mm)	TCRA-2430-		SNXG2	\$ 703.02	\$ 912.84	\$ 802.77	\$ 1012.59	\$ 1305.65	\$ 1560.64	\$ 1434.07	\$ 1718.28
		36"(914mm)	TCRA-2436-		SNXG2	736.90	970.80	839.13	1073.03	1413.07	1699.35	1561.22	1881.39
	30"(762mm)	36"(914mm)	TCRA-3036-		SNXG2	784.66	1036.01	890.61	1141.96	1564.76	1873.75	1740.42	2086.69
		42"(1067mm)	TCRA-3042-		SNXG2	826.39	1104.02	935.44	1213.07	1697.11	2040.25	1897.00	2282.53
29"(737mm)	24"(610mm)	30"(762mm)	TCRA-2430-		SNX 4	\$ 726.00	\$ 935.82	\$ 825.75	\$1035.57	\$ 1328.63	\$ 1583.62	\$ 1457.05	\$ 1741.26
		36"(914mm)	TCRA-2436-		SNX 4	759.88	993.78	862.11	1096.01	1436.05	1722.33	1584.20	1904.37
	30"(762mm)	36"(914mm)	TCRA-3036-		SNX 4	807.64	1058.99	913.59	1164.94	1587.74	1896.73	1763.40	2109.67
		42"(1067mm)	TCRA-3042-		SNX 4	849.37	1127.00	958.42	1236.05	1720.09	2063.23	1919.98	2305.51
36"(914mm)	24"(610mm)	30"(762mm)	TCRA-2430-		SNX 6	\$ 719.01	\$ 928.83	\$ 818.76	\$1028.58	\$ 1321.64	\$ 1576.63	\$ 1450.06	\$ 1734.27
		36"(914mm)	TCRA-2436-		SNX 6	752.89	986.79	855.12	1089.02	1429.06	1715.34	1577.21	1897.38
	30"(762mm)	36"(914mm)	TCRA-3036-		SNX 6	800.65	1052.00	906.60	1157.95	1580.75	1889.74	1756.41	2102.68
		42"(1067mm)	TCRA-3042-		SNX 6	842.38	1120.01	951.43	1229.06	1713.10	2056.24	1912.99	2298.52
42"(1067mm)	24"(610mm)	30"(762mm)	TCRA-2430-		SNX 7	\$ 734.42	\$ 944.24	\$ 834.17	\$1043.99	\$ 1337.05	\$ 1592.04	\$ 1465.47	\$ 1749.68
		36"(914mm)	TCRA-2436-		SNX 7	768.30	1002.20	870.53	1104.43	1444.47	1730.75	1592.62	1912.79
	30"(762mm)	36"(914mm)	TCRA-3036-		SNX 7	816.06	1067.41	922.01	1173.36	1596.16	1905.15	1771.82	2118.09
		42"(1067mm)	TCRA-3042-		SNX 7	857.79	1135.42	966.84	1244.47	1728.51	2071.65	1928.40	2313.93
Base — Power Ready													
16"(406mm)	24"(610mm)	30"(762mm)	TCRA-2430-		S XK1	\$1022.02	\$ 1231.84	\$ 1121.77	\$ 1331.59	\$ 1624.65	\$ 1879.64	\$ 1753.07	\$ 2037.28
		36"(914mm)	TCRA-2436-		S XK1	1055.90	1289.80	1158.13	1392.03	1732.07	2018.35	1880.22	2200.39
	30"(762mm)	36"(914mm)	TCRA-3036-		S XK1	1103.66	1355.01	1209.61	1460.96	1883.76	2192.75	2059.42	2405.69
		42"(1067mm)	TCRA-3042-		S XK1	1145.39	1423.02	1254.44	1532.07	2016.11	2359.25	2216.00	2601.53
20"(508mm)	24"(610mm)	30"(762mm)	TCRA-2430-		S XK2	\$1029.72	\$1239.54	\$ 1129.47	\$1339.29	\$ 1632.35	\$ 1887.34	\$ 1760.77	\$2044.98
		36"(914mm)	TCRA-2436-		S XK2	1063.60	1297.50	1165.83	1399.73	1739.77	2026.05	1887.92	2208.09
	30"(762mm)	36"(914mm)	TCRA-3036-		S XK2	1111.36	1362.71	1217.31	1468.66	1891.46	2200.45	2067.12	2413.39
		42"(1067mm)	TCRA-3042-		S XK2	1153.09	1430.72	1262.14	1539.77	2023.81	2366.95	2223.70	2609.23
29"(737mm)	24"(610mm)	30"(762mm)	TCRA-2430-		S X 4	\$1052.70	\$1262.52	\$ 1152.45	\$1362.27	\$ 1655.33	\$ 1910.32	\$ 1783.75	\$ 2067.96
		36"(914mm)	TCRA-2436-		S X 4	1086.58	1320.48	1188.81	1422.71	1762.75	2049.03	1910.90	2231.07
	30"(762mm)	36"(914mm)	TCRA-3036-		S X 4	1134.34	1385.69	1240.29	1491.64	1914.44	2223.43	2090.10	2436.37
		42"(1067mm)	TCRA-3042-		S X 4	1176.07	1453.70	1285.12	1562.75	2046.79	2389.93	2246.68	2632.21
36"(914mm)	24"(610mm)	30"(762mm)	TCRA-2430-		S X 6	\$1045.71	\$1255.53	\$ 1145.46	\$1355.28	\$ 1648.34	\$ 1903.33	\$ 1776.76	\$2060.97
		36"(914mm)	TCRA-2436-		S X 6	1079.59	1313.49	1181.82	1415.72	1755.76	2042.04	1903.91	2224.08
	30"(762mm)	36"(914mm)	TCRA-3036-		S X 6	1127.35	1378.70	1233.30	1484.65	1907.45	2216.44	2083.11	2429.38
		42"(1067mm)	TCRA-3042-		S X 6	1169.08	1446.71	1278.13	1555.76	2039.80	2382.94	2239.69	2625.22
42"(1067mm)	24"(610mm)	30"(762mm)	TCRA-2430-		S X 7	\$ 1061.12	\$1270.94	\$ 1160.87	\$1370.69	\$ 1663.75	\$ 1918.74	\$ 1792.17	\$ 2076.38
		36"(914mm)	TCRA-2436-		S X 7	1095.00	1328.90	1197.23	1431.13	1771.17	2057.45	1919.32	2239.49
	30"(762mm)	36"(914mm)	TCRA-3036-		S X 7	1142.76	1394.11	1248.71	1500.06	1922.86	2231.85	2098.52	2444.79
		42"(1067mm)	TCRA-3042-		S X 7	1184.49	1462.12	1293.54	1571.17	2055.21	2398.35	2255.10	2640.63

Jive Table — Bridge Base

Round



TORN-SNG
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard is black.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base columns.
 - Powered leg location determined during installation.**
 - Available with Glides only.
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)

4 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


No. of Columns	Height	Depth	Width	Number	①	②	③	④	HPL				Wood			
									A	F	B	F	A	U	B	U
									J	F	J	F	K	U	K	U
Base — No Power — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORN-4848-		S	GG2		\$ 1677.96	\$2063.63	\$1800.65	\$ 2186.32	\$2944.80	\$3604.91	\$3250.49	\$4003.86
4		54"(1372mm)	54"(1372mm)	TORN-5454-		S	GG2		1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70
4		60"(1524mm)	60"(1524mm)	TORN-6060-		S	GG2		1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORN-4848-		S	GG4		\$ 1716.46	\$ 2102.13	\$ 1839.15	\$ 2224.82	\$2983.30	\$3643.41	\$3288.99	\$4042.36
4		54"(1372mm)	54"(1372mm)	TORN-5454-		S	GG4		1850.34	2276.81	1983.57	2410.04	3408.71	4276.20	3791.38	4786.20
4		60"(1524mm)	60"(1524mm)	TORN-6060-		S	GG4		1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67
Base — Power Ready — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TORN-4848-		S	GK2		\$ 1706.45	\$2092.12	\$ 1829.14	\$ 2214.81	\$ 2973.29	\$3633.40	\$3278.98	\$4032.35
4		54"(1372mm)	54"(1372mm)	TORN-5454-		S	GK2		1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19
4		60"(1524mm)	60"(1524mm)	TORN-6060-		S	GK2		1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TORN-4848-		S	GK4		\$ 1744.95	\$ 2130.62	\$ 1867.64	\$ 2253.31	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$4070.85
4		54"(1372mm)	54"(1372mm)	TORN-5454-		S	GK4		1878.83	2305.30	2012.06	2438.53	3437.20	4304.69	3819.87	4814.69
4		60"(1524mm)	60"(1524mm)	TORN-6060-		S	GK4		2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16

Jive Table — Bridge Base

Square



TCRQ-SNG
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20" (508mm) and 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base columns.
 - Powered leg location determined during installation.**
 - Available with Glides only.
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)

4 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


No. of Columns	Height	Depth	Width	Number	①	②	③	④	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Cutout																
4	20" (508mm)	48" (1219mm)	48" (1219mm)	TCRQ-4848-		S	GG2		\$ 1677.96	\$2063.63	\$1800.65	\$ 2186.32	\$2944.80	\$3604.91	\$3250.49	\$4003.86
4		54" (1372mm)	54" (1372mm)	TCRQ-5454-		S	GG2		1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70
4		60" (1524mm)	60" (1524mm)	TCRQ-6060-		S	GG2		1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17
4	29" (737mm)	48" (1219mm)	48" (1219mm)	TCRQ-4848-		S	GG4		\$ 1716.46	\$ 2102.13	\$1839.15	\$ 2224.82	\$2983.30	\$3643.41	\$3288.99	\$4042.36
4		54" (1372mm)	54" (1372mm)	TCRQ-5454-		S	GG4		1850.34	2276.81	1983.57	2410.04	3408.71	4276.20	3791.38	4786.20
4		60" (1524mm)	60" (1524mm)	TCRQ-6060-		S	GG4		1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67
Base — Power Ready — No Cutout																
4	20" (508mm)	48" (1219mm)	48" (1219mm)	TCRQ-4848-		S	GK2		\$1706.45	\$2092.12	\$1829.14	\$ 2214.81	\$ 2973.29	\$3633.40	\$3278.98	\$4032.35
4		54" (1372mm)	54" (1372mm)	TCRQ-5454-		S	GK2		1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19
4		60" (1524mm)	60" (1524mm)	TCRQ-6060-		S	GK2		1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66
4	29" (737mm)	48" (1219mm)	48" (1219mm)	TCRQ-4848-		S	GK4		\$ 1744.95	\$ 2130.62	\$ 1867.64	\$ 2253.31	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$4070.85
4		54" (1372mm)	54" (1372mm)	TCRQ-5454-		S	GK4		1878.83	2305.30	2012.06	2438.53	3437.20	4304.69	3819.87	4814.69
4		60" (1524mm)	60" (1524mm)	TCRQ-6060-		S	GK4		2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16

Jive Table — Bridge Base


Pebble



TORP-5454-SNG
(Symmetrical)



TORP-3048-SNG
(Asymmetrical)
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Asymmetrical tables:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm)W or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72" (1829mm)W **except 84" (2134mm), 96" (2438mm) and 108" (2743mm)W:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) and 108" (2743mm)W will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Asymmetrical tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Asymmetrical tables with 54" (1372mm) depths and Symmetrical tables will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available Asymmetrical tables 29" (737mm) or 42" (1067mm)H with two columns).
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables).
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)
- V** Left/Right, Single-Sided/4 outlets (add **\$96.27** list)
- K** Left/Right, Single-Sided/6 outlets (add **\$96.27** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Pebble

No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
										A	F	J	F	A	U	K	U
Symmetrical — Base — No Power — No Cutout																	
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	GG2			\$ 1677.96	\$2063.63	\$1800.65	\$ 2186.32	\$2944.80	\$3604.91	\$3250.49	\$4003.86
4		54"(1372mm)	54"(1372mm)	TCRP-5454-		S	GG2			1811.84	2238.31	1945.07	2371.54	3370.21	4237.70	3752.88	4747.70
4		60"(1524mm)	60"(1524mm)	TCRP-6060-		S	GG2			1960.68	2427.95	2105.69	2572.96	3843.24	4948.48	4311.41	5583.17
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	G	4		\$ 1716.46	\$ 2102.13	\$1839.15	\$ 2186.32	\$2983.30	\$3643.41	\$3288.99	\$4042.36
4		54"(1372mm)	54"(1372mm)	TCRP-5454-		S	G	4		1850.34	2276.81	1983.57	2371.54	3408.71	4276.20	3791.38	4786.20
4		60"(1524mm)	60"(1524mm)	TCRP-6060-		S	G	4		1999.18	2466.45	2144.19	2611.46	3881.74	4986.98	4349.91	5621.67
Symmetrical — Base — Power Ready — No Cutout																	
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	GK2			\$ 1706.45	\$2092.12	\$1829.14	\$ 2214.81	\$ 2973.29	\$3633.40	\$3278.98	\$4032.35
4		54"(1372mm)	54"(1372mm)	TCRP-5454-		S	GK2			1840.33	2266.80	1973.56	2400.03	3398.70	4266.19	3781.37	4776.19
4		60"(1524mm)	60"(1524mm)	TCRP-6060-		S	GK2			1989.17	2456.44	2134.18	2601.45	3871.73	4976.97	4339.90	5611.66
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRP-4848-		S	G	4		\$ 1744.95	\$ 2130.62	\$1867.64	\$ 2214.81	\$ 3011.79	\$ 3671.90	\$ 3317.48	\$4070.85
4		54"(1372mm)	54"(1372mm)	TCRP-5454-		S	G	4		1878.83	2305.30	2012.06	2400.03	3437.20	4304.69	3819.87	4814.69
4		60"(1524mm)	60"(1524mm)	TCRP-6060-		S	G	4		2027.67	2494.94	2172.68	2639.95	3910.23	5015.47	4378.40	5650.16

Jive Table — Bridge Base

Pebble

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	HPL				Wood			
										A		B		A		B	
										J	F	J	F	K	U	K	U
Asymmetrical — Base — No Power — No Cutout																	
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-						\$ 1471.84	\$ 1777.21	\$ 1583.99	\$ 1889.36	\$ 2433.67	\$ 2812.88	\$ 2657.97	\$ 3084.95
2			60"(1524mm)	TCRP-3060-		S		GG1		1556.50	1921.77	1674.85	2040.12	2702.07	3159.14	2975.66	3492.13
2			72"(1829mm)	TCRP-3072-		S		GG1		1642.13	2073.17	1766.68	2197.72	2973.44	3516.01	3296.98	3911.72
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRP-3660-		S		GG1		\$ 1634.66	\$ 2020.33	\$ 1759.21	\$ 2144.88	\$ 2950.49	\$ 3434.08	\$ 3268.96	\$ 3815.91
2			72"(1829mm)	TCRP-3672-		S		GG1		1735.49	2188.40	1867.48	2320.39	3270.22	3841.22	3647.33	4294.74
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-				SNGG2		\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2			60"(1524mm)	TCRP-3060-		S		GG2		1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRP-3072-		S		GG2		1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2		36"(914mm)	60"(1524mm)	TCRP-3660-		S		GG2		\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRP-3672-		S		GG2		1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-				SNG	4	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2			60"(1524mm)	TCRP-3060-		S	G		4	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRP-3072-		S	G		4	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2		36"(914mm)	60"(1524mm)	TCRP-3660-		S	G		4	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRP-3672-		S	G		4	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
3		42"(1067mm)	84"(2134mm)	TCRP-4284-				SNG	4	\$ 3643.48	\$ 4192.84	\$ 3791.59	\$ 4340.95	\$ 5635.70	\$ 6332.08	\$ 6134.34	\$ 6925.86
3			96"(2438mm)	TCRP-4296-				SNG	4	3761.45	4391.27	3918.24	4548.06	6009.74	6810.72	6577.02	7488.75
3		48"(1219mm)	96"(2438mm)	TCRP-4896-				SNG	4	\$ 3885.22	\$ 4539.84	\$ 4051.93	\$ 4706.55	\$ 6403.25	\$ 7236.48	\$ 7041.46	\$ 7990.26
3			108"(2743mm)	TCRP-48A8-				SNG	4	4019.36	4761.78	4195.99	4938.41	6828.63	7776.00	7544.81	8624.79
3			120"(3048mm)	TCRP-48C0-		S	G		4	4154.47	4990.57	4341.02	5177.12	7256.98	8326.13	8051.79	9271.74
6		54"(1372mm)	96"(2438mm)	TCRP-5496-		S	G		4	\$ 4158.63	\$ 4838.06	\$ 4335.26	\$ 5014.69	\$ 6946.41	\$ 7811.89	\$ 7655.55	\$ 8641.41
6			108"(2743mm)	TCRP-54A8-		S	G		4	4307.98	5076.68	4495.77	5264.47	7420.15	8401.68	8215.95	9335.19
6			120"(3048mm)	TCRP-54C0-		S	G		4	4458.29	5322.13	4657.24	5521.08	7896.86	9002.08	8779.97	10041.38
6			144"(3658mm)	TCRP-54E4-		S	G		4	6349.94	7481.57	6571.21	7702.84	10865.45	12904.97	11925.16	14161.23
8			180"(4572mm)	TCRP-54J0-		S		GG4		7011.69	8499.25	7266.44	8754.00	12530.46	14992.98	13859.99	16588.15
8			216"(5486mm)	TCRP-54M6-		S		GG4		7602.99	9714.68	7891.22	10002.91	14567.18	17010.10	16172.44	18960.36
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRP-3048-				SNGG6		\$ 1584.11	\$ 1889.48	\$ 1696.26	\$ 2001.63	\$ 2545.94	\$ 2925.15	\$ 2770.24	\$ 3197.22
2			60"(1524mm)	TCRP-3060-		S		GG6		1668.77	2034.04	1787.12	2152.39	2814.34	3271.41	3087.93	3604.40
2			72"(1829mm)	TCRP-3072-		S		GG6		1754.40	2185.44	1878.95	2309.99	3085.71	3628.28	3409.25	4023.99
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRP-3660-		S		GG6		\$ 1746.93	\$ 2132.60	\$ 1871.48	\$ 2257.15	\$ 3062.76	\$ 3546.35	\$ 3381.23	\$ 3928.18
2			72"(1829mm)	TCRP-3672-		S		GG6		1847.76	2300.67	1979.75	2432.66	3382.49	3953.49	3759.60	4407.01
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRP-3048-				SNG	7	\$ 1621.54	\$ 1926.91	\$ 1733.69	\$ 2039.06	\$ 2583.37	\$ 2962.58	\$ 2807.67	\$ 3234.65
2			60"(1524mm)	TCRP-3060-		S	G		7	1706.20	2071.47	1824.55	2189.82	2851.77	3308.84	3125.36	3641.83
2			72"(1829mm)	TCRP-3072-		S	G		7	1791.83	2222.87	1916.38	2347.42	3123.14	3665.71	3446.68	4061.42
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRP-3660-		S	G		7	\$ 1784.36	\$ 2170.03	\$ 1908.91	\$ 2294.58	\$ 3100.19	\$ 3583.78	\$ 3418.66	\$ 3965.61
2			72"(1829mm)	TCRP-3672-		S	G		7	1885.19	2338.10	2017.18	2470.09	3419.92	3990.92	3797.03	4444.44



Jive Table — Bridge Base

Pebble


No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL				Wood		B	
										A		B		A		B	
										J	F	J	F	K	U	K	U
Asymmetrical — Base — Power Ready — No Cutout																	
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					SNGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16	\$ 2841.37	\$ 2686.46	\$ 3113.44
2			60"(1524mm)	TCRP-3060-			S		GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63	3004.15	3520.62
2			72"(1829mm)	TCRP-3072-			S		GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50	3325.47	3940.21
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRP-3660-			S		GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98	\$ 3462.57	\$ 3297.45	\$ 3844.40
2			72"(1829mm)	TCRP-3672-			S		GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71	3675.82	4323.23
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					SNGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRP-3060-			S		GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRP-3072-			S		GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2		36"(914mm)	60"(1524mm)	TCRP-3660-			S		GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRP-3672-			S		GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					SNG 4	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRP-3060-			S		G 4	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRP-3072-			S		G 4	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2		36"(914mm)	60"(1524mm)	TCRP-3660-			S		G 4	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRP-3672-			S		G 4	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
3		42"(1067mm)	84"(2134mm)	TCRP-4284-					SNG 4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19	\$ 6360.57	\$ 6162.83	\$ 6954.35
3			96"(2438mm)	TCRP-4296-					SNG 4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21	6605.51	7517.24
3		48"(1219mm)	96"(2438mm)	TCRP-4896-					SNG 4	\$ 3913.71	\$ 4568.33	\$ 4080.42	\$ 4735.04	\$ 6431.74	\$ 7264.97	\$ 7069.95	\$ 8018.75
3			108"(2743mm)	TCRP-48A8-					SNG 4	4047.85	4790.27	4224.48	4966.90	6857.12	7804.49	7573.30	8653.28
3			120"(3048mm)	TCRP-48C0-			S		G 4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62	8080.28	9300.23
6		54"(1372mm)	96"(2438mm)	TCRP-5496-			S		G 4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90	\$ 7840.38	\$ 7684.04	\$ 8669.90
6			108"(2743mm)	TCRP-54A8-			S		G 4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17	8244.44	9363.68
6			120"(3048mm)	TCRP-54C0-			S		G 4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57	8808.46	10069.87
6			144"(3658mm)	TCRP-54E4-			S		G 4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46	11953.65	14189.72
8			180"(4572mm)	TCRP-54J0-			S		GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47	13888.48	16616.64
8			216"(5486mm)	TCRP-54M6-			S		GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59	16200.93	18988.85
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					SNGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43	\$ 2953.64	\$ 2798.73	\$ 3225.71
2			60"(1524mm)	TCRP-3060-			S		GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90	3116.42	3632.89
2			72"(1829mm)	TCRP-3072-			S		GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77	3437.74	4052.48
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRP-3660-			S		GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25	\$ 3574.84	\$ 3409.72	\$ 3956.67
2			72"(1829mm)	TCRP-3672-			S		GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98	3788.09	4435.50
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					SNG 7	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86	\$ 2991.07	\$ 2836.16	\$ 3263.14
2			60"(1524mm)	TCRP-3060-			S		G 7	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33	3153.85	3670.32
2			72"(1829mm)	TCRP-3072-			S		G 7	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20	3475.17	4089.91
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRP-3660-			S		G 7	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68	\$ 3612.27	\$ 3447.15	\$ 3994.10
2			72"(1829mm)	TCRP-3672-			S		G 7	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41	3825.52	4472.93

Jive Table — Bridge Base

Rectangle



TORA-SNG
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Tables with more than one piece:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm)W or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for :
 - Tables greater than **72" (1829mm)W except 84" (2134mm), 96" (2438mm) and 108" (2743mm)W:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) and 108" (2743mm)W will accept V and K option cutouts.
- Power Ready Base:**
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Tables with 54" (1372mm) depths will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Casters and Glides:
 - No Power Base**
 - Specify the (C) option for Casters only available with two column tables 29" (737mm) or 42" (1067mm)H)
 - Specify the (G) option for Glides (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm)H tables).
 - Power Ready Base**
 - Specify the (J) option for Casters (only available with two column tables 29" (737mm) or 42" (1067mm)
 - Specify the (K) option for Glides (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm)H tables).
- Separately specified:
 - Ganging Mechanism
 - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife
- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)
- V** Left/Right, Single-Sided/4 outlets (add **\$96.27** list)
- K** Left/Right, Single-Sided/6 outlets (add **\$96.27** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Rectangle

No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL				Wood				
										A		B		A		B		
										J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																		
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-						SNGG1	\$ 1471.84	\$ 1777.21	\$ 1583.99	\$ 1889.36	\$ 2433.67	\$ 2812.88	\$ 2657.97	\$ 3084.95
2			60"(1524mm)	TCRA-3060-						S GG1	1556.50	1921.77	1674.85	2040.12	2702.07	3159.14	2975.66	3492.13
2			72"(1829mm)	TCRA-3072-						S GG1	1642.13	2073.17	1766.68	2197.72	2973.44	3516.01	3296.98	3911.72
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRA-3660-						S GG1	\$ 1634.66	\$ 2020.33	\$ 1759.21	\$ 2144.88	\$ 2950.49	\$ 3434.08	\$ 3268.96	\$ 3815.91
2			72"(1829mm)	TCRA-3672-						S GG1	1735.49	2188.40	1867.48	2320.39	3270.22	3841.22	3647.33	4294.74
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-						SNGG2	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2			60"(1524mm)	TCRA-3060-						S GG2	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRA-3072-						S GG2	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRA-3660-						S GG2	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRA-3672-						S GG2	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRA-3048-						SNG 4	\$ 1546.69	\$ 1852.06	\$ 1658.84	\$ 1964.21	\$ 2508.52	\$ 2887.73	\$ 2732.82	\$ 3159.80
2			60"(1524mm)	TCRA-3060-						S G 4	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRA-3072-						S G 4	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRA-3660-						S G 4	\$ 1709.51	\$ 2095.18	\$ 1834.06	\$ 2219.73	\$ 3025.34	\$ 3508.93	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRA-3672-						S G 4	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRA-4284-						SNGG4	\$ 3643.48	\$ 4192.84	\$ 3791.59	\$ 4340.95	\$ 5635.70	\$ 6332.08	\$ 6134.34	\$ 6925.86
3			96"(2438mm)	TCRA-4296-						SNGG4	3761.45	4391.27	3918.24	4548.06	6009.74	6810.72	6577.02	7488.75
3	29"(737mm)	48"(1219mm)	96"(2438mm)	TCRA-4896-						SNGG4	\$ 3885.22	\$ 4539.84	\$ 4051.93	\$ 4706.55	\$ 6403.25	\$ 7236.48	\$ 7041.46	\$ 7990.26
3			108"(2743mm)	TCRA-48A8-						SNGG4	4019.36	4761.78	4195.99	4938.41	6828.63	7776.00	7544.81	8624.79
3			120"(3048mm)	TCRA-48C0-						S GG4	4154.47	4990.57	4341.02	5177.12	7256.98	8326.13	8051.79	9271.74
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRA-5496-						S GG4	\$ 4158.63	\$ 4838.06	\$ 4335.26	\$ 5014.69	\$ 6946.41	\$ 7811.89	\$ 7655.55	\$ 8641.41
6			108"(2743mm)	TCRA-54A8-						S GG4	4307.98	5076.68	4495.77	5264.47	7420.15	8401.68	8215.95	9335.19
6			120"(3048mm)	TCRA-54C0-						S GG4	4458.29	5322.13	4657.24	5521.08	7896.86	9002.08	8779.97	10041.38
6			144"(3658mm)	TCRA-54E4-						S GG4	6349.94	7481.57	6571.21	7702.84	10865.45	12904.97	11925.16	14161.23
8			180"(4572mm)	TCRA-54J0-						S GG4	7011.69	8499.25	7266.44	8754.00	12530.46	14992.98	13859.99	16588.15
8			216"(5486mm)	TCRA-54M6-						S GG4	7602.99	9714.68	7891.22	10002.91	14567.18	17010.10	16172.44	18960.36
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRA-3048-						SNGG6	\$ 1584.11	\$ 1889.48	\$ 1696.26	\$ 2001.63	\$ 2545.94	\$ 2925.15	\$ 2770.24	\$ 3197.22
2			60"(1524mm)	TCRA-3060-						S GG6	1668.77	2034.04	1787.12	2152.39	2814.34	3271.41	3087.93	3604.40
2			72"(1829mm)	TCRA-3072-						S GG6	1754.40	2185.44	1878.95	2309.99	3085.71	3628.28	3409.25	4023.99
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRA-3660-						S GG6	\$ 1746.93	\$ 2132.60	\$ 1871.48	\$ 2257.15	\$ 3062.76	\$ 3546.35	\$ 3381.23	\$ 3928.18
2			72"(1829mm)	TCRA-3672-						S GG6	1847.76	2300.67	1979.75	2432.66	3382.49	3953.49	3759.60	4407.01
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRA-3048-						SNG 7	\$ 1621.54	\$ 1926.91	\$ 1733.69	\$ 2039.06	\$ 2583.37	\$ 2962.58	\$ 2807.67	\$ 3234.65
2			60"(1524mm)	TCRA-3060-						S G 7	1706.20	2071.47	1824.55	2189.82	2851.77	3308.84	3125.36	3641.83
2			72"(1829mm)	TCRA-3072-						S G 7	1791.83	2222.87	1916.38	2347.42	3123.14	3665.71	3446.68	4061.42
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRA-3660-						S G 7	\$ 1784.36	\$ 2170.03	\$ 1908.91	\$ 2294.58	\$ 3100.19	\$ 3583.78	\$ 3418.66	\$ 3965.61
2			72"(1829mm)	TCRA-3672-						S G 7	1885.19	2338.10	2017.18	2470.09	3419.92	3990.92	3797.03	4444.44


Jive Table — Bridge Base

Rectangle


No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL				Wood			
										A		B		A		B	
										J	F	J	F	K	U	K	U
Base — Power Ready — No Cutout																	
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-					SNGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16	\$ 2841.37	\$ 2686.46	\$ 3113.44
2			60"(1524mm)	TCRA-3060-			S		GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63	3004.15	3520.62
2			72"(1829mm)	TCRA-3072-			S		GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50	3325.47	3940.21
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRA-3660-			S		GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98	\$ 3462.57	\$ 3297.45	\$ 3844.40
2			72"(1829mm)	TCRA-3672-			S		GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71	3675.82	4323.23
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-					SNGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRA-3060-			S		GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRA-3072-			S		GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRA-3660-			S		GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRA-3672-			S		GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRA-3048-					SNG	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRA-3060-			S		G	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRA-3072-			S		G	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRA-3660-			S		G	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRA-3672-			S		G	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRA-4284-					SNGK4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19	\$ 6360.57	\$ 6162.83	\$ 6954.35
3			96"(2438mm)	TCRA-4296-					SNGK4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21	6605.51	7517.24
3	29"(737mm)	48"(1219mm)	96"(2438mm)	TCRA-4896-					SNGK4	\$ 3913.71	\$ 4568.33	\$ 4080.42	\$ 4735.04	\$ 6431.74	\$ 7264.97	\$ 7069.95	\$ 8018.75
3			108"(2743mm)	TCRA-48A8-					SNGK4	4047.85	4790.27	4224.48	4966.90	6857.12	7804.49	7573.30	8653.28
3			120"(3048mm)	TCRA-48C0-			S		GK4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62	8080.28	9300.23
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRA-5496-			S		GK4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90	\$ 7840.38	\$ 7684.04	\$ 8669.90
6			108"(2743mm)	TCRA-54A8-			S		GK4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17	8244.44	9363.68
6			120"(3048mm)	TCRA-54C0-			S		GK4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57	8808.46	10069.87
6			144"(3658mm)	TCRA-54E4-			S		GK4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46	11953.65	14189.72
8			180"(4572mm)	TCRA-54J0-			S		GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47	13888.48	16616.64
8			216"(5486mm)	TCRA-54M6-			S		GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59	16200.93	18988.85
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRA-3048-					SNGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43	\$ 2953.64	\$ 2798.73	\$ 3225.71
2			60"(1524mm)	TCRA-3060-			S		GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90	3116.42	3632.89
2			72"(1829mm)	TCRA-3072-			S		GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77	3437.74	4052.48
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRA-3660-			S		GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25	\$ 3574.84	\$ 3409.72	\$ 3956.67
2			72"(1829mm)	TCRA-3672-			S		GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98	3788.09	4435.50
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRA-3048-					SNG	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86	\$ 2991.07	\$ 2836.16	\$ 3263.14
2			60"(1524mm)	TCRA-3060-			S		G	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33	3153.85	3670.32
2			72"(1829mm)	TCRA-3072-			S		G	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20	3475.17	4089.91
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRA-3660-			S		G	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68	\$ 3612.27	\$ 3447.15	\$ 3994.10
2			72"(1829mm)	TCRA-3672-			S		G	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41	3825.52	4472.93

Jive Table — Bridge Base

Racetrack



TORT-SNG
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Tables with more than one piece:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm)W or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72"W **except 84" (2134mm), 96" (2438mm) and 108" (2743mm)W:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) and 108" (2743mm)W will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Tables with 54" (1372mm) depths will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29" (737mm) or 42" (1067mm)H)
- Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)
- V** Left/Right, Single-Sided/4 outlets (add **\$96.27** list)
- K** Left/Right, Single-Sided/6 outlets (add **\$96.27** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) and 42" Heights Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Racetrack

No. of Columns	Height	Depth	Width	Number	①②③④⑤	HPL				Wood			
						A		B		A		B	
						J	F	J	F	K	U	K	U
Base — No Power — No Cutout													
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGG1	\$ 1471.84\$	1777.21	\$ 1583.99\$	1889.36\$	2433.67\$	2812.88\$	2657.97\$	3084.95
2			60"(1524mm)	TCRT-3060-	S GG1	1556.50	1921.77	1674.85	2040.12	2702.07	3159.14	2975.66	3492.13
2			72"(1829mm)	TCRT-3072-	S GG1	1642.13	2073.17	1766.68	2197.72	2973.44	3516.01	3296.98	3911.72
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG1	\$ 1634.66\$	\$2020.33\$	1759.21 \$	2144.88\$	2950.49\$	3434.08\$	3268.96\$	3815.91
2			72"(1829mm)	TCRT-3672-	S GG1	1735.49	2188.40	1867.48	2320.39	3270.22	3841.22	3647.33	4294.74
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGG2	\$ 1546.69\$	\$ 1852.06\$	\$ 1658.84\$	\$ 1964.21	\$ 2508.52\$	\$ 2887.73	\$ 2732.82\$	\$ 3159.80
2			60"(1524mm)	TCRT-3060-	S GG2	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRT-3072-	S GG2	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG2	\$ 1709.51	\$2095.18	\$ 1834.06\$	\$ 2219.73	\$ 3025.34\$	\$ 3508.93\$	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRT-3672-	S GG2	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNG 4	\$ 1546.69\$	\$ 1852.06\$	\$ 1658.84\$	\$ 1964.21	\$ 2508.52\$	\$ 2887.73	\$ 2732.82\$	\$ 3159.80
2			60"(1524mm)	TCRT-3060-	S G 4	1631.35	1996.62	1749.70	2114.97	2776.92	3233.99	3050.51	3566.98
2			72"(1829mm)	TCRT-3072-	S G 4	1716.98	2148.02	1841.53	2272.57	3048.29	3590.86	3371.83	3986.57
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 4	\$ 1709.51	\$2095.18	\$ 1834.06\$	\$ 2219.73	\$ 3025.34\$	\$ 3508.93\$	\$ 3343.81	\$ 3890.76
2			72"(1829mm)	TCRT-3672-	S G 4	1810.34	2263.25	1942.33	2395.24	3345.07	3916.07	3722.18	4369.59
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRT-4284-	SNGG4	\$ 3643.48\$	\$ 4192.84\$	\$ 3791.59\$	\$ 4340.95\$	\$ 5635.70\$	\$ 6332.08\$	\$ 6134.34\$	\$ 6925.86
3			96"(2438mm)	TCRT-4296-	SNGG4	3761.45	4391.27	3918.24	4548.06	6009.74	6810.72	6577.02	7488.75
3	29"(737mm)	48"(1219mm)	108"(2743mm)	TCRT-48A8-	SNGG4	\$ 4019.36\$	\$ 4761.78\$	\$ 4195.99\$	\$ 4938.41	\$ 6828.63\$	\$ 7776.00\$	\$ 7544.81	\$ 8624.79
3			120"(3048mm)	TCRT-48C0-	S GG4	4154.47	4990.57	4341.02	5177.12	7256.98	8326.13	8051.79	9271.74
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRT-5496-	S GG4	\$ 4158.63\$	\$ 4838.06\$	\$ 4335.26\$	\$ 5014.69\$	\$ 6946.41\$	\$ 7811.89\$	\$ 7655.55\$	\$ 8641.41
6			108"(2743mm)	TCRT-54A8-	S GG4	4307.98	5076.68	4495.77	5264.47	7420.15	8401.68	8215.95	9335.19
6			120"(3048mm)	TCRT-54C0-	SNGG4	4458.29	5322.13	4657.24	5521.08	7896.86	9002.08	8779.97	10041.38
6			144"(3658mm)	TCRT-54E4-	S GG4	6349.94	7481.57	6571.21	7702.84	10865.45	12904.97	11925.16	14161.23
8			180"(4572mm)	TCRT-54J0-	S GG4	7011.69	8499.25	7266.44	8754.00	12530.46	14992.98	13859.99	16588.15
8			216"(5486mm)	TCRT-54M6-	S GG4	7602.99	9714.68	7891.22	10002.91	14567.18	17010.10	16172.44	18960.36
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	SNGG6	\$ 1584.11	\$ 1889.48\$	\$ 1696.26\$	\$ 2001.63\$	\$ 2545.94\$	\$ 2925.15	\$ 2770.24\$	\$ 3197.22
2			60"(1524mm)	TCRT-3060-	S GG6	1668.77	2034.04	1787.12	2152.39	2814.34	3271.41	3087.93	3604.40
2			72"(1829mm)	TCRT-3072-	S GG6	1754.40	2185.44	1878.95	2309.99	3085.71	3628.28	3409.25	4023.99
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S GG6	\$ 1746.93\$	\$ 2132.60\$	\$ 1871.48\$	\$ 2257.15	\$ 3062.76\$	\$ 3546.35\$	\$ 3381.23\$	\$ 3928.18
2			72"(1829mm)	TCRT-3672-	S GG6	1847.76	2300.67	1979.75	2432.66	3382.49	3953.49	3759.60	4407.01
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRT-3048-	S G 7	\$ 1621.54\$	\$ 1926.91\$	\$ 1733.69\$	\$ 2039.06\$	\$ 2583.37\$	\$ 2962.58\$	\$ 2807.67\$	\$ 3234.65
2			60"(1524mm)	TCRT-3060-	S G 7	1706.20	2071.47	1824.55	2189.82	2851.77	3308.84	3125.36	3641.83
2			72"(1829mm)	TCRT-3072-	S G 7	1791.83	2222.87	1916.38	2347.42	3123.14	3665.71	3446.68	4061.42
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRT-3660-	S G 7	\$ 1784.36\$	\$ 2170.03\$	\$ 1908.91\$	\$ 2294.58\$	\$ 3100.19\$	\$ 3583.78\$	\$ 3418.66\$	\$ 3965.61
2			72"(1829mm)	TCRT-3672-	S G 7	1885.19	2338.10	2017.18	2470.09	3419.92	3990.92	3797.03	4444.44


Jive Table — Bridge Base

Racetrack


No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL				Wood		B		
										A	F	B	F	A	U	K	U	
Base — Power Ready — No Cutout																		
2	16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-						SNGK1	\$ 1500.33	\$ 1805.70	\$ 1612.48	\$ 1917.85	\$ 2462.16	\$ 2841.37	\$ 2686.46	\$ 3113.44
2			60"(1524mm)	TCRT-3060-						S GK1	1584.99	1950.26	1703.34	2068.61	2730.56	3187.63	3004.15	3520.62
2			72"(1829mm)	TCRT-3072-						S GK1	1670.62	2101.66	1795.17	2226.21	3001.93	3544.50	3325.47	3940.21
2	16"(406mm)	36"(914mm)	60"(1524mm)	TCRT-3660-						S GK1	\$ 1663.15	\$ 2048.82	\$ 1787.70	\$ 2173.37	\$ 2978.98	\$ 3462.57	\$ 3297.45	\$ 3844.40
2			72"(1829mm)	TCRT-3672-						S GK1	1763.98	2216.89	1895.97	2348.88	3298.71	3869.71	3675.82	4323.23
2	20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-						SNGK2	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRT-3060-						S GK2	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRT-3072-						S GK2	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2	20"(508mm)	36"(914mm)	60"(1524mm)	TCRT-3660-						S GK2	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRT-3672-						S GK2	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
2	29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-						SNG 4	\$ 1575.18	\$ 1880.55	\$ 1687.33	\$ 1992.70	\$ 2537.01	\$ 2916.22	\$ 2761.31	\$ 3188.29
2			60"(1524mm)	TCRT-3060-						S G 4	1659.84	2025.11	1778.19	2143.46	2805.41	3262.48	3079.00	3595.47
2			72"(1829mm)	TCRT-3072-						S G 4	1745.47	2176.51	1870.02	2301.06	3076.78	3619.35	3400.32	4015.06
2	29"(737mm)	36"(914mm)	60"(1524mm)	TCRT-3660-						S G 4	\$ 1738.00	\$ 2123.67	\$ 1862.55	\$ 2248.22	\$ 3053.83	\$ 3537.42	\$ 3372.30	\$ 3919.25
2			72"(1829mm)	TCRT-3672-						S G 4	1838.83	2291.74	1970.82	2423.73	3373.56	3944.56	3750.67	4398.08
3	29"(737mm)	42"(1067mm)	84"(2134mm)	TCRT-4284-						SNGK4	\$ 3671.97	\$ 4221.33	\$ 3820.08	\$ 4369.44	\$ 5664.19	\$ 6360.57	\$ 6162.83	\$ 6954.35
3			96"(2438mm)	TCRT-4296-						SNGK4	3789.94	4419.76	3946.73	4576.55	6038.23	6839.21	6605.51	7517.24
3	29"(737mm)	48"(1219mm)	108"(2743mm)	TCRT-48A8-						SNGK4	\$ 4047.85	\$ 4790.27	\$ 4224.48	\$ 4966.90	\$ 6857.12	\$ 7804.49	\$ 7573.30	\$ 8653.28
3			120"(3048mm)	TCRT-48C0-						S GK4	4182.96	5019.06	4369.51	5205.61	7285.47	8354.62	8080.28	9300.23
6	29"(737mm)	54"(1372mm)	96"(2438mm)	TCRT-5496-						S GK4	\$ 4187.12	\$ 4866.55	\$ 4363.75	\$ 5043.18	\$ 6974.90	\$ 7840.38	\$ 7684.04	\$ 8669.90
6			108"(2743mm)	TCRT-54A8-						S GK4	4336.47	5105.17	4524.26	5292.96	7448.64	8430.17	8244.44	9363.68
6			120"(3048mm)	TCRT-54C0-						SNGK4	4486.78	5350.62	4685.73	5549.57	7925.35	9030.57	8808.46	10069.87
6			144"(3658mm)	TCRT-54E4-						S GK4	6378.43	7510.06	6599.70	7731.33	10893.94	12933.46	11953.65	14189.72
8			180"(4572mm)	TCRT-54J0-						S GK4	7040.18	8527.74	7294.93	8782.49	12558.95	15021.47	13888.48	16616.64
8			216"(5486mm)	TCRT-54M6-						S GK4	7631.48	9743.17	7919.71	10031.40	14595.67	17038.59	16200.93	18988.85
2	36"(914mm)	30"(762mm)	48"(1219mm)	TCRT-3048-						SNGK6	\$ 1612.60	\$ 1917.97	\$ 1724.75	\$ 2030.12	\$ 2574.43	\$ 2953.64	\$ 2798.73	\$ 3225.71
2			60"(1524mm)	TCRT-3060-						S GK6	1697.26	2062.53	1815.61	2180.88	2842.83	3299.90	3116.42	3632.89
2			72"(1829mm)	TCRT-3072-						S GK6	1782.89	2213.93	1907.44	2338.48	3114.20	3656.77	3437.74	4052.48
2	36"(914mm)	36"(914mm)	60"(1524mm)	TCRT-3660-						S GK6	\$ 1775.42	\$ 2161.09	\$ 1899.97	\$ 2285.64	\$ 3091.25	\$ 3574.84	\$ 3409.72	\$ 3956.67
2			72"(1829mm)	TCRT-3672-						S GK6	1876.25	2329.16	2008.24	2461.15	3410.98	3981.98	3788.09	4435.50
2	42"(1067mm)	30"(762mm)	48"(1219mm)	TCRT-3048-						S G 7	\$ 1650.03	\$ 1955.40	\$ 1762.18	\$ 2067.55	\$ 2611.86	\$ 2991.07	\$ 2836.16	\$ 3263.14
2			60"(1524mm)	TCRT-3060-						S G 7	1734.69	2099.96	1853.04	2218.31	2880.26	3337.33	3153.85	3670.32
2			72"(1829mm)	TCRT-3072-						S G 7	1820.32	2251.36	1944.87	2375.91	3151.63	3694.20	3475.17	4089.91
2	42"(1067mm)	36"(914mm)	60"(1524mm)	TCRT-3660-						S G 7	\$ 1812.85	\$ 2198.52	\$ 1937.40	\$ 2323.07	\$ 3128.68	\$ 3612.27	\$ 3447.15	\$ 3994.10
2			72"(1829mm)	TCRT-3672-						S G 7	1913.68	2366.59	2045.67	2498.58	3448.41	4019.41	3825.52	4472.93

Jive Table — Bridge Base

Half Racetrack



TOHT-SNG
Class JV



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54"(1372mm) and 60"(1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60"(1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54"(1372mm) and 60"(1524mm) depths will have 4 columns.
 - Powered leg location is determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — Bridge Base

Half Racetrack


No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
										A	F	J	F	A	U	K	U
Base — No Power — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-				SNG	4	\$ 1686.79	\$ 2031.66	\$ 1707.25	\$ 2052.12	\$ 2323.12	\$ 2805.25	\$ 2495.62	\$ 3041.92
2		48"(1219mm)	48"(1219mm)	TOHT-4848-				SNG	4	1805.71	2191.38	1835.47	2221.14	2700.91	3361.02	2941.87	3695.24
4		54"(1372mm)	54"(1372mm)	TOHT-5454-				S	GG4	1939.59	2366.06	1979.89	2406.36	3126.32	3993.81	3444.26	4439.08
4		60"(1524mm)	60"(1524mm)	TOHT-6060-				S	GG4	2088.43	2555.70	2140.51	2607.78	3599.35	4704.59	4002.79	5274.55
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-				SNG	7	\$ 1834.97	\$ 2179.84	\$ 1855.43	\$ 2200.30	\$ 2471.30	\$ 2953.43	\$ 2643.80	\$ 3190.10
2		48"(1219mm)	48"(1219mm)	TOHT-4848-				SNG	7	1953.89	2339.56	1983.65	2369.32	2849.09	3509.20	3090.05	3843.42
4		54"(1372mm)	54"(1372mm)	TOHT-5454-				S	GG7	2087.77	2514.24	2128.07	2554.54	3274.50	4141.99	3592.44	4587.26
4		60"(1524mm)	60"(1524mm)	TOHT-6060-				S	GG7	2236.61	2703.88	2288.69	2755.96	3747.53	4852.77	4150.97	5422.73
Base — Power Ready — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-				SNG	4	\$ 1715.28	\$ 2060.15	\$ 1735.74	\$ 2080.61	\$ 2351.61	\$ 2833.74	\$ 2524.11	\$ 3070.41
2		48"(1219mm)	48"(1219mm)	TOHT-4848-				SNG	4	1834.20	2219.87	1863.96	2249.63	2729.40	3389.51	2970.36	3723.73
4		54"(1372mm)	54"(1372mm)	TOHT-5454-				S	GK4	1968.08	2394.55	2008.38	2434.85	3154.81	4022.30	3472.75	4467.57
4		60"(1524mm)	60"(1524mm)	TOHT-6060-				S	GK4	2116.92	2584.19	2169.00	2636.27	3627.84	4733.08	4031.28	5303.04
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TOHT-4242-				SNG	7	\$ 1863.46	\$ 2208.33	\$ 1883.92	\$ 2228.79	\$ 2499.79	\$ 2981.92	\$ 2672.29	\$ 3218.59
2		48"(1219mm)	48"(1219mm)	TOHT-4848-				SNG	7	1982.38	2368.05	2012.14	2397.81	2877.58	3537.69	3118.54	3871.91
4		54"(1372mm)	54"(1372mm)	TOHT-5454-				S	GK7	2116.26	2542.73	2156.56	2583.03	3302.99	4170.48	3620.93	4615.75
4		60"(1524mm)	60"(1524mm)	TOHT-6060-				S	GK7	2265.10	2732.37	2317.18	2784.45	3776.02	4881.26	4179.46	5451.22

Jive Table — Bridge Base

Half Pebble



TOHP-SNG
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29" (737mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54" (1372mm) and 60" (1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60" (1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54" (1372mm) and 60" (1524mm) depths will have 4 columns. Powered leg location is determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29" (737mm) or 42" (1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Half Pebble

No. of Columns	Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
										A	F	J	F	A	U	K	U
Base — No Power — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-			SNG	4		\$ 1686.79	\$ 2031.66	\$ 1707.25	\$ 2052.12	\$ 2323.12	\$ 2805.25	\$ 2495.62	\$ 3041.92
2		48"(1219mm)	48"(1219mm)	TCHP-4848-			SNG	4		1805.71	2191.38	1835.47	2221.14	2700.91	3361.02	2941.87	3695.24
4		54"(1372mm)	54"(1372mm)	TCHP-5454-		S	G	4		1939.59	2366.06	1979.89	2406.36	3126.32	3993.81	3444.26	4439.08
4		60"(1524mm)	60"(1524mm)	TCHP-6060-		S	G	4		2088.43	2555.70	2140.51	2607.78	3599.35	4704.59	4002.79	5274.55
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-			SNG	7		\$ 1834.97	\$ 2179.84	\$ 1855.43	\$ 2200.30	\$ 2471.30	\$ 2953.43	\$ 2643.80	\$ 3190.10
2		48"(1219mm)	48"(1219mm)	TCHP-4848-			SNG	7		1953.89	2339.56	1983.65	2369.32	2849.09	3509.20	3090.05	3843.42
4		54"(1372mm)	54"(1372mm)	TCHP-5454-		S	G	7		2087.77	2514.24	2128.07	2554.54	3274.50	4141.99	3592.44	4587.26
4		60"(1524mm)	60"(1524mm)	TCHP-6060-		S	G	7		2236.61	2703.88	2288.69	2755.96	3747.53	4852.77	4150.97	5422.73
Base — Power Ready — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-			SNG	4		\$ 1715.28	\$ 2060.15	\$ 1735.74	\$ 2080.61	\$ 2351.61	\$ 2833.74	\$ 2524.11	\$ 3070.41
2		48"(1219mm)	48"(1219mm)	TCHP-4848-			SNG	4		1834.20	2219.87	1863.96	2249.63	2729.40	3389.51	2970.36	3723.73
4		54"(1372mm)	54"(1372mm)	TCHP-5454-		S	G	4		1968.08	2394.55	2008.38	2434.85	3154.81	4022.30	3472.75	4467.57
4		60"(1524mm)	60"(1524mm)	TCHP-6060-		S	G	4		2116.92	2584.19	2169.00	2636.27	3627.84	4733.08	4031.28	5303.04
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-			SNG	7		\$ 1863.46	\$ 2208.33	\$ 1883.92	\$ 2228.79	\$ 2499.79	\$ 2981.92	\$ 2672.29	\$ 3218.59
2		48"(1219mm)	48"(1219mm)	TCHP-4848-			SNG	7		1982.38	2368.05	2012.14	2397.81	2877.58	3537.69	3118.54	3871.91
4		54"(1372mm)	54"(1372mm)	TCHP-5454-		S	G	7		2116.26	2542.73	2156.56	2583.03	3302.99	4170.48	3620.93	4615.75
4		60"(1524mm)	60"(1524mm)	TCHP-6060-		S	G	7		2265.10	2732.37	2317.18	2784.45	3776.02	4881.26	4179.46	5451.22

Jive Table — Bridge Base

Half Hexagon



TOHX-SNG
Class JV

Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29"(737mm) and 42"(1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Not available with factory cutout option.**
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Powered leg location is determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm)H)
 - Specify the (K) option for Glides on the Power Ready base
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list)
- K** Glides

4 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.


3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

No. of Columns	Height	Depth	Width	Number	①②	③	④	HPL		B	F	Wood		B	U
								A	F			A	U		
Base — No Power — No Cutout															
2	29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-		SNG	4	\$1805.71	\$ 2191.38	\$1835.47	\$ 2221.14	\$2700.91	\$ 3361.02	\$ 2941.87	\$3695.24
2	42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-		SNG	7	1953.89	2339.56	1983.65	2369.32	2849.09	3509.20	3090.05	3843.42
Base — Power Ready — No Cutout															
2	29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-		SNG	4	\$1834.20	\$ 2219.87	\$1863.96	\$2249.63	\$2729.40	\$3389.51	\$ 2970.36	\$3723.73
2	42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-		SNG	7	1982.38	2368.05	2012.14	2397.81	2877.58	3537.69	3118.54	3871.91

Jive Table — C-Leg — Extruded Rectangle



TORA-SNC
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29" (737mm) and 42" (1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on worksurfaces 30" (762mm) D and widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm).
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
- Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Extruded C-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) and 42" (1067mm) H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets (add **\$48.13** list)
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- H** Belong Hatch

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — C-Leg — Extruded Rectangle

									HPL				Wood		B		
Height	Depth	Width	Number	1	2	3	4	5	A		B		A		K	U	
									J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S	C	4	\$ 969.82	\$1203.72	\$1072.05	\$1305.95	\$ 1645.99	\$ 1932.27	\$ 1794.14	\$ 2114.31	
		42"(1067mm)	TCRA-2442-			S	C	4	1003.95	1263.38	1108.66	1368.09	1754.15	2073.63	1922.19	2280.53	
		48"(1219mm)	TCRA-2448-			S	C	4	1038.32	1324.76	1145.51	1431.95	1863.05	2217.65	2051.15	2449.85	
		54"(1372mm)	TCRA-2454-			S	C	4	1072.93	1387.85	1182.60	1497.52	1972.70	2364.32	2181.02	2622.27	
		60"(1524mm)	TCRA-2460-			S	C	4	1107.78	1452.65	1219.93	1564.80	2083.09	2513.64	2311.80	2797.79	
		66"(1676mm)	TCRA-2466-			S	C	4	1142.87	1519.16	1257.50	1633.79	2194.22	2665.61	2443.48	2976.41	
		72"(1829mm)	TCRA-2472-			S	C	4	1178.21	1587.38	1295.32	1704.49	2306.10	2820.24	2576.08	3158.14	
		30"(762mm)	36"(914mm)	TCRA-3036-			S	C	4	\$ 1017.58	\$1268.93	\$ 1123.53	\$1374.88	\$ 1797.68	\$ 2106.67	\$ 1973.34	\$ 2319.61
		42"(1067mm)	TCRA-3042-			S	C	4	1059.31	1336.94	1168.36	1445.99	1930.03	2273.17	2129.92	2515.45	
		48"(1219mm)	TCRA-3048-			S	C	4	1101.28	1406.65	1213.43	1518.80	2063.11	2442.32	2287.41	2714.39	
		54"(1372mm)	TCRA-3054-			S	C	4	1143.49	1478.07	1258.74	1593.32	2196.94	2614.12	2445.80	2916.43	
		60"(1524mm)	TCRA-3060-			S	C	4	1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57	
		66"(1676mm)	TCRA-3066-			S	C	4	1228.64	1626.06	1350.09	1747.51	2466.82	2965.69	2765.31	3329.81	
		72"(1829mm)	TCRA-3072-			S	C	4	1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16	
		42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S	OG7	\$1254.22	\$1488.12	\$1356.45	\$1590.35	\$ 1930.39	\$ 2216.67	\$2078.54	\$2398.71
				42"(1067mm)	TCRA-2442-			S	OG7	1288.35	1547.78	1393.06	1652.49	2038.55	2358.03	2206.59	2564.93
48"(1219mm)	TCRA-2448-					S	OG7	1322.72	1609.16	1429.91	1716.35	2147.45	2502.05	2335.55	2734.25		
54"(1372mm)	TCRA-2454-					S	OG7	1357.33	1672.25	1467.00	1781.92	2257.10	2648.72	2465.42	2906.67		
60"(1524mm)	TCRA-2460-					S	OG7	1392.18	1737.05	1504.33	1849.20	2367.49	2798.04	2596.20	3082.19		
66"(1676mm)	TCRA-2466-					S	OG7	1427.27	1803.56	1541.90	1918.19	2478.62	2950.01	2727.88	3260.81		
72"(1829mm)	TCRA-2472-					S	OG7	1462.61	1871.78	1579.72	1988.89	2590.50	3104.64	2860.48	3442.54		
30"(762mm)	36"(914mm)			TCRA-3036-			S	OG7	\$ 1301.98	\$1553.33	\$1407.93	\$1659.28	\$2082.08	\$ 2391.07	\$ 2257.74	\$2604.01	
				42"(1067mm)	TCRA-3042-			S	OG7	1343.71	1621.34	1452.76	1730.39	2214.43	2557.57	2414.32	2799.85
		48"(1219mm)	TCRA-3048-			S	OG7	1385.68	1691.05	1497.83	1803.20	2347.51	2726.72	2571.81	2998.79		
		54"(1372mm)	TCRA-3054-			S	OG7	1427.89	1762.47	1543.14	1877.72	2481.34	2898.52	2730.20	3200.83		
		60"(1524mm)	TCRA-3060-			S	OG7	1470.34	1835.61	1588.69	1953.96	2615.91	3072.98	2889.50	3405.97		
		66"(1676mm)	TCRA-3066-			S	OG7	1513.04	1910.46	1634.49	2031.91	2751.22	3250.09	3049.71	3614.21		
		72"(1829mm)	TCRA-3072-			S	OG7	1555.97	1987.01	1680.52	2111.56	2887.28	3429.85	3210.82	3825.56		


Jive Table — C-Leg — Extruded Rectangle

Height	Depth	Width	Number	①	②	③	④	⑤	HPL		B		Wood		B		
									A	F	J	F	A	U	K	U	
Base — Power Ready — No Cutout																	
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	C	4		\$ 998.31	\$ 1232.21	\$ 1100.54	\$ 1334.44	\$ 1674.48	\$ 1960.76	\$ 1822.63	\$ 2142.80	
		42"(1067mm)	TCRA-2442-		S	C	4		1032.44	1291.87	1137.15	1396.58	1782.64	2102.12	1950.68	2309.02	
		48"(1219mm)	TCRA-2448-		S	C	4		1066.81	1353.25	1174.00	1460.44	1891.54	2246.14	2079.64	2478.34	
		54"(1372mm)	TCRA-2454-		S	C	4		1101.42	1416.34	1211.09	1526.01	2001.19	2392.81	2209.51	2650.76	
		60"(1524mm)	TCRA-2460-		S	C	4		1136.27	1481.14	1248.42	1593.29	2111.58	2542.13	2340.29	2826.28	
		66"(1676mm)	TCRA-2466-		S	C	4		1171.36	1547.65	1285.99	1662.28	2222.71	2694.10	2471.97	3004.90	
		72"(1829mm)	TCRA-2472-		S	C	4		1206.70	1615.87	1323.81	1732.98	2334.59	2848.73	2604.57	3186.63	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	C	4	\$1046.07	\$ 1297.42	\$ 1152.02	\$ 1403.37	\$ 1826.17	\$ 2135.16	\$ 2001.83	\$ 2348.10	
		42"(1067mm)	TCRA-3042-		S	C	4		1087.80	1365.43	1196.85	1474.48	1958.52	2301.66	2158.41	2543.94	
		48"(1219mm)	TCRA-3048-		S	C	4		1129.77	1435.14	1241.92	1547.29	2091.60	2470.81	2315.90	2742.88	
		54"(1372mm)	TCRA-3054-		S	C	4		1171.98	1506.56	1287.23	1621.81	2225.43	2642.61	2474.29	2944.92	
		60"(1524mm)	TCRA-3060-		S	C	4		1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06	
		66"(1676mm)	TCRA-3066-		S	C	4		1257.13	1654.55	1378.58	1776.00	2495.31	2994.18	2793.80	3358.30	
		72"(1829mm)	TCRA-3072-		S	C	4		1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65	
		42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	CK7		\$ 1282.71	\$ 1516.61	\$1384.94	\$ 1618.84	\$ 1958.88	\$ 2245.16	\$ 2107.03	\$ 2427.20
		42"(1067mm)	TCRA-2442-		S	CK7			1316.84	1576.27	1421.55	1680.98	2067.04	2386.52	2235.08	2593.42	
		48"(1219mm)	TCRA-2448-		S	CK7			1351.21	1637.65	1458.40	1744.84	2175.94	2530.54	2364.04	2762.74	
		54"(1372mm)	TCRA-2454-		S	CK7			1385.82	1700.74	1495.49	1810.41	2285.59	2677.21	2493.91	2935.16	
		60"(1524mm)	TCRA-2460-		S	CK7			1420.67	1765.54	1532.82	1877.69	2395.98	2826.53	2624.69	3110.68	
		66"(1676mm)	TCRA-2466-		S	CK7			1455.76	1832.05	1570.39	1946.68	2507.11	2978.50	2756.37	3289.30	
		72"(1829mm)	TCRA-2472-		S	CK7			1491.10	1900.27	1608.21	2017.38	2618.99	3133.13	2888.97	3471.03	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	CK7		\$ 1330.47	\$ 1581.82	\$1436.42	\$ 1687.77	\$ 2110.57	\$ 2419.56	\$ 2286.23	\$ 2632.50	
		42"(1067mm)	TCRA-3042-		S	CK7			1372.20	1649.83	1481.25	1758.88	2242.92	2586.06	2442.81	2828.34	
		48"(1219mm)	TCRA-3048-		S	CK7			1414.17	1719.54	1526.32	1831.69	2376.00	2755.21	2600.30	3027.28	
		54"(1372mm)	TCRA-3054-		S	CK7			1456.38	1790.96	1571.63	1906.21	2509.83	2927.01	2758.69	3229.32	
		60"(1524mm)	TCRA-3060-		S	CK7			1498.83	1864.10	1617.18	1982.45	2644.40	3101.47	2917.99	3434.46	
		66"(1676mm)	TCRA-3066-		S	CK7			1541.53	1938.95	1662.98	2060.40	2779.71	3278.58	3078.20	3642.70	
		72"(1829mm)	TCRA-3072-		S	CK7			1584.46	2015.50	1709.01	2140.05	2915.77	3458.34	3239.31	3854.05	

Jive Table — C-Leg — Round Rectangle



TORA-SNB
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29" (737mm) and 42" (1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on worksurfaces 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm).
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Round C-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) and 42" (1067mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets (add **\$48.13** list)
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- H** Belong Hatch

4 Base Foot and Wire Management:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Foot Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.







Jive Table — C-Leg — Round Rectangle

Distributed Load										HPL				Wood		B	
Height	Depth	Width	Capacity	Number	1	2	3	4	5	A	F	B	F	A	U	K	U
Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S		B	4	\$ 760.02	\$ 993.92	\$ 862.25	\$1096.15	\$ 1436.19	\$ 1722.47	\$ 1584.34	\$ 1904.51
		42"(1067mm)	158	TCRA-2442-		S		B	4	794.15	1053.58	898.86	1158.29	1544.35	1863.83	1712.39	2070.73
		48"(1219mm)	173	TCRA-2448-		S		B	4	828.52	1114.96	935.71	1222.15	1653.25	2007.85	1841.35	2240.05
		54"(1372mm)	187	TCRA-2454-		S		B	4	863.13	1178.05	972.80	1287.72	1762.90	2154.52	1971.22	2412.47
		60"(1524mm)	202	TCRA-2460-		S		B	4	897.98	1242.85	1010.13	1355.00	1873.29	2303.84	2102.00	2587.99
		66"(1676mm)	216	TCRA-2466-		S		B	4	933.07	1309.36	1047.70	1423.99	1984.42	2455.81	2233.68	2766.61
		72"(1829mm)	230	TCRA-2472-		S		B	4	968.41	1377.58	1085.52	1494.69	2096.30	2610.44	2366.28	2948.34
30"(762mm)	36"(914mm)	36"(914mm)	158	TCRA-3036-		S		B	4	\$ 807.78	\$1059.13	\$ 913.73	\$ 1165.08	\$ 1587.88	\$ 1896.87	\$ 1763.54	\$ 2109.81
		42"(1067mm)	173	TCRA-3042-		S		B	4	849.51	1127.14	958.56	1236.19	1720.23	2063.37	1920.12	2305.65
		48"(1219mm)	187	TCRA-3048-		S		B	4	891.48	1196.85	1003.63	1309.00	1853.31	2232.52	2077.61	2504.59
		54"(1372mm)	202	TCRA-3054-		S		B	4	933.69	1268.27	1048.94	1383.52	1987.14	2404.32	2236.00	2706.63
		60"(1524mm)	216	TCRA-3060-		S		B	4	976.14	1341.41	1094.49	1459.76	2121.71	2578.78	2395.30	2911.77
		66"(1676mm)	230	TCRA-3066-		S		B	4	1018.84	1416.26	1140.29	1537.71	2257.02	2755.89	2555.51	3120.01
		72"(1829mm)	245	TCRA-3072-		S		B	4	1061.77	1492.81	1186.32	1617.36	2393.08	2935.65	2716.62	3331.36
42"(1067mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S		B	7	\$1044.40	\$1278.30	\$ 1146.63	\$1380.53	\$ 1720.57	\$2006.85	\$ 1868.72	\$ 2188.89
		42"(1067mm)	158	TCRA-2442-		S		B	7	1078.53	1337.96	1183.24	1442.67	1828.73	2148.21	1996.77	2355.11
		48"(1219mm)	173	TCRA-2448-		S		B	7	1112.90	1399.34	1220.09	1506.53	1937.63	2292.23	2125.73	2524.43
		54"(1372mm)	187	TCRA-2454-		S		B	7	1147.51	1462.43	1257.18	1572.10	2047.28	2438.90	2255.60	2696.85
		60"(1524mm)	202	TCRA-2460-		S		B	7	1182.36	1527.23	1294.51	1639.38	2157.67	2588.22	2386.38	2872.37
		66"(1676mm)	216	TCRA-2466-		S		B	7	1217.45	1593.74	1332.08	1708.37	2268.80	2740.19	2518.06	3050.99
		72"(1829mm)	230	TCRA-2472-		S		B	7	1252.79	1661.96	1369.90	1779.07	2380.68	2894.82	2650.66	3232.72
30"(762mm)	36"(914mm)	36"(914mm)	158	TCRA-3036-		S		B	7	\$1092.16	\$1343.51	\$ 1198.11	\$ 1449.46	\$ 1872.26	\$ 2181.25	\$2047.92	\$2394.19
		42"(1067mm)	173	TCRA-3042-		S		B	7	1133.89	1411.52	1242.94	1520.57	2004.61	2347.75	2204.50	2590.03
		48"(1219mm)	187	TCRA-3048-		S		B	7	1175.86	1481.23	1288.01	1593.38	2137.69	2516.90	2361.99	2788.97
		54"(1372mm)	202	TCRA-3054-		S		B	7	1218.07	1552.65	1333.32	1667.90	2271.52	2688.70	2520.38	2991.01
		60"(1524mm)	216	TCRA-3060-		S		B	7	1260.52	1625.79	1378.87	1744.14	2406.09	2863.16	2679.68	3196.15
		66"(1676mm)	230	TCRA-3066-		S		B	7	1303.22	1700.64	1424.67	1822.09	2541.40	3040.27	2839.89	3404.39
		72"(1829mm)	245	TCRA-3072-		S		B	7	1346.15	1777.19	1470.70	1901.74	2677.46	3220.03	3001.00	3615.74

Jive Table — C-Leg — Round Rectangle

Height	Depth	Width	Distributed Load						HPL				Wood											
			Capacity	Number	1	2	3	4	5	A	F	B	F	A	U	B	U							
Base — Power Ready — No Cutout																								
29"(737mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S		B	4	\$	788.51	\$1022.41	\$	890.74	\$	1124.64	\$	1464.68	\$	1750.96	\$	1612.83	\$	1933.00
		42"(1067mm)	158	TCRA-2442-		S		B	4		822.64	1082.07		927.35		1186.78		1572.84		1892.32		1740.88		2099.22
		48"(1219mm)	173	TCRA-2448-		S		B	4		857.01	1143.45		964.20		1250.64		1681.74		2036.34		1869.84		2268.54
		54"(1372mm)	187	TCRA-2454-		S		B	4		891.62	1206.54		1001.29		1316.21		1791.39		2183.01		1999.71		2440.96
		60"(1524mm)	202	TCRA-2460-		S		B	4		926.47	1271.34		1038.62		1383.49		1901.78		2332.33		2130.49		2616.48
		66"(1676mm)	216	TCRA-2466-		S		B	4		961.56	1337.85		1076.19		1452.48		2012.91		2484.30		2262.17		2795.10
		72"(1829mm)	230	TCRA-2472-		S		B	4		996.90	1406.07		1114.01		1523.18		2124.79		2638.93		2394.77		2976.83
	30"(762mm)	36"(914mm)	158	TCRA-3036-		S		B	4	\$	836.27	\$1087.62	\$	942.22	\$	1193.57	\$	1616.37	\$	1925.36	\$	1792.03	\$	2138.30
		42"(1067mm)	173	TCRA-3042-		S		B	4		878.00	1155.63		987.05		1264.68		1748.72		2091.86		1948.61		2334.14
		48"(1219mm)	187	TCRA-3048-		S		B	4		919.97	1225.34		1032.12		1337.49		1881.80		2261.01		2106.10		2533.08
		54"(1372mm)	202	TCRA-3054-		S		B	4		962.18	1296.76		1077.43		1412.01		2015.63		2432.81		2264.49		2735.12
		60"(1524mm)	216	TCRA-3060-		S		B	4		1004.63	1369.90		1122.98		1488.25		2150.20		2607.27		2423.79		2940.26
		66"(1676mm)	230	TCRA-3066-		S		B	4		1047.33	1444.75		1168.78		1566.20		2285.51		2784.38		2584.00		3148.50
		72"(1829mm)	245	TCRA-3072-		S		B	4		1090.26	1521.30		1214.81		1645.85		2421.57		2964.14		2745.11		3359.85
42"(1067mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S		BK7		\$	1072.89	\$1306.79	\$	1175.12	\$	1409.02	\$	1749.06	\$	2035.34	\$	1897.21	\$	2217.38
		42"(1067mm)	158	TCRA-2442-		S		BK7			1107.02	1366.45		1211.73		1471.16		1857.22		2176.70		2025.26		2383.60
		48"(1219mm)	173	TCRA-2448-		S		BK7			1141.39	1427.83		1248.58		1535.02		1966.12		2320.72		2154.22		2552.92
		54"(1372mm)	187	TCRA-2454-		S		BK7			1176.00	1490.92		1285.67		1600.59		2075.77		2467.39		2284.09		2725.34
		60"(1524mm)	202	TCRA-2460-		S		BK7			1210.85	1555.72		1323.00		1667.87		2186.16		2616.71		2414.87		2900.86
		66"(1676mm)	216	TCRA-2466-		S		BK7			1245.94	1622.23		1360.57		1736.86		2297.29		2768.68		2546.55		3079.48
		72"(1829mm)	230	TCRA-2472-		S		BK7			1281.28	1690.45		1398.39		1807.56		2409.17		2923.31		2679.15		3261.21
	30"(762mm)	36"(914mm)	158	TCRA-3036-		S		BK7		\$	1120.65	\$1372.00	\$	1226.60	\$	1477.95	\$	1900.75	\$	2209.74	\$	2076.41	\$	2422.68
		42"(1067mm)	173	TCRA-3042-		S		BK7			1162.38	1440.01		1271.43		1549.06		2033.10		2376.24		2232.99		2618.52
		48"(1219mm)	187	TCRA-3048-		S		BK7			1204.35	1509.72		1316.50		1621.87		2166.18		2545.39		2390.48		2817.46
		54"(1372mm)	202	TCRA-3054-		S		BK7			1246.56	1581.14		1361.81		1696.39		2300.01		2717.19		2548.87		3019.50
		60"(1524mm)	216	TCRA-3060-		S		BK7			1289.01	1654.28		1407.36		1772.63		2434.58		2891.65		2708.17		3224.64
		66"(1676mm)	230	TCRA-3066-		S		BK7			1331.71	1729.13		1453.16		1850.58		2569.89		3068.76		2868.38		3432.88
		72"(1829mm)	245	TCRA-3072-		S		BK7			1374.64	1805.68		1499.19		1930.23		2705.95		3248.52		3029.49		3644.23

Jive Table — C-Leg (Round or Extruded) — Flip Base Rectangle



TCRA-SNH
Class JV

Features

- Includes 1.18" (30mm) thick top, two C-Leg bases with round or extruded columns, stretcher and hardware
- Nesting Options:
 - Diagonal Nesting (available for round or extruded columns): Provides a compact nesting solution with parallel feet, ensuring a symmetrical look while maximizing legroom.
 - In-Line Nesting (exclusive to round columns): Optimizes storage by allowing tables to nest in a straight line, making efficient use of space.
- Table height is 29" (737mm).
- Laminate or wood top with 3mm edgeband or knife edge on all sides.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the C-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base (diagonal nesting)
 - Specify the (Q) option for Casters on the Power Ready base (in-line nesting)
 - Specify the (M) option for Glides on the Power Ready base (diagonal nesting)
 - Specify the (R) option for Glides on the Power Ready base (in-line nesting)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Each nested table adds 7.5" (191mm) to the overall depth.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets (add **\$48.13** list)
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - Diagonal Nesting
(Round or Extruded Base)

No Power:

- H** Casters (add **\$23.44** list)
- F** Glides

Power Ready:

- L** Casters (add **\$23.44** list)
- M** Glides

Base - Flip Top - In-Line Nesting
(Round Base Only)

No Power:

- O** Casters (add **\$23.44** list)
- P** Glides

Power Ready:

- Q** Casters (add **\$23.44** list)
- R** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Surface color.

3) Edgeband trim color.

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Fixed Height Tables / May 2025

Jive Table — C-Leg (Round or Extruded) — Flip Base Rectangle


Distributed Load										HPL				Wood			
Height	Depth	Width	Capacity	Number	①	②	③	④	⑤	A	F	B	F	A	U	B	U
										J		J		K		K	
Round — Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-		S	B	4		\$1480.01	\$ 1766.45	\$ 1587.20	\$ 1873.64	\$2304.74	\$ 2659.34	\$2492.84	\$ 2891.54
		60"(1524mm)	202	TCRA-2460-		S	B	4		1549.47	1894.34	1661.62	2006.49	2524.78	2955.33	2753.49	3239.48
		72"(1829mm)	230	TCRA-2472-		S	B	4		1619.90	2029.07	1737.01	2146.18	2747.79	3261.93	3017.77	3599.83
	30"(762mm)	48"(1219mm)	187	TCRA-3048-		S	B	4		\$1542.97	\$ 1848.34	\$ 1655.12	\$ 1960.49	\$2504.80	\$2884.01	\$ 2729.10	\$ 3156.08
		60"(1524mm)	216	TCRA-3060-		S	B	4		1627.63	1992.90	1745.98	2111.25	2773.20	3230.27	3046.79	3563.26
		72"(1829mm)	245	TCRA-3072-		S	B	4		1713.26	2144.30	1837.81	2268.85	3044.57	3587.14	3368.11	3982.85
		Extruded — Base — No Power — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-		S	C	4		\$1689.81	\$ 1976.25	\$ 1797.00	\$2083.44	\$ 2514.54	\$2869.14	\$2702.64	\$ 3101.34
		60"(1524mm)	202	TCRA-2460-		S	C	4		1759.27	2104.14	1871.42	2216.29	2734.58	3165.13	2963.29	3449.28
		72"(1829mm)	230	TCRA-2472-		S	C	4		1829.70	2238.87	1946.81	2355.98	2957.59	3471.73	3227.57	3809.63
	30"(762mm)	48"(1219mm)	187	TCRA-3048-		S	C	4		\$1752.77	\$2058.14	\$ 1864.92	\$ 2170.29	\$ 2714.60	\$3093.81	\$2938.90	\$3365.88
		60"(1524mm)	216	TCRA-3060-		S	C	4		1837.43	2202.70	1955.78	2321.05	2983.00	3440.07	3256.59	3773.06
		72"(1829mm)	245	TCRA-3072-		S	C	4		1923.06	2354.10	2047.61	2478.65	3254.37	3796.94	3577.91	4192.65
		Round — Base — Power Ready — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-		S	B	4		\$1508.50	\$ 1794.94	\$ 1615.69	\$ 1902.13	\$ 2333.23	\$ 2687.83	\$ 2521.33	\$2920.03
		60"(1524mm)	202	TCRA-2460-		S	B	4		1577.96	1922.83	1690.11	2034.98	2553.27	2983.82	2781.98	3267.97
		72"(1829mm)	230	TCRA-2472-		S	B	4		1648.39	2057.56	1765.50	2174.67	2776.28	3290.42	3046.26	3628.32
	30"(762mm)	48"(1219mm)	187	TCRA-3048-		S	B	4		\$ 1571.46	\$ 1876.83	\$ 1683.61	\$ 1988.98	\$2533.29	\$ 2912.50	\$ 2757.59	\$ 3184.57
		60"(1524mm)	216	TCRA-3060-		S	B	4		1656.12	2021.39	1774.47	2139.74	2801.69	3258.76	3075.28	3591.75
		72"(1829mm)	245	TCRA-3072-		S	B	4		1741.75	2172.79	1866.30	2297.34	3073.06	3615.63	3396.60	4011.34
		Extruded — Base — Power Ready — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-		S	C	4		\$ 1718.30	\$2004.74	\$ 1825.49	\$ 2111.93	\$2543.03	\$ 2897.63	\$ 2731.13	\$ 3129.83
		60"(1524mm)	202	TCRA-2460-		S	C	4		1787.76	2132.63	1899.91	2244.78	2763.07	3193.62	2991.78	3477.77
		72"(1829mm)	230	TCRA-2472-		S	C	4		1858.19	2267.36	1975.30	2384.47	2986.08	3500.22	3256.06	3838.12
	30"(762mm)	48"(1219mm)	187	TCRA-3048-		S	C	4		\$ 1781.26	\$2086.63	\$ 1893.41	\$ 2198.78	\$ 2743.09	\$ 3122.30	\$2967.39	\$3394.37
		60"(1524mm)	216	TCRA-3060-		S	C	4		1865.92	2231.19	1984.27	2349.54	3011.49	3468.56	3285.08	3801.55
		72"(1829mm)	245	TCRA-3072-		S	C	4		1951.55	2382.59	2076.10	2507.14	3282.86	3825.43	3606.40	4221.14

Jive Table — Disc Base

Round



TORN-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 24" (610mm) and 30" (762mm) tops include 21" (533mm) disc base
 - 36" (914mm) tops include 27" (686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm)H tables)
 - Edge mounted power is recommended.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

L Laminate

W Wood

② Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Jive Table — Disc Base

Round


Height	Depth	Width	Number ①②	HPL				Wood		B			
				A		B		A		K			
				J	F	J	F	K	U	K	U		
Base — No Power													
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDN1	\$1009.59	\$1232.06	\$1102.52	\$1324.99	\$1436.91	\$1560.67	\$1519.88	\$1650.31		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDN1	1083.63	1346.90	1182.14	1445.41	1671.84	1885.69	1797.71	2032.43		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDN1	1172.63	1476.70	1277.96	1582.03	1954.39	2287.34	2131.68	2504.61		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDN1	1276.59	1621.46	1389.98	1734.85	2284.56	2766.69	2521.79	3068.09		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDN1	1395.51	1781.18	1518.20	1903.87	2662.35	3322.46	2968.04	3721.41		
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDN2	\$1017.69	\$1240.16	\$1110.62	\$1333.09	\$1445.01	\$1568.77	\$1527.98	\$1658.41		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDN2	1091.73	1355.00	1190.24	1453.51	1679.94	1893.79	1805.81	2040.53		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDN2	1180.73	1484.80	1286.06	1590.13	1962.49	2295.44	2139.78	2512.71		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDN2	1284.69	1629.56	1398.08	1742.95	2292.66	2774.79	2529.89	3076.19		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDN2	1403.61	1789.28	1526.30	1911.97	2670.45	3330.56	2976.14	3729.51		
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDN4	\$1041.96	\$1264.43	\$1134.89	\$1357.36	\$1469.28	\$1593.04	\$1552.25	\$1682.68		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDN4	1116.00	1379.27	1214.51	1477.78	1704.21	1918.06	1830.08	2064.80		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDN4	1205.00	1509.07	1310.33	1614.40	1986.76	2319.71	2164.05	2536.98		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDN4	1308.96	1653.83	1422.35	1767.22	2316.93	2799.06	2554.16	3100.46		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDN4	1427.88	1813.55	1550.57	1936.24	2694.72	3354.83	3000.41	3753.78		
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDN6	\$1050.29	\$1272.76	\$1143.22	\$1365.69	\$1477.61	\$1601.37	\$1560.58	\$1691.01		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDN6	1124.33	1387.60	1222.84	1486.11	1712.54	1926.39	1838.41	2073.13		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDN6	1213.33	1517.40	1318.66	1622.73	1995.09	2328.04	2172.38	2545.31		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDN6	1317.29	1662.16	1430.68	1775.55	2325.26	2807.39	2562.49	3108.79		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDN6	1436.21	1821.88	1558.90	1944.57	2703.05	3363.16	3008.74	3762.11		
Base — Power Ready													
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDK1	\$1038.08	\$1260.55	\$1131.01	\$1353.48	\$1465.40	\$1589.16	\$1548.37	\$1678.80		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDK1	1112.12	1375.39	1210.63	1473.90	1700.33	1914.18	1826.20	2060.92		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDK1	1201.12	1505.19	1306.45	1610.52	1982.88	2315.83	2160.17	2533.10		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDK1	1305.08	1649.95	1418.47	1763.34	2313.05	2795.18	2550.28	3096.58		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDK1	1424.00	1809.67	1546.69	1932.36	2690.84	3350.95	2996.53	3749.90		
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDK2	\$1046.18	\$1268.65	\$1139.11	\$1361.58	\$1473.50	\$1597.26	\$1556.47	\$1686.90		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDK2	1120.22	1383.49	1218.73	1482.00	1708.43	1922.28	1834.30	2069.02		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDK2	1209.22	1513.29	1314.55	1618.62	1990.98	2323.93	2168.27	2541.20		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDK2	1313.18	1658.05	1426.57	1771.44	2321.15	2803.28	2558.38	3104.68		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDK2	1432.10	1817.77	1554.79	1940.46	2698.94	3359.05	3004.63	3758.00		
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDK4	\$1070.45	\$1292.92	\$1163.38	\$1385.85	\$1497.77	\$1621.53	\$1580.74	\$1711.17		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDK4	1144.49	1407.76	1243.00	1506.27	1732.70	1946.55	1858.57	2093.29		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDK4	1233.49	1537.56	1338.82	1642.89	2015.25	2348.20	2192.54	2565.47		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDK4	1337.45	1682.32	1450.84	1795.71	2345.42	2827.55	2582.65	3128.95		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDK4	1456.37	1842.04	1579.06	1964.73	2723.21	3383.32	3028.90	3782.27		
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-  SNDK6	\$1078.78	\$1301.25	\$1171.71	\$1394.18	\$1506.10	\$1629.86	\$1589.07	\$1719.50		
	30"(762mm)	30"(762mm)	TCRN-3030-  SNDK6	1152.82	1416.09	1251.33	1514.60	1741.03	1954.88	1866.90	2101.62		
	36"(914mm)	36"(914mm)	TCRN-3636-  SNDK6	1241.82	1545.89	1347.15	1651.22	2023.58	2356.53	2200.87	2573.80		
	42"(1067mm)	42"(1067mm)	TCRN-4242-  SNDK6	1345.78	1690.65	1459.17	1804.04	2353.75	2835.88	2590.98	3137.28		
	48"(1219mm)	48"(1219mm)	TCRN-4848-  SNDK6	1464.70	1850.37	1587.39	1973.06	2731.54	3391.65	3037.23	3790.60		

Jive Table — Disc Base

Square



TORQ-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:
 - 24" (610mm) and 30" (762mm) tops include 21" (533mm) disc base
 - 36" (914mm) tops include 27" (686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm)H tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
W Wood

2 Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Height	Depth	Width	Number ①②	HPL		B		Wood		B		
				A	F	J	F	A	U	K	U	
Base — No Power												
16"(406mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDN1	\$1009.59	\$1232.06	\$1102.52	\$1324.99	\$1436.91	\$1560.67	\$1519.88	\$1650.31
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDN1	1083.63	1346.90	1182.14	1445.41	1671.84	1885.69	1797.71	2032.43
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDN1	1172.63	1476.70	1277.96	1582.03	1954.39	2287.34	2131.68	2504.61
20"(508mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDN2	\$1017.69	\$1240.16	\$1110.62	\$1333.09	\$1445.01	\$1568.77	\$1527.98	\$1658.41
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDN2	1091.73	1355.00	1190.24	1453.51	1679.94	1893.79	1805.81	2040.53
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDN2	1180.73	1484.80	1286.06	1590.13	1962.49	2295.44	2139.78	2512.71
29"(737mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDN4	\$1041.96	\$1264.43	\$1134.89	\$1357.36	\$1469.28	\$1593.04	\$1552.25	\$1682.68
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDN4	1116.00	1379.27	1214.51	1477.78	1704.21	1918.06	1830.08	2064.80
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDN4	1205.00	1509.07	1310.33	1614.40	1986.76	2319.71	2164.05	2536.98
36"(914mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDN6	\$1050.29	\$1272.76	\$1143.22	\$1365.69	\$1477.61	\$1601.37	\$1560.58	\$1691.01
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDN6	1124.33	1387.60	1222.84	1486.11	1712.54	1926.39	1838.41	2073.13
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDN6	1213.33	1517.40	1318.66	1622.73	1995.09	2328.04	2172.38	2545.31
Base — Power Ready												
16"(406mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDK1	\$1038.08	\$1260.55	\$1131.01	\$1353.48	\$1465.40	\$1589.16	\$1548.37	\$1678.80
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDK1	1112.12	1375.39	1210.63	1473.90	1700.33	1914.18	1826.20	2060.92
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDK1	1201.12	1505.19	1306.45	1610.52	1982.88	2315.83	2160.17	2533.10
20"(508mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDK2	\$1046.18	\$1268.65	\$1139.11	\$1361.58	\$1473.50	\$1597.26	\$1556.47	\$1686.90
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDK2	1120.22	1383.49	1218.73	1482.00	1708.43	1922.28	1834.30	2069.02
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDK2	1209.22	1513.29	1314.55	1618.62	1990.98	2323.93	2168.27	2541.20
29"(737mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDK4	\$1070.45	\$1292.92	\$1163.38	\$1385.85	\$1497.77	\$1621.53	\$1580.74	\$1711.17
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDK4	1144.49	1407.76	1243.00	1506.27	1732.70	1946.55	1858.57	2093.29
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDK4	1233.49	1537.56	1338.82	1642.89	2015.25	2348.20	2192.54	2565.47
36"(914mm)	24"(610mm)	24"(610mm)	TORQ-2424- 	SNDK6	\$1078.78	\$1301.25	\$1171.71	\$1394.18	\$1506.10	\$1629.86	\$1589.07	\$1719.50
	30"(762mm)	30"(762mm)	TORQ-3030- 	SNDK6	1152.82	1416.09	1251.33	1514.60	1741.03	1954.88	1866.90	2101.62
	36"(914mm)	36"(914mm)	TORQ-3636- 	SNDK6	1241.82	1545.89	1347.15	1651.22	2023.58	2356.53	2200.87	2573.80

Jive Table — Disc Base

Pebble



TCRP-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 24" (610mm) and 30" (762mm) tops include 21" (533mm) disc base
 - 36" (914mm) tops include 27" (686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm)H tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Height	Depth	Width	Number ①②	HPL		B		Wood		B			
				A	F	J	F	A	U	K	U		
Base — No Power													
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDN1	\$1009.59	\$1232.06	\$1102.52	\$1324.99	\$1436.91	\$1560.67	\$1519.88	\$1650.31		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDN1	1083.63	1346.90	1182.14	1445.41	1671.84	1885.69	1797.71	2032.43		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDN1	1172.63	1476.70	1277.96	1582.03	1954.39	2287.34	2131.68	2504.61		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDN1	1276.59	1621.46	1389.98	1734.85	2284.56	2766.69	2521.79	3068.09		
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDN2	\$1017.69	\$1240.16	\$1110.62	\$1333.09	\$1445.01	\$1568.77	\$1527.98	\$1658.41		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDN2	1091.73	1355.00	1190.24	1453.51	1679.94	1893.79	1805.81	2040.53		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDN2	1180.73	1484.80	1286.06	1590.13	1962.49	2295.44	2139.78	2512.71		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDN2	1284.69	1629.56	1398.08	1742.95	2292.66	2774.79	2529.89	3076.19		
29"(737mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDN4	\$1041.96	\$1264.43	\$1134.89	\$1357.36	\$1469.28	\$1593.04	\$1552.25	\$1682.68		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDN4	1116.00	1379.27	1214.51	1477.78	1704.21	1918.06	1830.08	2064.80		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDN4	1205.00	1509.07	1310.33	1614.40	1986.76	2319.71	2164.05	2536.98		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDN4	1308.96	1653.83	1422.35	1767.22	2316.93	2799.06	2554.16	3100.46		
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDN6	\$1050.29	\$1272.76	\$1143.22	\$1365.69	\$1477.61	\$1601.37	\$1560.58	\$1691.01		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDN6	1124.33	1387.60	1222.84	1486.11	1712.54	1926.39	1838.41	2073.13		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDN6	1213.33	1517.40	1318.66	1622.73	1995.09	2328.04	2172.38	2545.31		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDN6	1317.29	1662.16	1430.68	1775.55	2325.26	2807.39	2562.49	3108.79		
Base — Power Ready													
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDK1	\$1038.08	\$1260.55	\$1131.01	\$1353.48	\$1465.40	\$1589.16	\$1548.37	\$1678.80		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDK1	1112.12	1375.39	1210.63	1473.90	1700.33	1914.18	1826.20	2060.92		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDK1	1201.12	1505.19	1306.45	1610.52	1982.88	2315.83	2160.17	2533.10		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDK1	1305.08	1649.95	1418.47	1763.34	2313.05	2795.18	2550.28	3096.58		
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDK2	\$1046.18	\$1268.65	\$1139.11	\$1361.58	\$1473.50	\$1597.26	\$1556.47	\$1686.90		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDK2	1120.22	1383.49	1218.73	1482.00	1708.43	1922.28	1834.30	2069.02		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDK2	1209.22	1513.29	1314.55	1618.62	1990.98	2323.93	2168.27	2541.20		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDK2	1313.18	1658.05	1426.57	1771.44	2321.15	2803.28	2558.38	3104.68		
29"(737mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDK4	\$1070.45	\$1292.92	\$1163.38	\$1385.85	\$1497.77	\$1621.53	\$1580.74	\$1711.17		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDK4	1144.49	1407.76	1243.00	1506.27	1732.70	1946.55	1858.57	2093.29		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDK4	1233.49	1537.56	1338.82	1642.89	2015.25	2348.20	2192.54	2565.47		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDK4	1337.45	1682.32	1450.84	1795.71	2345.42	2827.55	2582.65	3128.95		
36"(914mm)	24"(610mm)	24"(610mm)	TCRP-2424-  SNDK6	\$1078.78	\$1301.25	\$1171.71	\$1394.18	\$1506.10	\$1629.86	\$1589.07	\$1719.50		
	30"(762mm)	30"(762mm)	TCRP-3030-  SNDK6	1152.82	1416.09	1251.33	1514.60	1741.03	1954.88	1866.90	2101.62		
	36"(914mm)	36"(914mm)	TCRP-3636-  SNDK6	1241.82	1545.89	1347.15	1651.22	2023.58	2356.53	2200.87	2573.80		
	42"(1067mm)	42"(1067mm)	TCRP-4242-  SNDK6	1345.78	1690.65	1459.17	1804.04	2353.75	2835.88	2590.98	3137.28		

Jive Table — Disc Base

Rectangle



TCRA-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:
 - 24" (610mm) and 30" (762mm) tops include 21" (533mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16" (406mm), 20" (508mm), 29" (737mm) and 36" (914mm)H tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).


4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.


Height	Depth	Width	Number ①②	HPL				Wood		B	
				A		B		A	U	K	U
				J	F	J	F	K	U	K	U
Base — No Power											
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036- SNDN1	\$1107.93	\$1359.28	\$ 1213.88	\$1465.23	\$1888.03	\$ 2197.02	\$2063.69	\$2409.96
20"(508mm)			TCRA-3036- SNDN2	1116.03	1367.38	1221.98	1473.33	1896.13	2205.12	2071.79	2418.06
29"(737mm)			TCRA-3036- SNDN4	1140.30	1391.65	1246.25	1497.60	1920.40	2229.39	2096.06	2442.33
36"(914mm)			TCRA-3036- SNDN6	1148.63	1399.98	1254.58	1505.93	1928.73	2237.72	2104.39	2450.66
Base — Power Ready											
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036- SNDK1	\$1136.42	\$1387.77	\$1242.37	\$1493.72	\$ 1916.52	\$2225.51	\$2092.18	\$2438.45
20"(508mm)			TCRA-3036- SNDK2	1144.52	1395.87	1250.47	1501.82	1924.62	2233.61	2100.28	2446.55
29"(737mm)			TCRA-3036- SNDK4	1168.79	1420.14	1274.74	1526.09	1948.89	2257.88	2124.55	2470.82
36"(914mm)			TCRA-3036- SNDK6	1177.12	1428.47	1283.07	1534.42	1957.22	2266.21	2132.88	2479.15

Jive Table — Dual Disc Base

Pebble



TORP-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, base, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

Disc Base Diameter Sizes:

- 30" (762mm) tops include 21" (533mm) two disc bases
- 36" (914mm) tops include two 27" (686mm) disc bases
- 42" (1067mm) tops include two 27" (686mm) disc bases

- Specifying a cutout does not automatically include a Power Ready base.**

- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single Sided/
4 outlets (add **\$48.13** list)
- J** Center, Single Sided/
6 outlets (add **\$48.13** list)
- M** Center, Double Sided/
8 outlets (add **\$48.13** list)
- Q** Center, Double Sided/
12 outlets (add **\$48.13** list)

- Laminate surface color or wood finish color.

- Edgeband trim color (laminate only).


- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


							HPL				Wood			
Height	Depth	Width	Number	1	2	3	A	B		A	B			
							J	F	J	F	K	U	K	U
Base — No Power														
29"(737mm)	30"(762mm)	60"(1524mm)	TCRP-3060-		S	DN4	\$ 2169.49	\$ 2534.76	\$ 2287.84	\$ 2653.11	\$ 3315.06	\$ 3772.13	\$ 3588.65	\$ 4105.12
		72"(1829mm)	TCRP-3072-		S	DN4	2255.12	2686.16	2379.67	2810.71	3586.43	4129.00	3909.97	4524.71
	36"(914mm)	72"(1829mm)	TCRP-3672-		S	DN4	\$ 2348.48	\$ 2801.39	\$ 2480.47	\$ 2933.38	\$ 3883.21	\$ 4454.21	\$ 4260.32	\$ 4907.73
		84"(2134mm)	TCRP-3684-		S	DN4	2450.29	2976.31	2589.72	3115.74	4205.92	4871.97	4642.32	5398.97
	42"(1067mm)	84"(2134mm)	TORP-4284-		S	DN4	\$ 2558.85	\$ 3108.21	\$ 2706.96	\$ 3256.32	\$ 4551.07	\$ 5247.45	\$ 5049.71	\$ 5841.23
36"(914mm)	30"(762mm)	96"(2438mm)	TORP-4296-		S	DN4	2676.82	3306.64	2833.61	3463.43	4925.11	5726.09	5492.39	6404.12
		60"(1524mm)	TCRP-3060-		S	DN6	\$ 2186.17	\$ 2551.44	\$ 2304.52	\$ 2669.79	\$ 3331.74	\$ 3788.81	\$ 3605.33	\$ 4121.80
	72"(1829mm)	TORP-3072-		S	DN6	2271.80	2702.84	2396.35	2827.39	3603.11	4145.68	3926.65	4541.39	
	36"(914mm)	72"(1829mm)	TCRP-3672-		S	DN6	\$ 2365.16	\$ 2818.07	\$ 2497.15	\$ 2950.06	\$ 3899.89	\$ 4470.89	\$ 4277.00	\$ 4924.41
	84"(2134mm)	TORP-3684-		S	DN6	2466.97	2992.99	2606.40	3132.42	4222.60	4888.65	4659.00	5415.65	
42"(1067mm)	84"(2134mm)	TORP-4284-		S	DN6	\$ 2575.53	\$ 3124.89	\$ 2723.64	\$ 3273.00	\$ 4567.75	\$ 5264.13	\$ 5066.39	\$ 5857.91	
96"(2438mm)	TORP-4296-		S	DN6	2693.50	3323.32	2850.29	3480.11	4941.79	5742.77	5509.07	6420.80		
Base — Power Ready														
29"(737mm)	30"(762mm)	60"(1524mm)	TCRP-3060-		S	DK4	\$ 2197.98	\$ 2563.25	\$ 2316.33	\$ 2681.60	\$ 3343.55	\$ 3800.62	\$ 3617.14	\$ 4133.61
		72"(1829mm)	TORP-3072-		S	DK4	2283.61	2714.65	2408.16	2839.20	3614.92	4157.49	3938.46	4553.20
	36"(914mm)	72"(1829mm)	TCRP-3672-		S	DK4	\$ 2376.97	\$ 2829.88	\$ 2508.96	\$ 2961.87	\$ 3911.70	\$ 4482.70	\$ 4288.81	\$ 4936.22
		84"(2134mm)	TORP-3684-		S	DK4	2478.78	3004.80	2618.21	3144.23	4234.41	4900.46	4670.81	5427.46
	42"(1067mm)	84"(2134mm)	TORP-4284-		S	DK4	\$ 2587.34	\$ 3136.70	\$ 2735.45	\$ 3284.81	\$ 4579.56	\$ 5275.94	\$ 5078.20	\$ 5869.72
36"(914mm)	30"(762mm)	96"(2438mm)	TORP-4296-		S	DK4	2705.31	3335.13	2862.10	3491.92	4953.60	5754.58	5520.88	6432.61
		60"(1524mm)	TORP-3060-		S	DK6	\$ 2214.66	\$ 2579.93	\$ 2333.01	\$ 2698.28	\$ 3360.23	\$ 3817.30	\$ 3633.82	\$ 4150.29
	72"(1829mm)	TORP-3072-		S	DK6	2300.29	2731.33	2424.84	2855.88	3631.60	4174.17	3955.14	4569.88	
	36"(914mm)	72"(1829mm)	TORP-3672-		S	DK6	\$ 2393.65	\$ 2846.56	\$ 2525.64	\$ 2978.55	\$ 3928.38	\$ 4499.38	\$ 4305.49	\$ 4952.90
	84"(2134mm)	TORP-3684-		S	DK6	2495.46	3021.48	2634.89	3160.91	4251.09	4917.14	4687.49	5444.14	
42"(1067mm)	84"(2134mm)	TORP-4284-		S	DK6	\$ 2604.02	\$ 3153.38	\$ 2752.13	\$ 3301.49	\$ 4596.24	\$ 5292.62	\$ 5094.88	\$ 5886.40	
96"(2438mm)	TORP-4296-		S	DK6	2721.99	3351.81	2878.78	3508.60	4970.28	5771.26	5537.56	6449.29		

Jive Table — Dual Disc Base

Rectangle



TORA-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, two bases, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 30" (762mm) tops include 21" (533mm) two disc bases
 - 36" (914mm) tops include two 27" (686mm) disc bases
 - 42" (1067mm) tops include two 27" (686mm) disc bases
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- M** Center, Double-Sided/8 outlets (add **\$48.13** list)
- Q** Center, Double-Sided/12 outlets (add **\$48.13** list)

- Laminate surface color or wood finish color.

- Edgeband trim color (laminate only).


- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


							HPL				Wood					
Height	Depth	Width	Number	①	②	③	A	F	B	F	A	U	B	U		
							J	F	J	F	K	U	K	U		
Base — No Power																
29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-		S	DN4	\$ 2165.00	\$ 2530.27	\$ 2283.35	\$ 2648.62	\$ 3310.57	\$ 3767.64	\$ 3584.16	\$ 4100.63		
		72"(1829mm)	TCRA-3072-		S	DN4	2250.63	2681.67	2375.18	2806.22	3581.94	4124.51	3905.48	4520.22		
		36"(914mm)	72"(1829mm)	TCRA-3672-		S	DN4	\$ 2343.99	\$ 2796.90	\$ 2475.98	\$ 2928.89	\$ 3878.72	\$ 4449.72	\$ 4255.83	\$ 4903.24	
		84"(2134mm)	TCRA-3684-		S	DN4	2445.80	2971.82	2585.23	3111.25	4201.43	4867.48	4637.83	5394.48		
	42"(1067mm)	84"(2134mm)	TCRA-4284-		S	DN4	\$ 2554.36	\$ 3103.72	\$ 2702.47	\$ 3251.83	\$ 4546.58	\$ 5242.96	\$ 5045.22	\$ 5836.74		
		96"(2438mm)	TCRA-4296-		S	DN4	2672.33	3302.15	2829.12	3458.94	4920.62	5721.60	5487.90	6399.63		
		36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-		S	DN6	\$ 2181.66	\$ 2546.93	\$ 2300.01	\$ 2665.28	\$ 3327.23	\$ 3784.30	\$ 3600.82	\$ 4117.29
				72"(1829mm)	TCRA-3072-		S	DN6	2267.29	2698.33	2391.84	2822.88	3598.60	4141.17	3922.14	4536.88
36"(914mm)	72"(1829mm)			TCRA-3672-		S	DN6	\$ 2360.65	\$ 2813.56	\$ 2492.64	\$ 2945.55	\$ 3895.38	\$ 4466.38	\$ 4272.49	\$ 4919.90	
84"(2134mm)	TCRA-3684-				S	DN6	2462.46	2988.48	2601.89	3127.91	4218.09	4884.14	4654.49	5411.14		
	42"(1067mm)	84"(2134mm)	TCRA-4284-		S	DN6	\$ 2571.02	\$ 3120.38	\$ 2719.13	\$ 3268.49	\$ 4563.24	\$ 5259.62	\$ 5061.88	\$ 5853.40		
		96"(2438mm)	TCRA-4296-		S	DN6	2688.99	3318.81	2845.78	3475.60	4937.28	5738.26	5504.56	6416.29		
		Base — Power Ready														
		29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-		S	DK4	\$ 2193.49	\$ 2558.76	\$ 2311.84	\$ 2677.11	\$ 3339.06	\$ 3796.13	\$ 3612.65	\$ 4129.12
72"(1829mm)	TCRA-3072-				S	DK4	2279.12	2710.16	2403.67	2834.71	3610.43	4153.00	3933.97	4548.71		
36"(914mm)	72"(1829mm)			TCRA-3672-		S	DK4	\$ 2372.48	\$ 2825.39	\$ 2504.47	\$ 2957.38	\$ 3907.21	\$ 4478.21	\$ 4284.32	\$ 4931.73	
84"(2134mm)	TCRA-3684-				S	DK4	2474.29	3000.31	2613.72	3139.74	4229.92	4895.97	4666.32	5422.97		
	42"(1067mm)	84"(2134mm)	TCRA-4284-		S	DK4	\$ 2582.85	\$ 3132.21	\$ 2730.96	\$ 3280.32	\$ 4575.07	\$ 5271.45	\$ 5073.71	\$ 5865.23		
		96"(2438mm)	TCRA-4296-		S	DK4	2700.82	3330.64	2857.61	3487.43	4949.11	5750.09	5516.39	6428.12		
		36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-		S	DK6	\$ 2210.15	\$ 2575.42	\$ 2328.50	\$ 2693.77	\$ 3355.72	\$ 3812.79	\$ 3629.31	\$ 4145.78
				72"(1829mm)	TCRA-3072-		S	DK6	2295.78	2726.82	2420.33	2851.37	3627.09	4169.66	3950.63	4565.37
36"(914mm)	72"(1829mm)			TCRA-3672-		S	DK6	\$ 2389.14	\$ 2842.05	\$ 2521.13	\$ 2974.04	\$ 3923.87	\$ 4494.87	\$ 4300.98	\$ 4948.39	
84"(2134mm)	TCRA-3684-				S	DK6	2490.95	3016.97	2630.38	3156.40	4246.58	4912.63	4682.98	5439.63		
	42"(1067mm)	84"(2134mm)	TCRA-4284-		S	DK6	\$ 2599.51	\$ 3148.87	\$ 2747.62	\$ 3296.98	\$ 4591.73	\$ 5288.11	\$ 5090.37	\$ 5881.89		
		96"(2438mm)	TCRA-4296-		S	DK6	2717.48	3347.30	2874.27	3504.09	4965.77	5766.75	5533.05	6444.78		

Jive Table — Dual Disc Base

Racetrack



TORT-SND
Class JV



Features

- Includes 1.18" (30mm) thick standard top, two bases, glides and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29" (737mm) and 36" (914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 30" (762mm) tops include 21" (533mm) two disc bases
 - 36" (914mm) tops include two 27" (686mm) disc bases
 - 42" (1067mm) tops include two 27" (686mm) disc bases
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$48.13** list)

J Center, Single-Sided/
6 outlets (add **\$48.13** list)

M Center, Double-Sided/
8 outlets (add **\$48.13** list)

Q Center, Double-Sided/
12 outlets (add **\$48.13** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	①	②	③	④	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
								J	F	J	F	K	U	K	U
Base — No Power															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRT-3060-			S	DN4	\$ 2169.49	\$ 2534.76	\$ 2287.84	\$ 2653.11	\$ 3315.06	\$ 3772.13	\$ 3588.65	\$ 4105.12
		72"(1829mm)	TCRT-3072-			S	DN4	2255.12	2686.16	2379.67	2810.71	3586.43	4129.00	3909.97	4524.71
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	DN4	\$ 2348.48	\$ 2801.39	\$ 2480.47	\$ 2933.38	\$ 3883.21	\$ 4454.21	\$ 4260.32	\$ 4907.73
		84"(2134mm)	TCRT-3684-			S	DN4	2450.29	2976.31	2589.72	3115.74	4205.92	4871.97	4642.32	5398.97
	42"(1067mm)	84"(2134mm)	TCRT-4284-			S	DN4	\$ 2558.85	\$ 3108.21	\$ 2706.96	\$ 3256.32	\$ 4551.07	\$ 5247.45	\$ 5049.71	\$ 5841.23
96"(2438mm)		TCRT-4296-			S	DN4	2676.82	3306.64	2833.61	3463.43	4925.11	5726.09	5492.39	6404.12	
36"(914mm)		30"(762mm)	60"(1524mm)	TCRT-3060-			S	DN6	\$ 2186.17	\$ 2551.44	\$ 2304.52	\$ 2669.79	\$ 3331.74	\$ 3788.81	\$ 3605.33
	72"(1829mm)		TCRT-3072-			S	DN6	2271.80	2702.84	2396.35	2827.39	3603.11	4145.68	3926.65	4541.39
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	DN6	\$ 2365.16	\$ 2818.07	\$ 2497.15	\$ 2950.06	\$ 3899.89	\$ 4470.89	\$ 4277.00	\$ 4924.41
		84"(2134mm)	TCRT-3684-			S	DN6	2466.97	2992.99	2606.40	3132.42	4222.60	4888.65	4659.00	5415.65
	42"(1067mm)	84"(2134mm)	TCRT-4284-			S	DN6	\$ 2575.53	\$ 3124.89	\$ 2723.64	\$ 3273.00	\$ 4567.75	\$ 5264.13	\$ 5066.39	\$ 5857.91
96"(2438mm)		TCRT-4296-			S	DN6	2693.50	3323.32	2850.29	3480.11	4941.79	5742.77	5509.07	6420.80	
Base — Power Ready															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRT-3060-			S	DK4	\$ 2197.98	\$ 2563.25	\$ 2316.33	\$ 2681.60	\$ 3343.55	\$ 3800.62	\$ 3617.14	\$ 4133.61
		72"(1829mm)	TCRT-3072-			S	DK4	2283.61	2714.65	2408.16	2839.20	3614.92	4157.49	3938.46	4553.20
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	DK4	\$ 2376.97	\$ 2829.88	\$ 2508.96	\$ 2961.87	\$ 3911.70	\$ 4482.70	\$ 4288.81	\$ 4936.22
		84"(2134mm)	TCRT-3684-			S	DK4	2478.78	3004.80	2618.21	3144.23	4234.41	4900.46	4670.81	5427.46
	42"(1067mm)	84"(2134mm)	TCRT-4284-			S	DK4	\$ 2587.34	\$ 3136.70	\$ 2735.45	\$ 3284.81	\$ 4579.56	\$ 5275.94	\$ 5078.20	\$ 5869.72
96"(2438mm)		TCRT-4296-			S	DK4	2705.31	3335.13	2862.10	3491.92	4953.60	5754.58	5520.88	6432.61	
36"(914mm)		30"(762mm)	60"(1524mm)	TCRT-3060-			S	DK6	\$ 2214.66	\$ 2579.93	\$ 2333.01	\$ 2698.28	\$ 3360.23	\$ 3817.30	\$ 3633.82
	72"(1829mm)		TCRT-3072-			S	DK6	2300.29	2731.33	2424.84	2855.88	3631.60	4174.17	3955.14	4569.88
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	DK6	\$ 2393.65	\$ 2846.56	\$ 2525.64	\$ 2978.55	\$ 3928.38	\$ 4499.38	\$ 4305.49	\$ 4952.90
		84"(2134mm)	TCRT-3684-			S	DK6	2495.46	3021.48	2634.89	3160.91	4251.09	4917.14	4687.49	5444.14
	42"(1067mm)	84"(2134mm)	TCRT-4284-			S	DK6	\$ 2604.02	\$ 3153.38	\$ 2752.13	\$ 3301.49	\$ 4596.24	\$ 5292.62	\$ 5094.88	\$ 5886.40
96"(2438mm)		TCRT-4296-			S	DK6	2721.99	3351.81	2878.78	3508.60	4970.28	5771.26	5537.56	6449.29	

Jive Table — Disc Base


Pneumatic Adjustment

Round




TCRN

Square



TCRQ

Pebble



TCRP
Class JV

Features

- Includes 1.18"(30mm) thick top, disc base, glides, pneumatic column with lever and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband or wood veneer top with 3mm wood edgeband or knife edge.
- Pneumatic height adjustment with 27"(686mm) to 44"(1118mm) continuous adjustment.
- Glides have 0.38"(9.5mm) height adjustment and are standard in black.
- Tables is available with black glides only.

Specification Tips

- Base Sizes:
 - 30"(762mm) tops include 21"(533mm) disc base.
 - 36"(914mm) tops include 27"(686mm) disc base.
- Power cannot be routed through column.
- Does not accept screen, AKP, monitor arms or any drawers or pedestals.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

2) Laminate surface color or wood finish color.


3) Edgeband trim color (laminate only).

4) Base trim color.


Note: \$66.18 upcharge list for Grade B trim colors.

Diameter	Number ①②	HPL				Wood			
		A		B		A		B	
		J	F	J	F	K	U	K	U
Round									
30"(762mm)	TCRN-3030-   SNDNA	\$ 1817.54	\$2080.81	\$1916.05	\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRN-3636-   SNDNA	1906.54	2210.61	2011.87	2315.94	2688.30	3021.25	2865.59	3238.52
Square									
30"(762mm)	TCRQ-3030-   SNDNA	\$ 1817.54	\$2080.81	\$1916.05	\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRQ-3636-   SNDNA	1906.54	2210.61	2011.87	2315.94	2688.30	3021.25	2865.59	3238.52
Pebble									
30"(762mm)	TCRP-3030-   SNDNA	\$ 1817.54	\$2080.81	\$1916.05	\$2179.32	\$2405.75	\$2619.60	\$ 2531.62	\$2766.34
36"(914mm)	TCRP-3636-   SNDNA	1906.54	2210.61	2011.87	2315.94	2688.30	3021.25	2865.59	3238.52

Jive Table — T-Leg — Extruded Rectangle



TCRA-SNT
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table heights are 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D - Widths 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D with 60" (1524mm) only available on 29" (737mm)H table.
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutouts are available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm), 36" (914mm) and 42" (1067mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- H** Belong Hatch

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — T-Leg — Extruded Rectangle

Height	Depth	Width	Number	①	②	③	④	⑤	HPL				Wood				
									A	F	B	F	A	U	B	U	
Base — No Power — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	T	4		\$ 975.36	\$1242.87	\$1077.59	\$1345.10	\$ 1663.00	\$1992.98	\$ 1814.90	\$ 2185.31	
		54"(1372mm)	TCRA-1854-		S	T	4		1002.37	1297.63	1106.46	1401.72	1748.46	2114.52	1916.25	2328.11	
		60"(1524mm)	TCRA-1860-		S	T	4		1029.62	1354.09	1135.57	1460.04	1834.67	2238.70	2018.50	2474.01	
		66"(1676mm)	TCRA-1866-		S	T	4		1057.11	1412.27	1164.92	1520.08	1921.62	2365.54	2121.66	2623.01	
		72"(1829mm)	TCRA-1872-		S	T	4		1084.85	1472.15	1194.52	1581.82	2009.32	2495.03	2225.73	2775.12	
		24"(610mm)	36"(914mm)	TCRA-2436-		S	T	4		\$ 969.82	\$1203.72	\$1072.05	\$1305.95	\$ 1645.99	\$1932.27	\$ 1794.14	\$ 2114.31
		42"(1067mm)	TCRA-2442-		S	T	4		1003.95	1263.38	1108.66	1368.09	1754.15	2073.63	1922.19	2280.53	
		48"(1219mm)	TCRA-2448-		S	T	4		1038.32	1324.76	1145.51	1431.95	1863.05	2217.65	2051.15	2449.85	
		54"(1372mm)	TCRA-2454-		S	T	4		1072.93	1387.85	1182.60	1497.52	1972.70	2364.32	2181.02	2622.27	
		60"(1524mm)	TCRA-2460-		S	T	4		1107.78	1452.65	1219.93	1564.80	2083.09	2513.64	2311.80	2797.79	
		66"(1676mm)	TCRA-2466-		S	T	4		1142.87	1519.16	1257.50	1633.79	2194.22	2665.61	2443.48	2976.41	
		72"(1829mm)	TCRA-2472-		S	T	4		1178.21	1587.38	1295.32	1704.49	2306.10	2820.24	2576.08	3158.14	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	T	4		\$ 1017.58	\$1268.93	\$ 1123.53	\$ 1374.88	\$ 1797.68	\$2106.67	\$ 1973.34	\$ 2319.61
		42"(1067mm)	TCRA-3042-		S	T	4		1059.31	1336.94	1168.36	1445.99	1930.03	2273.17	2129.92	2515.45	
		48"(1219mm)	TCRA-3048-		S	T	4		1101.28	1406.65	1213.43	1518.80	2063.11	2442.32	2287.41	2714.39	
		54"(1372mm)	TCRA-3054-		S	T	4		1143.49	1478.07	1258.74	1593.32	2196.94	2614.12	2445.80	2916.43	
		60"(1524mm)	TCRA-3060-		S	T	4		1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57	
		66"(1676mm)	TCRA-3066-		S	T	4		1228.64	1626.06	1350.09	1747.51	2466.82	2965.69	2765.31	3329.81	
		72"(1829mm)	TCRA-3072-		S	T	4		1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16	
		36"(914mm)	60"(1524mm)	TCRA-3660-		S	T	4		\$1264.10	\$1649.77	\$1388.65	\$ 1774.32	\$ 2579.93	\$3063.52	\$2898.40	\$3445.35
		66"(1676mm)	TCRA-3666-		S	T	4		1314.40	1732.95	1442.67	1861.22	2739.43	3265.77	3087.13	3683.21	
		72"(1829mm)	TCRA-3672-		S	T	4		1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18	
		36"(914mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	TG6		\$ 1119.51	\$1353.41	\$ 1221.74	\$ 1455.64	\$ 1795.68	\$2081.96	\$1943.83	\$2264.00
		42"(1067mm)	TCRA-2442-		S	TG6		1153.64	1413.07	1258.35	1517.78	1903.84	2223.32	2071.88	2430.22		
		48"(1219mm)	TCRA-2448-		S	TG6		1188.01	1474.45	1295.20	1581.64	2012.74	2367.34	2200.84	2599.54		
		54"(1372mm)	TCRA-2454-		S	TG6		1222.62	1537.54	1332.29	1647.21	2122.39	2514.01	2330.71	2771.96		
		60"(1524mm)	TCRA-2460-		S	TG6		1257.47	1602.34	1369.62	1714.49	2232.78	2663.33	2461.49	2947.48		
		66"(1676mm)	TCRA-2466-		S	TG6		1292.56	1668.85	1407.19	1783.48	2343.91	2815.30	2593.17	3126.10		
		72"(1829mm)	TCRA-2472-		S	TG6		1327.90	1737.07	1445.01	1854.18	2455.79	2969.93	2725.77	3307.83		
		30"(762mm)	36"(914mm)	TCRA-3036-		S	TG6		\$ 1167.27	\$ 1418.62	\$1273.22	\$ 1524.57	\$ 1947.37	\$2256.36	\$ 2123.03	\$2469.30	
		42"(1067mm)	TCRA-3042-		S	TG6		1209.00	1486.63	1318.05	1595.68	2079.72	2422.86	2279.61	2665.14		
		48"(1219mm)	TCRA-3048-		S	TG6		1250.97	1556.34	1363.12	1668.49	2212.80	2592.01	2437.10	2864.08		
		54"(1372mm)	TCRA-3054-		S	TG6		1293.18	1627.76	1408.43	1743.01	2346.63	2763.81	2595.49	3066.12		
		60"(1524mm)	TCRA-3060-		S	TG6		1335.63	1700.90	1453.98	1819.25	2481.20	2938.27	2754.79	3271.26		
		66"(1676mm)	TCRA-3066-		S	TG6		1378.33	1775.75	1499.78	1897.20	2616.51	3115.38	2915.00	3479.50		
		72"(1829mm)	TCRA-3072-		S	TG6		1421.26	1852.30	1545.81	1976.85	2752.57	3295.14	3076.11	3690.85		
		36"(914mm)	66"(1676mm)	TCRA-3666-		S	TG6		\$1464.09	\$1882.64	\$1592.36	\$ 2010.91	\$2889.12	\$ 3415.46	\$3236.82	\$3832.90	
		72"(1829mm)	TCRA-3672-		S	TG6		1514.62	1967.53	1646.61	2099.52	3049.35	3620.35	3426.46	4073.87		
		42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	TG7		\$1254.22	\$1488.12	\$1356.45	\$1590.35	\$ 1930.39	\$ 2216.67	\$2078.54	\$2398.71
				42"(1067mm)	TCRA-2442-		S	TG7		1288.35	1547.78	1393.06	1652.49	2038.55	2358.03	2206.59	2564.93
48"(1219mm)	TCRA-2448-				S	TG7		1322.72	1609.16	1429.91	1716.35	2147.45	2502.05	2335.55	2734.25		
54"(1372mm)	TCRA-2454-				S	TG7		1357.33	1672.25	1467.00	1781.92	2257.10	2648.72	2465.42	2906.67		
60"(1524mm)	TCRA-2460-				S	TG7		1392.18	1737.05	1504.33	1849.20	2367.49	2798.04	2596.20	3082.19		
66"(1676mm)	TCRA-2466-				S	TG7		1427.27	1803.56	1541.90	1918.19	2478.62	2950.01	2727.88	3260.81		
72"(1829mm)	TCRA-2472-				S	TG7		1462.61	1871.78	1579.72	1988.89	2590.50	3104.64	2860.48	3442.54		
30"(762mm)	36"(914mm)			TCRA-3036-		S	TG7		\$ 1301.98	\$1553.33	\$1407.93	\$1659.28	\$2082.08	\$ 2391.07	\$2257.74	\$2604.01	
42"(1067mm)	TCRA-3042-				S	TG7		1343.71	1621.34	1452.76	1730.39	2214.43	2557.57	2414.32	2799.85		
48"(1219mm)	TCRA-3048-				S	TG7		1385.68	1691.05	1497.83	1803.20	2347.51	2726.72	2571.81	2998.79		
54"(1372mm)	TCRA-3054-				S	TG7		1427.89	1762.47	1543.14	1877.72	2481.34	2898.52	2730.20	3200.83		
		60"(1524mm)	TCRA-3060-		S	TG7		1470.34	1835.61	1588.69	1953.96	2615.91	3072.98	2889.50	3405.97		
		66"(1676mm)	TCRA-3066-		S	TG7		1513.04	1910.46	1634.49	2031.91	2751.22	3250.09	3049.71	3614.21		
		72"(1829mm)	TCRA-3072-		S	TG7		1555.97	1987.01	1680.52	2111.56	2887.28	3429.85	3210.82	3825.56		
		36"(914mm)	66"(1676mm)	TCRA-3666-		S	TG7		\$1598.80	\$2017.35	\$ 1727.07	\$ 2145.62	\$3023.83	\$3550.17	\$ 3371.53	\$3967.61	
		72"(1829mm)	TCRA-3672-		S	TG7		1649.33	2102.24	1781.32	2234.23	3184.06	3755.06	3561.17	4208.58		


Jive Table — T-Leg — Extruded Rectangle

Height	Depth	Width	Number	①	②	③	④	⑤	HPL				Wood		B		
									A	B		A	U	K	U		
									J	F	J	F	K	U	K	U	
Base — Power Ready — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-		S	T	4		\$1003.85	\$ 1271.36	\$ 1106.08	\$ 1373.59	\$ 1691.49	\$ 2021.47	\$ 1843.39	\$ 2213.80	
		54"(1372mm)	TCRA-1854-		S	T	4		1030.86	1326.12	1134.95	1430.21	1776.95	2143.01	1944.74	2356.60	
		60"(1524mm)	TCRA-1860-		S	T	4		1058.11	1382.58	1164.06	1488.53	1863.16	2267.19	2046.99	2502.50	
		66"(1676mm)	TCRA-1866-		S	T	4		1085.60	1440.76	1193.41	1548.57	1950.11	2394.03	2150.15	2651.50	
		72"(1829mm)	TCRA-1872-		S	T	4		1113.34	1500.64	1223.01	1610.31	2037.81	2523.52	2254.22	2803.61	
	24"(610mm)	36"(914mm)	TCRA-2436-		S	T	4		\$ 998.31	\$ 1232.21	\$ 1100.54	\$ 1334.44	\$ 1674.48	\$ 1960.76	\$ 1822.63	\$ 2142.80	
		42"(1067mm)	TCRA-2442-		S	T	4		1032.44	1291.87	1137.15	1396.58	1782.64	2102.12	1950.68	2309.02	
		48"(1219mm)	TCRA-2448-		S	T	4		1066.81	1353.25	1174.00	1460.44	1891.54	2246.14	2079.64	2478.34	
		54"(1372mm)	TCRA-2454-		S	T	4		1101.42	1416.34	1211.09	1526.01	2001.19	2392.81	2209.51	2650.76	
		60"(1524mm)	TCRA-2460-		S	T	4		1136.27	1481.14	1248.42	1593.29	2111.58	2542.13	2340.29	2826.28	
		66"(1676mm)	TCRA-2466-		S	T	4		1171.36	1547.65	1285.99	1662.28	2222.71	2694.10	2471.97	3004.90	
		72"(1829mm)	TCRA-2472-		S	T	4		1206.70	1615.87	1323.81	1732.98	2334.59	2848.73	2604.57	3186.63	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	T	4		\$1046.07	\$ 1297.42	\$ 1152.02	\$ 1403.37	\$ 1826.17	\$ 2135.16	\$ 2001.83	\$ 2348.10
			42"(1067mm)	TCRA-3042-		S	T	4		1087.80	1365.43	1196.85	1474.48	1958.52	2301.66	2158.41	2543.94
			48"(1219mm)	TCRA-3048-		S	T	4		1129.77	1435.14	1241.92	1547.29	2091.60	2470.81	2315.90	2742.88
54"(1372mm)	TCRA-3054-			S	T	4		1171.98	1506.56	1287.23	1621.81	2225.43	2642.61	2474.29	2944.92		
60"(1524mm)	TCRA-3060-			S	T	4		1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06		
		66"(1676mm)	TCRA-3066-		S	T	4		1257.13	1654.55	1378.58	1776.00	2495.31	2994.18	2793.80	3358.30	
		72"(1829mm)	TCRA-3072-		S	T	4		1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65	
		36"(914mm)	60"(1524mm)	TCRA-3660-		S	T	4		\$1292.59	\$ 1678.26	\$ 1417.14	\$ 1802.81	\$2608.42	\$3092.01	\$ 2926.89	\$ 3473.84
			66"(1676mm)	TCRA-3666-		S	T	4		1342.89	1761.44	1471.16	1889.71	2767.92	3294.26	3115.62	3711.70
			72"(1829mm)	TCRA-3672-		S	T	4		1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67
36"(914mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	TK6			\$ 1148.00	\$ 1381.90	\$1250.23	\$ 1484.13	\$ 1824.17	\$ 2110.45	\$ 1972.32	\$ 2292.49	
		42"(1067mm)	TCRA-2442-		S	TK6			1182.13	1441.56	1286.84	1546.27	1932.33	2251.81	2100.37	2458.71	
		48"(1219mm)	TCRA-2448-		S	TK6			1216.50	1502.94	1323.69	1610.13	2041.23	2395.83	2229.33	2628.03	
		54"(1372mm)	TCRA-2454-		S	TK6			1251.11	1566.03	1360.78	1675.70	2150.88	2542.50	2359.20	2800.45	
		60"(1524mm)	TCRA-2460-		S	TK6			1285.96	1630.83	1398.11	1742.98	2261.27	2691.82	2489.98	2975.97	
		66"(1676mm)	TCRA-2466-		S	TK6			1321.05	1697.34	1435.68	1811.97	2372.40	2843.79	2621.66	3154.59	
		72"(1829mm)	TCRA-2472-		S	TK6			1356.39	1765.56	1473.50	1882.67	2484.28	2998.42	2754.26	3336.32	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	TK6			\$ 1195.76	\$ 1447.11	\$ 1301.71	\$ 1553.06	\$ 1975.86	\$ 2284.85	\$ 2151.52	\$ 2497.79
			42"(1067mm)	TCRA-3042-		S	TK6			1237.49	1515.12	1346.54	1624.17	2108.21	2451.35	2308.10	2693.63
			48"(1219mm)	TCRA-3048-		S	TK6			1279.46	1584.83	1391.61	1696.98	2241.29	2620.50	2465.59	2892.57
		54"(1372mm)	TCRA-3054-		S	TK6			1321.67	1656.25	1436.92	1771.50	2375.12	2792.30	2623.98	3094.61	
		60"(1524mm)	TCRA-3060-		S	TK6			1364.12	1729.39	1482.47	1847.74	2509.69	2966.76	2783.28	3299.75	
		66"(1676mm)	TCRA-3066-		S	TK6			1406.82	1804.24	1528.27	1925.69	2645.00	3143.87	2943.49	3507.99	
		72"(1829mm)	TCRA-3072-		S	TK6			1449.75	1880.79	1574.30	2005.34	2781.06	3323.63	3104.60	3719.34	
		36"(914mm)	66"(1676mm)	TCRA-3666-		S	TK6			\$1492.58	\$ 1911.13	\$1620.85	\$2039.40	\$ 2917.61	\$3443.95	\$ 3265.31	\$ 3861.39
72"(1829mm)	TCRA-3672-			S	TK6			1543.11	1996.02	1675.10	2128.01	3077.84	3648.84	3454.95	4102.36		
42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-		S	TK7			\$1282.71	\$ 1516.61	\$1384.94	\$ 1618.84	\$ 1958.88	\$ 2245.16	\$ 2107.03	\$ 2427.20	
		42"(1067mm)	TCRA-2442-		S	TK7			1316.84	1576.27	1421.55	1680.98	2067.04	2386.52	2235.08	2593.42	
		48"(1219mm)	TCRA-2448-		S	TK7			1351.21	1637.65	1458.40	1744.84	2175.94	2530.54	2364.04	2762.74	
		54"(1372mm)	TCRA-2454-		S	TK7			1385.82	1700.74	1495.49	1810.41	2285.59	2677.21	2493.91	2935.16	
		60"(1524mm)	TCRA-2460-		S	TK7			1420.67	1765.54	1532.82	1877.69	2395.98	2826.53	2624.69	3110.68	
		66"(1676mm)	TCRA-2466-		S	TK7			1455.76	1832.05	1570.39	1946.68	2507.11	2978.50	2756.37	3289.30	
		72"(1829mm)	TCRA-2472-		S	TK7			1491.10	1900.27	1608.21	2017.38	2618.99	3133.13	2888.97	3471.03	
		30"(762mm)	36"(914mm)	TCRA-3036-		S	TK7			\$1330.47	\$ 1581.82	\$1436.42	\$ 1687.77	\$ 2110.57	\$ 2419.56	\$ 2286.23	\$ 2632.50
			42"(1067mm)	TCRA-3042-		S	TK7			1372.20	1649.83	1481.25	1758.88	2242.92	2586.06	2442.81	2828.34
			48"(1219mm)	TCRA-3048-		S	TK7			1414.17	1719.54	1526.32	1831.69	2376.00	2755.21	2600.30	3027.28
		54"(1372mm)	TCRA-3054-		S	TK7			1456.38	1790.96	1571.63	1906.21	2509.83	2927.01	2758.69	3229.32	
		60"(1524mm)	TCRA-3060-		S	TK7			1498.83	1864.10	1617.18	1982.45	2644.40	3101.47	2917.99	3434.46	
		66"(1676mm)	TCRA-3066-		S	TK7			1541.53	1938.95	1662.98	2060.40	2779.71	3278.58	3078.20	3642.70	
		72"(1829mm)	TCRA-3072-		S	TK7			1584.46	2015.50	1709.01	2140.05	2915.77	3458.34	3239.31	3854.05	
		36"(914mm)	66"(1676mm)	TCRA-3666-		S	TK7			\$1627.29	\$2045.84	\$1755.56	\$ 2174.11	\$3052.32	\$ 3578.66	\$3400.02	\$ 3996.10
72"(1829mm)	TCRA-3672-			S	TK7			1677.82	2130.73	1809.81	2262.72	3212.55	3783.55	3589.66	4237.07		

Jive Table — T-Leg — Extended Pebble



TCRP-SNT
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.


3) Edgeband trim color (laminate only).

4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	T	4		\$ 1101.28	\$1406.65	\$ 1213.43	\$ 1518.80	\$2063.11	\$ 2442.32	\$ 2287.41	\$ 2714.39
		60"(1524mm)	TCRP-3060-		S	T	4		1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57
		72"(1829mm)	TCRP-3072-		S	T	4		1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	T	4		\$1264.10	\$1649.77	\$1388.65	\$ 1774.32	\$ 2579.93	\$3063.52	\$2898.40	\$3445.35
		72"(1829mm)	TCRP-3672-		S	T	4		1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-		S	T	4		\$ 1129.77	\$1435.14	\$ 1241.92	\$ 1547.29	\$ 2091.60	\$ 2470.81	\$ 2315.90	\$ 2742.88
		60"(1524mm)	TCRP-3060-		S	T	4		1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06
		72"(1829mm)	TCRP-3072-		S	T	4		1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65
	36"(914mm)	60"(1524mm)	TCRP-3660-		S	T	4		\$1292.59	\$1678.26	\$ 1417.14	\$1802.81	\$2608.42	\$3092.01	\$2926.89	\$3473.84
		72"(1829mm)	TCRP-3672-		S	T	4		1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67

Jive Table — T-Leg — Extruded Racetrack



TORT-SNT
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:


- A** Painted
- B** Polished (add **\$66.68** list)

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	①	②	③	④	⑤	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	T	4		\$ 1101.28	\$1406.65	\$ 1213.43	\$ 1518.80	\$2063.11	\$ 2442.32	\$ 2287.41	\$ 2714.39
		60"(1524mm)	TCRT-3060-		S	T	4		1185.94	1551.21	1304.29	1669.56	2331.51	2788.58	2605.10	3121.57
		72"(1829mm)	TCRT-3072-		S	T	4		1271.57	1702.61	1396.12	1827.16	2602.88	3145.45	2926.42	3541.16
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	T	4		\$1264.10	\$1649.77	\$1388.65	\$1774.32	\$2579.93	\$3063.52	\$2898.40	\$3445.35
		72"(1829mm)	TCRT-3672-		S	T	4		1364.93	1817.84	1496.92	1949.83	2899.66	3470.66	3276.77	3924.18
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	T	4		\$ 1129.77	\$1435.14	\$ 1241.92	\$1547.29	\$ 2091.60	\$ 2470.81	\$ 2315.90	\$ 2742.88
		60"(1524mm)	TCRT-3060-		S	T	4		1214.43	1579.70	1332.78	1698.05	2360.00	2817.07	2633.59	3150.06
		72"(1829mm)	TCRT-3072-		S	T	4		1300.06	1731.10	1424.61	1855.65	2631.37	3173.94	2954.91	3569.65
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	T	4		\$1292.59	\$1678.26	\$ 1417.14	\$1802.81	\$2608.42	\$3092.01	\$2926.89	\$3473.84
		72"(1829mm)	TCRT-3672-		S	T	4		1393.42	1846.33	1525.41	1978.32	2928.15	3499.15	3305.26	3952.67

Jive Table — T-Leg — Extruded Trapezoid



TCTP-SNT
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Jive Table — T-Leg — Extruded Trapezoid

Height	Depth	Width	Number	①	②	③	④	⑤	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-		S	T	4		\$1038.34	\$1324.78	\$1043.30	\$1329.74	\$1246.48	\$1601.08	\$1305.95	\$1704.65
		54"(1372mm)	TCTP-2454-		S	T	4		1072.95	1387.87	1080.39	1395.31	1356.13	1747.75	1435.82	1877.07
		60"(1524mm)	TCTP-2460-		S	T	4		1107.80	1452.67	1117.72	1462.59	1466.52	1897.07	1566.60	2052.59
		66"(1676mm)	TCTP-2466-		S	T	4		1142.89	1519.18	1155.29	1531.58	1577.65	2049.04	1698.28	2231.21
		72"(1829mm)	TCTP-2472-		S	T	4		1178.23	1587.40	1193.11	1602.28	1689.53	2203.67	1830.88	2412.94
30"(762mm)	60"(1524mm)	TCTP-3060-		S	T	4		\$1185.96	\$1551.23	\$1202.08	\$1567.35	\$1714.94	\$2172.01	\$1859.90	\$2376.37	
		66"(1676mm)	TCTP-3066-		S	T	4		1228.66	1626.08	1247.88	1645.30	1850.25	2349.12	2020.11	2584.61
		72"(1829mm)	TCTP-3072-		S	T	4		1271.59	1702.63	1293.91	1724.95	1986.31	2528.88	2181.22	2795.96
		36"(914mm)	84"(2134mm)	TCTP-3684-		S	T	4	\$1466.76	\$1992.78	\$1503.96	\$2029.98	\$2605.80	\$3271.85	\$2913.57	\$3670.22
Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-		S	T	4		\$1066.83	\$1353.27	\$1071.79	\$1358.23	\$1274.97	\$1629.57	\$1334.44	\$1733.14
		54"(1372mm)	TCTP-2454-		S	T	4		1101.44	1416.36	1108.88	1423.80	1384.62	1776.24	1464.31	1905.56
		60"(1524mm)	TCTP-2460-		S	T	4		1136.29	1481.16	1146.21	1491.08	1495.01	1925.56	1595.09	2081.08
		66"(1676mm)	TCTP-2466-		S	T	4		1171.38	1547.67	1183.78	1560.07	1606.14	2077.53	1726.77	2259.70
		72"(1829mm)	TCTP-2472-		S	T	4		1206.72	1615.89	1221.60	1630.77	1718.02	2232.16	1859.37	2441.43
30"(762mm)	60"(1524mm)	TCTP-3060-		S	T	4		\$1214.45	\$1579.72	\$1230.57	\$1595.84	\$1743.43	\$2200.50	\$1888.39	\$2404.86	
		66"(1676mm)	TCTP-3066-		S	T	4		1257.15	1654.57	1276.37	1673.79	1878.74	2377.61	2048.60	2613.10
		72"(1829mm)	TCTP-3072-		S	T	4		1300.08	1731.12	1322.40	1753.44	2014.80	2557.37	2209.71	2824.45
		36"(914mm)	84"(2134mm)	TCTP-3684-		S	T	4	\$1495.25	\$2021.27	\$1532.45	\$2058.47	\$2634.29	\$3300.34	\$2942.06	\$3698.71

Jive Table — T-Leg — Round Rectangle



TORA-SNF
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table heights are 29" (737mm), 36" (914mm) and 42" (1067mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D - Widths 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D with 60" (1524mm) only available on 29" (737mm)H table.
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- No casters on 36" (914mm) or 42" (1067mm) height tables.
- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm)H tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm), 36" (914mm) and 42" (1067mm)H tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)
- H** Belong Hatch

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round Rectangle


Height	Depth	Width	Distributed Load					HPL				Wood														
			Capacity	Number					A		B		A		B											
					1	2	3	4	5	J	F	J	F	K	U	K	U									
Base — No Power — No Cutout																										
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-		S	F	4	\$	777.54	\$1045.05	\$	879.77	\$	1147.28	\$	1465.18	\$	1795.16	\$	1617.08	\$	1987.49			
		54"(1372mm)	173	TCRA-1854-		S	F	4		804.55	1099.81		908.64	1203.90		1550.64	1916.70		1718.43		2130.29					
		60"(1524mm)	187	TCRA-1860-		S	F	4		831.80	1156.27		937.75	1262.22		1636.85	2040.88		1820.68		2276.19					
		66"(1676mm)	202	TCRA-1866-		S	F	4		859.29	1214.45		967.10	1322.26		1723.80	2167.72		1923.84		2425.19					
		72"(1829mm)	216	TCRA-1872-		S	F	4		887.03	1274.33		996.70	1384.00		1811.50	2297.21		2027.91		2577.30					
	24"(610mm)	36"(914mm)	144	TCRA-2436-		S	F	4	\$	772.00	\$1005.90	\$	874.23	\$	1108.13	\$	1448.17	\$	1734.45	\$	1596.32	\$	1916.49			
		42"(1067mm)	158	TCRA-2442-		S	F	4		806.13	1065.56		910.84	1170.27		1556.33	1875.81		1724.37		2082.71					
		48"(1219mm)	173	TCRA-2448-		S	F	4		840.50	1126.94		947.69	1234.13		1665.23	2019.83		1853.33		2252.03					
		54"(1372mm)	187	TCRA-2454-		S	F	4		875.11	1190.03		984.78	1299.70		1774.88	2166.50		1983.20		2424.45					
		60"(1524mm)	202	TCRA-2460-		S	F	4		909.96	1254.83		1022.11	1366.98		1885.27	2315.82		2113.98		2599.97					
		66"(1676mm)	216	TCRA-2466-		S	F	4		945.05	1321.34		1059.68	1435.97		1996.40	2467.79		2245.66		2778.59					
		72"(1829mm)	230	TCRA-2472-		S	F	4		980.39	1389.56		1097.50	1506.67		2108.28	2622.42		2378.26		2960.32					
		30"(762mm)	36"(914mm)	158	TCRA-3036-		S	F	4	\$	819.76	\$	1071.11	\$	925.71	\$	1177.06	\$	1599.86	\$	1908.85	\$	1775.52	\$	2121.79	
			42"(1067mm)	173	TCRA-3042-		S	F	4		861.49	1139.12		970.54	1248.17		1732.21	2075.35		1932.10		2317.63				
			48"(1219mm)	187	TCRA-3048-		S	F	4		903.46	1208.83		1015.61	1320.98		1865.29	2244.50		2089.59		2516.57				
54"(1372mm)	202		TCRA-3054-		S	F	4		945.67	1280.25		1060.92	1395.50		1999.12	2416.30		2247.98		2718.61						
60"(1524mm)	216		TCRA-3060-		S	F	4		988.12	1353.39		1106.47	1471.74		2133.69	2590.76		2407.28		2923.75						
		66"(1676mm)	230	TCRA-3066-		S	F	4		1030.82	1428.24		1152.27	1549.69		2269.00	2767.87		2567.49		3131.99					
		72"(1829mm)	245	TCRA-3072-		S	F	4		1073.75	1504.79		1198.30	1629.34		2405.06	2947.63		2728.60		3343.34					
		36"(914mm)	60"(1524mm)	230	TCRA-3660-		S	F	4	\$	1066.28	\$	1451.95	\$	1190.83	\$	1576.50	\$	2382.11	\$	2865.70	\$	2700.58	\$	3247.53	
			66"(1676mm)	245	TCRA-3666-		S	F	4		1116.58	1535.13		1244.85	1663.40		2541.61	3067.95		2889.31		3485.39				
			72"(1829mm)	259	TCRA-3672-		S	F	4		1167.11	1620.02		1299.10	1752.01		2701.84	3272.84		3078.95		3726.36				
36"(914mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S	FG	6	\$	921.66	\$	1155.56	\$	1023.89	\$	1257.79	\$	1597.83	\$	1884.11	\$	1745.98	\$	2066.15		
		42"(1067mm)	158	TCRA-2442-		S	FG	6		955.79	1215.22		1060.50	1319.93		1705.99	2025.47		1874.03		2232.37					
		48"(1219mm)	173	TCRA-2448-		S	FG	6		990.16	1276.60		1097.35	1383.79		1814.89	2169.49		2002.99		2401.69					
		54"(1372mm)	187	TCRA-2454-		S	FG	6		1024.77	1339.69		1134.44	1449.36		1924.54	2316.16		2132.86		2574.11					
		60"(1524mm)	202	TCRA-2460-		S	FG	6		1059.62	1404.49		1171.77	1516.64		2034.93	2465.48		2263.64		2749.63					
		66"(1676mm)	216	TCRA-2466-		S	FG	6		1094.71	1471.00		1209.34	1585.63		2146.06	2617.45		2395.32		2928.25					
		72"(1829mm)	230	TCRA-2472-		S	FG	6		1130.05	1539.22		1247.16	1656.33		2257.94	2772.08		2527.92		3109.98					
		30"(762mm)	36"(914mm)	158	TCRA-3036-		S	FG	6	\$	969.42	\$	1220.77	\$	1075.37	\$	1326.72	\$	1749.52	\$	2058.51	\$	1925.18	\$	2271.45	
			42"(1067mm)	173	TCRA-3042-		S	FG	6		1011.15	1288.78		1120.20	1397.83		1881.87	2225.01		2081.76		2467.29				
			48"(1219mm)	187	TCRA-3048-		S	FG	6		1053.12	1358.49		1165.27	1470.64		2014.95	2394.16		2239.25		2666.23				
		54"(1372mm)	202	TCRA-3054-		S	FG	6		1095.33	1429.91		1210.58	1545.16		2148.78	2565.96		2397.64		2868.27					
		60"(1524mm)	216	TCRA-3060-		S	FG	6		1137.78	1503.05		1256.13	1621.40		2283.35	2740.42		2556.94		3073.41					
		66"(1676mm)	230	TCRA-3066-		S	FG	6		1180.48	1577.90		1301.93	1699.35		2418.66	2917.53		2717.15		3281.65					
		72"(1829mm)	245	TCRA-3072-		S	FG	6		1223.41	1654.45		1347.96	1779.00		2554.72	3097.29		2878.26		3493.00					
		36"(914mm)	66"(1676mm)	245	TCRA-3666-		S	FG	6	\$	1266.24	\$	1684.79	\$	1394.51	\$	1813.06	\$	2691.27	\$	3217.61	\$	3038.97	\$	3635.05	
		72"(1829mm)	259	TCRA-3672-		S	FG	6		1316.77	1769.68		1448.76	1901.67		2851.50	3422.50		3228.61		3876.02					
		42"(1067mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-		S	FG	7	\$	996.47	\$	1230.37	\$	1098.70	\$	1332.60	\$	1672.64	\$	1958.92	\$	1820.79	\$	2140.96
				42"(1067mm)	158	TCRA-2442-		S	FG	7		1030.60	1290.03		1135.31	1394.74		1780.80	2100.28		1948.84		2307.18			
				48"(1219mm)	173	TCRA-2448-		S	FG	7		1064.97	1351.41		1172.16	1458.60		1889.70	2244.30		2077.80		2476.50			
				54"(1372mm)	187	TCRA-2454-		S	FG	7		1099.58	1414.50		1209.25	1524.17		1999.35	2390.97		2207.67		2648.92			
60"(1524mm)	202			TCRA-2460-		S	FG	7		1134.43	1479.30		1246.58	1591.45		2109.74	2540.29		2338.45		2824.44					
		66"(1676mm)	216	TCRA-2466-		S	FG	7		1169.52	1545.81		1284.15	1660.44		2220.87	2692.26		2470.13		3003.06					
		72"(1829mm)	230	TCRA-2472-		S	FG	7		1204.86	1614.03		1321.97	1731.14		2332.75	2846.89		2602.73		3184.79					
		30"(762mm)	36"(914mm)	158	TCRA-3036-		S	FG	7	\$	1044.23	\$	1295.58	\$	1150.18	\$	1401.53	\$	1824.33	\$	2133.32	\$	1999.99	\$	2346.26	
			42"(1067mm)	173	TCRA-3042-		S	FG	7		1085.96	1363.59		1195.01	1472.64		1956.68	2299.82		2156.57		2542.10				
			48"(1219mm)	187	TCRA-3048-		S	FG	7		1127.93	1433.30		1240.08	1545.45		2089.76	2468.97		2314.06		2741.04				
		54"(1372mm)	202	TCRA-3054-		S	FG	7		1170.14	1504.72		1285.39	1619.97		2223.59	2640.77		2472.45		2943.08					
		60"(1524mm)	216	TCRA-3060-		S	FG	7		1212.59	1577.86		1330.94	1696.21		2358.16	2815.23		2631.75		3148.22					
		66"(1676mm)	230	TCRA-3066-		S	FG	7		1255.29	1652.71		1376.74	1774.16		2493.47	2992.34		2791.96		3356.46					
		72"(1829mm)	245	TCRA-3072-		S	FG	7		1298.22	1729.26		1422.77	1853.81		2629.53	3172.10		2953.07		3567.81					
		36"(914mm)	66"(1676mm)	245	TCRA-3666-		S	FG	7	\$	1341.05	\$	1759.60	\$	1469.32	\$	1887.87	\$	2766.08	\$	3292.42	\$	3113.78	\$	3709.86	
		72"(1829mm)	259	TCRA-3672-		S	FG	7		1391.58	1844.49		1523.57	1976.48		2926.31	3497.31		3303.42		3950.83					

Jive Table — T-Leg — Round Rectangle


Height	Depth	Width	Distributed Load					HPL				Wood						
			Capacity	Number	1	2	3	4	5	A		B		A		B		
										J	F	J	F	K	U	K	U	
Base — Power Ready — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	158	TORA-1848-		S	F	4		\$ 806.03	\$1073.54	\$ 908.26	\$ 1175.77	\$ 1493.67	\$ 1823.65	\$ 1645.57	\$ 2015.98	
		54"(1372mm)	173	TORA-1854-		S	F	4		833.04	1128.30	937.13	1232.39	1579.13	1945.19	1746.92	2158.78	
		60"(1524mm)	187	TORA-1860-		S	F	4		860.29	1184.76	966.24	1290.71	1665.34	2069.37	1849.17	2304.68	
		66"(1676mm)	202	TORA-1866-		S	F	4		887.78	1242.94	995.59	1350.75	1752.29	2196.21	1952.33	2453.68	
		72"(1829mm)	216	TORA-1872-		S	F	4		915.52	1302.82	1025.19	1412.49	1839.99	2325.70	2056.40	2605.79	
	24"(610mm)	36"(914mm)	144	TORA-2436-		S	F	4		\$ 800.49	\$1034.39	\$ 902.72	\$ 1136.62	\$ 1476.66	\$ 1762.94	\$ 1624.81	\$ 1944.98	
		42"(1067mm)	158	TORA-2442-		S	F	4		834.62	1094.05	939.33	1198.76	1584.82	1904.30	1752.86	2111.20	
		48"(1219mm)	173	TORA-2448-		S	F	4		868.99	1155.43	976.18	1262.62	1693.72	2048.32	1881.82	2280.52	
		54"(1372mm)	187	TORA-2454-		S	F	4		903.60	1218.52	1013.27	1328.19	1803.37	2194.99	2011.69	2452.94	
		60"(1524mm)	202	TORA-2460-		S	F	4		938.45	1283.32	1050.60	1395.47	1913.76	2344.31	2142.47	2628.46	
		66"(1676mm)	216	TORA-2466-		S	F	4		973.54	1349.83	1088.17	1464.46	2024.89	2496.28	2274.15	2807.08	
		72"(1829mm)	230	TORA-2472-		S	F	4		1008.88	1418.05	1125.99	1535.16	2136.77	2650.91	2406.75	2988.81	
		30"(762mm)	36"(914mm)	158	TORA-3036-		S	F	4		\$ 848.25	\$1099.60	\$ 954.20	\$ 1205.55	\$ 1628.35	\$ 1937.34	\$ 1804.01	\$ 2150.28
			42"(1067mm)	173	TORA-3042-		S	F	4		889.98	1167.61	999.03	1276.66	1760.70	2103.84	1960.59	2346.12
			48"(1219mm)	187	TORA-3048-		S	F	4		931.95	1237.32	1044.10	1349.47	1893.78	2272.99	2118.08	2545.06
54"(1372mm)	202		TORA-3054-		S	F	4		974.16	1308.74	1089.41	1423.99	2027.61	2444.79	2276.47	2747.10		
60"(1524mm)	216		TORA-3060-		S	F	4		1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24		
		66"(1676mm)	230	TORA-3066-		S	F	4		1059.31	1456.73	1180.76	1578.18	2297.49	2796.36	2595.98	3160.48	
		72"(1829mm)	245	TORA-3072-		S	F	4		1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83	
		36"(914mm)	60"(1524mm)	230	TORA-3660-		S	F	4		\$1094.77	\$1480.44	\$ 1219.32	\$ 1604.99	\$ 2410.60	\$2894.19	\$ 2729.07	\$ 3276.02
			66"(1676mm)	245	TORA-3666-		S	F	4		1145.07	1563.62	1273.34	1691.89	2570.10	3096.44	2917.80	3513.88
			72"(1829mm)	259	TORA-3672-		S	F	4		1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85
36"(914mm)	24"(610mm)	36"(914mm)	144	TORA-2436-		S	FK6		\$ 950.15	\$ 1184.05	\$1052.38	\$ 1286.28	\$ 1626.32	\$ 1912.60	\$ 1774.47	\$2094.64		
		42"(1067mm)	158	TORA-2442-		S	FK6		984.28	1243.71	1088.99	1348.42	1734.48	2053.96	1902.52	2260.86		
		48"(1219mm)	173	TORA-2448-		S	FK6		1018.65	1305.09	1125.84	1412.28	1843.38	2197.98	2031.48	2430.18		
		54"(1372mm)	187	TORA-2454-		S	FK6		1053.26	1368.18	1162.93	1477.85	1953.03	2344.65	2161.35	2602.60		
		60"(1524mm)	202	TORA-2460-		S	FK6		1088.11	1432.98	1200.26	1545.13	2063.42	2493.97	2292.13	2778.12		
		66"(1676mm)	216	TORA-2466-		S	FK6		1123.20	1499.49	1237.83	1614.12	2174.55	2645.94	2423.81	2956.74		
		72"(1829mm)	230	TORA-2472-		S	FK6		1158.54	1567.71	1275.65	1684.82	2286.43	2800.57	2556.41	3138.47		
		30"(762mm)	36"(914mm)	158	TORA-3036-		S	FK6		\$ 997.91	\$1249.26	\$ 1103.86	\$ 1355.21	\$ 1778.01	\$ 2087.00	\$ 1953.67	\$2299.94	
			42"(1067mm)	173	TORA-3042-		S	FK6		1039.64	1317.27	1148.69	1426.32	1910.36	2253.50	2110.25	2495.78	
			48"(1219mm)	187	TORA-3048-		S	FK6		1081.61	1386.98	1193.76	1499.13	2043.44	2422.65	2267.74	2694.72	
		54"(1372mm)	202	TORA-3054-		S	FK6		1123.82	1458.40	1239.07	1573.65	2177.27	2594.45	2426.13	2896.76		
		60"(1524mm)	216	TORA-3060-		S	FK6		1166.27	1531.54	1284.62	1649.89	2311.84	2768.91	2585.43	3101.90		
		66"(1676mm)	230	TORA-3066-		S	FK6		1208.97	1606.39	1330.42	1727.84	2447.15	2946.02	2745.64	3310.14		
		72"(1829mm)	245	TORA-3072-		S	FK6		1251.90	1682.94	1376.45	1807.49	2583.21	3125.78	2906.75	3521.49		
		36"(914mm)	66"(1676mm)	245	TORA-3666-		S	FK6		\$1294.73	\$ 1713.28	\$1423.00	\$ 1841.55	\$ 2719.76	\$ 3246.10	\$ 3067.46	\$3663.54	
		72"(1829mm)	259	TORA-3672-		S	FK6		1345.26	1798.17	1477.25	1930.16	2879.99	3450.99	3257.10	3904.51		
		42"(1067mm)	24"(610mm)	36"(914mm)	144	TORA-2436-		S	FK7		\$1024.96	\$1258.86	\$ 1127.19	\$ 1361.09	\$ 1701.13	\$ 1987.41	\$ 1849.28	\$ 2169.45
				42"(1067mm)	158	TORA-2442-		S	FK7		1059.09	1318.52	1163.80	1423.23	1809.29	2128.77	1977.33	2335.67
				48"(1219mm)	173	TORA-2448-		S	FK7		1093.46	1379.90	1200.65	1487.09	1918.19	2272.79	2106.29	2504.99
				54"(1372mm)	187	TORA-2454-		S	FK7		1128.07	1442.99	1237.74	1552.66	2027.84	2419.46	2236.16	2677.41
60"(1524mm)	202			TORA-2460-		S	FK7		1162.92	1507.79	1275.07	1619.94	2138.23	2568.78	2366.94	2852.93		
		66"(1676mm)	216	TORA-2466-		S	FK7		1198.01	1574.30	1312.64	1688.93	2249.36	2720.75	2498.62	3031.55		
		72"(1829mm)	230	TORA-2472-		S	FK7		1233.35	1642.52	1350.46	1759.63	2361.24	2875.38	2631.22	3213.28		
		30"(762mm)	36"(914mm)	158	TORA-3036-		S	FK7		\$1072.72	\$1324.07	\$ 1178.67	\$ 1430.02	\$ 1852.82	\$ 2161.81	\$ 2028.48	\$ 2374.75	
			42"(1067mm)	173	TORA-3042-		S	FK7		1114.45	1392.08	1223.50	1501.13	1985.17	2328.31	2185.06	2570.59	
			48"(1219mm)	187	TORA-3048-		S	FK7		1156.42	1461.79	1268.57	1573.94	2118.25	2497.46	2342.55	2769.53	
		54"(1372mm)	202	TORA-3054-		S	FK7		1198.63	1533.21	1313.88	1648.46	2252.08	2669.26	2500.94	2971.57		
		60"(1524mm)	216	TORA-3060-		S	FK7		1241.08	1606.35	1359.43	1724.70	2386.65	2843.72	2660.24	3176.71		
		66"(1676mm)	230	TORA-3066-		S	FK7		1283.78	1681.20	1405.23	1802.65	2521.96	3020.83	2820.45	3384.95		
		72"(1829mm)	245	TORA-3072-		S	FK7		1326.71	1757.75	1451.26	1882.30	2658.02	3200.59	2981.56	3596.30		
		36"(914mm)	66"(1676mm)	245	TORA-3666-		S	FK7		\$1369.54	\$1788.09	\$1497.81	\$ 1916.36	\$ 2794.57	\$ 3320.91	\$ 3142.27	\$ 3738.35	
		72"(1829mm)	259	TORA-3672-		S	FK7		1420.07	1872.98	1552.06	2004.97	2954.80	3525.80	3331.91	3979.32		

Jive Table — T-Leg — Round

Pebble



TCRP-SNF
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

- Base - No Power:
- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
 - G** Glides

- Base - Power Ready:
- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
 - K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.


Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Top Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	F	4	\$ 903.46	\$1208.83	\$ 1015.61	\$1320.98	\$ 1865.29	\$2244.50	\$2089.59	\$ 2516.57
		60"(1524mm)	TCRP-3060-			S	F	4	988.12	1353.39	1106.47	1471.74	2133.69	2590.76	2407.28	2923.75
		72"(1829mm)	TCRP-3072-			S	F	4	1073.75	1504.79	1198.30	1629.34	2405.06	2947.63	2728.60	3343.34
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	F	4	\$1066.28	\$ 1451.95	\$ 1190.83	\$1576.50	\$2382.11	\$2865.70	\$2700.58	\$ 3247.53
		72"(1829mm)	TCRP-3672-			S	F	4	1167.11	1620.02	1299.10	1752.01	2701.84	3272.84	3078.95	3726.36
Base — Power Ready — No Top Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	F	4	\$ 931.95	\$1237.32	\$1044.10	\$1349.47	\$ 1893.78	\$2272.99	\$ 2118.08	\$2545.06
		60"(1524mm)	TCRP-3060-			S	F	4	1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24
		72"(1829mm)	TCRP-3072-			S	F	4	1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	F	4	\$1094.77	\$1480.44	\$ 1219.32	\$1604.99	\$ 2410.60	\$2894.19	\$ 2729.07	\$ 3276.02
		72"(1829mm)	TCRP-3672-			S	F	4	1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85

Jive Table — T-Leg — Round

Racetrack



TCRT-SNE
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- Laminate:
- J** Edgeband
 - F** Knife

- Wood:
- K** Edgeband
 - U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base Wire Management Option:

- Base - No Power:
- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
 - G** Glides

- Base - Power Ready:
- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
 - K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.


Note: **\$66.18** upcharge list for Metallic trim colors.

Height	Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	
									A	F	J	F	A	U	K	U
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	F	4		\$ 903.46	\$1208.83	\$ 1015.61	\$1320.98	\$ 1865.29	\$2244.50	\$2089.59	\$ 2516.57
		60"(1524mm)	TCRT-3060-		S	F	4		988.12	1353.39	1106.47	1471.74	2133.69	2590.76	2407.28	2923.75
		72"(1829mm)	TCRT-3072-		S	F	4		1073.75	1504.79	1198.30	1629.34	2405.06	2947.63	2728.60	3343.34
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	F	4		\$1066.28	\$ 1451.95	\$ 1190.83	\$1576.50	\$2382.11	\$2865.70	\$2700.58	\$ 3247.53
		72"(1829mm)	TCRT-3672-		S	F	4		1167.11	1620.02	1299.10	1752.01	2701.84	3272.84	3078.95	3726.36
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-		S	F	4		\$ 931.95	\$1237.32	\$1044.10	\$1349.47	\$ 1893.78	\$2272.99	\$ 2118.08	\$2545.06
		60"(1524mm)	TCRT-3060-		S	F	4		1016.61	1381.88	1134.96	1500.23	2162.18	2619.25	2435.77	2952.24
		72"(1829mm)	TCRT-3072-		S	F	4		1102.24	1533.28	1226.79	1657.83	2433.55	2976.12	2757.09	3371.83
	36"(914mm)	60"(1524mm)	TCRT-3660-		S	F	4		\$1094.77	\$1480.44	\$ 1219.32	\$1604.99	\$ 2410.60	\$2894.19	\$ 2729.07	\$ 3276.02
		72"(1829mm)	TCRT-3672-		S	F	4		1195.60	1648.51	1327.59	1780.50	2730.33	3301.33	3107.44	3754.85

Jive Table — T-Leg — Round Trapezoid



TOTP-SNF
Class JV



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - No Power:

- C** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- G** Glides

Base - Power Ready:

- J** Casters (add **\$23.44** list) (29" (737mm) Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)







- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round Trapezoid

Height	Depth	Width	Number	①	②	③	④	HPL				Wood		B	
								A	F	B	F	A	U	K	U
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-		S	F	4	\$ 840.52	\$ 1126.96	\$ 845.48	\$ 1131.92	\$ 1048.66	\$ 1403.26	\$ 1108.13	\$ 1506.83
		54"(1372mm)	TCTP-2454-		S	F	4	875.13	1190.05	882.57	1197.49	1158.31	1549.93	1238.00	1679.25
		60"(1524mm)	TCTP-2460-		S	F	4	909.98	1254.85	919.90	1264.77	1268.70	1699.25	1368.78	1854.77
		66"(1676mm)	TCTP-2466-		S	F	4	945.07	1321.36	957.47	1333.76	1379.83	1851.22	1500.46	2033.39
		72"(1829mm)	TCTP-2472-		S	F	4	980.41	1389.58	995.29	1404.46	1491.71	2005.85	1633.06	2215.12
30"(762mm)	60"(1524mm)	TCTP-3060-		S	F	4	\$ 988.14	\$ 1353.41	\$ 1004.26	\$ 1369.53	\$ 1517.12	\$ 1974.19	\$ 1662.08	\$ 2178.55	
		66"(1676mm)	TCTP-3066-		S	F	4	1030.84	1428.26	1050.06	1447.48	1652.43	2151.30	1822.29	2386.79
		72"(1829mm)	TCTP-3072-		S	F	4	1073.77	1504.81	1096.09	1527.13	1788.49	2331.06	1983.40	2598.14
		36"(914mm)	84"(2134mm)	TCTP-3684-		S	F	4	\$ 1268.94	\$ 1794.96	\$ 1306.14	\$ 1832.16	\$ 2407.98	\$ 3074.03	\$ 2715.75
Base — Power Ready — No Cutout															
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-		S	F	4	\$ 869.01	\$ 1155.45	\$ 873.97	\$ 1160.41	\$ 1077.15	\$ 1431.75	\$ 1136.62	\$ 1535.32
		54"(1372mm)	TCTP-2454-		S	F	4	903.62	1218.54	911.06	1225.98	1186.80	1578.42	1266.49	1707.74
		60"(1524mm)	TCTP-2460-		S	F	4	938.47	1283.34	948.39	1293.26	1297.19	1727.74	1397.27	1883.26
		66"(1676mm)	TCTP-2466-		S	F	4	973.56	1349.85	985.96	1362.25	1408.32	1879.71	1528.95	2061.88
		72"(1829mm)	TCTP-2472-		S	F	4	1008.90	1418.07	1023.78	1432.95	1520.20	2034.34	1661.55	2243.61
30"(762mm)	60"(1524mm)	TCTP-3060-		S	F	4	\$ 1016.63	\$ 1381.90	\$ 1032.75	\$ 1398.02	\$ 1545.61	\$ 2002.68	\$ 1690.57	\$ 2207.04	
		66"(1676mm)	TCTP-3066-		S	F	4	1059.33	1456.75	1078.55	1475.97	1680.92	2179.79	1850.78	2415.28
		72"(1829mm)	TCTP-3072-		S	F	4	1102.26	1533.30	1124.58	1555.62	1816.98	2359.55	2011.89	2626.63
		36"(914mm)	84"(2134mm)	TCTP-3684-		S	F	4	\$ 1297.43	\$ 1823.45	\$ 1334.63	\$ 1860.65	\$ 2436.47	\$ 3102.52	\$ 2744.24

Jive Table — T-Leg (Round or Extruded) — Flip Base Rectangle



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round or extruded columns, stretcher and hardware.
- Nesting Options:
 - Diagonal Nesting (available for round or extruded columns): Provides a compact nesting solution with parallel feet, ensuring a symmetrical look while maximizing legroom.
 - In-Line Nesting (exclusive to round columns): Optimizes storage by allowing tables to nest in a straight line, making efficient use of space.
- Table height is 29" (737mm).
- Laminate or wood top with 3mm edgeband or knife edge on all sides.
- T-Leg base with round or extruded columns are available with casters and glides.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the T-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base (diagonal nesting)
 - Specify the (Q) option for Casters on the Power Ready base (in-line nesting)
 - Specify the (M) option for Glides on the Power Ready base (diagonal nesting)
 - Specify the (R) option for Glides on the Power Ready base (in-line nesting)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Each nested table adds 7.5" (191mm) to the overall depth.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/
2 outlets (add **\$48.13** list)
- F** Center, Single-Sided/
4 outlets (add **\$48.13** list)
- J** Center, Single-Sided/
6 outlets (add **\$48.13** list)

4 Base and Wire Management Option:

Base - Diagonal Nesting
(Round or Extruded Base)

Base - No Power:

- H** Casters (add **\$23.44** list)
- F** Glides

Base - Power Ready

- L** Casters (add **\$23.44** list)
- M** Glides

Base - In-Line Nesting
(Round Base Only)

No Power

- Q** Casters (add **\$23.44** list)
- P** Glides

Power Ready

- Q** Casters (add **\$23.44** list)
- R** Glides

5 Base Finish Option:

- A** Painted
- B** Polished (add **\$66.68** list)

- 2) Surface color.
- 3) Edge trim color.
- 4) Base trim color.



Note: **\$66.18** upcharge list for Metallic trim colors.

Jive Table — T-Leg (Round or Extruded) — Flip Base Rectangle

Height	Depth	Width	Distributed Load						HPL				Wood												
			Capacity	Number	1	2	3	4	5	A		B		A		B									
										J	F	J	F	K	U	K	U								
Round — Base — No Power — No Cutout																									
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4	\$	1429.03	\$	1696.54	\$	1531.26	\$	1798.77	\$	2116.67	\$	2446.65	\$	2268.57	\$	2638.98
		60"(1524mm)	187	TCRA-1860-			S	F	4		1483.29		1807.76		1589.24		1913.71		2288.34		2692.37		2472.17		2927.68
		72"(1829mm)	216	TCRA-1872-			S	F	4		1538.52		1925.82		1648.19		2035.49		2462.99		2948.70		2679.40		3228.79
	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	F	4	\$	1491.99	\$	1778.43	\$	1599.18	\$	1885.62	\$	2316.72	\$	2671.32	\$	2504.82	\$	2903.52
		60"(1524mm)	202	TCRA-2460-			S	F	4		1561.45		1906.32		1673.60		2018.47		2536.76		2967.31		2765.47		3251.46
		72"(1829mm)	230	TCRA-2472-			S	F	4		1631.88		2041.05		1748.99		2158.16		2759.77		3273.91		3029.75		3611.81
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	F	4	\$	1554.95	\$	1860.32	\$	1667.10	\$	1972.47	\$	2516.78	\$	2895.99	\$	2741.08	\$	3168.06
		60"(1524mm)	216	TCRA-3060-			S	F	4		1639.61		2004.88		1757.96		2123.23		2785.18		3242.25		3058.77		3575.24
		72"(1829mm)	245	TCRA-3072-			S	F	4		1725.24		2156.28		1849.79		2280.83		3056.55		3599.12		3380.09		3994.83
	36"(914mm)	60"(1524mm)	230	TCRA-3660-			S	F	4	\$	1717.77	\$	2103.44	\$	1842.32	\$	2227.99	\$	3033.60	\$	3517.19	\$	3352.07	\$	3899.02
		72"(1829mm)	259	TCRA-3672-			S	F	4		1818.60		2271.51		1950.59		2403.50		3353.33		3924.33		3730.44		4377.85
Extruded — Base — No Power — No Cutout																									
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	T	4	\$	1626.85	\$	1894.36	\$	1729.08	\$	1996.59	\$	2314.49	\$	2644.47	\$	2466.39	\$	2836.80
		60"(1524mm)	187	TCRA-1860-			S	T	4		1681.11		2005.58		1787.06		2111.53		2486.16		2890.19		2669.99		3125.50
		72"(1829mm)	216	TCRA-1872-			S	T	4		1736.34		2123.64		1846.01		2233.31		2660.81		3146.52		2877.22		3426.61
	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	T	4	\$	1689.81	\$	1976.25	\$	1797.00	\$	2083.44	\$	2514.54	\$	2869.14	\$	2702.64	\$	3101.34
		60"(1524mm)	202	TCRA-2460-			S	T	4		1759.27		2104.14		1871.42		2216.29		2734.58		3165.13		2963.29		3449.28
		72"(1829mm)	230	TCRA-2472-			S	T	4		1829.70		2238.87		1946.81		2355.98		2957.59		3471.73		3227.57		3809.63
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	T	4	\$	1752.77	\$	2058.14	\$	1864.92	\$	2170.29	\$	2714.60	\$	3093.81	\$	2938.90	\$	3365.88
		60"(1524mm)	216	TCRA-3060-			S	T	4		1837.43		2202.70		1955.78		2321.05		2983.00		3440.07		3256.59		3773.06
		72"(1829mm)	245	TCRA-3072-			S	T	4		1923.06		2354.10		2047.61		2478.65		3254.37		3796.94		3577.91		4192.65
	36"(914mm)	60"(1524mm)	230	TCRA-3660-			S	T	4	\$	1915.59	\$	2301.26	\$	2040.14	\$	2425.81	\$	3231.42	\$	3715.01	\$	3549.89	\$	4096.84
		72"(1829mm)	259	TCRA-3672-			S	T	4		2016.42		2469.33		2148.41		2601.32		3551.15		4122.15		3928.26		4575.67
Round — Base — Power Ready — No Cutout																									
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4	\$	1457.52	\$	1725.03	\$	1559.75	\$	1827.26	\$	2145.16	\$	2475.14	\$	2297.06	\$	2667.47
		60"(1524mm)	187	TCRA-1860-			S	F	4		1511.78		1836.25		1617.73		1942.20		2316.83		2720.86		2500.66		2956.17
		72"(1829mm)	216	TCRA-1872-			S	F	4		1567.01		1954.31		1676.68		2063.98		2491.48		2977.19		2707.89		3257.28
	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	F	4	\$	1520.48	\$	1806.92	\$	1627.67	\$	1914.11	\$	2345.21	\$	2699.81	\$	2533.31	\$	2932.01
		60"(1524mm)	202	TCRA-2460-			S	F	4		1589.94		1934.81		1702.09		2046.96		2565.25		2995.80		2793.96		3279.95
		72"(1829mm)	230	TCRA-2472-			S	F	4		1660.37		2069.54		1777.48		2186.65		2788.26		3302.40		3058.24		3640.30
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	F	4	\$	1583.44	\$	1888.81	\$	1695.59	\$	2000.96	\$	2545.27	\$	2924.48	\$	2769.57	\$	3196.55
		60"(1524mm)	216	TCRA-3060-			S	F	4		1668.10		2033.37		1786.45		2151.72		2813.67		3270.74		3087.26		3603.73
		72"(1829mm)	245	TCRA-3072-			S	F	4		1753.73		2184.77		1878.28		2309.32		3085.04		3627.61		3408.58		4023.32
	36"(914mm)	60"(1524mm)	230	TCRA-3660-			S	F	4	\$	1746.26	\$	2131.93	\$	1870.81	\$	2256.48	\$	3062.09	\$	3545.68	\$	3380.56	\$	3927.51
		72"(1829mm)	259	TCRA-3672-			S	F	4		1847.09		2300.00		1979.08		2431.99		3381.82		3952.82		3758.93		4406.34
Extruded — Base — Power Ready — No Cutout																									
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	T	4	\$	1655.34	\$	1922.85	\$	1757.57	\$	2025.08	\$	2342.98	\$	2672.96	\$	2494.88	\$	2865.29
		60"(1524mm)	187	TCRA-1860-			S	T	4		1709.60		2034.07		1815.55		2140.02		2514.65		2918.68		2698.48		3153.99
		72"(1829mm)	216	TCRA-1872-			S	T	4		1764.83		2152.13		1874.50		2261.80		2689.30		3175.01		2905.71		3455.10
	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	T	4	\$	1718.30	\$	2004.74	\$	1825.49	\$	2111.93	\$	2543.03	\$	2897.63	\$	2731.13	\$	3129.83
		60"(1524mm)	202	TCRA-2460-			S	T	4		1787.76		2132.63		1899.91		2244.78		2763.07		3193.62		2991.78		3477.77
		72"(1829mm)	230	TCRA-2472-			S	T	4		1858.19		2267.36		1975.30		2384.47		2986.08		3500.22		3256.06		3838.12
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	T	4	\$	1781.26	\$	2086.63	\$	1893.41	\$	2198.78	\$	2743.09	\$	3122.30	\$	2967.39	\$	3394.37
		60"(1524mm)	216	TCRA-3060-			S	T	4		1865.92		2231.19		1984.27		2349.54		3011.49		3468.56		3285.08		3801.55
		72"(1829mm)	245	TCRA-3072-			S	T	4		1951.55		2382.59		2076.10		2507.14		3282.86		3825.43		3606.40		4221.14
	36"(914mm)	60"(1524mm)	230	TCRA-3660-			S	T	4	\$	1944.08	\$	2329.75	\$	2068.63	\$	2454.30	\$	3259.91	\$	3743.50	\$	3578.38	\$	4125.33
		72"(1829mm)	259	TCRA-3672-			S	T	4		2044.91		2497.82		2176.90		2629.81		3579.64		4150.64		3956.75		4604.16

Jive Table — Swivel Base

Square



TVRQ-LJSNR
Class JV

Features

- Includes 1.18"(30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides):
-30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
-Horizontal and Vertical Wire Management
-See Accessories Price List for Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number ①② ③	HPL		Wood	
			A	B	A	B
24"(610mm)	24"(610mm)	TVRQ-2424- ■ ■ SNRG4	\$ 1136.22	\$1136.22	\$1232.22	\$1239.90
30"(762mm)	30"(762mm)	TVRQ-3030- ■ ■ SNR ■ 4	1215.06	1220.46	1458.63	1479.93
36"(914mm)	36"(914mm)	TVRQ-3636- ■ ■ SNR ■ 4	1309.34	1321.34	1727.94	1765.46
42"(1067mm)	42"(1067mm)	TVRQ-4242- ■ ■ SNR ■ 4	1419.06	1438.86	2040.15	2096.49
48"(1219mm)	48"(1219mm)	TVRQ-4848- ■ ■ SNR ■ 4	1544.22	1573.02	2395.26	2473.02

Jive Table — Swivel Base

Rectangle



TVRA-LJSNR
Class JV

Features

- Includes 1.18" (30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5" (13mm) height adjustment.
- Glides have 0.75" (19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24" (610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides):
-30" (762mm)-48" (1219mm) deep table supports a 27" (686mm) H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
-Horizontal and Vertical Wire Management
-See Accessories Price List for Power and Data Components
-Accessories
- Refer to Specification Guide:
-Accessory placement and compatibility.
-Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- J** Edgeband
- K** Wood Edgeband

3 Base Style:

- C** Casters (add **\$23.44** list)
- G** Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number ①② ③	HPL		Wood	
			A	B	A	B
18" (457mm)	48" (1219mm)	TVRA-1848- SNR 4	\$1028.82	\$1121.75	\$1400.46	\$1465.20
	54" (1372mm)	TVRA-1854- SNR 4	1051.26	1146.05	1472.61	1550.28
	60" (1524mm)	TVRA-1860- SNR 4	1073.70	1170.35	1544.76	1635.36
	66" (1676mm)	TVRA-1866- SNR 4	1096.14	1194.65	1616.91	1720.44
	72" (1829mm)	TVRA-1872- SNR 4	1118.58	1218.95	1689.06	1805.52
24" (610mm)	36" (914mm)	TVRA-2436- SNR 4	\$1028.82	\$ 1121.75	\$1400.46	\$ 1465.20
	42" (1067mm)	TVRA-2442- SNR 4	1058.74	1154.15	1496.66	1578.64
	48" (1219mm)	TVRA-2448- SNR 4	1088.66	1186.55	1592.86	1692.08
	54" (1372mm)	TVRA-2454- SNR 4	1118.58	1218.95	1689.06	1805.52
	60" (1524mm)	TVRA-2460- SNR 4	1148.50	1251.35	1785.26	1918.96
	66" (1676mm)	TVRA-2466- SNR 4	1178.42	1283.75	1881.46	2032.40
	72" (1829mm)	TVRA-2472- SNR 4	1208.34	1316.15	1977.66	2145.84
30" (762mm)	36" (914mm)	TVRA-3036- SNR 4	\$1073.70	\$ 1170.35	\$1544.76	\$ 1635.36
	42" (1067mm)	TVRA-3042- SNR 4	1111.10	1210.85	1665.01	1777.16
	48" (1219mm)	TVRA-3048- SNR 4	1148.50	1251.35	1785.26	1918.96
	54" (1372mm)	TVRA-3054- SNR 4	1185.90	1291.85	1905.51	2060.76
	60" (1524mm)	TVRA-3060- SNR 4	1223.30	1332.35	2025.76	2202.56
	66" (1676mm)	TVRA-3066- SNR 4	1260.70	1372.85	2146.01	2344.36
	72" (1829mm)	TVRA-3072- SNR 4	1298.10	1413.35	2266.26	2486.16
36" (914mm)	66" (1676mm)	TVRA-3666- SNR 4	\$1342.98	\$1461.95	\$2410.56	\$2656.32
	72" (1829mm)	TVRA-3672- SNR 4	1387.86	1510.55	2554.86	2826.48

Jive Table — Swivel Base

Trapezoid



TVTP-LJSNR
Class JV

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- **Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm)H Belong screen or monitor(s) up to 25 lbs.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).


4) Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Depth	Width	Number 1 2 3	HPL		Wood	
			A	B	A	B
24"(610mm)	48"(1219mm)	TVTP-2448- SNR 4	\$ 1215.56	\$1220.20	\$1422.85	\$1482.32
	54"(1372mm)	TVTP-2454- SNR 4	1249.93	1256.89	1532.33	1612.02
	60"(1524mm)	TVTP-2460- SNR 4	1284.54	1293.82	1642.54	1742.62
	66"(1676mm)	TVTP-2466- SNR 4	1319.39	1330.99	1753.49	1874.12
	72"(1829mm)	TVTP-2472- SNR 4	1354.49	1368.41	1865.17	2006.52
30"(762mm)	60"(1524mm)	TVTP-3060- SNR 4	\$1362.10	\$ 1377.18	\$ 1890.84	\$2035.80
	66"(1676mm)	TVTP-3066- SNR 4	1404.50	1422.48	2025.97	2195.82
	72"(1829mm)	TVTP-3072- SNR 4	1447.13	1468.01	2161.82	2356.74

Jive Table — Swivel Base

Crescent



TVBN-LJSNR
Class JV

Features

- Includes 1.18" (30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5" (13mm) height adjustment.
- Glides have 0.75" (19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24" (610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30" (762mm) - 48" (1219mm) deep table supports a 27" (686mm) H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

J Edgeband

K Wood Edgeband

3 Base Style:

C Casters (add **\$23.44** list)

G Glides

2) Laminate surface color or wood surface color.

3) Edge trim color (laminate only).



4) Base trim color.

Note: \$66.18 upcharge list for Metallic trim colors.

Depth	Width	Number	①②	③	HPL		Wood	
					A	B	A	B
24" (610mm)	60" (1524mm)	TVBN-2460-	■	SNR ■ 4	\$1758.97	\$1768.57	\$2130.73	\$2235.37
30" (762mm)	72" (1829mm)	TVBN-3072-	■	SNR ■ 4	1928.07	1949.67	2670.54	2874.11
36" (914mm)	84" (2134mm)	TVBN-3684-	■	SNR ■ 4	2129.55	2165.55	3313.94	3635.25

Jive Table — Swivel Base

Corner, Transitional Extended



TVCX-LJSNRP
Class JV

Features

- Includes 1.18" (30mm) top, adjustable casters or glides and hardware:
 - Legs:
 - 24" (610mm) / 18" (457mm) depth - 2 legs with magnetic ganging mechanisms and 3 post legs
 - 24" (610mm) / 30" (762mm) depth - 4 legs with magnetic ganging mechanisms and 1 post leg
 - 18" (457mm) depth always has the post leg
 - 24" (610mm) and 30" (762mm) depth always has the magnetic ganging mechanism
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5" (13mm) height adjustment.
- Glides have 0.75" (19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24" (610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30" (762mm) - 48" (1219mm) deep table supports a 27" (686mm) H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number, including:
 - Surface Option:**
 - L** Laminate
 - W** Wood
 - Edge Option:**
 - J** Edgeband
 - K** Wood Edgeband
 - Base Style:**
 - C** Casters (add **\$23.44** list)
 - G** Glides
 - Laminate surface color or wood surface color.
 - Edge trim color (laminate only).
 - Base trim color.
- Note:** **\$66.18** upcharge list for Metallic trim colors.

Left/Right Depth	Width	Length	Number	①②	③	HPL A	B	Wood A	B
Left-Hand									
18"(457mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-		SNR P	\$ 1641.72	\$1652.82	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4272-		SNR P	1847.98	1875.36	3095.59	3390.85
Right-Hand									
24"(610mm)/18"(457mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-		SNR U	\$ 1647.39	\$1658.49	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4272-		SNR U	1853.92	1881.30	3095.59	3390.85
Left-Hand									
24"(610mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-		SNR R	\$1642.26	\$1653.36	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4872-		SNR R	1848.79	1876.17	3095.59	3390.85
Right-Hand									
30"(762mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-		SNR W	\$1648.20	\$1659.30	\$ 2117.91	\$ 2237.61
		72"(1829mm)	TVCX-4872-		SNR W	1854.46	1881.84	3095.59	3390.85

Jive Table — Swivel Base

Corner, Extended



TVCE-LJSNRE
Class JV

Features

- Includes 1.18" (30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5" (13mm) height adjustment.
- Glides have 0.75" (19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24" (610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30" (762mm)-48" (1219mm) deep table supports a 27" (686mm) H Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- J** Edgeband
- K** Wood Edgeband

3 Base Style:

- C** Casters (add **\$23.44** list)
- G** Glides

- Laminate surface color or wood surface color.

- Edge trim color (laminate only).


- Base trim color.

Note: **\$66.18** upcharge list for Metallic trim colors.

Left/Right Depth	Width	Length	Number	12	3	HPL A	B	Wood A	B
Left-Hand									
24" (610mm)/24" (610mm)	42" (1067mm)	60" (1524mm)	TVCE-4260-		SNR E	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4272-		SNR E	1851.22	1878.60	3095.59	3390.85
24" (610mm)/24" (610mm)	48" (1219mm)	60" (1524mm)	TVCE-4860-		SNR E	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4872-		SNR E	1851.22	1878.60	3095.59	3390.85
Right-Hand									
24" (610mm)/24" (610mm)	42" (1067mm)	60" (1524mm)	TVCE-4260-		SNR H	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4272-		SNR H	1851.22	1878.60	3095.59	3390.85
24" (610mm)/24" (610mm)	48" (1219mm)	60" (1524mm)	TVCE-4860-		SNR H	\$1644.96	\$1656.06	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4872-		SNR H	1851.22	1878.60	3095.59	3390.85
Left-Hand									
30" (762mm)/30" (762mm)	48" (1219mm)	60" (1524mm)	TVCE-4860-		SNR F	\$1645.50	\$1656.60	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4872-		SNR F	1852.03	1879.41	3095.59	3390.85
Right-Hand									
30" (762mm)/30" (762mm)	48" (1219mm)	60" (1524mm)	TVCE-4860-		SNR J	\$1645.50	\$1656.60	\$ 2117.91	\$ 2237.61
		72" (1829mm)	TVCE-4872-		SNR J	1852.03	1879.41	3095.59	3390.85

Masters Series Table

Round



XZAM-1S
Class RA1

Features

- Includes round top and 27"(686mm) disc base.
- 30"(762mm) and 36"(914mm) includes 21"(533mm) disc base.
- 42"(1067mm) and 48"(1219mm) includes 27"(686mm) disc base.
- Fixed height base: 29.25"(743mm).
- 1.18"(30mm) thick high-pressure laminate (HPL) worksurface with T-mold edgeband.
- 1.18"(30mm) thick wood worksurface with a choice of profiled edge (Square or Bevel). Double-cut veneers available with Square 3mm Radius edge only.


To Order, Specify:

- 1) Product number, including:
- 1 Edge Option:**
- Wood:
- 1** Square
- 5** Bevel (add **\$286.99** list)
- 2) Finish code (laminate or wood).
- 3) Laminate edge trim color (if laminate specified).
- 4) Trim code for disc base.
- Note: \$23.81** upcharge (list) for metallic or accent trim colors.

Height	Diameter	Number ①	HPL A	B	Wood A	B
Laminate						
29.25"(743mm)	30"(762mm)	XLAM-3000-JS	\$ 2128.70	\$ 2219.92	N/A	N/A
	36"(914mm)	XLAM-3600-JS	2338.39	2425.54	N/A	N/A
	42"(1067mm)	XLAM-4200-JS	2585.10	2667.44	N/A	N/A
	48"(1219mm)	XLAM-4800-JS	2868.83	2945.62	N/A	N/A
Wood						
29.25"(743mm)	30"(762mm)	XZAM-3000- S	N/A	N/A	\$2280.04	\$2432.43
	36"(914mm)	XZAM-3600- S	N/A	N/A	2580.82	2750.70
	42"(1067mm)	XZAM-4200- S	N/A	N/A	2929.62	3119.79
	48"(1219mm)	XZAM-4800- S	N/A	N/A	3326.44	3539.70

Pip

Catalog Logic



Pip Table

Personal Laptop



STP-P26-TH
Class QA6

Features

- Includes table top, base and hardware.
- Top available in laminate, painted MDF or planked wood in White Oak or Walnut.
- Laminate top features a knife-edge profile with 1mm edge banding that seamlessly matches the surface.
- Wood tops are designed to be unique using solid wood planks with a clear, low-gloss finish showing natural variation.
- Base: Painted aluminum support plate and column with painted steel base plate.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- L** Laminate
- P** Painted MDF
- W** Planked Wood

2 Glide Type:


- H** Hard Plastic
- F** Felt

2) Top surface and color.

3) Base trim color.

Height	Depth	Width	Number		HPL A	B	Painted MDF	White Oak	Walnut
			1	2					
26"(660mm)	13"(330mm)	21.25"(540mm)	STP-	26-T	\$960.00	\$981.33	\$814.60	\$1480.39	\$1664.46

Collaborative



S970
Class QA6

Features

- Includes: 1.18"(30mm) standard top with two columns on a painted steel base.
- High-Pressure Laminate (HPL) or wood veneer top with knife edge.
- Standard with clear non-adjustable glides.

Specification Tips

- Designed for use with lounge seating to provide a seated height surface.
- Cannot route power through legs.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

1 Surface Type:

- L** Laminate
- W** Wood Veneer

2) Laminate surface color or wood finish color.

3) Edge color (laminate only).


4) Base trim color.

Height	Depth	Width	Number		HPL A	B	Wood	
			1				A	B
28"(711mm)	30"(762mm)	54"(1372mm)	S970-	00-H	\$2651.32	\$2680.38	\$2840.19	\$2905.57

Planes Collaborative Table — Y-Leg

Rectangular

Flip Top Table



Non-Flip Top Table



TARA
Class TA1

Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters
(add **\$456.56** list)
- F** Flip Top Table – Glides (add
\$562.94 list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.


Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	HPL		B		Wood		B		
							A	F	J	F	A	U	K	U	
							J	F	J	F	K	U	K	U	
Flip Top Tables															
30"(762mm)	60"(1524mm)	TARA-3060-		S	Y	4	\$	1715.86	\$2058.80	\$1809.73	\$2152.67	\$2206.99	\$2632.73	\$2240.78	\$2679.12
	66"(1676mm)	TARA-3066-		S	Y	4		1801.62	2163.64	1904.74	2266.76	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARA-3072-		S	Y	4		1887.38	2268.48	1999.75	2380.85	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARA-3660-		S	Y	4	\$	1883.42	\$2245.44	\$1995.79	\$2357.81	\$2477.19	\$2927.53	\$2523.80	\$2987.58
	66"(1676mm)	TARA-3666-		S	Y	4		1985.54	2366.64	2109.01	2490.11	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARA-3672-		S	Y	4		2087.66	2487.84	2222.23	2622.41	2811.51	3311.05	2874.08	3388.74
Non-Flip Top Tables															
30"(762mm)	60"(1524mm)	TARA-3060-		S	Y	4	\$	1715.86	\$2058.80	\$1809.73	\$2152.67	\$2206.99	\$2632.73	\$2240.78	\$2679.12
	66"(1676mm)	TARA-3066-		S	Y	4		1801.62	2163.64	1904.74	2266.76	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARA-3072-		S	Y	4		1887.38	2268.48	1999.75	2380.85	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARA-3660-		S	Y	4	\$	1883.42	\$2245.44	\$1995.79	\$2357.81	\$2477.19	\$2927.53	\$2523.80	\$2987.58
	66"(1676mm)	TARA-3666-		S	Y	4		1985.54	2366.64	2109.01	2490.11	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARA-3672-		S	Y	4		2087.66	2487.84	2222.23	2622.41	2811.51	3311.05	2874.08	3388.74
	78"(1981mm)	TARA-3678-		S	Y	4		2189.78	2609.04	2335.45	2754.71	2978.67	3502.81	3049.22	3589.32
	84"(2134mm)	TARA-3684-		S	Y	4		2291.90	2730.24	2448.67	2887.01	3145.83	3694.57	3224.36	3789.90
	90"(2286mm)	TARA-3690-		S	Y	4		2394.02	2851.44	2561.89	3019.31	3312.99	3886.33	3399.50	3990.48
	96"(2438mm)	TARA-3696-		S	Y	4		2496.14	2972.64	2675.11	3151.61	3480.15	4078.09	3574.64	4191.06

Planes Collaborative Table — Y-Leg

Pebble

Flip Top Table



Non-Flip Top Table



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout(s):

- N** None
- F** Center – single sided/
4 outlets (add **\$45.40** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters
(add **\$456.56** list)
- F** Flip Top Table – Glides (add
\$562.94 list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).


4) Base/Stretcher trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	HPL		B		Wood		B	
							A	F	J	F	A	U	K	U
							J	F	J	F	K	U	K	U
Flip Top Tables														
30"(762mm)	60"(1524mm)	TARP-3060-		S	Y	4	\$ 1730.26	\$2038.06	\$ 1824.13	\$ 2131.93	\$2206.99	\$ 2575.99	\$2240.78	\$2622.38
	66"(1676mm)	TARP-3066-		S	Y	4	1816.98	2145.30	1920.10	2248.42	2348.39	2741.99	2388.95	2795.99
	72"(1829mm)	TARP-3072-		S	Y	4	1903.70	2252.54	2016.07	2364.91	2489.79	2907.99	2537.12	2969.60
36"(914mm)	60"(1524mm)	TARP-3660-		S	Y	4	\$ 1898.78	\$ 2227.10	\$ 2011.15	\$ 2339.47	\$ 2477.19	\$ 2870.79	\$ 2523.80	\$2930.84
	66"(1676mm)	TARP-3666-		S	Y	4	2001.86	2350.70	2125.33	2474.17	2644.35	3062.55	2698.94	3131.42
	72"(1829mm)	TARP-3672-		S	Y	4	2104.94	2474.30	2239.51	2608.87	2811.51	3254.31	2874.08	3332.00
Non-Flip Top Tables														
30"(762mm)	60"(1524mm)	TARP-3060-		S	Y	4	\$ 1730.26	\$2038.06	\$ 1824.13	\$ 2131.93	\$2206.99	\$ 2575.99	\$2240.78	\$2622.38
	66"(1676mm)	TARP-3066-		S	Y	4	1816.98	2145.30	1920.10	2248.42	2348.39	2741.99	2388.95	2795.99
	72"(1829mm)	TARP-3072-		S	Y	4	1903.70	2252.54	2016.07	2364.91	2489.79	2907.99	2537.12	2969.60
36"(914mm)	60"(1524mm)	TARP-3660-		S	Y	4	\$ 1898.78	\$ 2227.10	\$ 2011.15	\$ 2339.47	\$ 2477.19	\$ 2870.79	\$ 2523.80	\$2930.84
	66"(1676mm)	TARP-3666-		S	Y	4	2001.86	2350.70	2125.33	2474.17	2644.35	3062.55	2698.94	3131.42
	72"(1829mm)	TARP-3672-		S	Y	4	2104.94	2474.30	2239.51	2608.87	2811.51	3254.31	2874.08	3332.00
	78"(1981mm)	TARP-3678-		S	Y	4	2208.02	2597.90	2353.69	2743.57	2978.67	3446.07	3049.22	3532.58
	84"(2134mm)	TARP-3684-		S	Y	4	2311.10	2721.50	2467.87	2878.27	3145.83	3637.83	3224.36	3733.16
	90"(2286mm)	TARP-3690-		S	Y	4	2414.18	2845.10	2582.05	3012.97	3312.99	3829.59	3399.50	3933.74
	96"(2438mm)	TARP-3696-		S	Y	4	2517.26	2968.70	2696.23	3147.67	3480.15	4021.35	3574.64	4134.32

Planes Collaborative Table — Y-Leg Hexagon

Flip Top Table



Non-Flip Top Table



TARX
Class TA1

Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
34 outlets (add **\$45.40** list)
- J** Center – single-sided/
36 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters
(add **\$456.56** list)
- F** Flip Top Table – Glides (add **\$562.94** list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.


Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	①	②	③	④	HPL		B		Wood		B		
							A	F	J	F	A	U	K	U	
							J	F	J	F	K	U	K	U	
Flip Top Tables															
30"(762mm)	60"(1524mm)	TARX-3060-		S	Y		4	\$ 1730.26	\$ 2094.80	\$ 1824.13	\$ 2188.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12
	66"(1676mm)	TARX-3066-		S	Y		4	1816.98	2202.04	1920.10	2305.16	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARX-3072-		S	Y		4	1903.70	2309.28	2016.07	2421.65	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARX-3660-		S	Y		4	\$ 1898.78	\$ 2283.84	\$ 2011.15	\$ 2396.21	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58
	66"(1676mm)	TARX-3666-		S	Y		4	2001.86	2407.44	2125.33	2530.91	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARX-3672-		S	Y		4	2104.94	2531.04	2239.51	2665.61	2811.51	3311.05	2874.08	3388.74
Non-Flip Top Tables															
30"(762mm)	60"(1524mm)	TARX-3060-		S	Y		4	\$ 1730.26	\$ 2094.80	\$ 1824.13	\$ 2188.67	\$ 2206.99	\$ 2632.73	\$ 2240.78	\$ 2679.12
	66"(1676mm)	TARX-3066-		S	Y		4	1816.98	2202.04	1920.10	2305.16	2348.39	2798.73	2388.95	2852.73
	72"(1829mm)	TARX-3072-		S	Y		4	1903.70	2309.28	2016.07	2421.65	2489.79	2964.73	2537.12	3026.34
36"(914mm)	60"(1524mm)	TARX-3660-		S	Y		4	\$ 1898.78	\$ 2283.84	\$ 2011.15	\$ 2396.21	\$ 2477.19	\$ 2927.53	\$ 2523.80	\$ 2987.58
	66"(1676mm)	TARX-3666-		S	Y		4	2001.86	2407.44	2125.33	2530.91	2644.35	3119.29	2698.94	3188.16
	72"(1829mm)	TARX-3672-		S	Y		4	2104.94	2531.04	2239.51	2665.61	2811.51	3311.05	2874.08	3388.74
	78"(1981mm)	TARX-3678-		S	Y		4	2208.02	2654.64	2353.69	2800.31	2978.67	3502.81	3049.22	3589.32
	84"(2134mm)	TARX-3684-		S	Y		4	2311.10	2778.24	2467.87	2935.01	3145.83	3694.57	3224.36	3789.90
	90"(2286mm)	TARX-3690-		S	Y		4	2414.18	2901.84	2582.05	3069.71	3312.99	3886.33	3399.50	3990.48
	96"(2438mm)	TARX-3696-		S	Y		4	2517.26	3025.44	2696.23	3204.41	3480.15	4078.09	3574.64	4191.06

Planes Collaborative Table — Y-Leg

Half Round

Flip Top Table



Non-Flip Top Table



TAHN
Class TA1

Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 36" (914mm) tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Flip Top Unit Cutout(s):

N None

F Center – single-sided/
4 outlets (add **\$45.40** list)

J Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

H Flip Top Table – Casters
(add **\$456.56** list)

F Flip Top Table – Glides (add
\$562.94 list)

C Non-flip Top Table: Casters

G Non-flip Top Table: Glides
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).



4) Base/Stretcher trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.


Depth	Width	Number	1	2	3	4	HPL		B		Wood		B	
							A	F	J	F	A	U	K	U
							J	F	J	F	K	U	K	U
Flip Top Table														
36" (914mm)	72" (1829mm)	TAHN-3672-		S	Y	4	\$2067.04	\$2406.16	\$2199.33	\$2538.45	\$2777.32	\$3211.48	\$2836.99	\$3290.59
Non-Flip Top Table														
36" (914mm)	72" (1829mm)	TAHN-3672-		S	Y	4	\$2067.04	\$2406.16	\$2199.33	\$2538.45	\$2777.32	\$3211.48	\$2836.99	\$3290.59

Planes Collaborative Table — Y-Leg Polygon

Flip Top Table



Non-Flip Top Table



TACV
Class TA1

Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) D rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)

4 Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters
(add **\$456.56** list)
- F** Flip Top Table – Glides (add
\$562.94 list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides,
(add **\$106.38** list)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).


4) Base/Stretcher trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	HPL		B		Wood		B	U
							A	F	J	F	A	U	K	U
							J	F	J	F	K	U	K	U
Flip Top Tables														
30" (762mm)	60" (1524mm)	TACV-3060-	S	Y	4		\$1704.88	\$2078.42	\$1800.09	\$2173.63	\$2255.71	\$2571.65	\$2294.01	\$2626.15
36" (914mm)	72" (1829mm)	TACV-3672-	S	Y	4		2093.40	2606.33	2230.63	2743.56	2853.27	3283.26	2929.06	3382.38
Non-Flip Top Tables														
30" (762mm)	60" (1524mm)	TACV-3060-	S	Y	4		\$1704.88	\$2078.42	\$1800.09	\$2173.63	\$2255.71	\$2571.65	\$2294.01	\$2626.15
36" (914mm)	72" (1829mm)	TACV-3672-	S	Y	4		2093.40	2606.33	2230.63	2743.56	2853.27	3283.26	2929.06	3382.38

Planes Collaborative Table Accessories

Vertical Wire Management



TA01-0212
Class TA1

Features

- Includes one plastic wire manager sleeve
- Standard in light platinum color
- Field installed

Specification Tips


- For use on the Y-leg assembly for flip top unit wire management
- Snaps into top portion of Y-leg assembly.

To Order, Specify:

- 1) Product number
(No color specification required.)

Width	Length	Number	Price
2"(51mm)	12"(305mm)	TA01-0212	\$60.81

Y-Leg Bumper



TA01-0213
TA01-0214
Class TA1

Feature

- Includes 4 bumpers in light platinum.

Specification Tip


- Protects Y-leg tables when nested.

To Order, Specify:

- 1) Product number
(No color specification required.)

Description	Number	Price
For use on 36"(914mm)D top	TA01-0213	\$11.75
For use on 30"(762mm)D top	TA01-0214	11.75

Ganging Mechanism



TA01-0222
(one set)
Class TA1

Features

- Includes four (two sets) ganging mechanisms and attachment hardware.
- Standard in black.
- Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg or Jive C-Leg and T-Leg Training Tables.
- Field installed.

Specification Tips


- Planes C-Leg Training Tables are drilled for ganging mechanisms.
- Designed to connect flat edges. It will not connect knife edge to knife edge or knife edge to flat edge.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0222	\$158.03

Ganging Clip



TA01-0001
Class TA1

Features

- Includes set of two ganging clips and installation hardware.
- Standard in black.

Specification Tip

- Designed to connect flat or knife edges.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0001	\$62.62

Planes Collaborative Table Accessories

Casters



TA01-0216
Class TA1

Features

- Includes 4 casters; 2 locking, 2 non-locking.
- Casters are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.

Specification Tip


- Casters are for use with Y-leg tables, carts and easels. Not designed for interior or perimeter leg conference tables.

To Order, Specify:

- Product number.
- Trim color for hub.

Number	Price
TA01-0216	\$50.09

Glides



TA01-0215
Class TA1

Description

Painted Stem

Number

TA01-0215

Price

\$174.31

Features

- Includes 4 glides.
- Glides have 0.5"(13mm) height adjustment.
- Glides stems are either painted (specify paint trim color) or polished aluminum.
- Glide base disc is available in light platinum, fog or black (specify trim color).


Specification Tip

- Glides are for use with Y-leg tables, carts and easels. Not designed for interior or perimeter leg conference tables.


To Order, Specify:

- Product number.
- Stem trim color (for painted Glide).
- Base Disc trim color.


Planes Table — X Base



TARN-NXC



TARQ-NXC



TARP-NXG

Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, base and hardware.
- Fixed table height options are 21"(533mm), 29"(737mm) and 41"(1041mm).
- Caster and glides are not interchangeable.
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides are graphite and provide 0.5"(13mm) glide adjustment.
- Ships unassembled.

Specification Tips

- Base Sizes:
–30"(762mm) and 36"(914mm) tops include 27.25"(692mm) X-Base.
–42"(1067mm) and 48"(1219mm) tops include 33.75"(857mm) X-Base.

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base:

C Caster

G Glide (add **\$93.81** list)

4 Base Material:

A Painted

B Polished (add **\$383.08** list)

2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

4) Base trim color (painted only).


5) Caster color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.


Planes Table — X Base

								HPL							Wood				
Height	Depth	Width	Number	①②	③	④		A		B				A		B			
								J	F	J	F			K	U	K		U	
Round																			
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNX	2	\$	957.66	\$ 1224.85	\$1050.07	\$ 1317.26	\$	1431.76	\$ 1703.63	\$ 1464.03	\$ 1756.78			
	36"(914mm)	36"(914mm)	TARN-3636-		SNX	2		1144.84	1453.79	1257.49	1566.44		1704.83	2102.41	1754.00	2183.53			
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNX	2		1364.22	1714.93	1500.79	1851.50		2021.44	2572.40	2090.19	2686.47			
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNX	2		1615.80	2008.27	1779.97	2172.44		2381.59	3114.33	2472.60	3266.38			
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNX	4	\$	981.11	\$ 1248.30	\$1073.52	\$ 1340.71	\$	1455.21	\$ 1727.08	\$ 1487.48	\$ 1780.23			
	36"(914mm)	36"(914mm)	TARN-3636-		SNX	4		1168.29	1477.24	1280.94	1589.89		1728.28	2125.86	1777.45	2206.98			
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNX	4		1387.67	1738.38	1524.24	1874.95		2044.89	2595.85	2113.64	2709.92			
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNX	4		1639.25	2031.72	1803.42	2195.89		2405.04	3137.78	2496.05	3289.83			
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNX	7	\$	1004.58	\$ 1271.77	\$1096.99	\$ 1364.18	\$	1478.68	\$ 1750.55	\$ 1510.95	\$ 1803.70			
	36"(914mm)	36"(914mm)	TARN-3636-		SNX	7		1191.76	1500.71	1304.41	1613.36		1751.75	2149.33	1800.92	2230.45			
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNX	7		1411.14	1761.85	1547.71	1898.42		2068.36	2619.32	2137.11	2733.39			
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNX	7		1662.72	2055.19	1826.89	2219.36		2428.51	3161.25	2519.52	3313.30			
Square																			
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNX	2	\$	956.46	\$ 1214.05	\$1048.87	\$ 1306.46	\$	1431.76	\$ 1564.82	\$ 1464.03	\$ 1606.44			
	36"(914mm)	36"(914mm)	TARQ-3636-		SNX	2		1143.40	1440.83	1256.05	1553.48		1704.83	1935.84	1754.00	2003.12			
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNX	2		1362.54	1699.81	1499.11	1836.38		2021.44	2378.70	2090.19	2476.68			
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNX	2		1613.88	1990.99	1778.05	2155.16		2381.59	2892.23	2472.60	3025.84			
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNX	4	\$	979.91	\$ 1237.50	\$1072.32	\$ 1329.91	\$	1455.21	\$ 1588.27	\$ 1487.48	\$ 1629.89			
	36"(914mm)	36"(914mm)	TARQ-3636-		SNX	4		1166.85	1464.28	1279.50	1576.93		1728.28	1959.29	1777.45	2026.57			
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNX	4		1385.99	1723.26	1522.56	1859.83		2044.89	2402.15	2113.64	2500.13			
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNX	4		1637.33	2014.44	1801.50	2178.61		2405.04	2915.68	2496.05	3049.29			
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNX	7	\$	1003.38	\$ 1260.97	\$1095.79	\$ 1353.38	\$	1478.68	\$ 1611.74	\$ 1510.95	\$ 1653.36			
	36"(914mm)	36"(914mm)	TARQ-3636-		SNX	7		1190.32	1487.75	1302.97	1600.40		1751.75	1982.76	1800.92	2050.04			
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNX	7		1409.46	1746.73	1546.03	1883.30		2068.36	2425.62	2137.11	2523.60			
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNX	7		1660.80	2037.91	1824.97	2202.08		2428.51	2939.15	2519.52	3072.76			
Pebble																			
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNX	2	\$	956.46	\$ 1214.05	\$1048.87	\$ 1306.46	\$	1431.76	\$ 1564.82	\$ 1464.03	\$ 1606.44			
	36"(914mm)	36"(914mm)	TARP-3636-		SNX	2		1143.40	1440.83	1256.05	1553.48		1704.83	1935.84	1754.00	2003.12			
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNX	2		1362.54	1699.81	1499.11	1836.38		2021.44	2378.70	2090.19	2476.68			
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNX	2		1613.88	1990.99	1778.05	2155.16		2381.59	2892.23	2472.60	3025.84			
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNX	4	\$	979.91	\$ 1237.50	\$1072.32	\$ 1329.91	\$	1455.21	\$ 1588.27	\$ 1487.48	\$ 1629.89			
	36"(914mm)	36"(914mm)	TARP-3636-		SNX	4		1166.85	1464.28	1279.50	1576.93		1728.28	1959.29	1777.45	2026.57			
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNX	4		1385.99	1723.26	1522.56	1859.83		2044.89	2402.15	2113.64	2500.13			
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNX	4		1637.33	2014.44	1801.50	2178.61		2405.04	2915.68	2496.05	3049.29			
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNX	7	\$	1003.38	\$ 1260.97	\$1095.79	\$ 1353.38	\$	1478.68	\$ 1611.74	\$ 1510.95	\$ 1653.36			
	36"(914mm)	36"(914mm)	TARP-3636-		SNX	7		1190.32	1487.75	1302.97	1600.40		1751.75	1982.76	1800.92	2050.04			
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNX	7		1409.46	1746.73	1546.03	1883.30		2068.36	2425.62	2137.11	2523.60			
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNX	7		1660.80	2037.91	1824.97	2202.08		2428.51	2939.15	2519.52	3072.76			


Planes Table — Disc Base



TARN-NDN
Class TA1



TARQ-NDN
Class TA1



TARP-NDN
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Includes 1.18" (30mm) thick standard top, base and hardware.
- Fixed table height options are 21" (533mm), 29" (737mm) and 41" (1041mm).
- Ships unassembled.

Specification Tips

- Base Sizes:
– 30" (762mm) and 36" (914mm) tops include 21" (533mm) disc base.
– 42" (1067mm) and 48" (1219mm) tops include 27" (686mm) disc base.

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.


Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Disc Base


Height	Depth	Width	Number	①②	HPL				Wood		B		
					A		B		A	U	K	U	
					J	F	J	F	K	U	K	U	
Round													
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNDN2A	\$1284.00	\$ 1551.19	\$1376.41	\$ 1643.60	\$ 1758.10	\$2029.97	\$ 1790.37	\$2083.12
	36"(914mm)	36"(914mm)	TARN-3636-		SNDN2A	1471.18	1780.13	1583.83	1892.78	2031.17	2428.75	2080.34	2509.87
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNDN2A	1690.56	2041.27	1827.13	2177.84	2347.78	2898.74	2416.53	3012.81
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNDN2A	1942.14	2334.61	2106.31	2498.78	2707.93	3440.67	2798.94	3592.72
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNDN4A	\$1307.45	\$ 1574.64	\$1399.86	\$ 1667.05	\$ 1781.55	\$2053.42	\$ 1813.82	\$ 2106.57
	36"(914mm)	36"(914mm)	TARN-3636-		SNDN4A	1494.63	1803.58	1607.28	1916.23	2054.62	2452.20	2103.79	2533.32
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNDN4A	1714.01	2064.72	1850.58	2201.29	2371.23	2922.19	2439.98	3036.26
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNDN4A	1965.59	2358.06	2129.76	2522.23	2731.38	3464.12	2822.39	3616.17
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-		SNDN7A	\$1330.92	\$ 1598.11	\$1423.33	\$ 1690.52	\$ 1805.02	\$2076.89	\$ 1837.29	\$ 2130.04
	36"(914mm)	36"(914mm)	TARN-3636-		SNDN7A	1518.10	1827.05	1630.75	1939.70	2078.09	2475.67	2127.26	2556.79
	42"(1067mm)	42"(1067mm)	TARN-4242-		SNDN7A	1737.48	2088.19	1874.05	2224.76	2394.70	2945.66	2463.45	3059.73
	48"(1219mm)	48"(1219mm)	TARN-4848-		SNDN7A	1989.06	2381.53	2153.23	2545.70	2754.85	3487.59	2845.86	3639.64
Square													
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNDN2A	\$ 1281.43	\$ 1539.02	\$1373.84	\$ 1631.43	\$ 1756.73	\$ 1889.79	\$ 1789.00	\$ 1931.41
	36"(914mm)	36"(914mm)	TARQ-3636-		SNDN2A	1468.37	1765.80	1581.02	1878.45	2029.80	2260.81	2078.97	2328.09
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNDN2A	1687.51	2024.78	1824.08	2161.35	2346.41	2703.67	2415.16	2801.65
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNDN2A	1938.85	2315.96	2103.02	2480.13	2706.56	3217.20	2797.57	3350.81
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNDN4A	\$1304.88	\$ 1562.47	\$ 1397.29	\$ 1654.88	\$ 1780.18	\$ 1913.24	\$ 1812.45	\$ 1954.86
	36"(914mm)	36"(914mm)	TARQ-3636-		SNDN4A	1491.82	1789.25	1604.47	1901.90	2053.25	2284.26	2102.42	2351.54
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNDN4A	1710.96	2048.23	1847.53	2184.80	2369.86	2727.12	2438.61	2825.10
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNDN4A	1962.30	2339.41	2126.47	2503.58	2730.01	3240.65	2821.02	3374.26
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-		SNDN7A	\$1328.35	\$ 1585.94	\$1420.76	\$ 1678.35	\$ 1803.65	\$ 1936.71	\$ 1835.92	\$ 1978.33
	36"(914mm)	36"(914mm)	TARQ-3636-		SNDN7A	1515.29	1812.72	1627.94	1925.37	2076.72	2307.73	2125.89	2375.01
	42"(1067mm)	42"(1067mm)	TARQ-4242-		SNDN7A	1734.43	2071.70	1871.00	2208.27	2393.33	2750.59	2462.08	2848.57
	48"(1219mm)	48"(1219mm)	TARQ-4848-		SNDN7A	1985.77	2362.88	2149.94	2527.05	2753.48	3264.12	2844.49	3397.73
Pebble													
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNDN2A	\$1282.80	\$ 1540.39	\$1375.21	\$ 1632.80	\$ 1758.10	\$ 1891.16	\$ 1790.37	\$ 1932.78
	36"(914mm)	36"(914mm)	TARP-3636-		SNDN2A	1469.74	1767.17	1582.39	1879.82	2031.17	2262.18	2080.34	2329.46
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNDN2A	1688.88	2026.15	1825.45	2162.72	2347.78	2705.04	2416.53	2803.02
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNDN2A	1940.22	2317.33	2104.39	2481.50	2707.93	3218.57	2798.94	3352.18
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNDN4A	\$1306.25	\$ 1563.84	\$1398.66	\$ 1656.25	\$ 1781.55	\$ 1914.61	\$ 1813.82	\$ 1956.23
	36"(914mm)	36"(914mm)	TARP-3636-		SNDN4A	1493.19	1790.62	1605.84	1903.27	2054.62	2285.63	2103.79	2352.91
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNDN4A	1712.33	2049.60	1848.90	2186.17	2371.23	2728.49	2439.98	2826.47
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNDN4A	1963.67	2340.78	2127.84	2504.95	2731.38	3242.02	2822.39	3375.63
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-		SNDN7A	\$1329.72	\$ 1587.31	\$1422.13	\$ 1679.72	\$ 1805.02	\$ 1938.08	\$ 1837.29	\$ 1979.70
	36"(914mm)	36"(914mm)	TARP-3636-		SNDN7A	1516.66	1814.09	1629.31	1926.74	2078.09	2309.10	2127.26	2376.38
	42"(1067mm)	42"(1067mm)	TARP-4242-		SNDN7A	1735.80	2073.07	1872.37	2209.64	2394.70	2751.96	2463.45	2849.94
	48"(1219mm)	48"(1219mm)	TARP-4848-		SNDN7A	1987.14	2364.25	2151.31	2528.42	2754.85	3265.49	2845.86	3399.10

Planes Table — Dual X Base

Rectangle



TARA-XC



TARA-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5" (13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

4 Base:

C Caster

G Glide (add **\$187.62** list)

5 Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Dual X Base

Rectangle


Height	Depth	Width	Number						HPL				Wood											
				1	2	3	4	5	A	F	B	F	A	U	B	U								
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-			S	X	4	\$	1851.39	\$	2212.18	\$	1948.00	\$	2308.79	\$	2360.26	\$	2796.65	\$	2398.31	\$	2847.30
		66"(1676mm)	TARA-3066-			S	X	4		1939.45		2320.40		2045.56		2426.51		2505.74		2967.33		2551.15		3026.18
		72"(1829mm)	TARA-3072-			S	X	4		2027.51		2428.62		2143.12		2544.23		2651.22		3138.01		2703.99		3205.06
		78"(1981mm)	TARA-3078-			S	X	4		2115.57		2536.84		2240.68		2661.95		2796.70		3308.69		2856.83		3383.94
		84"(2134mm)	TARA-3084-			S	X	4		2203.63		2645.06		2338.24		2779.67		2942.18		3479.37		3009.67		3562.82
		90"(2286mm)	TARA-3090-			S	X	4		2291.69		2753.28		2435.80		2897.39		3087.66		3650.05		3162.51		3741.70
		96"(2438mm)	TARA-3096-			S	X	4		2379.75		2861.50		2533.36		3015.11		3233.14		3820.73		3315.35		3920.58
36"(914mm)	60"(1524mm)	TARA-3660-			S	X	4	\$	2023.55	\$	2404.50	\$	2139.16	\$	2520.11	\$	2638.14	\$	3099.73	\$	2689.95	\$	3164.98	
	66"(1676mm)	TARA-3666-			S	X	4		2128.43		2529.54		2255.44		2656.55		2810.10		3296.89		2870.55		3371.62	
	72"(1829mm)	TARA-3672-			S	X	4		2233.31		2654.58		2371.72		2792.99		2982.06		3494.05		3051.15		3578.26	
	78"(1981mm)	TARA-3678-			S	X	4		2338.19		2779.62		2488.00		2929.43		3154.02		3691.21		3231.75		3784.90	
	84"(2134mm)	TARA-3684-			S	X	4		2443.07		2904.66		2604.28		3065.87		3325.98		3888.37		3412.35		3991.54	
	90"(2286mm)	TARA-3690-			S	X	4		2547.95		3029.70		2720.56		3202.31		3497.94		4085.53		3592.95		4198.18	
	96"(2438mm)	TARA-3696-			S	X	4		2652.83		3154.74		2836.84		3338.75		3669.90		4282.69		3773.55		4404.82	
42"(1067mm)	60"(1524mm)	TARA-4260-			S	X	4	\$	2195.71	\$	2596.82	\$	2330.32	\$	2731.43	\$	2916.02	\$	3402.81	\$	2981.59	\$	3482.66	
	66"(1676mm)	TARA-4266-			S	X	4		2317.41		2738.68		2465.32		2886.59		3114.46		3626.45		3189.95		3717.06	
	72"(1829mm)	TARA-4272-			S	X	4		2439.11		2880.54		2600.32		3041.75		3312.90		3850.09		3398.31		3951.46	
	78"(1981mm)	TARA-4278-			S	X	4		2560.81		3022.40		2735.32		3196.91		3511.34		4073.73		3606.67		4185.86	
	84"(2134mm)	TARA-4284-			S	X	4		2682.51		3164.26		2870.32		3352.07		3709.78		4297.37		3815.03		4420.26	
	90"(2286mm)	TARA-4290-			S	X	4		2804.21		3306.12		3005.32		3507.23		3908.22		4521.01		4023.39		4654.66	
	96"(2438mm)	TARA-4296-			S	X	4		2925.91		3447.98		3140.32		3662.39		4106.66		4744.65		4231.75		4889.06	
48"(1219mm)	60"(1524mm)	TARA-4860-			S	X	4	\$	2367.87	\$	2789.14	\$	2521.48	\$	2942.75	\$	3193.90	\$	3705.89	\$	3273.23	\$	3800.34	
	66"(1676mm)	TARA-4866-			S	X	4		2506.39		2947.82		2675.20		3116.63		3418.82		3956.01		3509.35		4062.50	
	72"(1829mm)	TARA-4872-			S	X	4		2644.91		3106.50		2828.92		3290.51		3643.74		4206.13		3745.47		4324.66	
	78"(1981mm)	TARA-4878-			S	X	4		2783.43		3265.18		2982.64		3464.39		3868.66		4456.25		3981.59		4586.82	
	84"(2134mm)	TARA-4884-			S	X	4		2921.95		3423.86		3136.36		3638.27		4093.58		4706.37		4217.71		4848.98	
	90"(2286mm)	TARA-4890-			S	X	4		3060.47		3582.54		3290.08		3812.15		4318.50		4956.49		4453.83		5111.14	
	96"(2438mm)	TARA-4896-			S	X	4		3198.99		3741.22		3443.80		3986.03		4543.42		5206.61		4689.95		5373.30	
41"(1041mm)	30"(762mm)	60"(1524mm)	TARA-3060-			S	X	7	\$	1945.21	\$	2306.00	\$	2041.82	\$	2402.61	\$	2454.08	\$	2890.47	\$	2492.13	\$	2941.12
	66"(1676mm)	TARA-3066-			S	X	7		2033.27		2414.22		2139.38		2520.33		2599.56		3061.15		2644.97		3120.00	
	72"(1829mm)	TARA-3072-			S	X	7		2121.33		2522.44		2236.94		2638.05		2745.04		3231.83		2797.81		3298.88	
	78"(1981mm)	TARA-3078-			S	X	7		2209.39		2630.66		2334.50		2755.77		2890.52		3402.51		2950.65		3477.76	
	84"(2134mm)	TARA-3084-			S	X	7		2297.45		2738.88		2432.06		2873.49		3036.00		3573.19		3103.49		3656.64	
	90"(2286mm)	TARA-3090-			S	X	7		2385.51		2847.10		2529.62		2991.21		3181.48		3743.87		3256.33		3835.52	
	96"(2438mm)	TARA-3096-			S	X	7		2473.57		2955.32		2627.18		3108.93		3326.96		3914.55		3409.17		4014.40	
36"(914mm)	60"(1524mm)	TARA-3660-			S	X	7	\$	2117.37	\$	2498.32	\$	2232.98	\$	2613.93	\$	2731.96	\$	3193.55	\$	2783.77	\$	3258.80	
	66"(1676mm)	TARA-3666-			S	X	7		2222.25		2623.36		2349.26		2750.37		2903.92		3390.71		2964.37		3465.44	
	72"(1829mm)	TARA-3672-			S	X	7		2327.13		2748.40		2465.54		2886.81		3075.88		3587.87		3144.97		3672.08	
	78"(1981mm)	TARA-3678-			S	X	7		2432.01		2873.44		2581.82		3023.25		3247.84		3785.03		3325.57		3878.72	
	84"(2134mm)	TARA-3684-			S	X	7		2536.89		2998.48		2698.10		3159.69		3419.80		3982.19		3506.17		4085.36	
	90"(2286mm)	TARA-3690-			S	X	7		2641.77		3123.52		2814.38		3296.13		3591.76		4179.35		3686.77		4292.00	
	96"(2438mm)	TARA-3696-			S	X	7		2746.65		3248.56		2930.66		3432.57		3763.72		4376.51		3867.37		4498.64	
42"(1067mm)	60"(1524mm)	TARA-4260-			S	X	7	\$	2289.53	\$	2690.64	\$	2424.14	\$	2825.25	\$	3009.84	\$	3496.63	\$	3075.41	\$	3576.48	
	66"(1676mm)	TARA-4266-			S	X	7		2411.23		2832.50		2559.14		2980.41		3208.28		3720.27		3283.77		3810.88	
	72"(1829mm)	TARA-4272-			S	X	7		2532.93		2974.36		2694.14		3135.57		3406.72		3943.91		3492.13		4045.28	
	78"(1981mm)	TARA-4278-			S	X	7		2654.63		3116.22		2829.14		3290.73		3605.16		4167.55		3700.49		4279.68	
	84"(2134mm)	TARA-4284-			S	X	7		2776.33		3258.08		2964.14		3445.89		3803.60		4391.19		3908.85		4514.08	
	90"(2286mm)	TARA-4290-			S	X	7		2898.03		3399.94		3099.14		3601.05		4002.04		4614.83		4117.21		4748.48	
	96"(2438mm)	TARA-4296-			S	X	7		3019.73		3541.80		3234.14		3756.21		4200.48		4838.47		4325.57		4982.88	
48"(1219mm)	60"(1524mm)	TARA-4860-			S	X	7	\$	2461.69	\$	2882.96	\$	2615.30	\$	3036.57	\$	3287.72	\$	3799.71	\$	3367.05	\$	3894.16	
	66"(1676mm)	TARA-4866-			S	X	7		2600.21		3041.64		2769.02		3210.45		3512.64		4049.83		3603.17		4156.32	
	72"(1829mm)	TARA-4872-			S	X	7		2738.73		3200.32		2922.74		3384.33		3737.56		4299.95		3839.29		4418.48	
	78"(1981mm)	TARA-4878-			S	X	7		2877.25		3359.00		3076.46		3558.21		3962.48		4550.07		4075.41		4680.64	
	84"(2134mm)	TARA-4884-			S	X	7		3015.77		3517.68		3230.18		3732.09		4187.40		4800.19		4311.53		4942.80	
	90"(2286mm)	TARA-4890-			S	X	7		3154.29		3676.36		3383.90		3905.97		4412.32		5050.31		4547.65		5204.96	
	96"(2438mm)	TARA-4896-			S	X	7		3292.81		3835.04		3537.62		4079.85		4637.24		5300.43		4783.77		5467.12	

Planes Table — Dual X Base

Hexagon



TARX-XC



TARX-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5" (13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

4 Base:

C Caster

G Glide (add **\$187.62** list)

5 Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Dual X Base

Hexagon

Height	Depth	Width	Number	12	3	4	5	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARX-3060-	S	X	4		\$ 1905.59	\$ 2277.18	\$2002.20	\$ 2373.79	\$ 2398.26	\$ 2834.65	\$ 2436.31	\$ 2885.30
		66"(1676mm)	TARX-3066-	S	X	4		1994.73	2387.20	2100.84	2493.31	2543.74	3005.33	2589.15	3064.18
		72"(1829mm)	TARX-3072-	S	X	4		2083.87	2497.22	2199.48	2612.83	2689.22	3176.01	2741.99	3243.06
		78"(1981mm)	TARX-3078-	S	X	4		2173.01	2607.24	2298.12	2732.35	2834.70	3346.69	2894.83	3421.94
		84"(2134mm)	TARX-3084-	S	X	4		2262.15	2717.26	2396.76	2851.87	2980.18	3517.37	3047.67	3600.82
		90"(2286mm)	TARX-3090-	S	X	4		2351.29	2827.28	2495.40	2971.39	3125.66	3688.05	3200.51	3779.70
		96"(2438mm)	TARX-3096-	S	X	4		2440.43	2937.30	2594.04	3090.91	3271.14	3858.73	3353.35	3958.58
36"(914mm)		60"(1524mm)	TARX-3660-	S	X	4		\$ 2078.83	\$ 2471.30	\$ 2194.44	\$ 2586.91	\$ 2676.14	\$ 3137.73	\$ 2727.95	\$ 3202.98
		66"(1676mm)	TARX-3666-	S	X	4		2184.79	2598.14	2311.80	2725.15	2848.10	3334.89	2908.55	3409.62
		72"(1829mm)	TARX-3672-	S	X	4		2290.75	2724.98	2429.16	2863.39	3020.06	3532.05	3089.15	3616.26
		78"(1981mm)	TARX-3678-	S	X	4		2396.71	2851.82	2546.52	3001.63	3192.02	3729.21	3269.75	3822.90
		84"(2134mm)	TARX-3684-	S	X	4		2502.67	2978.66	2663.88	3139.87	3363.98	3926.37	3450.35	4029.54
		90"(2286mm)	TARX-3690-	S	X	4		2608.63	3105.50	2781.24	3278.11	3535.94	4123.53	3630.95	4236.18
		96"(2438mm)	TARX-3696-	S	X	4		2714.59	3232.34	2898.60	3416.35	3707.90	4320.69	3811.55	4442.82
42"(1067mm)		60"(1524mm)	TARX-4260-	S	X	4		\$ 2252.07	\$ 2665.42	\$ 2386.68	\$ 2800.03	\$ 2954.02	\$ 3440.81	\$ 3019.59	\$ 3520.66
		66"(1676mm)	TARX-4266-	S	X	4		2374.85	2809.08	2522.76	2956.99	3152.46	3664.45	3227.95	3755.06
		72"(1829mm)	TARX-4272-	S	X	4		2497.63	2952.74	2658.84	3113.95	3350.90	3888.09	3436.31	3989.46
		78"(1981mm)	TARX-4278-	S	X	4		2620.41	3096.40	2794.92	3270.91	3549.34	4111.73	3644.67	4223.86
		84"(2134mm)	TARX-4284-	S	X	4		2743.19	3240.06	2931.00	3427.87	3747.78	4335.37	3853.03	4458.26
		90"(2286mm)	TARX-4290-	S	X	4		2865.97	3383.72	3067.08	3584.83	3946.22	4559.01	4061.39	4692.66
		96"(2438mm)	TARX-4296-	S	X	4		2988.75	3527.38	3203.16	3741.79	4144.66	4782.65	4269.75	4927.06
48"(1219mm)		60"(1524mm)	TARX-4860-	S	X	4		\$ 2425.31	\$ 2859.54	\$ 2578.92	\$ 3013.15	\$ 3231.90	\$ 3743.89	\$ 3311.23	\$ 3838.34
		66"(1676mm)	TARX-4866-	S	X	4		2564.91	3020.02	2733.72	3188.83	3456.82	3994.01	3547.35	4100.50
		72"(1829mm)	TARX-4872-	S	X	4		2704.51	3180.50	2888.52	3364.51	3681.74	4244.13	3783.47	4362.66
		78"(1981mm)	TARX-4878-	S	X	4		2844.11	3340.98	3043.32	3540.19	3906.66	4494.25	4019.59	4624.82
		84"(2134mm)	TARX-4884-	S	X	4		2983.71	3501.46	3198.12	3715.87	4131.58	4744.37	4255.71	4886.98
		90"(2286mm)	TARX-4890-	S	X	4		3123.31	3661.94	3352.92	3891.55	4356.50	4994.49	4491.83	5149.14
		96"(2438mm)	TARX-4896-	S	X	4		3262.91	3822.42	3507.72	4067.23	4581.42	5244.61	4727.95	5411.30
41"(1041mm)	30"(762mm)	60"(1524mm)	TARX-3060-	S	X	7		\$ 1999.41	\$ 2371.00	\$2096.02	\$ 2467.61	\$ 2492.08	\$ 2928.47	\$ 2530.13	\$ 2979.12
		66"(1676mm)	TARX-3066-	S	X	7		2088.55	2481.02	2194.66	2587.13	2637.56	3099.15	2682.97	3158.00
		72"(1829mm)	TARX-3072-	S	X	7		2177.69	2591.04	2293.30	2706.65	2783.04	3269.83	2835.81	3336.88
		78"(1981mm)	TARX-3078-	S	X	7		2266.83	2701.06	2391.94	2826.17	2928.52	3440.51	2988.65	3515.76
		84"(2134mm)	TARX-3084-	S	X	7		2355.97	2811.08	2490.58	2945.69	3074.00	3611.19	3141.49	3694.64
		90"(2286mm)	TARX-3090-	S	X	7		2445.11	2921.10	2589.22	3065.21	3219.48	3781.87	3294.33	3873.52
		96"(2438mm)	TARX-3096-	S	X	7		2534.25	3031.12	2687.86	3184.73	3364.96	3952.55	3447.17	4052.40
36"(914mm)		60"(1524mm)	TARX-3660-	S	X	7		\$ 2172.65	\$ 2565.12	\$ 2288.26	\$ 2680.73	\$ 2769.96	\$ 3231.55	\$ 2821.77	\$ 3296.80
		66"(1676mm)	TARX-3666-	S	X	7		2278.61	2691.96	2405.62	2818.97	2941.92	3428.71	3002.37	3503.44
		72"(1829mm)	TARX-3672-	S	X	7		2384.57	2818.80	2522.98	2957.21	3113.88	3625.87	3182.97	3710.08
		78"(1981mm)	TARX-3678-	S	X	7		2490.53	2945.64	2640.34	3095.45	3285.84	3823.03	3363.57	3916.72
		84"(2134mm)	TARX-3684-	S	X	7		2596.49	3072.48	2757.70	3233.69	3457.80	4020.19	3544.17	4123.36
		90"(2286mm)	TARX-3690-	S	X	7		2702.45	3199.32	2875.06	3371.93	3629.76	4217.35	3724.77	4330.00
		96"(2438mm)	TARX-3696-	S	X	7		2808.41	3326.16	2992.42	3510.17	3801.72	4414.51	3905.37	4536.64
42"(1067mm)		60"(1524mm)	TARX-4260-	S	X	7		\$ 2345.89	\$ 2759.24	\$ 2480.50	\$ 2893.85	\$ 3047.84	\$ 3534.63	\$ 3113.41	\$ 3614.48
		66"(1676mm)	TARX-4266-	S	X	7		2468.67	2902.90	2616.58	3050.81	3246.28	3758.27	3321.77	3848.88
		72"(1829mm)	TARX-4272-	S	X	7		2591.45	3046.56	2752.66	3207.77	3444.72	3981.91	3530.13	4083.28
		78"(1981mm)	TARX-4278-	S	X	7		2714.23	3190.22	2888.74	3364.73	3643.16	4205.55	3738.49	4317.68
		84"(2134mm)	TARX-4284-	S	X	7		2837.01	3333.88	3024.82	3521.69	3841.60	4429.19	3946.85	4552.08
		90"(2286mm)	TARX-4290-	S	X	7		2959.79	3477.54	3160.90	3678.65	4040.04	4652.83	4155.21	4786.48
		96"(2438mm)	TARX-4296-	S	X	7		3082.57	3621.20	3296.98	3835.61	4238.48	4876.47	4363.57	5020.88
48"(1219mm)		60"(1524mm)	TARX-4860-	S	X	7		\$ 2519.13	\$ 2953.36	\$ 2672.74	\$ 3106.97	\$ 3325.72	\$ 3837.71	\$ 3405.05	\$ 3932.16
		66"(1676mm)	TARX-4866-	S	X	7		2658.73	3113.84	2827.54	3282.65	3550.64	4087.83	3641.17	4194.32
		72"(1829mm)	TARX-4872-	S	X	7		2798.33	3274.32	2982.34	3458.33	3775.56	4337.95	3877.29	4456.48
		78"(1981mm)	TARX-4878-	S	X	7		2937.93	3434.80	3137.14	3634.01	4000.48	4588.07	4113.41	4718.64
		84"(2134mm)	TARX-4884-	S	X	7		3077.53	3595.28	3291.94	3809.69	4225.40	4838.19	4349.53	4980.80
		90"(2286mm)	TARX-4890-	S	X	7		3217.13	3755.76	3446.74	3985.37	4450.32	5088.31	4585.65	5242.96
		96"(2438mm)	TARX-4896-	S	X	7		3356.73	3916.24	3601.54	4161.05	4675.24	5338.43	4821.77	5505.12

Planes Table — Dual X Base

Pebble



TARP-XC



TARP-XG
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5" (13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

4 Base:

C Caster

G Glide (add **\$187.62** list)

5 Base Material:

A Painted

B Polished (add **\$766.15** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

5) Caster color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.



Planes Table — Dual X Base

Pebble

Height	Depth	Width	Number	12	3	4	5	HPL		B		Wood		B	
								A	F	J	F	A	U	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARP-3060-	S	X	4		\$ 1905.59	\$ 2218.79	\$2002.20	\$ 2315.40	\$ 2398.26	\$ 2776.26	\$ 2436.31	\$ 2826.91
		66"(1676mm)	TARP-3066-	S	X	4		1994.73	2328.81	2100.84	2434.92	2543.74	2946.94	2589.15	3005.79
		72"(1829mm)	TARP-3072-	S	X	4		2083.87	2438.83	2199.48	2554.44	2689.22	3117.62	2741.99	3184.67
		78"(1981mm)	TARP-3078-	S	X	4		2173.01	2548.85	2298.12	2673.96	2834.70	3288.30	2894.83	3363.55
		84"(2134mm)	TARP-3084-	S	X	4		2262.15	2658.87	2396.76	2793.48	2980.18	3458.98	3047.67	3542.43
		90"(2286mm)	TARP-3090-	S	X	4		2351.29	2768.89	2495.40	2913.00	3125.66	3629.66	3200.51	3721.31
		96"(2438mm)	TARP-3096-	S	X	4		2440.43	2878.91	2594.04	3032.52	3271.14	3800.34	3353.35	3900.19
36"(914mm)		60"(1524mm)	TARP-3660-	S	X	4		\$ 2078.83	\$ 2412.91	\$ 2194.44	\$ 2528.52	\$ 2676.14	\$ 3079.34	\$ 2727.95	\$ 3144.59
		66"(1676mm)	TARP-3666-	S	X	4		2184.79	2539.75	2311.80	2666.76	2848.10	3276.50	2908.55	3351.23
		72"(1829mm)	TARP-3672-	S	X	4		2290.75	2666.59	2429.16	2805.00	3020.06	3473.66	3089.15	3557.87
		78"(1981mm)	TARP-3678-	S	X	4		2396.71	2793.43	2546.52	2943.24	3192.02	3670.82	3269.75	3764.51
		84"(2134mm)	TARP-3684-	S	X	4		2502.67	2920.27	2663.88	3081.48	3363.98	3867.98	3450.35	3971.15
		90"(2286mm)	TARP-3690-	S	X	4		2608.63	3047.11	2781.24	3219.72	3535.94	4065.14	3630.95	4177.79
		96"(2438mm)	TARP-3696-	S	X	4		2714.59	3173.95	2898.60	3357.96	3707.90	4262.30	3811.55	4384.43
42"(1067mm)		60"(1524mm)	TARP-4260-	S	X	4		\$ 2252.07	\$ 2607.03	\$ 2386.68	\$ 2741.64	\$ 2954.02	\$ 3382.42	\$ 3019.59	\$ 3462.27
		66"(1676mm)	TARP-4266-	S	X	4		2374.85	2750.69	2522.76	2898.60	3152.46	3606.06	3227.95	3696.67
		72"(1829mm)	TARP-4272-	S	X	4		2497.63	2894.35	2658.84	3055.56	3350.90	3829.70	3436.31	3931.07
		78"(1981mm)	TARP-4278-	S	X	4		2620.41	3038.01	2794.92	3212.52	3549.34	4053.34	3644.67	4165.47
		84"(2134mm)	TARP-4284-	S	X	4		2743.19	3181.67	2931.00	3369.48	3747.78	4276.98	3853.03	4399.87
		90"(2286mm)	TARP-4290-	S	X	4		2865.97	3325.33	3067.08	3526.44	3946.22	4500.62	4061.39	4634.27
		96"(2438mm)	TARP-4296-	S	X	4		2988.75	3468.99	3203.16	3683.40	4144.66	4724.26	4269.75	4868.67
48"(1219mm)		60"(1524mm)	TARP-4860-	S	X	4		\$ 2425.31	\$ 2801.15	\$ 2578.92	\$ 2954.76	\$ 3231.90	\$ 3685.50	\$ 3311.23	\$ 3779.95
		66"(1676mm)	TARP-4866-	S	X	4		2564.91	2961.63	2733.72	3130.44	3456.82	3935.62	3547.35	4042.11
		72"(1829mm)	TARP-4872-	S	X	4		2704.51	3122.11	2888.52	3306.12	3681.74	4185.74	3783.47	4304.27
		78"(1981mm)	TARP-4878-	S	X	4		2844.11	3282.59	3043.32	3481.80	3906.66	4435.86	4019.59	4566.43
		84"(2134mm)	TARP-4884-	S	X	4		2983.71	3443.07	3198.12	3657.48	4131.58	4685.98	4255.71	4828.59
		90"(2286mm)	TARP-4890-	S	X	4		3123.31	3603.55	3352.92	3833.16	4356.50	4936.10	4491.83	5090.75
		96"(2438mm)	TARP-4896-	S	X	4		3262.91	3764.03	3507.72	4008.84	4581.42	5186.22	4727.95	5362.91
41"(1041mm)	30"(762mm)	60"(1524mm)	TARP-3060-	S	X	7		\$ 1999.41	\$ 2312.61	\$2096.02	\$2409.22	\$ 2492.08	\$ 2870.08	\$ 2530.13	\$ 2920.73
		66"(1676mm)	TARP-3066-	S	X	7		2088.55	2422.63	2194.66	2528.74	2637.56	3040.76	2682.97	3099.61
		72"(1829mm)	TARP-3072-	S	X	7		2177.69	2532.65	2293.30	2648.26	2783.04	3211.44	2835.81	3278.49
		78"(1981mm)	TARP-3078-	S	X	7		2266.83	2642.67	2391.94	2767.78	2928.52	3382.12	2988.65	3457.37
		84"(2134mm)	TARP-3084-	S	X	7		2355.97	2752.69	2490.58	2887.30	3074.00	3552.80	3141.49	3636.25
		90"(2286mm)	TARP-3090-	S	X	7		2445.11	2862.71	2589.22	3006.82	3219.48	3723.48	3294.33	3815.13
		96"(2438mm)	TARP-3096-	S	X	7		2534.25	2972.73	2687.86	3126.34	3364.96	3894.16	3447.17	3994.01
36"(914mm)		60"(1524mm)	TARP-3660-	S	X	7		\$ 2172.65	\$ 2506.73	\$ 2288.26	\$ 2622.34	\$ 2769.96	\$ 3173.16	\$ 2821.77	\$ 3238.41
		66"(1676mm)	TARP-3666-	S	X	7		2278.61	2633.57	2405.62	2760.58	2941.92	3370.32	3002.37	3445.05
		72"(1829mm)	TARP-3672-	S	X	7		2384.57	2760.41	2522.98	2898.82	3113.88	3567.48	3182.97	3651.69
		78"(1981mm)	TARP-3678-	S	X	7		2490.53	2887.25	2640.34	3037.06	3285.84	3764.64	3363.57	3858.33
		84"(2134mm)	TARP-3684-	S	X	7		2596.49	3014.09	2757.70	3175.30	3457.80	3961.80	3544.17	4064.97
		90"(2286mm)	TARP-3690-	S	X	7		2702.45	3140.93	2875.06	3313.54	3629.76	4158.96	3724.77	4271.61
		96"(2438mm)	TARP-3696-	S	X	7		2808.41	3267.77	2992.42	3451.78	3801.72	4356.12	3905.37	4478.25
42"(1067mm)		60"(1524mm)	TARP-4260-	S	X	7		\$ 2345.89	\$ 2700.85	\$ 2480.50	\$ 2835.46	\$ 3047.84	\$ 3476.24	\$ 3113.41	\$ 3556.09
		66"(1676mm)	TARP-4266-	S	X	7		2468.67	2844.51	2616.58	2992.42	3246.28	3699.88	3321.77	3790.49
		72"(1829mm)	TARP-4272-	S	X	7		2591.45	2988.17	2752.66	3149.38	3444.72	3923.52	3530.13	4024.89
		78"(1981mm)	TARP-4278-	S	X	7		2714.23	3131.83	2888.74	3306.34	3643.16	4147.16	3738.49	4259.29
		84"(2134mm)	TARP-4284-	S	X	7		2837.01	3275.49	3024.82	3463.30	3841.60	4370.80	3946.85	4493.69
		90"(2286mm)	TARP-4290-	S	X	7		2959.79	3419.15	3160.90	3620.26	4040.04	4594.44	4155.21	4728.09
		96"(2438mm)	TARP-4296-	S	X	7		3082.57	3562.81	3296.98	3777.22	4238.48	4818.08	4363.57	4962.49
48"(1219mm)		60"(1524mm)	TARP-4860-	S	X	7		\$ 2519.13	\$ 2894.97	\$ 2672.74	\$ 3048.58	\$ 3325.72	\$ 3779.32	\$ 3405.05	\$ 3873.77
		66"(1676mm)	TARP-4866-	S	X	7		2658.73	3055.45	2827.54	3224.26	3550.64	4029.44	3641.17	4135.93
		72"(1829mm)	TARP-4872-	S	X	7		2798.33	3215.93	2982.34	3399.94	3775.56	4279.56	3877.29	4398.09
		78"(1981mm)	TARP-4878-	S	X	7		2937.93	3376.41	3137.14	3575.62	4000.48	4529.68	4113.41	4660.25
		84"(2134mm)	TARP-4884-	S	X	7		3077.53	3536.89	3291.94	3751.30	4225.40	4779.80	4349.53	4922.41
		90"(2286mm)	TARP-4890-	S	X	7		3217.13	3697.37	3446.74	3926.98	4450.32	5029.92	4585.65	5184.57
		96"(2438mm)	TARP-4896-	S	X	7		3356.73	3857.85	3601.54	4102.66	4675.24	5280.04	4821.77	5446.73

Planes Table — Dual Disc Base

Rectangle



TARA-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.



Planes Table — Dual Disc Base

Rectangle

Height	Depth	Width	Number	①②	③④	HPL				Wood					
						A		B		A		B			
						J	F	J	F	K	U	K	U		
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-		S	DN4A	\$ 3013.80	\$ 3374.59	\$ 3110.41	\$ 3471.20	\$ 3522.67	\$ 3959.06	\$ 3560.72	\$ 4009.71	
		66"(1676mm)	TARA-3066-		S	DN4A	3101.86	3482.81	3207.97	3588.92	3668.15	4129.74	3713.56	4188.59	
		72"(1829mm)	TARA-3072-		S	DN4A	3189.92	3591.03	3305.53	3706.64	3813.63	4300.42	3866.40	4367.47	
		78"(1981mm)	TARA-3078-		S	DN4A	3277.98	3699.25	3403.09	3824.36	3959.11	4471.10	4019.24	4546.35	
		84"(2134mm)	TARA-3084-		S	DN4A	3366.04	3807.47	3500.65	3942.08	4104.59	4641.78	4172.08	4725.23	
		90"(2286mm)	TARA-3090-		S	DN4A	3454.10	3915.69	3598.21	4059.80	4250.07	4812.46	4324.92	4904.11	
		96"(2438mm)	TARA-3096-		S	DN4A	3542.16	4023.91	3695.77	4177.52	4395.55	4983.14	4477.76	5082.99	
		36"(914mm)	60"(1524mm)	TARA-3660-		S	DN4A	\$ 3185.96	\$ 3566.91	\$ 3301.57	\$ 3682.52	\$ 3800.55	\$ 4262.14	\$ 3852.36	\$ 4327.39
			66"(1676mm)	TARA-3666-		S	DN4A	3290.84	3691.95	3417.85	3818.96	3972.51	4459.30	4032.96	4534.03
			72"(1829mm)	TARA-3672-		S	DN4A	3395.72	3816.99	3534.13	3955.40	4144.47	4656.46	4213.56	4740.67
78"(1981mm)	TARA-3678-			S	DN4A	3500.60	3942.03	3650.41	4091.84	4316.43	4853.62	4394.16	4947.31		
84"(2134mm)	TARA-3684-			S	DN4A	3605.48	4067.07	3766.69	4228.28	4488.39	5050.78	4574.76	5153.95		
90"(2286mm)	TARA-3690-			S	DN4A	3710.36	4192.11	3882.97	4364.72	4660.35	5247.94	4755.36	5360.59		
42"(1067mm)	30"(762mm)	60"(1524mm)	TARA-4260-		S	DN4A	\$ 3358.12	\$ 3759.23	\$ 3492.73	\$ 3893.84	\$ 4078.43	\$ 4565.22	\$ 4144.00	\$ 4645.07	
		66"(1676mm)	TARA-4266-		S	DN4A	3479.82	3901.09	3627.73	4049.00	4276.87	4788.86	4352.36	4879.47	
		72"(1829mm)	TARA-4272-		S	DN4A	3601.52	4042.95	3762.73	4204.16	4475.31	5012.50	4560.72	5113.87	
		78"(1981mm)	TARA-4278-		S	DN4A	3723.22	4184.81	3897.73	4359.32	4673.75	5236.14	4769.08	5348.27	
		84"(2134mm)	TARA-4284-		S	DN4A	3844.92	4326.67	4032.73	4514.48	4872.19	5459.78	4977.44	5582.67	
		90"(2286mm)	TARA-4290-		S	DN4A	3966.62	4468.53	4167.73	4669.64	5070.63	5683.42	5185.80	5817.07	
		96"(2438mm)	TARA-4296-		S	DN4A	4088.32	4610.39	4302.73	4824.80	5269.07	5907.06	5394.16	6051.47	
		48"(1219mm)	60"(1524mm)	TARA-4860-		S	DN4A	\$ 3530.28	\$ 3951.55	\$ 3683.89	\$ 4105.16	\$ 4356.31	\$ 4868.30	\$ 4435.64	\$ 4962.75
			66"(1676mm)	TARA-4866-		S	DN4A	3668.80	4110.23	3837.61	4279.04	4581.23	5118.42	4671.76	5224.91
			72"(1829mm)	TARA-4872-		S	DN4A	3807.32	4268.91	3991.33	4452.92	4806.15	5368.54	4907.88	5487.07
78"(1981mm)	TARA-4878-			S	DN4A	3945.84	4427.59	4145.05	4626.80	5031.07	5618.66	5144.00	5749.23		
84"(2134mm)	TARA-4884-			S	DN4A	4084.36	4586.27	4298.77	4800.68	5255.99	5868.78	5380.12	6011.39		
90"(2286mm)	TARA-4890-			S	DN4A	4222.88	4744.95	4452.49	4974.56	5480.91	6118.90	5616.24	6273.55		
41"(1041mm)	30"(762mm)	60"(1524mm)	TARA-3060-		S	DN7A	\$ 3107.62	\$ 3468.41	\$ 3204.23	\$ 3565.02	\$ 3616.49	\$ 4052.88	\$ 3654.54	\$ 4103.53	
		66"(1676mm)	TARA-3066-		S	DN7A	3195.68	3576.63	3301.79	3682.74	3761.97	4223.56	3807.38	4282.41	
		72"(1829mm)	TARA-3072-		S	DN7A	3283.74	3684.85	3399.35	3800.46	3907.45	4394.24	3960.22	4461.29	
		78"(1981mm)	TARA-3078-		S	DN7A	3371.80	3793.07	3496.91	3918.18	4052.93	4564.92	4113.06	4640.17	
		84"(2134mm)	TARA-3084-		S	DN7A	3459.86	3901.29	3594.47	4035.90	4198.41	4735.60	4265.90	4819.05	
		90"(2286mm)	TARA-3090-		S	DN7A	3547.92	4009.51	3692.03	4153.62	4343.89	4906.28	4418.74	4997.93	
		96"(2438mm)	TARA-3096-		S	DN7A	3635.98	4117.73	3789.59	4271.34	4489.37	5076.96	4571.58	5176.81	
		36"(914mm)	60"(1524mm)	TARA-3660-		S	DN7A	\$ 3279.78	\$ 3660.73	\$ 3395.39	\$ 3776.34	\$ 3894.37	\$ 4355.96	\$ 3946.18	\$ 4421.21
			66"(1676mm)	TARA-3666-		S	DN7A	3384.66	3785.77	3511.67	3912.78	4066.33	4553.12	4126.78	4627.85
			72"(1829mm)	TARA-3672-		S	DN7A	3489.54	3910.81	3627.95	4049.22	4238.29	4750.28	4307.38	4834.49
78"(1981mm)	TARA-3678-			S	DN7A	3594.42	4035.85	3744.23	4185.66	4410.25	4947.44	4487.98	5041.13		
84"(2134mm)	TARA-3684-			S	DN7A	3699.30	4160.89	3860.51	4322.10	4582.21	5144.60	4668.58	5247.77		
90"(2286mm)	TARA-3690-			S	DN7A	3804.18	4285.93	3976.79	4458.54	4754.17	5341.76	4849.18	5454.41		
42"(1067mm)	30"(762mm)	60"(1524mm)	TARA-4260-		S	DN7A	\$ 3451.94	\$ 3853.05	\$ 3586.55	\$ 3987.66	\$ 4172.25	\$ 4659.04	\$ 4237.82	\$ 4738.89	
		66"(1676mm)	TARA-4266-		S	DN7A	3573.64	3994.91	3721.55	4142.82	4370.69	4882.68	4446.18	4973.29	
		72"(1829mm)	TARA-4272-		S	DN7A	3695.34	4136.77	3856.55	4297.98	4569.13	5106.32	4654.54	5207.69	
		78"(1981mm)	TARA-4278-		S	DN7A	3817.04	4278.63	3991.55	4453.14	4767.57	5329.96	4862.90	5442.09	
		84"(2134mm)	TARA-4284-		S	DN7A	3938.74	4420.49	4126.55	4608.30	4966.01	5553.60	5071.26	5676.49	
		90"(2286mm)	TARA-4290-		S	DN7A	4060.44	4562.35	4261.55	4763.46	5164.45	5777.24	5279.62	5910.89	
		96"(2438mm)	TARA-4296-		S	DN7A	4182.14	4704.21	4396.55	4918.62	5362.89	6000.88	5487.98	6145.29	
		48"(1219mm)	60"(1524mm)	TARA-4860-		S	DN7A	\$ 3624.10	\$ 4045.37	\$ 3777.71	\$ 4198.98	\$ 4450.13	\$ 4962.12	\$ 4529.46	\$ 5056.57
			66"(1676mm)	TARA-4866-		S	DN7A	3762.62	4204.05	3931.43	4372.86	4675.05	5212.24	4765.58	5318.73
			72"(1829mm)	TARA-4872-		S	DN7A	3901.14	4362.73	4085.15	4546.74	4899.97	5462.36	5001.70	5580.89
78"(1981mm)	TARA-4878-			S	DN7A	4039.66	4521.41	4238.57	4720.62	5124.89	5712.48	5237.82	5843.05		
84"(2134mm)	TARA-4884-			S	DN7A	4178.18	4680.09	4392.59	4894.50	5349.81	5962.60	5473.94	6105.21		
90"(2286mm)	TARA-4890-			S	DN7A	4316.70	4838.77	4546.31	5068.38	5547.73	6212.72	5710.06	6367.37		
		96"(2438mm)	TARA-4896-		S	DN7A	4455.22	4997.45	4700.03	5242.26	5799.65	6462.84	5946.18	6629.53	

Planes Table — Dual Disc Base

Hexagon



TARX-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.



Planes Table — Dual Disc Base

Hexagon

Height	Depth	Width	Number	①②	③④	HPL				Wood				
						A	F	B		A	U	B	U	
						J	F	J	F	K	U	K	U	
29"(737mm)	30"(762mm)	60"(1524mm)	TARX-3060-		S	DN4A	\$3068.00	\$3439.59	\$3164.61	\$3536.20	\$3560.67	\$3997.06	\$3598.72	\$4047.71
		66"(1676mm)	TARX-3066-		S	DN4A	3157.14	3549.61	3263.25	3655.72	3706.15	4167.74	3751.56	4226.59
		72"(1829mm)	TARX-3072-		S	DN4A	3246.28	3659.63	3361.89	3775.24	3851.63	4338.42	3904.40	4405.47
		78"(1981mm)	TARX-3078-		S	DN4A	3335.42	3769.65	3460.53	3894.76	3997.11	4509.10	4057.24	4584.35
		84"(2134mm)	TARX-3084-		S	DN4A	3424.56	3879.67	3559.17	4014.28	4142.59	4679.78	4210.08	4763.23
		90"(2286mm)	TARX-3090-		S	DN4A	3513.70	3989.69	3657.81	4133.80	4288.07	4850.46	4362.92	4942.11
		96"(2438mm)	TARX-3096-		S	DN4A	3602.84	4099.71	3756.45	4253.32	4433.55	5021.14	4515.76	5120.99
	36"(914mm)	60"(1524mm)	TARX-3660-		S	DN4A	\$3241.24	\$3633.71	\$3356.85	\$3749.32	\$3838.55	\$4300.14	\$3890.36	\$4365.39
		66"(1676mm)	TARX-3666-		S	DN4A	3347.20	3760.55	3474.21	3887.56	4010.51	4497.30	4070.96	4572.03
		72"(1829mm)	TARX-3672-		S	DN4A	3453.16	3887.39	3591.57	4025.80	4182.47	4694.46	4251.56	4778.67
		78"(1981mm)	TARX-3678-		S	DN4A	3559.12	4014.23	3708.93	4164.04	4354.43	4891.62	4432.16	4985.31
		84"(2134mm)	TARX-3684-		S	DN4A	3665.08	4141.07	3826.29	4302.28	4526.39	5088.78	4612.76	5191.95
		90"(2286mm)	TARX-3690-		S	DN4A	3771.04	4267.91	3943.65	4440.52	4698.35	5285.94	4793.36	5398.59
		96"(2438mm)	TARX-3696-		S	DN4A	3877.00	4394.75	4061.01	4578.76	4870.31	5483.10	4973.96	5605.23
	42"(1067mm)	60"(1524mm)	TARX-4260-		S	DN4A	\$3414.48	\$3827.83	\$3549.09	\$3962.44	\$4116.43	\$4603.22	\$4182.00	\$4683.07
		66"(1676mm)	TARX-4266-		S	DN4A	3537.26	3971.49	3685.17	4119.40	4314.87	4826.86	4390.36	4917.47
		72"(1829mm)	TARX-4272-		S	DN4A	3660.04	4115.15	3821.25	4276.36	4513.31	5050.50	4598.72	5151.87
		78"(1981mm)	TARX-4278-		S	DN4A	3782.82	4258.81	3957.33	4433.32	4711.75	5274.14	4807.08	5386.27
		84"(2134mm)	TARX-4284-		S	DN4A	3905.60	4402.47	4093.41	4590.28	4910.19	5497.78	5015.44	5620.67
		90"(2286mm)	TARX-4290-		S	DN4A	4028.38	4546.13	4229.49	4747.24	5108.63	5721.42	5223.80	5855.07
		96"(2438mm)	TARX-4296-		S	DN4A	4151.16	4689.79	4365.57	4904.20	5307.07	5945.06	5432.16	6089.47
	48"(1219mm)	60"(1524mm)	TARX-4860-		S	DN4A	\$3587.72	\$4021.95	\$3741.33	\$4175.56	\$4394.31	\$4906.30	\$4473.64	\$5000.76
		66"(1676mm)	TARX-4866-		S	DN4A	3727.32	4182.43	3896.13	4351.24	4619.23	5156.42	4709.76	5262.91
		72"(1829mm)	TARX-4872-		S	DN4A	3866.92	4342.91	4050.93	4526.92	4844.15	5406.54	4945.88	5525.07
		78"(1981mm)	TARX-4878-		S	DN4A	4006.52	4503.39	4205.73	4702.60	5069.07	5656.66	5182.00	5787.23
		84"(2134mm)	TARX-4884-		S	DN4A	4146.12	4663.87	4360.53	4878.28	5293.99	5906.78	5418.12	6049.39
		90"(2286mm)	TARX-4890-		S	DN4A	4285.72	4824.35	4515.33	5053.96	5518.91	6156.90	5654.24	6311.55
		96"(2438mm)	TARX-4896-		S	DN4A	4425.32	4984.83	4670.13	5229.64	5743.83	6407.02	5890.36	6573.71
41"(1041mm)	30"(762mm)	60"(1524mm)	TARX-3060-		S	DN7A	\$3161.82	\$3533.41	\$3258.43	\$3630.02	\$3654.49	\$4090.88	\$3692.54	\$4141.53
		66"(1676mm)	TARX-3066-		S	DN7A	3250.96	3643.43	3357.07	3749.54	3799.97	4261.56	3845.38	4320.41
		72"(1829mm)	TARX-3072-		S	DN7A	3340.10	3753.45	3455.71	3869.06	3945.45	4432.24	3998.22	4499.29
		78"(1981mm)	TARX-3078-		S	DN7A	3429.24	3863.47	3554.35	3988.58	4090.93	4602.92	4151.06	4678.17
		84"(2134mm)	TARX-3084-		S	DN7A	3518.38	3973.49	3652.99	4108.10	4236.41	4773.60	4303.90	4857.05
		90"(2286mm)	TARX-3090-		S	DN7A	3607.52	4083.51	3751.63	4227.62	4381.89	4944.28	4456.74	5035.93
		96"(2438mm)	TARX-3096-		S	DN7A	3696.66	4193.53	3850.27	4347.14	4527.37	5114.96	4609.58	5214.81
	36"(914mm)	60"(1524mm)	TARX-3660-		S	DN7A	\$3335.06	\$3727.53	\$3450.67	\$3843.14	\$3932.37	\$4393.96	\$3984.18	\$4459.21
		66"(1676mm)	TARX-3666-		S	DN7A	3441.02	3854.37	3568.03	3981.38	4104.33	4591.12	4164.78	4665.85
		72"(1829mm)	TARX-3672-		S	DN7A	3546.98	3981.21	3685.39	4119.62	4276.29	4788.28	4345.38	4872.49
		78"(1981mm)	TARX-3678-		S	DN7A	3652.94	4108.05	3802.75	4257.86	4448.25	4985.44	4525.98	5079.13
		84"(2134mm)	TARX-3684-		S	DN7A	3758.90	4234.89	3920.11	4396.10	4620.21	5182.60	4706.58	5285.77
		90"(2286mm)	TARX-3690-		S	DN7A	3864.86	4361.73	4037.47	4534.34	4792.17	5379.76	4887.18	5492.41
		96"(2438mm)	TARX-3696-		S	DN7A	3970.82	4488.57	4154.83	4672.58	4964.13	5576.92	5067.78	5699.05
	42"(1067mm)	60"(1524mm)	TARX-4260-		S	DN7A	\$3508.30	\$3921.65	\$3642.91	\$4056.26	\$4210.25	\$4697.04	\$4275.82	\$4776.89
		66"(1676mm)	TARX-4266-		S	DN7A	3631.08	4065.31	3778.99	4213.22	4408.69	4920.68	4484.18	5011.29
		72"(1829mm)	TARX-4272-		S	DN7A	3753.86	4208.97	3915.07	4370.18	4607.13	5144.32	4692.54	5245.69
		78"(1981mm)	TARX-4278-		S	DN7A	3876.64	4352.63	4051.15	4527.14	4805.57	5367.96	4900.90	5480.09
		84"(2134mm)	TARX-4284-		S	DN7A	3999.42	4496.29	4187.23	4684.10	5004.01	5591.60	5109.26	5714.49
		90"(2286mm)	TARX-4290-		S	DN7A	4122.20	4639.95	4323.31	4841.06	5202.45	5815.24	5317.62	5948.89
		96"(2438mm)	TARX-4296-		S	DN7A	4244.98	4783.61	4459.39	4998.02	5400.89	6038.88	5525.98	6183.29
	48"(1219mm)	60"(1524mm)	TARX-4860-		S	DN7A	\$3681.54	\$4115.77	\$3835.15	\$4269.38	\$4488.13	\$5000.12	\$4567.46	\$5094.57
		66"(1676mm)	TARX-4866-		S	DN7A	3821.14	4276.25	3989.95	4445.06	4713.05	5250.24	4803.58	5356.73
		72"(1829mm)	TARX-4872-		S	DN7A	3960.74	4436.73	4144.75	4620.74	4937.97	5500.36	5039.70	5618.89
		78"(1981mm)	TARX-4878-		S	DN7A	4100.34	4597.21	4299.55	4796.42	5162.89	5750.48	5275.82	5881.05
		84"(2134mm)	TARX-4884-		S	DN7A	4239.94	4757.69	4454.35	4972.10	5387.81	6000.60	5511.94	6143.21
		90"(2286mm)	TARX-4890-		S	DN7A	4379.54	4918.17	4609.15	5147.78	5612.73	6250.72	5748.06	6405.37
		96"(2438mm)	TARX-4896-		S	DN7A	4519.14	5078.65	4763.95	5323.46	5837.65	6500.84	5984.18	6667.53

Planes Table — Dual Disc Base

Pebble



TARP-D
Class TA1

Features

- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18" (30mm) thick standard top, bases and hardware.
- Fixed table height options are 29" (737mm) and 41" (1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: \$62.43 upcharge list for Metallic and accent trim colors.

Planes Table — Dual Disc Base


Pebble

Height	Depth	Width	Number	①	②	③	HPL				Wood					
							A		B		A		B			
							J	F	J	F	K	U	K	U		
29"(737mm)	30"(762mm)	60"(1524mm)	TARP-3060-			S	DN4A	\$3068.00	\$3381.20	\$3164.61	\$3477.81	\$3560.67	\$3938.67	\$3598.72	\$3989.32	
		66"(1676mm)	TARP-3066-			S	DN4A	3157.14	3491.22	3263.25	3597.33	3706.15	4109.35	3751.56	4168.20	
		72"(1829mm)	TARP-3072-			S	DN4A	3246.28	3601.24	3361.89	3716.85	3851.63	4280.03	3904.40	4347.08	
		78"(1981mm)	TARP-3078-			S	DN4A	3335.42	3711.26	3460.53	3836.37	3997.11	4450.71	4057.24	4525.96	
		84"(2134mm)	TARP-3084-			S	DN4A	3424.56	3821.28	3559.17	3955.89	4142.59	4621.39	4210.08	4704.84	
		90"(2286mm)	TARP-3090-			S	DN4A	3513.70	3931.30	3657.81	4075.41	4288.07	4792.07	4362.92	4883.72	
		96"(2438mm)	TARP-3096-			S	DN4A	3602.84	4041.32	3756.45	4194.93	4433.55	4962.75	4515.76	5062.60	
		36"(914mm)	60"(1524mm)	TARP-3660-			S	DN4A	\$3241.24	\$3575.32	\$3356.85	\$3690.93	\$3838.55	\$4241.75	\$3890.36	\$4307.00
			66"(1676mm)	TARP-3666-			S	DN4A	3347.20	3702.16	3474.21	3829.17	4010.51	4438.91	4070.96	4513.64
			72"(1829mm)	TARP-3672-			S	DN4A	3453.16	3829.00	3591.57	3967.41	4182.47	4636.07	4251.56	4720.28
78"(1981mm)	TARP-3678-				S	DN4A	3559.12	3955.84	3708.93	4105.65	4354.43	4833.23	4432.16	4926.92		
84"(2134mm)	TARP-3684-				S	DN4A	3665.08	4082.68	3826.29	4243.89	4526.39	5030.39	4612.76	5133.56		
90"(2286mm)	TARP-3690-				S	DN4A	3771.04	4209.52	3943.65	4382.13	4698.35	5227.55	4793.36	5340.20		
42"(1067mm)	30"(762mm)	60"(1524mm)	TARP-4260-			S	DN4A	\$3414.48	\$3769.44	\$3549.09	\$3904.05	\$4116.43	\$4544.83	\$4182.00	\$4624.68	
		66"(1676mm)	TARP-4266-			S	DN4A	3537.26	3913.10	3685.17	4061.01	4314.87	4768.47	4390.36	4859.08	
		72"(1829mm)	TARP-4272-			S	DN4A	3660.04	4056.76	3821.25	4217.97	4513.31	4992.11	4598.72	5093.48	
		78"(1981mm)	TARP-4278-			S	DN4A	3782.82	4200.42	3957.33	4374.93	4711.75	5215.75	4807.08	5327.88	
		84"(2134mm)	TARP-4284-			S	DN4A	3905.60	4344.08	4093.41	4531.89	4910.19	5439.39	5015.44	5562.28	
		90"(2286mm)	TARP-4290-			S	DN4A	4028.38	4487.74	4229.49	4688.85	5108.63	5663.03	5223.80	5796.68	
		96"(2438mm)	TARP-4296-			S	DN4A	4151.16	4631.40	4365.57	4845.81	5307.07	5886.67	5432.16	6031.08	
		48"(1219mm)	60"(1524mm)	TARP-4860-			S	DN4A	\$3587.72	\$3963.56	\$3741.33	\$4117.17	\$4394.31	\$4847.91	\$4473.64	\$4942.36
			66"(1676mm)	TARP-4866-			S	DN4A	3727.32	4124.04	3896.13	4292.85	4619.23	5098.03	4709.76	5204.52
			72"(1829mm)	TARP-4872-			S	DN4A	3866.92	4284.52	4050.93	4468.53	4844.15	5348.15	4945.88	5466.68
78"(1981mm)	TARP-4878-				S	DN4A	4006.52	4445.00	4205.73	4644.21	5069.07	5598.27	5182.00	5728.84		
84"(2134mm)	TARP-4884-				S	DN4A	4146.12	4605.48	4360.53	4819.89	5293.99	5848.39	5418.12	5991.00		
90"(2286mm)	TARP-4890-				S	DN4A	4285.72	4765.96	4515.33	4995.57	5518.91	6098.51	5654.24	6253.16		
96"(2438mm)	TARP-4896-				S	DN4A	4425.32	4926.44	4670.13	5171.25	5743.83	6348.63	5890.36	6515.32		
41"(1041mm)	30"(762mm)		60"(1524mm)	TARP-3060-			S	DN7A	\$3161.82	\$3475.02	\$3258.43	\$3571.63	\$3654.49	\$4032.49	\$3692.54	\$4083.14
		66"(1676mm)	TARP-3066-			S	DN7A	3250.96	3585.04	3357.07	3691.15	3799.97	4203.17	3845.38	4262.02	
		72"(1829mm)	TARP-3072-			S	DN7A	3340.10	3695.06	3455.71	3810.67	3945.45	4373.85	3998.22	4440.90	
		78"(1981mm)	TARP-3078-			S	DN7A	3429.24	3805.08	3554.35	3930.19	4090.93	4544.53	4151.06	4619.78	
		84"(2134mm)	TARP-3084-			S	DN7A	3518.38	3915.10	3652.99	4049.71	4236.41	4715.21	4303.90	4798.66	
		90"(2286mm)	TARP-3090-			S	DN7A	3607.52	4025.12	3751.63	4169.23	4381.89	4885.89	4456.74	4977.54	
		96"(2438mm)	TARP-3096-			S	DN7A	3696.66	4135.14	3850.27	4288.75	4527.37	5056.57	4609.58	5156.42	
		36"(914mm)	60"(1524mm)	TARP-3660-			S	DN7A	\$3335.06	\$3669.14	\$3450.67	\$3784.75	\$3932.37	\$4335.57	\$3984.18	\$4400.82
			66"(1676mm)	TARP-3666-			S	DN7A	3441.02	3795.98	3568.03	3922.99	4104.33	4532.73	4164.78	4607.46
			72"(1829mm)	TARP-3672-			S	DN7A	3546.98	3922.82	3685.39	4061.23	4276.29	4729.89	4345.38	4814.10
78"(1981mm)	TARP-3678-				S	DN7A	3652.94	4049.66	3802.75	4199.47	4448.25	4927.05	4525.98	5020.74		
84"(2134mm)	TARP-3684-				S	DN7A	3758.90	4176.50	3920.11	4337.71	4620.21	5124.21	4706.58	5227.38		
90"(2286mm)	TARP-3690-				S	DN7A	3864.86	4303.34	4037.47	4475.95	4792.17	5321.37	4887.18	5434.02		
96"(2438mm)	TARP-3696-				S	DN7A	3970.82	4430.18	4154.83	4614.19	4964.13	5518.53	5067.78	5640.66		
42"(1067mm)	30"(762mm)		60"(1524mm)	TARP-4260-			S	DN7A	\$3508.30	\$3863.26	\$3642.91	\$3997.87	\$4210.25	\$4638.65	\$4275.82	\$4718.50
		66"(1676mm)	TARP-4266-			S	DN7A	3631.08	4006.92	3778.99	4154.83	4408.69	4862.29	4484.18	4952.90	
		72"(1829mm)	TARP-4272-			S	DN7A	3753.86	4150.58	3915.07	4311.79	4607.13	5085.93	4692.54	5187.30	
		78"(1981mm)	TARP-4278-			S	DN7A	3876.64	4294.24	4051.15	4468.75	4805.57	5309.57	4900.90	5421.70	
		84"(2134mm)	TARP-4284-			S	DN7A	3999.42	4437.90	4187.23	4625.71	5004.01	5533.21	5109.26	5656.10	
		90"(2286mm)	TARP-4290-			S	DN7A	4122.20	4581.56	4323.31	4782.67	5202.45	5756.85	5317.62	5890.50	
		96"(2438mm)	TARP-4296-			S	DN7A	4244.98	4725.22	4459.39	4939.63	5400.89	5980.49	5525.98	6124.90	
		48"(1219mm)	60"(1524mm)	TARP-4860-			S	DN7A	\$3681.54	\$4057.38	\$3835.15	\$4210.99	\$4488.13	\$4941.73	\$4567.46	\$5036.18
			66"(1676mm)	TARP-4866-			S	DN7A	3821.14	4217.86	3989.95	4386.67	4713.05	5191.85	4803.58	5298.34
			72"(1829mm)	TARP-4872-			S	DN7A	3960.74	4378.34	4144.75	4562.35	4937.97	5441.97	5039.70	5560.50
78"(1981mm)	TARP-4878-				S	DN7A	4100.34	4538.82	4299.55	4738.03	5162.89	5692.09	5275.82	5822.66		
84"(2134mm)	TARP-4884-				S	DN7A	4239.94	4699.30	4454.35	4913.71	5387.81	5942.21	5511.94	6084.82		
90"(2286mm)	TARP-4890-				S	DN7A	4379.54	4859.78	4609.15	5089.39	5612.73	6192.33	5748.06	6346.98		
96"(2438mm)	TARP-4896-				S	DN7A	4519.14	5020.26	4763.95	5265.07	5837.65	6442.45	5984.18	6609.14		


Planes Training Table

Terminology

Flip Top Table



Non-Flip Top Table



Planes Training Table


Catalog Logic

	T	A	RA - 24	60 - W	K	S	N	CH	4	A
Product Type: _____										
(T) Table										
Platform: _____										
(A) Plane										
Shape: _____										
(BN) Crescent										
(RA) Rectangle										
(CV) Polygon										
(TP) Trapezoid										
Depth: _____										
20 - 20"(508mm)										
24 - 24"(610mm)										
30 - 30"(762mm)										
Width: _____										
36 - 36"(914mm)										
42 - 42"(1067mm)										
48 - 48"(1219mm)										
54 - 54"(1372mm)										
55 - 55"(1397mm)										
60 - 60"(1524mm)										
66 - 66"(1676mm)										
68 - 68"(1727mm)										
72 - 72"(1829mm)										
78 - 78"(1981mm)										
84 - 84"(2134mm)										
90 - 90"(2286mm)										
96 - 96"(2438mm)										
Surface Material: _____										
(L) High-Pressure Laminate (HPL)										
(W) Wood										
Edge: _____										
(J) 3mm Edgeband										
(F) Knife Edge										
(K) Wood Edgeband										
(U) Wood Knife Edge										
Core Material: _____										
(S) Standard										
Flip Top Unit Cutout Location: _____										
(A) 2 Outlet Cutout Single-sided - Centered Back										
(B) 2 Outlet Cutout Single-sided - Left/Right Back										
(F) 4 Outlet Cutout Single-sided - Centered Back										
(V) 4 Outlet Cutout Single-sided - Left/Right Back										
(J) 6 Outlet Cutout Single-sided - Centered Back										
(K) 6 Outlet Cutout Single-sided - Left/Right Back										
(N) No Cutouts										
Base: _____										
(CG) C-Leg, Non-Flip, Glides										
(CC) C-Leg, Non-Flip, Casters										
(CF) C-Leg, Flip Top, Glides										
(CH) C-Leg, Flip Top, Casters										
Height: _____										
4 - 29"(737mm)										
Base/Stretcher Option: _____										
(A) - Painted										
(B) - Polished										


Planes Training Table

Rectangular

Flip Top Table



Non-Flip Top Table



TARA
Class TA1



Features

- Includes 1.18" (30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Reinforcement bar included with 72" (1829mm) or greater tops.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color).
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Outcut Options include:
 - One cutout centered along back edge, or
 - One left and one right cutout along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout Options by Width:

36" (914mm) - 54" (1372mm)

(Options: A, F, J, N)

60" (1524mm) - 96" (2438mm)

(Options: A, B, F, V, J, K, N)

- N** No cutout
- A** 2 outlet cutout - centered back (add **\$45.40** list)
- B** 2 outlet cutout - left and right back (add **\$90.80** list)
- F** 4 outlet cutout - centered back (add **\$45.40** list)
- V** 4 outlet cutout - left and right back (add **\$90.80** list)
- J** 6 outlet cutout - centered back (add **\$45.40** list)
- K** 6 outlet cutout - left and right back (add **\$90.80** list)

4 Base Options (Flip/Non-Flip):

- H** Flip Top Table: Casters (add **\$250.93** list)
- F** Flip Top Table: Glides (add **\$357.30** list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

- A** Painted
- B** Polished (add **\$746.69**, must specify trim color for stretcher)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.

5) Caster/Glide Base Disc trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Training Table



Rectangular

		Distributed Load							HPL				Wood											
Depth	Width	Capacity	Number						A		B		A		B									
				1	2	3	4	5	J	F	J	F	K	U	K	U								
Flip Top Tables																								
24"(610mm)	36"(914mm)	144	TARA-2436-		S	C		4	\$	1129.41	\$	1383.49	\$	1174.84	\$	1428.92	\$	1459.17	\$	1698.85	\$	1469.81	\$	1750.29
	42"(1067mm)	158	TARA-2442-		S	C		4		1310.52		1584.28		1363.47		1637.23		1669.80		1927.72		1683.52		1986.32
	48"(1219mm)	173	TARA-2448-		S	C		4		1491.63		1785.07		1552.10		1845.54		1880.43		2156.59		1897.23		2222.35
	54"(1372mm)	187	TARA-2454-		S	C		4		1672.74		1985.86		1740.73		2053.85		2091.06		2385.46		2110.94		2458.38
	60"(1524mm)	202	TARA-2460-		S	C		4		1853.85		2186.65		1929.36		2262.16		2301.69		2614.33		2324.65		2694.41
	66"(1676mm)	216	TARA-2466-		S	C		4		2034.96		2387.44		2117.99		2470.47		2512.32		2843.20		2538.36		2930.44
	72"(1829mm)	230	TARA-2472-		S	C		4		2216.07		2588.23		2306.62		2678.78		2722.95		3072.07		2752.07		3166.47
30"(762mm)	36"(914mm)	158	TARA-3036-		S	C		4	\$	1283.11	\$	1556.87	\$	1339.82	\$	1613.58	\$	1640.47	\$	1898.39	\$	1655.31	\$	1958.11
	42"(1067mm)	173	TARA-3042-		S	C		4		1475.41		1768.85		1541.52		1834.96		1861.33		2137.49		1879.81		2204.93
	48"(1219mm)	187	TARA-3048-		S	C		4		1667.71		1980.83		1743.22		2056.34		2082.19		2376.59		2104.31		2451.75
	54"(1372mm)	202	TARA-3054-		S	C		4		1860.01		2192.81		1944.92		2277.72		2303.05		2615.69		2328.81		2698.57
	60"(1524mm)	216	TARA-3060-		S	C		4		2052.31		2404.79		2146.62		2499.10		2523.91		2854.79		2553.31		2945.39
	66"(1676mm)	230	TARA-3066-		S	C		4		2244.61		2616.77		2348.32		2720.48		2744.77		3093.89		2777.81		3192.21
	72"(1829mm)	245	TARA-3072-		S	C		4		2436.91		2828.75		2550.02		2941.86		2965.63		3332.99		3002.31		3439.03
Non-Flip Top Tables																								
20"(508mm)	36"(914mm)	134	TARA-2036-		S	C		4	\$	1082.25	\$	1323.21	\$	1120.16	\$	1361.12	\$	1393.61	\$	1621.13	\$	1401.45	\$	1667.05
	42"(1067mm)	149	TARA-2042-		S	C		4		1252.17		1512.81		1295.72		1556.36		1594.01		1839.77		1604.37		1892.29
	48"(1219mm)	163	TARA-2048-		S	C		4		1433.28		1713.60		1484.35		1764.67		1804.64		2068.64		1818.08		2128.32
	54"(1372mm)	178	TARA-2054-		S	C		4		1603.20		1903.20		1659.91		1959.91		2005.04		2287.28		2021.00		2353.56
	60"(1524mm)	192	TARA-2060-		S	C		4		1773.12		2092.80		1835.47		2155.15		2205.44		2505.92		2223.92		2578.80
	66"(1676mm)	206	TARA-2066-		S	C		4		1954.23		2293.59		2024.10		2363.46		2416.07		2734.79		2437.63		2814.83
	72"(1829mm)	221	TARA-2072-		S	C		4		2124.15		2483.19		2199.66		2558.70		2616.47		2953.43		2640.55		3040.07
	78"(1981mm)	235	TARA-2078-		S	C		4		2358.76		2737.48		2439.91		2818.63		2881.56		3236.76		2908.16		3330.00
	84"(2134mm)	250	TARA-2084-		S	C		4		2549.82		2948.22		2638.49		3036.89		3102.14		3475.58		3131.82		3575.98
	90"(2286mm)	264	TARA-2090-		S	C		4		2729.69		3147.77		2824.00		3242.08		3312.49		3704.17		3344.69		3811.17
	96"(2438mm)	278	TARA-2096-		S	C		4		2909.56		3347.32		3009.51		3447.27		3522.84		3932.76		3557.56		4046.36
24"(610mm)	36"(914mm)	144	TARA-2436-		S	C		4	\$	1129.41	\$	1383.49	\$	1174.84	\$	1428.92	\$	1459.17	\$	1698.85	\$	1469.81	\$	1750.29
	42"(1067mm)	158	TARA-2442-		S	C		4		1310.52		1584.28		1363.47		1637.23		1669.80		1927.72		1683.52		1986.32
	48"(1219mm)	173	TARA-2448-		S	C		4		1491.63		1785.07		1552.10		1845.54		1880.43		2156.59		1897.23		2222.35
	54"(1372mm)	187	TARA-2454-		S	C		4		1672.74		1985.86		1740.73		2053.85		2091.06		2385.46		2110.94		2458.38
	60"(1524mm)	202	TARA-2460-		S	C		4		1853.85		2186.65		1929.36		2262.16		2301.69		2614.33		2324.65		2694.41
	66"(1676mm)	216	TARA-2466-		S	C		4		2034.96		2387.44		2117.99		2470.47		2512.32		2843.20		2538.36		2930.44
	72"(1829mm)	230	TARA-2472-		S	C		4		2216.07		2588.23		2306.62		2678.78		2722.95		3072.07		2752.07		3166.47
	78"(1981mm)	245	TARA-2478-		S	C		4		2461.87		2853.71		2559.94		2951.78		2998.27		3365.63		3030.47		3467.19
	84"(2134mm)	259	TARA-2484-		S	C		4		2652.93		3064.45		2758.52		3170.04		3218.85		3604.45		3254.13		3713.17
	90"(2286mm)	274	TARA-2490-		S	C		4		2843.99		3275.19		2957.10		3388.30		3439.43		3843.27		3477.79		3959.15
	96"(2438mm)	288	TARA-2496-		S	C		4		3035.05		3485.93		3155.68		3606.56		3660.01		4082.09		3701.45		4205.13
30"(762mm)	36"(914mm)	158	TARA-3036-		S	C		4	\$	1283.11	\$	1556.87	\$	1339.82	\$	1613.58	\$	1640.47	\$	1898.39	\$	1655.31	\$	1958.11
	42"(1067mm)	173	TARA-3042-		S	C		4		1475.41		1768.85		1541.52		1834.96		1861.33		2137.49		1879.81		2204.93
	48"(1219mm)	187	TARA-3048-		S	C		4		1667.71		1980.83		1743.22		2056.34		2082.19		2376.59		2104.31		2451.75
	54"(1372mm)	202	TARA-3054-		S	C		4		1860.01		2192.81		1944.92		2277.72		2303.05		2615.69		2328.81		2698.57
	60"(1524mm)	216	TARA-3060-		S	C		4		2052.31		2404.79		2146.62		2499.10		2523.91		2854.79		2553.31		2945.39
	66"(1676mm)	230	TARA-3066-		S	C		4		2244.61		2616.77		2348.32		2720.48		2744.77		3093.89		2777.81		3192.21
	72"(1829mm)	245	TARA-3072-		S	C		4		2436.91		2828.75		2550.02		2941.86		2965.63		3332.99		3002.31		3439.03
	78"(1981mm)	259	TARA-3078-		S	C		4		2693.90		3105.42		2816.41		3227.93		3251.18		3636.78		3291.50		3750.54
	84"(2134mm)	274	TARA-3084-		S	C		4		2896.15		3327.35		3028.06		3459.26		3481.99		3885.83		3525.95		4007.31
	90"(2286mm)	288	TARA-3090-		S	C		4		3098.40		3549.28		3239.71		3690.59		3712.80		4134.88		3760.40		4264.08
	96"(2438mm)	302	TARA-3096-		S	C		4		3300.65		3771.21		3451.36		3921.92		3943.61		4383.93		3994.85		4520.85



Planes Training Table

Crescent

Flip Top Table



Non-Flip Top Table



TABN
Class TA1



Features

- Includes 1.18" (30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout Options:

- N** No cutout
- A** 2 outlet cutout - centered back (add **\$45.40** list)
- F** 4 outlet cutout - centered back (add **\$45.40** list)
- J** 6 outlet cutout - centered back (add **\$45.40** list)

4 Base Options (Flip/Non-Flip):

- H** Flip Top Table: Casters (add **\$250.93** list)
- F** Flip Top Table: Glides (add **\$357.30** list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

- A** Painted
- B** Polished (add **\$746.69**, must specify trim color for stretcher)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.

5) Caster/Glide Base Disc trim color.


Note: \$62.43 upcharge list for Metallic and accent trim colors.

Depth	Width	Number						HPL				Wood			
			1	2	3	4	5	A	F	B	F	A	U	B	U
30" (762mm)	68" (1727mm)	TABN-3068-	S	O	4			J	F	J	F	K	U	K	U
								\$2214.18	\$2592.90	\$2320.20	\$2698.92	\$2779.01	\$3134.21	\$2825.22	\$3247.06


Planes Training Table

Trapezoid

Flip Top Table



Non-Flip Top Table



TATP
Class TA1



Features

- Includes 1.18" (30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout Options:

- N** No cutout
- A** 2 outlet cutout - centered back (add **\$45.40** list)
- F** 4 outlet cutout - centered back (add **\$45.40** list)
- J** 6 outlet cutout - centered back (add **\$45.40** list)

4 Base Options (Flip/Non-Flip):

- H** Flip Top Table: Casters (add **\$250.93** list)
- F** Flip Top Table: Glides (add **\$357.30** list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

- A** Painted
- B** Polished (add **\$746.69**, must specify trim color for stretcher)

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

4) Base/Stretcher trim color.

5) Caster/Glide Base Disc trim color.


Note: \$62.43 upcharge list for Metallic and accent trim colors.

Depth	Width	Number						HPL				Wood			
			1	2	3	4	5	A	F	B	F	A	U	B	U
30" (762mm)	60" (1524mm)	TATP-3060-		S	C	4		J	F	J	F	K	U	K	U
								\$2050.08	\$2402.56	\$2144.85	\$2497.33	\$2572.08	\$2906.56	\$2611.68	\$2953.36


Planes Training Table

Polygon

Flip Top Table



Non-Flip Top Table



TACV
Class TA1



Features

- Includes 1.18" (30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Flip Top Unit Cutout Options:

- N** No cutout
- A** 2 outlet cutout - centered back (add **\$45.40** list)
- F** 4 outlet cutout - centered back (add **\$45.40** list)
- J** 6 outlet cutout - centered back (add **\$45.40** list)

4 Base Options (Flip/Non-Flip):

- H** Flip Top Table: Casters (add **\$250.93** list)
- F** Flip Top Table: Glides (add **\$357.30** list)
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides (add **\$106.38** list)

5 Base/Stretcher Finish Options:

- A** Painted
- B** Polished (add **\$746.69** (must specify trim color for stretcher))

2) Laminate surface or wood finish color.

3) Edge trim color.

4) Base/Stretcher trim color (laminate only).


5) Caster/Glide Base Disc trim color.

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Depth	Width	Number	1	2	3	4	5	HPL		B		Wood		B	U
								A	F	J	F	A	U	K	U
24" (610mm)	55" (1397mm)	TACV-2455-	S	O	4			\$1730.61	\$1962.65	\$1896.53	\$2128.57	\$2102.28	\$2362.54	\$2135.47	\$2395.73
30" (762mm)	66" (1676mm)	TACV-3066-	S	C	4			2180.32	2513.58	2346.24	2679.50	2774.28	3154.06	2832.37	3212.15

Planes Training Table

Pie Connector



TAPC
Class TA1

Features

- Includes 1.18"(30mm) thick top and two sets of ganging mechanisms required for support.
- High-Pressure Laminate Top (HPL) or wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Depth shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Requires two same-depth Planes C-Leg Training Tables for support; separately specified.
- Additional Table Pass-Through Connector may be required based upon application.
- Wire Manager Clips are available if needed; separately specified.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
W Wood

2 Edge Options:

Laminate:

- J** Edgeband
F Knife

Wood:


- K** Edgeband
U Knife

2) Laminate surface or wood finish color.

3) Edge trim color (laminate only).

Depth	Number 12	HPL		B		Wood		B	
		A	F	J	F	A	U	K	U
20"(508mm)	TAPC-2015- SN	\$423.14	\$544.61	\$ 456.33	\$577.80	\$414.83	\$478.54	\$431.43	\$495.14
	TAPC-2030- SN	456.33	577.80	489.52	610.99	448.02	511.73	464.62	528.33
	TAPC-2045- SN	489.52	610.99	522.71	644.18	481.21	544.92	497.81	561.52
	TAPC-2090- SN	555.90	677.37	589.09	710.56	547.59	611.30	564.19	627.90
24"(610mm)	TAPC-2415- SN	\$522.71	\$644.18	\$555.90	\$ 677.37	\$ 514.40	\$ 578.11	\$ 531.00	\$594.71
	TAPC-2430- SN	555.90	677.37	589.09	710.56	547.59	611.30	564.19	627.90
	TAPC-2445- SN	589.09	710.56	622.28	743.75	580.78	644.49	597.38	661.09
	TAPC-2490- SN	655.47	776.94	688.66	810.13	647.16	710.87	663.76	727.47
30"(762mm)	TAPC-3015- SN	\$622.28	\$ 743.75	\$655.47	\$ 776.94	\$ 613.97	\$ 677.68	\$630.57	\$694.28
	TAPC-3030- SN	655.47	776.94	688.66	810.13	647.16	710.87	663.76	727.47
	TAPC-3045- SN	688.66	810.13	721.85	843.32	680.35	744.06	696.95	760.66
	TAPC-3090- SN	755.04	876.51	788.23	909.70	746.73	810.44	763.33	827.04

Planes Training Table Modesty Panels



TAOM
Class TA1

Features

- Includes modesty panel and attachment hardware.
- Modesty Panels are 11.59"(294mm)H (actual) and 0.56"(14mm) thick.
- Modesty Panels are mounted 1.4"(36mm) below the table top to allow for wire pass-through.
- Finish surface is non-tackable.
- Hinged bracket allows for table nesting without modesty panel removal.
- Modesty panel is removable. Modesty bracket snaps into the table brackets. No tools required.
- Screen and hardware are field installed.

Specification Tip

- Modesty Panels are available for use on Training Tables in shapes/sizes indicated. Refer to Specification Guide for application guidelines.

To Order, Specify:

1) Product number, including:

1 Modesty Panel Options:

F Full width (add **\$82.14** list)

P Powered Table

2) Surface Colors Options:

Fabric:

-Fabric Color

Laminate:

-Laminate Surface Color

-Edgeband trim color

Wood:

-Wood Finish Color*

Note: Modesty Panel Options:

-(F) Full-width modesty panel will be width of the rectangular table and not for use with tables that are connected with 2-Circuit Modular Power or Quick Connect Two electrical components.

-(P) Must be ordered for tables with 2-Circuit Modular Power or Flip Top Units with Quick Connect Two Power base feed. Modesty Panels are inset 3"(76mm) from each end.

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number	1	Fabric A	B	C	D	E	F	G
Rectangle											
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-F		\$345.06	\$ 427.20	\$443.68	\$ 463.40	\$ 492.94	\$ 522.53	\$ 558.68
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-F		402.57	484.71	501.19	520.91	550.45	580.04	616.19
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-F		460.08	542.22	558.70	578.42	607.96	637.55	673.70
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F		517.59	599.73	616.21	635.93	665.47	695.06	731.21
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-F		575.10	657.24	673.72	693.44	722.98	752.57	788.72
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-F		632.61	714.75	731.23	750.95	780.49	810.08	846.23
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-F		690.12	772.26	788.74	808.46	838.00	867.59	903.74
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-F		747.63	829.77	846.25	865.97	895.51	925.10	961.25
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-F		805.14	887.28	903.76	923.48	953.02	982.61	1018.76
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-F		862.65	944.79	961.27	980.99	1010.53	1040.12	1076.27
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-F		920.16	1002.30	1018.78	1038.50	1068.04	1097.63	1133.78
Polygon											
55"(1397mm)	41.5"(1054mm)		TAOM-1348-FP		\$460.08	\$ 542.22	\$558.70	\$ 578.42	\$ 607.96	\$ 637.55	\$ 673.70
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F		517.59	599.73	616.21	635.93	665.47	695.06	731.21
Trapezoid											
60"(1524mm)	28"(711mm)		TAOM-1360-FP		\$575.10	\$ 657.24	\$673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72
Half Round											
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-F		\$575.10	\$ 657.24	\$673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72


Planes Training Table Modesty Panels

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-L 	\$ 184.84	\$ 194.20
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-L 	213.69	225.39
48"(1219mm)	41.5"(1054mm)	47.5"(1207mm)	TAOM-1348-L 	242.54	256.58
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L 	271.39	287.77
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-L 	300.24	318.96
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-L 	329.09	350.15
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-L 	357.94	381.34
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-L 	386.79	412.53
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-L 	415.64	443.72
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-L 	444.49	474.91
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-L 	473.34	506.10
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-LP	\$ 242.54	\$ 256.58
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L 	271.39	287.77
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-LP	\$300.24	318.96
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1396-L 	\$300.24	318.96

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-W 	\$ 528.33	\$ 609.98
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-W 	586.08	678.00
48"(1219mm)	41.5"(1054mm)	47.5"(1207mm)	TAOM-1348-W 	643.83	746.02
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W 	701.58	814.04
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W 	759.33	882.06
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-W 	817.08	950.08
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-W 	874.83	1018.10
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-W 	932.58	1086.12
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-W 	990.33	1154.14
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-W 	1048.08	1222.16
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-W 	1105.83	1290.18
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-WP	\$ 643.83	\$ 746.02
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W 	701.58	814.04
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-WP	\$ 759.33	\$ 882.06
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W 	\$ 759.33	\$ 882.06

Planes Training Table Modular Power Components

Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp



EAEB-2024-2C
Class TA1



Feature

- Includes one 24"(610mm) black cord with NEMA 5-20P plug plus a 48"(1219mm) flexible metal conduit (unpainted) with modular male connector standard in black.

Specification Tips


- For use on Planes C-Leg Training Tables only.
- Provides power to circuit one only.
- For use with 120 volt 60 hertz power source only.
- Electric application requires prior approval by authority having jurisdiction.
- Base Feed accesses common ground only.
- Requires a 20 Amp, 125 volt power receptacle (NEMA 5 20-R) for connection to building power (not included).
- Not for use in Canada due to electrical code restrictions.
- Corded Base Feed is PVC free.

To Order, Specify:

- Product number.
(No finish specification required.)

Description	Number	Price
20 Amp (USA Only)	EAEB-2024-2C	\$520.93

Hardwire Modular Base Feed — 2-Circuit



EAEB
Class TA1



Feature

- Includes one flexible metal conduit (unpainted) base feed with four 12-gauge wires for up to two 20 Amp circuits of power and one modular male connector standard in black.

Specification Tips


- For 2-circuit modular power components. Do not mix with other systems.
- For use for floor, column or wall hardwire connections.
- For use with 120 volt 60 hertz power source only.
- Electric application requires prior approval by authority having jurisdiction.
- Base Feed accesses common ground only.

To Order, Specify:

- Product number.
(No finish specification required.)

Description	Length	Number	Price
20 Amp	48"(1219mm)	EAEB-2048-2H	\$ 156.11
	60"(1524mm)	EAEB-2060-2H	172.53
	72"(1829mm)	EAEB-2072-2H	188.95
	96"(2438mm)	EAEB-2096-2H	221.79
	120"(3048mm)	EAEB-20C0-2H	254.63
	180"(4572mm)	EAEB-20J0-2H	336.73
	240"(6096mm)	EAEB-20Q0-2H	418.83
	300"(7620mm)	EAEB-20W0-2H	500.93

Wall Feed — 2-Circuit



EAWP-0004-21
Class TA1



Features

- Includes one 2-circuit wall feed with female connector and four 12-gauge wires for up to two 20 Amp circuits.
- Standard in black.

Specification Tips

- For use with 2-Circuit components only. Do not mix with other power systems.
- For use with separately specified 2-circuit Pass-Through Connector.
- For use with 120 volt 60 hertz power source only.
- Electric application requires prior approval by authority having jurisdiction.
- For mounting on vertical surfaces only.


To Order, Specify:

- Product number.
(No finish specification required.)

Number	Price
EAWP-0004-21	\$151.18

Planes Training Table Modular Power Components

Pass-Through Connector — 2-Circuit



EAEJ
Class TA1



Features

- Includes one flexible metal conduit (unpainted) connector with modular male connectors standard in black.
- System is 4-wire with 2 circuits, 20 Amps each.
- Modular connectors are PVC-free.

Specification Tips

- For use with other 2-Circuit components only. Do not mix with other systems.
- Required for use with wall feed component to bring building power to Planes Training tables or for use to pass power between tables.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**
- Pass-Through Connectors cannot be coupled together; separately specify Four-Port Splitter to connect Pass-Through Connectors.


To Order, Specify:

- 1) Product number. (No finish specification required.)


Connector Width	Number	Price
10"(254mm)	EAEJ-0010-2	\$ 95.85
18"(457mm)	EAEJ-0018-2	106.83
24"(610mm)	EAEJ-0024-2	115.06
30"(762mm)	EAEJ-0030-2	123.29
36"(914mm)	EAEJ-0036-2	131.52
42"(1067mm)	EAEJ-0042-2	139.75
48"(1219mm)	EAEJ-0048-2	147.98
54"(1372mm)	EAEJ-0054-2	156.21
60"(1524mm)	EAEJ-0060-2	164.44
66"(1676mm)	EAEJ-0066-2	172.67
72"(1829mm)	EAEJ-0072-2	180.90
78"(1981mm)	EAEJ-0078-2	189.13
96"(2438mm)	EAEJ-0096-2	213.82

Planes Training Table Modular Power Components

Modular Power Kits — 2-Circuit



One receptacle



EAEM Two receptacles
Class TA1



Features

- Kit with one receptacle includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black, one duplex receptacle (NEMA 5-15R configuration) and one Four-Port Splitter both standard in black.
- Kit with two receptacles includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black and two duplex receptacles (NEMA 5-15R configuration) standard in black.
- Receptacle(s) have two 15 Amp outlets (NEMA 5-15R configuration).
- Kit with one receptacle includes a circuit one receptacle.
- Kit with two receptacles includes a circuit one and a circuit two receptacle.
- Receptacles are circuit specific, accessing only common ground.
- System is 4-wire with 2 circuits; system rated for 20 Amps.
- Components are PVC-free.

Specification Tips

- **Designed for use with Planes C-Leg Training Tables only.**
- Included Pass-Through Connector is for use with in-line Planes Training Table applications; additional Pass-Through Connectors may be required for non-linear table applications.
- For use with separately specified corded Flip Top Unit.
- Separately specified table ganging mechanisms are required.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**
- Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada)
- Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Table Width	Number of Receptacles	Number	Price
Rectangle			
36"(914mm)	1	EAEM-3624-2JB	\$453.55
42"(1067mm)	2	EAEM-4224-2JB	460.13
48"(1219mm)	2	EAEM-4824-2JB	466.71
54"(1372mm)	2	EAEM-5424-2JB	473.29
60"(1524mm)	2	EAEM-6024-2JB	479.87
66"(1676mm)	2	EAEM-6624-2JB	486.45
72"(1829mm)	2	EAEM-7224-2JB	493.03
78"(1981mm)	2	EAEM-7824-2JB	499.61
84"(2134mm)	2	EAEM-8424-2JB	506.19
90"(2286mm)	2	EAEM-9024-2JB	512.77
96"(2438mm)	2	EAEM-9624-2JB	519.35
Polygon			
55"(1397mm)	2	EAEM-5524-2JB	\$ 479.87
66"(1676mm)	2	EAEM-6624-2JBP	486.45
Trapezoid			
60"(1524mm)	2	EAEM-6024-2JBT	\$466.71
Crescent			
68"(1727mm)	2	EAEM-6824-2JB	\$493.03
Half Round			
60"(1524mm)	2	EAEM-6024-2JBH	\$ 479.87

Planes Training Table Modular Power Components

Receptacles — 15 Amp 2-Circuit



EAER
Class TA1



Features

- Includes one modular 15 Amp duplex receptacle (NEMA 5-15R) with integral latching system.
- Receptacles are PVC-free and standard in black.

Specification Tips


- For use with 2-Circuit components only. Do not mix with other power systems.
- Receptacle(s) are included with Modular Power Kits.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**
- Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada)
- Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Circuit Access	Number	Price
2-Circuit	1	EAER-0015-21G	\$98.61
	2	EAER-0015-22G	98.61

Receptacle Block Connector



EAED-0000-22
Class TA1



Features

- Includes one receptacle block connector.
- Receptacle Block Connectors are PVC-free and standard in black.

Specification Tips

- For use with 2-Circuit components only. Do not mix with other power systems.
- Used for connecting two receptacles.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
2-Circuit, 2-Port	EAED-0000-22	\$21.35

Planes Training Table Modular Power Components

Four-Port Splitter



EAED-0000-24
Class TA1



Features

- Includes one four-port splitter.
- Four-Port Splitters are PVC-free and standard in black.

Specification Tips


- For use with 2-Circuit components only. Do not mix with other power systems.
- Used for connecting pass-through connectors.
- Four-Port Splitters are included with Modular Power Kits.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
2-Circuit, 4-Port	EAED-0000-24	\$38.67

Mounting Bracket — Receptacle



TA01-0224
Class TA1

Features

- Includes one mounting bracket and mounting screws.
- Standard in black.
- Field installed.

Specification Tips

- For use to mount receptacles to table bottom in reconfiguration applications if needed.
- Mounting Brackets are included with all Planes C-Leg Training Tables.


To Order, Specify:

- 1) Product number.
(No finish specification required.)



Description	Number	Price
	TA01-0224	\$8.23

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel



EUQ1-QSIP
(6 port Quick Connect Two)



EUQ1-QSIP
(2-4 port Quick Connect Two)
Class YA



Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-C 60W, Smart USB-A+C), data port(s) or cable bay, 60" (1524mm) modular connectors (one female, one male) and mounting hardware.
- Modular connection provides power distribution between tables.
- Non-sequential modular power connections allow easy table reconfiguration.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4" (70mm) and will extend below the table top.

Specification Tips

- Applications may have up to eight modular connections; a combination of eight Flip Top Units with Smooth Bezel and/or Pass-Through Connectors per Starter Box.
- Separately specify Starter Box to provide power to Flip Top Units with Smooth Bezel.**
- Furniture that shares electrical connections must be mechanically connected to each other.
- Recommend ganging mechanisms (TA01-0222) for table applications.
- Cable bay cannot be retrofitted to accept data jacks.
- For use with 120 volt 60 hertz power source only.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number.
- Finish color for Bezel/Port.

TR-PM1	Silver/White
TR-PM2	Midnight Black/Black
TR-PM8	Matte White/White
TR-PM9	Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each table (A/B, F/V or J/K).

2, 4, and 6 Port Examples



Planes Training Table Modular Power Components


Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Bezel Width	Bezel Depth	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
Single Circuit Base Feed Power						
5.25"(127mm)	4.38"(102mm)	2	1 Power Receptacle, 1 Smart USB-A+C Charging	A, B	EUQ1-Q51P-101000	710.98
			1 Power Receptacle, 1 Data Port	A, B	EUQ1-Q51P-100010	612.08
			2 Power Receptacles	A, B	EUQ1-Q51P-200000	618.16
8.31"(203mm)	4.38"(102mm)	4	1 Power Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUQ1-Q51P-101001	913.06
			1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUQ1-Q51P-100011	814.16
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-110100	1008.84
			1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-111010	834.28
			2 Power Receptacles, 1 Cable Bay	F, V	EUQ1-Q51P-200001	820.24
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-201010	741.46
			2 Power Receptacles, 2 Smart USB-A+C Charging	F, V	EUQ1-Q51P-211000	840.36
			2 Power Receptacles, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-200100	916.02
			2 Power Receptacles, 2 Data Ports	F, V	EUQ1-Q51P-200020	642.56
			3 Power Receptacles, 1 Smart USB-A+C Charging	F, V	EUQ1-Q51P-301000	747.54
			3 Power Receptacles, 1 Data Port	F, V	EUQ1-Q51P-300010	648.64
11.25"(286mm)	4.38"(102mm)	6	1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-111011	1036.40
			1 Power Receptacle, 2 Smart USB-A+C Charging, 3 Data Ports	J, K	EUQ1-Q51P-111030	858.72
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-101101	1210.96
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-101120	1033.28
			1 Power Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-101021	937.50
			1 Power Receptacle, 1 USB-C 60W Charging, 3 Data Ports	J, K	EUQ1-Q51P-100130	934.38
			1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-100031	838.60
			2 Power Receptacles, 2 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-211001	1042.48
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-201110	1042.48
			2 Power Receptacles, 2 Smart USB-A+C Charging, 2 Data Ports	J, K	EUQ1-Q51P-211020	864.80
			2 Power Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-200120	940.46
			2 Power Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-200101	1118.14
			2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-200021	844.68
			2 Power Receptacles, 4 Data	J, K	EUQ1-Q51P-200040	667.00
			3 Power Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-301001	949.66
			3 Power Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-300110	946.54
			3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-300011	850.76
			3 Power Receptacles, 2 Smart USB-A+C Charging, 1 Data Port	J, K	EUQ1-Q51P-311010	870.88
			3 Power Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUQ1-Q51P-301020	771.98
			3 Power Receptacles, 3 Data Ports	J, K	EUQ1-Q51P-300030	673.08

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Starter Box



EUQB-0072-1
Class YA



Features

- Includes 10'(3048mm) 15 Amp cord with plug (NEMA 5-15P) starter box with female connector and attachment material.
- Starter box with 12 Amp breaker features system indicator to limit number of connections.

Specification Tips

- Modular Connection attaches to a Quick Connect Two Smooth Bezel Flip Top Unit or Pass-Through Connector.
- Plug connects to building power receptacle (NEMA 5-15R).
- Applications may have up to eight modular connections; eight Flip Top Units with Smooth Bezel and/or Pass-Through Connectors per Starter Box.
- **For use with 120 volt 60 hertz power source only.**
- Refer to Specification Guide for application guidelines.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Length	Number	Price
10'(3048mm)	EUQB-0072-1	\$856.34

Pass-Through Connector



EUQJ-1
Class YA



Features

- Includes 36"(914mm) or 60"(1524mm) Pass-Through Connector with male and female connections.
- For use when additional length is required between Quick Connect Two Smooth Bezel Flip Top Units with Smooth Bezel.

Specification Tips

- Needed for rectangular surfaces greater than 60"(1524mm).
- May be needed for non-linear powered Table applications.
- **For use with 120 volt 60 hertz power source only.**
- Refer to Specification Guide for application guidelines.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Length	Number	Price
36"(914mm)	EUQJ-0036-1	\$169.55
60"(1524mm)	EUQJ-0060-1	169.55

Planes Training Table Modular Power Components

Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Starter Box Bracket



TA01-0227
Class TA1

Features

- Includes one starter box bracket for mounting starter box under table (outside of stretcher).
- Standard in black.
- Field installed.

Specification Tips


- Recommended to secure Starter Box.
- For use with tables without trough/stretcher.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0227	\$16.42

Wire Manager Clips



TA01-0225
Class TA1

Features

- Includes ten wire manager clips and screws.
- Standard in black plastic.
- Field installed.

Specification Tip

- Specify for cord management as needed.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0225	\$32.87

Planes Training Table Accessories

Ganging Mechanism



Features

- Includes four (two sets) ganging mechanisms and attachment hardware.
- Standard in black.
- Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg Training Tables.
- Field installed.

Specification Tip


- Planes C-Leg Training Tables are drilled for ganging mechanisms.

To Order, Specify:

- 1) Product number.
- (No finish specification required.)

	Number	Price
	TA01-0222	\$158.03

Casters



TA01-0216
Class TA1

Features

- Includes 4 casters: 2 locking, 2 non-locking.
- Casters are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Field installed.

Specification Tips


- Casters are for use with Planes C-Leg and Y-Leg Training Tables and carts.
- Casters and glides are field interchangeable.

To Order, Specify:

- 1) Product number.
- 2) Trim color for hub.

	Number	Price
	TA01-0216	\$50.09

Glides



TA01-0215
Class TA1

Features

- Includes 4 adjustable glides.
- Glides have 0.5" (13mm) height adjustment.
- Glides stems are either painted (specify paint trim color) or polished aluminum.
- Glide base disc is available in light platinum, fog or black (specify trim color).
- Field installed.

Specification Tips

- Glides are for use with Planes C-Leg and Y-Leg Training Tables and carts.
- Casters and glides are field interchangeable.


To Order, Specify:

- 1) Product number.
- 2) Stem trim color (for painted Glide).
- 3) Base Disc trim color.

Description	Number	Price
Painted Stem	TA01-0215	\$174.31
Polished Stem	TA01-0223	\$174.31

Planes Training Table Accessories

Wire Manager Clips



TA01-0225
Class TA1

Features

- Includes ten wire manager clips and screws.
- Standard in black.
- Field installed.

Specification Tip


- Specify for cord management as needed.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
TA01-0225	\$32.87

Vertical Wire Manager



TA01-0228
Class TA1

Features

- Includes one plastic wire manager.
- Standard in black.
- Field installed.

Specification Tip

- For use on Planes C-Leg Training Tables for wire management.
- Snaps into top portion of C-leg base.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Length	Number	Price
16"(406mm)	TA01-0228-F	\$60.81

Grommet



WQAG-PS
Class PT

Features

- Includes one 3"(76mm) diameter grommet with cover.
- Requires 2.75"(70mm) diameter field drilled hole.
- Field installed.


To Order, Specify:

- 1) Product number.
2) Trim color.

Top Thickness	Number	Price
1.18"(30mm)	WQAG-0303-PS	\$63.92

Planes Cart

Small Media



GAKF-1919
Class TA1

Features

- Includes cart with one door, shelf and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Rails are aluminum and available in metallic trim colors only.
- Cart top has overhang with 22" (559mm) x 22.5" (572mm) usable top surface.
- Standard with one adjustable shelf – 1" (25mm) increments.
- Cart door has touch latch with locking option.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Cart interior dimensions:
 - 17.38" (441mm) W x 21.62" (549mm) H x 16.88" (429mm) D
- Cart door opening: 16.5" (419mm) W x 21.62" (549mm) H
- Ships assembled.

To Order, Specify:

1) Product number, including:

1 Door Locking Option:

- N** Non-locking
- A** Locking (add **\$94.81** list)

2 Base Option:

- C** Caster
- G** Glide

2) Laminate surface color.

3) Edge trim color.


4) Rail trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Height	Depth	Width	Number	12	HPL A	B
Laminate						
29" (737mm)	22" (559mm)	22.5" (572mm)	GAKF-1919-LJ	SN ■ ■ 4	\$1805.13	\$1903.47

Medium Media



GAKE-1919
Class TA1

Features

- Includes cart with four doors and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Cart standard with 2.75" (70mm) diameter bottom cutout for wire access to floor. Optional grommet separately specified for field retrofitting.
- Cart door configuration:
 - 6.38" (162mm) H upper touch latch flap door in front and back that folds down flat to allow air flow and is standard with locking option
 - 21.75" (552mm) lower touch latch door in front and back with locking option with adjustable shelf in 1" (25mm) increments
- 4" (102mm) D full-height enclosure in front for power and cable management.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Ships assembled.

Specification Tip

The following Planes products are separately specified:
–Grommet

To Order, Specify:

1) Product number, including:

1 Door Locking Option:

- N** Non-locking
- A** Locking (add **\$94.81** list)

2 Base Option:

- C** Caster
- G** Glide

2) Laminate surface color.

3) Edge trim color.

4) Rail trim color.
(Metallic and accent trim colors only.)


5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Height	Depth	Width	Number	12	HPL A	B
Laminate						
36" (914mm)	19" (483mm)	19" (483mm)	GAKE-1919-LJ	SN ■ ■ 6	\$2468.90	\$2567.24

Planes Cart

Catering



GA KG-1935
Class TA1

Features

- Includes cart, shelf and shelf hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Standard with center adjustable shelf; 3.5" (89mm) increments.
- Each cart end has upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Ships assembled.

To Order, Specify:

1) Product number, including:

1 Base Option:

- ☐ C Caster
- ☐ G Glide

2) Laminate surface color.


3) Edge trim color.

4) Rail and handles trim color.
(Metallic and accent trim colors only.)

5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

Height	Depth	Width	Number	1	HPL A	B
36" (914mm)	19" (483mm)	35.25" (895mm)	GA KG-1935-LJ	SNN 6	\$2184.41	\$2282.75

Podium



GA KD-1919
Class TA1

Features

- Includes podium, shelf and hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Podium sloping top is 22.5" (572mm)W x 16.38" (416mm)D with paper ledge.
- Rails are aluminum and available in metallic trim colors only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5" (13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Podium doors are touch latch and available as all locking or all non-locking.
- Optional locks are available in black or chrome
- For lock options refer to Lock Program Price List.
- Podium user side has open shelf, lower storage with lockable touch latch door and one adjustable shelf.
- Podium back has touch latch, lockable full height door with full-height enclosure for power and cable management.
- Podium bottom has 2.75" (70mm) cutout for wire access to floor. Optional grommet can be ordered separately for field installation.
- Ships assembled.

Specification Tip

The following Planes products are separately specified:
– Grommet

To Order, Specify:

1) Product number, including:

1 Door Locking Option:

- ☐ N Non-locking, all
- ☐ A Locking (add \$94.81 list)

2 Base Option:

- ☐ C Caster
- ☐ G Glide

2) Laminate surface color.

3) Edge trim color.

4) Rail trim color.
(Metallic and accent trim colors only.)


5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Height	Depth	Width	Number	1 2	HPL A	B
HPL						
46" (1168mm)	22.25" (565mm)	22.5" (572mm)	GA KD-1919-LJ	SN 9	\$3039.58	\$3137.92

Planes Credenza Base – 19”H

(19” high)



GACI
Class TA1

Features

- Includes 19”(483mm)H base cabinet with one or more shelves, doors, legs and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with wood 1mm edgeband.
- Wood door fronts are matched veneer.
- 0.125”(3mm) reveal between credenza top and base
- Credenza base available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in Black or Chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25”(57mm)H painted aluminum.
- Available with black glides only; 1.5”(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 1.25”(32mm) adjustment increments.
- 36”(914mm)W has two doors and four legs
- 48”(1219mm)W has three doors and four legs
- 54”(1372mm)W has three doors and four legs
- 72”(1829mm)W has four doors and six legs
- 96”(2438mm)W has six doors and eight legs
- 108”(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tips

- Must order a 1.18”(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

To Order, Specify:

1) Product number, including:

1 Locking Option:

N Non-locking

A All locking (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg trim color.

5) Lock plug trim color.

Black – LR-BL

Chrome – LR-BP


Note: \$62.43 upcharge list for Metallic trim colors.

Overall Height*	Depth	Width	Number	①	HPL A	B	Wood A	B
HPL								
19”(483mm)	20”(508mm)	36”(914mm)	GACI-2036-LNSN	G2	\$ 1538.71	\$ 1632.58		
		48”(1219mm)	GACI-2048-LNSN	G2	2041.53	2185.72		
		54”(1372mm)	GACI-2054-LNSN	G2	2292.94	2462.29		
		72”(1829mm)	GACI-2072-LNSN	G2	3047.17	3292.00		
		96”(2438mm)	GACI-2096-LNSN	G2	4052.81	4398.28		
		108”(2743mm)	GACI-20A8-LNSN	G2	4555.63	4951.42		
Wood								
19”(483mm)	20”(508mm)	36”(914mm)	GACI-2036-WNSN	G2			\$2603.08	\$2668.99
		48”(1219mm)	GACI-2048-WNSN	G2			3457.88	3577.47
		54”(1372mm)	GACI-2054-WNSN	G2			3885.28	4031.71
		72”(1829mm)	GACI-2072-WNSN	G2			5167.48	5394.43
		96”(2438mm)	GACI-2096-WNSN	G2			6877.08	7211.39
		108”(2743mm)	GACI-20A8-WNSN	G2			7731.88	8119.87

* Overall height includes credenza base, legs, reveal and separately specified credenza top.

Planes Credenza Base with Slider Unit – 29”H

(29” high)



GAC2
Class TA1

Features

- Includes 19”(483mm)H base cabinet with one shelf, doors, legs and 10”(254mm)H upper slider unit with glass or translucent slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125”(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25”(57mm)H painted metal.
- Available with black glides only; 1.5”(38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 1.25”(32mm) adjustment increments.
 - 36”(914mm)W has two doors and four legs
 - 48”(1219mm)W has three doors and four legs
 - 54”(1372mm)W has three doors and four legs
 - 72”(1829mm)W has four doors and six legs
 - 96”(2438mm)W has six doors and eight legs
 - 108”(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18”(30mm) thick credenza top separately.**

To Order, Specify:

1) Product number, including:

1 Locking Option:

- N** Non-locking
- A** All locking (add **\$181.04** list)
- L** Slider unit locking only (add **\$90.50** list)

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg and slider pull trim color.
- 5) Slider unit glass/translucent door.
- 6) Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Note: \$62.43 upcharge list for Metallic trim colors.


Planes Credenza Base with Slider Unit – 29”H

Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
HPL – Grade A								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G4	\$ 2375.11	\$ 2996.35	\$ 3276.86	\$ 2650.01
		48"(1219mm)	GAC2-2048-LGSN	G4	3162.25	3990.67	4364.62	3527.71
		54"(1372mm)	GAC2-2054-LGSN	G4	3555.82	4487.83	4908.50	3966.56
		72"(1829mm)	GAC2-2072-LGSN	G4	4736.53	5979.31	6540.14	5283.11
		96"(2438mm)	GAC2-2096-LGSN	G4	6310.81	7967.95	8715.66	7038.51
		108"(2743mm)	GAC2-20A8-LGSN	G4	7097.95	8962.27	9803.42	7916.21
HPL – Grade B								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G4	\$ 2566.20	\$ 3187.44	\$ 3467.95	\$ 2841.10
		48"(1219mm)	GAC2-2048-LGSN	G4	3416.38	4244.80	4618.75	3781.84
		54"(1372mm)	GAC2-2054-LGSN	G4	3841.47	4773.48	5194.15	4252.21
		72"(1829mm)	GAC2-2072-LGSN	G4	5116.74	6359.52	6920.35	5663.32
		96"(2438mm)	GAC2-2096-LGSN	G4	6817.10	8474.24	9221.95	7544.80
		108"(2743mm)	GAC2-20A8-LGSN	G4	7667.28	9531.60	10372.75	8485.54
Wood Group A								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$ 4212.20	\$ 4833.44	\$ 5113.95	\$ 4487.10
		48"(1219mm)	GAC2-2048-WGSN	G4	5498.82	6327.24	6701.19	5864.28
		54"(1372mm)	GAC2-2054-WGSN	G4	6142.13	7074.14	7494.81	6552.87
		72"(1829mm)	GAC2-2072-WGSN	G4	8072.06	9314.84	9875.67	8618.64
		96"(2438mm)	GAC2-2096-WGSN	G4	10645.30	12302.44	13050.15	11373.00
		108"(2743mm)	GAC2-20A8-WGSN	G4	11931.92	13796.24	14637.39	12750.18
Wood Group B								
29"(737mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G4	\$ 4322.84	\$ 4944.08	\$ 5224.59	\$ 4597.74
		48"(1219mm)	GAC2-2048-WGSN	G4	5639.32	6467.74	6841.69	6004.78
		54"(1372mm)	GAC2-2054-WGSN	G4	6297.56	7229.57	7650.24	6708.30
		72"(1829mm)	GAC2-2072-WGSN	G4	8272.28	9515.06	10075.89	8818.86
		96"(2438mm)	GAC2-2096-WGSN	G4	10905.24	12562.38	13310.09	11632.94
		108"(2743mm)	GAC2-20A8-WGSN	G4	12221.72	14086.04	14927.19	13039.98

* Overall height includes credenza base, legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 35"H

(35" high)



GAC2
Class TA1

Features

- Includes 19"(483mm)H base cabinet with one shelf, doors, legs and 16"(406mm)H upper slider unit with one shelf, glass or acrylic slider doors, door tracks, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with Black glides only; 1.5"(38mm) height adjustment.
- Slider unit includes one adjustable shelf per unit with 1.25"(32mm) adjustment increments.
- Cabinet includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.**

To Order, Specify:

1) Product number, including:

1 Locking Option:

- N** Non-locking
- A** All locking (add **\$181.04** list)
- L** Slider unit locking only (add **\$90.50** list)

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg and slider door pull trim color.
- 5) Slider unit glass/translucent door.
- 6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Note: \$62.43 upcharge list for Metallic trim colors.


Planes Credenza Base with Slider Unit — 35"H

Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
HPL – Grade A								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G6	\$ 2851.15	\$ 3472.39	\$ 3752.90	\$ 3126.05
		48"(1219mm)	GAC2-2048-LGSN	G6	3792.49	4620.91	4994.86	4157.95
		54"(1372mm)	GAC2-2054-LGSN	G6	4263.16	5195.17	5615.84	4673.90
		72"(1829mm)	GAC2-2072-LGSN	G6	5675.17	6917.95	7478.78	6221.75
		96"(2438mm)	GAC2-2096-LGSN	G6	7557.85	9214.99	9962.70	8285.55
		108"(2743mm)	GAC2-20A8-LGSN	G6	8499.19	10363.51	11204.66	9317.45
HPL – Grade B								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G6	\$ 3042.24	\$ 3663.48	\$ 3943.99	\$ 3317.14
		48"(1219mm)	GAC2-2048-LGSN	G6	4046.62	4875.04	5248.99	4412.08
		54"(1372mm)	GAC2-2054-LGSN	G6	4548.81	5480.82	5901.49	4959.55
		72"(1829mm)	GAC2-2072-LGSN	G6	6055.38	7298.16	7858.99	6601.96
		96"(2438mm)	GAC2-2096-LGSN	G6	8064.14	9721.28	10468.99	8791.84
		108"(2743mm)	GAC2-20A8-LGSN	G6	9068.52	10932.84	11773.99	9886.78
Wood Group A								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G6	\$ 4688.24	\$ 5309.48	\$ 5589.99	\$ 4963.14
		48"(1219mm)	GAC2-2048-WGSN	G6	6129.06	6957.48	7331.43	6494.52
		54"(1372mm)	GAC2-2054-WGSN	G6	6849.47	7781.48	8202.15	7260.21
		72"(1829mm)	GAC2-2072-WGSN	G6	9010.70	10253.48	10814.31	9557.28
		96"(2438mm)	GAC2-2096-WGSN	G6	11892.34	13549.48	14297.19	12620.04
		108"(2743mm)	GAC2-20A8-WGSN	G6	13333.16	15197.48	16038.63	14151.42
Wood Group B								
35"(889mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G6	\$ 4798.88	\$ 5420.12	\$ 5700.63	\$ 5073.78
		48"(1219mm)	GAC2-2048-WGSN	G6	6269.56	7097.98	7471.93	6635.02
		54"(1372mm)	GAC2-2054-WGSN	G6	7004.90	7936.91	8357.58	7415.64
		72"(1829mm)	GAC2-2072-WGSN	G6	9210.92	10453.70	11014.53	9757.50
		96"(2438mm)	GAC2-2096-WGSN	G6	12152.28	13809.42	14557.13	12879.98
		108"(2743mm)	GAC2-20A8-WGSN	G6	13622.96	15487.28	16328.43	14441.22

* Overall height includes credenza base legs, reveal, slider unit and credenza top.

Planes Credenza Base – 29”H

(29” high)



GAC1
Class TA1

Features

- Includes 29”(737mm)H base cabinet with two shelves, doors, legs and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood door fronts are matched veneer.
- 0.125”(3mm) reveal between base unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25”(57mm)H painted metal.
- Available with black glides only; 1.5”(38mm) height adjustment.
- Includes one adjustable shelf per cabinet with 0.25”(6mm) adjustment increments.
 - 36”(914mm)W has two doors and four legs
 - 48”(1219mm)W has three doors and four legs
 - 54”(1372mm)W has three doors and four legs
 - 72”(1829mm)W has four doors and six legs
 - 96”(2438mm)W has six doors and eight legs
 - 108”(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tips

- Must order a 1.18”(30mm) thick credenza top separately.**
- Grommets are ordered separately and requires field cutting and installation.

To Order, Specify:

1) Product number, including:

1 Locking Option:

N Non-locking

A All locking (add **\$90.50** list)

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.

4) Leg trim color.

5) Lock plug trim color.

Black – LR-BL
Chrome – LR-BP


Note: \$62.43 upcharge list for Metallic trim colors.

Overall Height*	Depth	Width	Number	①	HPL A	B	Wood A	B
HPL								
29”(737mm)	20”(508mm)	36”(914mm)	GAC1-2036-LNSN	G4	\$ 2051.35	\$ 2145.22		
		48”(1219mm)	GAC1-2048-LNSN	G4	2739.29	2883.48		
		54”(1372mm)	GAC1-2054-LNSN	G4	3076.14	3245.49		
		72”(1829mm)	GAC1-2072-LNSN	G4	4072.45	4317.28		
		96”(2438mm)	GAC1-2096-LNSN	G4	5434.09	5779.56		
		108”(2743mm)	GAC1-20A8-LNSN	G4	6107.79	6503.58		
Wood								
29”(737mm)	20”(508mm)	36”(914mm)	GAC1-2036-WNSN	G4			\$ 3115.72	\$ 3181.63
		48”(1219mm)	GAC1-2048-WNSN	G4			4155.64	4275.23
		54”(1372mm)	GAC1-2054-WNSN	G4			4668.48	4814.91
		72”(1829mm)	GAC1-2072-WNSN	G4			6192.76	6419.71
		96”(2438mm)	GAC1-2096-WNSN	G4			8258.36	8592.67
		108”(2743mm)	GAC1-20A8-WNSN	G4			9284.04	9672.03

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 39"H

(39" high)



GAC2
Class TA1

Features

- Includes 29"(737mm)H base cabinet with two shelves, doors, legs and 10"(254mm)H upper slider unit with glass or acrylic slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Cabinet includes one adjustable shelf per cabinet with 0.25"(6mm) adjustment increments.
 - 36"(914mm)W has two doors and four legs
 - 48"(1219mm)W has three doors and four legs
 - 54"(1372mm)W has three doors and four legs
 - 72"(1829mm)W has four doors and six legs
 - 96"(2438mm)W has six doors and eight legs
 - 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.**

To Order, Specify:

1) Product number, including:

1 Locking Option:

- N** Non-locking
- A** All locking (add **\$181.04** list)
- L** Slider unit locking only (add **\$90.50** list)

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg and slider pull trim color.
- 5) Slider unit glass/translucent door.
- 6) Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Note: \$62.43 upcharge list for Metallic trim colors.


Planes Credenza Base with Slider Unit — 39"H

Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
HPL – Grade A								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G7	\$ 2874.62	\$ 3495.86	\$ 3776.37	\$ 3149.52
		48"(1219mm)	GAC2-2048-LGSN	G7	3828.34	4656.76	5030.71	4193.80
		54"(1372mm)	GAC2-2054-LGSN	G7	4305.20	5237.21	5657.88	4715.94
		72"(1829mm)	GAC2-2072-LGSN	G7	5735.78	6978.56	7539.39	6282.36
		96"(2438mm)	GAC2-2096-LGSN	G7	7643.22	9300.36	10048.07	8370.92
		108"(2743mm)	GAC2-20A8-LGSN	G7	8596.94	10461.26	11302.41	9415.20
HPL – Grade B								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G7	\$ 3065.71	\$ 3686.95	\$ 3967.46	\$ 3340.61
		48"(1219mm)	GAC2-2048-LGSN	G7	4082.47	4910.89	5284.84	4447.93
		54"(1372mm)	GAC2-2054-LGSN	G7	4590.85	5522.86	5943.53	5001.59
		72"(1829mm)	GAC2-2072-LGSN	G7	6115.99	7358.77	7919.60	6662.57
		96"(2438mm)	GAC2-2096-LGSN	G7	8149.51	9806.65	10554.36	8877.21
		108"(2743mm)	GAC2-20A8-LGSN	G7	9166.27	11030.59	11871.74	9984.53
Wood Group A								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G7	\$ 4711.71	\$ 5332.95	\$ 5613.46	\$ 4986.61
		48"(1219mm)	GAC2-2048-WGSN	G7	6164.91	6993.33	7367.28	6530.37
		54"(1372mm)	GAC2-2054-WGSN	G7	6891.51	7823.52	8244.19	7302.25
		72"(1829mm)	GAC2-2072-WGSN	G7	9071.31	10314.09	10874.92	9617.89
		96"(2438mm)	GAC2-2096-WGSN	G7	11977.71	13634.85	14382.56	12705.41
		108"(2743mm)	GAC2-20A8-WGSN	G7	13430.91	15295.23	16136.38	14249.17
Wood Group B								
39"(991mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G7	\$ 4822.35	\$ 5443.59	\$ 5724.10	\$ 5097.25
		48"(1219mm)	GAC2-2048-WGSN	G7	6305.41	7133.83	7507.78	6670.87
		54"(1372mm)	GAC2-2054-WGSN	G7	7046.94	7978.95	8399.62	7457.68
		72"(1829mm)	GAC2-2072-WGSN	G7	9271.53	10514.31	11075.14	9818.11
		96"(2438mm)	GAC2-2096-WGSN	G7	12237.65	13894.79	14642.50	12965.35
		108"(2743mm)	GAC2-20A8-WGSN	G7	13720.71	15585.03	16426.18	14538.97

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 45"H

(45" high)



GAC2
Class TA1

Features

- Includes 29"(737mm)H base cabinet with two shelves, doors, legs and 16"(406mm)H upper slider unit with one shelf, glass or translucent slider doors, pulls and hardware.
- Credenza top is ordered separately.**
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain.
- 0.125"(3mm) reveal between base and slider unit and between slider unit and credenza top.
- Credenza available in standard core.
- Cabinet doors have touch latches.
- Slider unit doors are glass or translucent with painted aluminum bar pulls.
- Optional locks are available in black or chrome.
- Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed.
- Leg is 2.25"(57mm)H painted metal.
- Available with black glides only; 1.5"(38mm) height adjustment.
- Slider unit includes one adjustable shelf per unit.
- Cabinet includes one adjustable shelf per cabinet with 1.25"(32mm) adjustment increments.
- 36"(914mm)W has two doors and four legs
- 48"(1219mm)W has three doors and four legs
- 54"(1372mm)W has three doors and four legs
- 72"(1829mm)W has four doors and six legs
- 96"(2438mm)W has six doors and eight legs
- 108"(2743mm)W has six doors and eight legs
- Ships unassembled.

Specification Tip

- Must order a 1.18"(30mm) thick credenza top separately.**

To Order, Specify:

1) Product number, including:

1 Locking Option:

- N** Non-locking
- A** All locking (add **\$181.94** list)
- L** Slider unit locking only (add **\$90.50** list)

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg and slider pull trim color.
- 5) Slider unit glass/translucent door.
- 6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP


Note: \$62.43 upcharge list for Metallic trim color.

Planes Credenza Base with Slider Unit — 45"H

Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
HPL – Grade A								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G9	\$ 3343.95	\$ 3965.19	\$ 4245.70	\$ 3618.85
		48"(1219mm)	GAC2-2048-LGSN	G9	4452.27	5280.69	5654.64	4817.73
		54"(1372mm)	GAC2-2054-LGSN	G9	5006.43	5938.44	6359.11	5417.17
		72"(1829mm)	GAC2-2072-LGSN	G9	6668.91	7911.69	8472.52	7215.49
		96"(2438mm)	GAC2-2096-LGSN	G9	8885.55	10542.69	11290.40	9613.25
		108"(2743mm)	GAC2-20A8-LGSN	G9	9993.87	11858.19	12699.34	10812.13
HPL – Grade B								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-LGSN	G9	\$ 3535.04	\$ 4156.28	\$ 4436.79	\$ 3809.94
		48"(1219mm)	GAC2-2048-LGSN	G9	4706.40	5534.82	5908.77	5071.86
		54"(1372mm)	GAC2-2054-LGSN	G9	5292.08	6224.09	6644.76	5702.82
		72"(1829mm)	GAC2-2072-LGSN	G9	7049.12	8291.90	8852.73	7595.70
		96"(2438mm)	GAC2-2096-LGSN	G9	9391.84	11048.98	11796.69	10119.54
		108"(2743mm)	GAC2-20A8-LGSN	G9	10563.20	12427.52	13268.67	11381.46
Wood Group A								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G9	\$ 5181.04	\$ 5802.28	\$ 6082.79	\$ 5455.94
		48"(1219mm)	GAC2-2048-WGSN	G9	6788.84	7617.26	7991.21	7154.30
		54"(1372mm)	GAC2-2054-WGSN	G9	7592.74	8524.75	8945.42	8003.48
		72"(1829mm)	GAC2-2072-WGSN	G9	10004.44	11247.22	11808.05	10551.02
		96"(2438mm)	GAC2-2096-WGSN	G9	13220.04	14877.18	15624.89	13947.74
		108"(2743mm)	GAC2-20A8-WGSN	G9	14827.84	16692.16	17533.31	15646.10
Wood Group B								
45"(1143mm)	20"(508mm)	36"(914mm)	GAC2-2036-WGSN	G9	\$ 5291.68	\$ 5912.92	\$ 6193.43	\$ 5566.58
		48"(1219mm)	GAC2-2048-WGSN	G9	6929.34	7757.76	8131.71	7294.80
		54"(1372mm)	GAC2-2054-WGSN	G9	7748.17	8680.18	9100.85	8158.91
		72"(1829mm)	GAC2-2072-WGSN	G9	10204.66	11447.44	12008.27	10751.24
		96"(2438mm)	GAC2-2096-WGSN	G9	13479.98	15137.12	15884.83	14207.68
		108"(2743mm)	GAC2-20A8-WGSN	G9	15117.64	16981.96	17823.11	15935.90

Planes Credenza Top

Credenza Top



GACJ
Class TA1

Features

- Includes one 1.18"(30mm) thick credenza top and hardware for use on Planes credenza bases.
- High-Pressure Laminate (HPL) with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Credenza top available in standard core.
- Top installs on credenza base with 0.25"(6mm) reveal.

Specification Tip

- **Must be used with credenza base for finished aesthetic.**

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.

Depth	Width	Number	HPL		Wood	
			A	B	A	B
HPL						
20"(508mm)	36"(914mm)	GACJ-2036-LJSNNNN	\$ 409.00	\$ 502.87		
	48"(1219mm)	GACJ-2048-LJSNNNN	546.44	656.09		
	54"(1372mm)	GACJ-2054-LJSNNNN	615.16	732.70		
	72"(1829mm)	GACJ-2072-LJSNNNN	821.32	962.53		
	96"(2438mm)	GACJ-2096-LJSNNNN	1096.20	1268.97		
	108"(2743mm)	GACJ-20A8-LJSNNNN	1233.64	1422.19		
Wood						
20"(508mm)	36"(914mm)	GACJ-2036-WKSNNNN			\$ 657.08	\$ 671.76
	48"(1219mm)	GACJ-2048-WKSNNNN			875.00	902.52
	54"(1372mm)	GACJ-2054-WKSNNNN			983.96	1017.90
	72"(1829mm)	GACJ-2072-WKSNNNN			1310.84	1364.04
	96"(2438mm)	GACJ-2096-WKSNNNN			1746.68	1825.56
	108"(2743mm)	GACJ-20A8-WKSNNNN			1964.60	2056.32

Grommet



TA01
Class TA1

Features

- Includes one grommet.
- Field installed into field cut opening.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Note: **\$8.31** upcharge list for Metallic and accent trim colors.

Top Thickness	Diameter	Number	Price
0.75"(19mm)	2.75"(70mm)	TA01-0220	\$53.95

Planes Conference Table — Interior Leg


Round, Square, Rectangular

Round




TARN

Square



TARQ

Rectangular



TARA
Class TA1

Features

- Includes 1.18" (30mm) top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges based upon shape.
- 3mm edgeband or knife edge not available on 42" (1067mm)-60" (1524mm) round tables.
- Table top seams are 1mm edgeband on two piece tops.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36" (914mm)D and deeper:
 - 36" (914mm)D tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm)D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Optional Cable Base may reduce number of legs shipped with product.
 - Refer to Specification Guide for use guidelines and details.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for 30" (762mm)D tables.
- Cable base for 36" (914mm)D table is not compatible with Flip top Outout Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip top unit Outout(s):

Outout options F, J, M, Q:

(add **\$45.40** list) for one-piece top; (add **\$90.80** list) for two-piece top

- N** None
- F** Center – single-sided/ 4 outlets
- J** Center – single-sided/ 6 outlets
- M** Center – double-sided/ 8 outlets
- Q** Center – double-sided/ 12 outlets

3 Cable Base Option:

- N** None
- C** Cable Base: (add **\$912.60** list) for 36" (914mm) deep tables; (add **\$962.36** list) for 42" (1067mm) deep and deeper tables

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Round, Square, Rectangular

No. of Pieces	No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	
									A J	F	J	F
Round												
1	4	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	S	JG4N		\$ 1060.19	\$ 1406.43	\$ 1154.49	\$ 1500.73
1	4	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	S	JG4N		1316.33	1703.85	1438.68	1826.20
1	4	4	54"(1372mm)	54"(1372mm)	TARN-5454-L	S	JG4N		1605.31	2034.11	1759.45	2188.25
1	4	4	60"(1524mm)	60"(1524mm)	TARN-6060-L	S	JG4N		1927.13	2397.21	2116.80	2586.88
2	6	6	66"(1676mm)	66"(1676mm)	TARN-6666-L	S	JG4		\$ 2847.67	\$ 3457.10	\$ 3076.61	\$ 3686.04
2	6	6	72"(1829mm)	72"(1829mm)	TARN-7272-L	S	JG4		3342.95	3993.66	3614.90	4265.61
Square												
1	4	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	S	JG4N		\$ 1060.19	\$ 1406.43	\$ 1154.49	\$ 1500.73
1	4	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	S	JG4N		1316.33	1703.85	1438.68	1826.20
1	4	4	54"(1372mm)	54"(1372mm)	TARQ-5454-L	S	JG4N		1605.31	2034.11	1759.45	2188.25
1	4	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	S	JG4N		1927.13	2397.21	2116.80	2586.88
2	6	8	66"(1676mm)	66"(1676mm)	TARQ-6666-L	S	JG4		\$ 2847.67	\$ 3413.62	\$ 3076.61	\$ 3642.56
2	6	8	72"(1829mm)	72"(1829mm)	TARQ-7272-L	S	JG4		3342.95	3950.18	3614.90	4222.13
Rectangular												
1	4	4	30"(762mm)	60"(1524mm)	TARA-3060-L	S	JG4N		\$ 1131.97	\$ 1495.25	\$ 1227.22	\$ 1590.50
1	4	4		66"(1676mm)	TARA-3066-L	S	JG4N		1218.47	1602.15	1323.37	1707.05
1	6	4		72"(1829mm)	TARA-3072-L	S	JG4N		1304.97	1709.05	1419.52	1823.60
1	4	4	36"(914mm)	60"(1524mm)	TARA-3660-L	S	JG4		\$ 1301.37	\$ 1685.05	\$ 1415.92	\$ 1799.60
1	4	4		66"(1676mm)	TARA-3666-L	S	JG4		1404.45	1808.53	1530.58	1934.66
				72"(1829mm)	TARA-3672-L	S	JG4		1507.53	1932.01	1645.24	2069.72
1	4	4	42"(1067mm)	48"(1219mm)	TARA-4248-L	S	JG4		\$ 1231.45	\$ 1594.73	\$ 1338.28	\$ 1701.56
1	4	4		54"(1372mm)	TARA-4254-L	S	JG4		1351.11	1734.79	1471.45	1855.13
1	4	4		60"(1524mm)	TARA-4260-L	S	JG4		1470.77	1874.85	1604.62	2008.70
1	4	6		66"(1676mm)	TARA-4266-L	S	JG4		1590.43	2014.91	1737.79	2162.27
1	6	6		72"(1829mm)	TARA-4272-L	S	JG4		1710.09	2154.97	1870.96	2315.84
1	6	6		78"(1981mm)	TARA-4278-L	S	JG4		1829.75	2295.03	2004.13	2469.41
1	4	4	48"(1219mm)	54"(1372mm)	TARA-4854-L	S	JG4		\$ 1503.93	\$ 1908.01	\$ 1641.64	\$ 2045.72
1	4	4		60"(1524mm)	TARA-4860-L	S	JG4		1640.17	2064.65	1793.32	2217.80
1	4	6		66"(1676mm)	TARA-4866-L	S	JG4		1776.41	2221.29	1945.00	2389.88
1	6	6		72"(1829mm)	TARA-4872-L	S	JG4		1912.65	2377.93	2096.68	2561.96
1	6	8		78"(1981mm)	TARA-4878-L	S	JG4		2048.89	2534.57	2248.36	2734.04
1	4	4	54"(1372mm)	60"(1524mm)	TARA-5460-L	S	JG4		\$ 1809.57	\$ 2254.45	\$ 1982.02	\$ 2426.90
1	4	6		66"(1676mm)	TARA-5466-L	S	JG4		1962.39	2427.67	2152.21	2617.49
1	6	6		72"(1829mm)	TARA-5472-L	S	JG4		2115.21	2600.89	2322.40	2808.08
1	6	6		78"(1981mm)	TARA-5478-L	S	JG4		2268.03	2774.11	2492.59	2998.67
1	4	8	60"(1524mm)	66"(1676mm)	TARA-6066-L	S	JG4		\$ 2148.37	\$ 2634.05	\$ 2359.42	\$ 2845.10
1	6	8		72"(1829mm)	TARA-6072-L	S	JG4		2317.77	2823.85	2548.12	3054.20
1	6	8		78"(1981mm)	TARA-6078-L	S	JG4		2487.17	3013.65	2736.82	3263.30

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Half Round



TAHN
Class TA1

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 30" (762mm) or 36" (914mm) D rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
F Knife

2 Flip Top Unit Cutout(s):

- N** None
F Center – single sided/
4 outlets (add **\$45.40** list)
J Center – single-sided/
6 outlets (add **\$45.40** list)

2) Laminate surface color.



3) Edge trim color.

4) Base trim color.

Note: \$62.43 upcharge list for
Metallic and accent trim colors.

No. of Pieces	No. of Legs	Depth	Width	Number	① ②	HPL A	F	B	F
						J		J	
1	4	30"(762mm)	60"(1524mm)	TAHN-3060-L	S JG4N	\$ 1122.91	\$1493.70	\$1217.68	\$ 1588.47
1	4	30"(762mm)	72"(1829mm)	TAHN-3672-L	S JG4N	1495.37	1930.62	1631.50	2066.75

Planes Conference Table — Interior Leg Polygon



TACV
Class TA1

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Bases are painted aluminum.
- Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips


- Cable base not recommended for polygon table.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30"(762mm) or 36"(914mm)D rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

- 1) Product number, including:
- 1 Edge Option:**
- J** Edgeband
 - F** Knife
- 2 Flip Top Unit Cutout(s):**
- N** None
 - F** Center – single-sided/ 4 outlets (add **\$45.40** list)
 - J** Center – single-sided/ 6 outlets (add **\$45.40** list)
- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- Note: \$62.43** upcharge list for Metallic and accent trim colors.

No. of Pieces	No. of Legs	Depth	Width	Number	① ②	HPL A	F	B	F
						J		J	
1	5	30"(762mm)	60"(1524mm)	TACV-3060-L	S JG4N	\$ 1129.45	\$1490.93	\$1224.70	\$ 1586.18
1	5	36"(914mm)	72"(1829mm)	TACV-3672-L	S JG4N	1504.44	1926.37	1642.15	2064.08

Planes Conference Table — Interior Leg Rectangular



TARA
Class TA1

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges based upon shape.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base can be specified for tables 36" (914mm)D and deeper:
 - 36" (914mm)D tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm)D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36" (914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- V** Left/Right – single-sided/
4 outlets (add **\$90.80** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)
- K** Left/Right – single-sided/
6 outlets (add **\$90.80** list)
- M** Center – double-sided/
8 outlets (add **\$45.40** list)
- P** Left/Right – double-sided/
8 outlets (add **\$90.80** list)
- Q** Center – double-sided/
12 outlets (add **\$45.40** list)
- T** Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N** None
- C** Cable Base:
(add **\$912.60** list) for
36" (914mm) deep tables;
(add **\$962.36** list) for
42" (1067mm) deep and
deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.


Planes Conference Table — Interior Leg

Rectangular

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	
								A	F	J	F
								J	F		
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L	S	JG4		\$ 1507.53	\$ 1932.01	\$ 1645.24	\$ 2069.72
6	6		78"(1981mm)	TARA-3678-L	S	JG4		1610.61	2055.49	1759.90	2204.78
6	6		84"(2134mm)	TARA-3684-L	S	JG4		1713.69	2178.97	1874.56	2339.84
6	8		90"(2286mm)	TARA-3690-L	S	JG4		1816.77	2302.45	1989.22	2474.90
6	8		96"(2438mm)	TARA-3696-L	S	JG4		1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARA-4284-L	S	JG4		\$ 1949.41	\$ 2435.09	\$ 2137.30	\$ 2622.98
6	8		90"(2286mm)	TARA-4290-L	S	JG4		2069.07	2575.15	2270.47	2776.55
6	8		96"(2438mm)	TARA-4296-L	S	JG4		2188.73	2715.21	2403.64	2930.12
6	8		102"(2591mm)	TARA-42A2-L	S	JG4		2308.39	2855.27	2536.81	3083.69
6	10		108"(2743mm)	TARA-42A8-L	S	JG4		2428.05	2995.33	2669.98	3237.26
6	10		114"(2896mm)	TARA-42B4-L	S	JG4		2547.71	3135.39	2803.15	3390.83
6	10		120"(3048mm)	TARA-42C0-L	S	JG4		2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARA-4884-L	S	JG4		\$ 2185.13	\$ 2691.21	\$ 2400.04	\$ 2906.12
6	8		90"(2286mm)	TARA-4890-L	S	JG4		2321.37	2847.85	2551.72	3078.20
6	8		96"(2438mm)	TARA-4896-L	S	JG4		2457.61	3004.49	2703.40	3250.28
6	8		102"(2591mm)	TARA-48A2-L	S	JG4		2593.85	3161.13	2855.08	3422.36
6	10		108"(2743mm)	TARA-48A8-L	S	JG4		2730.09	3317.77	3006.76	3594.44
6	10		114"(2896mm)	TARA-48B4-L	S	JG4		2866.33	3474.41	3158.44	3766.52
6	10		120"(3048mm)	TARA-48C0-L	S	JG4		3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARA-5484-L	S	JG4		\$ 2420.85	\$ 2947.33	\$ 2662.78	\$ 3189.26
6	10		90"(2286mm)	TARA-5490-L	S	JG4		2573.67	3120.55	2832.97	3379.85
6	10		96"(2438mm)	TARA-5496-L	S	JG4		2726.49	3293.77	3003.16	3570.44
6	10		102"(2591mm)	TARA-54A2-L	S	JG4		2879.31	3466.99	3173.35	3761.03
6	10		108"(2743mm)	TARA-54A8-L	S	JG4		3032.13	3640.21	3343.54	3951.62
6	10		114"(2896mm)	TARA-54B4-L	S	JG4		3184.95	3813.43	3513.73	4142.21
6	10		120"(3048mm)	TARA-54C0-L	S	JG4		3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARA-6084-L	S	JG4		\$ 2656.57	\$ 3203.45	\$ 2925.52	\$ 3472.40
6	10		90"(2286mm)	TARA-6090-L	S	JG4		2825.97	3393.25	3114.22	3681.50
6	10		96"(2438mm)	TARA-6096-L	S	JG4		2995.37	3583.05	3302.92	3890.60
6	10		102"(2591mm)	TARA-60A2-L	S	JG4		3164.77	3772.85	3491.62	4099.70
6	10		108"(2743mm)	TARA-60A8-L	S	JG4		3334.17	3962.65	3680.32	4308.80
6	10		114"(2896mm)	TARA-60B4-L	S	JG4		3503.57	4152.45	3869.02	4517.90
6	10		120"(3048mm)	TARA-60C0-L	S	JG4		3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg Pebble



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base can be specified for tables 36" (914mm)D and deeper:
 - 36" (914mm)D tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm)D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36" (914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut grommet)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- V** Left/Right – single-sided/
4 outlets (add **\$90.80** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)
- K** Left/Right – single-sided/
6 outlets (add **\$90.80** list)
- M** Center – double-sided/
8 outlets (add **\$45.40** list)
- P** Left/Right – double-sided/
8 outlets (add **\$90.80** list)
- Q** Center – double-sided/
12 outlets (add **\$45.40** list)
- T** Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N** None
- C** Cable Base:
(add **\$912.60** list) for
36" (914mm) deep tables;
(add **\$962.36** list) for
42" (1067mm) deep and
deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.


Planes Conference Table — Interior Leg

Pebble

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	F
								A	F		
								J	F	J	F
4	6	36"(914mm)	72"(1829mm)	TARP-3672-L	S	JG4		\$ 1507.53	\$ 1932.01	\$ 1645.24	\$ 2069.72
6	6		78"(1981mm)	TARP-3678-L	S	JG4		1610.61	2055.49	1759.90	2204.78
6	6		84"(2134mm)	TARP-3684-L	S	JG4		1713.69	2178.97	1874.56	2339.84
6	8		90"(2286mm)	TARP-3690-L	S	JG4		1816.77	2302.45	1989.22	2474.90
6	8		96"(2438mm)	TARP-3696-L	S	JG4		1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARP-4284-L	S	JG4		\$ 1949.41	\$ 2435.09	\$ 2137.30	\$ 2622.98
6	8		90"(2286mm)	TARP-4290-L	S	JG4		2069.07	2575.15	2270.47	2776.55
6	8		96"(2438mm)	TARP-4296-L	S	JG4		2188.73	2715.21	2403.64	2930.12
6	8		102"(2591mm)	TARP-42A2-L	S	JG4		2308.39	2855.27	2536.81	3083.69
6	10		108"(2743mm)	TARP-42A8-L	S	JG4		2428.05	2995.33	2669.98	3237.26
6	10		114"(2896mm)	TARP-42B4-L	S	JG4		2547.71	3135.39	2803.15	3390.83
6	10		120"(3048mm)	TARP-42C0-L	S	JG4		2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARP-4884-L	S	JG4		\$ 2185.13	\$ 2691.21	\$ 2400.04	\$ 2906.12
6	8		90"(2286mm)	TARP-4890-L	S	JG4		2321.37	2847.85	2551.72	3078.20
6	8		96"(2438mm)	TARP-4896-L	S	JG4		2457.61	3004.49	2703.40	3250.28
6	8		102"(2591mm)	TARP-48A2-L	S	JG4		2593.85	3161.13	2855.08	3422.36
6	10		108"(2743mm)	TARP-48A8-L	S	JG4		2730.09	3317.77	3006.76	3594.44
6	10		114"(2896mm)	TARP-48B4-L	S	JG4		2866.33	3474.41	3158.44	3766.52
6	10		120"(3048mm)	TARP-48C0-L	S	JG4		3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARP-5484-L	S	JG4		\$ 2420.85	\$ 2947.33	\$ 2662.78	\$ 3189.26
6	10		90"(2286mm)	TARP-5490-L	S	JG4		2573.67	3120.55	2832.97	3379.85
6	10		96"(2438mm)	TARP-5496-L	S	JG4		2726.49	3293.77	3003.16	3570.44
6	10		102"(2591mm)	TARP-54A2-L	S	JG4		2879.31	3466.99	3173.35	3761.03
6	10		108"(2743mm)	TARP-54A8-L	S	JG4		3032.13	3640.21	3343.54	3951.62
6	10		114"(2896mm)	TARP-54B4-L	S	JG4		3184.95	3813.43	3513.73	4142.21
6	10		120"(3048mm)	TARP-54C0-L	S	JG4		3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARP-6084-L	S	JG4		\$ 2656.57	\$ 3203.45	\$ 2925.52	\$ 3472.40
6	10		90"(2286mm)	TARP-6090-L	S	JG4		2825.97	3393.25	3114.22	3681.50
6	10		96"(2438mm)	TARP-6096-L	S	JG4		2995.37	3583.05	3302.92	3890.60
6	10		102"(2591mm)	TARP-60A2-L	S	JG4		3164.77	3772.85	3491.62	4099.70
6	10		108"(2743mm)	TARP-60A8-L	S	JG4		3334.17	3962.65	3680.32	4308.80
6	10		114"(2896mm)	TARP-60B4-L	S	JG4		3503.57	4152.45	3869.02	4517.90
6	10		120"(3048mm)	TARP-60C0-L	S	JG4		3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg Hexagon



TARX
Class TA1

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband and knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base can be specified for tables 36" (914mm)D and deeper:
 - 36" (914mm)D tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm)D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36" (914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- V** Left/Right – single-sided/
4 outlets (add **\$90.80** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)
- K** Left/Right – single-sided/
6 outlets (add **\$90.80** list)
- M** Center – double-sided/
8 outlets (add **\$45.40** list)
- P** Left/Right – double-sided/
8 outlets (add **\$90.80** list)
- Q** Center – double-sided/
12 outlets (add **\$45.40** list)
- T** Left/Right – double-sided/
12 outlets (add **\$90.80** list)

3 Cable Base Option:

- N** None
- C** Cable Base:
(add **\$912.60** list) for
36" (914mm)D tables;
(add **\$962.36** list) for
42" (1067mm)D and deeper
tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Hexagon

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	
								A	F	J	F
								J	F	J	F
4	6	36"(914mm)	72"(1829mm)	TARX-3672-L	S	JG4		\$ 1507.53	\$ 1932.01	\$ 1645.24	\$2069.72
6	6		78"(1981mm)	TARX-3678-L	S	JG4		1610.61	2055.49	1759.90	2204.78
6	6		84"(2134mm)	TARX-3684-L	S	JG4		1713.69	2178.97	1874.56	2339.84
6	8		90"(2286mm)	TARX-3690-L	S	JG4		1816.77	2302.45	1989.22	2474.90
6	8		96"(2438mm)	TARX-3696-L	S	JG4		1919.85	2425.93	2103.88	2609.96
6	6	42"(1067mm)	84"(2134mm)	TARX-4284-L	S	JG4		\$ 1949.41	\$ 2435.09	\$ 2137.30	\$2622.98
6	8		90"(2286mm)	TARX-4290-L	S	JG4		2069.07	2575.15	2270.47	2776.55
6	8		96"(2438mm)	TARX-4296-L	S	JG4		2188.73	2715.21	2403.64	2930.12
6	8		102"(2591mm)	TARX-42A2-L	S	JG4		2308.39	2855.27	2536.81	3083.69
6	10		108"(2743mm)	TARX-42A8-L	S	JG4		2428.05	2995.33	2669.98	3237.26
6	10		114"(2896mm)	TARX-42B4-L	S	JG4		2547.71	3135.39	2803.15	3390.83
6	10		120"(3048mm)	TARX-42C0-L	S	JG4		2667.37	3275.45	2936.32	3544.40
6	6	48"(1291mm)	84"(2134mm)	TARX-4884-L	S	JG4		\$ 2185.13	\$ 2691.21	\$2400.04	\$2906.12
6	8		90"(2286mm)	TARX-4890-L	S	JG4		2321.37	2847.85	2551.72	3078.20
6	8		96"(2438mm)	TARX-4896-L	S	JG4		2457.61	3004.49	2703.40	3250.28
6	8		102"(2591mm)	TARX-48A2-L	S	JG4		2593.85	3161.13	2855.08	3422.36
6	10		108"(2743mm)	TARX-48A8-L	S	JG4		2730.09	3317.77	3006.76	3594.44
6	10		114"(2896mm)	TARX-48B4-L	S	JG4		2866.33	3474.41	3158.44	3766.52
6	10		120"(3048mm)	TARX-48C0-L	S	JG4		3002.57	3631.05	3310.12	3938.60
6	8	54"(1372mm)	84"(2134mm)	TARX-5484-L	S	JG4		\$ 2420.85	\$ 2947.33	\$2662.78	\$ 3189.26
6	10		90"(2286mm)	TARX-5490-L	S	JG4		2573.67	3120.55	2832.97	3379.85
6	10		96"(2438mm)	TARX-5496-L	S	JG4		2726.49	3293.77	3003.16	3570.44
6	10		102"(2591mm)	TARX-54A2-L	S	JG4		2879.31	3466.99	3173.35	3761.03
6	10		108"(2743mm)	TARX-54A8-L	S	JG4		3032.13	3640.21	3343.54	3951.62
6	10		114"(2896mm)	TARX-54B4-L	S	JG4		3184.95	3813.43	3513.73	4142.21
6	10		120"(3048mm)	TARX-54C0-L	S	JG4		3337.77	3986.65	3683.92	4332.80
6	10	60"(1524mm)	84"(2134mm)	TARX-6084-L	S	JG4		\$2656.57	\$3203.45	\$2925.52	\$3472.40
6	10		90"(2286mm)	TARX-6090-L	S	JG4		2825.97	3393.25	3114.22	3681.50
6	10		96"(2438mm)	TARX-6096-L	S	JG4		2995.37	3583.05	3302.92	3890.60
6	10		102"(2591mm)	TARX-60A2-L	S	JG4		3164.77	3772.85	3491.62	4099.70
6	10		108"(2743mm)	TARX-60A8-L	S	JG4		3334.17	3962.65	3680.32	4308.80
6	10		114"(2896mm)	TARX-60B4-L	S	JG4		3503.57	4152.45	3869.02	4517.90
6	10		120"(3048mm)	TARX-60C0-L	S	JG4		3672.97	4342.25	4057.72	4727.00

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Rectangular — Two-Piece Top



TARA
Class TA1

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base is available:
 - 42" (1067mm) D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$90.80** list)
- V** Left/Right – single-sided/
4 outlets (add **\$181.61** list)
- J** Center – single-sided/
6 outlets (add **\$90.80** list)
- K** Left/Right – single-sided/
6 outlets (add **\$181.61** list)
- M** Center – double-sided/
8 outlets (add **\$90.80** list)
- P** Left/Right – double-sided/
8 outlets (add **\$181.61** list)
- Q** Center – double-sided/
12 outlets (add **\$90.80** list)
- T** Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

- N** None
- C** Cable Base (add **\$962.36** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Rectangular — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	
								A J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARA-42C6-L	S	JG4		\$ 3545.56	\$ 4210.21	\$ 3828.02	\$ 4492.67
6	10		132"(3353mm)	TARA-42D2-L	S	JG4		3699.23	4384.28	3995.20	4680.25
10	10		138"(3505mm)	TARA-42D8-L	S	JG4		3852.90	4558.35	4162.38	4867.83
10	10		144"(3658mm)	TARA-42E4-L	S	JG4		4006.57	4732.42	4329.56	5055.41
10	10		150"(3810mm)	TARA-42F0-L	S	JG4		4160.24	4906.49	4496.74	5242.99
10	12		156"(3962mm)	TARA-42F6-L	S	JG4		4313.91	5080.56	4663.92	5430.57
10	12		162"(4115mm)	TARA-42G2-L	S	JG4		4467.58	5254.63	4831.10	5618.15
10	12		168"(4267mm)	TARA-42G8-L	S	JG4		4621.25	5428.70	4998.28	5805.73
10	12		174"(4420mm)	TARA-42H4-L	S	JG4		4774.92	5602.77	5165.46	5993.31
10	12		180"(4572mm)	TARA-42J0-L	S	JG4		4928.59	5776.84	5332.64	6180.89
6	10	48"(1219mm)	126"(3200mm)	TARA-48C6-L	S	JG4		\$ 4006.18	\$ 4691.23	\$ 4329.17	\$ 5014.22
6	10		132"(3353mm)	TARA-48D2-L	S	JG4		4176.43	4881.88	4514.86	5220.31
10	10		138"(3505mm)	TARA-48D8-L	S	JG4		4346.68	5072.53	4700.55	5426.40
10	10		144"(3658mm)	TARA-48E4-L	S	JG4		4516.93	5263.18	4886.24	5632.49
10	10		150"(3810mm)	TARA-48F0-L	S	JG4		4687.18	5453.83	5071.93	5838.58
10	12		156"(3962mm)	TARA-48F6-L	S	JG4		4857.43	5644.48	5257.62	6044.67
10	12		162"(4115mm)	TARA-48G2-L	S	JG4		5027.68	5835.13	5443.31	6250.76
10	12		168"(4267mm)	TARA-48G8-L	S	JG4		5197.93	6025.78	5629.00	6456.85
10	12		174"(4420mm)	TARA-48H4-L	S	JG4		5368.18	6216.43	5814.69	6662.94
10	12		180"(4572mm)	TARA-48J0-L	S	JG4		5538.43	6407.08	6000.38	6869.03
6	10	54"(1372mm)	126"(3200mm)	TARA-54C6-L	S	JG4		\$ 4466.80	\$ 5172.25	\$ 4830.32	\$ 5535.77
6	10		132"(3353mm)	TARA-54D2-L	S	JG4		4653.63	5379.48	5034.52	5760.37
10	10		138"(3505mm)	TARA-54D8-L	S	JG4		4840.46	5586.71	5238.72	5984.97
10	10		144"(3658mm)	TARA-54E4-L	S	JG4		5027.29	5793.94	5442.92	6209.57
10	10		150"(3810mm)	TARA-54F0-L	S	JG4		5214.12	6001.17	5647.12	6434.17
10	12		156"(3962mm)	TARA-54F6-L	S	JG4		5400.95	6208.40	5851.32	6658.77
10	12		162"(4115mm)	TARA-54G2-L	S	JG4		5587.78	6415.63	6055.52	6883.37
10	12		168"(4267mm)	TARA-54G8-L	S	JG4		5774.61	6622.86	6259.72	7107.97
10	14		174"(4420mm)	TARA-54H4-L	S	JG4		5961.44	6830.09	6463.92	7332.57
10	14		180"(4572mm)	TARA-54J0-L	S	JG4		6148.27	7037.32	6668.12	7557.17
6	10	60"(1524mm)	126"(3200mm)	TARA-60C6-L	S	JG4		\$ 4927.42	\$ 5653.27	\$ 5331.47	\$ 6057.32
6	10		132"(3353mm)	TARA-60D2-L	S	JG4		5130.83	5877.08	5554.18	6300.43
10	10		138"(3505mm)	TARA-60D8-L	S	JG4		5334.24	6100.89	5776.89	6543.54
10	10		144"(3658mm)	TARA-60E4-L	S	JG4		5537.65	6324.70	5999.60	6786.65
10	10		150"(3810mm)	TARA-60F0-L	S	JG4		5741.06	6548.51	6222.31	7029.76
10	12		156"(3962mm)	TARA-60F6-L	S	JG4		5944.47	6772.32	6445.02	7272.87
10	12		162"(4115mm)	TARA-60G2-L	S	JG4		6147.88	6996.13	6667.73	7515.98
10	12		168"(4267mm)	TARA-60G8-L	S	JG4		6351.29	7219.94	6890.44	7759.09
10	14		174"(4420mm)	TARA-60H4-L	S	JG4		6554.70	7443.75	7113.15	8002.20
10	14		180"(4572mm)	TARA-60J0-L	S	JG4		6758.11	7667.56	7335.86	8245.31

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Pebble — Two-Piece Top



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base is available:
 - 42" (1067mm) D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$90.80** list)
- V** Left/Right – single-sided/
4 outlets (add **\$181.61** list)
- J** Center – single-sided/
6 outlets (add **\$90.80** list)
- K** Left/Right – single-sided/
6 outlets (add **\$181.61** list)
- M** Center – double-sided/
8 outlets (add **\$90.80** list)
- P** Left/Right – double-sided/
8 outlets (add **\$181.61** list)
- Q** Center – double-sided/
12 outlets (add **\$90.80** list)
- T** Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

- N** None
- C** Cable Base (add **\$962.36** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Pebble — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL	B	J	F
								A			
								J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARP-42C6-L	S	JG4		\$ 3545.56	\$ 4210.21	\$ 3828.02	\$ 4492.67
6	10		132"(3353mm)	TARP-42D2-L	S	JG4		3699.23	4384.28	3995.20	4680.25
6	10		138"(3505mm)	TARP-42D8-L	S	JG4		3852.90	4558.35	4162.38	4867.83
6	10		144"(3658mm)	TARP-42E4-L	S	JG4		4006.57	4732.42	4329.56	5055.41
10	10		150"(3810mm)	TARP-42F0-L	S	JG4		4160.24	4906.49	4496.74	5242.99
10	10		156"(3962mm)	TARP-42F6-L	S	JG4		4313.91	5080.56	4663.92	5430.57
10	10		162"(4115mm)	TARP-42G2-L	S	JG4		4467.58	5254.63	4831.10	5618.15
10	12		168"(4267mm)	TARP-42G8-L	S	JG4		4621.25	5428.70	4998.28	5805.73
10	12		174"(4420mm)	TARP-42H4-L	S	JG4		4774.92	5602.77	5165.46	5993.31
10	12		180"(4572mm)	TARP-42J0-L	S	JG4		4928.59	5776.84	5332.64	6180.89
6	10	48"(1219mm)	126"(3200mm)	TARP-48C6-L	S	JG4		\$ 4006.18	\$ 4691.23	\$ 4329.17	\$ 5014.22
6	10		132"(3353mm)	TARP-48D2-L	S	JG4		4176.43	4881.88	4514.86	5220.31
6	10		138"(3505mm)	TARP-48D8-L	S	JG4		4346.68	5072.53	4700.55	5426.40
6	10		144"(3658mm)	TARP-48E4-L	S	JG4		4516.93	5263.18	4886.24	5632.49
10	10		150"(3810mm)	TARP-48F0-L	S	JG4		4687.18	5453.83	5071.93	5838.58
10	10		156"(3962mm)	TARP-48F6-L	S	JG4		4857.43	5644.48	5257.62	6044.67
10	10		162"(4115mm)	TARP-48G2-L	S	JG4		5027.68	5835.13	5443.31	6250.76
10	10		168"(4267mm)	TARP-48G8-L	S	JG4		5197.93	6025.78	5629.00	6456.85
10	12		174"(4420mm)	TARP-48H4-L	S	JG4		5368.18	6216.43	5814.69	6662.94
10	12		180"(4572mm)	TARP-48J0-L	S	JG4		5538.43	6407.08	6000.38	6869.03
6	10	54"(1372mm)	126"(3200mm)	TARP-54C6-L	S	JG4		\$ 4466.80	\$ 5172.25	\$ 4830.32	\$ 5535.77
6	10		132"(3353mm)	TARP-54D2-L	S	JG4		4653.63	5379.48	5034.52	5760.37
6	10		138"(3505mm)	TARP-54D8-L	S	JG4		4840.46	5586.71	5238.72	5984.97
6	10		144"(3658mm)	TARP-54E4-L	S	JG4		5027.29	5793.94	5442.92	6209.57
10	10		150"(3810mm)	TARP-54F0-L	S	JG4		5214.12	6001.17	5647.12	6434.17
10	10		156"(3962mm)	TARP-54F6-L	S	JG4		5400.95	6208.40	5851.32	6658.77
10	10		162"(4115mm)	TARP-54G2-L	S	JG4		5587.78	6415.63	6055.52	6883.37
10	10		168"(4267mm)	TARP-54G8-L	S	JG4		5774.61	6622.86	6259.72	7107.97
10	12		174"(4420mm)	TARP-54H4-L	S	JG4		5961.44	6830.09	6463.92	7332.57
10	12		180"(4572mm)	TARP-54J0-L	S	JG4		6148.27	7037.32	6668.12	7557.17
6	10	60"(1524mm)	126"(3200mm)	TARP-60C6-L	S	JG4		\$ 4927.42	\$ 5653.27	\$ 5331.47	\$ 6057.32
6	10		132"(3353mm)	TARP-60D2-L	S	JG4		5130.83	5877.08	5554.18	6300.43
6	10		138"(3505mm)	TARP-60D8-L	S	JG4		5334.24	6100.89	5776.89	6543.54
6	10		144"(3658mm)	TARP-60E4-L	S	JG4		5537.65	6324.70	5999.60	6786.65
10	10		150"(3810mm)	TARP-60F0-L	S	JG4		5741.06	6548.51	6222.31	7029.76
10	10		156"(3962mm)	TARP-60F6-L	S	JG4		5944.47	6772.32	6445.02	7272.87
10	10		162"(4115mm)	TARP-60G2-L	S	JG4		6147.88	6996.13	6667.73	7515.98
10	10		168"(4267mm)	TARP-60G8-L	S	JG4		6351.29	7219.94	6890.44	7759.09
10	12		174"(4420mm)	TARP-60H4-L	S	JG4		6554.70	7443.75	7113.15	8002.20
10	12		180"(4572mm)	TARP-60J0-L	S	JG4		6758.11	7667.56	7335.86	8245.31

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Hexagon — Two-Piece Top



TARX
Class TA1

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm)D and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$90.80** list)
- V** Left/Right – single-sided/
4 outlets (add **\$181.61** list)
- J** Center – single-sided/
6 outlets (add **\$90.80** list)
- K** Left/Right – single-sided/
6 outlets (add **\$181.61** list)
- M** Center – double-sided/
8 outlets (add **\$90.80** list)
- P** Left/Right – double-sided/
8 outlets (add **\$181.61** list)
- Q** Center – double-sided/
12 outlets (add **\$90.80** list)
- T** Left/Right – double-sided/
12 outlets (add **\$181.61** list)

3 Cable Base Option:

- N** None
- C** Cable Base (add **\$962.36** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Hexagon — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	F
								A J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-L	S	JG4		\$ 3545.56	\$ 4210.21	\$ 3828.02	\$ 4492.67
6	10		132"(3353mm)	TARX-42D2-L	S	JG4		3699.23	4384.28	3995.20	4680.25
6	10		138"(3505mm)	TARX-42D8-L	S	JG4		3852.90	4558.35	4162.38	4867.83
6	10		144"(3658mm)	TARX-42E4-L	S	JG4		4006.57	4732.42	4329.56	5055.41
10	10		150"(3810mm)	TARX-42F0-L	S	JG4		4160.24	4906.49	4496.74	5242.99
10	10		156"(3962mm)	TARX-42F6-L	S	JG4		4313.91	5080.56	4663.92	5430.57
10	10		162"(4115mm)	TARX-42G2-L	S	JG4		4467.58	5254.63	4831.10	5618.15
10	10		168"(4267mm)	TARX-42G8-L	S	JG4		4621.25	5428.70	4998.28	5805.73
10	12		174"(4420mm)	TARX-42H4-L	S	JG4		4774.92	5602.77	5165.46	5993.31
10	12		180"(4572mm)	TARX-42J0-L	S	JG4		4928.59	5776.84	5332.64	6180.89
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-L	S	JG4		\$ 4006.18	\$ 4691.23	\$ 4329.17	\$ 5014.22
6	10		132"(3353mm)	TARX-48D2-L	S	JG4		4176.43	4881.88	4514.86	5220.31
6	10		138"(3505mm)	TARX-48D8-L	S	JG4		4346.68	5072.53	4700.55	5426.40
6	10		144"(3658mm)	TARX-48E4-L	S	JG4		4516.93	5263.18	4886.24	5632.49
10	10		150"(3810mm)	TARX-48F0-L	S	JG4		4687.18	5453.83	5071.93	5838.58
10	10		156"(3962mm)	TARX-48F6-L	S	JG4		4857.43	5644.48	5257.62	6044.67
10	10		162"(4115mm)	TARX-48G2-L	S	JG4		5027.68	5835.13	5443.31	6250.76
10	10		168"(4267mm)	TARX-48G8-L	S	JG4		5197.93	6025.78	5629.00	6456.85
10	12		174"(4420mm)	TARX-48H4-L	S	JG4		5368.18	6216.43	5814.69	6662.94
10	12		180"(4572mm)	TARX-48J0-L	S	JG4		5538.43	6407.08	6000.38	6869.03
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-L	S	JG4		\$ 4466.80	\$ 5172.25	\$ 4830.32	\$ 5535.77
6	10		132"(3353mm)	TARX-54D2-L	S	JG4		4653.63	5379.48	5034.52	5760.37
6	10		138"(3505mm)	TARX-54D8-L	S	JG4		4840.46	5586.71	5238.72	5984.97
6	10		144"(3658mm)	TARX-54E4-L	S	JG4		5027.29	5793.94	5442.92	6209.57
10	10		150"(3810mm)	TARX-54F0-L	S	JG4		5214.12	6001.17	5647.12	6434.17
10	10		156"(3962mm)	TARX-54F6-L	S	JG4		5400.95	6208.40	5851.32	6658.77
10	10		162"(4115mm)	TARX-54G2-L	S	JG4		5587.78	6415.63	6055.52	6883.37
10	10		168"(4267mm)	TARX-54G8-L	S	JG4		5774.61	6622.86	6259.72	7107.97
10	12		174"(4420mm)	TARX-54H4-L	S	JG4		5961.44	6830.09	6463.92	7332.57
10	12		180"(4572mm)	TARX-54J0-L	S	JG4		6148.27	7037.32	6668.12	7557.17
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-L	S	JG4		\$ 4927.42	\$ 5653.27	\$ 5331.47	\$ 6057.32
6	10		132"(3353mm)	TARX-60D2-L	S	JG4		5130.83	5877.08	5554.18	6300.43
6	10		138"(3505mm)	TARX-60D8-L	S	JG4		5334.24	6100.89	5776.89	6543.54
6	10		144"(3658mm)	TARX-60E4-L	S	JG4		5537.65	6324.70	5999.60	6786.65
10	10		150"(3810mm)	TARX-60F0-L	S	JG4		5741.06	6548.51	6222.31	7029.76
10	10		156"(3962mm)	TARX-60F6-L	S	JG4		5944.47	6772.32	6445.02	7272.87
10	10		162"(4115mm)	TARX-60G2-L	S	JG4		6147.88	6996.13	6667.73	7515.98
10	10		168"(4267mm)	TARX-60G8-L	S	JG4		6351.29	7219.94	6890.44	7759.09
10	12		174"(4420mm)	TARX-60H4-L	S	JG4		6554.70	7443.75	7113.15	8002.20
10	12		180"(4572mm)	TARX-60J0-L	S	JG4		6758.11	7667.56	7335.86	8245.31

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Rectangular — Three-Piece Top



TARA
Class TA1

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available:
 - 42" (1067mm) D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$136.21** list)
- V** Left/Right – single-sided/
4 outlets (add **\$272.41** list)
- J** Center – single-sided/
6 outlets (add **\$136.21** list)
- K** Left/Right – single-sided/
6 outlets (add **\$272.41** list)
- M** Center – double-sided/
8 outlets (add **\$136.21** list)
- P** Left/Right – double-sided/
8 outlets (add **\$272.41** list)
- Q** Center – double-sided/
12 outlets (add **\$136.21** list)
- T** Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N** None
- C** Cable Bases (2) (add **\$1924.66** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Rectangular — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	F
								A	F	J	F
								J	F		
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARA-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARA-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
14	14		204"(5182mm)	TARA-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
14	14		210"(5334mm)	TARA-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
14	14		216"(5486mm)	TARA-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	16		222"(5639mm)	TARA-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	16		228"(5791mm)	TARA-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	16		234"(5944mm)	TARA-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	16		240"(6096mm)	TARA-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	16		246"(6248mm)	TARA-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	16		252"(6401mm)	TARA-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	18		258"(6553mm)	TARA-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	18		264"(6706mm)	TARA-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	20		270"(6858mm)	TARA-42T0-L	S	JG4		7348.66	8451.84	7955.36	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARA-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARA-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
14	14		204"(5182mm)	TARA-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
14	14		210"(5334mm)	TARA-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
14	14		216"(5486mm)	TARA-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	16		222"(5639mm)	TARA-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	16		228"(5791mm)	TARA-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	16		234"(5944mm)	TARA-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	16		240"(6096mm)	TARA-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	16		246"(6248mm)	TARA-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	16		252"(6401mm)	TARA-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	18		258"(6553mm)	TARA-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	18		264"(6706mm)	TARA-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	20		270"(6858mm)	TARA-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-L	S	JG4		\$6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARA-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARA-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
14	14		204"(5182mm)	TARA-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
14	14		210"(5334mm)	TARA-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
14	14		216"(5486mm)	TARA-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	16		222"(5639mm)	TARA-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	16		228"(5791mm)	TARA-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	16		234"(5944mm)	TARA-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	16		240"(6096mm)	TARA-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	16		246"(6248mm)	TARA-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	16		252"(6401mm)	TARA-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	18		258"(6553mm)	TARA-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	18		264"(6706mm)	TARA-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	20		270"(6858mm)	TARA-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-L	S	JG4		\$ 6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARA-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARA-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
14	14		204"(5182mm)	TARA-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
14	14		210"(5334mm)	TARA-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
14	14		216"(5486mm)	TARA-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	16		222"(5639mm)	TARA-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	16		228"(5791mm)	TARA-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	16		234"(5944mm)	TARA-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	16		240"(6096mm)	TARA-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	16		246"(6248mm)	TARA-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	16		252"(6401mm)	TARA-60R2-L	S	JG4		9020.18	10417.23	9829.53	11226.58
14	18		258"(6553mm)	TARA-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	18		264"(6706mm)	TARA-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	20		270"(6858mm)	TARA-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Pebble — Three-Piece Top



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available:
 - 42" (1067mm) D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
 - Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$136.21** list)
- V** Left/Right – single-sided/
4 outlets (add **\$272.41** list)
- J** Center – single-sided/
6 outlets (add **\$136.21** list)
- K** Left/Right – single-sided/
6 outlets (add **\$272.41** list)
- M** Center – double-sided/
8 outlets (add **\$136.21** list)
- P** Left/Right – double-sided/
8 outlets (add **\$272.41** list)
- Q** Center – double-sided/
12 outlets (add **\$136.21** list)
- T** Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N** None
- C** Cable Bases (2) (add **\$1924.66** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg


Pebble — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number				HPL			
					①	②	③	A J	F	B J	F
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARP-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARP-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
10	14		204"(5182mm)	TARP-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
10	14		210"(5334mm)	TARP-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
10	14		216"(5486mm)	TARP-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	14		222"(5639mm)	TARP-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	14		228"(5791mm)	TARP-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	14		234"(5944mm)	TARP-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	14		240"(6096mm)	TARP-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	14		246"(6248mm)	TARP-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	14		252"(6401mm)	TARP-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	14		258"(6553mm)	TARP-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	14		264"(6706mm)	TARP-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	16		270"(6858mm)	TARP-42T0-L	S	JG4		7250.70	8451.84	7857.40	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARP-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARP-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
8	14		204"(5182mm)	TARP-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
8	14		210"(5334mm)	TARP-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
8	14		216"(5486mm)	TARP-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	14		222"(5639mm)	TARP-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	14		228"(5791mm)	TARP-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	14		234"(5944mm)	TARP-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	14		240"(6096mm)	TARP-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	14		246"(6248mm)	TARP-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	14		252"(6401mm)	TARP-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	14		258"(6553mm)	TARP-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	14		264"(6706mm)	TARP-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	16		270"(6858mm)	TARP-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-L	S	JG4		\$6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARP-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARP-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
8	14		204"(5182mm)	TARP-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
8	14		210"(5334mm)	TARP-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
8	14		216"(5486mm)	TARP-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	14		222"(5639mm)	TARP-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	14		228"(5791mm)	TARP-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	14		234"(5944mm)	TARP-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	14		240"(6096mm)	TARP-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	14		246"(6248mm)	TARP-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	14		252"(6401mm)	TARP-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	14		258"(6553mm)	TARP-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	14		264"(6706mm)	TARP-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	16		270"(6858mm)	TARP-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-L	S	JG4		\$ 6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARP-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARP-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
8	14		204"(5182mm)	TARP-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
8	14		210"(5334mm)	TARP-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
8	14		216"(5486mm)	TARP-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	14		222"(5639mm)	TARP-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	14		228"(5791mm)	TARP-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	14		234"(5944mm)	TARP-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	14		240"(6096mm)	TARP-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	14		246"(6248mm)	TARP-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	14		252"(6401mm)	TARP-60R2-L	S	JG4		9020.18	10417.23	9829.53	11226.58
14	14		258"(6553mm)	TARP-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	14		264"(6706mm)	TARP-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	16		270"(6858mm)	TARP-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Interior Leg

Hexagon — Three-Piece Top



TARX
Class TA1

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available:
 - 42" (1067mm) D and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$136.21** list)
- V** Left/Right – single-sided/
4 outlets (add **\$272.41** list)
- J** Center – single-sided/
6 outlets (add **\$136.21** list)
- K** Left/Right – single-sided/
6 outlets (add **\$272.41** list)
- M** Center – double-sided/
8 outlets (add **\$136.21** list)
- P** Left/Right – double-sided/
8 outlets (add **\$272.41** list)
- Q** Center – double-sided/
12 outlets (add **\$136.21** list)
- T** Left/Right – double-sided/
12 outlets (add **\$272.41** list)

3 Cable Base Option:

- N** None
- C** Cable Bases (2) (add **\$1924.66** list)

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: **\$62.43** upcharge list for Metallic and accent trim colors.

Planes Conference Table — Interior Leg

Hexagon — Three-Piece Top


No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	HPL		B	F
								A	F	J	F
								J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-L	S	JG4		\$5099.32	\$ 6014.86	\$ 5516.88	\$ 6432.42
8	14		192"(4877mm)	TARX-42K2-L	S	JG4		5252.99	6188.93	5684.06	6620.00
8	14		198"(5029mm)	TARX-42K8-L	S	JG4		5406.66	6363.00	5851.24	6807.58
10	14		204"(5182mm)	TARX-42L4-L	S	JG4		5560.33	6537.07	6018.42	6995.16
10	14		210"(5334mm)	TARX-42M0-L	S	JG4		5714.00	6711.14	6185.60	7182.74
10	14		216"(5486mm)	TARX-42M6-L	S	JG4		5867.67	6885.21	6352.78	7370.32
14	14		222"(5639mm)	TARX-42N2-L	S	JG4		6021.34	7059.28	6519.96	7557.90
14	14		228"(5791mm)	TARX-42N8-L	S	JG4		6175.01	7233.35	6687.14	7745.48
14	14		234"(5944mm)	TARX-42P4-L	S	JG4		6328.68	7407.42	6854.32	7933.06
14	14		240"(6096mm)	TARX-42Q0-L	S	JG4		6482.35	7581.49	7021.50	8120.64
14	14		246"(6248mm)	TARX-42Q6-L	S	JG4		6636.02	7755.56	7188.68	8308.22
14	14		252"(6401mm)	TARX-42R2-L	S	JG4		6789.69	7929.63	7355.86	8495.80
14	14		258"(6553mm)	TARX-42R8-L	S	JG4		6943.36	8103.70	7523.04	8683.38
14	14		264"(6706mm)	TARX-42S4-L	S	JG4		7097.03	8277.77	7690.22	8870.96
14	16		270"(6858mm)	TARX-42T0-L	S	JG4		7250.70	8451.84	7857.40	9058.54
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-L	S	JG4		\$ 5725.74	\$ 6661.68	\$ 6203.13	\$ 7139.07
8	14		192"(4877mm)	TARX-48K2-L	S	JG4		5895.99	6852.33	6388.82	7345.16
8	14		198"(5029mm)	TARX-48K8-L	S	JG4		6066.24	7042.98	6574.51	7551.25
8	14		204"(5182mm)	TARX-48L4-L	S	JG4		6236.49	7233.63	6760.20	7757.34
8	14		210"(5334mm)	TARX-48M0-L	S	JG4		6406.74	7424.28	6945.89	7963.43
8	14		216"(5486mm)	TARX-48M6-L	S	JG4		6576.99	7614.93	7131.58	8169.52
14	14		222"(5639mm)	TARX-48N2-L	S	JG4		6747.24	7805.58	7317.27	8375.61
14	14		228"(5791mm)	TARX-48N8-L	S	JG4		6917.49	7996.23	7502.96	8581.70
14	14		234"(5944mm)	TARX-48P4-L	S	JG4		7087.74	8186.88	7688.65	8787.79
14	14		240"(6096mm)	TARX-48Q0-L	S	JG4		7257.99	8377.53	7874.34	8993.88
14	14		246"(6248mm)	TARX-48Q6-L	S	JG4		7428.24	8568.18	8060.03	9199.97
14	14		252"(6401mm)	TARX-48R2-L	S	JG4		7598.49	8758.83	8245.72	9406.06
14	14		258"(6553mm)	TARX-48R8-L	S	JG4		7768.74	8949.48	8431.41	9612.15
14	14		264"(6706mm)	TARX-48S4-L	S	JG4		7938.99	9140.13	8617.10	9818.24
14	16		270"(6858mm)	TARX-48T0-L	S	JG4		8109.24	9330.78	8802.79	10024.33
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-L	S	JG4		\$6254.20	\$ 7308.50	\$ 6791.42	\$ 7845.72
8	14		192"(4877mm)	TARX-54K2-L	S	JG4		6441.03	7515.73	6995.62	8070.32
8	14		198"(5029mm)	TARX-54K8-L	S	JG4		6627.86	7722.96	7199.82	8294.92
8	14		204"(5182mm)	TARX-54L4-L	S	JG4		6814.69	7930.19	7404.02	8519.52
8	14		210"(5334mm)	TARX-54M0-L	S	JG4		7001.52	8137.42	7608.22	8744.12
8	14		216"(5486mm)	TARX-54M6-L	S	JG4		7188.35	8344.65	7812.42	8968.72
14	14		222"(5639mm)	TARX-54N2-L	S	JG4		7375.18	8551.88	8016.62	9193.32
14	14		228"(5791mm)	TARX-54N8-L	S	JG4		7562.01	8759.11	8220.82	9417.92
14	14		234"(5944mm)	TARX-54P4-L	S	JG4		7748.84	8966.34	8425.02	9642.52
14	14		240"(6096mm)	TARX-54Q0-L	S	JG4		7935.67	9173.57	8629.22	9867.12
14	14		246"(6248mm)	TARX-54Q6-L	S	JG4		8122.50	9380.80	8833.42	10091.72
14	14		252"(6401mm)	TARX-54R2-L	S	JG4		8309.33	9588.03	9037.62	10316.32
14	14		258"(6553mm)	TARX-54R8-L	S	JG4		8496.16	9795.26	9241.82	10540.92
14	14		264"(6706mm)	TARX-54S4-L	S	JG4		8682.99	10002.49	9446.02	10765.52
14	16		270"(6858mm)	TARX-54T0-L	S	JG4		8869.82	10209.72	9650.22	10990.12
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-L	S	JG4		\$6782.67	\$ 7955.32	\$ 7379.72	\$ 8552.37
8	14		192"(4877mm)	TARX-60K2-L	S	JG4		6986.08	8179.13	7602.43	8795.48
8	14		198"(5029mm)	TARX-60K8-L	S	JG4		7189.49	8402.94	7825.14	9038.59
8	14		204"(5182mm)	TARX-60L4-L	S	JG4		7392.90	8626.75	8047.85	9281.70
8	14		210"(5334mm)	TARX-60M0-L	S	JG4		7596.31	8850.56	8270.56	9524.81
8	14		216"(5486mm)	TARX-60M6-L	S	JG4		7799.72	9074.37	8493.27	9767.92
14	14		222"(5639mm)	TARX-60N2-L	S	JG4		8003.13	9298.18	8715.98	10011.03
14	14		228"(5791mm)	TARX-60N8-L	S	JG4		8206.54	9521.99	8938.69	10254.14
14	14		234"(5944mm)	TARX-60P4-L	S	JG4		8409.95	9745.80	9161.40	10497.25
14	14		240"(6096mm)	TARX-60Q0-L	S	JG4		8613.36	9969.61	9384.11	10740.36
14	14		246"(6248mm)	TARX-60Q6-L	S	JG4		8816.77	10193.42	9606.82	10983.47
14	14		252"(6401mm)	TARX-60R2-L	S	JG4		9020.18	10417.23	9829.53	11265.58
14	14		258"(6553mm)	TARX-60R8-L	S	JG4		9223.59	10641.04	10052.24	11469.69
14	14		264"(6706mm)	TARX-60S4-L	S	JG4		9427.00	10864.85	10274.95	11712.80
14	16		270"(6858mm)	TARX-60T0-L	S	JG4		9630.41	11088.66	10497.66	11955.91

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Table — Perimeter Leg


Square, Rectangular – 2”(51mm) Edge

Square



TARQ

Rectangular



TARA
Class TA1

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seam is 3mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base can be specified for tables 36”(914mm)D and deeper:
 - 36”(914mm)D tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm)D and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seam under table top.
- Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
- Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended to 30”(762mm)D tables.
- Cable base for 36”(914mm)D table is not compatible with Flip Top Cut Out Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Flip Top Unit Cutout(s):

Cutout options F, J, M, Q:
(add **\$45.40** list) for one-piece top; (add **\$90.80** list) for two-piece top

N None

F Center – single-sided/
4 outlets

J Center – single-sided/
6 outlets

M Center – double-sided/
8 outlets

Q Center – double-sided/
12 outlets

2 Cable Base Option:

N None

C Cable Base:
(add **\$912.60** list) for
36”(914mm)D tables;
(add **\$962.36** list) for
42”(1067mm)D and deeper
tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg


Square, Rectangular – 2”(51mm) Edge

No. of Pieces	No of. Legs	Seating Capacity*	Depth	Width	Number	①	②	HPL A	B
Square									
1	4	4	42”(1067mm)	42”(1067mm)	TARQ-4242-LJM	PG4N		\$ 1172.84	\$ 1267.14
1	4	4	48”(1219mm)	48”(1219mm)	TARQ-4848-LJM	PG4N		1468.58	1590.93
1	4	4	54”(1372mm)	54”(1372mm)	TARQ-5454-LJM	PG4N		1802.44	1956.58
1	4	4	60”(1524mm)	60”(1524mm)	TARQ-6060-LJM	PG4N		2174.42	2364.09
2	6	6	66”(1676mm)	66”(1676mm)	TARQ-6666-LJM	PG4		\$3548.17	\$ 3777.11
2	6	6	72”(1829mm)	72”(1829mm)	TARQ-7272-LJM	PG4		4082.60	4354.55
Rectangular									
1	4	4	30”(762mm)	60”(1524mm)	TARA-3060-LJM	PG4N		\$ 1279.95	\$ 1375.20
1	4	4		66”(1676mm)	TARA-3066-LJM	PG4N		1377.55	1482.45
1	6	4		72”(1829mm)	TARA-3072-LJM	PG4N		1475.15	1589.70
1	4	4	36”(914mm)	60”(1524mm)	TARA-3660-LJM	PG4		\$ 1471.55	\$ 1586.10
1	4	4		66”(1676mm)	TARA-3666-LJM	PG4		1587.95	1714.08
1	4	4	42”(1067mm)	48”(1219mm)	TARA-4248-LJM	PG4		\$ 1392.75	\$ 1499.58
1	4	4		54”(1372mm)	TARA-4254-LJM	PG4		1527.95	1648.29
1	4	4		60”(1524mm)	TARA-4260-LJM	PG4		1663.15	1797.00
1	4	6		66”(1676mm)	TARA-4266-LJM	PG4		1798.35	1945.71
1	6	6		72”(1829mm)	TARA-4272-LJM	PG4		1933.55	2094.42
1	6	6		78”(1981mm)	TARA-4278-LJM	PG4		2068.75	2243.13
1	4	4	48”(1219mm)	54”(1372mm)	TARA-4854-LJM	PG4		\$ 1700.75	\$ 1838.46
1	4	4		60”(1524mm)	TARA-4860-LJM	PG4		1854.75	2007.90
1	4	6		66”(1676mm)	TARA-4866-LJM	PG4		2008.75	2177.34
1	6	6		72”(1829mm)	TARA-4872-LJM	PG4		2162.75	2346.78
1	6	8		78”(1981mm)	TARA-4878-LJM	PG4		2316.75	2516.22
1	4	4	54”(1372mm)	60”(1524mm)	TARA-5460-LJM	PG4		\$2046.35	\$ 2218.80
1	4	6		66”(1676mm)	TARA-5466-LJM	PG4		2219.15	2408.97
1	6	6		72”(1829mm)	TARA-5472-LJM	PG4		2391.95	2599.14
1	6	6		78”(1981mm)	TARA-5478-LJM	PG4		2564.75	2789.31
1	4	8	60”(1524mm)	66”(1676mm)	TARA-6066-LJM	PG4		\$ 2429.55	\$2640.60
1	6	8		72”(1829mm)	TARA-6072-LJM	PG4		2621.15	2851.50
1	6	8		78”(1981mm)	TARA-6078-LJM	PG4		2812.75	3062.40

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2”(51mm) Edge



TARA
Class TA1

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base can be specified for tables 36”(914mm)D and deeper:
 - 36”(914mm)D tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm)D and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$45.40** list)
- V** Left/Right – single-sided/
4 outlets (add **\$90.80** list)
- J** Center – single-sided/
6 outlets (add **\$45.40** list)
- K** Left/Right – single-sided/
6 outlets (add **\$90.80** list)
- M** Center – double-sided/
8 outlets (add **\$45.40** list)
- P** Left/Right – double-sided/
8 outlets (add **\$90.80** list)
- Q** Center – double-sided/
12 outlets (add **\$45.40** list)
- T** Left/Right – double-sided/
12 outlets (add **\$90.80** list)

2 Cable Base Option:

- N** None
- C** Cable Base:
(add **\$912.60** list) for
36”(914mm)D tables;
(add **\$962.36** list) for
42”(1067mm)D and deeper
tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg


Rectangular – 2”(51mm) Edge

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	HPL	
							A	B
6	6	36”(914mm)	72”(1829mm)	TARA-3672-LJM	PG4		\$ 1704.35	\$ 1842.06
6	6		78”(1981mm)	TARA-3678-LJM	PG4		1820.75	1970.04
6	6		84”(2134mm)	TARA-3684-LJM	PG4		1937.15	2098.02
6	8		90”(2286mm)	TARA-3690-LJM	PG4		2053.55	2226.00
6	8	42”(1067mm)	96”(2438mm)	TARA-3696-LJM	PG4		2169.95	2353.98
6	6		84”(2134mm)	TARA-4284-LJM	PG4		\$ 2203.95	\$ 2391.84
6	8		90”(2286mm)	TARA-4290-LJM	PG4		2339.15	2540.55
6	8		96”(2438mm)	TARA-4296-LJM	PG4		2474.35	2689.26
6	8	48”(1219mm)	102”(2591mm)	TARA-42A2-LJM	PG4		2609.55	2837.97
6	10		108”(2743mm)	TARA-42A8-LJM	PG4		2744.75	2986.68
6	10		114”(2896mm)	TARA-42B4-LJM	PG4		2879.95	3135.39
6	10		120”(3048mm)	TARA-42C0-LJM	PG4		3015.15	3284.10
6	6	54”(1372mm)	84”(2134mm)	TARA-4884-LJM	PG4		\$ 2470.75	\$ 2685.66
6	8		90”(2286mm)	TARA-4890-LJM	PG4		2624.75	2855.10
6	8		96”(2438mm)	TARA-4896-LJM	PG4		2778.75	3024.54
6	8		102”(2591mm)	TARA-48A2-LJM	PG4		2932.75	3193.98
6	10	60”(1524mm)	108”(2743mm)	TARA-48A8-LJM	PG4		3086.75	3363.42
6	10		114”(2896mm)	TARA-48B4-LJM	PG4		3240.75	3532.86
6	10		120”(3048mm)	TARA-48C0-LJM	PG4		3394.75	3702.30
6	8		84”(2134mm)	TARA-5484-LJM	PG4		\$ 2737.55	\$ 2979.48
6	10	66”(1676mm)	90”(2286mm)	TARA-5490-LJM	PG4		2910.35	3169.65
6	10		96”(2438mm)	TARA-5496-LJM	PG4		3083.15	3359.82
6	10		102”(2591mm)	TARA-54A2-LJM	PG4		3255.95	3549.99
6	10		108”(2743mm)	TARA-54A8-LJM	PG4		3428.75	3740.16
6	10	72”(1829mm)	114”(2896mm)	TARA-54B4-LJM	PG4		3601.55	3930.33
6	10		120”(3048mm)	TARA-54C0-LJM	PG4		3774.35	4120.50
6	10		84”(2134mm)	TARA-6084-LJM	PG4		\$3004.35	\$ 3273.30
6	10		90”(2286mm)	TARA-6090-LJM	PG4		3195.95	3484.20
6	10	78”(1981mm)	96”(2438mm)	TARA-6096-LJM	PG4		3387.55	3695.10
6	10		102”(2591mm)	TARA-60A2-LJM	PG4		3579.15	3906.00
6	10		108”(2743mm)	TARA-60A8-LJM	PG4		3770.75	4116.90
6	10		114”(2896mm)	TARA-60B4-LJM	PG4		3962.35	4327.80
6	10	84”(2134mm)	120”(3048mm)	TARA-60C0-LJM	PG4		4153.95	4538.70

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2”(51mm) Edge — Two-Piece Top



TARA
Class TA1

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seam is 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base is available:
 - 42”(1067mm)D and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$90.80** list)
- V** Left/Right – single-sided/
4 outlets (add **\$181.61** list)
- J** Center – single-sided/
6 outlets (add **\$90.80** list)
- K** Left/Right – single-sided/
6 outlets (add **\$181.61** list)
- M** Center – double-sided/
8 outlets (add **\$90.80** list)
- P** Left/Right – double-sided/
8 outlets (add **\$181.61** list)
- Q** Center – double-sided/
12 outlets (add **\$90.80** list)
- T** Left/Right – double-sided/
12 outlets (add **\$181.61** list)

② Cable Base Option:

- N** None
- C** Cable Base (add **\$962.36** list)

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg

Rectangular – 2”(51mm) Edge — Two-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	HPL	
							A	B
6	10	42”(1067mm)	126”(3200mm)	TARA-42C6-LJM	PG4		\$ 4401.90	\$4684.36
6	10		132”(3353mm)	TARA-42D2-LJM	PG4		4591.70	4887.67
10	10		138”(3505mm)	TARA-42D8-LJM	PG4		4781.50	5090.98
10	10		144”(3658mm)	TARA-42E4-LJM	PG4		4971.30	5294.29
10	10		150”(3810mm)	TARA-42F0-LJM	PG4		5161.10	5497.60
10	12		156”(3962mm)	TARA-42F6-LJM	PG4		5350.90	5700.91
10	12		162”(4115mm)	TARA-42G2-LJM	PG4		5540.70	5904.22
10	12		168”(4267mm)	TARA-42G8-LJM	PG4		5730.50	6107.53
10	12		174”(4420mm)	TARA-42H4-LJM	PG4		5920.30	6310.84
10	14		180”(4572mm)	TARA-42J0-LJM	PG4		6110.10	6514.15
6	10	48”(1219mm)	126”(3200mm)	TARA-48C6-LJM	PG4		\$4952.05	\$ 5275.04
6	10		132”(3353mm)	TARA-48D2-LJM	PG4		5169.28	5507.71
10	10		138”(3505mm)	TARA-48D8-LJM	PG4		5386.51	5740.38
10	10		144”(3658mm)	TARA-48E4-LJM	PG4		5603.74	5973.05
10	10		150”(3810mm)	TARA-48F0-LJM	PG4		5820.97	6205.72
10	12		156”(3962mm)	TARA-48F6-LJM	PG4		6038.20	6438.39
10	12		162”(4115mm)	TARA-48G2-LJM	PG4		6255.43	6671.06
10	12		168”(4267mm)	TARA-48G8-LJM	PG4		6472.66	6903.73
10	12		174”(4420mm)	TARA-48H4-LJM	PG4		6689.89	7136.40
10	14		180”(4572mm)	TARA-48J0-LJM	PG4		6907.12	7369.07
6	10	54”(1372mm)	126”(3200mm)	TARA-54C6-LJM	PG4		\$5502.26	\$ 5865.78
6	10		132”(3353mm)	TARA-54D2-LJM	PG4		5743.43	6124.32
10	10		138”(3505mm)	TARA-54D8-LJM	PG4		5984.60	6382.86
10	10		144”(3658mm)	TARA-54E4-LJM	PG4		6225.77	6641.40
10	10		150”(3810mm)	TARA-54F0-LJM	PG4		6466.94	6899.94
10	12		156”(3962mm)	TARA-54F6-LJM	PG4		6708.11	7158.48
10	12		162”(4115mm)	TARA-54G2-LJM	PG4		6949.28	7417.02
10	12		168”(4267mm)	TARA-54G8-LJM	PG4		7190.45	7675.56
10	14		174”(4420mm)	TARA-54H4-LJM	PG4		7431.62	7934.10
10	14		180”(4572mm)	TARA-54J0-LJM	PG4		7672.79	8192.64
6	10	60”(1524mm)	126”(3200mm)	TARA-60C6-LJM	PG4		\$6052.43	\$6456.48
6	10		132”(3353mm)	TARA-60D2-LJM	PG4		6317.57	6740.92
10	10		138”(3505mm)	TARA-60D8-LJM	PG4		6582.71	7025.36
10	10		144”(3658mm)	TARA-60E4-LJM	PG4		6847.85	7309.80
10	10		150”(3810mm)	TARA-60F0-LJM	PG4		7112.99	7594.24
10	12		156”(3962mm)	TARA-60F6-LJM	PG4		7378.13	7878.68
10	12		162”(4115mm)	TARA-60G2-LJM	PG4		7643.27	8163.12
10	12		168”(4267mm)	TARA-60G8-LJM	PG4		7908.41	8447.56
10	14		174”(4420mm)	TARA-60H4-LJM	PG4		8173.55	8732.00
10	14		180”(4572mm)	TARA-60J0-LJM	PG4		8416.86	8994.61

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Table — Perimeter Leg

Rectangular – 2”(51mm) Edge — Three-Piece Top



TARA
Class TA1

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- High-Pressure Laminate Top (HPL) with 3mm edgeband edges only.
- Table top seams are 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable bases are available:
 - 42”(1067mm)D and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

❶ Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/
4 outlets (add **\$136.21** list)
- V** Left/Right – single-sided/
4 outlets (add **\$272.41** list)
- J** Center – single-sided/
6 outlets (add **\$136.21** list)
- K** Left/Right – single-sided/
6 outlets (add **\$272.41** list)
- M** Center – double-sided/
8 outlets (add **\$136.21** list)
- P** Left/Right – double-sided/
8 outlets (add **\$272.41** list)
- Q** Center – double-sided/
12 outlets (add **\$136.21** list)
- T** Left/Right – double-sided/
12 outlets (add **\$272.41** list)

❷ Cable Base Option:

- N** None
- C** Cable Base (2) (add **\$1924.66** list)

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$62.43** upcharge list for
Metallic and accent trim colors.

Planes Conference Table — Perimeter Leg

Rectangular – 2”(51mm) Edge — Three-Piece Top

No. of Legs	Seating Capacity*	Depth	Width	Number	HPL		A	B
					①	②		
8	14	42”(1067mm)	186”(4724mm)	TARA-42J6-LJM	PG4		\$ 6234.70	\$ 6652.26
8	14		192”(4877mm)	TARA-42K2-LJM	PG4		6424.50	6855.57
8	14		198”(5029mm)	TARA-42K8-LJM	PG4		6614.30	7058.88
14	14		204”(5182mm)	TARA-42L4-LJM	PG4		6804.10	7262.19
14	14		210”(5334mm)	TARA-42M0-LJM	PG4		6993.90	7465.50
14	14		216”(5486mm)	TARA-42M6-LJM	PG4		7183.70	7668.81
14	16		222”(5639mm)	TARA-42N2-LJM	PG4		7373.50	7872.12
14	16		228”(5791mm)	TARA-42N8-LJM	PG4		7563.30	8075.43
14	16		234”(5944mm)	TARA-42P4-LJM	PG4		7753.10	8278.74
14	16		240”(6096mm)	TARA-42Q0-LJM	PG4		7942.90	8482.05
14	16		246”(6248mm)	TARA-42Q6-LJM	PG4		8132.70	8685.36
14	16		252”(6401mm)	TARA-42R2-LJM	PG4		8322.50	8888.67
14	18		258”(6553mm)	TARA-42R8-LJM	PG4		8512.30	9091.98
14	18		264”(6706mm)	TARA-42S4-LJM	PG4		8702.10	9295.29
14	20		270”(6858mm)	TARA-42T0-LJM	PG4		9179.33	9786.03
8	14	48”(1219mm)	186”(4724mm)	TARA-48J6-LJM	PG4		\$ 7046.75	\$ 7524.14
8	14		192”(4877mm)	TARA-48K2-LJM	PG4		7260.54	7753.37
8	14		198”(5029mm)	TARA-48K8-LJM	PG4		7474.33	7982.60
14	14		204”(5182mm)	TARA-48L4-LJM	PG4		7688.12	8211.83
14	14		210”(5334mm)	TARA-48M0-LJM	PG4		7901.91	8441.06
14	14		216”(5486mm)	TARA-48M6-LJM	PG4		8115.70	8670.29
14	14		222”(5639mm)	TARA-48N2-LJM	PG4		8329.49	8899.52
14	16		228”(5791mm)	TARA-48N8-LJM	PG4		8543.28	9128.75
14	16		234”(5944mm)	TARA-48P4-LJM	PG4		8757.07	9357.98
14	16		240”(6096mm)	TARA-48Q0-LJM	PG4		8970.86	9587.21
14	16		246”(6248mm)	TARA-48Q6-LJM	PG4		9184.65	9816.44
14	16		252”(6401mm)	TARA-48R2-LJM	PG4		9398.44	10045.67
14	18		258”(6553mm)	TARA-48R8-LJM	PG4		9612.23	10274.90
14	18		264”(6706mm)	TARA-48S4-LJM	PG4		9826.02	10504.13
14	20		270”(6858mm)	TARA-48T0-LJM	PG4		10039.81	10733.36
8	14	54”(1372mm)	186”(4724mm)	TARA-54J6-LJM	PG4		\$ 7760.87	\$ 8298.09
8	14		192”(4877mm)	TARA-54K2-LJM	PG4		7998.60	8553.19
8	14		198”(5029mm)	TARA-54K8-LJM	PG4		8236.33	8808.29
14	14		204”(5182mm)	TARA-54L4-LJM	PG4		8474.06	9063.39
14	14		210”(5334mm)	TARA-54M0-LJM	PG4		8711.79	9318.49
14	14		216”(5486mm)	TARA-54M6-LJM	PG4		8949.52	9573.59
14	16		222”(5639mm)	TARA-54N2-LJM	PG4		9187.25	9828.69
14	16		228”(5791mm)	TARA-54N8-LJM	PG4		9424.98	10083.79
14	16		234”(5944mm)	TARA-54P4-LJM	PG4		9662.71	10338.89
14	16		240”(6096mm)	TARA-54Q0-LJM	PG4		9900.44	10593.99
14	16		246”(6248mm)	TARA-54Q6-LJM	PG4		10138.17	10849.09
14	16		252”(6401mm)	TARA-54R2-LJM	PG4		10375.90	11104.19
14	18		258”(6553mm)	TARA-54R8-LJM	PG4		10613.63	11359.29
14	18		264”(6706mm)	TARA-54S4-LJM	PG4		10851.36	11614.39
14	20		270”(6858mm)	TARA-54T0-LJM	PG4		11089.09	11869.49
8	14	60”(1524mm)	186”(4724mm)	TARA-60J6-LJM	PG4		\$ 8406.26	\$ 9003.31
8	14		192”(4877mm)	TARA-60K2-LJM	PG4		8667.97	9284.32
8	14		198”(5029mm)	TARA-60K8-LJM	PG4		8929.68	9565.33
14	14		204”(5182mm)	TARA-60L4-LJM	PG4		9191.39	9846.34
14	14		210”(5334mm)	TARA-60M0-LJM	PG4		9453.10	10127.35
14	14		216”(5486mm)	TARA-60M6-LJM	PG4		9714.81	10408.36
14	16		222”(5639mm)	TARA-60N2-LJM	PG4		9976.52	10689.37
14	16		228”(5791mm)	TARA-60N8-LJM	PG4		10238.23	10970.38
14	16		234”(5944mm)	TARA-60P4-LJM	PG4		10499.94	11251.39
14	16		240”(6096mm)	TARA-60Q0-LJM	PG4		10761.65	11532.40
14	16		246”(6248mm)	TARA-60Q6-LJM	PG4		11023.36	11813.41
14	16		252”(6401mm)	TARA-60R2-LJM	PG4		11285.07	12094.42
14	18		258”(6553mm)	TARA-60R8-LJM	PG4		11546.78	12375.43
14	18		264”(6706mm)	TARA-60S4-LJM	PG4		11808.49	12656.44
14	20		270”(6858mm)	TARA-60T0-LJM	PG4		12070.20	12937.45

*Recommended seating capacity based upon 27”(686mm) per chair.

Fixed Height Tables / March 2025

Planes Conference Table Top

for use with Column Base


Catalog Logic

TA		RA - 48		CO - L		F S		Q B		N N		N	
Platform: _____													
(TA) Planes Tables													
Top Shape: _____													
(RA) Rectangle													
(RP) Pebble													
(RX) Hexagon													
(RN) Round (RQ) Square													
Depth: _____													
36 - 36"(914mm)													
42 - 42"(1067mm)													
48 - 48"(1219mm)													
54 - 54"(1372mm)													
60 - 60"(1524mm)													
Width: _____													
36 - 36"(914mm)				F6 - 156"(3962mm)									
42 - 42"(1067mm)				G2 - 162"(4115mm)									
48 - 48"(1219mm)				G8 - 168"(4267mm)									
54 - 54"(1372mm)				H4 - 174"(4420mm)									
60 - 60"(1524mm)				J0 - 180"(4572mm)									
66 - 66"(1676mm)				J6 - 186"(4724mm)									
72 - 72"(1829mm)				K2 - 192"(4877mm)									
78 - 78"(1981mm)				K8 - 198"(5029mm)									
84 - 84"(2134mm)				L4 - 2046"(51968mm)									
90 - 90"(2286mm)				M0 - 210"(5334mm)									
96 - 96"(2438mm)				M6 - 216"(5486mm)									
A2 - 102"(2591mm)				N2 - 222"(5639mm)									
A8 - 108"(2743mm)				N8 - 228"(5791mm)									
B4 - 114"(2896mm)				P4 - 234"(5944mm)									
C0 - 120"(3048mm)				Q0 - 240"(6096mm)									
C6 - 126"(3200mm)				Q6 - 246"(6248mm)									
D2 - 132"(3353mm)				R2 - 252"(6401mm)									
D8 - 138"(3505mm)				R8 - 258"(6553mm)									
E4 - 144"(3658mm)				S4 - 264"(6706mm)									
F0 - 150"(3810mm)				T0 - 270"(6858mm)									
Surface Material: _____													
(L) High-Pressure Laminate (HPL)													
Edge HPL: _____													
(F) Knife Edge													
(J) Edgeband													
Core Type: _____													
(S) Standard													
Cutout: _____													
(N) No Cutouts													
(F) 4 Outlet Cutout Single-sided, Center													
(V) 4 Outlet Cutout Single-sided, Left/Right													
(J) 6 Outlet Cutout Single-sided, Center													
(K) 6 Outlet Cutout Single-side, Left/Right													
(M) 8 Outlet Double-sided, Center													
(P) 8 Outlet Double-sided, Left/Right													
(Q) 12 Outlet Double-sided, Center													
(T) 12 Outlet Double-sided, Left/Right													
Base Type: _____													
(B) Column Base													
Base Foot: _____													
(N) NA													
Height/Mechanism: _____													
(N) NA													
Cable Base: _____													
(N) NA													

Planes Conference Table with Column Base

Component Specification Overview

Planes Conference Top(s), Column Base Frame(s), Column Base Plate(s) and J-Channel(s) are separately specified. See below for required component specification.



Conference Top

- The number of tops depend on the width of the conference table. Top options include a 1-piece top, 2-piece top or 3-piece top.

Column Base Frames

- Column Base Frames are square and include cladding. Available in two widths: 9"(229mm) and 12"(305mm), and in three heights: 26"(660mm) for lounge height, 28"(711mm) for seated height, and 40"(1016mm) for standing height. Cladding shapes can be round or flat. Round Cladding is only available painted, while Flat Cladding can be High Pressure Laminate (HPL), or made of wood. Column Base Frame is available painted without cladding.
 - The table top width and the number of pieces determine the quantity of column base frames needed. **Refer to Matrix-A for details.**
 - The table top depth determines the column base frame size, either 9"(229mm) or 12"(305mm) square. **Refer to Matrix-B for details.**

Column Base Plate

- Round or Square Column Base Plates are available in four sizes: 21"(533mm), 24"(610mm), 27"(686mm) and 30"(762mm).
 - The column base plate size is specific to the column frame size of 9"(229mm) or 12"(305mm); specify accordingly.
 - The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-B for details.**

J-Channel

- Provides wire management and the required support below the Conference Table Top.
 - J-Channel is specified as one pair per catalog number. A pair of J-Channels are used between each column base.
 - The table top width and column size dictate the number of pairs and length of J-Channel. **Refer to Matrix-A for details.**

J-Channel Tray - Optional

- J-Channel Trays are optional and provide additional wire management between columns; lays in J-Channels.
 - Specify J-Channel Tray width to match Column Frame size.
 - The J-Channel length dictates the maximum number of J-Channel Trays. **Refer to Matrix-A for details.**

Planes Conference Table with Column Base

Component Specification Overview

MATRIX - A

Column Base Frame Quantity & J Channel Quantity and Size - Specification Matrix							
Table Width	Number of Pieces in Top	Number of Column Base Frames	Number of Pairs of J Channel	9"(229mm) x 9"(229mm) Column Base Frame		12"(305mm) x 12"(305mm) Column Base Frame	
				J Channel Length Nominal/(Actual)	# of Trays (Maximum)	J Channel Length Nominal/(Actual)	# of Trays (Maximum)
96"(2438mm)	1	2	1	29"(737mm)/22.25"(565mm)	1	26"(660mm)/19.25"(489mm)	1
102"(2591mm)	1	2	1	35"(889mm)/28.25"(718mm)	1	32"(813mm)/25.25"(641mm)	1
108"(2743mm)	1	2	1	41"(1041mm)/34.25"(870mm)	2	38"(965mm)/31.25"(794mm)	2
114"(2896mm)	1	2	1	47"(1194mm)/40.25"(1022mm)	2	44"(1118mm)/37.25"(946mm)	2
120"(3048mm)	1	2	1	53"(1346mm)/46.25"(1175mm)	3	50"(1270mm)/43.25"(1099mm)	2
126"(3200mm)	2	2	1	59"(1499mm)/52.25"(1327mm)	3	56"(1422mm)/49.25"(1251mm)	3
132"(3353mm)	2	2	1	65"(1651mm)/58.25"(1480mm)	3	62"(1575mm)/55.25"(1403mm)	3
138"(3505mm)	2	2	1	71"(1803mm)/64.25"(1632mm)	4	68"(1727mm)/61.25"(1556mm)	4
144"(3658mm)	2	2	1	77"(1956mm)/70.25"(1784mm)	4	74"(1880mm)/67.25"(1708mm)	4
150"(3810mm)	2	2	1	83"(2108mm)/76.25"(1937mm)	5	80"(2032mm)/73.25"(1861mm)	5
156"(3962mm)	2	2	1	89"(2261mm)/82.25"(2089mm)	5	86"(2184mm)/79.25"(2013mm)	5
162"(4115mm)	2	2	1	95"(2413mm)/88.25"(2242mm)	6	92"(2337mm)/85.25"(2165mm)	5
168"(4267mm)	2	2	1	100"(2540mm)/94.25"(2394mm)	6	98"(2489mm)/91.25"(2318mm)	6
174"(4420mm)	2	3	2	50"(1270mm)/43.25"(1099mm)	2	47"(1194mm)/40.25"(1022mm)	2
180"(4572mm)	2	3	2	53"(1346mm)/46.25"(1175mm)	3	50"(1270mm)/43.25"(1099mm)	2
186"(4724mm)	3	3	2	56"(1422mm)/49.25"(1251mm)	3	53"(1346mm)/46.25"(1175mm)	3
192"(4877mm)	3	3	2	59"(1499mm)/52.25"(1327mm)	3	56"(1422mm)/49.25"(1251mm)	3
198"(5029mm)	3	3	2	62"(1575mm)/55.25"(1403mm)	3	59"(1499mm)/52.25"(1327mm)	3
204"(5182mm)	3	3	2	65"(1651mm)/58.25"(1480mm)	3	62"(1575mm)/55.25"(1403mm)	3
210"(5334mm)	3	3	2	68"(1727mm)/61.25"(1556mm)	4	65"(1651mm)/58.25"(1480mm)	3
216"(5486mm)	3	3	2	71"(1803mm)/64.25"(1632mm)	4	68"(1727mm)/61.25"(1556mm)	4
222"(5639mm)	3	3	2	74"(1880mm)/67.25"(1708mm)	4	71"(1803mm)/64.25"(1632mm)	4
228"(5791mm)	3	3	2	77"(1956mm)/70.25"(1784mm)	4	74"(1880mm)/67.25"(1708mm)	4
234"(5944mm)	3	3	2	80"(2032mm)/73.25"(1861mm)	5	77"(1956mm)/70.25"(1784mm)	4
240"(6096mm)	3	3	2	83"(2108mm)/76.25"(1937mm)	5	80"(2032mm)/73.25"(1861mm)	5
246"(6248mm)	3	3	2	86"(2184mm)/79.25"(2013mm)	5	83"(2108mm)/76.25"(1937mm)	5
252"(6401mm)	3	3	2	89"(2261mm)/82.25"(2089mm)	5	86"(2184mm)/79.25"(2013mm)	5
258"(6553mm)	3	3	2	92"(2337mm)/85.25"(2165mm)	5	89"(2261mm)/82.25"(2089mm)	5
264"(6706mm)	3	3	2	95"(2413mm)/88.25"(2242mm)	6	92"(2337mm)/85.25"(2165mm)	5
270"(6858mm)	3	3	2	98"(2489mm)/91.25"(2318mm)	6	95"(2413mm)/88.25"(2242mm)	6

MATRIX - B

Column Frame Size & Column Base Plate Size - Specification Matrix					
Table Depth	9"(229mm) x 9"(229mm) Column Base Frame		12"(305mm) x 12"(305mm) Column Base Frame		
	21"(533mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	27"(686mm) Base Plate (Round or Square)	30"(762mm) Base Plate (Round or Square)
36"(914mm)	✓	✓	✓	✓	✓
42"(1067mm)		✓	✓	✓	✓
48"(1219mm)				✓	✓
54"(1372mm)				✓ (Square only)	✓
60"(1524mm)				✓ (Square only)	✓

Fixed Height Tables / March 2025

Planes Conference Table Top


Round, Square, Pebble (for use with Column Base)

Round




TARN

Square



TARQ

Pebble



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick top.
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife, based upon shape.
- Top available in standard core.
- **Requires separately specified Column Base.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

J Edgeband

F Knife

2 Cutout Options:

N No Cutout

F Center, Single-Sided/
4 outlets (add **\$45.40** list)

J Center, Single-Sided/
6 outlets (add **\$45.40** list)

M Center, Double-Sided/
8 outlets (add **\$45.40** list)

Q Center, Double-Sided/
12 outlets (add **\$45.40** list)

2) Laminate surface color.


3) Edgeband trim color.

No. of Pieces	Seating Capacity*	Depth	Width	Number	1 2	HPL		B	
						A		J	F
						J	F	J	F
Round									
1	4	36"(914mm)	36"(914mm)	TARN-3636-L	S BNNN	\$ 528.51	\$ 833.47	\$ 619.17	\$ 924.13
1	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	S BNNN	743.62	1089.86	857.81	1204.05
1	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	S BNNN	990.31	1377.83	1131.65	1519.17
1	8	54"(1372mm)	54"(1372mm)	TARN-5454-L	S BNNN	1268.58	1697.38	1440.69	1869.49
1	8	60"(1524mm)	60"(1524mm)	TARN-6060-L	S BNNN	1578.43	2048.51	1784.93	2255.01
Square									
1	4	36"(914mm)	36"(914mm)	TARQ-3636-L	S BNNN	\$ 527.07	\$ 820.51	\$ 617.73	\$ 911.17
1	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	S BNNN	741.94	1074.74	856.13	1188.93
1	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	S BNNN	988.39	1360.55	1129.73	1501.89
1	8	54"(1372mm)	54"(1372mm)	TARQ-5454-L	S BNNN	1266.42	1677.94	1438.53	1850.05
1	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	S BNNN	1576.03	2026.91	1782.53	2233.41
Pebble									
1	4	36"(914mm)	36"(914mm)	TARP-3636-L	S BNNN	\$ 528.51	\$ 833.47	\$ 619.17	\$ 924.13
1	4	42"(1067mm)	42"(1067mm)	TARP-4242-L	S BNNN	743.62	1089.86	857.81	1204.05
1	4	48"(1219mm)	48"(1219mm)	TARP-4848-L	S BNNN	990.31	1377.83	1131.65	1519.17
1	8	54"(1372mm)	54"(1372mm)	TARP-5454-L	S BNNN	1268.58	1697.38	1440.69	1869.49
1	8	60"(1524mm)	60"(1524mm)	TARP-6060-L	S BNNN	1578.43	2048.51	1784.93	2255.01

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Rectangle (for use with Column Base)



TARA
Class TA1

Features

- Includes 1.18" (30mm) thick top.
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- **Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/ 4 outlets, see chart for upcharge
- V** Left/Right, Single-Sided/ 4 outlets, see chart for upcharge
- J** Center, Single-Sided/ 6 outlets, see chart for upcharge
- K** Left/Right, Single-Sided/ 6 outlets, see chart for upcharge
- M** Center, Double-Sided/ 8 outlets, see chart for upcharge
- P** Left/Right, Double-Sided/ 8 outlets, see chart for upcharge
- Q** Center, Double-Sided/ 12 outlets, see chart for upcharge
- T** Left/Right, Double-Sided/ 12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1Piece	2Piece	3Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.61	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.61	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Rectangle (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	HPL A		B	
							J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARA-4296-L	S	BNNN	\$ 1754.36	\$ 2256.00	\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARA-42A2-L	S	BNNN	1869.42	2390.38	2087.97	2608.93
1	10		108"(2743mm)	TARA-42A8-L	S	BNNN	1984.48	2524.76	2215.91	2756.19
1	10		114"(2896mm)	TARA-42B4-L	S	BNNN	2099.54	2659.14	2343.85	2903.45
1	10		120"(3048mm)	TARA-42C0-L	S	BNNN	2214.60	2793.52	2471.79	3050.71
2	10		126"(3200mm)	TARA-42C6-L	S	BNNN	3059.02	3694.25	3329.09	3964.32
2	10		132"(3353mm)	TARA-42D2-L	S	BNNN	3206.79	3861.34	3489.74	4144.29
2	12		138"(3505mm)	TARA-42D8-L	S	BNNN	3354.56	4028.43	3650.39	4324.26
2	12		144"(3658mm)	TARA-42E4-L	S	BNNN	3502.33	4195.52	3811.04	4504.23
2	12		150"(3810mm)	TARA-42F0-L	S	BNNN	3650.10	4362.61	3971.69	4684.20
2	12		156"(3962mm)	TARA-42F6-L	S	BNNN	3797.87	4529.70	4132.34	4864.17
2	14		162"(4115mm)	TARA-42G2-L	S	BNNN	3945.64	4696.79	4292.99	5044.14
2	14		168"(4267mm)	TARA-42G8-L	S	BNNN	4093.41	4863.88	4453.64	5224.11
2	14		174"(4420mm)	TARA-42H4-L	S	BNNN	4241.18	5030.97	4614.29	5404.08
2	14		180"(4572mm)	TARA-42J0-L	S	BNNN	4388.95	5198.06	4774.94	5584.05
3	14		186"(4724mm)	TARA-42J6-L	S	BNNN	4536.72	5365.15	4935.69	5764.02
3	16		192"(4877mm)	TARA-42K2-L	S	BNNN	4700.82	5595.85	5112.57	6007.60
3	16		198"(5029mm)	TARA-42K8-L	S	BNNN	4848.59	5762.94	5273.22	6187.57
3	16		204"(5182mm)	TARA-42L4-L	S	BNNN	4996.36	5930.03	5433.87	6367.54
3	16		210"(5334mm)	TARA-42M0-L	S	BNNN	5144.13	6097.12	5594.52	6547.51
3	18		216"(5486mm)	TARA-42M6-L	S	BNNN	5291.90	6264.21	5755.17	6727.48
3	18		222"(5639mm)	TARA-42N2-L	S	BNNN	5439.67	6431.30	5915.82	6907.45
3	18		228"(5791mm)	TARA-42N8-L	S	BNNN	5587.44	6598.39	6076.47	7087.42
3	18		234"(5944mm)	TARA-42P4-L	S	BNNN	5735.21	6765.48	6237.12	7267.39
3	18		240"(6096mm)	TARA-42Q0-L	S	BNNN	5882.98	6932.57	6397.77	7447.36
3	20		246"(6248mm)	TARA-42Q6-L	S	BNNN	6030.75	7099.66	6558.42	7627.33
3	20		252"(6401mm)	TARA-42R2-L	S	BNNN	6178.52	7266.75	6719.07	7807.30
3	20		258"(6553mm)	TARA-42R8-L	S	BNNN	6326.29	7433.84	6879.72	7987.27
3	20		264"(6706mm)	TARA-42S4-L	S	BNNN	6474.06	7600.93	7040.37	8167.24
3	22		270"(6858mm)	TARA-42T0-L	S	BNNN	6621.83	7768.02	7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARA-4896-L	S	BNNN	\$ 2012.88	\$ 2533.84	\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARA-48A2-L	S	BNNN	2143.88	2684.16	2393.71	2933.99
1	10		108"(2743mm)	TARA-48A8-L	S	BNNN	2274.88	2834.48	2539.43	3099.03
1	10		114"(2896mm)	TARA-48B4-L	S	BNNN	2405.88	2984.80	2685.15	3264.07
1	10		120"(3048mm)	TARA-48C0-L	S	BNNN	2536.88	3135.12	2830.87	3429.11
2	10		126"(3200mm)	TARA-48C6-L	S	BNNN	3501.89	4156.44	3810.60	4465.15
2	10		132"(3353mm)	TARA-48D2-L	S	BNNN	3665.60	4339.47	3989.03	4662.90
2	12		138"(3505mm)	TARA-48D8-L	S	BNNN	3829.31	4522.50	4167.46	4860.65
2	12		144"(3658mm)	TARA-48E4-L	S	BNNN	3993.02	4705.53	4345.89	5058.40
2	12		150"(3810mm)	TARA-48F0-L	S	BNNN	4156.73	4888.56	4524.32	5256.15
2	12		156"(3962mm)	TARA-48F6-L	S	BNNN	4320.44	5071.59	4702.75	5453.90
2	14		162"(4115mm)	TARA-48G2-L	S	BNNN	4484.15	5254.62	4881.18	5651.65
2	14		168"(4267mm)	TARA-48G8-L	S	BNNN	4647.86	5437.65	5059.61	5849.40
2	14		174"(4420mm)	TARA-48H4-L	S	BNNN	4811.57	5620.68	5238.04	6047.15
2	14		180"(4572mm)	TARA-48J0-L	S	BNNN	4975.28	5803.71	5416.47	6244.90
3	14		186"(4724mm)	TARA-48J6-L	S	BNNN	5155.32	6050.35	5611.23	6506.26
3	16		192"(4877mm)	TARA-48K2-L	S	BNNN	5319.03	6233.38	5789.66	6704.01
3	16		198"(5029mm)	TARA-48K8-L	S	BNNN	5482.74	6416.41	5968.09	6901.76
3	16		204"(5182mm)	TARA-48L4-L	S	BNNN	5646.45	6599.44	6146.52	7099.51
3	16		210"(5334mm)	TARA-48M0-L	S	BNNN	5810.16	6782.47	6324.95	7297.26
3	18		216"(5486mm)	TARA-48M6-L	S	BNNN	5973.87	6965.50	6503.38	7495.01
3	18		222"(5639mm)	TARA-48N2-L	S	BNNN	6137.58	7148.53	6681.81	7692.76
3	18		228"(5791mm)	TARA-48N8-L	S	BNNN	6301.29	7331.56	6860.24	7890.51
3	18		234"(5944mm)	TARA-48P4-L	S	BNNN	6465.00	7514.59	7038.67	8088.26
3	18		240"(6096mm)	TARA-48Q0-L	S	BNNN	6628.71	7697.62	7217.10	8286.01
3	20		246"(6248mm)	TARA-48Q6-L	S	BNNN	6792.42	7880.65	7395.53	8483.76
3	20		252"(6401mm)	TARA-48R2-L	S	BNNN	6956.13	8063.68	7573.96	8681.51
3	20		258"(6553mm)	TARA-48R8-L	S	BNNN	7119.84	8246.71	7752.39	8879.26
3	20		264"(6706mm)	TARA-48S4-L	S	BNNN	7283.55	8429.74	7930.82	9077.01
3	22		270"(6858mm)	TARA-48T0-L	S	BNNN	7447.26	8612.77	8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top


Rectangle (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	HPL A		B	
							J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARA-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARA-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARA-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARA-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARA-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARA-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARA-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	14		138"(3505mm)	TARA-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARA-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARA-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARA-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARA-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARA-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARA-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARA-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARA-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARA-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARA-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARA-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARA-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARA-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARA-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARA-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARA-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARA-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARA-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARA-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARA-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARA-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARA-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARA-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARA-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARA-60A8-L	S	BNNN	2855.68	3453.92	3186.47	3784.71
1	12		114"(2896mm)	TARA-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARA-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARA-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARA-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARA-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARA-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARA-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARA-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARA-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARA-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARA-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARA-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARA-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARA-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARA-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARA-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARA-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARA-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARA-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARA-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARA-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARA-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARA-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARA-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARA-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARA-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARA-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11298.86

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Pebble (for use with Column Base)



TARP
Class TA1

Features

- Includes 1.18" (30mm) thick top(s).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- **Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base Frame
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/ 4 outlets, see chart for upcharge
- V** Left/Right, Single-Sided/ 4 outlets, see chart for upcharge
- J** Center, Single-Sided/ 6 outlets, see chart for upcharge
- K** Left/Right, Single-Sided/ 6 outlets, see chart for upcharge
- M** Center, Double-Sided/ 8 outlets, see chart for upcharge
- P** Left/Right, Double-Sided/ 8 outlets, see chart for upcharge
- Q** Center, Double-Sided/ 12 outlets, see chart for upcharge
- T** Left/Right, Double-Sided/ 12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1Piece	2Piece	3Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.61	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.61	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Pebble (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	HPL A		B	
							J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARP-4296-L	S	BNNN	\$ 1754.36	\$ 2256.00	\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARP-42A2-L	S	BNNN	1869.42	2390.38	2087.97	2608.93
1	10		108"(2743mm)	TARP-42A8-L	S	BNNN	1984.48	2524.76	2215.91	2756.19
1	10		114"(2896mm)	TARP-42B4-L	S	BNNN	2099.54	2659.14	2343.85	2903.45
1	10		120"(3048mm)	TARP-42C0-L	S	BNNN	2214.60	2793.52	2471.79	3050.71
2	10		126"(3200mm)	TARP-42C6-L	S	BNNN	3059.02	3694.25	3329.09	3964.32
2	10		132"(3353mm)	TARP-42D2-L	S	BNNN	3206.79	3861.34	3489.74	4144.29
2	12		138"(3505mm)	TARP-42D8-L	S	BNNN	3354.56	4028.43	3650.39	4324.26
2	12		144"(3658mm)	TARP-42E4-L	S	BNNN	3502.33	4195.52	3811.04	4504.23
2	12		150"(3810mm)	TARP-42F0-L	S	BNNN	3650.10	4362.61	3971.69	4684.20
2	12		156"(3962mm)	TARP-42F6-L	S	BNNN	3797.87	4529.70	4132.34	4864.17
2	14		162"(4115mm)	TARP-42G2-L	S	BNNN	3945.64	4696.79	4292.99	5044.14
2	14		168"(4267mm)	TARP-42G8-L	S	BNNN	4093.41	4863.88	4453.64	5224.11
2	14		174"(4420mm)	TARP-42H4-L	S	BNNN	4241.18	5030.97	4614.29	5404.08
2	14		180"(4572mm)	TARP-42J0-L	S	BNNN	4388.95	5198.06	4774.94	5584.05
3	14		186"(4724mm)	TARP-42J6-L	S	BNNN	4536.72	5365.15	4935.69	5764.02
3	16		192"(4877mm)	TARP-42K2-L	S	BNNN	4700.82	5595.85	5112.57	6007.60
3	16		198"(5029mm)	TARP-42K8-L	S	BNNN	4848.59	5762.94	5273.22	6187.57
3	16		204"(5182mm)	TARP-42L4-L	S	BNNN	4996.36	5930.03	5433.87	6367.54
3	16		210"(5334mm)	TARP-42M0-L	S	BNNN	5144.13	6097.12	5594.52	6547.51
3	18		216"(5486mm)	TARP-42M6-L	S	BNNN	5291.90	6264.21	5755.17	6727.48
3	18		222"(5639mm)	TARP-42N2-L	S	BNNN	5439.67	6431.30	5915.82	6907.45
3	18		228"(5791mm)	TARP-42N8-L	S	BNNN	5587.44	6598.39	6076.47	7087.42
3	18		234"(5944mm)	TARP-42P4-L	S	BNNN	5735.21	6765.48	6237.12	7267.39
3	18		240"(6096mm)	TARP-42Q0-L	S	BNNN	5882.98	6932.57	6397.77	7447.36
3	20		246"(6248mm)	TARP-42Q6-L	S	BNNN	6030.75	7099.66	6558.42	7627.33
3	20		252"(6401mm)	TARP-42R2-L	S	BNNN	6178.52	7266.75	6719.07	7807.30
3	20		258"(6553mm)	TARP-42R8-L	S	BNNN	6326.29	7433.84	6879.72	7987.27
3	20		264"(6706mm)	TARP-42S4-L	S	BNNN	6474.06	7600.93	7040.37	8167.24
3	22		270"(6858mm)	TARP-42T0-L	S	BNNN	6621.83	7768.02	7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARP-4896-L	S	BNNN	\$ 2012.88	\$ 2533.84	\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARP-48A2-L	S	BNNN	2143.88	2684.16	2393.71	2933.99
1	10		108"(2743mm)	TARP-48A8-L	S	BNNN	2274.88	2834.48	2539.43	3099.03
1	10		114"(2896mm)	TARP-48B4-L	S	BNNN	2405.88	2984.80	2685.15	3264.07
1	10		120"(3048mm)	TARP-48C0-L	S	BNNN	2536.88	3135.12	2830.87	3429.11
2	10		126"(3200mm)	TARP-48C6-L	S	BNNN	3501.89	4156.44	3810.60	4465.15
2	10		132"(3353mm)	TARP-48D2-L	S	BNNN	3665.60	4339.47	3989.03	4662.90
2	12		138"(3505mm)	TARP-48D8-L	S	BNNN	3829.31	4522.50	4167.46	4860.65
2	12		144"(3658mm)	TARP-48E4-L	S	BNNN	3993.02	4705.53	4345.89	5058.40
2	12		150"(3810mm)	TARP-48F0-L	S	BNNN	4156.73	4888.56	4524.32	5256.15
2	12		156"(3962mm)	TARP-48F6-L	S	BNNN	4320.44	5071.59	4702.75	5453.90
2	14		162"(4115mm)	TARP-48G2-L	S	BNNN	4484.15	5254.62	4881.18	5651.65
2	14		168"(4267mm)	TARP-48G8-L	S	BNNN	4647.86	5437.65	5059.61	5849.40
2	14		174"(4420mm)	TARP-48H4-L	S	BNNN	4811.57	5620.68	5238.04	6047.15
2	14		180"(4572mm)	TARP-48J0-L	S	BNNN	4975.28	5803.71	5416.47	6244.90
3	14		186"(4724mm)	TARP-48J6-L	S	BNNN	5155.32	6050.35	5611.23	6506.26
3	16		192"(4877mm)	TARP-48K2-L	S	BNNN	5319.03	6233.38	5789.66	6704.01
3	16		198"(5029mm)	TARP-48K8-L	S	BNNN	5482.74	6416.41	5968.09	6901.76
3	16		204"(5182mm)	TARP-48L4-L	S	BNNN	5646.45	6599.44	6146.52	7099.51
3	16		210"(5334mm)	TARP-48M0-L	S	BNNN	5810.16	6782.47	6324.95	7297.26
3	18		216"(5486mm)	TARP-48M6-L	S	BNNN	5973.87	6965.50	6503.38	7495.01
3	18		222"(5639mm)	TARP-48N2-L	S	BNNN	6137.58	7148.53	6681.81	7692.76
3	18		228"(5791mm)	TARP-48N8-L	S	BNNN	6301.29	7331.56	6860.24	7890.51
3	18		234"(5944mm)	TARP-48P4-L	S	BNNN	6465.00	7514.59	7038.67	8088.26
3	18		240"(6096mm)	TARP-48Q0-L	S	BNNN	6628.71	7697.62	7217.10	8286.01
3	20		246"(6248mm)	TARP-48Q6-L	S	BNNN	6792.42	7880.65	7395.53	8483.76
3	20		252"(6401mm)	TARP-48R2-L	S	BNNN	6956.13	8063.68	7573.96	8681.51
3	20		258"(6553mm)	TARP-48R8-L	S	BNNN	7119.84	8246.71	7752.39	8879.26
3	20		264"(6706mm)	TARP-48S4-L	S	BNNN	7283.55	8429.74	7930.82	9077.01
3	22		270"(6858mm)	TARP-48T0-L	S	BNNN	7447.26	8612.77	8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Fixed Height Tables / March 2025

Planes Conference Table Top


Pebble (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	HPL A		B	
							J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARP-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARP-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARP-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARP-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARP-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARP-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARP-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	14		138"(3505mm)	TARP-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARP-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARP-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARP-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARP-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARP-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARP-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARP-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARP-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARP-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARP-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARP-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARP-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARP-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARP-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARP-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARP-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARP-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARP-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARP-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARP-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARP-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARP-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARP-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARP-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARP-60A8-L	S	BNNN	2855.68	3453.92	3186.47	3784.71
1	12		114"(2896mm)	TARP-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARP-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARP-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARP-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARP-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARP-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARP-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARP-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARP-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARP-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARP-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARP-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARP-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARP-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARP-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARP-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARP-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARP-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARP-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARP-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARP-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARP-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARP-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARP-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARP-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARP-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARP-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11129.86

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Hexagon (for use with Column Base)



TARX
Class TA1

Features

- Includes 1.18" (30mm) thick top(s).
- High-Pressure Laminate Top (HPL) with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- **Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Base
 - Column Base Plate
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/ 4 outlets, see chart for upcharge
- V** Left/Right, Single-Sided/ 4 outlets, see chart for upcharge
- J** Center, Single-Sided/ 6 outlets, see chart for upcharge
- K** Left/Right, Single-Sided/ 6 outlets, see chart for upcharge
- M** Center, Double-Sided/ 8 outlets, see chart for upcharge
- P** Left/Right, Double-Sided/ 8 outlets, see chart for upcharge
- Q** Center, Double-Sided/ 12 outlets, see chart for upcharge
- T** Left/Right, Double-Sided/ 12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Cutout Option Upcharges

Cutout	1Piece	2Piece	3Piece
F	\$45.40	\$90.80	\$136.21
V	\$90.80	\$181.61	\$272.41
J	\$45.40	\$90.80	\$136.21
K	\$90.80	\$181.61	\$272.41
M	\$45.40	\$90.80	\$136.21
P	\$90.80	\$181.61	\$272.41
Q	\$45.40	\$90.80	\$136.21
T	\$90.80	\$181.61	\$272.41

Planes Conference Table Top

Hexagon (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	①	②	HPL A		B	
							J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARX-4296-L	S	BNNN	\$ 1754.36	\$ 2256.00	\$ 1960.03	\$ 2461.67
1	8		102"(2591mm)	TARX-42A2-L	S	BNNN	1869.42	2390.38	2087.97	2608.93
1	10		108"(2743mm)	TARX-42A8-L	S	BNNN	1984.48	2524.76	2215.91	2756.19
1	10		114"(2896mm)	TARX-42B4-L	S	BNNN	2099.54	2659.14	2343.85	2903.45
1	10		120"(3048mm)	TARX-42C0-L	S	BNNN	2214.60	2793.52	2471.79	3050.71
2	10		126"(3200mm)	TARX-42C6-L	S	BNNN	3059.02	3694.25	3329.09	3964.32
2	10		132"(3353mm)	TARX-42D2-L	S	BNNN	3206.79	3861.34	3489.74	4144.29
2	12		138"(3505mm)	TARX-42D8-L	S	BNNN	3354.56	4028.43	3650.39	4324.26
2	12		144"(3658mm)	TARX-42E4-L	S	BNNN	3502.33	4195.52	3811.04	4504.23
2	12		150"(3810mm)	TARX-42F0-L	S	BNNN	3650.10	4362.61	3971.69	4684.20
2	12		156"(3962mm)	TARX-42F6-L	S	BNNN	3797.87	4529.70	4132.34	4864.17
2	14		162"(4115mm)	TARX-42G2-L	S	BNNN	3945.64	4696.79	4292.99	5044.14
2	14		168"(4267mm)	TARX-42G8-L	S	BNNN	4093.41	4863.88	4453.64	5224.11
2	14		174"(4420mm)	TARX-42H4-L	S	BNNN	4241.18	5030.97	4614.29	5404.08
2	14		180"(4572mm)	TARX-42J0-L	S	BNNN	4388.95	5198.06	4774.94	5584.05
3	14		186"(4724mm)	TARX-42J6-L	S	BNNN	4536.72	5365.15	4935.69	5764.02
3	16		192"(4877mm)	TARX-42K2-L	S	BNNN	4700.82	5595.85	5112.57	6007.60
3	16		198"(5029mm)	TARX-42K8-L	S	BNNN	4848.59	5762.94	5273.22	6187.57
3	16		204"(5182mm)	TARX-42L4-L	S	BNNN	4996.36	5930.03	5433.87	6367.54
3	16		210"(5334mm)	TARX-42M0-L	S	BNNN	5144.13	6097.12	5594.52	6547.51
3	18		216"(5486mm)	TARX-42M6-L	S	BNNN	5291.90	6264.21	5755.17	6727.48
3	18		222"(5639mm)	TARX-42N2-L	S	BNNN	5439.67	6431.30	5915.82	6907.45
3	18		228"(5791mm)	TARX-42N8-L	S	BNNN	5587.44	6598.39	6076.47	7087.42
3	18		234"(5944mm)	TARX-42P4-L	S	BNNN	5735.21	6765.48	6237.12	7267.39
3	18		240"(6096mm)	TARX-42Q0-L	S	BNNN	5882.98	6932.57	6397.77	7447.36
3	20		246"(6248mm)	TARX-42Q6-L	S	BNNN	6030.75	7099.66	6558.42	7627.33
3	20		252"(6401mm)	TARX-42R2-L	S	BNNN	6178.52	7266.75	6719.07	7807.30
3	20		258"(6553mm)	TARX-42R8-L	S	BNNN	6326.29	7433.84	6879.72	7987.27
3	20		264"(6706mm)	TARX-42S4-L	S	BNNN	6474.06	7600.93	7040.37	8167.24
3	22		270"(6858mm)	TARX-42T0-L	S	BNNN	6621.83	7768.02	7201.02	8347.21
1	8	48"(1219mm)	96"(2438mm)	TARX-4896-L	S	BNNN	\$ 2012.88	\$ 2533.84	\$ 2247.99	\$ 2768.95
1	8		102"(2591mm)	TARX-48A2-L	S	BNNN	2143.88	2684.16	2393.71	2933.99
1	10		108"(2743mm)	TARX-48A8-L	S	BNNN	2274.88	2834.48	2539.43	3099.03
1	10		114"(2896mm)	TARX-48B4-L	S	BNNN	2405.88	2984.80	2685.15	3264.07
1	10		120"(3048mm)	TARX-48C0-L	S	BNNN	2536.88	3135.12	2830.87	3429.11
2	10		126"(3200mm)	TARX-48C6-L	S	BNNN	3501.89	4156.44	3810.60	4465.15
2	10		132"(3353mm)	TARX-48D2-L	S	BNNN	3665.60	4339.47	3989.03	4662.90
2	12		138"(3505mm)	TARX-48D8-L	S	BNNN	3829.31	4522.50	4167.46	4860.65
2	12		144"(3658mm)	TARX-48E4-L	S	BNNN	3993.02	4705.53	4345.89	5058.40
2	12		150"(3810mm)	TARX-48F0-L	S	BNNN	4156.73	4888.56	4524.32	5256.15
2	12		156"(3962mm)	TARX-48F6-L	S	BNNN	4320.44	5071.59	4702.75	5453.90
2	14		162"(4115mm)	TARX-48G2-L	S	BNNN	4484.15	5254.62	4881.18	5651.65
2	14		168"(4267mm)	TARX-48G8-L	S	BNNN	4647.86	5437.65	5059.61	5849.40
2	14		174"(4420mm)	TARX-48H4-L	S	BNNN	4811.57	5620.68	5238.04	6047.15
2	14		180"(4572mm)	TARX-48J0-L	S	BNNN	4975.28	5803.71	5416.47	6244.90
3	14		186"(4724mm)	TARX-48J6-L	S	BNNN	5155.32	6050.35	5611.23	6506.26
3	16		192"(4877mm)	TARX-48K2-L	S	BNNN	5319.03	6233.38	5789.66	6704.01
3	16		198"(5029mm)	TARX-48K8-L	S	BNNN	5482.74	6416.41	5968.09	6901.76
3	16		204"(5182mm)	TARX-48L4-L	S	BNNN	5646.45	6599.44	6146.52	7099.51
3	16		210"(5334mm)	TARX-48M0-L	S	BNNN	5810.16	6782.47	6324.95	7297.26
3	18		216"(5486mm)	TARX-48M6-L	S	BNNN	5973.87	6965.50	6503.38	7495.01
3	18		222"(5639mm)	TARX-48N2-L	S	BNNN	6137.58	7148.53	6681.81	7692.76
3	18		228"(5791mm)	TARX-48N8-L	S	BNNN	6301.29	7331.56	6860.24	7890.51
3	18		234"(5944mm)	TARX-48P4-L	S	BNNN	6465.00	7514.59	7038.67	8088.26
3	18		240"(6096mm)	TARX-48Q0-L	S	BNNN	6628.71	7697.62	7217.10	8286.01
3	20		246"(6248mm)	TARX-48Q6-L	S	BNNN	6792.42	7880.65	7395.53	8483.76
3	20		252"(6401mm)	TARX-48R2-L	S	BNNN	6956.13	8063.68	7573.96	8681.51
3	20		258"(6553mm)	TARX-48R8-L	S	BNNN	7119.84	8246.71	7752.39	8879.26
3	20		264"(6706mm)	TARX-48S4-L	S	BNNN	7283.55	8429.74	7930.82	9077.01
3	22		270"(6858mm)	TARX-48T0-L	S	BNNN	7447.26	8612.77	8109.25	9274.76

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top

Hexagon (for use with Column Base)

No. of Pieces	Seating Capacity*	Depth	Width	Number	① ②		HPL A		B	
							J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARX-5496-L	S	BNNN	\$ 2271.40	\$ 2811.68	\$ 2535.95	\$ 3076.23
1	10		102"(2591mm)	TARX-54A2-L	S	BNNN	2418.34	2977.94	2699.45	3259.05
1	12		108"(2743mm)	TARX-54A8-L	S	BNNN	2565.28	3144.20	2862.95	3441.87
1	12		114"(2896mm)	TARX-54B4-L	S	BNNN	2712.22	3310.46	3026.45	3624.69
1	12		120"(3048mm)	TARX-54C0-L	S	BNNN	2859.16	3476.72	3189.95	3807.51
2	12		126"(3200mm)	TARX-54C6-L	S	BNNN	3944.76	4618.63	4292.11	4965.98
2	12		132"(3353mm)	TARX-54D2-L	S	BNNN	4124.41	4817.60	4488.32	5181.51
2	12		138"(3505mm)	TARX-54D8-L	S	BNNN	4304.06	5016.57	4684.53	5397.04
2	14		144"(3658mm)	TARX-54E4-L	S	BNNN	4483.71	5215.54	4880.74	5612.57
2	14		150"(3810mm)	TARX-54F0-L	S	BNNN	4663.36	5414.51	5076.95	5828.10
2	14		156"(3962mm)	TARX-54F6-L	S	BNNN	4843.01	5613.48	5273.16	6043.63
2	16		162"(4115mm)	TARX-54G2-L	S	BNNN	5022.66	5812.45	5469.37	6259.16
2	16		168"(4267mm)	TARX-54G8-L	S	BNNN	5202.31	6011.42	5665.58	6474.69
2	16		174"(4420mm)	TARX-54H4-L	S	BNNN	5381.96	6210.39	5861.79	6690.22
2	16		180"(4572mm)	TARX-54J0-L	S	BNNN	5561.61	6409.36	6058.00	6905.75
3	16		186"(4724mm)	TARX-54J6-L	S	BNNN	5663.41	6671.94	6176.36	7184.89
3	18		192"(4877mm)	TARX-54K2-L	S	BNNN	5843.06	6870.91	6372.57	7400.42
3	18		198"(5029mm)	TARX-54K8-L	S	BNNN	6022.71	7069.88	6568.78	7615.95
3	18		204"(5182mm)	TARX-54L4-L	S	BNNN	6202.36	7268.85	6764.99	7831.48
3	18		210"(5334mm)	TARX-54M0-L	S	BNNN	6382.01	7467.82	6961.20	8047.01
3	20		216"(5486mm)	TARX-54M6-L	S	BNNN	6561.66	7666.79	7157.41	8262.54
3	20		222"(5639mm)	TARX-54N2-L	S	BNNN	6741.31	7865.76	7353.62	8478.07
3	20		228"(5791mm)	TARX-54N8-L	S	BNNN	6920.96	8064.73	7549.83	8693.60
3	20		234"(5944mm)	TARX-54P4-L	S	BNNN	7100.61	8263.70	7746.04	8909.13
3	20		240"(6096mm)	TARX-54Q0-L	S	BNNN	7280.26	8462.67	7942.25	9124.66
3	22		246"(6248mm)	TARX-54Q6-L	S	BNNN	7459.91	8661.64	8138.46	9340.19
3	22		252"(6401mm)	TARX-54R2-L	S	BNNN	7639.56	8860.61	8334.67	9555.72
3	22		258"(6553mm)	TARX-54R8-L	S	BNNN	7819.21	9059.58	8530.88	9771.25
3	22		264"(6706mm)	TARX-54S4-L	S	BNNN	7998.86	9258.55	8727.09	9986.78
3	24		270"(6858mm)	TARX-54T0-L	S	BNNN	8178.51	9457.52	8923.30	10202.31
1	10	60"(1524mm)	96"(2438mm)	TARX-6096-L	S	BNNN	\$ 2529.92	\$ 3089.52	\$ 2823.91	\$ 3383.51
1	10		102"(2591mm)	TARX-60A2-L	S	BNNN	2692.80	3271.72	3005.19	3584.11
1	12		108"(2743mm)	TARX-60A8-L	S	BNNN	2855.68	3453.92	3186.47	3784.71
1	12		114"(2896mm)	TARX-60B4-L	S	BNNN	3018.56	3636.12	3367.75	3985.31
1	12		120"(3048mm)	TARX-60C0-L	S	BNNN	3181.44	3818.32	3549.03	4185.91
2	12		126"(3200mm)	TARX-60C6-L	S	BNNN	4387.63	5080.82	4773.62	5466.81
2	12		132"(3353mm)	TARX-60D2-L	S	BNNN	4583.22	5295.73	4987.61	5700.12
2	14		138"(3505mm)	TARX-60D8-L	S	BNNN	4778.81	5510.64	5201.60	5933.43
2	14		144"(3658mm)	TARX-60E4-L	S	BNNN	4974.40	5725.55	5415.59	6166.74
2	14		150"(3810mm)	TARX-60F0-L	S	BNNN	5169.99	5940.46	5629.58	6400.05
2	14		156"(3962mm)	TARX-60F6-L	S	BNNN	5365.58	6155.37	5843.57	6633.36
2	16		162"(4115mm)	TARX-60G2-L	S	BNNN	5561.17	6370.28	6057.56	6866.67
2	16		168"(4267mm)	TARX-60G8-L	S	BNNN	5756.76	6585.19	6271.55	7099.98
2	16		174"(4420mm)	TARX-60H4-L	S	BNNN	5952.35	6800.10	6485.54	7333.29
2	16		180"(4572mm)	TARX-60J0-L	S	BNNN	6147.94	7015.01	6699.53	7566.60
3	16		186"(4724mm)	TARX-60J6-L	S	BNNN	6171.49	7293.53	6741.48	7863.52
3	18		192"(4877mm)	TARX-60K2-L	S	BNNN	6367.08	7508.44	6955.47	8096.83
3	18		198"(5029mm)	TARX-60K8-L	S	BNNN	6562.67	7723.35	7169.46	8330.14
3	18		204"(5182mm)	TARX-60L4-L	S	BNNN	6758.26	7938.26	7383.45	8563.45
3	18		210"(5334mm)	TARX-60M0-L	S	BNNN	6953.85	8153.17	7597.44	8796.76
3	20		216"(5486mm)	TARX-60M6-L	S	BNNN	7149.44	8368.08	7811.43	9030.07
3	20		222"(5639mm)	TARX-60N2-L	S	BNNN	7345.03	8582.99	8025.42	9263.38
3	20		228"(5791mm)	TARX-60N8-L	S	BNNN	7540.62	8797.90	8239.41	9496.69
3	20		234"(5944mm)	TARX-60P4-L	S	BNNN	7736.21	9012.81	8453.40	9730.00
3	20		240"(6096mm)	TARX-60Q0-L	S	BNNN	7931.80	9227.72	8667.39	9963.31
3	22		246"(6248mm)	TARX-60Q6-L	S	BNNN	8127.39	9442.63	8881.38	10196.62
3	22		252"(6401mm)	TARX-60R2-L	S	BNNN	8322.98	9657.54	9095.37	10429.93
3	22		258"(6553mm)	TARX-60R8-L	S	BNNN	8518.57	9872.45	9309.36	10663.24
3	22		264"(6706mm)	TARX-60S4-L	S	BNNN	8714.16	10087.36	9523.35	10896.55
3	24		270"(6858mm)	TARX-60T0-L	S	BNNN	8909.75	10302.27	9737.34	11298.86

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference End Supported Top


Catalog Logic

	TA	RY - 60	66 - L	F	S	F	B	N	N	N
Platform: _____ (TA) Planes Tables										
Top Shape: _____ (RA) Rectangle (RD) D-Shape Convergent End (RY) Key Conference										
Depth: _____ 48 - 48"(1219mm) 54 - 54"(1372mm) 60 - 60"(1524mm)										
Width: _____ 60 - 60"(1524mm) 66 - 66"(1676mm) 72 - 72"(1829mm) 78 - 78"(1981mm) 84 - 84"(2134mm) 90 - 90"(2286mm) 96 - 96"(2438mm)										
Surface Material: _____ (L) High-Pressure Laminate (HPL)										
Edge HPL: _____ (F) Knife (J) Edgeband										
Core Type: _____ (S) Standard										
Cutout: _____ (N) No Cutouts (F) 4 Outlet Single-sided, Center (J) 6 Outlet Single-sided, Center (M) 4 Outlet Double-sided, Center (Q) 12 Outlet Double-sided, Center										
Base Type: _____ (B) Column Base										
Base Foot: _____ (N) NA										
Height/Mechanism: _____ (N) NA										
Cable Base: _____ (N) NA										

Planes End Supported Top with Column Base

Component Specification Overview

The outboard end of an End Supported Top requires a column base for floor support and the opposite end requires brackets for attachment to a structural wall, Compose or Enclose panel.



End Supported Top

- Always a 1-piece top.
- Requires one column base for floor support and brackets for attachment to a structural building wall, Compose or Enclose panel.

Floor Support: Column Base

Each Column Base requires separately specified components: **Column Frame and Cladding**. The **Column Base Plate** is optional.

Column Base Frames

- Column Base Frames are square and include cladding. Available in two widths: 9" (229mm) and 12" (305mm), and in three heights: 26" (660mm) for lounge height, 28" (711mm) for seated height, and 40" (1016mm) for standing height. Cladding shapes can be round or flat. Round Cladding is only available painted, while Flat Cladding can be High Pressure Laminate (HPL), or made of wood. Column Base Frame is available painted without cladding.
- The table top width and the number of pieces determine the quantity of column base frames needed. **Refer to Matrix-A for details.**
- The table top depth determines the column base frame size, either 9" (229mm) or 12" (305mm) square. **Refer to Matrix-B for details.**

Column Base Plate - Optional

- **Column Base Plate is an optional component for an End Support Top.** (Note: Required for a Conference Table with Column Base)
- Round or Square Column Base Plates are available in four sizes: 21" (533mm), 24" (610mm), 27" (686mm) and 30" (762mm).
- The column base plate size is specific to the column frame size of 9" (229mm) or 12" (305mm); specify accordingly.
- The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-A for details.**

MATRIX - A

Column Base Frame Quantity & J Channel Quantity and Size - Specification Matrix					
Table Depth	9" (229mm) x 9" (229mm) Column Base Frame		12" (305mm) x 12" (305mm) Column Base Frame		
	21" (533mm) Base Plate (Round or Square)	24" (610mm) Base Plate (Round or Square)	24" (610mm) Base Plate (Round or Square)	27" (686mm) Base Plate (Round or Square)	30" (762mm) Base Plate (Round or Square)
36" (914mm)	✓	✓	✓	✓	✓
42" (1067mm)		✓	✓	✓	✓
48" (1219mm)				✓	✓
54" (1372mm)				✓	✓
60" (1524mm)				✓	✓

Planes End Supported Top with Column Base

Component Specification Overview

Attached End: Bracket Options

- The attached end of the End Supported Top requires separately specified attachment brackets for a structural building wall, Compose or Enclose panel.
- Specify the appropriate type of attachment bracket and quantity per End Supported Top application. See below for options:**
- Structural Building Wall Application**
- Specify the required quantity to accommodate the depth of the End Supported Top.


Wall Mount Bracket

Bracket Quantity	
Depth of End Supported Top	Number of Brackets Required
36"(914mm)-42"(1067mm)	Quantity: (2)
48"(1219mm)-60"(1524mm)	Quantity: (3)

Compose and/or Enclose Panel Application


- Specify the appropriate side/corner bracket per worktop edge option. One left- and one right-hand bracket is required per Compose or Enclose panel for an attached End Supported Top.

For use with Edgeband trim:



Side/Corner Bracket


For use with Cascade, T-Mold and Knife edge trim options:



Side Bracket for use with Knife Edge

Planes End Supported Top

D-Shape Convergent (for use with Column Base)



TARD
Class TA1

Features

- Includes 1.18" (30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
 - Column Base Frame
 - Optional Column Base Plate
- Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

HPL:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/
4 outlets (add **\$45.40** list)
- J** Center, Single-Sided/
6 outlets (add **\$45.40** list)
- M** Center, Double-Sided/
8 outlets (add **\$45.40** list)
- Q** Center, Double-Sided/
12 outlets (add **\$45.40** list)

2) Laminate surface color.


3) Edge trim color.

Depth	Width	Number ① ②	HPL			
			A J	F	B J	F
42"(1067mm)	48"(1219mm)	TARD-4248-L S BNNN	\$ 833.87	\$ 1180.95	\$ 940.18	\$ 1287.26
	54"(1372mm)	TARD-4254-L S BNNN	948.93	1315.33	1068.12	1434.52
	60"(1524mm)	TARD-4260-L S BNNN	1063.99	1449.71	1196.06	1581.78
	66"(1676mm)	TARD-4266-L S BNNN	1179.05	1584.09	1324.00	1729.04
	72"(1829mm)	TARD-4272-L S BNNN	1294.11	1718.47	1451.94	1876.30
48"(1219mm)	48"(1219mm)	TARD-4848-L S BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30
	54"(1372mm)	TARD-4854-L S BNNN	1095.87	1481.59	1231.62	1617.34
	60"(1524mm)	TARD-4860-L S BNNN	1226.87	1631.91	1377.34	1782.38
	66"(1676mm)	TARD-4866-L S BNNN	1357.87	1782.23	1523.06	1947.42
	72"(1829mm)	TARD-4872-L S BNNN	1488.87	1932.55	1668.78	2112.46
54"(1372mm)	54"(1372mm)	TARD-5454-L S BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16
	60"(1524mm)	TARD-5460-L S BNNN	1389.75	1814.11	1558.62	1982.98
	66"(1676mm)	TARD-5466-L S BNNN	1536.69	1980.37	1722.12	2165.80
	72"(1829mm)	TARD-5472-L S BNNN	1683.63	2146.63	1885.62	2348.62
60"(1524mm)	60"(1524mm)	TARD-6060-L S BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58
	66"(1676mm)	TARD-6066-L S BNNN	1715.51	2178.51	1921.18	2384.18
	72"(1829mm)	TARD-6072-L S BNNN	1878.39	2360.71	2102.46	2584.78
	78"(1981mm)	TARD-6078-L S BNNN	2041.27	2542.91	2283.74	2785.38
	84"(2134mm)	TARD-6084-L S BNNN	2204.15	2725.11	2465.02	2985.98

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes End Supported Top

Rectangular Conference End (for use with Column Base)



TARU
Class TA1

Features

- Includes 1.18" (30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- **Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
 - Column Base
 - Optional Column Base Plate
- **Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

HPL:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/
4 outlets (add **\$45.40** list)
- J** Center, Single-Sided/
6 outlets (add **\$45.40** list)
- M** Center, Double-Sided/
8 outlets (add **\$45.40** list)
- Q** Center, Double-Sided/
12 outlets (add **\$45.40** list)

2) Laminate surface color.


3) Edge trim color.

Legs	Width	Number ① ②	HPL			
			A J	F	B J	F
36"(914mm)	48"(1219mm)	TARU-3648-L S BNNN	\$ 702.87	\$ 1030.63	\$ 794.46	\$ 1122.22
	54"(1372mm)	TARU-3654-L S BNNN	801.99	1149.07	904.62	1251.70
	60"(1524mm)	TARU-3660-L S BNNN	901.11	1267.51	1014.78	1381.18
	66"(1676mm)	TARU-3666-L S BNNN	1000.23	1385.95	1124.94	1510.66
	72"(1829mm)	TARU-3672-L S BNNN	1099.35	1504.39	1235.10	1640.14
42"(1067mm)	48"(1219mm)	TARU-4248-L S BNNN	\$ 833.87	\$ 1180.95	\$ 940.18	\$ 1287.26
	54"(1372mm)	TARU-4254-L S BNNN	948.93	1315.33	1068.12	1434.52
	60"(1524mm)	TARU-4260-L S BNNN	1063.99	1449.71	1196.06	1581.78
	66"(1676mm)	TARU-4266-L S BNNN	1179.05	1584.09	1324.00	1729.04
	72"(1829mm)	TARU-4272-L S BNNN	1294.11	1718.47	1451.94	1876.30
48"(1219mm)	48"(1219mm)	TARU-4848-L S BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30
	54"(1372mm)	TARU-4854-L S BNNN	1095.87	1481.59	1231.62	1617.34
	60"(1524mm)	TARU-4860-L S BNNN	1226.87	1631.91	1377.34	1782.38
	66"(1676mm)	TARU-4866-L S BNNN	1357.87	1782.23	1523.06	1947.42
	72"(1829mm)	TARU-4872-L S BNNN	1488.87	1932.55	1668.78	2112.46
54"(1372mm)	54"(1372mm)	TARU-5454-L S BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16
	60"(1524mm)	TARU-5460-L S BNNN	1389.75	1814.11	1558.62	1982.98
	66"(1676mm)	TARU-5466-L S BNNN	1536.69	1980.37	1722.12	2165.80
	72"(1829mm)	TARU-5472-L S BNNN	1683.63	2146.63	1885.62	2348.62
60"(1524mm)	60"(1524mm)	TARU-6060-L S BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58
	66"(1676mm)	TARU-6066-L S BNNN	1715.51	2178.51	1921.18	2384.18
	72"(1829mm)	TARU-6072-L S BNNN	1878.39	2360.71	2102.46	2584.78
	78"(1981mm)	TARU-6078-L S BNNN	2041.27	2542.91	2283.74	2785.38
	84"(2134mm)	TARU-6084-L S BNNN	2204.15	2725.11	2465.02	2985.98

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes End Supported Top

Key Conference (for use with Column Base)



TARY
Class TA1

Features

- Includes 1.18" (30mm) thick top.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- **Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
One end of top requires separately specified components for Column Base:
 - Column Base
 - Optional Column Base Plate
- **Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

HPL:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/
4 outlets (add **\$45.40** list)
- J** Center, Single-Sided/
6 outlets (add **\$45.40** list)
- M** Center, Double-Sided/
8 outlets (add **\$45.40** list)
- Q** Center, Double-Sided/
12 outlets (add **\$45.40** list)


2) Laminate surface color.

3) Edge trim color.


Legs	Width	Number 1 2	HPL			
			A J	F	B J	F
42" (1067mm)	42" (1067mm)	TARY-4242-L S BNNN	\$ 718.81	\$ 1046.57	\$ 812.24	\$ 1140.00
	48" (1219mm)	TARY-4248-L S BNNN	833.87	1180.95	940.18	1287.26
	54" (1372mm)	TARY-4254-L S BNNN	948.93	1315.33	1068.12	1434.52
	60" (1524mm)	TARY-4260-L S BNNN	1063.99	1449.71	1196.06	1581.78
48" (1219mm)	48" (1219mm)	TARY-4848-L S BNNN	\$ 964.87	\$ 1331.27	\$ 1085.90	\$ 1452.30
	54" (1372mm)	TARY-4854-L S BNNN	1095.87	1481.59	1231.62	1617.34
	60" (1524mm)	TARY-4860-L S BNNN	1226.87	1631.91	1377.34	1782.38
	66" (1676mm)	TARY-4866-L S BNNN	1357.87	1782.23	1523.06	1947.42
	72" (1829mm)	TARY-4872-L S BNNN	1488.87	1932.55	1668.78	2112.46
54" (1372mm)	54" (1372mm)	TARY-5454-L S BNNN	\$ 1242.81	\$ 1647.85	\$ 1395.12	\$ 1800.16
	60" (1524mm)	TARY-5460-L S BNNN	1389.75	1814.11	1558.62	1982.98
	66" (1676mm)	TARY-5466-L S BNNN	1536.69	1980.37	1722.12	2165.80
	72" (1829mm)	TARY-5472-L S BNNN	1683.63	2146.63	1885.62	2348.62
60" (1524mm)	60" (1524mm)	TARY-6060-L S BNNN	\$ 1552.63	\$ 1996.31	\$ 1739.90	\$ 2183.58
	66" (1676mm)	TARY-6066-L S BNNN	1715.51	2178.51	1921.18	2384.18
	72" (1829mm)	TARY-6072-L S BNNN	1878.39	2360.71	2102.46	2584.78
	78" (1981mm)	TARY-6078-L S BNNN	2041.27	2542.91	2283.74	2785.38
	84" (2134mm)	TARY-6084-L S BNNN	2204.15	2725.11	2465.02	2985.98

*Recommended seating capacity based upon 27" (686mm) per chair.


Planes Conference Table Column Base Frame



TACD-PF



TACD-PR



TACD-LF
TACD-WF
Class TA1

Features

- Includes:
 - Flat painted: One painted square column frame, painted access door, glides, light block and mounting hardware.
 - Round painted or flat laminate or wood: One black square column frame, a set of claddings, glides, light block and mounting hardware.
- Available in two widths, 9"(229mm) x 9"(229mm) or 12"(305mm) x 12"(305mm), and three heights, 26"(660mm), 28"(711mm) or 40"(1016mm).
- Glide adjustment is 0.5" (13mm).
- For use with Planes Conference Table Top and End Supported Top.
- The quantity and width of the column frame is dependent on the top size.
- Requires separately specified column base plate (Exception: base plate is optional for End Supported Top.)

Specification Tips

- Specify column base plate to match column frame width.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

To Order, Specify:


- Product number.
- Painted, laminate or wood surface color.
- Edgeband trim color (laminate only).

Surface Material	Shape	Height	Width	Number	Price
Painted - No Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-PF3	\$ 2761.45
			12"(305mm)	TACD-1200-PF3	2838.21
		28"(711mm)	9"(229mm)	TACD-0900-PF4	2761.45
			12"(305mm)	TACD-1200-PF4	2838.21
		40"(1016mm)	9"(229mm)	TACD-0900-PF7	2884.12
			12"(305mm)	TACD-1200-PF7	2960.88
Painted - Cladding	Round	26"(660mm)	9"(229mm)	TACD-0900-PR3	\$2822.85
			12"(305mm)	TACD-1200-PR3	2899.61
		28"(711mm)	9"(229mm)	TACD-0900-PR4	2822.85
			12"(305mm)	TACD-1200-PR4	2899.61
Laminate - Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-LF3	\$2269.01
			12"(305mm)	TACD-1200-LF3	2302.52
		28"(711mm)	9"(229mm)	TACD-0900-LF4	2269.01
			12"(305mm)	TACD-1200-LF4	2302.52
		40"(1016mm)	9"(229mm)	TACD-0900-LF7	2348.50
			12"(305mm)	TACD-1200-LF7	2382.01
Wood - Cladding	Flat	26"(660mm)	9"(229mm)	TACD-0900-WF3	\$2945.49
			12"(305mm)	TACD-1200-WF3	2991.54
		28"(711mm)	9"(229mm)	TACD-0900-WF4	2945.49
			12"(305mm)	TACD-1200-WF4	2991.54
		40"(1016mm)	9"(229mm)	TACD-0900-WF7	3037.50
			12"(305mm)	TACD-1200-WF7	3083.55

Planes Conference Table Column Base Plate

Square and Round

Square



TAPL-S

Round



Round (21", 24" or 27" dia.)

TAPL-R
Class TA1

Features

- Includes 0.38"(10mm) thick square or round column base plate with attached glides.
- A base plate with a 8"(203mm)x 8"(203mm) cutout accepts a 12"(305mm) column frame; base plate with a 6"(152mm) x 6"(152mm) cutout accepts a 9"(229mm) column frame.
- Column base plate attachment hardware is included with the column frame.
- The column base plate levels by adjusting the attachment hardware; 0.75"(19mm) adjustment range.
- Available in a painted finish.

Specification Tips

- Specify the appropriate column base plate size for use with a 9"(229mm) or 12"(305mm) column frame width.
- For use with separately specified column base frame.
- Column Base Plate is required for Planes Conference Table Top and is optional for End Supported Top.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.


To Order, Specify:

- 1) Product number:
- 2) Paint surface color.

Size	For use with Column Frame Width	Number	Paint A	B
Square				
21"(533mm)	9"(229mm)	TAPL-2109-SA	\$ 805.38	\$ 822.24
24"(610mm)	9"(229mm)	TAPL-2409-SA	\$ 958.79	\$ 975.65
	12"(305mm)	TAPL-2412-SA	958.79	975.65
27"(686mm)	12"(305mm)	TAPL-2712-SA	\$ 1112.20	\$ 1129.06
Round				
21"(533mm)	9"(229mm)	TAPL-2109-RA	\$ 728.68	\$ 745.54
24"(610mm)	9"(229mm)	TAPL-2409-RA	\$ 882.09	\$ 898.95
	12"(305mm)	TAPL-2412-RA	882.09	898.95
27"(686mm)	12"(305mm)	TAPL-2712-RA	\$1035.50	\$1052.36
30"(762mm)	12"(305mm)	TAPL-3012-RA	\$1342.29	\$1359.15

Planes Conference Table Column Base J-Channel

J-Channel



TAJC
Class TA1

Features

- Includes one pair of J-Channels and mounting hardware.
- Provides wire management and support below the Conference Table Top.
- Attaches to the underside of the Conference Table Top with screws.
- The Conference Table Top width and the column frame size determines the J-Channel width.
- Field-installed.
- Available in black finish color only.

Specification Tips


- J-Channels are required for Planes Conference Table Top.
- J-Channels are not required for Planes End Supported Tops.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Actual Width	Nominal Width	Number	Price
19.25"(489mm)	26"(660mm)	TAJC-2600	\$ 346.70
22.25"(565mm)	29"(737mm)	TAJC-2900	387.51
25.25"(641mm)	32"(813mm)	TAJC-3200	427.79
28.25"(718mm)	35"(889mm)	TAJC-3500	468.07
31.25"(794mm)	38"(965mm)	TAJC-3800	508.35
34.25"(870mm)	41"(1041mm)	TAJC-4100	548.63
37.25"(946mm)	44"(1118mm)	TAJC-4400	589.44
40.25"(1022mm)	47"(1194mm)	TAJC-4700	629.72
43.25"(1099mm)	50"(1270mm)	TAJC-5000	670.00
46.25"(1175mm)	53"(1346mm)	TAJC-5300	710.28
49.25"(1251mm)	56"(1422mm)	TAJC-5600	750.56
52.25"(1327mm)	59"(1499mm)	TAJC-5900	791.37
55.25"(1403mm)	62"(1575mm)	TAJC-6200	831.65
58.25"(1480mm)	65"(1651mm)	TAJC-6500	871.93
61.25"(1556mm)	68"(1727mm)	TAJC-6800	912.21
64.25"(1632mm)	71"(1803mm)	TAJC-7100	952.49
67.25"(1708mm)	74"(1880mm)	TAJC-7400	993.30
70.25"(1784mm)	77"(1956mm)	TAJC-7700	1033.58
73.25"(1861mm)	80"(2032mm)	TAJC-8000	1073.86
76.25"(1937mm)	83"(2108mm)	TAJC-8300	1114.14
79.25"(2013mm)	86"(2184mm)	TAJC-8600	1154.42
82.25"(2089mm)	89"(2261mm)	TAJC-8900	1195.23
85.25"(2165mm)	92"(2337mm)	TAJC-9200	1235.51
88.25"(2242mm)	95"(2413mm)	TAJC-9500	1275.79
91.25"(2318mm)	98"(2489mm)	TAJC-9800	1316.07
94.25"(2394mm)	100"(2540mm)	TAJC-A100	1356.35

J-Channel Tray



TA01
Class TA1

Features

- Includes one J-Channel Tray.
- Provides additional wire management between columns; wires lay in J-Channels.
- Field-installed.
- Available in black finish color only.

Specification Tips

- J-Channel Tray is an optional component.
- Specify the appropriate size for use with a 9"(229mm) or 12"(305mm)W column frame.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Width	Number	Price
9"(229mm)	TA01-JT09	\$18.79
12"(305mm)	TA01-JT12	18.79

Planes Conference Table End Supported Top Bracket

Wall Mount Bracket



ZUBW-0000-PN
Class TA1

Features

- Includes one wall mount bracket and attachment hardware to top.
- Screws/anchors for attachment to wall are field supplied.
- Supports one end of a Planes End Supported Top.
- Standard in black finish only.

Specification Tips

- Supports the straight end of an End Supported Top in a wall mount application. Opposite end of top requires a column base.
- Number of brackets required is dependent on depth of the End Supported Top; see chart for quantity.
- Must be properly anchored to a structural wall.

Wall Mount Bracket Requirement:


Width of End Supported Top	Number of Brackets Required
36" (914mm) - 42" (1067mm)	Quantity: (2)
48" - 60"	Quantity: (3)

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
Single	ZUBW-0000-PN	\$38.18

Side/Corner Bracket



ZZBA-0000-PR
ZZBA-0000-PL
Class TA1

Features

- Includes one left- or right-hand bracket, mounting screws and dislodgement clip.
- Standard in charcoal finish.
- Installs into Compose or Enclose panel frame slots and attaches to top.
- For use with Edgeband trim only.

Specification Tips


- Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base.
- A left- and right-hand bracket is required for one End Supported Top.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Number	Price
Right-hand	ZZBA-0000-PR	\$30.94
Left-hand	ZZBA-0000-PL	\$30.94

Side Bracket for use with Knife Edge



ZZBA-0000-PRF
ZZBA-0000-PLF
Class TA1

Features

- Includes one left- or right-hand bracket, mounting screws and dislodgement clip.
- Installs into Compose or Enclose panel frame slots and attaches to top.
- For use with Knife Edge, Cascade and T-Mold trim options.

Specification Tips

- Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base.
- A left- and right-hand bracket is required for one End Supported Top with Knife edge trim option, only.


To Order, Specify:

- 1) Product number.
 - 2) Trim color.
- Note:** \$24.64 upcharge list for Metallic and accent trim colors.


Description	Number	Price
Right-hand	ZZBA-0000-PRF	\$91.41
Left-hand	ZZBA-0000-PLF	\$91.41

Planes Conference Table Accessories

Cable Base



TA01-0814



TA01-1414
Class TA1

Features

- Includes 28"(711mm)H cable base and mounting hardware.
- High-Pressure Laminate (HPL) with 1mm edgeband.
- Provides internal cable management with removable panels for access.
- Standard in green core.
- Bracket is standard in charcoal.
- Includes 1"(25mm) adjustable glides.
- Ships assembled.

Specification Tips

- Refer to Specification Guide for use guidelines.
- **Cable base not recommended for use with 30"(762mm)D tables, half round tables, polygon tables or Y-leg tables or 36"(914mm)D tables with (M) or (Q) flip top unit cutout options.**
- Specify 8"(203mm) x 14"(356mm) cable base for 36"(914mm)D tables.
- Specify 14"(356mm) x 14"(356mm) cable base for 42"(1067mm)D and deeper tables.
- One and two-piece table tops – one cable base.
- Three-piece table tops – two cable bases.
- Cable base cord access:
 - 1.5"(38mm) at top
 - adjustable side panels allow 1"(25mm) gap at bottom edges
 - 8"(203mm) depth base has a 3"(76mm)D cutout in bottom;
 - 14"(356mm) depth base has an 8"(203mm)D cutout in bottom

The following Planes products are separately specified:

- Horizontal wire management

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Edge trim color.

Height	Depth	Width	Number	HPL A	B
Laminate					
28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-L	\$898.43	\$ 970.49
	14"(356mm)	14"(356mm)	TA01-1414-L	957.02	1034.12

Cable Column



TA01-0217
Class TA1

Features

- Cable Column offers a wire management option for conference tables when the Cable Base Option cannot be used.
- Includes one Cable Column with mounting hardware for attaching to underside of table.
- Hardware for attaching Cable Column to floor is field supplied.
- Ships unassembled.

Specification Tips

- Cable Column attaches to underside of table, extends to the floor where it is also attached.
- Cable Column is not load bearing and does not replace table leg(s).
- Cable Column can be installed anywhere under a conference table unless it would interfere with table legs, Horizontal Wire Manager or Flip Top Power/Data Units.
- The Cable Column can be used with the Horizontal Wire Manager for cable management.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Price
28"(711mm)	2"(51mm)	4.5"(114mm)	TA01-0217	\$341.67

Planes Conference Table Electrical Accessories

Cable Reel



TA01-CR48
Class TA1

Features

- Includes cable reel with spring loaded retractor mechanism with one cable which can extend 48"(1219mm).
- Cable Reel available with one VGA or one HDMI cable.
- VGA Cable Reel has female VGA connector on housing for connection of VGA patch cable.
- HDMI Cable Reel has female HDMI connector on housing for connection of HDMI patch cable.
- VGA or HDMI patch cable typically routes to TV Monitor.
- VGA cable conveys video only - no audio content.
- Black only.

Specification Tips


- For use with cable reel bracket, column frame and power modules equipped with cable bay(s), seated, standing or lounge height column frame.
- Separately specify cable reel bracket.
- Cable reels compatible with the following power modules specified with cable bay(s):
 - flip top power module
 - flush mount power module

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Description	Extension Length	Number	Price
60"(1524mm) HDMI	48"(1219mm)	TA01-CR48-H	\$1128.65
60"(1524mm) VGA	48"(1219mm)	TA01-CR48-V	1128.65

Cable Reel Bracket



TA01-CR48
Class TA1

Features

- Includes bracket and mounting hardware to mount cable reels to column frame.
- 9"(229mm) cable reel bracket for use with 9"(229mm) column frame and allows mounting of up to two cable reels.
- 12"(305mm) cable reel bracket for use with 12"(305mm) column frame and allows mounting of up to four cable reels.
- Available in black only.

Specification Tips

- For use with 9"(229mm) or 12"(305mm) base frames, seated, standing or lounge heights.
- Specify VGA or HDMI cable reels separately.
- Specify column frame, cladding, power module and table separately.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Description	Number	Price
9"(229mm)	TA01-CR48-P09	\$75.24
12"(305mm)	TA01-CR48-P12	75.24

Planes Conference Table Electrical Components


Belong View

Table Mount With Shroud



EWVT-SASD-P

Without Shroud



EWVT-SAND-P

Class YA

Features

- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6"(152mm)H x 4"(102mm)D
- Table Mount extends below horizontal top:
 - with shroud:
 - without shroud: 1.25"(32mm)

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2"(51mm) Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 70 pounds maximum weight.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 200mm x 200mm - 400mm x 400mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

To Order, Specify:


- Product number.
- Trim color for shroud and front trim.

Monitor Size (diagonal)	Height	Depth	Width	Front Trim Width	Number	Trim A	B
With Shroud							
40"(1016mm)/42"(1067mm)	31.5"(800mm)	8.44"(214mm)	41"(1041mm)	33"(838mm)	EWVT-SASD-P	\$2984.69	\$3074.29
46"(1168mm)/47"(1194mm)	34.06"(865mm)	8.44"(214mm)	46"(1168mm)	38"(965mm)	EWVT-SBSD-P	3280.36	3369.96
52"(1321mm)/55"(1397mm)	38.25"(972mm)	8.44"(214mm)	53"(1346mm)	45"(1143mm)	EWVT-SCSD-P	3737.29	3826.89
Without Shroud							
40"(1016mm)/42"(1067mm)	27.31"(694mm)	8.25"(210mm)	24.375"(619mm)	33"(838mm)	EWVT-SAND-P	\$ 1388.76	\$ 1478.36
46"(1168mm)/47"(1194mm)	29.375"(746mm)	8.25"(210mm)	24.375"(619mm)	38"(965mm)	EWVT-SBND-P	1612.76	1702.36
52"(1321mm)/55"(1397mm)	33.06"(840mm)	8.25"(210mm)	28.375"(721mm)	45"(1143mm)	EWVT-SCND-P	2060.74	2150.34

Planes Conference Table Electrical Components


Belong View

Table Mount With Shroud Dual Monitor



EWVT-DCSD-P

Without Shroud



EWVT-DCND-P
Class YA

Features

- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: black monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6"(152mm)H x 4"(102mm)D X 52.5"(1334mm)W
- Table Mount extends below horizontal top:
 - with shroud: 1.44"(37mm)

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2"(51mm) Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 35 pounds maximum weight per monitor.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 100mm x 100mm - 300mm x 300mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

To Order, Specify:

- Product number.
- Trim color for shroud and front trim.


Monitor Size (diagonal)	Height	Depth	Width	Front Trim Width	Number	Trim A	B
With Shroud							
32"(813mm) x 2"(51mm)	27.5"(699mm)	8.44"(214mm)	64"(1626mm)	52.5"(1334mm)	EWVT-DCSD-P	\$ 4124.40	\$ 4214.00
Without Shroud							
32"(813mm) x 2"(51mm)	24.75"(629mm)	8.25"(210mm)	46"(1168mm)	52.5"(1334mm)	EWVT-DCND-P	\$2472.92	\$2562.52

PopUp Table

Catalog Logic

	TA	RA - 48	CO - L	F	S	Q	B	N	N	N
Platform: _____ (TP) PopUp										
Shape: _____ (RA) Rectangle (RP) Oval (RT) Racetrack										
Depth: _____ 18 - 18" (457mm) 24 - 24" (610mm) 30 - 30" (762mm)										
Width: _____ 48 - 48" (1219mm) 54 - 54" (1372mm) 60 - 60" (1524mm) 66 - 66" (1676mm) 72 - 72" (1829mm)										
Surface Material: _____ (L) High-Pressure Laminate (HPL) (W) Wood										
Edge: _____ Laminmate: Wood: (J) Edgeband (K) Edgeband (F) Knife (U) Knife										
Core Material: _____ (S) Standard										
Cutout: _____ (N) None										
Leg Type: _____ (A) Angled Leg										
Base Foot: _____ (C) Caster (G) Glide										
Height: _____ 4 - 29" (737mm) 6 - 36" (914mm) 7 - 41" (1041mm)										
Foot Rail: _____ (F) Foot Rail (N) No Foot Rail										

PopUp Table Rectangle




TPRA-SNA
Class CL

Features

- Includes 1.18" (30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29" (737mm), 36" (914mm) and 41" (1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in black only and provide 0.5" (13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29" (737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add **\$97.23** list)

G Glides

4 Foot Rail (29" (737mm) only):

N No Foot Rail

F Foot Rail (add **\$150** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: **\$14.18** upcharge list for Metallic and Accent trim colors.

Legs: **\$42.54** upcharge list for Metallic and Accent trim colors.


PopUp Table

Rectangle

Height	Depth	Width	Number	①②	③④	HPL				Wood			
						A		B		A		B	
						J	F	J	F	K	U	K	U
29"(737mm)	18"(457mm)	48"(1219mm)	TPRA-1848-		4	\$ 1492.82	\$ 1841.64	\$ 1634.06	\$ 1982.88	\$ 1912.51	\$ 2336.39	\$ 1997.75	\$ 2421.63
		54"(1372mm)	TPRA-1854-		4	1529.48	1918.02	1673.06	2061.60	1970.44	2423.36	2064.74	2517.66
		60"(1524mm)	TPRA-1860-		4	1566.14	1994.40	1712.06	2140.32	2028.37	2510.33	2131.73	2613.69
		66"(1676mm)	TPRA-1866-		4	1602.80	2070.78	1751.06	2219.04	2086.30	2597.30	2198.72	2709.72
		72"(1829mm)	TPRA-1872-		4	1639.46	2147.16	1790.06	2297.76	2144.23	2684.27	2265.71	2805.75
	24"(610mm)	48"(1219mm)	TPRA-2448-		4	\$ 1574.54	\$ 1948.56	\$ 1722.02	\$ 2096.04	\$ 2050.95	\$ 2492.59	\$ 2160.35	\$ 2601.99
		54"(1372mm)	TPRA-2454-		4	1620.98	2034.72	1771.58	2185.32	2125.75	2596.43	2247.23	2717.91
		60"(1524mm)	TPRA-2460-		4	1667.42	2120.88	1821.14	2274.60	2200.55	2700.27	2334.11	2833.83
		66"(1676mm)	TPRA-2466-		4	1713.86	2207.04	1870.70	2363.88	2275.35	2804.11	2420.99	2949.75
		72"(1829mm)	TPRA-2472-		4	1760.30	2293.20	1920.26	2453.16	2350.15	2907.95	2507.87	3065.67
30"(762mm)	48"(1219mm)	TPRA-3048-		4	\$ 1656.26	\$ 2055.48	\$ 1809.98	\$ 2209.20	\$ 2189.39	\$ 2648.79	\$ 2322.95	\$ 2782.35	
	54"(1372mm)	TPRA-3054-		4	1712.48	2151.42	1870.10	2309.04	2281.06	2769.50	2429.72	2918.16	
	60"(1524mm)	TPRA-3060-		4	1768.70	2247.36	1930.22	2408.88	2372.73	2890.21	2536.49	3053.97	
	66"(1676mm)	TPRA-3066-		4	1824.92	2343.30	1990.34	2508.72	2464.40	3010.92	2643.26	3189.78	
	72"(1829mm)	TPRA-3072-		4	1881.14	2439.24	2050.46	2608.56	2556.07	3131.63	2750.03	3325.59	
36"(914mm)	18"(457mm)	48"(1219mm)	TPRA-1848-		6F	\$ 1699.94	\$ 2048.76	\$ 1841.18	\$ 2190.00	\$ 2119.63	\$ 2543.51	\$ 2204.87	\$ 2628.75
		54"(1372mm)	TPRA-1854-		6F	1736.60	2125.14	1880.18	2268.72	2177.56	2630.48	2271.86	2724.78
		60"(1524mm)	TPRA-1860-		6F	1773.26	2201.52	1919.18	2347.44	2235.49	2717.45	2338.85	2820.81
		66"(1676mm)	TPRA-1866-		6F	1809.92	2277.90	1958.18	2426.16	2293.42	2804.42	2405.84	2916.84
		72"(1829mm)	TPRA-1872-		6F	1846.58	2354.28	1997.18	2504.88	2351.35	2891.39	2472.83	3012.87
	24"(610mm)	48"(1219mm)	TPRA-2448-		6F	\$ 1781.66	\$ 2155.68	\$ 1929.14	\$ 2303.16	\$ 2258.07	\$ 2699.71	\$ 2367.47	\$ 2809.11
		54"(1372mm)	TPRA-2454-		6F	1828.10	2241.84	1978.70	2392.44	2332.87	2803.55	2454.35	2925.03
		60"(1524mm)	TPRA-2460-		6F	1874.54	2328.00	2028.26	2481.72	2407.67	2907.39	2541.23	3040.95
		66"(1676mm)	TPRA-2466-		6F	1920.98	2414.16	2077.82	2571.00	2482.47	3011.23	2628.11	3156.87
		72"(1829mm)	TPRA-2472-		6F	1967.42	2500.32	2127.38	2660.28	2557.27	3115.07	2714.99	3272.79
30"(762mm)	48"(1219mm)	TPRA-3048-		6F	\$ 1863.38	\$ 2262.60	\$ 2017.10	\$ 2416.32	\$ 2396.51	\$ 2855.91	\$ 2530.07	\$ 2989.47	
	54"(1372mm)	TPRA-3054-		6F	1919.60	2358.54	2077.22	2516.16	2488.18	2976.62	2636.84	3125.28	
	60"(1524mm)	TPRA-3060-		6F	1975.82	2454.48	2137.34	2616.00	2579.85	3097.33	2743.61	3261.09	
	66"(1676mm)	TPRA-3066-		6F	2032.04	2550.42	2197.46	2715.84	2671.52	3218.04	2850.38	3396.90	
	72"(1829mm)	TPRA-3072-		6F	2088.26	2646.36	2257.58	2815.68	2763.19	3338.75	2957.15	3532.71	
41"(1041mm)	18"(457mm)	48"(1219mm)	TPRA-1848-		7F	\$ 1740.74	\$ 2089.56	\$ 1881.98	\$ 2230.80	\$ 2160.43	\$ 2584.31	\$ 2245.67	\$ 2669.55
		54"(1372mm)	TPRA-1854-		7F	1777.40	2165.94	1920.98	2309.52	2218.36	2671.28	2312.66	2765.58
		60"(1524mm)	TPRA-1860-		7F	1814.06	2242.32	1959.98	2388.24	2276.29	2758.25	2379.65	2861.61
		66"(1676mm)	TPRA-1866-		7F	1850.72	2318.70	1998.98	2466.96	2334.22	2845.22	2446.64	2957.64
		72"(1829mm)	TPRA-1872-		7F	1887.38	2395.08	2037.98	2545.68	2392.15	2932.19	2513.63	3053.67
	24"(610mm)	48"(1219mm)	TPRA-2448-		7F	\$ 1822.46	\$ 2196.48	\$ 1969.94	\$ 2343.96	\$ 2298.87	\$ 2740.51	\$ 2408.27	\$ 2849.91
		54"(1372mm)	TPRA-2454-		7F	1868.90	2282.64	2019.50	2433.24	2373.67	2844.35	2495.15	2965.83
		60"(1524mm)	TPRA-2460-		7F	1915.34	2368.80	2069.06	2522.52	2448.47	2948.19	2582.03	3081.75
		66"(1676mm)	TPRA-2466-		7F	1961.78	2454.96	2118.62	2611.80	2523.27	3052.03	2668.91	3197.67
		72"(1829mm)	TPRA-2472-		7F	2008.22	2541.12	2168.18	2701.08	2598.07	3155.87	2755.79	3313.59
30"(762mm)	48"(1219mm)	TPRA-3048-		7F	\$ 1904.18	\$ 2303.40	\$ 2057.90	\$ 2457.12	\$ 2437.31	\$ 2896.71	\$ 2570.87	\$ 3030.27	
	54"(1372mm)	TPRA-3054-		7F	1960.40	2399.34	2118.02	2556.96	2528.98	3017.42	2677.64	3166.08	
	60"(1524mm)	TPRA-3060-		7F	2016.62	2495.28	2178.14	2656.80	2620.65	3138.13	2784.41	3301.89	
	66"(1676mm)	TPRA-3066-		7F	2072.84	2591.22	2238.26	2756.64	2712.32	3258.84	2891.18	3437.70	
	72"(1829mm)	TPRA-3072-		7F	2129.06	2687.16	2298.38	2856.48	2803.99	3379.55	2997.95	3573.51	

PopUp Table

Oval (Rectangular Radius Corner)




TPRP-SNA
Class CL

Features

- Includes 1.18" (30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29" (737mm), 36" (914mm) and 41" (1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with black tread, or black hub with black tread.
- Glides available in black only and provide 0.5" (13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29" (737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add **\$97.23** list)

G Glides

4 Foot Rail (29" (737mm) only):

N No Foot Rail

F Foot Rail (add **\$150** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: **\$14.18** upcharge list for Metallic and Accent trim colors.

Legs: **\$42.54** upcharge list for Metallic and Accent trim colors.


PopUp Table

Oval (Rectangular Radius Corner)

Height	Depth	Width	Number					HPL				Wood							
				1 2		3 4		A		B		A		B					
								J	F	J	F	K	U	K	U				
29"(737mm)	18"(457mm)	48"(1219mm)	TPRP-1848-			\$	1666.75	\$	2015.57	\$	1807.99	\$	2156.81	\$2086.44	\$	2510.32	\$	2171.68	\$2595.56
		54"(1372mm)	TPRP-1854-				1703.41		2091.95		1846.99		2235.53	2144.37		2597.29		2238.67	2691.59
		60"(1524mm)	TPRP-1860-				1740.07		2168.33		1885.99		2314.25	2202.30		2684.26		2305.66	2787.62
		66"(1676mm)	TPRP-1866-				1776.73		2244.71		1924.99		2392.97	2260.23		2771.23		2372.65	2883.65
		72"(1829mm)	TPRP-1872-				1813.39		2321.09		1963.99		2471.69	2318.16		2858.20		2439.64	2979.68
24"(610mm)	48"(1219mm)	TPRP-2448-			\$	1748.47	\$	2122.49	\$	1895.95	\$	2269.97	\$2224.88	\$2666.52	\$2334.28	\$	2775.92		
		54"(1372mm)	TPRP-2454-				1794.91		2208.65		1945.51		2359.25	2299.68		2770.36		2421.16	2891.84
		60"(1524mm)	TPRP-2460-				1841.35		2294.81		1995.07		2448.53	2374.48		2874.20		2508.04	3007.76
		66"(1676mm)	TPRP-2466-				1887.79		2380.97		2044.63		2537.81	2449.28		2978.04		2594.92	3123.68
		72"(1829mm)	TPRP-2472-				1934.23		2467.13		2094.19		2627.09	2524.08		3081.88		2681.80	3239.60
30"(762mm)	48"(1219mm)	TPRP-3048-			\$	1830.19	\$	2229.41	\$	1983.91	\$	2383.13	\$2363.32	\$2822.72	\$2496.88	\$	2956.28		
		54"(1372mm)	TPRP-3054-				1886.41		2325.35		2044.03		2482.97	2454.99		2943.43		2603.65	3092.09
		60"(1524mm)	TPRP-3060-				1942.63		2421.29		2104.15		2582.81	2546.66		3064.14		2710.42	3227.90
		66"(1676mm)	TPRP-3066-				1998.85		2517.23		2164.27		2682.65	2638.33		3184.85		2817.19	3363.71
		72"(1829mm)	TPRP-3072-				2055.07		2613.17		2224.39		2782.49	2730.00		3305.56		2923.96	3499.52
36"(914mm)	18"(457mm)	48"(1219mm)	TPRP-1848-			\$	1873.87	\$	2222.69	\$	2015.11	\$	2363.93	\$2293.56	\$	2717.44	\$	2378.80	\$2802.68
		54"(1372mm)	TPRP-1854-				1910.53		2299.07		2054.11		2442.65	2351.49		2804.41		2445.79	2898.71
		60"(1524mm)	TPRP-1860-				1947.19		2375.45		2093.11		2521.37	2409.42		2891.38		2512.78	2994.74
		66"(1676mm)	TPRP-1866-				1983.85		2451.83		2132.11		2600.09	2467.35		2978.35		2579.77	3090.77
		72"(1829mm)	TPRP-1872-				2020.51		2528.21		2171.11		2678.81	2525.28		3065.32		2646.76	3186.80
24"(610mm)	48"(1219mm)	TPRP-2448-			\$	1955.59	\$	2329.61	\$	2103.07	\$	2477.09	\$2432.00	\$2873.64	\$	2541.40	\$	2983.04	
		54"(1372mm)	TPRP-2454-				2002.03		2415.77		2152.63		2566.37	2506.80		2977.48		2628.28	3098.96
		60"(1524mm)	TPRP-2460-				2048.47		2501.93		2202.19		2655.65	2581.60		3081.32		2715.16	3214.88
		66"(1676mm)	TPRP-2466-				2094.91		2588.09		2251.75		2744.93	2656.40		3185.16		2802.04	3330.80
		72"(1829mm)	TPRP-2472-				2141.35		2674.25		2301.31		2834.21	2731.20		3289.00		2888.92	3446.72
30"(762mm)	48"(1219mm)	TPRP-3048-			\$	2037.31	\$	2436.53	\$	2191.03	\$	2590.25	\$2570.44	\$3029.84	\$2704.00	\$	3163.40		
		54"(1372mm)	TPRP-3054-				2093.53		2532.47		2251.15		2690.09	2662.11		3150.55		2810.77	3299.21
		60"(1524mm)	TPRP-3060-				2149.75		2628.41		2311.27		2789.93	2753.78		3271.26		2917.54	3435.02
		66"(1676mm)	TPRP-3066-				2205.97		2724.35		2371.39		2889.77	2845.45		3391.97		3024.31	3570.83
		72"(1829mm)	TPRP-3072-				2262.19		2820.29		2431.51		2989.61	2937.12		3512.68		3131.08	3706.64
41"(1041mm)	18"(457mm)	48"(1219mm)	TPRP-1848-			\$	1914.67	\$	2263.49	\$	2055.91	\$	2404.73	\$2334.36	\$	2758.24	\$	2419.60	\$2843.48
		54"(1372mm)	TPRP-1854-				1951.33		2339.87		2094.91		2483.45	2392.29		2845.21		2486.59	2939.51
		60"(1524mm)	TPRP-1860-				1987.99		2416.25		2133.91		2562.17	2450.22		2932.18		2553.58	3035.54
		66"(1676mm)	TPRP-1866-				2024.65		2492.63		2172.91		2640.89	2508.15		3019.15		2620.57	3131.57
		72"(1829mm)	TPRP-1872-				2061.31		2569.01		2211.91		2719.61	2566.08		3106.12		2687.56	3227.60
24"(610mm)	48"(1219mm)	TPRP-2448-			\$	1996.39	\$	2370.41	\$	2143.87	\$	2517.89	\$2472.80	\$	2914.44	\$	2582.20	\$3023.84	
		54"(1372mm)	TPRP-2454-				2042.83		2456.57		2193.43		2607.17	2547.60		3018.28		2669.08	3139.76
		60"(1524mm)	TPRP-2460-				2089.27		2542.73		2242.99		2696.45	2622.40		3122.12		2755.96	3255.68
		66"(1676mm)	TPRP-2466-				2135.71		2628.89		2292.55		2785.73	2697.20		3225.96		2842.84	3371.60
		72"(1829mm)	TPRP-2472-				2182.15		2715.05		2342.11		2875.01	2772.00		3329.80		2929.72	3487.52
30"(762mm)	48"(1219mm)	TPRP-3048-			\$	2078.11	\$	2477.33	\$	2231.83	\$	2631.05	\$	2611.24	\$3070.64	\$	2744.80	\$3204.20	
		54"(1372mm)	TPRP-3054-				2134.33		2573.27		2291.95		2730.89	2702.91		3191.35		2851.57	3340.01
		60"(1524mm)	TPRP-3060-				2190.55		2669.21		2352.07		2830.73	2794.58		3312.06		2958.34	3475.82
		66"(1676mm)	TPRP-3066-				2246.77		2765.15		2412.19		2930.57	2886.25		3432.77		3065.11	3611.63
		72"(1829mm)	TPRP-3072-				2302.99		2861.09		2472.31		3030.41	2977.92		3553.48		3171.88	3747.44

PopUp Table

Racetrack




TPRT-SNA
Class CL

Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- High-Pressure Laminate (HPL) top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 29"(737mm), 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- When (N) No Foot Rail is specified for 29"(737mm)H tables the leg trim color will be applied to the horizontal leg rails.
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Base Foot:

C Casters (add **\$97.23** list)

G Glides

4 Foot Rail (29"(737mm) only):

N No Foot Rail

F Foot Rail (add **\$150** list)

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Leg trim color.

5) Foot rail color.

6) Caster color (if applicable).

Note: Foot rail: **\$14.18** upcharge list for Metallic and Accent trim colors.

Legs: **\$42.54** upcharge list for Metallic and Accent trim colors.


PopUp Table

Racetrack

Height	Depth	Width	Number	①②	③④	HPL				Wood			
						A		B		A		B	
						J	F	J	F	K	U	K	U
36"(914mm)	18"(457mm)	48"(1219mm)	TPRT-1848-	SNA	4	\$ 1666.75	\$ 2015.57	\$ 1807.99	\$ 2156.81	\$2086.44	\$ 2510.32	\$ 2171.68	\$2595.56
		54"(1372mm)	TPRT-1854-	SNA	4	1703.41	2091.95	1846.99	2235.53	2144.37	2597.29	2238.67	2691.59
		60"(1524mm)	TPRT-1860-	SNA	4	1740.07	2168.33	1885.99	2314.25	2202.30	2684.26	2305.66	2787.62
		66"(1676mm)	TPRT-1866-	SNA	4	1776.73	2244.71	1924.99	2392.97	2260.23	2771.23	2372.65	2883.65
		72"(1829mm)	TPRT-1872-	SNA	4	1813.39	2321.09	1963.99	2471.69	2318.16	2858.20	2439.64	2979.68
	24"(610mm)	60"(1524mm)	TPRT-2460-	SNA	4	\$ 1841.35	\$2294.81	\$ 1995.07	\$2448.53	\$ 2374.48	\$ 2874.20	\$2508.04	\$3007.76
		66"(1676mm)	TPRT-2466-	SNA	4	1887.79	2380.97	2044.63	2537.81	2449.28	2978.04	2594.92	3123.68
		72"(1829mm)	TPRT-2472-	SNA	4	1934.23	2467.13	2094.19	2627.09	2524.08	3081.88	2681.80	3239.60
	30"(762mm)	72"(1829mm)	TPRT-3072-	SNA	4	\$2055.07	\$ 2613.17	\$ 2224.39	\$ 2782.49	\$2730.00	\$3305.56	\$2923.96	\$3499.52
	36"(914mm)	18"(457mm)	48"(1219mm)	TPRT-1848-	SNA	6F	\$ 1873.87	\$2222.69	\$ 2015.11	\$ 2363.93	\$2293.56	\$ 2717.44	\$2378.80
54"(1372mm)			TPRT-1854-	SNA	6F	1910.53	2299.07	2054.11	2442.65	2351.49	2804.41	2445.79	2898.71
60"(1524mm)			TPRT-1860-	SNA	6F	1947.19	2375.45	2093.11	2521.37	2409.42	2891.38	2512.78	2994.74
66"(1676mm)			TPRT-1866-	SNA	6F	1983.85	2451.83	2132.11	2600.09	2467.35	2978.35	2579.77	3090.77
72"(1829mm)			TPRT-1872-	SNA	6F	2020.51	2528.21	2171.11	2678.81	2525.28	3065.32	2646.76	3186.80
24"(610mm)		60"(1524mm)	TPRT-2460-	SNA	6F	\$2048.47	\$ 2501.93	\$2202.19	\$ 2655.65	\$ 2581.60	\$ 3081.32	\$ 2715.16	\$ 3214.88
		66"(1676mm)	TPRT-2466-	SNA	6F	2094.91	2588.09	2251.75	2744.93	2656.40	3185.16	2802.04	3330.80
		72"(1829mm)	TPRT-2472-	SNA	6F	2141.35	2674.25	2301.31	2834.21	2731.20	3289.00	2888.92	3446.72
30"(762mm)		72"(1829mm)	TPRT-3072-	SNA	6F	\$2262.19	\$2820.29	\$ 2431.51	\$2989.61	\$ 2937.12	\$ 3512.68	\$ 3131.08	\$3706.64
41"(1041mm)		18"(457mm)	48"(1219mm)	TPRT-1848-	SNA	7F	\$ 1914.67	\$2263.49	\$2055.91	\$2404.73	\$2334.36	\$ 2758.24	\$ 2419.60
	54"(1372mm)		TPRT-1854-	SNA	7F	1951.33	2339.87	2094.91	2483.45	2392.29	2845.21	2486.59	2939.51
	60"(1524mm)		TPRT-1860-	SNA	7F	1987.99	2416.25	2133.91	2562.17	2450.22	2932.18	2553.58	3035.54
	66"(1676mm)		TPRT-1866-	SNA	7F	2024.65	2492.63	2172.91	2640.89	2508.15	3019.15	2620.57	3131.57
	72"(1829mm)		TPRT-1872-	SNA	7F	2061.31	2569.01	2211.91	2719.61	2566.08	3106.12	2687.56	3227.60
	24"(610mm)	60"(1524mm)	TPRT-2460-	SNA	7F	\$2089.27	\$2542.73	\$2242.99	\$2696.45	\$2622.40	\$ 3122.12	\$ 2755.96	\$3255.68
		66"(1676mm)	TPRT-2466-	SNA	7F	2135.71	2628.89	2292.55	2785.73	2697.20	3225.96	2842.84	3371.60
		72"(1829mm)	TPRT-2472-	SNA	7F	2182.15	2715.05	2342.11	2875.01	2772.00	3329.80	2929.72	3487.52
	30"(762mm)	72"(1829mm)	TPRT-3072-	SNA	7F	\$2302.99	\$ 2861.09	\$ 2472.31	\$3030.41	\$ 2977.92	\$3553.48	\$ 3171.88	\$ 3747.44

PopUp Table Accessories

Accent Plate



TPAP
Class CL

Feature

- Includes two painted or wood accent plate and attachment hardware.

Specification Tips

- Not for use on 18"(457mm) depth PopUp tables.
- Leg accent plate is located in the top center section of each leg assembly and allows for a user-specified accent color for aesthetic purposes.
- Size must match depth and height of table.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:



P Paint

W Wood

- 2) Paint or wood finish color.

Depth	Width	Number ①	Trim		Wood	
			A	B	A	B
24"(610mm)	29"(737mm)	TPAP-2429-■	\$303.69	\$ 312.60	N/A	N/A
	36"(914mm)	TPAP-2436-■	303.69	312.60	\$448.28	\$476.61
	41"(1041mm)	TPAP-2441-■	303.69	312.60	448.28	476.61
30"(762mm)	29"(737mm)	TPAP-3029-■	\$ 318.21	\$328.80	N/A	N/A
	36"(914mm)	TPAP-3036-■	318.21	328.80	\$462.80	\$493.71
	41"(1041mm)	TPAP-3041-■	318.21	328.80	462.80	493.71

Vertical Wire Channel - Leg Attached



TPVW
Class CL

Feature

- Includes one painted vertical wire channel and attachment hardware.

Specification Tip

- When specifying a Vertical Wire Channel no Accent Plate or with Accent Plate, order correct model for table height.

To Order, Specify:

- 1) Product number.

- 2) Trim color.

For Use With	Width	Number	Trim	
			A	B
No Accent Plate				
29"(737mm)H Table	2"(51mm)	TPVW-2902-PN	\$ 173.49	\$ 180.72
36"(914mm)H Table	2"(51mm)	TPVW-3602-PN	186.51	194.64
41"(1041mm)H Table	2"(51mm)	TPVW-4102-PN	208.21	217.84
With Accent Plate				
29"(737mm)H Table	2"(51mm)	TPVW-2902-PA	\$ 173.49	\$ 180.72
36"(914mm)H Table	2"(51mm)	TPVW-3302-PA	173.49	180.72
41"(1041mm)H Table	2"(51mm)	TPVW-3802-PA	195.19	203.92

Fixed Height Tables Resources

Surfaces Materials

Index

Warranty

Compose Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecoru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecoru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-F	Black
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-IF	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-IH	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Cultivate Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecoru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecoru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-IF	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-IH	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Immerse Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

YD-CA1	Amber
YD-W23	American
YD-W33	Caramel
YD-W30	Heritage
YD-W32	Pacific

Maple

YL-LM	Light
YLN	Natural

Maple Quarter Cut

YM-N	Natural
------	---------

Rift Cut White Oak

YB-W35	Clear
YB-W15	Espresso
YB-W40	Mocha

Walnut

YN-W15	Espresso
YN-W31	Retro

Walnut Quarter Cut

Y9-W35	Clear
Y9-W31	Retro

Grade D

Figured Anegre

VU-W07	Light
VU-W08	Golden

Paint Top

Grade A

Solid Color

PW-F	Black
PW-AK	Chalk
PW-PL	Polar
PW-SY	Stormy
PW-VR	Vapor

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Solid Surface Top Finish

SS-CW	Cameo White
-------	-------------

Planter Finishes

TR-F	Black
TR-G	Gray Tone
TR-PLS	Smooth Plaster
TR-TC	Terra Cotta

Wood Leg Finishes

M5-W35	Clear on Oak
M6-W35	Clear on Walnut
M7-W43	Ink on Ash

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

YP-W42	Brindle
2R-RL	Butternut
Y9-W15	Espresso
YC-W08	Golden
YC-W07	Light
Y2-U	Medium
YN-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Jive Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Casters

TR-F	Black
TR-7	Fog
TR-LPL	Light Platinum

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Masters Series Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecoru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecoru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Pip Table

Finish/Color Legend

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Painted MDF

Grade A

PW-F	Black
PW-AK	Chalk
PW-PL	Polar
PW-SY	Stormy
PW-VR	Vapor

Surface - Wood

VB-W35	Plank White Oak
VH-W35	Plank Walnut

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Planes Table

Finish/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-OPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Casters

TR-F	Black
TR-7	Fog
TR-LPL	Light Platinum

Lock Plugs

LR-BL	Black
LR-BP	Chrome

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-1F	Accent Red
TR-1E	Accent Orange
TR-CTS	Chartreuse
TR-1H	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Planes Table

Fabrics/Color Legends

Vertical Fabrics

Grade A

(6X)	Chevron
(35)	Etch
(L6)	Highlands
(C1)	Striae
(PY)	Tailored
(3A)	Tellure

Grade B

(33)	Camp
(L5)	Classic
(34)	Fields
(6)	Hue
(32)	Peca
(PV)	Ritz
(WS)	Shimmer

Grade C

(SW)	Sisal
------	-------

* For most current finish and fabric availability please reference surfaces.haworth.com.

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabrics

Grade C

(PH)	Birds Nest
------	------------

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: [Haworth.com](https://haworth.com) > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to: [Haworth.com](https://haworth.com) > Surface Collection > Resources > COM

For information on approved COM's, please refer to: [Haworth.com](https://haworth.com) > Surface Collection > COM Library

PopUp Table

Fabrics/Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-CPK	Bourbon
VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecoru
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecoru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue

Smooth Metallic

TR-MC	Metallic Champagne
TR-DM	Metallic Dark Bronze
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood

VJ-W42	Brindle
2R-RL	Butternut
NW-W15	Espresso
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
WC-RW	Wenge

HPL

H-AM	Amber Cherry
H-AD	Medium Cherry

Trim

TR-IF	Accent Red
TR-IE	Accent Orange
TR-CTS	Chartreuse
TR-IH	Terra
TR-1K	Wren

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EAEB	Planes Training Table Modular Power Components – Hardwire Modular Base Feed — 2-Circuit	190
EAEB-2024-2C	Planes Training Table Modular Power Components – Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	190
EAED-0000-22	Planes Training Table Modular Power Components – Receptacle Block Connector	193
EAED-0000-24	Planes Training Table Modular Power Components – Four-Port Splitter	194
EAEJ	Planes Training Table Modular Power Components – Pass-Through Connector — 2-Circuit	191
EAEM	Planes Training Table Modular Power Components – Modular Power Kits — 2-Circuit	192
EAER	Planes Training Table Modular Power Components – Receptacles — 15 Amp 2-Circuit	193
EAWP-0004-21	Planes Training Table Modular Power Components – Wall Feed — 2-Circuit	190
EHPO	Immerse — Planter – Oblong	53
EHPR	Immerse — Planter – Round	54
EUDB-0000	Cultivate Power Module Clips and Brackets – Mounting Bracket for Enhanced Power Modules	24
EUMC-0201	Cultivate Power Module Clips and Brackets – Mounting Clip for Flip Top Unit	24
EUQ1-QS1P	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel	195
EUQ1-QS1P	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel	195
EUQB-0072-1	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box	197
EUQJ-1	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Pass-Through Connector	197
EWVT-DCND-P	Planes Conference Table Electrical Components – Belong View	270
EWVT-DCSD-P	Planes Conference Table Electrical Components – Belong View	270
EWVT-SAND-P	Planes Conference Table Electrical Components – Belong View	269
EWVT-SASD-P	Planes Conference Table Electrical Components – Belong View	269
GAC1	Planes Credenza Base – 19"H	203
GAC1	Planes Credenza Base – 29"H	208
GAC2	Planes Credenza Base with Slider Unit — 35"H	206
GAC2	Planes Credenza Base with Slider Unit — 39"H	209
GAC2	Planes Credenza Base with Slider Unit — 45"H	211
GAC2	Planes Credenza Base with Slider Unit – 29"H	204
GACJ	Planes Credenza Top – Credenza Top	213
GAKD-1919	Planes Cart – Podium	202
GAKE-1919	Planes Cart – Medium Media	201
GAKF-1919	Planes Cart – Small Media	201
GAKG-1935	Planes Cart – Catering	202
KUWH-0202	Cultivate Table Accessories – Bag Hook	24
S970	Pip – Collaborative	156
STP-P26-TH	Pip Table – Personal Laptop	156
TA01	Planes Conference Table Column Base J-Channel Tray	265
TA01	Planes Credenza Top – Grommet	213
TA01-0001	Planes Collaborative Tables — Accessories – Ganging Clip	162
TA01-0212	Planes Collaborative Table Accessories – Vertical Wire Management	162
TA01-0213	Planes Collaborative Tables — Accessories – Y-Leg Bumper	162
TA01-0214	Planes Collaborative Tables — Accessories – Y-Leg Bumper	162
TA01-0215	Planes Collaborative Tables — Accessories – Glides	163
TA01-0215	Planes Training Table Accessories – Glides	199
TA01-0216	Planes Collaborative Table Accessories – Casters	163
TA01-0216	Planes Training Table Accessories – Casters	199
TA01-0217	Planes Conference Table Accessories – Cable Column	267
TA01-0222	Planes Collaborative Tables — Accessories – Ganging Mechanism	162
TA01-0222	Planes Training Table Accessories – Ganging Mechanism	199

Index

Product Code	Product Description	Page
TA01-0224	Planes Training Table Modular Power Components – Mounting Bracket — Receptacle	.194
TA01-0225	Planes Training Table Accessories – Wire Manager Clips	.200
TA01-0225	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Wire Manager Clips	.198
TA01-0227	Planes Training Table Modular Power Components – Quick Connect Two Power — Flip Top Unit with Smooth Bezel — Starter Box Bracket	.198
TA01-0228	Planes Training Table Accessories – Vertical Wire Manager	.200
TA01-0814	Planes Conference Table Accessories – Cable Base	.267
TA01-1414	Planes Conference Table Accessories – Cable Base	.267
TA01-CR48	Planes Conference Table Electrical Accessories –	.268
TA01-CR6K	Planes Conference Table Electrical Accessories – Cable Reel Bracket	.268
TA0M	Planes Training Table Modesty Panels	.188
TABC	Cultivate Wire Management – Basket Cover	.25
TABN	Planes Training Table – Crescent — Flip Top Table — Non-Flip Top Table	.184
TACB-2	Planes Conference Table Column Base Frame – (for use with End Supported Top)	.263
TACB-4	Planes Conference Table Column Base Frame – (for use with End Supported Top)	.263
TACB-7	Planes Conference Table Column Base Frame – (for use with End Supported Top)	.263
TACV	Planes Collaborative Table — Y-Leg – Polygon — Flip Top Table — Non-Flip Top Table	.161
TACV	Planes Conference Table — Interior Leg – Polygon	.217
TACV	Planes Training Table – Polygon — Flip Flop Table — Non-Flip Top Table	.186
TAHN	Planes Collaborative Tables — Y-Leg – Half Round — Flip Top Table — Non-Flip Top Table	.160
TAHN	Planes Conference Table — Interior Leg – Half Round	.216
TAJC	Planes Conference Table Column Base J-Channel	.265
TAPC	Planes Training Table – Pie Connector	.187
TAPL-R	Planes Conference Table Column Base Plate – Square and Round	.264
TAPL-S	Planes Conference Table Column Base Plate – Square and Round	.264
TARA	Planes Collaborative Table — Y-Leg – Rectangular — Flip Top Table — Non-Flip Top Table	.157
TARA	Planes Conference Table — Interior Leg – Rectangular — Three-Piece Top	.230
TARA	Planes Conference Table — Interior Leg – Rectangular — Two-Piece Top	.224
TARA	Planes Conference Table — Interior Leg – Round, Square, Rectangular	.214
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2”(51mm) Edge	.238
TARA	Planes Conference Table — Perimeter Leg – Square, Rectangular – 2”(51mm) Edge	.236
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2”(51mm) Edge — Three-Piece Top	.242
TARA	Planes Conference Table — Perimeter Leg – Rectangular – 2”(51mm) Edge — Two-Piece Top	.240
TARA	Planes Conference Table Top – Rectangle (for use with Column Base)	.248
TARA	Planes Conference Tables — Interior Leg – Rectangular	.218
TARA	Planes Training Table – Rectangular — Flip Top Table — Non-Flip Top Table	.182
TARA-D	Planes Table — Dual Disc Base – Rectangle	.174
TARA-XC	Planes Table — Dual X Base – Rectangle	.168
TARA-XG	Planes Table — Dual X Base – Rectangle	.168
TARD	Planes End Supported Top – D-Shape Convergent (for use with Column Base)	.260
TARN	Planes Conference Table — Interior Leg – Round, Square, Rectangular	.214
TARN	Planes Conference Table Top – Round, Square, Pebble (for use with Column Base)	.247
TARN-NDN	Planes Table — Disc Base	.166
TARN-NXC	Planes Table — X Base	.164
TARP	Planes Collaborative Table — Y-Leg – Pebble — Flip Top Table — Non-Flip Top Table	.158
TARP	Planes Conference Table — Interior Leg – Pebble	.220
TARP	Planes Conference Table — Interior Leg – Pebble — Three-Piece Top	.232
TARP	Planes Conference Table — Interior Leg – Pebble — Two-Piece Top	.226
TARP	Planes Conference Table Top – Pebble (for use with Column Base)	.251
TARP	Planes Conference Table Top – Round, Square, Pebble (for use with Column Base)	.247
TARP-D	Planes Table — Dual Disc Base – Pebble	.178

Index

Product Code	Product Description	Page
TARP-NDN	Planes Table — Disc Base	.166
TARP-NXG	Planes Table — X Base	.164
TARP-XC	Planes Table — Dual X Base – Pebble	.172
TARP-XG	Planes Table — Dual X Base – Pebble	.172
TARQ	Planes Conference Table — Interior Leg – Round, Square, Rectangular	.214
TARQ	Planes Conference Table — Perimeter Leg – Square, Rectangular – 2”(51mm) Edge	.236
TARQ	Planes Conference Table Top – Round, Square, Pebble (for use with Column Base)	.247
TARQ-NDN	Planes Table — Disc Base	.166
TARQ-NXC	Planes Table — X Base	.164
TARU	Planes End Supported Top – Rectangular Conference End (for use with Column Base)	.261
TARX	Planes Collaborative Table — Y-Leg – Hexagon — Flip Top Table — Non-Flip Top Table	.159
TARX	Planes Conference Table — Interior Leg – Hexagon	.222
TARX	Planes Conference Table — Interior Leg – Hexagon — Three-Piece Top	.234
TARX	Planes Conference Table — Interior Leg – Hexagon — Two-Piece Top	.228
TARX	Planes Conference Table Top – Hexagon (for use with Column Base)	.254
TARX-D	Planes Table — Dual Disc Base – Hexagon	.176
TARX-XC	Planes Table — Dual X Base – Hexagon	.170
TARX-XG	Planes Table — Dual X Base – Hexagon	.170
TARY	Planes End Supported Top – Key Conference (for use with Column Base)	.262
TATP	Planes Training Table – Trapezoid — Flip Top Table — Non-Flip Top Table	.185
TAWB	Cultivate Table Wire Management – Wire Management Basket	.25
TCBN	Jive Table — Post Extruded Base – Crescent	.70
TCBN-SNV	Jive Table — Post Round Base – Crescent	.87
TCHP	Jive Table — Post Extruded Base – Half Pebble	.72
TCHP	Jive Table — Post Round Base – Half Pebble	.89
TCHP-SNG	Jive Table — Bridge Base – Half Pebble	.112
TCHT	Jive Table — Post Extruded Base – Half Racetrack	.71
TCHT	Jive Table — Post Round Base – Half Racetrack	.88
TCHT-SNG	Jive Table — Bridge Base – Half Racetrack	.110
TCHX-SNG	Jive Table — Bridge Base – Half Hexagon	.114
TCRA	Jive Table — Post Extruded Base – Rectangle	.63
TCRA-SNB	Jive Table — C-Leg — Round – Rectangle	.118
TCRA-SNC	Jive Table — C-Leg — Extruded – Rectangle	.115
TCRA-SND	Jive Table — Disc Base – Rectangle	.127
TCRA-SND	Jive Table — Dual Disc Base – Rectangle	.129
TCRA-SNF	Jive Table — T-Leg — Round – Rectangle	.139
TCRA-SNFH4	Jive Table — T-Leg (Round or Extruded) — Flip Base – Rectangle	.146
TCRA-SNG	Jive Table — Bridge Base – Rectangle	.104
TCRA-SNH	Jive Table — C-Leg (Round or Extruded) — Flip Base – Rectangle	.121
TCRA-SNT	Jive Table — T-Leg — Extruded – Rectangle	.132
TCRA-SNV	Jive Table — Post Round Base – Rectangle	.80
TCRA-SNX	Jive Table — X-Base – Rectangle	.96
TCRA-SNXF	Jive Table — X-Base – Rectangle	.96
TCRN	Jive Table — Disc Base – Pneumatic Adjustment — Round — Square — Pebble	.131
TCRN	Jive Table — Post Extruded Base – Round	.56
TCRN-SND	Jive Table — Disc Base – Round	.123
TCRN-SNG	Jive Table — Bridge Base – Round	.98
TCRN-SNV	Jive Table — Post Round Base – Round	.73
TCRN-SNXF	Jive Table — X-Base – Round	.90
TCRP	Jive Table — Disc Base – Pneumatic Adjustment — Round — Square — Pebble	.131
TCRP-3048-SNG	Jive Table — Bridge Base – Pebble	.100
TCRP-3060	Jive Table — Post Extruded Base – Pebble	.60

Index

Product Code	Product Description	Page
TCRP-3060-SNV	Jive Table — Post Round Base – Pebble	.77
TCRP-4242	Jive Table — Post Extruded Base – Pebble	.60
TCRP-4242-SNV	Jive Table — Post Round Base – Pebble	.77
TCRP-5454-SNG	Jive Table — Bridge Base – Pebble	.100
TCRP-SND	Jive Table — Disc Base – Pebble	.126
TCRP-SND	Jive Table — Dual Disc Base – Pebble	.128
TCRP-SNF	Jive Table — T-Leg — Round – Pebble	.142
TCRP-SNT	Jive Table — T-Leg — Extended – Pebble	.135
TCRP-SNX	Jive Table — X-Base – Pebble	.94
TCRP-SNXF	Jive Table — X-Base – Pebble	.94
TCRQ	Jive Table — Disc Base – Pneumatic Adjustment — Round — Square — Pebble	.131
TCRQ	Jive Table — Post Extruded Base – Square	.58
TCRQ-SND	Jive Table — Disc Base – Square	.125
TCRQ-SNG	Jive Table — Bridge Base – Square	.99
TCRQ-SNV	Jive Table — Post Round Base – Square	.75
TCRQ-SNX	Jive Table — X-Base – Square	.92
TCRQ-SNXF	Jive Table — X-Base – Square	.92
TORT	Jive Table — Post Extruded Base – Racetrack	.66
TORT-SND	Jive Table — Dual Disc Base – Racetrack	.130
TORT-SNE	Jive Table — T-Leg — Round – Racetrack	.143
TORT-SNG	Jive Table — Bridge Base – Racetrack	.107
TORT-SNT	Jive Table — T-Leg — Extruded – Racetrack	.136
TORT-SNV	Jive Table — Post Round Base – Racetrack	.83
TCTP	Jive Table — Post Extruded Base – Trapezoid	.68
TCTP-SNF	Jive Table — T-Leg — Round – Trapezoid	.144
TCTP-SNT	Jive Table — T-Leg — Extruded – Trapezoid	.137
TCTP-SNV	Jive Table — Post Round Base – Trapezoid	.85
THLD	Immerse — Ledge Table – Rectangle – Painted Legs	.26
THLD	Immerse — Ledge Table – Rectangle – Wood Legs	.27
THRA	Immerse — Single Table – Rectangle – Painted Legs	.46
THRA	Immerse — Single Table – Rectangle – Wood Legs	.50
THRA	Immerse — Stack Table – Rectangle – Painted Legs	.52
THRD	Immerse — Overlap Table – Rectangle/Round – Painted Legs	.30
THRD	Immerse — Overlap Table – Rectangle/Round – Wood Legs	.35
THRD	Immerse — Shift Table – Rectangle/Round – Painted Legs	.39
THRD	Immerse — Shift Table – Rectangle/Round – Wood Legs	.42
THRL	Immerse — Overlap Table – Rectangle/Ledge – Painted Legs	.32
THRL	Immerse — Overlap Table – Rectangle/Ledge – Wood Legs	.37
THRN	Immerse — Single Table – Round – Painted Legs	.44
THRN	Immerse — Single Table – Round – Wood Legs	.48
THRQ	Immerse — Single Table – Square – Painted Legs	.45
THRQ	Immerse — Single Table – Square – Wood Legs	.49
THRR	Executive Wood Tables – Rectangle/Rectangle – Painted Legs	.38
THRR	Immerse — Overlap Table – Rectangle/Rectangle – Painted Legs	.28
THRR	Immerse — Overlap Table – Rectangle/Rectangle – Wood Legs	.33
THRR	Immerse — Shift Table – Rectangle/Rectangle – Wood Legs	.41
THRT	Immerse — Single Table – Racetrack – Painted Legs	.47
THRT	Immerse — Single Table – Racetrack – Wood Legs	.51
THTD	Immerse — Overlap Table – Racetrack/Round – Painted Legs	.31
THTD	Immerse — Overlap Table – Racetrack/Round – Wood Legs	.36
THTD	Immerse — Shift Table – Racetrack/Round – Painted Legs	.40
THTD	Immerse — Shift Table – Racetrack/Round – Wood Legs	.43

Index

Product Code	Product Description	Page
TPAP	PopUp Table Accessories – Accent Plate	.278
TPRA-SNA	PopUp Table – Rectangle	.272
TPRP-SNA	PopUp Table – Oval (Rectangular Radius Corner)	.274
TPRT-SNA	PopUp Table – Racetrack	.276
TPVW	PopUp Table Accessories – Vertical Wire Channel – Leg Attached	.278
TVBN-LJSNR	Jive Table — Swivel Base – Crescent	.151
TVCE-LJSNRE	Jive Table — Swivel Base – Corner, Extended	.153
TVCX-LJSNRP	Jive Table — Swivel Base – Corner, Transitional Extended	.152
TVRA-LJSNR	Jive Table — Swivel Base – Rectangle	.149
TVRQ-LJSNR	Jive Table — Swivel Base – Square	.148
TVTP-LJSNR	Jive Table — Swivel Base – Trapezoid	.150
TYBA-NNNNNG4A	Cultivate Table Frames	.23
TYBA-NNNNNG7A	Cultivate Table Frames	.23
TYRA-LJMN	Cultivate Table Tops – For use with Storage	.22
TYRA-LJMN	Cultivate Table Tops – No Storage	.21
TYRA-LJSN	Cultivate Table Tops – For use with Storage	.22
TYRA-LJSN	Cultivate Table Tops – No Storage	.21
TYRA-WKMN	Cultivate Table Tops – For use with Storage	.22
TYRA-WKMN	Cultivate Table Tops – No Storage	.21
TYRA-WKSN	Cultivate Table Tops – For use with Storage	.22
TYRA-WKSN	Cultivate Table Tops – No Storage	.21
TYVW	Cultivate Wire Management – Vertical Wire Channel - Leg Attached	.25
TZRN-L	Compose Table – Round — Post Base	.18
TZRN-W	Compose Table – Round — Post Base	.18
WQAG-PS	Planes Training Table Accessories – Grommet	.200
XZAM-IS	Masters Series Table – Round	.154
ZUBW-0000-PN	Planes Conference Table End Supported Top Bracket – Wall Mount Bracket	.266
ZZBA-0000-PL	Planes Conference Table End Supported Top Bracket – Side/Corner Bracket	.266
ZZBA-0000-PLF	Planes Conference Table End Supported Top Bracket – Side Bracket for use with Knife Edge	.266
ZZBA-0000-PR	Planes Conference Table End Supported Top Bracket – Side/Corner Bracket	.266
ZZBA-0000-PRF	Planes Conference Table End Supported Top Bracket – Side Bracket for use with Knife Edge	.266

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact **OneTouch@Haworth.com** or **1 877 429 6784**.

HAWORTH

HAWORTH® is a registered trademark of Haworth, Inc.
© Haworth, Inc. All rights reserved. 2025 3.25
haworth.com | 800 344 2600