

26 412 626 Product version from 9/1/2025






- shower head Ø 110 mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- shower hose connector 3/8"
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:


- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:


- inherently safe from back flow.

	Chrome	26 412 626-00
	Matte Black	26 412 626-33
	Brushed Chrome	26 412 626-93

26 412 626 Product version from 9/1/2025




Flow rate chart



26 412 626 Product version from 9/1/2025

Parts for other
finishes can be found
here: [Matte Black](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
8	12 540 970-00	Slide unit - Chrome	1.00	10
5	90 28 22 590 02-00	pipe	1.00	10
6	90 12 11 178 00-00	shower	1.00	10
2	90 14 10 032 00 90	seal	2.00	2
7	90 30 02 071 00-00	hose	1.00	10
4	90 27 62 506 00-00	rosette	2.00	10
1	90 30 30 516 00 90	fixing set	2.00	2
3	09 31 11 055 90	pin	2.00	2