

STRING GAMES MEETING TABLES | Designed by Madsen & Contois

Please note that effective April 1st, 2025, a 4.5% tariff surcharge will be applied to the net subtotal on all orders.



SPECIFICATIONS:

- Available in two heights: 29" and 42".
- Depth options include: 24", 30" and 36".
- Length sizes include: 60", 72", 84" and 96".
- Tables offered in wood veneer, laminate and solid surface.
- Solid surface available in white only.
- To order a non-standard solid surface color, please specify the manufacturer, pattern name and color number. Please contact client services to confirm pricing.
- **Interior and exterior metal accents are featured as standard.**
- Also offered without interior and exterior metal accents, in various combinations, at no charge. Please refer to specific pages for options.
- Metal accents available in standard and premium finishes. See following page for options.
- For custom metal finish colors, please contact client services for pricing.
- Tables feature black reveal between top edge of panels and table-top.
- When specifying white laminate or solid surface, reveal will be white.
- For tables intended to be placed end-to-end, please select applicable option code without exterior metal accents (-MA0) or with exterior metal accent on single side only (-MA3).
- Panel bases and underside of tables feature removable panels for wire management accessibility.
- All panel bases feature adjustable glides as standard for leveling purposes.
- Ships KD. Assembly required.
- To ship fully assembled, set-up charge will be \$500 List per unit
- Please note that Canadian shipments are unable to be shipped blanket-wrapped and a 20% cartoning surcharge will always apply.
- Optional power units available. Please refer to pages 5-8 for options.
- All dimensions are nominal.
- Refer to terms and conditions for general information regarding finishes, warranty, freight, complete condition of sales and more.

STRING GAMES MEETING TABLES | Designed by Madsen & Contois

VENEER TABLE FEATURES:


- Three wood species available: Ash, Maple and Walnut.
- Premium wood finish upcharge applies to the following wood finishes. Refer to option section for pricing.
 - Super Matte Sable Maple
 - Alabaster Ash
 - Super Matte Sable Ash
- For custom wood finishes, please contact client services and add one-time upcharge of \$531 List per color per order.
- Due to natural variations of grain and color in woods, slight variations may occur.
- Veneer direction will run lengthwise on all table sizes.
- Edge finish will match top finish unless specified otherwise.

LAMINATE TABLE FEATURES:

- Laminate available in all standard colors.
- If white laminate is desired for top and panel bases, it is recommended to utilize Formica 949-58 White Matte with a ColorCore® 2 edge detail in matching 949C-58 White Matte to eliminate the black line that occurs with traditional laminates. Please specify and add \$354 List to the laminate pricing column.
- For custom laminate options, add \$649 List per color per order. Pre-approval required, please contact client services.
- Laminate wood grain direction will run lengthwise on all table sizes.
- Self edge standard, unless otherwise specified (laminate applied to edge).

SOLID SURFACE TABLE FEATURES:

- Solid surface is affixed to table top only (not available on table edges or panel bases). Please note that a 1/8" reveal will be present.
- Solid surface available in white only.
- To order a non-standard solid surface color, please specify the manufacturer, pattern name and color number. Contact client services to confirm pricing.
- Please specify wood or laminate finish for the table interior surface and panel bases, which will also be applied to the edge.



STANDARD METAL ACCENT FINISH COLORS:

- 0405 Charcoal Grey
- 0535 Metallic Silver
- 0199 Chrome
- 0630 Satin Black




PREMIUM METAL ACCENT FINISH COLORS:

- 0605 Matte Black
- 0705 Matte Cotton
- 0788 Glossy Cotton
- 0805 Oasis
- 0905 Mint
- 1005 Mercury
- 1105 Canary
- 1205 Stone
- 1305 Sage
- 1405 Ice Blue
- 1505 Clay

STRING GAMES MEETING TABLES | Designed by Madsen & Contois

ORDERING REQUIREMENTS:

- Model number
- Surface material
- Surface finish
- Metal accent finish
- Options, as applicable

MODEL	DIMENSIONS	LAMINATE	MAPLE VENEER	ASH OR WALNUT VENEER	SOLID SURFACE Add upcharge to applicable wood species column	WEIGHT For veneer, laminate and ColorCore 2 tables only	
	Interior/Exterior Metal Accents 24" Depth, 29" Height						
	8122-246029	24" D x 60" L x 29" H	5,558	5,726	6,728	1,110	149 lbs.
	8122-247229	24" D x 72" L x 29" H	6,025	6,207	7,375	1,332	165 lbs.
	8122-248429	24" D x 84" L x 29" H	6,347	6,537	7,700	1,554	172 lbs.
	8122-249629	24" D x 96" L x 29" H	6,629	6,829	7,993	1,776	179 lbs.
	Interior/Exterior Metal Accents 30" Depth, 29" Height						
	8122-306029	30" D x 60" L x 29" H	6,254	6,441	7,776	1,388	160 lbs.
	8122-307229	30" D x 72" L x 29" H	6,547	6,744	8,068	1,665	176 lbs.
	8122-308429	30" D x 84" L x 29" H	6,880	7,087	8,411	1,943	182 lbs.
	8122-309629	30" D x 96" L x 29" H	7,207	7,423	8,743	2,220	190 lbs.
	Interior/Exterior Metal Accents 36" Depth, 29" Height						
	8122-366029	36" D x 60" L x 29" H	6,177	6,363	7,353	1,665	171 lbs.
	8122-367229	36" D x 72" L x 29" H	6,734	6,938	8,090	1,998	187 lbs.
	8122-368429	36" D x 84" L x 29" H	7,112	7,326	8,476	2,331	193 lbs.
	8122-369629	36" D x 96" L x 29" H	7,444	7,669	8,808	2,664	202 lbs.

OPTIONS

-PFM02	Premium Metal Finish	\$101
-PFW06	Premium Wood Finish	\$311
-MA0	No Metal Accents	n/c
-MA2	Interior Metal Accents Only	n/c
-MA3	Interior Metal Accents - Both Sides Exterior Metal Accent - Single Side	n/c

MA0



No Metal Accents

MA2



Interior Metal Accents Only

MA3






Interior Metal Accents - Both Sides
Exterior Metal Accents - Single Side

STRING GAMES MEETING TABLES | Designed by Madsen & Contois

ORDERING REQUIREMENTS:

- Model number
- Surface material
- Surface finish
- Metal accent finish
- Options, as applicable

MODEL	DIMENSIONS	LAMINATE	MAPLE VENEER	ASH OR WALNUT VENEER	SOLID SURFACE Add upcharge to applicable wood species column	WEIGHT For veneer, laminate and ColorCore 2 tables only	
	Interior/Exterior Metal Accents 24" Depth, 42" Height						
	8122-246042	24" D x 60" L x 42" H	6,413	6,606	7,941	1,110	157 lbs.
	8122-247242	24" D x 72" L x 42" H	6,695	6,897	8,234	1,332	173 lbs.
	8122-248442	24" D x 84" L x 42" H	6,992	7,203	8,530	1,554	180 lbs.
	8122-249642	24" D x 96" L x 42" H	7,275	7,493	8,820	1,776	189 lbs.
	Interior/Exterior Metal Accents 30" Depth, 42" Height						
	8122-306042	30" D x 60" L x 42" H	7,438	7,661	9,657	1,388	168 lbs.
	8122-307242	30" D x 72" L x 42" H	7,773	8,006	9,999	1,665	184 lbs.
	8122-308442	30" D x 84" L x 42" H	8,106	8,350	10,342	1,943	190 lbs.
	8122-309642	30" D x 96" L x 42" H	8,398	8,650	10,633	2,220	199 lbs.
	Interior/Exterior Metal Accents 36" Depth, 42" Height						
	8122-366042	36" D x 60" L x 42" H	8,295	8,544	11,039	1,665	179 lbs.
	8122-367242	36" D x 72" L x 42" H	8,636	8,895	11,378	1,998	195 lbs.
	8122-368442	36" D x 84" L x 42" H	9,022	9,292	11,774	2,331	201 lbs.
	8122-369642	36" D x 96" L x 42" H	9,394	9,676	12,157	2,664	211 lbs.

OPTIONS

-PFM02	Premium Metal Finish	\$101
-PFW06	Premium Wood Finish	\$311
-MA0	No Metal Accents	n/c
-MA2	Interior Metal Accents Only	n/c
-MA3	Interior Metal Accents - Both Sides Exterior Metal Accent - Single Side	n/c

MA0



No Metal Accents

MA2



Interior Metal Accents Only


MA3



Interior Metal Accents - Both Sides
Exterior Metal Accents - Single Side




STRING GAMES MEETING TABLES - POWER UNITS | Designed by Madsen & Contois

- Unit below is corded and available for top surface and/or side-mount placement. Refer to pages 6-7 for daisy chain options.
- Side-mount placement available on outside of panel bases and can only be added to tables without exterior metal accent. Power unit will be positioned vertically and includes matching wood cover on panel base interior.
- Please specify if power unit is to be placed on table top or outside base panel.
- Cord length should be taken into account when specifying electrical placement.
- Power source location must be identified.
- For single power unit placed on table top, location will be centered as standard.
- For panel base placement, refer to page 8 for power unit standard locations.
- Panel bases and underside of tables feature removable panels for wire management accessibility.
- To add power cord exit to the exterior base panel, please specify -"PC02" and add \$111 List.

MODEL	DESCRIPTION	LIST
PX4-B, Black Finish PX4-W, White Finish 	Power Matrix 4 ■ Dimensions: 7.25" W x 2.875" D ■ Two simplex outlets, one USB-A and one USB-C charging port. ■ 120" electrical cord. ■ UL listed.	559


STRING GAMES MEETING TABLES - DAISY CHAIN COMPONENTS | Designed by Madsen & Contois

- Daisy chain units are required when more than one electrical unit is specified on one top.
- To determine jumper cable length, measure length from edge of electrical unit to end of table.
- Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).

MODEL	DESCRIPTION	LIST												
PB3-DC-S, Silver Finish PB3-DC-W, White Finish 	Power Band 3 Daisy Chain ■ Dimensions: 6.5" W x 2.5" D ■ Two (2) simplex outlets and two (2) USB charging ports. ■ UL listed.	724												
PB-ST-CD-72 	Power Band Starter Cable, 72" Long, Corded Plug Infeed ■ Must select either corded or hardwire starter cable, which goes from power source in wall or floor to first Power Band Unit.	312												
PB-ST-HW-() 	Power Band Starter Cable, Hardwire Infeed ■ Must select either corded or hardwire starter cable, which goes from power source in wall or floor to first Power Band Unit. <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-ST-HW-72</td><td>72"</td><td>216</td></tr><tr><td>PB-ST-HW-108</td><td>108"</td><td>249</td></tr><tr><td>PB-ST-HW-120</td><td>120"</td><td>277</td></tr></table>	MODEL	LENGTH	LIST	PB-ST-HW-72	72"	216	PB-ST-HW-108	108"	249	PB-ST-HW-120	120"	277	see table
MODEL	LENGTH	LIST												
PB-ST-HW-72	72"	216												
PB-ST-HW-108	108"	249												
PB-ST-HW-120	120"	277												


STRING GAMES MEETING TABLES - DAISY CHAIN COMPONENTS | Designed by Madsen & Contois

- Daisy chain units are required when more than one electrical unit is specified on one top.
- To determine jumper cable length, measure length from edge of electrical unit to end of table.
- Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).


MODEL	DESCRIPTION	LIST																											
PB-FF-() 	Power Band Jumper Cables, Female to Female ■ Typically used to connect two (2) units together. ■ For additional lengths in 12" increments, please add \$25 List per foot. <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FF-12</td><td>12"</td><td>147</td></tr><tr><td>PB-FF-24</td><td>24"</td><td>161</td></tr><tr><td>PB-FF-30</td><td>30"</td><td>175</td></tr><tr><td>PB-FF-36</td><td>36"</td><td>175</td></tr><tr><td>PB-FF-48</td><td>48"</td><td>188</td></tr><tr><td>PB-FF-54</td><td>54"</td><td>195</td></tr><tr><td>PB-FF-60</td><td>60"</td><td>203</td></tr><tr><td>PB-FF-72</td><td>72"</td><td>216</td></tr></table>	MODEL	LENGTH	LIST	PB-FF-12	12"	147	PB-FF-24	24"	161	PB-FF-30	30"	175	PB-FF-36	36"	175	PB-FF-48	48"	188	PB-FF-54	54"	195	PB-FF-60	60"	203	PB-FF-72	72"	216	see table
MODEL	LENGTH	LIST																											
PB-FF-12	12"	147																											
PB-FF-24	24"	161																											
PB-FF-30	30"	175																											
PB-FF-36	36"	175																											
PB-FF-48	48"	188																											
PB-FF-54	54"	195																											
PB-FF-60	60"	203																											
PB-FF-72	72"	216																											
PB-FM-() 	Power Band Jumper Cables, Female to Male ■ Typically used to connect two (2) units together. ■ For additional lengths in 12" increments, please add \$25 List per foot. <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FM-12</td><td>12"</td><td>147</td></tr><tr><td>PB-FM-24</td><td>24"</td><td>161</td></tr><tr><td>PB-FM-30</td><td>30"</td><td>175</td></tr><tr><td>PB-FM-36</td><td>36"</td><td>175</td></tr><tr><td>PB-FM-48</td><td>48"</td><td>188</td></tr><tr><td>PB-FM-54</td><td>54"</td><td>195</td></tr><tr><td>PB-FM-60</td><td>60"</td><td>203</td></tr><tr><td>PB-FM-72</td><td>72"</td><td>216</td></tr></table>	MODEL	LENGTH	LIST	PB-FM-12	12"	147	PB-FM-24	24"	161	PB-FM-30	30"	175	PB-FM-36	36"	175	PB-FM-48	48"	188	PB-FM-54	54"	195	PB-FM-60	60"	203	PB-FM-72	72"	216	see table
MODEL	LENGTH	LIST																											
PB-FM-12	12"	147																											
PB-FM-24	24"	161																											
PB-FM-30	30"	175																											
PB-FM-36	36"	175																											
PB-FM-48	48"	188																											
PB-FM-54	54"	195																											
PB-FM-60	60"	203																											
PB-FM-72	72"	216																											
PB-T 	Power Band T-Connector ■ Used when power is needed to go in two directions. ■ Two (2) male ends and one (1) female end. 	195																											

STRING GAMES MEETING TABLES - POWER UNIT PLACEMENT | Designed by Madsen & Contois

Table Top Positioning



Panel Base (outside only, without exterior metal accent)



2 Power Units

W x L	A	B
24" x 60"	20"	12"
24" x 72"	24"	12"
24" x 84"	28"	12"
24" x 96"	32"	12"
30" x 60"	20"	15"
30" x 72"	24"	15"
30" x 84"	28"	15"
30" x 96"	32"	15"
36" x 60"	20"	18"
36" x 72"	24"	18"
36" x 84"	28"	18"
36" x 96"	32"	18"

3 Power Units

W x L	A	B
24" x 60"	15"	12"
24" x 72"	18"	12"
24" x 84"	21"	12"
24" x 96"	24"	12"
30" x 60"	15"	15"
30" x 72"	18"	15"
30" x 84"	21"	15"
30" x 96"	24"	15"
36" x 60"	15"	18"
36" x 72"	18"	18"
36" x 84"	21"	18"
36" x 96"	24"	18"

1 Power Unit

W x L	A	B
24" x 29"	8.75"	12"
30" x 29"	8.75"	15"
36" x 29"	8.75"	18"
24" x 42"	8.75"	12"
30" x 42"	8.75"	15"
36" x 42"	8.75"	18"

For custom power unit placement, please contact client services to verify that location can be accommodated.