

EP WASHLET®+ S7A Wall-Hung Toilet - 1.28 GPF / 0.9 GPF

FEATURES

EP Bowl

- Ultra high-efficiency DYNAMAX TORNADO FLUSH® system -1.28 GPF / 0.9 GPF (4.8 LPF / 3.4 LPF)
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous ceramic surfaces
- Universal Height
- Elongated shape front bowl

S7A WASHLET

- Elongated front WASHLET toilet with seat cover
- See spec sheet SW4736AT40 for WASHLET features

DuoFit In-Wall Tank

- Ultra high-efficiency dual flushing system - 1.28 GPF / 0.9 GPF (4.8 LPF / 3.4 LPF) Avg. flush 1.03 GPF
- Adjustable 15" -19" mounting height
- Saves up to 9" of floor space compared to standard floor-mounted toilet
- Supports up to 880lbs
- Commercial 2" x 6" or optional residential installation with 2" x 4" wall studs with waste outlet kit
- Copper supply line

Push Plate

- YT930#MS
Matte Silver Basic Round Push Plate

MODELS

- **CWT4284736CMFGA#MS**
EP WASHLET+ with S7A
 - **CT428CFGT40#01**
EP Wall-Hung Toilet
 - **WT173MA**
In-Wall Tank System (Copper Pipe)
 - **SW4736AT40#01**
S7A WASHLET
Elongated WASHLET
 - **THU859**
WASHLET connection kit
 - **YT930#MS**
Matte Silver Basic Round Push Plate

Available Options

- YT920#WH - White Matte Basic Square Push Plate
- YT920#MS - Matte Silver Basic Square Push Plate
- YT930#WH - White Matte Basic Round Push Plate
- YT970#SS - Stainless Steel Wall Round Push Plate
- YT980#SS - Stainless Steel Wall Round Push Plate



- **DYNAMAX TORNADO FLUSH**
- **CEFIONTECT**
- **UNIVERSAL HEIGHT**
- **EWATER+**
- **Auto Flush**
- **Skirted Design**

COLORS/FINISHES

- #01 Cotton

CODES/STANDARDS


- Meets and exceeds:
 - Bowl: ASME A112.19.2/CSA B45.1, ASME A112.19.14
 - Carrier System: ASME A112.6.2
 - Tank Trim: IAPMO PS50, CSA B125.3, ASSE1002
- Certifications: IAPMO (cUPC®), EPA WaterSense®, State of Massachusetts, City of Los Angeles, and others
- Code Compliance: UPC, IPC, NSPC, NPC Canada, and others
- Legislative Compliance: California AB715, California Green Building Code, City of Los Angeles Water Efficiency Ordinance, and others
- ADA compliant for residential use when seat height is between 17" and 19"
- Complies with CA Prop 65 warning requirements



CWT4284736CMFGA#MS

EP WASHLET®+ S7A Wall-Hung Toilet - 1.28 GPF / 0.9 GPF

YT930




INSTALLATION NOTES

- WT173MA
Adequate structural bracing is required. Framing support should be capable of supporting 880 lbs load without damage to the wall. See installation manual for more details.


Recommend to use plywood with a minimum thickness of 1/2" for the wall panel.

WT173MA



DIMENSIONS

WT173MA



These dimensions and specifications are subject to change without notice