



**SWAY<sup>®</sup>**  
**LOUNGE FURNITURE**

---

PRICE LIST

EFFECTIVE APRIL 2, 2026  
800.424.2432



---

|   |          |
|---|----------|
| <b>Fabric Yardage Pricing</b>                               | <b>3</b> |
| <hr/>   |          |
| <b>Ordering Customer's Own Material (C.O.M.) Upholstery</b> |          |
| Information   | 4        |
| <hr/>   |          |
| <b>Sway®</b>  |          |
| General Information   | 5        |
| Product Color Options                                       | 7        |
| Lobby and Lounge Seating                                    | 8        |
| Replacements  | 11       |



| Yardage | Grade | List Price Per Yard |
|---------|-------|---------------------|
| 1       | C     | \$ 49               |
| 1       | D     | \$ 64               |
| 1       | E     | \$ 78               |
| 1       | F     | \$ 100              |
| 1       | G     | \$ 122              |
| 1       | H     | \$ 144              |
| 1       | I     | \$ 178              |
| 1       | J     | \$ 222              |
| 1       | K     | \$ 289              |
| 1       | L     | \$ 333              |
| 1       | M     | \$ 422              |


To calculate the fabric option price, multiply the model's total yardage by the fabric grade's list price per yard. Add this fabric option price to the base model price to determine the total price. Fabric yardage can be found on the model pricing page.



## How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

## Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

## Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

## Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

## Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

## Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

## Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

## C.O.M. SHIPPING LOCATION

|  |  |  |
|--|--|--|
| <b>Architectural Walls</b><br>Evoke..... MN<br>Genius..... MN<br><br><b>Casegoods</b><br>Aristotle.....MN<br>Likha.....MN<br><br><b>Classroom Furniture</b><br>Cogni ..... GB<br>Intellect Wave ..... GB<br>Learn2.....GB<br>Ruckus..... GB<br><br><b>Desking</b><br>700 Series ..... KP<br>Balance ..... MN<br>Genesis ..... MN<br>True ..... KP<br>Universal ..... MN<br>WorkZone ..... MN<br><br><b>Files &amp; Storage</b><br>700 Series.....GB<br>Connection .....BW<br>U-Series ..... GB<br>Tattoo.....BW<br><br><b>Fixed Seating</b><br>Concerto.....BW<br>Single Pedestal ..... GB<br>Jury Base .....GB<br>Lancaster .....BW<br>Sequence ..... GB<br>University ..... GB | <b>Panel Systems</b><br>All Terrain.....KP<br>Balance ..... MN<br>Universal ..... MN<br>Wireworks ..... MN<br>Unite..... MN<br><br><b>Residence Hall Furniture</b><br>RoomScape ..... MN<br><br><b>Screens</b><br>All Terrain.....KP<br>Connection Zone.....BW<br>Tributaire.....BW<br>True/Volition ..... KP<br>Genesis..... KP<br>Tattoo..... MN<br>Universal.....BW<br><br><b>Seating</b><br>600 Series.....BW<br>Affina ..... HN<br>Altus ..... GB<br>Apply ..... GB<br>Calida ..... HN<br>Cascha .....VT<br>Civara .....VT<br>Clamber ..... HN<br>Cogni ..... GB<br>Diem ..... OM<br>Doni ..... GB<br>Gladly .....VQ<br>Grazie ..... GB<br>Hub ..... HN<br>Impress ..... OM | Impress Ultra ..... OM<br>Intellect Wave ..... GB<br>Jessa ..... HN<br>Jubilee .....VQ<br>Katera ..... GB<br>Kurv Benches..... HN<br>Learn2.....GB<br>LimeLite.....GB<br>Lyra ..... HN<br>Medical & Laboratory Stools..... OM<br>MyPlace ..... HN<br>MyWay ..... HN<br>Oath ..... GB<br>Opt4 ..... GB<br>Pilot ..... OM<br>Promenade..... BW<br>Ruckus..... GB<br>Sela ..... HN<br>Sift ..... GB<br>Signia..... OM<br>Soltice Metal ..... HN<br>Soltice..... HN<br>Sonrisa ..... HN<br>Strive..... GB<br>Sway ..... BW<br>Tattoo..... HN<br>Torsion-on-the-Go! ..... GB<br>Torsion Air ..... GB<br>Zeker ..... HN<br>Zentori ..... VT<br>Zoetry ..... HN |
|--|--|--|



## KI C.O.M. Manufacturing Site Addresses:

|  |   |   |  |
|--|---|---|--|
| <b>BW</b><br>KI Bonduel<br>Attn: COM Storage<br>204 West South St.<br>Bonduel, WI 54107                  | <b>HN</b><br>KI High Point<br>Attn: COM Storage<br>217 Feld Avenue<br>High Point, NC 27263    | <b>MN</b><br>KI Manitowoc<br>Attn: COM Storage<br>1400 S. 41st St.<br>Manitowoc, WI 54220 | <b>VQ</b><br>KI<br>Attn: COM Fabrics<br>6892 Marlin Circle<br>La Palma, CA 90623       |
| <b>GB</b><br>KI Green Bay<br>Attn: COM Storage<br>1687 Westminster Drive - Gate 3<br>Green Bay, WI 54302 | <b>KP</b><br>KI Pembroke<br>Attn: COM Storage<br>1000 Olympic Dr.<br>Pembroke, Ontario K8A6X7 | <b>OM</b><br>KI<br>Attn: COM Storage<br>1110 S. Mildred Ave.<br>Ontario, CA 91761         | <b>VT</b><br>KI<br>Attn: COM Storage<br>2803 South Taylor Drive<br>Sheboygan, WI 53081 |



Lounge Chair  
(SYCNC and SYCFC)



Ottoman  
(SYOT)



Table  
(SYTB)

| General Dimensions |         |            |         |
|--------------------|---------|------------|---------|
| Seat width         | 27-3/4" |            |         |
| Seat depth         | 18-1/2" |            |         |
| Seat height        | 16"     |            |         |
| Overall Dimensions |         |            |         |
| Width              | 33"     |            |         |
| Depth              | 32-1/2" |            |         |
| Height             | 41-3/4" | 17-1/2"    | 14-1/2" |
| Diameter           |         | 27-1/4"    | 27"     |
| Unit weight        | 66 lbs  | 43-1/2 lbs | 63 lbs  |

**Seat shell** is constructed of rotationally molded polyethylene. Available in five standard colors.

**Upholstered seat and back** have a contoured shape to maximize comfort and are field replaceable. (Optional contrasting seat and back upholstery available)

12-gauge steel rotating contact surface is attached to the bottom of the seat shell and is powder-coat painted to match the seat shell color. Contact surface is powder-coat painted Blue Grey if Granite Grey poly is specified.


**4-leg base** is constructed of rotationally molded polyethylene. Available in five standard colors.

**Floor glide** options to accommodate any floor type. Available in nylon, felt and non-skid rubber.

**Upholstered cushion** has a contoured shape to maximize comfort and is field replaceable.

12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

**Floor glide** options to accommodate any floor type. Available in nylon, felt and non-skid rubber.




**4-leg base** is constructed of rotationally molded polyethylene. Available in five standard colors.

**Optional Power Module** has one AC power outlet, one USB A charging port and one USB C charging port. Available in three colors.



12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

**Floor glide** options to accommodate any floor type. Available in nylon, felt and non-skid rubber.



**Table top** has high pressure laminate overlaying the sides and top of a particle board structure. See product color options page for standard laminate finishes.

**4-leg base** is constructed of rotationally molded polyethylene. Available in five standard colors.

## TECHNICAL SPECIFICATIONS

### Lounge Chair Seat and Base Frame Construction

The seat and 4-leg base frames are made of rotationally molded LLDPE (Linear Low Density Polyethylene), one of the most commonly used plastics in the United States. These polyethylene frames are 100% recyclable. The seat and base frames are offered in five standard colors: Arctic White, Cool Grey, Granite Grey, Light Tone, and Warm Grey. The rotating contact surface that attaches to the underside of the seat frame consists of a spun 12-gauge steel (finished thickness is approximately .094" thick) bottom cap, painted with a metallic 90 gloss powder-coat paint. It is available in five standard powder-coat colors, to match the seat frame color. The base has 12 gliding posts made of UHMWPE (Ultra High Molecular Weight Polyethylene) which resist wear to over 100,000 cycles in testing. The gliding posts are field replaceable should they show wear over their lifetime.

### Lounge Chair Seat and Backrest Upholstery Shells

The seat and backrest upholstery shells are made of post-consumer recycled thermoplastic. The blended material is 100% recyclable. The fully upholstered shells are fastened to the seat using  $\frac{3}{8}$ " diameter nylon ribbed friction lock rivets.

### Ottoman and Table Base Construction

The Ottoman and Table's 4-leg base is LLDPE rotationally molded, with a supporting structure made of spun 12-gauge steel (finished thickness is approximately .094" thick), powder-coat painted 90 gloss. The base frame is offered in five standard colors: Arctic White, Cool Grey, Granite Grey, Light Tone, and Warm Grey.

Supporting the upholstered ottoman foam is a  $1\frac{1}{8}$ " thick particle board.

### Table Top Construction

The Table top is constructed of  $\frac{3}{4}$ " thick, 45 lb. density particleboard, built up to a total thickness of 3". Over-wrapping the wood construction top and sides is .030" thick high-pressure laminate. The high-pressure laminate sides are SE self-edge. Laminate color options can be found on the Product Color Options page in the Sway Lounge Collection Pricelist.

### Upholstery Foam

The Sway Lounge seat and back foam are both of polyurethane construction. The seat foam pad is a molded single piece, with an average of 3.5 lb. density and 45 IFD value at 3" thick. The back foam is slab cut, with an average 1.9 lb. density and 34 IFD value at 1" thick. The Ottoman foam is slab cut polyurethane construction with an average 1.8 lb. density and a 50 IFD value at 4" thick.

All foam and fabric have water based adhesive and "C-Gex" upholstery fastening methods to permanently assemble them to the upholstery shells. The fully upholstered seat and back are field replaceable.

### Floor Glides

Three standard glides options are available on the Sway collection: Rubber non-skid glides, Nylon or Felt. The Rubber non-skid glides are screwed into the bottom of the chairs' polyethylene base frame; the Nylon and Felt glides are nailed in.

### Node® In-Surface Power Module (optional) (table)

The Node In-Surface power module consists of one AC simplex receptacle port (rated at 15 amps/125 volts), includes one DC USB-A port (2.1 amps/5 volts), and one USB-C port (2.0 and 3.0 compatible, no data), 2 amps per port. Provides device charging and direct AC Power. The power cord is a 14 AWG, 15-amp NEMA rated, three conductor SJT, with a three prong grounded plug. The 3-prong plug is oriented straight off the power cord. 72" of exposed cord will extend from the bottom of the Sway Table. The power cord is strain relief mounted to the rear of the housing. The entire electrical power module assembly is UL listed and passes a UL spill test rating for protection against liquids. Both USB ports can power and charge separate mobile devices, simultaneously. The optional Node In-Surface power module is available in three powder-coat colors: Black/Black, White/White and Silver/White.

### Orbital Motion (lounge chair)

The lounge chairs orbital motion derives from a ball and socket type joinery. The motion relies on the powder-coated 12-gauge steel chair bottom, sliding on 12 UHMWPE glide posts. The gliding motion provides 12 degrees total side to side motion, and 15 degrees total front to back motion, in an orbital fashion. The chairs internal spring-tension mechanism brings the chair back to a neutral position when not occupied.

Seat angle adjustability from horizontal: 15 to 30 degrees (full tilt forward to full recline).

**Shell/Base Color - Polypropylene**

|              |     |
|--------------|-----|
| Arctic White | SAW |
| Cool Grey    | SCG |
| Granite Grey | SGY |
| Light Tone   | SLG |
| Warm Grey    | SWG |

**Surface Finish--Grade 3 Standard Laminate**

|                       |     |
|-----------------------|-----|
| Black Velvet          | LBV |
| Cumberland Walnut     | LCJ |
| Designer White Velvet | LDE |
| Hartley Walnut        | LHW |
| Nile Velvet           | LNL |
| Raleigh Walnut        | LRW |
| Solano Walnut         | LSG |
| Spruce Velvet         | LSC |

**Surface Finish--Grade 1 Standard Laminate**

|                    |     |
|--------------------|-----|
| Beigewood          | LBZ |
| Belair             | LBQ |
| Biltmore Cherry    | LBT |
| Black              | LBK |
| Brighton Walnut    | LBW |
| Castle Oak         | LCO |
| Cherry Storm       | LCX |
| Classic Linen      | LCI |
| Cocobala           | LCC |
| Crisp Linen        | LRI |
| Designer White     | LDR |
| Dove Grey          | LDG |
| Florence Walnut    | LFC |
| Friston Ash        | LFH |
| Frosty White       | LFW |
| Graphite Nebula    | LGN |
| Grey               | LGE |
| High Rise          | LHE |
| Hollyberry         | LHY |
| Island             | LID |
| Italian Silver Ash | LIT |
| Kensington Maple   | LKM |
| Lapis Blue         | LLB |
| Monticello Maple   | LMT |
| North Sea          | LNA |
| Ocean              | LON |
| Pinnacle Walnut    | LPW |
| River Cherry       | LRY |
| Shadow Zephyr      | LSR |
| Sterling Ash       | LAZ |
| Titanium Evolv     | LTV |
| White Nebula       | LWL |
| White Sand         | LWN |
| Windsor Mahogany   | LWY |

**Surface Finish--Grade 2 Standard Laminate**

|                    |     |
|--------------------|-----|
| Akira              | LAK |
| Black Alicante     | LBY |
| Black Hills Oak    | LBH |
| Calcutta Marble    | LCQ |
| Dering Forest      | LDL |
| Fawn Cypress       | LFQ |
| Ice Mist           | LIM |
| Markerboard White  | LMK |
| Valley Forge Elm   | LVF |
| White River Forest | LWR |

## Finish Cards

View color swatches for items listed within this document.

**Paints**

**Wood/Veneer**

**Molded Edges**

**Hard Plastics**

**Plastics/Poly**

**Laminates**


**Edge Styles**

**Glass**

Certain options referenced may not be available on GSA Schedule.





| MODEL   | MODEL NUMBER |   |   |   | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|---|---|---|-------------------------|-------------------|
|   | Basic Model  | Poly Base Color                                   | Glide Option                                      | Non-Contrast or Fabric Contrast 1   |                         |                   |
| <br><b>Ottoman</b><br>• Non-contrast C.O.M = 1.1 yd<br>• Dia=27-1/4" H=17-1/2" | SYOT         | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 49.00#                  | \$ 1405           |
|   |              |   |   |   |                         |                   |
|   |              |   |   |   |                         |                   |
|   |              |   |   |   |                         |                   |
|   |              |   |   |   |                         |                   |
|   |              |   |   |   |                         |                   |

SYOT

**A** **B** **C** **D**

**HOW TO ORDER**

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of the  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select poly base color. Refer to the **Product Color Options** page in this price list.
- C** Select glide option.
 

|            |                   |
|------------|-------------------|
| <b>GFT</b> | - Felt glides     |
| <b>GND</b> | - Non-skid glides |
| <b>GNY</b> | - Nylon glides    |
- D** Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](http://ki.com/fabrics).
  - For yardage pricing, see Fabric Yardage Pricing page

**SPECIAL SERVICES**

**Special Carton Marking**

With specially marked information N/C

**Shipping**  
Ships **assembled, FOB Bondue1, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



| MODEL | DIA x H       | MODEL NUMBER |   |   |   |   | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|-------|---------------|--------------|---|---|---|---|-------------------------|-------------------|------------------------------------|------------------------------------|
|       |               | Basic Model  | Power Option  | Poly Base Color                                   | Glide Option                                      | Laminate Color                                    |                         |                   |                                    |                                    |
| Table | 27" x 14-1/2" | SYTB         | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 66.0#                   | \$ 2052           | \$ 27                              | \$ 178                             |
|       |               |              |   |   |   |   |                         |                   |                                    |                                    |
|       |               |              |   |   |   |   |                         |                   |                                    |                                    |
|       |               |              |   |   |   |   |                         |                   |                                    |                                    |



SYTB

**A**   **B**   **C**   **D**   **E**

**HOW TO ORDER**

- Indicate the following information on order form:
- Quantity of each item.
  - Model number, including options. See "How To Build a Model Number".
  - Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of the  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select power option.
 

|             |                                  |
|-------------|----------------------------------|
| <b>NP</b>   | - No power                       |
| <b>WPBL</b> | - Black power module; add \$438  |
| <b>WPSL</b> | - Silver power module; add \$438 |
| <b>WPWH</b> | - White power module; add \$438  |
- C** Select poly base color. Refer to the **Product Color Options** page in this price list.
- D** Select glide option.
 

|            |                   |
|------------|-------------------|
| <b>GFT</b> | - Felt glides     |
| <b>GND</b> | - Non-skid glides |
| <b>GNY</b> | - Nylon glides    |
- E** Select laminate color. Refer to the **Product Color Options** page in this price list.

**FINISH INFORMATION**

**ADDITIONAL LAMINATE OFFERING**

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturers name, color/pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested thru the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

**SPECIAL SERVICES**

**Special Carton Marking**  
With specially marked information    N/C

**Shipping**  
Ships **assembled, FOB Bondue1, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

|       | MODEL   | MODEL NUMBER    |   | Approx. Packaged Weight | Delivered Pricing |
|-------|---|-----------------|---|-------------------------|-------------------|
|       |   | Basic Model     | Non-Contrast or Fabric Contrast 1   |                         |                   |
| SYRP  | <b>Replacement Upholstered Seat Cushion</b><br>• Non-contrast C.O.M = .75 yd    | SYUSRP          | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 9.00#                   | \$ 362            |
| SYRP  | <b>Replacement Upholstered Back Cushion</b><br>• Non-contrast C.O.M = 1.25 yd   | SYUBRP          | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 12.00#                  | \$ 297            |
| SYRP  | <b>Replacement Upholstered Ottoman Cushion</b><br>• Non-contrast C.O.M = 1.1 yd | SYUORP          | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 32.00#                  | \$ 552            |
| SWA01 | <b>Replacement Felt Glides Kit (Qty 4)</b>                                      | SWYGLIDEKIT.GFT |   | 1.00#                   | \$ 23             |
| SWA01 | <b>Replacement Nylon Glides Kit (Qty 4)</b>                                     | SWYGLIDEKIT.GNY |   | 1.00#                   | \$ 23             |
| SWA01 | <b>Replacement Non-Skid Rubber Glides Kit (Qty 4)</b>                           | SWYGLIDEKIT.GND |   | 1.00#                   | \$ 23             |
| SWA01 | <b>Replacement Posts Kit (Qty 12)</b>   | SWYPOSTKIT      |   | 1.00#                   | \$ 76             |
| SWA01 | <b>Replacement Return Spring</b>  | 46.4174         |   | 2.00#                   | \$ 76             |

A

B

**HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of the  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](http://ki.com/fabrics).
- For yardage pricing, see Fabric Yardage Pricing page



1330 BELLEVUE STREET  
GREEN BAY, WI 54302  
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.  
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST  
© 2023 Krueger International, Inc. All Rights Reserved.