



CONNECTION ZONE[®] COLLECTION

PRICE LIST

EFFECTIVE MARCH 31, 2026
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.

| | |
|--|----|
| Ordering Customer's Own Material (C.O.M.) Upholstery Information | 3 |
| Connection Zone® Benching | |
| Technical Specifications | 4 |
| Product Color Options | 7 |
| Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29” Height | |
| 24” Deep | 8 |
| Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height | |
| 30” Deep | 9 |
| Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” Deep | 10 |
| 30” Deep | 11 |
| Extended Corner Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” and 30” Deep | 12 |
| Adjoining Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” and 30” Deep | 13 |
| Return Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” and 30” Deep | 14 |
| Peninsula Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” and 30” Deep | 15 |
| Conference End Worksurfaces for Steel Leg Frames - 29” Height | |
| 24” and 30” Deep | 16 |
| Single-Sided Steel Leg Frames - 24” Fixed, 29” Height | |
| Supports Single-Sided 24” Deep Fixed Worksurfaces | 17 |
| Single-Sided Steel Leg Frames - 24” Fixed /Conference Ends, 29” Height | |
| Supports Single-Sided 24” Deep Fixed Worksurfaces | 18 |
| Single-Sided Steel Leg Frames - 30” Fixed, 29” Height | |
| Supports Single-Sided 30” Deep Fixed Worksurfaces | 19 |
| Perpendicular Steel Leg Support Frames - 29” Height | 20 |
| Dual-Sided Steel Leg Frames - 48” Fixed, 29” Height | |
| Supports Two 24” Deep Back-to-Back Fixed Worksurfaces | 21 |
| Dual-Sided Steel Leg Frames - 48” Sliding, 29” Height | |
| Supports Two 24” Deep Back-to-Back Sliding Worksurfaces | 22 |
| Dual-Sided Steel Leg Frames - 60” Fixed, 29” Height | |
| Supports Two 30” Deep Back-to-Back Fixed Worksurfaces | 23 |
| Dual-Sided Steel Leg Frames - 60” Sliding, 29” Height | |
| Supports Two 30” Deep Back-to-Back Sliding Worksurfaces | 24 |
| Dual-Sided Steel Leg Frame - 48” Fixed w/Conference Ends, 29” Height | |
| Supports Two 24” Deep Back-to-Back Fixed Worksurfaces | 25 |
| Dual-Sided Steel Leg Frame - 60” Fixed w/Conference Ends, 29” Height | |
| Supports Two 30” Deep Back-To-Back Fixed Worksurfaces | 26 |
| Dual-Sided Steel Leg Frame - 48” Sliding w/Conference Ends, 29” Height | |
| Supports Two 24” Deep Back-to-Back Sliding Worksurfaces | 27 |
| Dual-Sided Steel Leg Frame - 60” Sliding w/Conference Ends, 29” Height | |
| Supports Two 30” Deep Back-To-Back Sliding Worksurfaces | 28 |
| Dual-Sided Steel Leg Support Frames - 29” Height | 29 |
| Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height | |
| 24” Deep | 30 |
| 30” Deep | 31 |

| | |
|--|----|
| Return Worksurfaces for Wood Leg Frames - 29” Height | |
| 24”, 27” and 30” Deep | 32 |
| Dual-Sided Wood Leg Frames - 48” Fixed, 29” Height | |
| Supports Two 24” Deep Back-to-Back Fixed Worksurfaces | 34 |
| Dual-Sided Wood Leg Frames - 48” Sliding, 29” Height | |
| Supports Two 24” Deep Back-to-Back Sliding Worksurfaces | 35 |
| Dual-Sided Wood Leg Frames - 60” Fixed, 29” Height | |
| Supports Two 30” Deep Back-to-Back Fixed Worksurfaces | 36 |
| Dual-Sided Wood Leg Frames - 60” Sliding, 29” Height | |
| Supports Two 30” Deep Back-to-Back Sliding Worksurfaces | 37 |
| Wood Leg Return Support Frames - 29” Height | 38 |
| Wood Leg Rectilinear Desk with Modesty Panel - 29” Height | |
| 30” and 36” Deep | 39 |
| Wood Leg Elliptical Desk with Modesty Panel - 29” Height | |
| 36 and 42” Deep | 40 |
| Wood Leg Rectilinear Conference Tables - 29” Height | |
| 36” and 42” Deep | 41 |
| 48” and 60” Deep | 42 |
| Wood Leg Elliptical Conference Tables - 29” Height | |
| 60” Deep | 43 |
| Electrical 10-Wire System 6-2-2 - 29” Height | |
| Wireway Assemblies for Single-Sided Applications | 44 |
| Electrical 10-Wire System 6-2-2 - 42” Height | |
| Wireway Assemblies for Single-Sided & Teaming Applications | 45 |
| Electrical 10-Wire System 6-2-2 - 29” Height | |
| Wireway Assemblies for Dual-Sided Applications | 46 |
| Base Infeed and Base Wire Enclosure | 47 |
| Electrical 10-Wire System 6-2-2 | |
| Top Infeeds - 29” Steel Leg Assembly | 48 |
| Jumpers & Receptacles | 49 |
| Workrail Electrical 6-2-2 | |
| For Attachment Below Center Work Rail Only | 50 |
| Electrical 10-Wire System 4-4-2 - 29” Height | |
| Wireway Assemblies for Single-Sided Applications | 51 |
| Wireway Assemblies for Dual-Sided Applications | 52 |
| Base Infeed | 53 |
| Electrical 10-Wire System 4-4-2 | |
| Top Infeeds - 29” Steel Leg Assembly | 54 |
| Jumpers & Receptacles | 55 |
| Electrical - Hardwired Applications | |
| Single-Sided Hardwire Enclosure Assemblies | 56 |
| Dual-Sided Hardwire Enclosure Assemblies | 57 |
| Electrical 10-Wire System 6-2-2 | |
| Top Infeed & Top Wire Enclosure - 29” Wood Leg Assembly | 58 |
| Accessories | |
| Top Wire Enclosure - 29” Steel Leg Assembly | 59 |
| Data Mount Bracket & Splice Kit | 60 |
| Electrical Components | |
| Power Modules - Corded | 61 |
| Pattern Single Circuit Electrical | 62 |
| Pattern Single Circuit Electrical System | 63 |
| Grommets | 64 |

| | |
|---|-----|
| Privacy Screen | |
| 13” High with Framed Fabric Insert | 65 |
| 19” High with Framed Fabric Insert | 66 |
| 31” High with Framed Fabric Insert | 67 |
| Divider Screen | |
| 13, 19” or 31” High with Framed Fabric Insert | 68 |
| 13 or 19” High with Framed Fabric Insert for Use on Perpendicular Worksurfaces | 69 |
| Privacy Screen | |
| 13” High with Tool Rail and Framed Fabric Insert | 70 |
| 19” High with Tool Rail and Framed Fabric Insert | 71 |
| Divider Screen | |
| 13 or 19” High with Tool Rail and Framed Fabric Insert | 72 |
| 13 or 19” High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces | 73 |
| Privacy Screen | |
| 13” High with Framed Acrylic Insert | 74 |
| 19” High with Framed Acrylic Insert | 75 |
| Divider Screen | |
| 13 or 19” High with Framed Acrylic Insert | 76 |
| 13 or 19” High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces | 77 |
| Privacy Screen | |
| 13” High with Tool Rail and Framed Acrylic Insert | 78 |
| 19” High with Tool Rail and Framed Acrylic Insert | 79 |
| Divider Screen | |
| 13 or 19” High with Tool Rail and Framed Acrylic Insert | 80 |
| 13 or 19” High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces | 81 |
| Accessories | |
| Steel Modesty Panel and Wire Access Cover For Use on 29” Single-Sided Steel Leg Assemblies | 82 |
| Wire Management for 29” Dual-Sided Assemblies | 83 |
| Double Arm Task Lights | 84 |
| Double Arm Task Lights with Occupancy Sensors | 85 |
| Double Arm Light Bases | 86 |
| Asymmetrical Task Lights | 87 |
| Asymmetrical Light Bases | 89 |
| Tool Rail Accessories | 90 |
| Single-Sided Rectilinear Worksurfaces - 42” Height | |
| 24” Deep for use with Cafe Height Frames | 91 |
| 30” Deep for use with Cafe Height Frames | 92 |
| Teaming Rectilinear Worksurfaces - 42” Height | |
| 42” Deep for use with Cafe Height Frames | 93 |
| 48” Deep for use with Cafe Height Frames | 95 |
| 24” Fixed - 42” Height Steel Leg Frame | |
| Supports Single-Sided 24” Deep or Teaming Worksurfaces | 97 |
| 30” Fixed - 42” Height Steel Leg Frame | |
| Supports Single-Sided 30” Deep Worksurfaces | 98 |
| Infeeds for Cafe Height Applications - 6-2-2 | |
| For use with Cafe Height Frames Only | 99 |
| Top Wire Enclosure for Cafe Height Applications | |
| For use with Cafe Height Frames Only | 100 |
| Base Wire Enclosure for Cafe Height Applications | |
| For use with Cafe Height Frames Only | 101 |
| Connection Zone® Workrail Planning | |
| General Information | 102 |
| Product Color Options | 103 |

| | |
|---|-----|
| Frameless Center Privacy Screen | 104 |
| Supporting Privacy Screen | |
| 19” High with Framed Fabric Insert | 105 |
| 19” High with Framed Acrylic Insert | 106 |
| 19” High with Framed Dry Erase Steel Markerboard Insert | 107 |
| Laminate Counter Shelf | |
| For Attachment to Supporting Privacy Screen | 108 |
| Storage Cubby - Upmount | |
| For Attachment to Supporting Privacy Screen | 109 |
| Connection Zone® Storage | |
| Technical Specifications | 110 |
| Connection Zone® Storage | |
| Product Color Options | 112 |
| Credenzas | |
| Steel Shell and Drawers 18” High | 113 |
| Steel Shell and Drawers 21” High | 114 |
| Steel Shell and Drawers 24” High | 115 |
| Steel Shell, Laminate Front 18” High | 116 |
| Steel Shell, Laminate Front 21” High | 117 |
| Steel Shell, Laminate Front 24” High | 118 |
| Credenza Tops | 119 |
| Credenza Pads | 120 |
| Lockers | |
| Standard Size - All Doors | 121 |
| Standard Size with Lower Drawer | 122 |
| Large Size - All Doors | 124 |
| Locker Accessories | 126 |
| Pedestals | |
| Mobile | 127 |
| Pads | 128 |
| Accessories | 129 |
| Mobile Screens | |
| General Information | 130 |
| Product Color Options | 131 |
| Acrylic | 132 |
| Magnetic Dry Erase Steel | 133 |
| Fabric Tile | 134 |
| Magnetic Dry Erase Steel and Tackable Fabric | 135 |
| Accessories | 136 |

Contents

Refer to KI Terms & Conditions document or visit ki.com.






How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

| | | |
|--|---|---|
| Architectural Walls Evoke..... MN Genius..... MN Casegoods Aristotle.....MN Likha.....MN Classroom Furniture Cogni GB Intellect Wave GB Learn2.....GB Ruckus.....GB Desking 700 SeriesKP Balance MN Genesis MN TrueKP Universal MN WorkZone MN Files & Storage 700 Series..... GB Connection.....BW U-Series..... GB Tattoo.....BW Fixed Seating Concerto.....BW Single PedestalGB Jury Base GB Lancaster.....BW SequenceGB University GB | Panel Systems All Terrain.....KP Balance MN UniversalMN Wireworks MN Unite..... MN Residence Hall Furniture RoomScape MN Screens All Terrain.....KP Connection Zone.....BW Tributaire.....BW True/VolitionKP Genesis KP Tattoo..... MN Universal.....BW Seating 600 Series.....BW AffinaHN AltusGB Apply GB CalidaHN CaschaVT CivaraVT ClamberHN CogniGB DiemOM DoniGB GladlyVQ GrazieGB HubHN ImpressOM | Impress UltraOM Intellect WaveGB JessaHN JubileeVQ Katera.....GB Kurv Benches.....HN Learn2.....GB LimeLite.....GB LyraHN Medical & Laboratory Stools.....OM MyPlaceHN MyWayHN OathGB Opt4GB PilotOM PromenadeBW Ruckus.....GB SelaHN SiftGB Signia.....OM Soltice MetalHN Soltice.....HN SonrisaHN Strive.....GB SwayBW Tattoo.....HN Torsion-on-the-Go!GB Torsion Air.....GB ZekerHN ZentoriVT ZoetryHN |
|--|---|---|



KI C.O.M. Manufacturing Site Addresses:

| | | | |
|--|---|---|--|
| BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 | HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263 | MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220 | VQ KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623 |
| GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302 | KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 | OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 | VT KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081 |



TECHNICAL SPECIFICATIONS

Worksurfaces

Worksurfaces are constructed of 1 1/8" thick, 45-pound density particleboard core. Adhered on the top is a .030" face sheet of high-pressure laminate and on the bottom with a .030" phenolic backer. Total worksurface thickness is 1 1/4" thick. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support brackets and support legs.

Worksurfaces are offered in rectangular and extended corner shapes to support multiple configurations. Worksurface overhang will vary by configuration and screen use. 74P and Knife edge styles are available and optional rectilinear shaped grommets may be specified for most worksurfaces. Knife edge use is restricted to the edge facing the occupant.

Frames

Steel Leg Frames

Frames are constructed of steel with a modular understructure consisting of end legs connected by a transverse telescoping center support beam. Longer runs can be achieved by adding intermediate legs and additional support beams as needed. Frame leg is a fixed height "goalpost" style with a cross section of 1 9/16" x 2 3/8". Glides offer 7/8" of height adjustment. Frames are offered in a variety of colors with a powder-coat finish.

29" Steel Leg - Standard Table Height

Frames are offered for single-sided and dual-sided applications. Single-sided frames are offered in 24" or 30" depths and support fixed worksurfaces of like depth. Dual-sided frames are offered in 48" or 60" depths and support either fixed or sliding worksurfaces in 24" and 30" depths.

42" Steel Leg - Cafe Height

Frames are offered for single-sided applications in 24" and 30" depths. Fixed worksurfaces on 24" frames are also available with 42" or 48" depth teaming tops.

Wood Leg Frames

Two hardwood end legs bolt to a steel apron which connects to a modular understructure, consisting of a modular transverse telescoping center support beam that connects to the next end wood leg frame apron. Longer dual-sided runs can be achieved by adding intermediate legs and additional support beams as needed. Frame leg is a fixed height 1 3/16" thick solid tapered hardwood upright. Glides offer 7/8" of height adjustment. Frames are offered in a variety of powder-coat finishes for the understructure, and various stains for the wood component.

29" Wood Leg

Frames are offered for dual-sided benching applications, desks, and conference tables. Dual-sided benching frames support pairs of either fixed or sliding worksurfaces in 24" and 30" depths. Desks feature single-beam frames that support a single top. Desks are offered in depths of 30", 36" and 42." Conference tables in 36" or 42" depths are supported by a single beam frame, and support a single top. Conference tables in 48" and 60" depths are supported by a dual-sided frame, and support a single top.

Modesty Panels

Modesty panels are offered on single-sided benching, wood leg desks and 42" teaming table configurations. Location and placement of modesty panels vary by model. Panels are constructed of 14-gauge (.075") x 10" tall perforated steel.

TECHNICAL SPECIFICATIONS

Privacy and Divider Screens

Privacy screens and divider screens are constructed with an aluminum frame that provides superior strength and can be powdercoated in frame matching colors or accent colors. The standard top rail provides a single slot that allows users to mount a paper management tool or an optional tool rail version containing three slots that allow mounting of additional accessories. Core material options include acrylic, acrylic markerboard and tackable upholstered fabric.

Height options include 13" and 19" in all cores and an additional 31" tackable fabric version in limited widths. Single privacy screens matching the widths of the worksurfaces are available up to 78". Privacy screens in 60", 72" and 84" widths are also available in two equal segments to equally divide worksurfaces. Privacy screens in 90" and 96" widths are available in two or three equal segments. The intersections of privacy screens are designed to attach divider screens. Divider screens (13", 19" and 31" high) can be appropriately matched to the privacy screen height.

Privacy Screens (Non-Supporting)

Privacy screens are located flush with the bottom of the worksurfaces and run parallel with the support beam. For single-sided steel leg applications, mounting brackets for the privacy screens are attached directly to the bottom of the worksurfaces. For steel and wood leg dual-sided applications, mounting brackets are attached to the support frame legs. Privacy screens are not offered on wood leg desks or wood leg conference tables. Divider screens can be attached to the ends and intersections of privacy screens.

Supporting Privacy Screens

The second type of privacy screens are supporting privacy screens, which are designed to support elevated storage units and are only available on steel and wood leg dual-sided applications. Material insert options include acrylic, acrylic markerboard and upholstered tackable fabric. Only 19" high supporting privacy screens are available which also accept 19" high divider screens. Divider screens are attached to the vertical posts of the supporting privacy screen frame. Single frame supporting privacy screens are available from 36" through 72" widths in 6" increments. Double-frame supporting privacy screens are available in 60", 72", 84" and 96" widths. The bottom aluminum rail accepts attachment of the 810/6-2-2 or 810/4-4-2 rigid wireway.

Frameless Privacy Screens

The third type of privacy screens are frameless privacy screens, which are designed to span the frame spacing and are only available on steel and wood leg dual-sided applications. Material insert options include translucent or colored acrylic, and clear or satin etched temper safety glass. Frameless privacy screens are available from 36" through 96" widths in 6" increments by 13" or 19" heights. Divider screens are not offered as a standard option for frameless privacy screen applications.

Divider Screens

Divider screens rest on top of the worksurface and run perpendicular to privacy screens. Divider screens attach to the privacy screens on one end and are supported by worksurface attachment brackets on the other end. When specified without privacy screens, divider screens attach to the worksurfaces on both ends. Divider screens are offered in heights of 13", 19" and 31". Material insert options include acrylic, acrylic markerboard and upholstered tackable fabric. The 31" high divider screen is only offered with tackable fabric insert only. All divider screens can be specified for attachment to worksurfaces with 74P and Knife edge styles.

Center Steel Cubbies

Center steel cubbies are used on steel leg dual-sided supporting privacy screens. The center steel cubbies are available with or without sliding doors in 36", 42", 48", 54", 60" and 72" widths by 13 1/2" depth. Cubbies are divided in the center with each half open to the opposite direction. Center steel cubbies with sliding doors include double bit locks with the keyed alike option available. The color of the powder-coated shell and door are separate options.

Laminate Cubbies

Laminate cubbies are used on steel leg dual-sided supporting privacy screens. Laminate cubbies are constructed of 5/8" particleboard core with low pressure laminate and self edges. The laminate cubbies are available in 36", 42", 48", 54", 60" and 72" widths by 15 3/4" depth. Laminate cubbies have a metal divider in the center with each half open to the opposite direction. The color of the shell, edge and metal partition are separate options.



TECHNICAL SPECIFICATIONS

Laminate Shelves

Laminate shelves are used on steel leg dual-sided supporting privacy screens. The laminate shelves are constructed of $\frac{3}{4}$ " particleboard core with 73P edges. They are available in 36", 42", 48", 54", 60", 72", 84" and 96" widths by 15 $\frac{3}{4}$ " depth. Surface and edge color are separate options.

Electrical

810 10-Wire Electrical System

The US standard electrical system available on Connection Zone Benching is an 810 10-wire electrical system (20 amps per circuit). 10-wire rigid wireway harnesses are mounted to the underside of worksurfaces on steel leg single-sided applications. On steel and wood leg dual-sided applications, the wireway is located between worksurfaces and supported by a formed 14-gauge steel channel supported on each end by the frame supports. Power is supplied through a 6-2-2 configuration with six hot wires, two shared oversized neutral wires and two ground wires (one isolated ground and one building ground) or through a 4-4-2 configuration with four hot wires, four neutral and two ground wires (one isolated ground and one building ground). Rigid wireways pass power to 15-amp receptacles. The 810 10-wire electrical system is UL Listed per the UL 183 standard.

Base Power Infeed

The UL 183 electrical system permits power infeed in either of two locations. Power may be brought in at any intermediate leg location, or it may enter at the end of any run, directly into the end of the cable trough. Optional metal panels are available to shroud the infeed in the intermediate leg location (dual-sided applications only).

Top Power Infeed

Power and data may be brought into Connection Zone Benching through the use of a top power infeed. Top infeed assembly consists of a 10' extruded aluminum data and/or power pole, top cap and ceiling trim. The interior of the power pole features a septum for power and data cable separation.

Center Work Rail

The center rail-supported electrical is necessary for dual-sided applications when supporting privacy screens or frameless privacy screens are specified. The rigid wireways (which are identical to the 810/6-2-2 or 810/4-4-2 components) are attached to the bottom aluminum rail on site. Infeeds, jumpers and receptacles are specified the same as with the standard electrical.

10-Wire Table-to-Table Power Jumpers

18" power jumpers feature flexible metal conduit.

10-Wire Receptacles

15-amp receptacles for the modular electrical system feature injection molded components which snap fit into the rigid wireways.

Hardwired Electrical System

Receptacle enclosures are constructed of 18-gauge galvanized metal in accordance with the National Electrical Code. Widths are determined by table side height; height equals 2 $\frac{1}{2}$ ", width equals 2 $\frac{1}{2}$ ". Openings are for décor style receptacles and are located on one side for single-sided steel leg applications and on both sides for dual-sided applications. Grounding screw provided with each box.

Base power infeeds are $\frac{3}{4}$ " diameter liquid-tight enclosed conduit. Top power infeeds are provided by field electrician and are run down the 10' aluminum power/data pole.

Hardwired electrical components are intended for use in installations where hardwiring is required by local code (Chicago).

Hardwired Receptacles

15-amp receptacles for the modular electrical system feature injection molded components which snap fit into the rigid wireways.

TECHNICAL SPECIFICATIONS

Electrical (cont.)

Pattern Electrical System

The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). It allows for a maximum up to ten distribution blocks and up to 50' of power jumpers from the power infeed (in either direction), whichever comes first. Pattern allows up to eighteen power modules depending on table width, and connects to one 15-amp power supply cord (power infeed). Pattern is a non-sequential system and the infeed is compatible with ground fault interrupter (GFI/GFCI) outlets. Power modules for Connection Zone are specified separately.

Pattern Power Distribution Blocks

Pattern power distributions blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table power jumper kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run.

Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A connection quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Cable Management

Dual-sided applications: The cable tray is secured with a variable support bracket onto the understructure of the beam rails. The cable tray is evenly shared between the worksurfaces and is accessible from the top when specified with sliding worksurfaces. The cable tray is accessible from the underside of the structure when specified with fixed worksurfaces.

Power Modules

Dean® In-Surface Power Module

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 8.03" x 1.94" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern™ connector. Dean power module is rated at 15 amps/120 volts and is UL listed.

Dean Undersurface Power Module

Dean undersurface mounted power module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. The Dean undersurface power module is 5.50" long by 3.06" wide by 1.75" tall by 5.25" deep. The module has a smooth molded plastic faceplate with an anodized aluminum housing and secures under the worksurface with two $\frac{5}{16}$ x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dean undersurface power module is rated at 15 amps/120 volts and is UL listed.

TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Nacre® Pop-Up In-Surface Power Module

Nacre Pop-Up In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic and is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Nacre power module is rated at 15 amps/120 volts and is UL listed.

Snap-In RPT Power Module with RPT Bracket

Snap-In RPT module is only available for use with Pattern™ electrical system. Snap-in module consists of two simplex receptacle ports (rated at 15 amps/125 volts). Snap-in RPT fits securely in user facing cutouts in corresponding RPT bracket, mounted under the worksurface. Modules come standard with a 40" cord with pattern connector, rated at 15 amps/120 volts and is UL listed.

Grommets

Flip-Top Grommets for Dean & Nacre Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean in-surface power modules on the previous page, which allows retrofitting corresponding power modules at a later date. Grommets are finished with powder-coat paint available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is open. Field installed.

Compliance

Connection Zone Benching is a UL Listed Office Furnishing per standard UL 1286 and Powered Furniture per standard UL 962.



Surface Finish--Grade 1 Standard Laminate

| | |
|--------------------|-----|
| Beigewood | LBZ |
| Belair | LBQ |
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Castle Oak | LCO |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cocobala | LCC |
| Crisp Linen | LRI |
| Designer White | LDR |
| Dove Grey | LDG |
| Florence Walnut | LFC |
| Friston Ash | LFH |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Monticello Maple | LMT |
| North Sea | LNA |
| Ocean | LON |
| Pinnacle Walnut | LPW |
| River Cherry | LRV |
| Shadow Zephyr | LSR |
| Sterling Ash | LAZ |
| Titanium Evolv | LTV |
| White Nebula | LWL |
| White Sand | LWN |
| Windsor Mahogany | LWY |

Surface Finish--Grade 2 Standard Laminate

| | |
|--------------------|-----|
| Akira | LAK |
| Black Alicante | LBV |
| Black Hills Oak | LBH |
| Calcutta Marble | LCQ |
| Dering Forest | LDF |
| Fawn Cypress | LFQ |
| Ice Mist | LIM |
| Markerboard White | LMK |
| Valley Forge Elm | LVF |
| White River Forest | LWR |

Surface Finish--Grade 3 Standard Laminate

| | |
|-----------------------|-----|
| Black Velvet | LBV |
| Cumberland Walnut | LCJ |
| Designer White Velvet | LDE |
| Hartley Walnut | LHW |
| Nile Velvet | LNL |
| Raleigh Walnut | LRW |
| Solano Walnut | LSG |
| Spruce Velvet | LSC |

Edge Color for 74P and Knife Edge Style

| | |
|--------------------|-----|
| Akira | EAK |
| Beigewood | EBZ |
| Belair | EBQ |
| Biltmore Cherry | EBT |
| Black | EBL |
| Black Hills Oak | EBH |
| Blue Grey | EGR |
| Brighton Walnut | EBW |
| Castle Oak | ECO |
| Cayenne | ECY |
| Cherry Storm | ECX |
| Cocobala | ECC |
| Cool Grey | ECG |
| Cumberland Walnut | ECJ |
| Dering Forest | EDF |
| Designer White | EDR |
| Everglade Shade | EEV |
| Fawn Cypress | EFQ |
| Flannel | EFN |
| Florence Walnut | EFC |
| Friston Ash | EFH |
| Frosty White | EFW |
| Hartley Walnut | EHW |
| Hazy Jade | EHJ |
| Italian Silver Ash | EIT |
| Kensington Maple | EKM |
| Light Tone | ELG |
| Mardi Gras | EMG |
| Misty Brown | EMY |
| Monticello Maple | EMT |
| Multiplex | EMB |
| Nemo | ENE |
| Nordic | END |
| Pinnacle Walnut | EPW |
| Poppy Red | EPR |
| Rainforest | ERQ |
| Raleigh Walnut | ERW |
| River Cherry | ERY |
| Rubber Ducky | ERK |
| Sand | ESA |
| Sky Blue | ESK |
| Solano Walnut | ESG |
| Sterling Ash | EAZ |
| Surf's Up | ESP |
| Tarragon | ETQ |
| Twilight Shadow | ETI |
| Ultra Blue | EUB |
| Valley Forge Elm | EVF |
| Warm Grey | EWG |
| White River Forest | EWR |
| Windsor Mahogany | EWY |
| Zesty Lime | EZL |

*Multiplex available on 74P edge ONLY.

Steel Frames, Modesty Panels, Cable Tray Assemblies,

Top Infeeds and Accessories Finish

Paint Color

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Earthen Clay | EY |
| Espresso Metallic | EX |
| Everglade Shade | EV |
| Flannel | FN |
| Glitz Metallic | GZ |
| Hazy Jade | HJ |
| Honey Bee | HY |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Purple Haze | PH |
| Rainforest | RQ |
| Raw Jasper | RJ |
| Rubber Ducky | RK |
| Sand | SA |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Tarragon | TQ |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

Wood Finish Color

| | |
|--------------------------|-----|
| Cherry Storm on Beech | BCX |
| Cinnamon on Beech | BCN |
| Cocoa on Beech | BCA |
| Eclipse Black on Beech | BEB |
| Florence Walnut on Beech | BFC |
| Natural on Beech | BNA |
| River Cherry on Beech | BRY |

Nacre, Dean Power Module Color

| | |
|------------|----|
| Black | BL |
| Cool Grey | CG |
| Cottonwood | CO |
| Warm Grey | WG |

Snap-in RPT color is always Black

Metal Grommet Color

| | |
|--------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |

| | |
|---------------------------|----|
| Flannel | FN |
| Misty Brown | MY |
| Starlight Silver Metallic | SX |
| Warm Grey | WG |

Electrical Base Infeeds

| | |
|------------|----|
| Black | BL |
| Blue Grey | GR |
| Cottonwood | CO |
| Sand | SA |
| Warm Grey | WG |

Electrical Top Infeeds

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Earthen Clay | EY |
| Espresso Metallic | EX |
| Everglade Shade | EV |
| Flannel | FN |
| Glitz Metallic | GZ |
| Hazy Jade | HJ |
| Honey Bee | HY |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Purple Haze | PH |
| Rainforest | RQ |
| Raw Jasper | RJ |
| Rubber Ducky | RK |
| Sand | SA |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Tarragon | TQ |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

Task Light

| | |
|--------|----|
| Black | BL |
| Silver | SV |
| White | WH |

Worksurfaces

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.




Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29" Height

24" Deep



Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29" Height

24" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | |
|  <p>CZRS</p> <p>Single-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 24 x 36 | CZBWR24361NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 32.0# | \$ 286 | \$ 315 | \$ 19 | \$ 120 | |
| | 24 x 42 | CZBWR24421NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 38.0# | 297 | 326 | 19 | 120 | |
| | 24 x 48 | CZBWR24481NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 44.0# | 373 | 403 | 19 | 120 | |
| | 24 x 54 | CZBWR24541NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 50.0# | 451 | 491 | 27 | 178 | |
| | | | | | | | | | | | | |
|  <p>CZRS</p> <p>Single-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately L and R cutout locations are centered for two users See cutout locations below | 24 x 60 | CZBWR24601NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 55.0# | \$ 457 | \$ 498 | \$ 27 | \$ 178 | |
| | 24 x 64 | CZBWR24641NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 58.0# | 459 | 509 | 27 | 178 | |
| | 24 x 66 | CZBWR24661NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 60.0# | 507 | 553 | 27 | 178 | |
| | 24 x 72 | CZBWR24721NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 65.0# | 510 | 563 | 27 | 178 | |
| | 24 x 78 | CZBWR24781NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 70.0# | 552 | 598 | 53 | 368 | |
| | 24 x 84 | CZBWR24841NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 76.0# | 564 | 608 | 53 | 368 | |
|  <p>CZRS</p> <p>Single-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users L, R and LR cutout locations are centered for two users See cutout locations below | 24 x 90 | CZBWR24901NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 81.0# | \$ 591 | \$ 641 | \$ 53 | \$ 368 | |
| | 24 x 96 | CZBWR24961NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 86.0# | 598 | 651 | 53 | 368 | |
| | | | | | | | | | | | | |

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
- D** Select cutout location.
N - None
L - Cutout : left
R - Cutout : right
C - Cutout : center
LR - Cutout : left/right
LCR - Cutout : left/center/right

N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer

LCR - Pick only for models 90" and longer

- E** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.




Specifications and prices are subject to change without prior notice.

Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

30" Deep

Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | |
|  <p>CZRS</p> <p>Single-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 30 x 36 | CZBWR30361NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 41.0# | \$ 299 | \$ 328 | \$ 27 | \$ 178 | |
| | 30 x 42 | CZBWR30421NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 48.0# | 374 | 410 | 27 | 178 | |
| | 30 x 48 | CZBWR30481NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 55.0# | 418 | 454 | 27 | 178 | |
| | 30 x 54 | CZBWR30541NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 62.0# | 490 | 533 | 27 | 178 | |
| | | | | | | | | | | | | |
|  <p>CZRS</p> <p>Single-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately L and R cutout locations are centered for two users See cutout locations below | 30 x 60 | CZBWR30601NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 68.0# | \$ 497 | \$ 541 | \$ 27 | \$ 178 | |
| | 30 x 64 | CZBWR30641NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 73.0# | 554 | 613 | 27 | 178 | |
| | 30 x 66 | CZBWR30661NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 75.0# | 606 | 663 | 27 | 178 | |
| | 30 x 72 | CZBWR30721NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 81.0# | 610 | 671 | 27 | 178 | |
| | 30 x 78 | CZBWR30781NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 88.0# | 664 | 726 | 53 | 368 | |
| | 30 x 84 | CZBWR30841NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 94.0# | 671 | 734 | 53 | 368 | |
|  <p>CZRS</p> <p>Single-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Support frames specified separately Modesty panel specified separately for installation where non-user side does not abut a wall Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users L, R and LR cutout locations are centered for two users See cutout locations below | 30 x 90 | CZBWR30901NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 101.0# | \$ 688 | \$ 747 | \$ 53 | \$ 368 | |
| | 30 x 96 | CZBWR30961NM | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 107.0# | 697 | 755 | 53 | 368 | |
| | | | | | | | | | | | | |

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
 74P - 74P edge
 KN - Knife edge
C Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
D Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer

- LCR - Pick only for models 90" and longer
E Select surface finish.
 Refer to the **Product Color Options** page in this price list.
F Select edge color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.




Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

24" Deep



Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

24" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  <p>Dual-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 24 x 36 | CZBWR24362 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 72.0# | \$ 733 | \$ 794 | \$ 37 | \$ 235 | |
| | 24 x 42 | CZBWR24422 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 85.0# | 775 | 833 | 37 | 235 | |
| | 24 x 48 | CZBWR24482 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | 956 | 1017 | 37 | 235 | |
| | 24 x 54 | CZBWR24542 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | 1115 | 1194 | 53 | 368 | |
|  <p>Dual-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately LR cutout locations are centered for two users See cutout locations below | 24 x 60 | CZBWR24602 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122.0# | \$ 1176 | \$ 1256 | \$ 53 | \$ 368 | |
| | 24 x 64 | CZBWR24642 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 130.0# | 1236 | 1468 | 53 | 368 | |
| | 24 x 66 | CZBWR24662 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 134.0# | 1286 | 1381 | 53 | 368 | |
| | 24 x 72 | CZBWR24722 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 145.0# | 1293 | 1388 | 53 | 368 | |
| | 24 x 78 | CZBWR24782 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 157.0# | 1488 | 1581 | 105 | 709 | |
| | 24 x 84 | CZBWR24842 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 170.0# | 1509 | 1601 | 105 | 709 | |
|  <p>Dual-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users LR cutout locations are centered for two users See cutout locations below | 24 x 90 | CZBWR24902 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 181.0# | \$ 1600 | \$ 1709 | \$ 105 | \$ 709 | |
| | 24 x 96 | CZBWR24962 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 192.0# | 1622 | 1726 | 105 | 709 | |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How to Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - 74P - 74P edge
 - KN - Knife edge
- B** Select edge style.
 - NCS - No cutout
 - CSD - Cutout for Dean
 - CSA - Cutout for Nacre
- C** Select cutout style.
 - N - None
 - C - Cutout : center
 - LR - Cutout : left/right
 - LCR - Cutout : left/center/right
- D** Select cutout location.
 - N - Pick for all models
 - C - Pick for all models
 - LR - Pick only for models 60" and longer
 - LCR - Pick only for models 90" and longer
- E** Select surface finish. Refer to the **Product Color Options** page in this price list.
- F** Select edge color. Refer to the **Product Color Options** page in this price list.
- G** Select cable tray powder coat color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.




Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

30" Deep



Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29" Height

30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  <p>Dual-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 30 x 36 | CZBWR30362 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 90.0# | \$ 764 | \$ 820 | \$ 53 | \$ 368 |
| | 30 x 42 | CZBWR30422 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 105.0# | 925 | 995 | 53 | 368 |
| | 30 x 48 | CZBWR30482 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 120.0# | 1048 | 1118 | 53 | 368 |
| | 30 x 54 | CZBWR30542 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 135.0# | 1188 | 1276 | 53 | 368 |
|  <p>Dual-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately LR cutout locations are centered for two users See cutout locations below | 30 x 60 | CZBWR30602 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 148.0# | \$ 1248 | \$ 1335 | \$ 53 | \$ 368 |
| | 30 x 64 | CZBWR30642 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 159.0# | 1371 | 1487 | 53 | 368 |
| | 30 x 66 | CZBWR30662 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 164.0# | 1478 | 1594 | 53 | 368 |
| | 30 x 72 | CZBWR30722 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 177.0# | 1488 | 1601 | 53 | 368 |
| | 30 x 78 | CZBWR30782 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 193.0# | 1712 | 1835 | 105 | 709 |
| | 30 x 84 | CZBWR30842 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 206.0# | 1731 | 1850 | 105 | 709 |
|  <p>Dual-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users LR cutout locations are centered for two users See cutout locations below | 30 x 90 | CZBWR30902 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 221.0# | \$ 1789 | \$ 1914 | \$ 105 | \$ 709 |
| | 30 x 96 | CZBWR30962 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 234.0# | 1812 | 1931 | 105 | 709 |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How to Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
 74P - 74P edge
 KN - Knife edge
C Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
D Select cutout location.
 N - None
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
 N - Pick for all models
 C - Pick for all models
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
E Select surface finish.
 Refer to the **Product Color Options** page in this

- price list.
F Select edge color.
 Refer to the **Product Color Options** page in this price list.
G Select cable tray powder coat color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Extended Corner Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep



Extended Corner Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep

| MODEL | A x B x C x D | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|--------------------|----------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | |
|  <p>Extended Corner Worksurfaces - 24" and 30" Deep</p> <ul style="list-style-type: none"> 48" side always runs inline with center beam Adjacent work surface width always runs inline with 48" side Cutouts along extended edge will be centered on extended portion only L cutout is on B dimension R cutout is on C dimension Grain direction runs along long dimension and is perpendicular to beam Requires perpendicular frame support for non-attached end, specified separately | 24 x 60 x 48 x 24" | CZBWEC24604824 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 78.0# | \$ 657 | \$ 714 | \$ 53 | \$ 368 | |
| | 24 x 72 x 48 x 24" | CZBWEC24724824 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 86.0# | 688 | 745 | 53 | 368 | |
| | 30 x 72 x 48 x 30" | CZBWEC30724830 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 103.0# | 695 | 755 | 53 | 368 | |
|  <p>Extended Corner Worksurfaces - 24" and 30" Deep</p> <ul style="list-style-type: none"> 48" side always runs inline with center beam Adjacent work surface width always runs inline with 48" side Cutouts along extended edge will be centered on extended portion only L cutout is on B dimension R cutout is on C dimension Grain direction runs along long dimension and is perpendicular to beam Requires perpendicular frame support for non-attached end, specified separately | 24 x 48 x 60 x 24" | CZBWEC24486024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 78.0# | \$ 657 | \$ 714 | \$ 53 | \$ 368 | |
| | 24 x 48 x 72 x 24" | CZBWEC24487224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 86.0# | 688 | 745 | 53 | 368 | |
| | 30 x 48 x 72 x 30" | CZBWEC30487230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 103.0# | 695 | 755 | 53 | 368 | |

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - 74P - 74P edge
 - KN - Knife edge
- B** Select edge style.
- C** Select cutout style.
 - NCS - No cutout
 - CSD - Cutout for Dean
 - CSA - Cutout for Nacre
- D** Select cutout location.
 - N - None
 - L - Cutout : to user's left on B dimension
 - R - Cutout : to user's right on C dimension
 - LR - Cutout : left/right
- E** Select surface finish. Refer to the **Product Color Options** page in this price list.

F Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Adjoining Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep



Adjoining Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|----------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | |
| Adjoining Worksurfaces - 24" Deep <ul style="list-style-type: none"> For use adjacent to Extended Corners and Peninsula Worksurfaces Support frames are specified separately When used adjacent to Extended Corner Worksurfaces, the maximum width allowed is 48" Includes two splice plates Modesty panel specified separately Power modules, grommets, and electrical components specified separately See cutout locations below | 24 x 24" | CZBWR24241 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24.0# | \$ 257 | \$ 287 | \$ 19 | \$ 120 | |
| | 24 x 30" | CZBWR24301 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 267 | 295 | 19 | 120 | |
| | 24 x 36" | CZBWR24361 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | 289 | 317 | 19 | 120 | |
| | 24 x 42" | CZBWR24421 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 40.0# | 299 | 329 | 19 | 120 | |
| | 24 x 48" | CZBWR24481 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 45.0# | 309 | 340 | 19 | 120 | |
| | 24 x 54" | CZBWR24541 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.0# | 410 | 451 | 27 | 178 | |
| | 24 x 60" | CZBWR24601 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 56.0# | 416 | 458 | 27 | 178 | |
| | 24 x 72" | CZBWR24721 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 66.0# | 476 | 520 | 27 | 178 | |
| Adjoining Worksurfaces - 30" Deep <ul style="list-style-type: none"> For use adjacent to Extended Corners and Peninsula Worksurfaces Support frames are specified separately When used adjacent to Extended Corner Worksurfaces, the maximum width allowed is 48" Includes two splice plates Modesty panel specified separately Power modules, grommets, and electrical components specified separately See cutout locations below | 30 x 24" | CZBWR30241 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | \$ 285 | \$ 311 | \$ 19 | \$ 120 | |
| | 30 x 30" | CZBWR30301 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 36.0# | 294 | 323 | 27 | 178 | |
| | 30 x 36" | CZBWR30361 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 43.0# | 320 | 349 | 27 | 178 | |
| | 30 x 42" | CZBWR30421 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 49.0# | 378 | 412 | 27 | 178 | |
| | 30 x 48" | CZBWR30481 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 56.0# | 385 | 419 | 27 | 178 | |
| | 30 x 54" | CZBWR30541 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 63.0# | 492 | 536 | 27 | 178 | |
| | 30 x 60" | CZBWR30601 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 69.0# | 499 | 544 | 27 | 178 | |
| | 30 x 72" | CZBWR30721 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 82.0# | 608 | 666 | 27 | 178 | |

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How to Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
 74P - 74P edge
 KN - Knife edge
C Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
D Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
 N - Pick for all models
 C - Pick only for models 54" and shorter
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer

- E** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
F Select edge color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Return Worksurfaces for Steel Leg Frames - 29" Height


24" and 30" Deep



Return Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|----------|--------------|--------------------------|--------------------------|--------------------------|----------------|------------|-------------------------|----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | |
| Return Worksurfaces - 24" and 30" Deep <ul style="list-style-type: none"> Intended for placement perpendicular to beam supported rectangle worksurfaces Return includes splice plates for attachment to adjacent worksurface Requires perpendicular support frame for non-attached end, specified separately Includes two splice plates KN edge is not offered on returns | 24 x 24" | CZBWRT2424 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24.0# | \$ 257 | \$ 19 | \$ 120 | | |
| | 24 x 30" | CZBWRT2430 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 267 | 19 | 120 | | |
| | 24 x 36" | CZBWRT2436 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | 289 | 19 | 120 | | |
| | 24 x 42" | CZBWRT2442 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 40.0# | 299 | 19 | 120 | | |
| | 24 x 48" | CZBWRT2448 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 45.0# | 309 | 19 | 120 | | |
| | 24 x 54" | CZBWRT2454 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.0# | 410 | 27 | 178 | | |
| | 30 x 24" | CZBWRT3024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 285 | 19 | 120 | | |
| | 30 x 30" | CZBWRT3030 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 36.0# | 294 | 27 | 178 | | |
| | 30 x 36" | CZBWRT3036 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 43.0# | 320 | 27 | 178 | | |
| | 30 x 42" | CZBWRT3042 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 49.0# | 378 | 27 | 178 | | |
| | 30 x 48" | CZBWRT3048 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 56.0# | 380 | 27 | 178 | | |
| | 30 x 54" | CZBWRT3054 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 63.0# | 492 | 27 | 178 | | |



CZRT

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
- D** Select cutout location.
N - None
C - Cutout : center
- E** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Peninsula Worksurfaces for Steel Leg Frames - 29" Height


24" and 30" Deep



Peninsula Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|--|----------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|------------------------------------|------------------------------------|--|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | |
| Peninsula Worksurfaces - 24" and 30" Deep • For use in planning with 74P edges only • Cutout in peninsula worksurface is centered on extended section only • Inner depth of peninsula worksurface is beam-supported • Opposite outer depth of peninsula requires perpendicular support frame, specified separately • Modesty panels are specified separately • Power modules, grommets, and electrical components specified separately • Requires splice plate (supplied with adjoining worksurface) • Grain direction runs perpendicular to beam | 24 x 60" | CZBWP2460 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 56.0# | \$ 410 | \$ 27 | \$ 178 | |
| | 24 x 66" | CZBWP2466 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 61.0# | 464 | 27 | 178 | |
| | 24 x 72" | CZBWP2472 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 66.0# | 472 | 27 | 178 | |
| | 30 x 66" | CZBWP3066 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 76.0# | 608 | 27 | 178 | |
| | 30 x 72" | CZBWP3072 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 82.0# | 614 | 27 | 178 | |
| | | | A | B | C | D | E | F | | | | |



CZPE

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
- D** Select cutout location.
N - None
L - Cutout : left
R - Cutout : right
- E** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bondue1, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Conference End Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep



Conference End Worksurfaces for Steel Leg Frames - 29" Height

24" and 30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|--|----------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|--|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | | | |
|  <p>Conference End for Dual-Sided Applications without Screens</p> <ul style="list-style-type: none"> Requires use of two post legs (specified separately). Worksurface spans entire depth of dual-sided applications that do not feature a center screen KN edge, when specified, is featured on outer three sides Power modules, grommets, and electrical components specified separately Grain direction runs perpendicular to beams For use only on dual-sided frames with conference end attachment brackets Conference end worksurfaces are always fixed | 24 x 48" | CZBWCE2448 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 44.0# | \$ 303 | \$ 337 | \$ 19 | \$ 120 | |
| | 30 x 60" | CZBWCE3060 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 68.0# | 490 | 533 | 27 | 178 | |
|  <p>Conference End for Dual-Sided Applications Using Center Privacy Screens</p> <ul style="list-style-type: none"> Requires use of two post legs (specified separately). Worksurface spans entire depth of dual-sided applications that include a center screen Screens are specified separately KN edge, when specified, is featured on outer three sides Power modules, grommets, and electrical components specified separately Grain direction runs perpendicular to beams For use only on dual-sided frames with conference end attachment brackets Conference end worksurfaces are always fixed | 24 x 50" | CZBWCE2450 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 46.0# | \$ 447 | \$ 492 | \$ 19 | \$ 120 | |
| | 30 x 62" | CZBWCE3062 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 71.0# | 599 | 659 | 27 | 178 | |
| | | | A | B | C | D | E | F | | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
- D** Select cutout location.
N - None
C - Cutout : center
- E** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Single-Sided Steel Leg Frames - 24" Fixed, 29" Height

Supports Single-Sided 24" Deep Fixed Worksurfaces



Single-Sided Steel Leg Frames - 24" Fixed, 29" Height

Supports Single-Sided 24" Deep Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  CZBS 24" Single-Sided Stand-alone/Starter Frame • Includes two 24" fixed end legs that are non-handed and integrated telescopic beam • For use under either a 24" or 30" deep fixed worksurface • 24" worksurfaces centered on frame; 30" is cantilevered • Accommodates worksurface width range of 36-42", 48-72" or 72-96" • 10" knee clearance to beam with 24" worksurfaces • 16" knee clearance to beam with 30" worksurfaces | CZBSS243642/F | <input type="checkbox"/> | GCL | 38.0# | \$ 849 |
| | CZBSS244872/F | <input type="checkbox"/> | GCL | 42.0# | 858 |
| | CZBSS247296/F | <input type="checkbox"/> | GCL | 46.0# | 918 |
|  CZBS 24" Single-Sided Adder Frame • Includes one 24" intermediate fixed leg and integrated telescopic beam • Requires attachment to 24" deep fixed starter frame; may not be used alone • For use under either a 24" or 30" deep fixed worksurface • 24" worksurfaces centered on frame; 30" is cantilevered • Accommodates worksurface width range of 36-42", 48-72" or 72-96" • 10" knee clearance to beam with 24" worksurfaces • 16" knee clearance to beam with 30" worksurfaces | CZBSA243642/F | <input type="checkbox"/> | GCL | 26.0# | \$ 589 |
| | CZBSA244872/F | <input type="checkbox"/> | GCL | 30.0# | 593 |
| | CZBSA247296/F | <input type="checkbox"/> | GCL | 34.0# | 656 |
| | | A | B | C | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.



Specifications and prices are subject to change without prior notice.

Single-Sided Steel Leg Frames - 24" Fixed /Conference Ends, 29" Height

Supports Single-Sided 24" Deep Fixed Worksurfaces

Single-Sided Steel Leg Frames - 24" Fixed /Conference Ends, 29" Height

Supports Single-Sided 24" Deep Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|-----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBS</p> <p>Conference End on One Side</p> <ul style="list-style-type: none"> Includes one 24" fixed end leg and one 24" intermediate fixed leg that are non-handed and integrated telescopic beam For use under either a 24" or 30" deep fixed worksurface 24" worksurfaces centered on frame; 30" is cantilevered Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam with 24" worksurfaces 16" knee clearance to beam with 30" worksurfaces Intended for use in an "L" configuration | CZBSS1E243642/F | <input type="checkbox"/> | GCL | 41.0# | \$ 905 |
| | CZBSS1E244872/F | <input type="checkbox"/> | GCL | 45.0# | 916 |
| | CZBSS1E247296/F | <input type="checkbox"/> | GCL | 49.0# | 962 |
| | | | | | |
|  <p>CZBS</p> <p>Conference End on Two Sides</p> <ul style="list-style-type: none"> Includes two 24" intermediate fixed legs and integrated telescopic beam Requires attachment to 24" deep fixed starter frame; may not be used alone For use under either a 24" or 30" deep fixed worksurface 24" worksurfaces centered on frame; 30" is cantilevered Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam with 24" worksurfaces 16" knee clearance to beam with 30" worksurfaces Intended for use in an "L" configuration | CZBSS2E243642/F | <input type="checkbox"/> | GCL | 45.0# | \$ 953 |
| | CZBSS2E244872/F | <input type="checkbox"/> | GCL | 49.0# | 962 |
| | CZBSS2E247296/F | <input type="checkbox"/> | GCL | 53.0# | 1009 |
| | | | | | |
| | A | B | C | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



Single-Sided Steel Leg Frames - 30" Fixed, 29" Height

Supports Single-Sided 30" Deep Fixed Worksurfaces



Single-Sided Steel Leg Frames - 30" Fixed, 29" Height

Supports Single-Sided 30" Deep Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>30" Single-Sided Stand-alone/Starter Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes one 30" deep left leg and one 30" deep right leg Features integrated telescopic beam For use under a 30" deep fixed worksur-face only Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBSS303642/F | <input type="checkbox"/> | GCL | 40.0# | \$ 978 |
| | CZBSS304872/F | <input type="checkbox"/> | GCL | 44.0# | 965 |
| | CZBSS307296/F | <input type="checkbox"/> | GCL | 48.0# | 1028 |
| | | | | | |
|  <p>30" Single-Sided Adder Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes one intermediate 30" fixed leg and integrated telescopic beam Requires attachment to 30" deep fixed starter frame; may not be used alone For use under a 30" deep fixed worksur-face Accommodates worksurface width range of 48-72" or 72-96" 16" knee clearance to beam | CZBSA303642/F | <input type="checkbox"/> | GCL | 26.0# | \$ 657 |
| | CZBSA304872/F | <input type="checkbox"/> | GCL | 30.0# | 648 |
| | CZBSA307296/F | <input type="checkbox"/> | GCL | 34.0# | 708 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  Perpendicular Support Frame • Supports peninsula, return or extended corner worksurfaces • For use with fixed applications only | CZBLS24 | <input type="checkbox"/> | GCL | 17.0# | \$ 393 |
| | CZBLS30 | <input type="checkbox"/> | GCL | 18.0# | 447 |
| CZBL | | | | | |
|  Perpendicular Adder End Frame • Supports peninsula, return or extended corner worksurfaces • For use with fixed applications only • Includes one 24" fixed end leg that is non-handed and integrated telescopic beam | CZBSAE243642/F | <input type="checkbox"/> | GCL | 24.0# | \$ 554 |
| | CZBSAE244872/F | <input type="checkbox"/> | GCL | 28.0# | 565 |
| | CZBSAE247296/F | <input type="checkbox"/> | GCL | 32.0# | 612 |
| CZBS | | | | | |
|  Post Leg Support • Two post legs are required for conference end support • Includes one splice plate • Leg profile is 1-1/2 x 2-3/8" • For use with fixed applications only | CZBLP | <input type="checkbox"/> | GCL | 10.0# | \$ 122 |
| | | | | | |
| CZBL | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 48" Fixed, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frames - 48" Fixed, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes two 48" fixed end legs and integrated telescopic beams For use under back-to-back 24" deep fixed worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS483642/F | <input type="checkbox"/> | GCL | 50.0# | \$ 1391 |
| | CZBDS484872/F | <input type="checkbox"/> | GCL | 54.0# | 1315 |
| | CZBDS487296/F | <input type="checkbox"/> | GCL | 58.0# | 1438 |
| | | | | | |
|  <p>48" Dual-Sided Adder Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes one intermediate fixed leg and integrated telescopic beams Requires attachment to 48" deep fixed dual-sided starter base; may not be used alone For use under back-to-back 24" deep fixed worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDA483642/F | <input type="checkbox"/> | GCL | 30.0# | \$ 944 |
| | CZBDA484872/F | <input type="checkbox"/> | GCL | 34.0# | 904 |
| | CZBDA487296/F | <input type="checkbox"/> | GCL | 38.0# | 1045 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 48" Sliding, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Steel Leg Frames - 48" Sliding, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes two 48" sliding end legs and integrated telescopic beams For use under back-to-back 24" deep sliding worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS483642/S | <input type="checkbox"/> | GCL | 63.0# | \$ 1709 |
| | CZBDS484872/S | <input type="checkbox"/> | GCL | 67.0# | 1417 |
| | CZBDS487296/S | <input type="checkbox"/> | GCL | 71.0# | 1541 |
| | | | | | |
|  <p>48" Dual-Sided Adder Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes one intermediate sliding leg and integrated telescopic beams Requires attachment to 48" deep sliding dual-sided starter base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 24" deep sliding worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDA483642/S | <input type="checkbox"/> | GCL | 36.0# | \$ 1283 |
| | CZBDA484872/S | <input type="checkbox"/> | GCL | 40.0# | 1034 |
| | CZBDA487296/S | <input type="checkbox"/> | GCL | 44.0# | 1177 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 60" Fixed, 29" Height

Supports Two 30" Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frames - 60" Fixed, 29" Height

Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  CZBD 60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame • Includes two 60" fixed end legs and integrated telescopic beams • For use under back-to-back 30" deep fixed worksurfaces • Accommodates worksurface width range of 36-42", 48-72" or 72-96" • 16" knee clearance to beam | CZBDS603642/F | <input type="checkbox"/> | GCL | 56.0# | \$ 1414 |
| | CZBDS604872/F | <input type="checkbox"/> | GCL | 60.0# | 1342 |
| | CZBDS607296/F | <input type="checkbox"/> | GCL | 64.0# | 1468 |
| | | | | | |
|  CZBD 60" Dual-Sided Adder Telescopic Beam Frame • Includes one intermediate fixed leg and integrated telescopic beams • Requires attachment to 60" deep fixed sided starter base; may not be used alone • For use under back-to-back 30" deep fixed worksurfaces • Accommodates worksurface width range of 36-42, 48-72" or 72-96" • 16" knee clearance to beam | CZBDA603642/F | <input type="checkbox"/> | GCL | 30.0# | \$ 944 |
| | CZBDA604872/F | <input type="checkbox"/> | GCL | 34.0# | 918 |
| | CZBDA607296/F | <input type="checkbox"/> | GCL | 38.0# | 1045 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 60" Sliding, 29" Height

Supports Two 30" Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Steel Leg Frames - 60" Sliding, 29" Height

Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|---------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBD</p> <p>60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes two 60" sliding end legs and integrated telescopic beams For use under back-to-back 30" deep slider worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBDS603642/S | <input type="checkbox"/> | GCL | 73.0# | \$ 1729 |
| | CZBDS604872/S | <input type="checkbox"/> | GCL | 77.0# | 1491 |
| | CZBDS607296/S | <input type="checkbox"/> | GCL | 81.0# | 1618 |
| | | | | | |
|  <p>CZBD</p> <p>60" Dual-Sided Adder Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes one intermediate sliding leg and integrated telescopic beams Requires attachment to 60" deep sliding dual-sided starter base; may not be used alone For use under back-to-back 30" deep slider worksurfaces Accommodates worksurface width range of 48-72" or 72-96" 16" knee clearance to beam | CZBDA603642/S | <input type="checkbox"/> | GCL | 46.0# | \$ 1283 |
| | CZBDA604872/S | <input type="checkbox"/> | GCL | 50.0# | 1117 |
| | CZBDA607296/S | <input type="checkbox"/> | GCL | 54.0# | 1240 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frame - 48" Fixed w/Conference Ends, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frame - 48" Fixed w/Conference Ends, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|-----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBD</p> <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface</p> <ul style="list-style-type: none"> Includes one 48" fixed end leg, one conference end leg and integrated telescopic beams For use under back-to-back 24" deep fixed worksurfaces and supports one conference end Includes brackets for conference end attachment on one side Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS1E483642/F | <input type="checkbox"/> | GCL | 57.0# | \$ 1601 |
| | CZBDS1E484872/F | <input type="checkbox"/> | GCL | 61.0# | 1529 |
| | CZBDS1E487296/F | <input type="checkbox"/> | GCL | 65.0# | 1654 |
| | | | | | |
|  <p>CZBD</p> <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces</p> <ul style="list-style-type: none"> Includes two 48" fixed conference end legs and integrated telescopic beams For use under back-to-back 24" deep fixed worksurfaces with two conference ends Includes brackets for conference end attachment one on both sides Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS2E483642/F | <input type="checkbox"/> | GCL | 64.0# | \$ 1810 |
| | CZBDS2E484872/F | <input type="checkbox"/> | GCL | 68.0# | 1559 |
| | CZBDS2E487296/F | <input type="checkbox"/> | GCL | 72.0# | 1681 |
| | | | | | |
| | A | B | C | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frame - 60" Fixed w/Conference Ends, 29" Height

Supports Two 30" Deep Back-To-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frame - 60" Fixed w/Conference Ends, 29" Height

Supports Two 30" Deep Back-To-Back Fixed Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|-----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBD</p> <p>60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface</p> <ul style="list-style-type: none"> Includes one 60" fixed end leg, one conference end leg and integrated telescopic beams For use under back-to-back 30" deep fixed worksurfaces and supports one conference end Includes brackets for conference end attachment on one side Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBDS1E603642/F | <input type="checkbox"/> | GCL | 70.0# | \$ 1625 |
| | CZBDS1E604872/F | <input type="checkbox"/> | GCL | 74.0# | 1742 |
| | CZBDS1E607296/F | <input type="checkbox"/> | GCL | 78.0# | 1870 |
| | | | | | |
|  <p>CZBD</p> <p>60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces</p> <ul style="list-style-type: none"> Includes two 60" fixed conference end legs and integrated telescopic beams For use under back-to-back 30" deep fixed worksurfaces with two conference ends Includes brackets for conference end attachment on both sides Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBDS2E603642/F | <input type="checkbox"/> | GCL | 63.0# | \$ 1829 |
| | CZBDS2E604872/F | <input type="checkbox"/> | GCL | 67.0# | 1773 |
| | CZBDS2E607296/F | <input type="checkbox"/> | GCL | 71.0# | 1897 |
| | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 48" Sliding w/Conference Ends, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

K Dual-Sided Steel Leg Frame - 48" Sliding w/Conference Ends, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|-----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBD</p> <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface</p> <ul style="list-style-type: none"> Includes one 48" sliding end leg, one conference end leg and integrated telescopic beams For use under back-to-back 24" deep sliding worksurfaces and supports one conference end Includes brackets for conference end attachment on one side Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS1E483642/S | <input type="checkbox"/> | GCL | 75.0# | \$ 1953 |
| | CZBDS1E484872/S | <input type="checkbox"/> | GCL | 79.0# | 1633 |
| | CZBDS1E487296/S | <input type="checkbox"/> | GCL | 83.0# | 1760 |
| | | | | | |
|  <p>CZBD</p> <p>48" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces</p> <ul style="list-style-type: none"> Includes two 48" sliding conference end legs and integrated telescopic beams For use under back-to-back 24" deep sliding worksurfaces with two conference ends Includes brackets for conference end attachment on both sides Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam | CZBDS2E483642/S | <input type="checkbox"/> | GCL | 88.0# | \$ 2189 |
| | CZBDS2E484872/S | <input type="checkbox"/> | GCL | 92.0# | 1689 |
| | CZBDS2E487296/S | <input type="checkbox"/> | GCL | 96.0# | 1814 |
| | | | | | |
| | A | B | C | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 60" Sliding w/Conference Ends, 29" Height

Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

K Dual-Sided Steel Leg Frame - 60" Sliding w/Conference Ends, 29" Height

Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|---|-----------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  <p>CZBD</p> <p>60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface</p> <ul style="list-style-type: none"> Includes one 60" sliding end leg, one conference end leg and integrated telescopic beams For use under back-to-back 30" deep sliding worksurfaces and supports one conference end Includes brackets for conference end attachment on one side Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBDS1E603642/S | <input type="checkbox"/> | GCL | 87.0# | \$ 1976 |
| | CZBDS1E604872/S | <input type="checkbox"/> | GCL | 91.0# | 1848 |
| | CZBDS1E607296/S | <input type="checkbox"/> | GCL | 95.0# | 1975 |
| | | | | | |
|  <p>CZBD</p> <p>60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces</p> <ul style="list-style-type: none"> Includes two 60" sliding conference end legs and integrated telescopic beams For use under back-to-back 30" deep sliding worksurfaces with two conference ends Includes brackets for conference end attachment on both sides Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam | CZBDS2E603642/S | <input type="checkbox"/> | GCL | 102.0# | \$ 2217 |
| | CZBDS2E604872/S | <input type="checkbox"/> | GCL | 106.0# | 1904 |
| | CZBDS2E607296/S | <input type="checkbox"/> | GCL | 110.0# | 2028 |
| | | | | | |
| | A | B | C | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|--------------------------|-------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Glide Color | | |
|  Perpendicular Support Frame • Supports peninsula, return or extended corner worksurfaces • For use with fixed applications only | CZBLS48 | <input type="checkbox"/> | GCL | 25.0# | \$ 633 |
| | CZBLS60 | <input type="checkbox"/> | GCL | 28.0# | 648 |
|  Perpendicular Conference End Support Frame • Supports back-to-back peninsula, return or extended corner worksurfaces and a conference end • For use with fixed applications only | CZBLC48 | <input type="checkbox"/> | GCL | 32.0# | \$ 849 |
| | CZBLC60 | <input type="checkbox"/> | GCL | 35.0# | 861 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.




Specifications and prices are subject to change without prior notice.

Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29" Height

24" Deep

KN Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29" Height

24" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|----------|--------------|--------------------------|--------------------------|--------------------------|----------------|------------|------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  <p>Dual-Sided Applications with No or One Cutout</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 24 x 36" | CZBTWR24362 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 72.0# | \$ 733 | \$ 794 | \$ 37 | \$ 235 | | | |
| | 24 x 42" | CZBTWR24422 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 85.0# | 775 | 833 | 37 | 235 | | | |
| | 24 x 48" | CZBTWR24482 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | 956 | 1017 | 37 | 235 | | | |
| | 24 x 54" | CZBTWR24542 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | 1115 | 1194 | 53 | 368 | | | |
|  <p>Dual-Sided Applications with up to Two Cutouts</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately LR cutout locations are centered for two users See cutout locations below | 24 x 60" | CZBTWR24602 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122.0# | \$ 1176 | \$ 1256 | \$ 53 | \$ 368 | | | |
| | 24 x 64" | CZBTWR24642 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 130.0# | 1236 | 1321 | 53 | 368 | | | |
| | 24 x 66" | CZBTWR24662 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 134.0# | 1286 | 1381 | 53 | 368 | | | |
| | 24 x 72" | CZBTWR24722 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 145.0# | 1293 | 1388 | 53 | 368 | | | |
| | 24 x 78" | CZBTWR24782 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 157.0# | 1488 | 1581 | 105 | 709 | | | |
| | 24 x 84" | CZBTWR24842 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 170.0# | 1509 | 1601 | 105 | 709 | | | |
|  <p>Dual-Sided Applications with up to Three Cutouts</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users LR cutout locations are centered for two users See cutout locations below | 24 x 90" | CZBTWR24902 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 181.0# | \$ 1600 | \$ 1709 | \$ 105 | \$ 709 | | | |
| | 24 x 96" | CZBTWR24962 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 192.0# | 1622 | 1726 | 105 | 709 | | | |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - 74P - 74P edge
 - KN - Knife edge
- B** Select edge style.
 - NCS - No cutout
 - CSD - Cutout for Dean
 - CSA - Cutout for Nacre
- C** Select cutout style.
 - N - None
 - C - Cutout : center
 - LR - Cutout : left/right
 - LCR - Cutout : left/center/right
- D** Select cutout location.
 - N - Pick for all models
 - C - Pick for all models
 - LR - Pick only for models 60" and longer
 - LCR - Pick only for models 90" and longer
- E** Select surface finish. Refer to the **Product Color Options** page in this

- F** Select edge color. Refer to the **Product Color Options** page in this price list.
- G** Select powdercoat color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduei, WI 54107, freight prepaid. Freight class 100.




Specifications and prices are subject to change without prior notice.

Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29" Height

30" Deep

KN Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29" Height

30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|----------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  <p>Dual-Sided Applications with No or One Cutout</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C cutout option only See cutout locations below | 30 x 36" | CZBTWR30362 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 90.0# | \$ 764 | \$ 820 | \$ 53 | \$ 368 | |
| | 30 x 42" | CZBTWR30422 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 105.0# | 925 | 995 | 53 | 368 | |
| | 30 x 48" | CZBTWR30482 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 120.0# | 1048 | 1118 | 53 | 368 | |
| | 30 x 54" | CZBTWR30542 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 135.0# | 1188 | 1276 | 53 | 368 | |
|  <p>Dual-Sided Applications with up to Two Cutouts</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately LR cutout locations are centered for two users See cutout locations below | 30 x 60" | CZBTWR30602 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 148.0# | \$ 1248 | \$ 1335 | \$ 53 | \$ 368 | |
| | 30 x 64" | CZBTWR30642 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 159.0# | 1371 | 1487 | 53 | 368 | |
| | 30 x 66" | CZBTWR30662 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 164.0# | 1478 | 1594 | 53 | 368 | |
| | 30 x 72" | CZBTWR30722 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 177.0# | 1488 | 1601 | 53 | 368 | |
| | 30 x 78" | CZBTWR30782 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 193.0# | 1712 | 1835 | 105 | 709 | |
| | 30 x 84" | CZBTWR30842 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 206.0# | 1731 | 1850 | 105 | 709 | |
|  <p>Dual-Sided Applications with up to Three Cutouts</p> <ul style="list-style-type: none"> Includes two identical worksurfaces Support frames specified separately Power modules, grommets, and electrical components specified separately C and LCR cutout locations are centered for three users LR cutout locations are centered for two users See cutout locations below | 30 x 90" | CZBTWR30902 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 221.0# | \$ 1789 | \$ 1914 | \$ 105 | \$ 709 | |
| | 30 x 96" | CZBTWR30962 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 234.0# | 1812 | 1931 | 105 | 709 | |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - 74P - 74P edge
 - KN - Knife edge
- C** Select cutout style.
 - NCS - No cutout
 - CSD - Cutout for Dean
 - CSA - Cutout for Nacre
- D** Select cutout location.
 - N - None
 - C - Cutout : center
 - LR - Cutout : left/right
 - LCR - Cutout : left/center/right

N - Pick for all models
C - Pick for all models
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- E** Select surface finish. Refer to the **Product Color Options** page in this

- F** Select edge color. Refer to the **Product Color Options** page in this price list.
- G** Select powdercoat color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.



Return Worksurfaces for Wood Leg Frames - 29" Height

24", 27" and 30" Deep



Return Worksurfaces for Wood Leg Frames - 29" Height

24", 27" and 30" Deep

| MODEL | D x W | MODEL NUMBER | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|----------|--------------|------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | | | | |
|  <p>Return Worksurface With No or One Cutout, Used on Single Frames Only</p> <ul style="list-style-type: none"> For use with dual return leg frame CZBTL48 only Must specify two worksurfaces per frame Cutout centered for single user per return Return includes splice plate for perpendicular attachment to adjacent work surface KN edge not offered on returns | 24 x 30" | CZBTWRT2430 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | \$ 267 | \$ 19 | \$ 120 |
| | 24 x 36" | CZBTWRT2436 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | 289 | 19 | 120 |
| | 24 x 42" | CZBTWRT2442 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 40.0# | 299 | 19 | 120 |
| | 24 x 48" | CZBTWRT2448 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 45.0# | 309 | 19 | 120 |
| | 24 x 54" | CZBTWRT2454 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.0# | 380 | 27 | 178 |
|  <p>Return Worksurface With No or One Cutout, Used on Single or Dual Frames</p> <ul style="list-style-type: none"> For use with single return leg frame CZBTL30 or dual return leg frame CZBTL48 Specify single return leg frame CZBTL30 with one return work surface, or dual return leg frame CZBTL48 with two back-to-back return work surfaces Optional modesty panel for single return applications is specified separately. See Planning Guide for modesty panel placement. Cutout centered for single user per return Return includes splice plate for perpendicular attachment to adjacent work surface KN edge not offered on returns | 27 x 30" | CZBTWRT2730 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 33.0# | \$ 285 | \$ 27 | \$ 178 |
| | 27 x 36" | CZBTWRT2736 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 39.0# | 294 | 27 | 178 |
| | 27 x 42" | CZBTWRT2742 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 45.0# | 320 | 27 | 178 |
| | 27 x 48" | CZBTWRT2748 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.0# | 378 | 27 | 178 |
| | 27 x 54" | CZBTWRT2754 | 74P | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 57.0# | 380 | 27 | 178 |
| | | A | B | C | D | E | F | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
- D** Select cutout location.
N - None
C - Cutout : center
N - Pick for all models
C - Pick for all models
- E** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 48" Fixed, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Wood Leg Frames - 48" Fixed, 29" Height

Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

| MODEL | Width Range | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------|----------------|---|---|-------------|-------------------------|-------------------|
| | | Basic Model | Wood Finish | Powdercoat Color | Glide Color | | |
|  <p>CZTL</p> <p>48" Dual-Sided Wood Leg Stand-alone Starter Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes two sets of wood legs with two integrated steel telescopic beams For use under back-to-back 24" deep fixed worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 10" knee clearance to beam | 36-42" | CZBTDS483642/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 47.0# | \$ 1711 |
| | 48-72" | CZBTDS484872/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 51.0# | 1615 |
| | 72-96" | CZBTDS487296/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 55.0# | 1770 |
|  <p>CZTL</p> <p>48" Dual-Sided Wood Leg Adder with Steel Telescopic Beam Frame</p> <ul style="list-style-type: none"> Includes single set of wood legs and two integrated steel telescopic beams Requires attachment to 48" deep dual-sided starter wood leg base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 24" deep fixed worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 10" knee clearance to beam | 36-42" | CZBTDA483642/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 28.0# | \$ 1159 |
| | 48-72" | CZBTDA484872/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 32.0# | 1111 |
| | 72-96" | CZBTDA487296/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 36.0# | 1286 |

A

B

C

D

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish. Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 48" Sliding, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Wood Leg Frames - 48" Sliding, 29" Height

Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

| MODEL | Width Range | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------|----------------|---|---|-------------|-------------------------|-------------------|
| | | Basic Model | Wood Finish | Powdercoat Color | Glide Color | | |
|  <p>CZTL</p> | 36-42" | CZBTDS483642/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 60.0# | \$ 2100 |
| | 48-72" | CZBTDS484872/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 64.0# | 1742 |
| | 72-96" | CZBTDS487296/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 68.0# | 1897 |
| <ul style="list-style-type: none"> Includes two sets of wood legs with two integrated steel telescopic beams For use under back-to-back 24" deep sliding worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 10" knee clearance to beam | | | | | | | |
|  <p>CZTL</p> | 36-42" | CZBTDA483642/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 34.0# | \$ 1576 |
| | 48-72" | CZBTDA484872/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 38.0# | 1273 |
| | 72-96" | CZBTDA487296/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 42.0# | 1447 |
| <ul style="list-style-type: none"> Includes single set of wood legs and two integrated steel telescopic beams Requires attachment to 48" deep dual-sided starter wood leg base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 24" deep sliding worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 10" knee clearance to beam | | | | | | | |
| | | A | B | C | D | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish. Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 60" Fixed, 29" Height

Supports Two 30" Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Wood Leg Frames - 60" Fixed, 29" Height

Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

| MODEL | Width Range | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------|----------------|---|---|-------------|-------------------------|-------------------|
| | | Basic Model | Wood Finish | Powdercoat Color | Glide Color | | |
|  CZTL | 36-42" | CZBTDS603642/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 47.0# | \$ 1739 |
| | 48-72" | CZBTDS604872/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 51.0# | 1650 |
| | 72-96" | CZBTDS607296/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 55.0# | 1803 |
| <ul style="list-style-type: none"> Includes two sets of wood legs with two integrated steel telescopic beams For use under back-to-back 30" deep fixed worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 16" knee clearance to beam | | | | | | | |
|  CZTL | 36-42" | CZBTDA603642/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 28.0# | \$ 1158 |
| | 48-72" | CZBTDA604872/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 32.0# | 1133 |
| | 72-96" | CZBTDA607296/F | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 36.0# | 1286 |
| <ul style="list-style-type: none"> Includes single set of wood legs and two integrated steel telescopic beams Requires attachment to 60" deep dual-sided wood leg starter base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 30" deep fixed worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 16" knee clearance to beam | | | | | | | |
| | | A | B | C | D | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish. Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 60" Sliding, 29" Height

Supports Two 30" Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Wood Leg Frames - 60" Sliding, 29" Height

Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

| MODEL | Width Range | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------|----------------|---|---|-------------|-------------------------|-------------------|
| | | Basic Model | Wood Finish | Powdercoat Color | Glide Color | | |
|  CZTL | 36-42" | CZBTDS603642/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 60.0# | \$ 2124 |
| | 48-72" | CZBTDS604872/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 64.0# | 1836 |
| | 72-96" | CZBTDS607296/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 68.0# | 1990 |
| <ul style="list-style-type: none"> Includes two sets of wood legs with two integrated steel telescopic beams For use under back-to-back 30" deep sliding worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 16" knee clearance to beam | | | | | | | |
|  CZTL | 36-42" | CZBTDA603642/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 34.0# | \$ 1575 |
| | 48-72" | CZBTDA604872/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 38.0# | 1372 |
| | 72-96" | CZBTDA607296/S | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 42.0# | 1526 |
| <ul style="list-style-type: none"> Includes single set of wood legs and two integrated steel telescopic beams Requires attachment to 60" deep dual-sided wood leg starter base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 30" deep sliding worksurfaces Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" Glide adjustment range of 7/8" 16" knee clearance to beam | | | | | | | |
| | | A | B | C | D | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish. Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 100.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|---|---|-------------|-------------------------|-------------------|
| | Basic Model | Wood Finish | Powdercoat Color | Glide Color | | |
|  Single-Sided Wood Leg Return Support Frame • Includes one set of wood legs with frame • Supports return worksurface • For use under one 27" or 30" deep return worksurface only • Glide adjustment range of 7/8" | CZBTLS30 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 16.0# | \$ 565 |
|  Dual-Sided Wood Leg Return Support Frame • Supports return worksurface • Includes one set of wood legs with frame • For use under two 24", 27" or 30" return worksurfaces only • Glide adjustment range of 7/8" | CZBTLS48 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | GCL | 23.0# | \$ 703 |
| | A | B | C | D | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish. Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Rectilinear Desk with Modesty Panel - 29" Height


30" and 36" Deep



Wood Leg Rectilinear Desk with Modesty Panel - 29" Height

30" and 36" Deep

| D x W | MODEL NUMBER | | | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | Basic Model | Edge Style | Wood Leg Finish | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | Glide Color | | | | | |
| 29-1/2 x 65-1/2" | CZBTDR3066 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | \$ 1906 | \$ 1986 | \$ 27 | \$ 178 |
| 29-1/2 x 71-1/2" | CZBTDR3072 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 1906 | 1986 | 27 | 178 |
| 35-1/2 x 65-1/2" | CZBTDR3666 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 1976 | 2057 | 53 | 368 |
| 35-1/2 x 71-1/2" | CZBTDR3672 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 1976 | 2057 | 53 | 368 |



Cutout options

CZTK

Complete Wood Leg Rectilinear Desk; Up to Two Cutouts

- Includes desk top and wood/steel leg frame with single beam
- KN edge, when specified, wraps around the entirety of the work surface
- Perforated steel modesty panel is nested between wood legs
- All cutout centers are located 5.5" beyond desk mid-point from user. Left and right cutout centers are located 9.5" from table center.
- Cutout location allows cords to fall on user-side of modesty panel

A **B** **C** **D** **E** **F** **G** **H** **I**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select wood leg finish.
 Refer to the **Product Color Options** page in this price list.
- D** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- E** Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
- F** Select surface finish.

- Refer to the **Product Color Options** page in this price list.
- G** Select edge color.
 Refer to the **Product Color Options** page in this price list.
- H** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- I** Select glide color.
 GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Elliptical Desk with Modesty Panel - 29" Height


36 and 42" Deep



Wood Leg Elliptical Desk with Modesty Panel - 29" Height

36 and 42" Deep

| D x W | MODEL NUMBER | | | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | Basic Model | Edge Style | Wood Leg Finish | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | Glide Color | | | | | |
| 35-1/2 x 65-1/2" | CZBTDE3666 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 133.0# | \$ 2007 | \$ 2105 | \$ 53 | \$ 368 |
| 35-1/2 x 71-1/2" | CZBTDE3672 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 139.0# | 2007 | 2105 | 53 | 368 |
| 41-1/2 x 65-1/2" | CZBTDE4266 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 147.0# | 2052 | 2152 | 53 | 368 |
| 41-1/2 x 71-1/2" | CZBTDE4272 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 156.0# | 2052 | 2152 | 53 | 368 |



Cutout options

CZTK

Complete Wood Leg Elliptical Desk, Up to Two Cutouts

- Includes desk top and wood/steel leg frame with single beam
- KN edge, when specified, wraps around the entirety of the work surface
- Perforated steel modesty panel is nested between wood legs
- All cutout centers are located 5.5" beyond desk mid-point from user. Left and right cutout centers are located 9.5" from table center.
- Cutout location allows cords to fall on user-side of modesty panel

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select wood leg finish.
- D** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- E** Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
- F** Select surface finish.

- G** Select edge color. Refer to the **Product Color Options** page in this price list.
- H** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- I** Select glide color.
 GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.



Specifications and prices are subject to change without prior notice.

Wood Leg Rectilinear Conference Tables - 29" Height


36" and 42" Deep

Wood Leg Rectilinear Conference Tables - 29" Height

36" and 42" Deep



| D x W | MODEL NUMBER | | | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|-------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | Basic Model | Edge Style | Wood Leg Finish | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | Glide Color | | | | | |
| 35-1/2 x 95-1/2" | CZBTCR3696 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 171.0# | \$ 2275 | \$ 2373 | \$ 74 | \$ 473 |
| 35-1/2 x 107-1/2" | CZBTCR36108 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 187.0# | 2499 | 2595 | 105 | 709 |
| 35-1/2 x 119-1/2" | CZBTCR36120 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 203.0# | 2503 | 2599 | 105 | 709 |
| 41-1/2 x 95-1/2" | CZBTCR4296 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 192.0# | 2376 | 2479 | 74 | 473 |
| 41-1/2 x 107-1/2" | CZBTCR42108 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 210.0# | 2525 | 2632 | 105 | 709 |
| 41-1/2 x 119-1/2" | CZBTCR42120 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 229.0# | 2530 | 2635 | 105 | 709 |



CZTC

Complete Wood Leg Rectilinear Conference Table, Up to Three Cutouts

- Includes conference top, two wood leg sets, steel support frame with one integrated telescopic beam.
- KN edge, when specified, wraps around the entirety of the work surface
- Worksurface extends 12" beyond frame on each end
- LR cutout centers are located 23-3/4" from center for 96" tables, and 25-3/4" from center for 108" and 120" tables

A **B** **C** **D** **E** **F** **G** **H** **I**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select wood leg finish.
- D** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- E** Select cutout location.
 N - None
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
- F** Select surface finish.
 Refer to the **Product Color Options** page in this

- price list.
- G** Select edge color.
 Refer to the **Product Color Options** page in this price list.
- H** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- I** Select glide color.
 GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Rectilinear Conference Tables - 29" Height


48" and 60" Deep



Wood Leg Rectilinear Conference Tables - 29" Height

48" and 60" Deep

| D x W | MODEL NUMBER | | | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|-------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | Basic Model | Edge Style | Wood Leg Finish | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | Glide Color | | | | | |
| 47-1/2 x 95-1/2" | CZBTGR4896 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 242.0# | \$ 2860 | \$ 2965 | \$ 74 | \$ 473 |
| 47-1/2 x 107-1/2" | CZBTGR48108 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 263.0# | 3014 | 3117 | 105 | 709 |
| 47-1/2 x 119-1/2" | CZBTGR48120 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 284.0# | 3015 | 3121 | 105 | 709 |
| 59-1/2 x 95-1/2" | CZBTGR6096 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 284.0# | 2987 | 3091 | 105 | 709 |
| 59-1/2 x 107-1/2" | CZBTGR60108 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 310.0# | 3124 | 3230 | 105 | 709 |
| 59-1/2 x 119-1/2" | CZBTGR60120 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | GCL | 337.0# | 3126 | 3232 | 105 | 709 |



CZTC

Complete Wood Leg Rectilinear Conference Table, Up to Three Cutouts

- Includes conference top, 48" dual-sided wood leg stand-alone, steel support frame with two integrated telescopic beams.
- KN edge, when specified, wraps around the entirety of the table top surface
- Worksurface extends 12" beyond frame on each end
- LR cutout centers are located 23-3/4" from center for 96" tables, and 25-3/4" from center for 108" and 120" tables

A **B** **C** **D** **E** **F** **G** **H** **I**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select wood leg finish.
 Refer to the **Product Color Options** page in this price list.
- D** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- E** Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
 N - Pick for all models
- F** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- G** Select edge color.
 Refer to the **Product Color Options** page in this price list.
- H** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- I** Select glide color.
 GCL - Clear

C - Pick for all models
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2 - 29" Height

Wireway Assemblies for Single-Sided Applications



Electrical 10-Wire System 6-2-2 - 29" Height

Wireway Assemblies for Single-Sided Applications

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|-----|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  <p>Single Rigid Wireway - Single-Sided Applications-6 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration Assembly includes single rigid wireway and access cover Single-sided application provides access to two receptacles on user side of beam Receptacles, infeeds and jumpers are specified separately | 30" | CZBE1S30 | <input type="checkbox"/> | 5.0# | \$ 217 |
| | 36" | CZBE1S36 | <input type="checkbox"/> | 6.0# | 232 |
| | 42" | CZBE1S42 | <input type="checkbox"/> | 7.0# | 238 |
| | 48" | CZBE1S48 | <input type="checkbox"/> | 8.0# | 244 |
| | 54" | CZBE1S54 | <input type="checkbox"/> | 9.0# | 255 |
| | 60" | CZBE1S60 | <input type="checkbox"/> | 10.0# | 278 |
| | 72" | CZBE1S72 | <input type="checkbox"/> | 11.0# | 343 |
|  <p>Double Rigid Wireway Electrical Assembly - Single-Sided Applications-6 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration Assembly includes double rigid wireway with jumper, and access cover Single-sided application provides access to four receptacles on user side of beam Receptacles, infeeds and table-to-table jumpers are specified separately | 60" | CZBE1D60 | <input type="checkbox"/> | 11.0# | \$ 500 |
| | 64" | CZBE1D64 | <input type="checkbox"/> | 11.0# | 532 |
| | 66" | CZBE1D66 | <input type="checkbox"/> | 11.0# | 541 |
| | 72" | CZBE1D72 | <input type="checkbox"/> | 12.0# | 551 |
| | 78" | CZBE1D78 | <input type="checkbox"/> | 13.0# | 560 |
| | 84" | CZBE1D84 | <input type="checkbox"/> | 13.0# | 567 |
| | 90" | CZBE1D90 | <input type="checkbox"/> | 15.0# | 577 |
| | 96" | CZBE1D96 | <input type="checkbox"/> | 16.0# | 584 |
| | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2 - 42" Height

Wireway Assemblies for Single-Sided & Teaming Applications



Electrical 10-Wire System 6-2-2 - 42" Height

Wireway Assemblies for Single-Sided & Teaming Applications

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|-----------|--------------------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  CZE1 Single Rigid Wireway Electrical Assembly - Single-Sided & Teaming Applications-6 Circuit • 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes single rigid wireway and access cover • Single-sided application provides access to two receptacles on user side of beam • Receptacles, infeeds and jumpers are specified separately | 48" | CZBCE1S48 | <input type="checkbox"/> | 8.0# | \$ 220 |
| | 54" | CZBCE1S54 | <input type="checkbox"/> | 8.0# | 213 |
| | 60" | CZBCE1S60 | <input type="checkbox"/> | 8.0# | 286 |
| | 72" | CZBCE1S72 | <input type="checkbox"/> | 8.0# | 373 |
|  CZE1 Double Rigid Wireway Electrical Assembly - Single-Sided & Teaming Applications-6 Circuit • 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes double rigid wireway with jumper, and access cover • Single-sided application provides access to four receptacles on user side of beam • Receptacles, infeeds and table-to-table jumpers are specified separately | 60" | CZBCE1D60 | <input type="checkbox"/> | 11.0# | \$ 461 |
| | 64" | CZBCE1D64 | <input type="checkbox"/> | 11.0# | 447 |
| | 66" | CZBCE1D66 | <input type="checkbox"/> | 11.0# | 447 |
| | 72" | CZBCE1D72 | <input type="checkbox"/> | 11.0# | 516 |
| | 78" | CZBCE1D78 | <input type="checkbox"/> | 11.0# | 467 |
| | 84" | CZBCE1D84 | <input type="checkbox"/> | 11.0# | 474 |
| | 90" | CZBCE1D90 | <input type="checkbox"/> | 11.0# | 486 |
| 96" | CZBCE1D96 | <input type="checkbox"/> | 11.0# | 498 | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2 - 29" Height

Wireway Assemblies for Dual-Sided Applications



Electrical 10-Wire System 6-2-2 - 29" Height

Wireway Assemblies for Dual-Sided Applications

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing | |
|---|-----|--------------|--------------------------|-------------------------|-------------------|--|
| | | Basic Model | Paint Color | | | |
|  <p>Single Rigid Wireway Electrical Assembly - Dual-Sided Applications-6 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration Assembly includes single rigid wireway Dual-sided application provides access to two receptacles per side Receptacles, infeeds and jumpers are specified separately | 36" | CZBE2S36 | <input type="checkbox"/> | 8.0 kg | \$ 227 | |
| | 42" | CZBE2S42 | <input type="checkbox"/> | 8.0 kg | 232 | |
| | 48" | CZBE2S48 | <input type="checkbox"/> | 8.0 kg | 249 | |
| | 54" | CZBE2S54 | <input type="checkbox"/> | 9.0 kg | 255 | |
| | 60" | CZBE2S60 | <input type="checkbox"/> | 10.0 kg | 279 | |
| | 72" | CZBE2S72 | <input type="checkbox"/> | 11.0 kg | 340 | |
|  <p>Double Rigid Wireway Electrical Assembly - Dual-Sided Applications-6 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration Assembly includes double rigid wireway with jumper Dual-sided application provides access to four receptacles per side Receptacles, infeeds and table-to-table jumpers are specified separately | 60" | CZBE2D60 | <input type="checkbox"/> | 11.0 kg | \$ 499 | |
| | 64" | CZBE2D64 | <input type="checkbox"/> | 11.0 kg | 501 | |
| | 66" | CZBE2D66 | <input type="checkbox"/> | 12.0 kg | 508 | |
| | 72" | CZBE2D72 | <input type="checkbox"/> | 12.0 kg | 513 | |
| | 78" | CZBE2D78 | <input type="checkbox"/> | 14.0 kg | 523 | |
| | 84" | CZBE2D84 | <input type="checkbox"/> | 14.0 kg | 528 | |
| | 90" | CZBE2D90 | <input type="checkbox"/> | 16.0 kg | 536 | |
| | 96" | CZBE2D96 | <input type="checkbox"/> | 16.0 kg | 544 | |
| | | | | | | |
| | | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power channel powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2 - 29" Height

Base Infeed and Base Wire Enclosure



Electrical 10-Wire System 6-2-2 - 29" Height

Base Infeed and Base Wire Enclosure

| MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|--|--------------|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Color | | |
|  CZFF | 10-Wire Base Infeed - Standard Height-6-2-2 <ul style="list-style-type: none"> Provides power from fixed floor or wall sources to table power distribution system Must be hard-wired to the building power source by a licensed electrician 96" length liquid tight conduit Includes (2) mounting clips | 96" | CZBFF | <input type="checkbox"/> | 5.00# | \$ 257 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
|  CZBW | Base Wire Enclosure - 29"H Steel Leg Applications <ul style="list-style-type: none"> Conceals infeed along leg and upper frame 3-piece construction Infeed conduit is specified separately | for 24" base | CZBIC24 | <input type="checkbox"/> | 4.50# | \$ 172 |
| | | for 30" base | CZBIC30 | <input type="checkbox"/> | 5.00# | 176 |
| | | for 48" base | CZBIC48 | <input type="checkbox"/> | 6.50# | 184 |
| | | for 60" base | CZBIC60 | <input type="checkbox"/> | 7.00# | 207 |
| | | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2

Top Infeeds - 29" Steel Leg Assembly



Electrical 10-Wire System 6-2-2

Top Infeeds - 29" Steel Leg Assembly

| MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|----------|------|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Color | | |
|  CZTF 10-Wire Top Infeed for Single-Sided Applications-6 Circuit • Provides power from ceiling source to Single-sided table power distribution system • Must be hard-wired to building power source by a licensed electrician • 144" length flexible oval conduit • Includes 10 foot long aluminum pole with single mounting bracket • Provides separate channels for electrical and data entry | Left | 120" | CZBTF1L | <input type="checkbox"/> | 15.00# | \$ 658 |
| | Right | 120" | CZBTF1R | <input type="checkbox"/> | 15.00# | 658 |
|  CZTF 10-Wire Top Infeed for Dual-Sided Applications-6 Circuit • Provides power from ceiling source to Dual-sided table power distribution system • Must be hard-wired to building power source by a licensed electrician • 144" length flexible oval conduit • Includes 10 foot long aluminum pole with dual mounting bracket • Provides separate channels for electrical and data entry | | 120" | CZBTF2 | <input type="checkbox"/> | 15.00# | \$ 658 |
| | | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|-----------|---------|--------------|--|-------------------------|-------------------|
| | | | Basic Model | | | |
|  CZJP Table-to-Table Jumper • Flexible metal conduit jumper • TJ, required for standard top to top • 24 spans 24" peninsula top • 30 spans 30" peninsula top • 48 spans (2) - 24" peninsula tops • 60 spans (2) - 30" peninsula tops • 60 spans 60" leg of extended corner top • 72 spans 72" leg of extended corner top • 60 & 72 include Velcro cord manager | | 18-1/2" | CZBJP.TJ | | 3.00# | \$ 121 |
| | | 42-1/2" | CZBJP.24 | | 3.50# | 168 |
| | | 48-1/2" | CZBJP.30 | | 4.00# | 184 |
| | | 66-1/2" | CZBJP.48 | | 5.50# | 205 |
| | | 78-1/2" | CZBJP.60 | | 6.50# | 214 |
| | | 84-1/2" | CZBJP.72 | | 7.50# | 258 |
| | | | | | | |
| | | | | | | |
|  AC405 15-Amp Duplex Receptacle-6 Circuit • Snaps to rigid wireway • Receptacle color is black for circuits 1, 2 and 3 • Receptacle color is orange with white lettering for circuits 4I, 5I and 6I | Circuit 1 | | 46.2880.1.BL | | 1.00# | \$ 31 |
| | Circuit 2 | | 46.2880.2.BL | | 1.00# | 31 |
| | Circuit 3 | | 46.2880.3.BL | | 1.00# | 31 |
| | Circuit 4 | | 46.2880.4I | | 1.00# | 31 |
| | Circuit 5 | | 46.2880.5I | | 1.00# | 31 |
| | Circuit 6 | | 46.2880.6I | | 1.00# | 31 |
| | | | | | | |

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Workrail Electrical 6-2-2

For Attachment Below Center Work Rail Only



Workrail Electrical 6-2-2

For Attachment Below Center Work Rail Only

| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------|-------------------------|-------------------|
| | Basic Model | | | |
|  CZER Single Rigid Wireway; Electrical Assembly - Dual-Sided Applications <ul style="list-style-type: none"> Specify length by worksurface length For use on dual-sided applications with frameless or supporting privacy screens 10-wire power provides continuous non-directional power in a 6-2-2 configuration Assembly includes single rigid wireway Dual-sided application provides access to two receptacles per side Receptacles, infeeds and jumpers are specified separately For attachment below center work rail only | CZBRE2S36 | 6.00# | \$ 161 | |
| | CZBRE2S42 | 7.00# | 167 | |
| | CZBRE2S48 | 8.00# | 170 | |
| | CZBRE2S54 | 9.00# | 176 | |
| | CZBRE2S60 | 10.00# | 195 | |
| | CZBRE2S72 | 11.00# | 244 | |
| | | | | |
|  CZER Double Rigid Wireway; Electrical Assembly - Dual-Sided Applications <ul style="list-style-type: none"> Specify length by worksurface length For use on dual-sided applications with frameless or supporting privacy screens 10-wire power provides continuous non-directional power in a 6-2-2 configuration Assembly includes double rigid wireway with jumper Dual-sided application provides access to four receptacles per side Receptacles, infeeds and table-to-table jumpers are specified separately For attachment below center work rail only | CZBRE2D60 | 11.00# | \$ 405 | |
| | CZBRE2D64 | 11.00# | 408 | |
| | CZBRE2D66 | 11.00# | 408 | |
| | CZBRE2D72 | 12.00# | 413 | |
| | CZBRE2D78 | 13.00# | 417 | |
| | CZBRE2D84 | 13.00# | 423 | |
| | CZBRE2D90 | 15.00# | 426 | |
| | CZBRE2D96 | 16.00# | 434 | |
| | | | | |

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 4-4-2 - 29" Height

Wireway Assemblies for Single-Sided Applications



Electrical 10-Wire System 4-4-2 - 29" Height

Wireway Assemblies for Single-Sided Applications

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing | |
|---|----|--------------|--------------------------|-------------------------|-------------------|--|
| | | Basic Model | Paint Color | | | |
|  <p>Single Rigid Wireway - Single-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration Assembly includes single rigid wireway and access cover Single-sided application provides access to two receptacles on user side of beam Receptacles, infeeds and jumpers are specified separately | 30 | CZBZ1S30 | <input type="checkbox"/> | 5.0# | \$ 217 | |
| | 36 | CZBZ1S36 | <input type="checkbox"/> | 6.0# | 232 | |
| | 42 | CZBZ1S42 | <input type="checkbox"/> | 7.0# | 238 | |
| | 48 | CZBZ1S48 | <input type="checkbox"/> | 8.0# | 244 | |
| | 54 | CZBZ1S54 | <input type="checkbox"/> | 9.0# | 255 | |
| | 60 | CZBZ1S60 | <input type="checkbox"/> | 10.0# | 278 | |
| | 72 | CZBZ1S72 | <input type="checkbox"/> | 11.0# | 343 | |
|  <p>Double Rigid Wireway Electrical Assembly - Single-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration Assembly includes double rigid wireway with jumper, and access cover Single-sided application provides access to four receptacles on user side of beam Receptacles, infeeds and table-to-table jumpers are specified separately | 60 | CZBZ1D60 | <input type="checkbox"/> | 11.0# | \$ 500 | |
| | 64 | CZBZ1D64 | <input type="checkbox"/> | 11.0# | 532 | |
| | 66 | CZBZ1D66 | <input type="checkbox"/> | 11.0# | 541 | |
| | 72 | CZBZ1D72 | <input type="checkbox"/> | 12.0# | 551 | |
| | 78 | CZBZ1D78 | <input type="checkbox"/> | 13.0# | 560 | |
| | 84 | CZBZ1D84 | <input type="checkbox"/> | 13.0# | 567 | |
| | 90 | CZBZ1D90 | <input type="checkbox"/> | 15.0# | 577 | |
| | 96 | CZBZ1D96 | <input type="checkbox"/> | 16.0# | 584 | |
| | | | | | | |
| | | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 4-4-2 - 29" Height

Wireway Assemblies for Dual-Sided Applications



Electrical 10-Wire System 4-4-2 - 29" Height

Wireway Assemblies for Dual-Sided Applications

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing | |
|---|----|--------------|--------------------------|-------------------------|-------------------|--|
| | | Basic Model | Paint Color | | | |
|  <p>Single Rigid Wireway Electrical Assembly - Dual-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration Assembly includes single rigid wireway Dual-sided application provides access to two receptacles per side Receptacles, infeeds and jumpers are specified separately | 48 | CZBZ2S48 | <input type="checkbox"/> | 8.0# | \$ 249 | |
| | 54 | CZBZ2S54 | <input type="checkbox"/> | 9.0# | 255 | |
| | 60 | CZBZ2S60 | <input type="checkbox"/> | 10.0# | 279 | |
| | 72 | CZBZ2S72 | <input type="checkbox"/> | 11.0# | 340 | |
| | | | | | | |
|  <p>Double Rigid Wireway Electrical Assembly - Dual-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration Assembly includes double rigid wireway with jumper Dual-sided application provides access to four receptacles per side Receptacles, infeeds and table-to-table jumpers are specified separately | 60 | CZBZ2D60 | <input type="checkbox"/> | 11.0# | \$ 499 | |
| | 64 | CZBZ2D64 | <input type="checkbox"/> | 11.0# | 501 | |
| | 66 | CZBZ2D66 | <input type="checkbox"/> | 12.0# | 508 | |
| | 72 | CZBZ2D72 | <input type="checkbox"/> | 12.0# | 513 | |
| | 78 | CZBZ2D78 | <input type="checkbox"/> | 14.0# | 523 | |
| | 84 | CZBZ2D84 | <input type="checkbox"/> | 14.0# | 528 | |
| | 90 | CZBZ2D90 | <input type="checkbox"/> | 16.0# | 536 | |
| | 96 | CZBZ2D96 | <input type="checkbox"/> | 16.0# | 544 | |
| | | | | | | |
| | | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power channel powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 4-4-2 - 29" Height

Base Infeed



Electrical 10-Wire System 4-4-2 - 29" Height

Base Infeed

| MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing | |
|---|--------------|-----|--------------|--------------------------|-------------------------|-------------------|--|
| | | | Basic Model | Color | | | |
|  CZFF4 10-Wire Base Infeed - Standard Height-4-4-2 • Provides power from fixed floor or wall sources to table power distribution system • Must be hard-wired to the building power source by a licensed electrician • 96" length liquid tight conduit • Includes (2) mounting clips | | 96" | CZBFF.442 | <input type="checkbox"/> | 5.00# | \$ 257 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
|  CZBW Base Wire Enclosure - 29"H Steel Leg Applications • Conceals infeed along leg and upper frame • 3-piece construction • Infeed conduit is specified separately | for 24" base | | CZBIC24 | <input type="checkbox"/> | 4.50# | \$ 172 | |
| | for 30" base | | CZBIC30 | <input type="checkbox"/> | 5.00# | 176 | |
| | for 48" base | | CZBIC48 | <input type="checkbox"/> | 6.50# | 184 | |
| | for 60" base | | CZBIC60 | <input type="checkbox"/> | 7.00# | 207 | |
| | | | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Color | | |
|  <p>10-Wire Top Infeed for Single-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> Provides power from ceiling source to Single-sided table power distribution system Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit Includes 10 foot long aluminum pole with single mounting bracket Provides separate channels for electrical and data entry | CZBTF1L.442 | <input type="checkbox"/> | 15.00# | \$ 658 |
| | CZBTF1R.442 | <input type="checkbox"/> | 15.00# | 658 |
|  <p>10-Wire Top Infeed for Dual-Sided Applications-4 Circuit</p> <ul style="list-style-type: none"> Provides power from ceiling source to Dual-sided table power distribution system Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit Includes 10 foot long aluminum pole with dual mounting bracket Provides separate channels for electrical and data entry | CZBTF2.442 | <input type="checkbox"/> | 15.00# | \$ 658 |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|--|--------------|--------------|-------------------------|-------------------|
| | | Basic Model | | | |
|  CZJP4 | Table-to-Table Jumper • Flexible metal conduit jumper • TJ, required for standard top to top • 24 spans 24" peninsula top • 30 spans 30" peninsula top • 48 spans (2) - 24" peninsula tops • 60 spans (2) - 30" peninsula tops • 60 spans 60" leg of extended corner top • 72 spans 72" leg of extended corner top • 60 & 72 include Velcro cord manager | | CZBJP.TJ.442 | 3.00# | \$ 121 |
| | | | CZBJP.24.442 | 3.50# | 168 |
| | | | CZBJP.30.442 | 4.00# | 184 |
| | | | CZBJP.48.442 | 5.50# | 205 |
| | | | CZBJP.60.442 | 6.50# | 241 |
| | | | CZBJP.72.442 | 7.50# | 258 |
| | | | | | |
|  AC406 | 15-Amp Duplex Receptacle-4 Circuit • Snaps to rigid wireway • Receptacle color is black for circuits 1, 2 and 3 • Receptacle color is orange with white lettering for circuits 4I, 5I and 6I | Circuit 1 | 46.2881.1.BL | 1.00# | \$ 31 |
| | | Circuit 2 | 46.2881.2.BL | 1.00# | 31 |
| | | Circuit 3 | 46.2881.3.BL | 1.00# | 31 |
| | | Circuit 4 | 46.2881.4I | 1.00# | 31 |

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|-----|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  <p>Single Hardwire Assembly with Two Cutouts - Single-Sided Applications</p> <ul style="list-style-type: none"> • Assembly includes access cover • Single-sided application provides access to two receptacles on user side of beam • Galvanized enclosure to house receptacles and wiring provided by electrician • Flexible conduit and connectors bridging table to table must also be provided by electrician • Appropriate for Chicago or New York City installations; See planning guide for details | 30" | CZBE1S30HW | <input type="checkbox"/> | 2.8# | \$ 313 |
| | 36" | CZBE1S36HW | <input type="checkbox"/> | 3.5# | 324 |
| | 42" | CZBE1S42HW | <input type="checkbox"/> | 4.1# | 343 |
| | 48" | CZBE1S48HW | <input type="checkbox"/> | 4.7# | 358 |
| | 54" | CZBE1S54HW | <input type="checkbox"/> | 5.4# | 369 |
| | 60" | CZBE1S60HW | <input type="checkbox"/> | 6.0# | 386 |
| | 66" | CZBE1S66HW | <input type="checkbox"/> | 6.4# | 407 |
| | 72" | CZBE1S72HW | <input type="checkbox"/> | 7.0# | 490 |
| | 78" | CZBE1S78HW | <input type="checkbox"/> | 7.6# | 565 |
|  <p>Double Hardwire Assembly with Four Cutouts - Single-Sided Applications</p> <ul style="list-style-type: none"> • Assembly includes access cover • Single-sided application provides access to four receptacles on user side of beam • Galvanized enclosure to house receptacles and wiring provided by electrician • Flexible conduit and connectors bridging table to table must also be provided by electrician • Appropriate for Chicago or New York City installations; See planning guide for details | 60" | CZBE1D60HW | <input type="checkbox"/> | 6.1# | \$ 396 |
| | 72" | CZBE1D72HW | <input type="checkbox"/> | 7.1# | 418 |
| | 84" | CZBE1D84HW | <input type="checkbox"/> | 8.1# | 664 |
| | 90" | CZBE1D90HW | <input type="checkbox"/> | 8.7# | 684 |
| | 96" | CZBE1D96HW | <input type="checkbox"/> | 9.3# | 701 |
| | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical - Hardwired Applications

Dual-Sided Hardwire Enclosure Assemblies



Electrical - Hardwired Applications

Dual-Sided Hardwire Enclosure Assemblies

| MODEL | W | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|-----|--------------|--|-------------------------|-------------------|
| | | Basic Model | | | |
|  CZE2H <ul style="list-style-type: none"> • Assembly includes access cover • Dual-sided application provides access to two receptacles per side • Galvanized enclosure to house receptacles and wiring provided by electrician • Flexible conduit and connectors bridging table to table must also be provided by electrician • Appropriate for Chicago or New York City installations | 36" | CZBE2S36HW | | 3.10# | \$ 274 |
| | 42" | CZBE2S42HW | | 3.50# | 275 |
| | 48" | CZBE2S48HW | | 3.80# | 287 |
| | 54" | CZBE2S54HW | | 4.20# | 293 |
| | 60" | CZBE2S60HW | | 4.60# | 299 |
| | 66" | CZBE2S66HW | | 5.00# | 313 |
| | 72" | CZBE2S72HW | | 5.40# | 320 |
| | 78" | CZBE2S78HW | | 5.80# | 337 |
|  CZE2H <ul style="list-style-type: none"> • Assembly includes access cover • Dual-sided application provides access to four receptacles per side • Galvanized enclosure to house receptacles and wiring provided by electrician • Flexible conduit and connectors bridging table to table must also be provided by electrician • Appropriate for Chicago or New York City installations | 60" | CZBE2D60HW | | 4.80# | \$ 302 |
| | 72" | CZBE2D72HW | | 5.60# | 323 |
| | 84" | CZBE2D84HW | | 6.30# | 349 |
| | 90" | CZBE2D90HW | | 6.70# | 363 |
| | 96" | CZBE2D96HW | | 7.10# | 375 |

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2

Top Infeed & Top Wire Enclosure - 29" Wood Leg Assembly



Electrical 10-Wire System 6-2-2

Top Infeed & Top Wire Enclosure - 29" Wood Leg Assembly

| MODEL | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|------|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Color | | |
|  CZTF Top Infeed 10-wire Pole for Wood Leg Dual-Sided Applications-6 Circuit • For use only in dual-sided wood leg base applications • Provides power from ceiling source to dual-sided table power distribution system • Must be hard-wired to building power source by a licensed electrician • 144" length flexible oval conduit • Includes 10 foot long aluminum pole with dual mounting bracket • Provides separate channels for electrical and data entry | 120" | CZBTWLF2 | <input type="checkbox"/> | 15.00# | \$ 613 |
| | | | | | |
|  CZTF Top Wire Enclosure for Wood Leg Dual-Sided Applications • Attaches to outer side of support frame between legs on either side of work surface • Provides distribution channel for data cables from ceiling to table • Includes 10 foot aluminum pole and dual mounting bracket | 120" | CZBTDWLF2 | <input type="checkbox"/> | 9.00# | \$ 379 |
| | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x D x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|-----------|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  <p>Top Wire Enclosure - 29" Height for Single-Sided, Left</p> <ul style="list-style-type: none"> Attaches to outer side of leg at seated user's left Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Single mounting bracket included | 120" | CZBTDF1L | <input type="checkbox"/> | 9.00# | \$ 337 |
| CZTF | | | | | |
|  <p>Top Wire Enclosure - 29" Height for Single-Sided, Right</p> <ul style="list-style-type: none"> Attaches to outer side of leg at seated user's right Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Single mounting bracket included | 120" | CZBTDF1R | <input type="checkbox"/> | 9.00# | \$ 337 |
| CZTF | | | | | |
|  <p>Top Wire Enclosure for - 29" Height for Dual-Sided Applications</p> <ul style="list-style-type: none"> Attaches to outer side of leg on either side of worksurface Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Dual mounting bracket included | 120" | CZBTDF2 | <input type="checkbox"/> | 9.00# | \$ 356 |
| CZTF | | | | | |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|--|-------------------------|-------------------|
| | Basic Model | | | |
|  CZA02 Data Mount Bracket Kit • Black powdercoat finish • Included bracket, data tree, and mounting screws | CZBDDMB | | 1.00# | \$ 23 |
| | | | | |
|  CZA01 Splice Kit • For use when a powered single-sided worksurface is planned perpendicularly at the end of a run of powered dual-sided worksurfaces • For use when the use of splice plates are desired on both ends of a Return work-surface for U-shaped office configuration • Kit includes 2 splice plates and 8 mounting screws | CZBSPLICE | | 1.00# | \$ 15 |
| | | | | |

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| | MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|---|-----------|---|--------------|--------------------------|-------------------------|-------------------|
| | | | | Basic Model | Module Color | | |
|  AC418 | Nacre Pop-up Power Module (Corded) | 36" Cord | | MOD.MA1.36 | <input type="checkbox"/> | 1.00# | \$ 396 |
| | <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A, one USB-C charging port and data tree | 108" Cord | | MOD.MA1.108 | <input type="checkbox"/> | 1.00# | 406 |
| | <ul style="list-style-type: none"> Cord terminates in a 90 degree 3-prong plug Two strain-relief clips included for wire management 15A approved UL listed For use in Nacre Pop-up cutout (6.94"x3") | 180" Cord | | MOD.MA1.180 | <input type="checkbox"/> | 1.00# | 417 |
| | | | | | | | |
|  AC424 | Dean In-surface Power Module (Corded) | 36" Cord | | MOD.MD1.36 | <input type="checkbox"/> | 1.00# | \$ 326 |
| | <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A, one USB-C charging port and data tree | 108" Cord | | MOD.MD1.108 | <input type="checkbox"/> | 1.00# | 337 |
| | <ul style="list-style-type: none"> Cord terminates in a 90 degree 3-prong plug Two strain-relief clips included for wire management 15A approved UL listed For use in Dean In-surface cutout (7.81"x1.93") | 180" Cord | | MOD.MD1.180 | <input type="checkbox"/> | 1.00# | 347 |
| | | | | | | | |
|  AC426 | Dean Undersurface Power Module (Corded) | 36" Cord | | MOD.MU1.36 | <input type="checkbox"/> | 1.00# | \$ 425 |
| | <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A and one USB-C charging port | 108" Cord | | MOD.MU1.108 | <input type="checkbox"/> | 1.00# | 430 |
| | <ul style="list-style-type: none"> Cord terminates in a 90 degree 3-prong plug Two strain-relief clips included for wire management 15A approved UL listed | 180" Cord | | MOD.MU1.180 | <input type="checkbox"/> | 1.00# | 441 |
| | | | | | | | |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



| | MODEL | Features | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|-------|---|----------|----------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Module Color | | |
| AC419 |  Nacre Pop-up Power Module (Pattern) <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A, one USB-C charging port and data tree Pattern Infeed, jumpers, and gangers ordered separately Wire management not included 15A approved ETL listed | 40" Cord | MOD.PMA1.40 | <input type="checkbox"/> | 1.00# | \$ 596 |
| AC425 |  Dean In-surface Power Module (Pattern) <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A, one USB-C charging port and data tree Pattern Infeed, jumpers, and gangers ordered separately Wire management not included 15A approved ETL listed | 40" Cord | MOD.PMD1.40 | <input type="checkbox"/> | 1.00# | \$ 419 |
| AC427 |  Dean Undersurface Power Module (Pattern) <ul style="list-style-type: none"> Provides two 3-prong receptacles, one USB-A and one USB-C charging port Pattern Infeed, jumpers, and gangers ordered separately Wire management not included 15A approved ETL listed | 40" Cord | MOD.PMU1.40 | <input type="checkbox"/> | 1.00# | \$ 495 |
| GZA05 | Snap-in RPT Module w/Attachment Bracket (Pattern) <ul style="list-style-type: none"> Provides two 3-prong receptacles Pattern infeed, jumpers, and gangers ordered separately 15A approved ETL listed | 20" Cord | MOD.PS1.20.CZB | | 1.00# | \$ 152 |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|-------|---|--------------|-----------|-------------------------|-------------------|
| | | Basic Model | | | |
| AC431 | Pattern Infeed <ul style="list-style-type: none"> • 108" cord plugs into standard 15 amp outlet • Kit includes Pattern infeed, grey power distribution block, 12" Pattern jumper and white power distribution block • Can be installed anywhere in the run (middle or end) • Jumper length cannot exceed 600" or 50' per infeed • 90 degree angled plug; plug dimensions 2"x1-1/2"x1-7/8" • Includes one Pattern quick release tool • Does not include vertical wire management • ETL listed | IFPAT | | 0.00# | \$ 322 |
| AC432 | Pattern Jumper <ul style="list-style-type: none"> • Each jumper kit includes jumper and grey power distribution block • Review product Planning Guide for table-to-table jumper length guidance. • ETL listed | 12" | JPPAT.12 | 1.00# | \$ 74 |
| | | 53" | JPPAT.53 | 1.00# | 115 |
| | | 75" | JPPAT.75 | 1.00# | 121 |
| | | 101" | JPPAT.101 | 1.00# | 147 |
| AC433 |  Pattern Quick Release Tool <ul style="list-style-type: none"> • Snaps onto Pattern plugs to make disconnecting Pattern connections easier • Can be moved to multiple connections • Stores snapped onto one connection for easy access | BE04878.BL | | 0.00# | \$ 3 |

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Grommet Color | | |
|  Metal Grommet Kit for Nacre • Fits within 6.94" x 3" Nacre cutout AC411 | GRM.GA1 | <input type="checkbox"/> | 1.00# | \$ 84 |
|  Metal Grommet Kit for Dean • Fits within 7.81" x 1.93" Dean cutout AC411 | GRM.GD1 | <input type="checkbox"/> | 1.00# | \$ 84 |

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select grommet color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13" High with Framed Fabric Insert



Privacy Screen

13" High with Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|---|----------------------------------|--|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
|  <p>Single Fabric Privacy Screen - 13" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 13" | CZBPSF2413/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11.0# | \$ 467 | \$ 478 | \$ 497 |
| | 1-3/16 x 30 x 13" | CZBPSF3013/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13.0# | 508 | 513 | 535 |
| | 1-3/16 x 36 x 13" | CZBPSF3613/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | 536 | 547 | 568 |
| | 1-3/16 x 42 x 13" | CZBPSF4213/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15.0# | 554 | 565 | 587 |
| | 1-3/16 x 48 x 13" | CZBPSF4813/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 571 | 585 | 608 |
| | 1-3/16 x 54 x 13" | CZBPSF5413/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17.0# | 650 | 661 | 689 |
| | 1-3/16 x 60 x 13" | CZBPSF6013/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18.0# | 680 | 695 | 724 |
| | 1-3/16 x 66 x 13" | CZBPSF6613/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 20.0# | 692 | 705 | 733 |
| | 1-3/16 x 72 x 13" | CZBPSF7213/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 711 | 731 | 760 |
| 1-3/16 x 78 x 13" | CZBPSF7813/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 745 | 764 | 794 | |
|  <p>Double Fabric Privacy Screen - 13" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 13" | CZBPSF6013/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | \$ 987 | \$ 1001 | \$ 1070 |
| | 1-3/16 x 64 x 13" | CZBPSF6413/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 1009 | 1032 | 1073 |
| | 1-3/16 x 72 x 13" | CZBPSF7213/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 1045 | 1066 | 1108 |
| | 1-3/16 x 84 x 13" | CZBPSF8413/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 1080 | 1104 | 1148 |
| | 1-3/16 x 90 x 13" | CZBPSF9013/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 27.0# | 1117 | 1144 | 1188 |
| | 1-3/16 x 96 x 13" | CZBPSF9613/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 1118 | 1145 | 1580 |
|  <p>Triple Fabric Privacy Screen - 13" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 13" | CZBPSF9013/3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | \$ 1469 | \$ 1490 | \$ 1551 |
| | 1-3/16 x 96 x 13" | CZBPSF9613/3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1487 | 1519 | 1580 |

A **B** **C** **D** **E**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19" High with Framed Fabric Insert



Privacy Screen

19" High with Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|---|----------------------------------|--|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
|  <p>Single Fabric Privacy Screen - 19" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 19" | CZBPSF2419/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13.0# | \$ 544 | \$ 554 | \$ 583 |
| | 1-3/16 x 30 x 19" | CZBPSF3019/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | 605 | 615 | 647 |
| | 1-3/16 x 36 x 19" | CZBPSF3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 619 | 633 | 664 |
| | 1-3/16 x 42 x 19" | CZBPSF4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17.0# | 651 | 666 | 698 |
| | 1-3/16 x 48 x 19" | CZBPSF4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | 668 | 688 | 721 |
| | 1-3/16 x 54 x 19" | CZBPSF5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 20.0# | 840 | 862 | 906 |
| | 1-3/16 x 60 x 19" | CZBPSF6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 874 | 897 | 944 |
| | 1-3/16 x 66 x 19" | CZBPSF6619/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 882 | 907 | 953 |
| | 1-3/16 x 72 x 19" | CZBPSF7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 906 | 933 | 979 |
| 1-3/16 x 78 x 19" | CZBPSF7819/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 969 | 1000 | 1050 | |
|  <p>Double Fabric Privacy Screen - 19" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 19" | CZBPSF6019/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | \$ 1179 | \$ 1205 | \$ 1265 |
| | 1-3/16 x 64 x 19" | CZBPSF6419/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 27.0# | 1193 | 1222 | 1285 |
| | 1-3/16 x 72 x 19" | CZBPSF7219/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 1212 | 1237 | 1300 |
| | 1-3/16 x 84 x 19" | CZBPSF8419/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1275 | 1306 | 1372 |
| | 1-3/16 x 90 x 19" | CZBPSF9019/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 32.0# | 1310 | 1345 | 1412 |
| | 1-3/16 x 96 x 19" | CZBPSF9619/2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 34.0# | 1320 | 1347 | 1415 |
|  <p>Triple Fabric Privacy Screen - 19" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 19" | CZBPSF9019/3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | \$ 1753 | \$ 1794 | \$ 1882 |
| | 1-3/16 x 96 x 19" | CZBPSF9619/3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 37.0# | 1821 | 1848 | 1940 |

A **B** **C** **D** **E**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

31" High with Framed Fabric Insert



Privacy Screen

31" High with Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|--|-------------------|--------------|--|--------------------------|--|---|-------------------------|---|----------------------------------|--|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
|  CZPF Single Fabric Privacy Screen - 31" High, Uninterrupted Screen Length <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 30 x 31" | CZBPSF3031/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 18.0# | \$ 754 | \$ 778 | \$ 826 |
| | 1-3/16 x 36 x 31" | CZBPSF3631/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 20.0# | 798 | 829 | 878 |
| | 1-3/16 x 42 x 31" | CZBPSF4231/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 22.0# | 832 | 864 | 916 |
| | 1-3/16 x 48 x 31" | CZBPSF4831/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 25.0# | 867 | 902 | 956 |
| | | | | | | | | | | |
|  CZPF Double Fabric Privacy Screen - 31" High, Center Intersection <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 31" | CZBPSF6031/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 32.0# | \$ 1331 | \$ 1378 | \$ 1461 |
| | 1-3/16 x 64 x 31" | CZBPSF6431/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 35.0# | 1374 | 1421 | 1507 |
| | 1-3/16 x 72 x 31" | CZBPSF7231/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 37.0# | 1413 | 1468 | 1555 |
| | 1-3/16 x 84 x 31" | CZBPSF8431/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 41.0# | 1473 | 1531 | 1625 |
| | 1-3/16 x 90 x 31" | CZBPSF9031/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 43.0# | 1476 | 1534 | 1628 |
| | 1-3/16 x 96 x 31" | CZBPSF9631/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 45.0# | 1531 | 1600 | 1696 |
|  CZPF Triple Fabric Privacy Screen - 31" High, Two Intersections <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 31" | CZBPSF9031/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 47.0# | \$ 1980 | \$ 2049 | \$ 2170 |
| | 1-3/16 x 96 x 31" | CZBPSF9631/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 49.0# | 2008 | 2076 | 2199 |
| | | | | | | | | | | |

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.
DAD - Dual adder
DST - Dual starter
SAD - Single adder
SST - Single starter
- C** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- D** Select end cap color.
 Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color.
 Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen


13, 19" or 31" High with Framed Fabric Insert



Divider Screen

13, 19" or 31" High with Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--------------|---|---|--------------------------|---|---|-------------------------|---|----------------------------------|--|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Upholstery | | | | |
| Single Fabric Divider Screen, Uninterrupted Screen Length • Aluminum powdercoated screen runs perpendicular to privacy screen • Bottom of divider screen rests on top of worksurface • Must specify by location and fixed or sliding function • Standard top rail features one slot for hang-on accessories • Integral linking strip included | 1-3/16 x 24 x 13" | CZBDSF2413/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 9.0# | \$ 447 | \$ 453 | \$ 471 |
| | 1-3/16 x 30 x 13" | CZBDSF3013/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 10.0# | 481 | 490 | 510 |
| | 1-3/16 x 24 x 19" | CZBDSF2419/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 11.0# | 516 | 528 | 553 |
| | 1-3/16 x 30 x 19" | CZBDSF3019/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 12.0# | 576 | 589 | 618 |
| | 1-3/16 x 24 x 31" | CZBDSF2431/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 14.0# | 727 | 751 | 796 |
| | 1-3/16 x 30 x 31" | CZBDSF3031/1 | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 16.0# | 732 | 754 | 800 |
| | | | | | | | | | | | |



CZDF

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

74P - 74P edge
KN - Knife edge
- B** Select worksurface edge style.

74P - 74P edge
KN - Knife edge
- C** Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
SLE - Sliding left end
SMI - Sliding middle
SRE - Sliding right end
FFL - Fixed freestanding left end
FFM - Fixed freestanding middle
FFR - Fixed freestanding right end
 Screen locations FFL, FFR and FFM are NOT available on 31" high screens.
- D** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.

E Select end cap color.
 Refer to the **Product Color Options** page in this price list.

F Select upholstery.
 Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen


13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|--|-------------------|--------------|--|--|--------------------------|--|--|-------------------------|---|----------------------------------|--|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
| Single Fabric Divider Screen - Used on Perpendicular Worksurfaces, Uninterrupted Screen Length • Aluminum powder coated screen runs perpendicular to privacy screen • Bottom of divider screen rests on top of worksurface • Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side • For use on perpendicular worksurfaces only • Standard top rail features one slot for hang-on accessories • Integral linking strip included • For use on Extended Corner, Return and Peninsula Worksurfaces | 1-3/16 x 60 x 13" | CZBDSF6013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 15.0# | \$ 639 | \$ 653 | \$ 679 |
| | 1-3/16 x 66 x 13" | CZBDSF6613/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 16.0# | 657 | 671 | 698 |
| | 1-3/16 x 72 x 13" | CZBDSF7213/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 17.0# | 677 | 697 | 725 |
| | 1-3/16 x 78 x 13" | CZBDSF7813/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 18.0# | 706 | 725 | 754 |
| | 1-3/16 x 60 x 19" | CZBDSF6019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 19.0# | 830 | 853 | 896 |
| | 1-3/16 x 66 x 19" | CZBDSF6619/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 20.0# | 849 | 873 | 916 |
| | 1-3/16 x 72 x 19" | CZBDSF7219/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 21.0# | 870 | 896 | 942 |
| | 1-3/16 x 78 x 19" | CZBDSF7819/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 23.0# | 931 | 959 | 1008 |
| | | | A | B | C | D | E | F | | | |



CZDF

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.

| | |
|------------|------------|
| 74P | - 74P edge |
|------------|------------|
- C** Select screen location.

| | |
|------------|-------------------|
| FLE | - Fixed left end |
| FMI | - Fixed middle |
| FRE | - Fixed right end |
- D** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
 Refer to the **Product Color Options** page in this price list.
- F** Select upholstery color.
 Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13" High with Tool Rail and Framed Fabric Insert



Privacy Screen

13" High with Tool Rail and Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--|--|--|---|---|-------------------------|---|----------------------------------|--|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
|  CZPF • Aluminum powdercoated screen runs along width of worksurface • Tool rail features three slots for hang-on accessories • Integral linking strip included • Linking posts allow for perpendicular attachment of dividers, specified separately • Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 13" | CZBPSFT2413/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 12.0# | \$ 458 | \$ 464 | \$ 481 |
| | 1-3/16 x 30 x 13" | CZBPSFT3013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 13.0# | 480 | 487 | 508 |
| | 1-3/16 x 36 x 13" | CZBPSFT3613/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 15.0# | 529 | 536 | 557 |
| | 1-3/16 x 42 x 13" | CZBPSFT4213/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 16.0# | 554 | 563 | 584 |
| | 1-3/16 x 48 x 13" | CZBPSFT4813/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 17.0# | 572 | 584 | 607 |
| | 1-3/16 x 54 x 13" | CZBPSFT5413/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 19.0# | 647 | 656 | 683 |
| | 1-3/16 x 60 x 13" | CZBPSFT6013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 20.0# | 661 | 670 | 697 |
| | 1-3/16 x 66 x 13" | CZBPSFT6613/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 22.0# | 695 | 706 | 734 |
| | 1-3/16 x 72 x 13" | CZBPSFT7213/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 23.0# | 699 | 712 | 740 |
| 1-3/16 x 78 x 13" | CZBPSFT7813/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 24.0# | 765 | 778 | 809 | |
|  CZPF • Screen includes two equal panels • Center intersection allows for divider screen attachment | 1-3/16 x 60 x 13" | CZBPSFT6013/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 23.0# | \$ 934 | \$ 945 | \$ 981 |
| | 1-3/16 x 64 x 13" | CZBPSFT6413/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 24.0# | 978 | 1022 | 1065 |
| | 1-3/16 x 72 x 13" | CZBPSFT7213/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 25.0# | 1031 | 1045 | 1087 |
| | 1-3/16 x 84 x 13" | CZBPSFT8413/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 28.0# | 1081 | 1100 | 1145 |
| | 1-3/16 x 90 x 13" | CZBPSFT9013/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 30.0# | 1118 | 1138 | 1184 |
|  CZPF • Screen includes three equal panels • Intersections allow for divider screen attachment | 1-3/16 x 90 x 13" | CZBPSFT9013/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 32.0# | \$ 1388 | \$ 1401 | \$ 1458 |
| | 1-3/16 x 96 x 13" | CZBPSFT9613/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 33.0# | 1476 | 1499 | 1559 |
| | | | A | B | C | D | E | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- D** Select end cap color.
 Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color.
 Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19" High with Tool Rail and Framed Fabric Insert



Privacy Screen

19" High with Tool Rail and Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|--|-------------------|---|---|---|---|---|-------------------------|---|----------------------------------|--|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Upholstery Color | | | | |
|  <p>Single Fabric Privacy Screen with Tool Rail - 19" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Tool rail features three slots for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 19" | CZBPSFT2419/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 14.0# | \$ 523 | \$ 529 | \$ 555 |
| | 1-3/16 x 30 x 19" | CZBPSFT3019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 15.0# | 546 | 554 | 583 |
| | 1-3/16 x 36 x 19" | CZBPSFT3619/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 17.0# | 606 | 615 | 647 |
| | 1-3/16 x 42 x 19" | CZBPSFT4219/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 19.0# | 631 | 641 | 674 |
| | 1-3/16 x 48 x 19" | CZBPSFT4819/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 20.0# | 650 | 663 | 695 |
| | 1-3/16 x 54 x 19" | CZBPSFT5419/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 22.0# | 753 | 766 | 804 |
| | 1-3/16 x 60 x 19" | CZBPSFT6019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 24.0# | 784 | 798 | 837 |
| | 1-3/16 x 66 x 19" | CZBPSFT6619/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 25.0# | 801 | 819 | 859 |
| | 1-3/16 x 72 x 19" | CZBPSFT7219/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 27.0# | 825 | 840 | 882 |
| 1-3/16 x 78 x 19" | CZBPSFT7819/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 29.0# | 873 | 890 | 934 | |
|  <p>Double Fabric Privacy Screen with Tool Rail - 19" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 19" | CZBPSFT6019/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 27.0# | \$ 1066 | \$ 1080 | \$ 1134 |
| | 1-3/16 x 64 x 19" | CZBPSFT6419/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 29.0# | 1129 | 1138 | 1197 |
| | 1-3/16 x 72 x 19" | CZBPSFT7219/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 30.0# | 1182 | 1204 | 1263 |
| | 1-3/16 x 84 x 19" | CZBPSFT8419/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 33.0# | 1235 | 1256 | 1318 |
| | 1-3/16 x 90 x 19" | CZBPSFT9019/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 35.0# | 1240 | 1261 | 1326 |
| | 1-3/16 x 96 x 19" | CZBPSFT9619/2 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 37.0# | 1274 | 1299 | 1363 |
|  <p>Triple Fabric Privacy Screen with Tool Rail - 19" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 19" | CZBPSFT9019/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 38.0# | \$ 1585 | \$ 1608 | \$ 1688 |
| | 1-3/16 x 96 x 19" | CZBPSFT9619/3 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 39.0# | 1676 | 1709 | 1793 |

A **B** **C** **D** **E**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.
 - DAD** - Dual adder
 - DST** - Dual starter
 - SAD** - Single adder
 - SST** - Single starter
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert



Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|---------------|--|--|--|--|--|-------------------------|---|----------------------------------|--|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Upholstery | | | | |
| Single Fabric Divider Screen with Tool Rail, Uninterrupted Screen Length • Aluminum powdercoated screen runs perpendicular to privacy screen • Bottom of divider screen rests on top of worksurface • Must specify by location and fixed or sliding function • Tool rail features three slots for hang-on accessories • Integral linking strip included | 1-3/16 x 24 x 13" | CZBDSFT2413/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 10.0# | \$ 437 | \$ 443 | \$ 458 |
| | 1-3/16 x 30 x 13" | CZBDSFT3013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 11.0# | 454 | 458 | 478 |
| | 1-3/16 x 24 x 19" | CZBDSFT2419/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 11.0# | 493 | 500 | 527 |
| | 1-3/16 x 30 x 19" | CZBDSFT3019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 13.0# | 518 | 527 | 553 |
| | | | A | B | C | D | E | F | | | |



CZDF

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
74P - 74P edge
KN - Knife edge
- C** Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
SLE - Sliding left end
SMI - Sliding middle
SRE - Sliding right end
FFL - Fixed freestanding left end
FFM - Fixed freestanding middle
FFR - Fixed freestanding right end

D Select powdercoat.
 Refer to the **Product Color Options** page in this price list.

E Select end cap color.
 Refer to the **Product Color Options** page in this

price list.
F Select upholstery.
 Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13" High with Framed Acrylic Insert



Privacy Screen

13" High with Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|---|-------------------|--------------------------|--------------------------|--------------------------|---------------|----------|-------------------------|-----------------|-----------------|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
|  <p>Single Acrylic Privacy Screen - 13" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 13" | CZBPSA2413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 12.0# | \$ 454 | \$ 553 | | |
| | 1-3/16 x 30 x 13" | CZBPSA3013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | 472 | 589 | | |
| | 1-3/16 x 36 x 13" | CZBPSA3613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 15.0# | 504 | 660 | | |
| | 1-3/16 x 42 x 13" | CZBPSA4213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 546 | 750 | | |
| | 1-3/16 x 48 x 13" | CZBPSA4813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 18.0# | 547 | 751 | | |
| | 1-3/16 x 54 x 13" | CZBPSA5413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | 656 | 1045 | | |
| | 1-3/16 x 60 x 13" | CZBPSA6013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 673 | 1062 | | |
| | 1-3/16 x 66 x 13" | CZBPSA6613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 688 | 1074 | | |
| | 1-3/16 x 72 x 13" | CZBPSA7213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 693 | 1080 | | |
| 1-3/16 x 78 x 13" | CZBPSA7813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 726 | 1116 | | | |
|  <p>Double Acrylic Privacy Screen - 13" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 13" | CZBPSA6013/2 | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | \$ 916 | \$ 1149 | | |
| | 1-3/16 x 64 x 13" | CZBPSA6413/2 | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 947 | 1222 | | |
| | 1-3/16 x 72 x 13" | CZBPSA7213/2 | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 980 | 1290 | | |
| | 1-3/16 x 84 x 13" | CZBPSA8413/2 | <input type="checkbox"/> | <input type="checkbox"/> | 29.0# | 1066 | 1470 | | |
| | 1-3/16 x 90 x 13" | CZBPSA9013/2 | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 1070 | 1474 | | |
| | 1-3/16 x 96 x 13" | CZBPSA9613/2 | <input type="checkbox"/> | <input type="checkbox"/> | 32.0# | 1076 | 1481 | | |
|  <p>Triple Acrylic Privacy Screen - 13" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 13" | CZBPSA9013/3 | <input type="checkbox"/> | <input type="checkbox"/> | 33.0# | \$ 1361 | \$ 1711 | | |
| | 1-3/16 x 96 x 13" | CZBPSA9613/3 | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | 1428 | 1855 | | |
| | | | A | B | C | D | E | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|-----|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select acrylic color. See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19" High with Framed Acrylic Insert



Privacy Screen

19" High with Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|--|-------------------|--------------------------|--------------------------|--------------------------|---------------|---------|-------------------------|-----------------|-----------------|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
|  <p>CZPA</p> <p>Single Acrylic Privacy Screen - 19" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 19" | CZBPSA2419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | \$ 516 | \$ 683 | | |
| | 1-3/16 x 30 x 19" | CZBPSA3019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 544 | 747 | | |
| | 1-3/16 x 36 x 19" | CZBPSA3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 18.0# | 613 | 929 | | |
| | 1-3/16 x 42 x 19" | CZBPSA4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | 631 | 946 | | |
| | 1-3/16 x 48 x 19" | CZBPSA4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 633 | 947 | | |
| | 1-3/16 x 54 x 19" | CZBPSA5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 872 | 1633 | | |
| | 1-3/16 x 60 x 19" | CZBPSA6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 890 | 1648 | | |
| | 1-3/16 x 66 x 19" | CZBPSA6619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 902 | 1661 | | |
| 1-3/16 x 72 x 19" | CZBPSA7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 907 | 1670 | | | |
| 1-3/16 x 78 x 19" | CZBPSA7819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 939 | 1700 | | | |
|  <p>CZPA</p> <p>Double Acrylic Privacy Screen - 19" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 19" | CZBPSA6019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | \$ 1060 | \$ 1468 | | |
| | 1-3/16 x 64 x 19" | CZBPSA6419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 1138 | 1712 | | |
| | 1-3/16 x 72 x 19" | CZBPSA7219/2 | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1198 | 1827 | | |
| | 1-3/16 x 84 x 19" | CZBPSA8419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | 1233 | 1866 | | |
| | 1-3/16 x 90 x 19" | CZBPSA9019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 37.0# | 1236 | 1868 | | |
| | 1-3/16 x 96 x 19" | CZBPSA9619/2 | <input type="checkbox"/> | <input type="checkbox"/> | 38.0# | 1245 | 1872 | | |
|  <p>CZPA</p> <p>Triple Acrylic Privacy Screen - 19" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 19" | CZBPSA9019/3 | <input type="checkbox"/> | <input type="checkbox"/> | 40.0# | \$ 1576 | \$ 2185 | | |
| | 1-3/16 x 96 x 19" | CZBPSA9619/3 | <input type="checkbox"/> | <input type="checkbox"/> | 42.0# | 1609 | 2219 | | |

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select acrylic color. See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Framed Acrylic Insert



Divider Screen

13 or 19" High with Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|--|-------------------|--------------|--|--|---|--|--|-------------------------|-----------------|-----------------|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
| Single Acrylic Divider Screen, Uninterrupted Screen Length • Aluminum powdercoated screen runs perpendicular to privacy screen • Bottom of divider screen rests on top of worksurface • Must specify by location and fixed or sliding function • Standard top rail features one slot for hang-on accessories • Integral linking strip included | 1-3/16 x 24 x 13" | CZBDSA2413/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 10.0# | \$ 428 | \$ 529 |
| | 1-3/16 x 30 x 13" | CZBDSA3013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 12.0# | 438 | 553 |
| | 1-3/16 x 24 x 19" | CZBDSA2419/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 11.0# | 490 | 656 |
| | 1-3/16 x 30 x 19" | CZBDSA3019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 13.0# | 516 | 719 |
| | | | A | B | C | D | E | F | | |



CZDA

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select screen location.
 FLE - Fixed left end
 FMI - Fixed middle
 FRE - Fixed right end
 SLE - Sliding left end
 SMI - Sliding middle
 SRE - Sliding right end
 FFL - Fixed freestanding left end
 FFM - Fixed freestanding middle
 FFR - Fixed freestanding right end

D Select powdercoat.
 Refer to the **Product Color Options** page in this price list.

E Select end cap color.
 Refer to the **Product Color Options** page in this

price list.
F Select acrylic color.
 See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Divider Screen

13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|---|-------------------|--------------|---|---|---|---|---|-------------------------|-----------------|-----------------|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
|  <p>CZDA</p> <p>Single Acrylic Divider Screen - Used on Perpendicular Worksurfaces, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs perpendicular to privacy screen Bottom of divider screen rests on top of worksurface Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side For use on perpendicular worksurfaces only Standard top rail features one slot for hang-on accessories Integral linking strip included For use on Extended Corner, Return and Peninsula Worksurfaces | 1-3/16 x 60 x 13" | CZBDSA6013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 17.0# | \$ 623 | \$ 1011 |
| | 1-3/16 x 66 x 13" | CZBDSA6613/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 19.0# | 646 | 1032 |
| | 1-3/16 x 72 x 13" | CZBDSA7213/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 20.0# | 650 | 1038 |
| | 1-3/16 x 78 x 13" | CZBDSA7813/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 21.0# | 677 | 1070 |
| | 1-3/16 x 60 x 19" | CZBDSA6019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 22.0# | 847 | 1605 |
| | 1-3/16 x 66 x 19" | CZBDSA6619/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 23.0# | 864 | 1628 |
| | 1-3/16 x 72 x 19" | CZBDSA7219/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 25.0# | 873 | 1633 |
| | 1-3/16 x 78 x 19" | CZBDSA7819/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 26.0# | 902 | 1661 |
| | | | A | B | C | D | E | F | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
74P - 74P edge
- C** Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
- D** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
Refer to the **Product Color Options** page in this price list.
- F** Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13" High with Tool Rail and Framed Acrylic Insert



Privacy Screen

13" High with Tool Rail and Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|---|-------------------|--------------------------|--------------------------|--------------------------|---------------|----------|-------------------------|-----------------|-----------------|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
|  <p>Single Acrylic Privacy Screen with Tool Rail - 13" High, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs along width of worksurface Tool rail features three slots for hang-on accessories Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 13" | CZBPSAT2413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 13.0# | \$ 458 | \$ 547 | | |
| | 1-3/16 x 30 x 13" | CZBPSAT3013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | 488 | 606 | | |
| | 1-3/16 x 36 x 13" | CZBPSAT3613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 500 | 657 | | |
| | 1-3/16 x 42 x 13" | CZBPSAT4213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 18.0# | 572 | 776 | | |
| | 1-3/16 x 48 x 13" | CZBPSAT4813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | 577 | 778 | | |
| | 1-3/16 x 54 x 13" | CZBPSAT5413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 693 | 1079 | | |
| | 1-3/16 x 60 x 13" | CZBPSAT6013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 708 | 1100 | | |
| | 1-3/16 x 66 x 13" | CZBPSAT6613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 24.0# | 729 | 1117 | | |
| 1-3/16 x 72 x 13" | CZBPSAT7213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 736 | 1124 | | | |
| 1-3/16 x 78 x 13" | CZBPSAT7813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 27.0# | 784 | 1175 | | | |
|  <p>Double Acrylic Privacy Screen with Tool Rail - 13" High, Center Intersection</p> <ul style="list-style-type: none"> Screen includes two equal panels Center intersection allows for divider screen attachment | 1-3/16 x 60 x 13" | CZBPSAT6013/2 | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | \$ 948 | \$ 1182 | | |
| | 1-3/16 x 64 x 13" | CZBPSAT6413/2 | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 962 | 1222 | | |
| | 1-3/16 x 72 x 13" | CZBPSAT7213/2 | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 975 | 1286 | | |
| | 1-3/16 x 84 x 13" | CZBPSAT8413/2 | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1119 | 1527 | | |
| | 1-3/16 x 90 x 13" | CZBPSAT9013/2 | <input type="checkbox"/> | <input type="checkbox"/> | 33.0# | 1235 | 1867 | | |
|  <p>Triple Acrylic Privacy Screen with Tool Rail - 13" High, Two Intersections</p> <ul style="list-style-type: none"> Screen includes three equal panels Intersections allow for divider screen attachment | 1-3/16 x 90 x 13" | CZBPSAT9013/3 | <input type="checkbox"/> | <input type="checkbox"/> | 35.0# | \$ 1412 | \$ 1760 | | |
| | 1-3/16 x 96 x 13" | CZBPSAT9613/3 | <input type="checkbox"/> | <input type="checkbox"/> | 37.0# | 1442 | 1771 | | |
| | | | A | B | C | D | E | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- D** Select end cap color. Refer to the **Product Color Options** page in this price list.
- E** Select acrylic color. See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19" High with Tool Rail and Framed Acrylic Insert



Privacy Screen

19" High with Tool Rail and Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|---|-------------------|--------------------------|--------------------------|--------------------------|---------------|----------|-------------------------|-----------------|-----------------|
| | | Basic Model | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
|  CZPA • Aluminum powdercoated screen runs along width of worksurface • Tool rail features three slots for hang-on accessories • Integral linking strip included • Linking posts allow for perpendicular attachment of dividers, specified separately • Bottom of privacy screen is flush with bottom of worksurface | 1-3/16 x 24 x 19" | CZBPSAT2419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 15.0# | \$ 516 | \$ 659 | | |
| | 1-3/16 x 30 x 19" | CZBPSAT3019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 17.0# | 561 | 764 | | |
| | 1-3/16 x 36 x 19" | CZBPSAT3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | 577 | 778 | | |
| | 1-3/16 x 42 x 19" | CZBPSAT4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 659 | 973 | | |
| | 1-3/16 x 48 x 19" | CZBPSAT4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 660 | 978 | | |
| | 1-3/16 x 54 x 19" | CZBPSAT5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 24.0# | 907 | 1669 | | |
| | 1-3/16 x 60 x 19" | CZBPSAT6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 925 | 1684 | | |
| | 1-3/16 x 66 x 19" | CZBPSAT6619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 945 | 1702 | | |
| | 1-3/16 x 72 x 19" | CZBPSAT7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 30.0# | 952 | 1712 | | |
| 1-3/16 x 78 x 19" | CZBPSAT7819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 32.0# | 999 | 1761 | | | |
|  CZPA • Screen includes two equal panels • Center intersection allows for divider screen attachment | 1-3/16 x 60 x 19" | CZBPSAT6019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 29.0# | \$ 1092 | \$ 1496 | | |
| | 1-3/16 x 64 x 19" | CZBPSAT6419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1106 | 1516 | | |
| | 1-3/16 x 72 x 19" | CZBPSAT7219/2 | <input type="checkbox"/> | <input type="checkbox"/> | 33.0# | 1125 | 1529 | | |
| | 1-3/16 x 84 x 19" | CZBPSAT8419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 37.0# | 1288 | 1919 | | |
| | 1-3/16 x 90 x 19" | CZBPSAT9019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 39.0# | 1292 | 1922 | | |
|  CZPA • Screen includes three equal panels • Intersections allow for divider screen attachment | 1-3/16 x 90 x 19" | CZBPSAT9019/3 | <input type="checkbox"/> | <input type="checkbox"/> | 42.0# | \$ 1627 | \$ 2231 | | |
| | 1-3/16 x 96 x 19" | CZBPSAT9619/3 | <input type="checkbox"/> | <input type="checkbox"/> | 44.0# | 1670 | 2275 | | |
| | | | A | B | C | D | E | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select screen location.

| | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D** Select end cap color.
Refer to the **Product Color Options** page in this price list.
- E** Select acrylic color.
See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert



Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|--|-------------------|---------------|--|--|---|--|---|-------------------------|-----------------|-----------------|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Acrylic | | | |
| Single Acrylic Divider Screen with Tool Rail, Uninterrupted Screen Length • Aluminum powdercoated screen runs perpendicular to privacy screen • Bottom of divider screen rests on top of worksurface • Must specify by location and fixed or sliding function • Tool rail features three slots for hang-on accessories • Integral linking strip included | 1-3/16 x 24 x 13" | CZBDSAT2413/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 10.0# | \$ 437 | \$ 523 |
| | 1-3/16 x 30 x 13" | CZBDSAT3013/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 12.0# | 459 | 580 |
| | 1-3/16 x 24 x 19" | CZBDSAT2419/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 12.0# | 491 | 631 |
| | 1-3/16 x 30 x 19" | CZBDSAT3019/1 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 14.0# | 532 | 734 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |



CZDA

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select screen location.
 FLE - Fixed left end
 FMI - Fixed middle
 FRE - Fixed right end
 SLE - Sliding left end
 SMI - Sliding middle
 SRE - Sliding right end
 FFL - Fixed freestanding left end
 FFM - Fixed freestanding middle
 FFR - Fixed freestanding right end
- D** Select powdercoat.
 Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
 Refer to the **Product Color Options** page in this

price list.

- F** Select acrylic color.
 See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

| MODEL | D x W x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 | |
|---|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-----------------|-----------------|--|
| | | Basic Model | Worksurface Edge Style | Screen Location | Paint Color | End Cap Color | Acrylic | | | | |
|  <p>Single Acrylic Divider Screen with Tool Rail - Used on Perpendicular Worksurfaces, Uninterrupted Screen Length</p> <ul style="list-style-type: none"> Aluminum powdercoated screen runs perpendicular to privacy screen Bottom of divider screen rests on top of worksurface Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side For use on perpendicular worksurfaces only Tool rail features three slots for hang-on accessories Integral linking strip included For use on Extended Corner, Return and Peninsula Worksurfaces | 1-3/16 x 60 x 13" | CZBDSAT6013/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 19.0# | \$ 668 | \$ 1055 | |
| | 1-3/16 x 66 x 13" | CZBDSAT6613/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 20.0# | 695 | 1081 | |
| | 1-3/16 x 72 x 13" | CZBDSAT7213/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 22.0# | 703 | 1090 | |
| | 1-3/16 x 78 x 13" | CZBDSAT7813/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 746 | 1135 | |
| | 1-3/16 x 60 x 19" | CZBDSAT6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 23.0# | 879 | 1639 | |
| | 1-3/16 x 66 x 19" | CZBDSAT6619/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 25.0# | 907 | 1669 | |
| | 1-3/16 x 72 x 19" | CZBDSAT7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 27.0# | 915 | 1676 | |
| 1-3/16 x 78 x 19" | CZBDSAT7819/1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 29.0# | 959 | 1720 | | |
| | | | A | B | C | D | E | F | | | |

CZDA

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
74P - 74P edge
- C** Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
- D** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
Refer to the **Product Color Options** page in this price list.
- F** Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|--------------------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  <p>Steel Modesty Panel</p> <ul style="list-style-type: none"> Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" center-to-center spacing 14 gauge powdercoated steel Reveal of approximately 1" is present between panel and leg Assembly includes panel, brackets and mounting screws For use on 29" single-sided steel leg assemblies | 18-1/2 x 10" | CZBMP24 | <input type="checkbox"/> | 6.0# | \$ 195 |
| | 24-1/2 x 10" | CZBMP30 | <input type="checkbox"/> | 7.0# | 210 |
| | 30-1/2 x 10" | CZBMP36 | <input type="checkbox"/> | 9.0# | 225 |
| | 36-1/2 x 10" | CZBMP42 | <input type="checkbox"/> | 10.0# | 236 |
| | 42-1/2 x 10" | CZBMP48 | <input type="checkbox"/> | 11.0# | 275 |
| | 48-1/2 x 10" | CZBMP54 | <input type="checkbox"/> | 13.0# | 295 |
| | 54-1/2 x 10" | CZBMP60 | <input type="checkbox"/> | 14.0# | 316 |
| | 58-1/2 x 10" | CZBMP64 | <input type="checkbox"/> | 15.0# | 323 |
| | 60-1/2 x 10" | CZBMP66 | <input type="checkbox"/> | 16.0# | 349 |
| | 66-1/2 x 10" | CZBMP72 | <input type="checkbox"/> | 17.0# | 364 |
| | 72-1/2 x 10" | CZBMP78 | <input type="checkbox"/> | 18.0# | 379 |
| | 78-1/2 x 10" | CZBMP84 | <input type="checkbox"/> | 19.0# | 397 |
| | 84-1/2 x 10" | CZBMP90 | <input type="checkbox"/> | 20.0# | 406 |
| 90-1/2 x 10" | CZBMP96 | <input type="checkbox"/> | 22.0# | 429 | |
|  <p>Wire Access Covers for Single-Sided 29" High Applications</p> <ul style="list-style-type: none"> Steel cover assembly attaches to beam for added cord management in non-powered single-sided applications For 29"H single-sided frame assemblies only | 36"W | CZBWAC36 | <input type="checkbox"/> | 4.0# | \$ 77 |
| | 42"W | CZBWAC42 | <input type="checkbox"/> | 5.2# | 96 |
| | 48"W | CZBWAC48 | <input type="checkbox"/> | 5.9# | 83 |
| | 54"W | CZBWAC54 | <input type="checkbox"/> | 6.8# | 98 |
| | 60"W | CZBWAC60 | <input type="checkbox"/> | 7.6# | 95 |
| | 64"W | CZBWAC64 | <input type="checkbox"/> | 7.2# | 132 |
| | 66"W | CZBWAC66 | <input type="checkbox"/> | 7.2# | 132 |
| | 72"W | CZBWAC72 | <input type="checkbox"/> | 9.1# | 99 |
| | 78"W | CZBWAC78 | <input type="checkbox"/> | 9.2# | 151 |
| | 84"W | CZBWAC84 | <input type="checkbox"/> | 10.4# | 167 |
| | 90"W | CZBWAC90 | <input type="checkbox"/> | 11.1# | 155 |
| | 96"W | CZBWAC96 | <input type="checkbox"/> | 11.8# | 142 |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | W x L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|---|--------------|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Paint Color | | |
|  CZBC | Cable Tray Assemblies | 12-5/8 x 28" | CZBCT36 | <input type="checkbox"/> | 8.0# | \$ 238 |
| | • Included in standard dual frame model numbers | 12-5/8 x 34" | CZBCT42 | <input type="checkbox"/> | 9.0# | 244 |
| | • Cable tray assembly attaches to beams under 10-wire rigid wireway to manage cords | 12-5/8 x 40" | CZBCT48 | <input type="checkbox"/> | 10.0# | 246 |
| | | 12-5/8 x 46" | CZBCT54 | <input type="checkbox"/> | 11.0# | 249 |
| | | 12-5/8 x 52" | CZBCT60 | <input type="checkbox"/> | 12.0# | 307 |
| | • For use with dual-sided applications only | 12-5/8 x 58" | CZBCT64 | <input type="checkbox"/> | 13.0# | 309 |
| | • Supports hard-wired or plug-and-play applications | 12-5/8 x 58" | CZBCT66 | <input type="checkbox"/> | 14.0# | 309 |
| | • 48-72" assemblies feature a single tray | 12-5/8 x 64" | CZBCT72 | <input type="checkbox"/> | 15.0# | 315 |
| | • 78-96" applications feature two side-by-side trays | 12-5/8 x 70" | CZBCT78 | <input type="checkbox"/> | 17.0# | 419 |
| | • Not for use on Teaming Tables | 12-5/8 x 76" | CZBCT84 | <input type="checkbox"/> | 18.0# | 443 |
| | | 12-5/8 x 82" | CZBCT90 | <input type="checkbox"/> | 19.0# | 456 |
| | | 12-5/8 x 88" | CZBCT96 | <input type="checkbox"/> | 20.0# | 476 |
|  CZBR | Cable Riser Assembly for Steel Adder Leg | | CZBDACR | <input type="checkbox"/> | 5.0# | \$ 257 |
| • Cable riser conceals power cords at any intermediate/adder leg location | | | | | | |
| • Riser consists of front and rear panels with support hook | | | | | | |
| • Panels fit between vertical legs and extend the entire width of leg opening to create enclosure | | | | | | |
| • For use on 29" intermediate/adder leg in dual-sided applications only | | | | | | |
| • Dual-sided steel adder frame ordered separately | | | | | | |
|  CZBR | Cable Riser Assembly for Wood Adder Leg | | CZBDAWLCR | <input type="checkbox"/> | 5.0# | \$ 204 |
| • Cable riser conceals power cords at any intermediate leg location | | | | | | |
| • Riser consists of front and rear panels | | | | | | |
| • Panels fit between the wood legs of a dual-sided adder frame only | | | | | | |
| • Dual-sided wood adder frame ordered separately | | | | | | |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Color | | |
|  <p>CZA03</p> <p>LED Double Arm Task Light with Free-standing Base</p> <ul style="list-style-type: none"> • Includes light and base • 7 watts, 18 fractional LED's • Automatic shut-off after 10 hours • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Base is 6.5" in diameter and 1-1/4" high • Light paddle is approximately 5 x 4" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Size of power block does not fit a recessed power module | CZBTLF | <input type="checkbox"/> | 6.00# | \$ 558 |
|  <p>CZA03</p> <p>LED Double Arm Task Light, Tool Rail Mount</p> <ul style="list-style-type: none"> • Includes light and tool rail mount • 7 watts, 18 fractional LED's • Automatic shut-off after 10 hours • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Mounting clip measures 3.5 x 3.5" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Size of power block does not fit a recessed power module | CZBTLT | <input type="checkbox"/> | 2.00# | \$ 552 |

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Color | | |
|  <p>CZA03</p> <p>LED Double Arm Task Light with Occupancy Sensor and Freestanding Base</p> <ul style="list-style-type: none"> • Includes light and base • 7 watts, 18 fractional LED's • Automatic shut-off after 30 minutes of non-movement near light • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Base is 6-1/5" in diameter and 1-1/4" high • Light paddle is approximately 5 x 4" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Size of power block does not fit a recessed power module | CZBTLOF | <input type="checkbox"/> | 6.00# | \$ 672 |
|  <p>CZA03</p> <p>LED Double Arm Task Light with Occupancy Sensor and Tool Rail Mount</p> <ul style="list-style-type: none"> • Includes light and tool rail mount • 7 watts, 18 fractional LED's • Automatic shut-off after 30 minutes of non-movement near light • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Mounting clip measures 3-1/2 x 3-1/2" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Size of power block does not fit a recessed power module | CZBTLOT | <input type="checkbox"/> | 2.00# | \$ 665 |
| | A | B | | |

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| | MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|-------|--|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Color | | |
| CZA03 | Freestanding Base • For retrofit or replacement • For use on models CZBTLOF and CZBTLF | CZBTLBASE | <input type="checkbox"/> | 5.00# | \$ 121 |
| CZA03 | Tool Rail Mount Base • For retrofit or replacement • For use on models CZBTLOT and CZBTLT | CZBTLTOOL | <input type="checkbox"/> | 1.00# | \$ 114 |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Paint Color | | |
|  <p>CZA03</p> <p>Asymmetrical LED Task Light with Free-standing Base</p> <ul style="list-style-type: none"> Includes light and base Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 13" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 5-1/4" square base; 1" high 3.7 x 3.1" light paddle Size of power block does not fit a recessed power module | LEDTL4WF | <input type="checkbox"/> | 6.00# | \$ 534 |
|  <p>CZA03</p> <p>Asymmetrical LED Task Light with Small Divider Mount Clamp</p> <ul style="list-style-type: none"> Includes light and mount with 1/4" to 3/8" thickness range Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 10" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone frameless privacy screens Size of power block does not fit a | LEDTL4WDSM | <input type="checkbox"/> | 2.00# | \$ 516 |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. **A** **B**
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Paint Color | | |
|  <p>CZA03</p> <p>Asymmetrical LED Task Light with Large Divider Mount</p> <ul style="list-style-type: none"> Includes light and mount with 1/2" to 1-1/2" thickness range Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 10" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens Size of power block does not fit a recessed power module | LEDTL4WDLG | <input type="checkbox"/> | 2.00# | \$ 516 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|-------|--|---|-------------------------|-------------------|
| | Basic Model | Paint Color | | |
| CZA03 | Freestanding Base • For replacement or retrofit • For use with model LEDTL4WF | LEDTLBASE <input type="checkbox"/> <input type="checkbox"/> | 5.00# | \$ 117 |
| CZA03 | Small Divider Mount • 1/4" to 3/8" thickness range • For replacement or retrofit • For use with model LEDTL4WDSM | LEDTLMTSM <input type="checkbox"/> <input type="checkbox"/> | 1.00# | \$ 111 |
| CZA03 | Large Divider Mount • 1/2" to 1-1/2" thickness range • For replacement or retrofit • For use with model LEDTL4WDLG | LEDTLMTLG <input type="checkbox"/> <input type="checkbox"/> | 1.00# | \$ 111 |

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.






SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

ShippingShips **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x D x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------------------|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Powdercoat Color | | |
|  <p>Paper Tray</p> <ul style="list-style-type: none"> Steel construction Accepts letter sized papers Suspends from screen top rail or tool rail | 11-3/8 x 8-7/8 x 1-5/8" | CZBPML | <input type="checkbox"/> | 3.00# | \$ 73 |
| CZA04 | | | | | |
|  <p>Pencil Holder</p> <ul style="list-style-type: none"> Steel construction Suspends from screen top rail or tool rail | 2-1/4 X 1-5/8 X 4-3/4" | CZBPMP | <input type="checkbox"/> | 0.50# | \$ 43 |
| CZA04 | | | | | |
|  <p>Box</p> <ul style="list-style-type: none"> Steel construction Suspends from screen top rail or tool rail | 3 x 3-1/2 x 3" | CZBPMB | <input type="checkbox"/> | 0.50# | \$ 44 |
| CZA04 | | | | | |
|  <p>Cell Phone Holder</p> <ul style="list-style-type: none"> Steel construction Suspends from screen top rail or tool rail Lower edge is extended to allow for angled placement | 3-1/8 x 1-1/8 x 5-1/4" | CZBPMC | <input type="checkbox"/> | 0.50# | \$ 42 |
| CZA04 | | | | | |
|  <p>Name Plate Holder</p> <ul style="list-style-type: none"> Steel construction Suspends from screen top rail or tool rail Area for name is approximately 3/8 x 3-3/8" Name plate not supplied with holder | 5-1/8 x 1 x 1-5/8" | CZBPMN | <input type="checkbox"/> | 0.50# | \$ 43 |
| CZA04 | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Single-Sided Rectilinear Worksurfaces - 42" Height

24" Deep for use with Cafe Height Frames



Single-Sided Rectilinear Worksurfaces - 42" Height

24" Deep for use with Cafe Height Frames

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  CZRC Single-Sided Applications with One Cutout Option • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height frames • 42" assembled height • Features perforated steel modesty panel • C cutout option only • See cutout locations below | 24 x 48 | CZBCWR24481MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 39.0# | \$ 656 | \$ 688 | \$ 19 | \$ 120 |
| | 24 x 54 | CZBCWR24541MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 63.0# | 739 | 778 | 27 | 178 |
|  CZRC Single-Sided Applications with One or Two Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height frames • 42" assembled height • Features perforated steel modesty panel • L and R cutout locations are centered for two users • See cutout locations below | 24 x 60 | CZBCWR24601MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 69.0# | \$ 768 | \$ 807 | \$ 27 | \$ 178 |
| | 24 x 64 | CZBCWR24641MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 73.0# | 847 | 891 | 27 | 178 |
| | 24 x 66 | CZBCWR24661MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 75.0# | 854 | 901 | 27 | 178 |
| | 24 x 72 | CZBCWR24721MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 82.0# | 874 | 918 | 27 | 178 |
| | 24 x 78 | CZBCWR24781MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 88.0# | 939 | 987 | 53 | 368 |
| | 24 x 84 | CZBCWR24841MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 95.0# | 960 | 1009 | 53 | 368 |
|  CZRC Single-Sided Applications with One, Two or Three Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height frames • 42" assembled height • Features perforated steel modesty panel • C and LCR cutout locations are centered for three users • L, R and LR cutout locations are centered for two users • See cutout locations below | 24 x 90 | CZBCWR24901MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 101.0# | \$ 996 | \$ 1048 | \$ 53 | \$ 368 |
| | 24 x 96 | CZBCWR24961MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 108.0# | 1021 | 1074 | 53 | 368 |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How to Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
 74P - 74P edge
 KN - Knife edge
C Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
D Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer

- LCR - Pick only for models 90" and longer
E Select surface finish.
 Refer to the **Product Color Options** page in this price list.
F Select edge color.
 Refer to the **Product Color Options** page in this price list.
G Select modesty panel powdercoat.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.




Single-Sided Rectilinear Worksurfaces - 42" Height

30" Deep for use with Cafe Height Frames



Single-Sided Rectilinear Worksurfaces - 42" Height

30" Deep for use with Cafe Height Frames

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------|-----------------|------------------------------------|------------------------------------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | |
|  <p>Single-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Support frames are specified separately Power modules, grommets, and electrical components specified separately Predrilled for compatibility with café height bases 42" assembled height Features perforated steel modesty panel C cutout option only See cutout locations below | 30 x 48 | CZBCWR30481MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 66.0# | \$ 699 | \$ 734 | \$ 27 | \$ 178 |
| | 30 x 54 | CZBCWR30541MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 75.0# | 776 | 820 | 27 |
|  <p>Single-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Support frames are specified separately Power modules, grommets, and electrical components specified separately Predrilled for compatibility with café height bases 42" assembled height Features perforated steel modesty panel L and R cutout locations are centered for two users See cutout locations below | 30 x 60 | CZBCWR30601MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 82.0# | \$ 805 | \$ 848 | \$ 27 | \$ 178 |
| | 30 x 64 | CZBCWR30641MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 87.0# | 875 | 942 | 27 | 178 |
| | 30 x 66 | CZBCWR30661MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 90.0# | 948 | 1006 | 27 | 178 |
| | 30 x 72 | CZBCWR30721MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | 969 | 1024 | 27 | 178 |
| | 30 x 78 | CZBCWR30781MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 106.0# | 1053 | 1115 | 53 | 368 |
| | 30 x 84 | CZBCWR30841MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 113.0# | 1074 | 1135 | 53 | 368 |
|  <p>Single-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Support frames are specified separately Power modules, grommets, and electrical components specified separately Predrilled for compatibility with café height bases 42" assembled height Features perforated steel modesty panel C and LCR cutout locations are centered for three users L, R and LR cutout locations are centered for two users See cutout locations below | 30 x 90 | CZBCWR30901MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 121.0# | \$ 1088 | \$ 1148 | \$ 53 | \$ 368 |
| | 30 x 96 | CZBCWR30961MP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 129.0# | 1115 | 1175 | 53 | 368 |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
 74P - 74P edge
 KN - Knife edge
C Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
D Select cutout location.
 N - None
 L - Cutout : left
 R - Cutout : right
 C - Cutout : center
 LR - Cutout : left/right
 LCR - Cutout : left/center/right
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 60" and longer

- LCR - Pick only for models 90" and longer
E Select surface finish.
 Refer to the **Product Color Options** page in this price list.
F Select edge color.
 Refer to the **Product Color Options** page in this price list.
G Select modesty panel powdercoat.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Teaming Rectilinear Worksurfaces - 42" Height

42" Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42" Height

42" Deep for use with Cafe Height Frames

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|---|---------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------|-----------------|------------------------------------|------------------------------------|--|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | | |
|  CZRC One Cutout Option • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions on both sides • C cutout option only • See cutout locations below | 42 x 48 | CZBCWR4248TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | \$ 1046 | \$ 1080 | \$ 37 | \$ 235 | |
| | 42 x 54 | CZBCWR4254TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | 1147 | 1191 | 53 | 368 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
|  CZRC One or Two Cutout Options • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions on both sides • LR cutout locations are centered for two users • See cutout locations below | 42 x 60 | CZBCWR4260TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122.0# | \$ 1205 | \$ 1248 | \$ 53 | \$ 368 | |
| | 42 x 66 | CZBCWR4266TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 134.0# | 1388 | 1442 | 53 | 368 | |
| | 42 x 72 | CZBCWR4272TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 145.0# | 1427 | 1483 | 53 | 368 | |
| | 42 x 78 | CZBCWR4278TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 157.0# | 1539 | 1600 | 74 | 473 | |
| | 42 x 84 | CZBCWR4284TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 170.0# | 1579 | 1639 | 74 | 473 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- D** Select cutout location.
 N - None
 C - Cutout : center
 LR - Cutout : left/right
 N - Pick for all models
 C - Pick for all models
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- E** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
 Refer to the **Product Color Options** page in this price list.
- G** Select cable tray powder coat color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Teaming Rectilinear Worksurfaces - 42" Height

48" Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42" Height

48" Deep for use with Cafe Height Frames

| MODEL | D x W | MODEL NUMBER | | | | | | | Approx. Packaged Weight | 74P Edge (74P) | Knife Edge (KN) | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|---|---------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------|-----------------|------------------------------------|------------------------------------|--------|
| | | Basic Model | Edge Style | Cutout Style | Cutout Location | Surface Finish | Edge Color | Powdercoat Color | | | | | | |
|  CZRC One Cutout Option • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 12" clearance between modesty panel & edge of worksurface offers stool seating • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • C cutout option only • See cutout locations below | 48 x 48 | CZBCWR4848TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | \$ 1048 | \$ 1081 | \$ 37 | \$ 235 |
| | 48 x 54 | CZBCWR4854TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | 1148 | 1191 | 53 | 368 |
|  CZRC One or Two Cutout Options • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 12" clearance between modesty panel & edge of worksurface offers stool seating • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • LR cutout locations are centered for two users • See cutout locations below | 48 x 60 | CZBCWR4860TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122.0# | \$ 1205 | \$ 1250 | \$ 53 | \$ 368 |
| | 48 x 66 | CZBCWR4866TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 134.0# | 1389 | 1445 | 53 | 368 |
| | 48 x 72 | CZBCWR4872TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 145.0# | 1428 | 1486 | 53 | 368 |
| | 48 x 78 | CZBCWR4878TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 157.0# | 1539 | 1600 | 74 | 473 |
| | 48 x 84 | CZBCWR4884TMP | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 170.0# | 1579 | 1639 | 74 | 473 |
| | | | A | B | C | D | E | F | G | | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 74P - 74P edge
 KN - Knife edge
- C** Select cutout style.
 NCS - No cutout
 CSD - Cutout for Dean
 CSA - Cutout for Nacre
- D** Select cutout location.
 N - None
 C - Cutout : center
 LR - Cutout : left/right
 N - Pick for all models
 C - Pick for all models
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- E** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
 Refer to the **Product Color Options** page in this price list.
- G** Select cable tray powder coat color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bondue1, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

24" Fixed - 42" Height Steel Leg Frame

Supports Single-Sided 24" Deep or Teaming Worksurfaces



24" Fixed - 42" Height Steel Leg Frame

Supports Single-Sided 24" Deep or Teaming Worksurfaces

| MODEL | D x H | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|-------|-------------|----------------|--------------------------|-------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | Glide Color | | |
| | 24 x 40-3/8 | CZBCSS2448/F | <input type="checkbox"/> | GCL | 51.0# | \$ 1058 |
| | 24 x 40-3/8 | CZBCSS245472/F | <input type="checkbox"/> | GCL | 55.0# | 1144 |
| | 24 x 40-3/8 | CZBCSS247896/F | <input type="checkbox"/> | GCL | 59.0# | 1150 |
| | 24 x 40-3/8 | CZBCSA2448/F | <input type="checkbox"/> | GCL | 30.0# | \$ 586 |
| | 24 x 40-3/8 | CZBCSA245472/F | <input type="checkbox"/> | GCL | 34.0# | 670 |
| | 24 x 40-3/8 | CZBCSA247896/F | <input type="checkbox"/> | GCL | 38.0# | 683 |

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

30" Fixed - 42" Height Steel Leg Frame

Supports Single-Sided 30" Deep Worksurfaces



30" Fixed - 42" Height Steel Leg Frame

Supports Single-Sided 30" Deep Worksurfaces

| MODEL | D x H | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing | |
|-------|---|--------------|----------------|--------------------------|-------------------------|-------------------|---------|
| | | Basic Model | Paint Color | Glide Color | | | |
| | 30" Single-Sided Stand-alone/Starter Telescopic Beam Frame • Includes one 30" deep left leg and one 30" deep right leg and integrated telescopic beam • For use under a 30" deep fixed single sided café height worksurface only • Accommodates worksurface width of 48" or range of 54-72" or 78-96" • 16" knee clearance to beam • 42" finished height when fully assembled with worksurface | 30 x 40-3/8 | CZBCSS3048/F | <input type="checkbox"/> | GCL | 53.0# | \$ 1104 |
| | | 30 x 40-3/8 | CZBCSS305472/F | <input type="checkbox"/> | GCL | 57.0# | 1188 |
| | | 30 x 40-3/8 | CZBCSS307896/F | <input type="checkbox"/> | GCL | 61.0# | 1197 |
| | 30" Single-Sided Adder Telescopic Beam Frame • Includes one intermediate 30" fixed leg that is non-handed and integrated telescopic beam • Requires attachment to 30" deep fixed 42" height starter frame; may not be used alone. • For use under a 30" deep fixed single sided café height worksurface only • Accommodates worksurface width of 48" or range of 54-72" or 78-96" • 16" knee clearance to beam • 42" finished height when fully assembled with worksurface | 30 x 40-3/8 | CZBCSA3048/F | <input type="checkbox"/> | GCL | 30.0# | \$ 610 |
| | | 30 x 40-3/8 | CZBCSA305472/F | <input type="checkbox"/> | GCL | 34.0# | 694 |
| | | 30 x 40-3/8 | CZBCSA307896/F | <input type="checkbox"/> | GCL | 38.0# | 703 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.




Infeeds for Cafe Height Applications - 6-2-2

For use with Cafe Height Frames Only



Infeeds for Cafe Height Applications - 6-2-2

For use with Cafe Height Frames Only

| MODEL | Features | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|----------|------|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Color | | |
|  CZFF 10-Wire Base Infeed - Cafe Height-6 Circuit <ul style="list-style-type: none"> Provides power from fixed floor or wall sources to table power distribution system Must be hardwired to the building power source by a licensed electrician 108" length liquid tight conduit Includes two mounting clips | | 108" | CZBCFF | <input type="checkbox"/> | 5.00# | \$ 272 |
|  CZTF 10-Wire Top Infeed for Cafe Height, Left-6 Circuit <ul style="list-style-type: none"> For use on café height frames only Attaches to outer side of leg at seated user's left Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit Includes 10' long aluminum pole with dual mounting bracket Provides separate channels for electrical and data entry Single mounting bracket included | Left | 120" | CZBCTF1L | <input type="checkbox"/> | 15.00# | \$ 626 |
|  CZTF 10-Wire Top Infeed for Cafe Height, Right-6 Circuit <ul style="list-style-type: none"> For use on cafe height frames only Attaches to outer side of leg at seated user's right Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit Includes 10' foot aluminum pole with dual mounting bracket Provides separate channels for electrical and data entry Single mounting bracket included | Right | 120" | CZBCTF1R | <input type="checkbox"/> | 15.00# | \$ 626 |

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Top Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only



Top Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only

| MODEL | L | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|-----|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Color | | |
|  <p>Top Wire Enclosure - Cafe Height for Single Sided, Left</p> <ul style="list-style-type: none"> For use on cafe height single-sided frames only Attaches to outer side of leg at seated user's left Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Single mounting bracket included | 10' | CZBCTDF1L | <input type="checkbox"/> | 9.00# | \$ 381 |
| | | | | | |
|  <p>Top Wire Enclosure - Cafe Height for Single Sided, Right</p> <ul style="list-style-type: none"> For use on cafe height single-sided frames only Attaches to outer side of leg at seated user's right Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Single mounting bracket included | 10' | CZBCTDF1R | <input type="checkbox"/> | 9.00# | \$ 381 |
| | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Base Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only



Base Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only

| MODEL | Features | H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--------------|---|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Color | | |
|  <p>Base Wire Enclosure - 42" High Steel Leg Applications</p> <ul style="list-style-type: none"> • Conceals infeed along leg and upper frame • 3-piece construction • Infeed conduit is specified separately | for 24" base | | CZBCIC24 | <input type="checkbox"/> | 6.50# | \$ 186 |
| | for 30" base | | CZBCIC30 | <input type="checkbox"/> | 7.00# | 189 |
| CZBW | | | | | | |
|  <p>Wire Access Covers for Single-Sided 42" High Applications</p> <ul style="list-style-type: none"> • Steel cover assembly attaches to beam for added cord management in non-powered single-sided applications • For 42"H single-sided frame assemblies only | 48"W | | CZBCWAC48 | <input type="checkbox"/> | 4.70# | \$ 95 |
| | 54"W | | CZBCWAC54 | <input type="checkbox"/> | 5.10# | 86 |
| | 60"W | | CZBCWAC60 | <input type="checkbox"/> | 5.80# | 126 |
| | 64"W | | CZBCWAC64 | <input type="checkbox"/> | 5.80# | 126 |
| | 66"W | | CZBCWAC66 | <input type="checkbox"/> | 5.80# | 126 |
| | 72"W | | CZBCWAC72 | <input type="checkbox"/> | 6.80# | 143 |
| | 78"W | | CZBCWAC78 | <input type="checkbox"/> | 6.40# | 138 |
| | 84"W | | CZBCWAC84 | <input type="checkbox"/> | 6.60# | 145 |
| | 90"W | | CZBCWAC90 | <input type="checkbox"/> | 8.00# | 155 |
| | 96"W | | CZBCWAC96 | <input type="checkbox"/> | 9.40# | 164 |
| CZWA | | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Frameless Privacy Screens

Frameless Privacy Screens feature the option of either acrylic or glass inserts fitted into an aluminum work rail whose top rests flush with the top of the worksurface. Screens are offered in 13” and 19” heights and in widths of 6” increments from 36-96” (64” is also available).

Frameless Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize “Rail Supported” electrical components.

Note: Dividers cannot be attached to Frameless Privacy Screens.

Supporting Privacy Screens

Supporting privacy screens feature an aluminum work rail whose top rests flush with the top of the worksurface. Vertical aluminum posts and a single top rail enclose insert panels offered in steel dry erase markerboard, acrylic, or tackable fabric options. Screens are 19” high and are available in widths of 6” increments from 36-96” (64” is also available). Supporting Privacy Screens require the attachment of a Laminate Counter Shelf or Upmount Storage Cubby, specified separately, to complete the assembly.

Supporting Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize “Rail Supported” electrical components. Dividers may be attached to Supporting Privacy Screens at intersection locations.

Shelves and Upmount Storage Cubbies

Designed to complete a Supporting Privacy Screen assembly, Laminate Counter Shelves and Upmount Storage Cubbies expand storage options within Benching applications. Shelves are 15-3/4” deep, and overhang each side by approximately 7”. Widths range from 36-96” in 6” increments. Upmount Storage Cubbies are split (open on the right hand side) to provide each of two facing users equal storage space. Open laminate with steel partition or steel with sliding/locking doors are available in 6” increments from 36-72”

**Surface Finish--Grade 1 Standard Laminate**

| | |
|--------------------|-----|
| Beigewood | LBZ |
| Belair | LBQ |
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Castle Oak | LCO |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cocobala | LCC |
| Crisp Linen | LRI |
| Designer White | LDR |
| Dove Grey | LDG |
| Florence Walnut | LFC |
| Friston Ash | LFH |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Monticello Maple | LMT |
| North Sea | LNA |
| Ocean | LON |
| Pinnacle Walnut | LPW |
| River Cherry | LRV |
| Shadow Zephyr | LSR |
| Sterling Ash | LAZ |
| Titanium Evolv | LTV |
| White Nebula | LWL |
| White Sand | LWN |
| Windsor Mahogany | LWY |

Surface Finish--Grade 2 Standard Laminate

| | |
|--------------------|-----|
| Akira | LAK |
| Black Alicante | LBV |
| Black Hills Oak | LBH |
| Calcutta Marble | LCQ |
| Dering Forest | LDF |
| Fawn Cypress | LFQ |
| Ice Mist | LIM |
| Markerboard White | LMK |
| Valley Forge Elm | LVF |
| White River Forest | LWR |

Surface Finish--Grade 3 Standard Laminate

| | |
|-----------------------|-----|
| Black Velvet | LBV |
| Cumberland Walnut | LCJ |
| Designer White Velvet | LDE |
| Hartley Walnut | LHW |
| Nile Velvet | LNL |
| Raleigh Walnut | LRW |
| Solano Walnut | LSG |
| Spruce Velvet | LSC |

Above Worksurface Privacy Screens and Dividers**Paint Color**

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Earthen Clay | EY |
| Espresso Metallic | EX |
| Everglade Shade | EV |
| Flannel | FN |
| Glitz Metallic | GZ |
| Hazy Jade | HJ |
| Honey Bee | HY |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Purple Haze | PH |
| Rainforest | RQ |
| Raw Jasper | RJ |
| Rubber Ducky | RK |
| Sand | SA |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Tarragon | TQ |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

End Cap Color

| | |
|------------------|-----|
| Black | CBL |
| Cottonwood | CCO |
| Shadow | CSW |
| Starlight Silver | CSX |

Framed Screen Inserts - Grade 1

| | |
|-----------------------------|-----|
| Translucent Crystal Acrylic | ACS |
|-----------------------------|-----|

Framed Screen Inserts - Grade 2

| | |
|--------------------|-----|
| Laguna Acrylic | ALA |
| Sunshine Acrylic | ASE |
| Tomato Acrylic | ATT |
| White Marker Board | AWH |

NOTE: ACS is consistent with CRYST - Translucent Crystal Acrylic option for Connection Zone® Mobile Screens. AWH is consistent with WHITE - Solid White Acrylic option for Connection Zone® Mobile Screens.

Framed Fabric Screen Inserts

| | |
|----------|-----|
| Spectrum | S1 |
| Popcorn | PV2 |

Above Worksurface Privacy Screens and Dividers**Frameless Privacy Screen Insert - Grade 1**

| | |
|-------------------|-----|
| Colorless Acrylic | ACS |
| Glass Clear | GLA |

Frameless Privacy Screen Insert - Grade 2

| | |
|----------------------------|-----|
| Glass Satin Etch two sides | GL2 |
| Laguna Acrylic | ALA |
| Sunshine Acrylic | ASE |
| Tomato Acrylic | ATT |



Finish Cards

View color swatches for items listed within this document.

[Paints](#)[Wood/Veneer](#)[Molded Edges](#)[Hard Plastics](#)[Plastics/Poly](#)[Laminates](#)[Edge Styles](#)[Glass](#)

Certain options referenced may not be available on GSA Schedule.



| MODEL | D x W x H | MODEL NUMBER | | | Approx. Packaged Weight | Grade | |
|--|------------------|--------------|--------------------------|--------------------------|-------------------------|---------|---------|
| | | Basic Model | Paint Color | Insert | | Grade 1 | Grade 2 |
|  <p>Frameless Center Privacy Screen with Work Rail - 13" High</p> <ul style="list-style-type: none"> 13" finished height above worksurface Width dimension is actual 1/2" radius top corners Center work rail is 2-1/2" wide; insert is 1/4" thick Electrical components are attached to the bottom of the work rail; specified separately Insert is inset 1" from table edge | 2-1/2 x 36 x 13" | CZBPSU3613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 14.0# | \$ 692 | \$ 793 |
| | 2-1/2 x 42 x 13" | CZBPSU4213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | 745 | 846 |
| | 2-1/2 x 48 x 13" | CZBPSU4813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 18.0# | 769 | 910 |
| | 2-1/2 x 54 x 13" | CZBPSU5413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 20.5# | 854 | 1018 |
| | 2-1/2 x 60 x 13" | CZBPSU6013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 22.5# | 906 | 1087 |
| | 2-1/2 x 64 x 13" | CZBPSU6413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 24.0# | 924 | 1118 |
| | 2-1/2 x 66 x 13" | CZBPSU6613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 24.5# | 934 | 1134 |
| | 2-1/2 x 72 x 13" | CZBPSU7213/1 | <input type="checkbox"/> | <input type="checkbox"/> | 27.0# | 954 | 1176 |
| | 2-1/2 x 78 x 13" | CZBPSU7813/1 | <input type="checkbox"/> | <input type="checkbox"/> | 29.0# | 1039 | 1278 |
| | 2-1/2 x 84 x 13" | CZBPSU8413/1 | <input type="checkbox"/> | <input type="checkbox"/> | 31.0# | 1101 | 1320 |
| | 2-1/2 x 90 x 13" | CZBPSU9013/1 | <input type="checkbox"/> | <input type="checkbox"/> | 33.0# | 1115 | 1365 |
| | 2-1/2 x 96 x 13" | CZBPSU9613/1 | <input type="checkbox"/> | <input type="checkbox"/> | 35.5# | 1128 | 1412 |
|  <p>Frameless Center Privacy Screen with Work Rail - 19" High</p> <ul style="list-style-type: none"> 19" finished height above worksurface Width dimension is actual 1/2" radius top corners Center work rail is 2-1/2" wide; insert is 1/4" thick Electrical components are attached to the bottom of the work rail; specified separately Insert is inset 1" from table edge | 2-1/2 x 36 x 19" | CZBPSU3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 16.0# | \$ 745 | \$ 874 |
| | 2-1/2 x 42 x 19" | CZBPSU4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 18.5# | 807 | 933 |
| | 2-1/2 x 48 x 19" | CZBPSU4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 21.0# | 838 | 1021 |
| | 2-1/2 x 54 x 19" | CZBPSU5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 23.5# | 934 | 1141 |
| | 2-1/2 x 60 x 19" | CZBPSU6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | 996 | 1226 |
| | 2-1/2 x 64 x 19" | CZBPSU6419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 28.0# | 1019 | 1262 |
| | 2-1/2 x 66 x 19" | CZBPSU6619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 28.5# | 1034 | 1285 |
| | 2-1/2 x 72 x 19" | CZBPSU7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 31.5# | 1066 | 1341 |
| | 2-1/2 x 78 x 19" | CZBPSU7819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 33.5# | 1158 | 1456 |
| | 2-1/2 x 84 x 19" | CZBPSU8419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 36.0# | 1248 | 1516 |
| | 2-1/2 x 90 x 19" | CZBPSU9019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 38.5# | 1265 | 1572 |
| | 2-1/2 x 96 x 19" | CZBPSU9619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 41.5# | 1285 | 1633 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select insert and finish. See pricing columns for insert color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19" High with Framed Fabric Insert



Supporting Privacy Screen

19" High with Framed Fabric Insert

| MODEL | D x W x H | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|------------------|---------------|--------------------------|--------------------------|-------------------------|---|----------------------------------|--|
| | | Basic Model | Paint | Upholstery | | | | |
|  CZSF Single Supporting Fabric Privacy Screen with Work Rail - 19" High • 19" finished height above worksurface • Single, uninterrupted screen • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 36 X 19" | CZBSPPF3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 35.5# | \$ 868 | \$ 904 | \$ 947 |
| | 2-1/2 X 42 X 19" | CZBSPPF4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 38.5# | 906 | 942 | 989 |
| | 2-1/2 X 48 X 19" | CZBSPPF4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 40.5# | 928 | 966 | 1014 |
| | 2-1/2 X 54 X 19" | CZBSPPF5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 43.5# | 1147 | 1193 | 1254 |
| | 2-1/2 X 60 X 19" | CZBSPPF6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 45.5# | 1241 | 1292 | 1357 |
| | 2-1/2 X 72 X 19" | CZBSPPF7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 49.5# | 1273 | 1329 | 1395 |
|  CZSF Double Supporting Fabric Privacy Screen with Work Rail 19" High, Center Intersection • 19" finished height above worksurface • Screen includes two equal panels • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 60 X 19" | CZBSPPF6019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 56.5# | \$ 1413 | \$ 1471 | \$ 1545 |
| | 2-1/2 X 72 X 19" | CZBSPPF7219/2 | <input type="checkbox"/> | <input type="checkbox"/> | 61.5# | 1490 | 1561 | 1639 |
| | 2-1/2 X 84 X 19" | CZBSPPF8419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 66.5# | 1570 | 1639 | 1721 |
| | 2-1/2 X 96 X 19" | CZBSPPF9619/2 | <input type="checkbox"/> | <input type="checkbox"/> | 71.5# | 1609 | 1692 | 1775 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select upholstery. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19" High with Framed Acrylic Insert



Supporting Privacy Screen

19" High with Framed Acrylic Insert

| MODEL | D x W x H | MODEL NUMBER | | | Approx. Packaged Weight | Acrylic Grade 1 | Acrylic Grade 2 |
|--|------------------|--------------|--------------------------|--------------------------|-------------------------|-----------------|-----------------|
| | | Basic Model | Paint | Acrylic | | | |
|  <p>CZSA</p> <p>Single Supporting Acrylic Privacy Screen with Work Rail - 19" High</p> <ul style="list-style-type: none"> 19" finished height above worksurface Single, uninterrupted screen Complete assembly requires addition of either storage cubby or shelf, specified separately Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 36 X 19" | CZBSPA3619/1 | <input type="checkbox"/> | <input type="checkbox"/> | 36.5# | \$ 849 | \$ 1148 |
| | 2-1/2 X 42 X 19" | CZBSPA4219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 39.5# | 889 | 1289 |
| | 2-1/2 X 48 X 19" | CZBSPA4819/1 | <input type="checkbox"/> | <input type="checkbox"/> | 42.5# | 892 | 1469 |
| | 2-1/2 X 54 X 19" | CZBSPA5419/1 | <input type="checkbox"/> | <input type="checkbox"/> | 45.5# | 1171 | 1576 |
| | 2-1/2 X 60 X 19" | CZBSPA6019/1 | <input type="checkbox"/> | <input type="checkbox"/> | 48.5# | 1251 | 1690 |
| | 2-1/2 X 72 X 19" | CZBSPA7219/1 | <input type="checkbox"/> | <input type="checkbox"/> | 52.5# | 1273 | 1771 |
|  <p>CZSA</p> <p>Double Supporting Acrylic Privacy Screen and Work Rail - 19" High, Center Intersection</p> <ul style="list-style-type: none"> 19" finished height above worksurface Screen includes two equal panels Complete assembly requires addition of either storage cubby or shelf, specified separately Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 60 X 19" | CZBSPA6019/2 | <input type="checkbox"/> | <input type="checkbox"/> | 58.5# | \$ 1446 | \$ 2148 |
| | 2-1/2 X 72 X 19" | CZBSPA7219/2 | <input type="checkbox"/> | <input type="checkbox"/> | 64.5# | 1570 | 2169 |
| | 2-1/2 X 84 X 19" | CZBSPA8419/2 | <input type="checkbox"/> | <input type="checkbox"/> | 69.5# | 1647 | 2454 |
| | 2-1/2 X 96 X 19" | CZBSPA9619/2 | <input type="checkbox"/> | <input type="checkbox"/> | 75.5# | 1659 | 2812 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select acrylic color. See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19" High with Framed Dry Erase Steel Markerboard Insert



Supporting Privacy Screen

19" High with Framed Dry Erase Steel Markerboard Insert

| MODEL | D x W x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|------------------|--------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
|  <p>CZSM</p> <p>Single Supporting Markerboard Privacy Screen with Work Rail - 19" High</p> <ul style="list-style-type: none"> 19" finished height above worksurface Single, uninterrupted screen Complete assembly requires addition of either storage cubby or shelf, specified separately Framed steel inserts are markerable and magnetic Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 36 X 19" | CZBSPM3619/1 | <input type="checkbox"/> | 36.5# | \$ 806 |
| | 2-1/2 X 42 X 19" | CZBSPM4219/1 | <input type="checkbox"/> | 39.5# | 848 |
| | 2-1/2 X 48 X 19" | CZBSPM4819/1 | <input type="checkbox"/> | 42.5# | 934 |
| | 2-1/2 X 54 X 19" | CZBSPM5419/1 | <input type="checkbox"/> | 45.5# | 1001 |
| | 2-1/2 X 60 X 19" | CZBSPM6019/1 | <input type="checkbox"/> | 48.5# | 1087 |
| | 2-1/2 X 72 X 19" | CZBSPM7219/1 | <input type="checkbox"/> | 52.5# | 1345 |
|  <p>CZSM</p> <p>Double Supporting Markerboard Privacy Screen with Work Rail - 19" High, Center Intersection</p> <ul style="list-style-type: none"> 19" finished height above worksurface Screen includes two equal panels Complete assembly requires addition of either storage cubby or shelf, specified separately Framed steel inserts are markerable and magnetic Electrical components are attached to the bottom of the work rail; specified separately | 2-1/2 X 60 X 19" | CZBSPM6019/2 | <input type="checkbox"/> | 58.5# | \$ 1316 |
| | 2-1/2 X 72 X 19" | CZBSPM7219/2 | <input type="checkbox"/> | 64.5# | 1415 |
| | 2-1/2 X 84 X 19" | CZBSPM8419/2 | <input type="checkbox"/> | 69.5# | 1499 |
| | 2-1/2 X 96 X 19" | CZBSPM9619/2 | <input type="checkbox"/> | 75.5# | 1675 |
| | | | | | |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Laminate Counter Shelf

For Attachment to Supporting Privacy Screen



Laminate Counter Shelf

For Attachment to Supporting Privacy Screen

| MODEL | D x W x H | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|---|--------------------|--------------|--|--|-------------------------|-------------------|------------------------------------|------------------------------------|
| | | Basic Model | Surface Finish | Edge Color | | | | |
|  <p>Laminate Counter Shelf</p> <ul style="list-style-type: none"> For attachment to supporting privacy screen frame, specified separately 15-3/4" deep shelf provides approximately 7" overhang per side Includes mounting hardware 73P edge | 15-3/4 x 36 x 3/4" | CZBSH36 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 13.0# | \$ 342 | \$ 19 | \$ 120 |
| | 15-3/4 x 42 x 3/4" | CZBSH42 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 15.5# | 343 | 19 | 120 |
| | 15-3/4 x 48 x 3/4" | CZBSH48 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 17.5# | 343 | 19 | 120 |
| | 15-3/4 x 54 x 3/4" | CZBSH54 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 19.5# | 344 | 19 | 120 |
| | 15-3/4 x 60 x 3/4" | CZBSH60 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 22.0# | 345 | 19 | 120 |
| | 15-3/4 x 72 x 3/4" | CZBSH72 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 26.0# | 443 | 19 | 120 |
| | 15-3/4 x 84 x 3/4" | CZBSH84 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 30.5# | 445 | 19 | 120 |
| | 15-3/4 x 96 x 3/4" | CZBSH96 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 35.0# | 447 | 19 | 120 |

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish. Refer to the **Product Color Options** page in this price list.
- C** Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Storage Cubby - Upmount

For Attachment to Supporting Privacy Screen



Storage Cubby - Upmount

For Attachment to Supporting Privacy Screen

| MODEL | D x W x H | MODEL NUMBER | | | | | | | | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|--|------------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-------------------|------------------------------------|------------------------------------|--------|
| | | Basic Model | Partition Finish | Surface Finish | Edge Color | Shell Color | Door Color | Lock Option | Lock Color | | | | | |
|  <p>Laminate Storage Cubby with Steel Partition - Open</p> <ul style="list-style-type: none"> For attachment to supporting privacy screen frame, specified separately Open area is half the width of the unit on each side Includes mounting hardware Laminate outer, steel inner divider Inner height clearance 11-3/4" Divider is magnetic Usable side of cubby is on left side when viewed by user | 15-3/4 x 36 x 13-3/16" | CZBLSU36 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 35.0# | \$ 1053 | \$ 105 | \$ 709 |
| | 15-3/4 x 42 x 13-3/16" | CZBLSU42 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 42.0# | 1124 | 105 | 709 |
| | 15-3/4 x 48 x 13-3/16" | CZBLSU48 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 49.0# | 1151 | 105 | 709 |
| | 15-3/4 x 54 x 13-3/16" | CZBLSU54 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 56.0# | 1256 | 105 | 709 |
| | 15-3/4 x 60 x 13-3/16" | CZBLSU60 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 70.0# | 1278 | 105 | 709 |
| | 15-3/4 x 72 x 13-3/16" | CZBLSU72 | | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | 84.0# | 1533 | 210 | 1418 |
|  <p>Steel Storage Cubby - Sliding Door</p> <ul style="list-style-type: none"> For attachment to supporting privacy screen frame, specified separately Open area is half the width of the unit on each side Includes mounting hardware Steel construction with sliding locking door on each side Inner height clearance 12-1/2" Metal surfaces are magnetic Usable side of cubby is on right side when viewed by user | 13-1/2 x 36 x 14-1/4" | CZBMSUSD36 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 36.0# | \$ 1263 | N/A | N/A |
| | 13-1/2 x 42 x 14-1/4" | CZBMSUSD42 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 42.0# | 1374 | N/A | N/A |
| | 13-1/2 x 48 x 14-1/4" | CZBMSUSD48 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 48.0# | 1473 | N/A | N/A |
| | 13-1/2 x 54 x 14-1/4" | CZBMSUSD54 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 54.0# | 1571 | N/A | N/A |
| | 13-1/2 x 60 x 14-1/4" | CZBMSUSD60 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 60.0# | 1783 | N/A | N/A |
| | 13-1/2 x 72 x 14-1/4" | CZBMSUSD72 | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 72.0# | 1934 | N/A | N/A |
| | | | A | B | C | D | E | F | G | H | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select partition finish. Refer to the **Product Color Options** page in this price list.
- C** Select surface finish. Refer to the **Product Color Options** page in this price list.
- D** Select edge color. Refer to the **Product Color Options** page in this price list.
- E** Select shell finish. Refer to the **Product Color Options** page in this price list.
- F** Select door finish. Refer to the **Product Color Options** page in this price list.
- G** Select lock option.

- KS** - Key standard
- NLC** - No lock core - 1 lock
- H** Select lock color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



TECHNICAL SPECIFICATIONS

General Information

The Connection Zone Storage offering is a collection of elements created for space efficiency within open environments. The collection consists of shared lockers, individual credenzas and pedestals.

Construction and Standard Features

Lockers

Single and double module lockers are sized to accommodate binders, bags and other personal items. A coat hook is standard and an optional fixed blank shelf, which divides the compartment vertically in two, is available for the double module locker.

Both the single and double module lockers are available in 30" and 36" widths. The single module locker is available in three heights, 33¹/₈", 48⁷/₁₆" and 63³/₄". The double module locker is available in two heights, 33¹/₈" and 63³/₄".

Interior Clearance

Single module locker: 13¹/₂" and 16¹/₂" wide by 16⁷/₈" deep by 14¹/₂" high
Double module locker: 13¹/₂" and 16¹/₂" wide by 16⁷/₈" deep by 30¹/₈" high

Shell

The shell is common to the lateral 700 Series lateral storage units, with 18-gauge formed steel uprights, top and bottom reinforcements welded together to create a rigid box frame. The outer skin is constructed of 19- and 20-gauge cold rolled steel (C.R.S.) with a seamless back detail. Lockers feature leveling glides with a 1" adjustment range.

Partitions

A 1¹/₂" thick double-wall hidden partition divides the locker shell in half, running from top to bottom, into which the cupboard doors lock.

Shelves

1" thick shelves with flanges, front and back, screw into the upright members of the case and center partition to create separation between modules.

Doors

The locker doors are single wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110 degree opening, provide 3-way adjustment of door to ensure consistent gapping and operation.

Credenzas

Connection Zone credenza shells are constructed of 18- and 20-gauge steel components, with 18-gauge structural top and bottom reinforcements and vertical uprights. Credenzas are available in two widths, 60" and 72", each with an open bookcase and drawer sections. Credenzas are available in three heights, 17¹/₁₆", 20³/₄" and 23¹³/₁₆", each with different drawer configurations.

Interior Configuration & Clearance

17¹/₁₆" high unit

Bookcase section – 12³/₈" high by 28¹/₂" and 34¹/₂" wide by 18" deep
Drawer section – A) 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately). B) Qty, two 6" box drawers that will accept plate dividers (sold separately).

20³/₄" high unit

Bookcase section – 15⁷/₁₆" high by 28¹/₂" and 34¹/₂" wide by 18" deep
Drawer section – 3" pencil drawer and 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately).

23¹³/₁₆" high unit:

Bookcase section – 18¹/₂" high by 28¹/₂" and 34¹/₂" wide by 18" deep with one adjustable blank shelf.

Drawer section – 6" drawer that will accept plate dividers (sold separately), 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately).

Drawers

Steel and laminate drawer fronts are available, both accepting exterior pulls. Fronts are screw-mounted to roll-out shelves to build drawers. All drawers feature smooth riding, full-extension, ball bearing slides. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls. Key lock is standard on 12" drawers. Components have been tested to accept loads of 125 pounds, exceeding ANSI/BIFM X5.9 2004 standards for filing when recommended counterbalance weight is installed.

Partition

A 1¹/₂" thick double-wall partition runs down the center of the unit, dividing the bookcase section from the file section.

Legs

1¹/₂" x 3³/₄" steel legs with threaded insert and 16-gauge top plate are bolted to the underside of the credenza, raising it 3¹/₁₆" off the floor. Adjustable leveling glides provide 1" of adjustment.

Pedestals

Mobile Box/ File Pedestals, 15" wide by 21³/₄" tall, are available in three depths, 17⁵/₈", 21⁵/₈" and 27⁵/₈".

Basic Shell

Shell composed of 20-gauge steel body with 20-gauge steel top and box frame, front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Single wall metal or laminate fronts screw-mount to pre-painted drawer bodies and overlap the face of the unit. Box (6") drawers operate on two-piece, 3³/₄" extensions ball bearing suspensions, File drawers operate on three-piece full extension ball bearing suspensions. Pull options include ADA-compliant nickel plated loop pulls.

Casters

Consist of four twin-wheel hooded casters, two front casters locking. A smaller fifth caster is attached to, and travels with, the file drawer.

General

Locks

There are four locking options for Connection Zone Storage:

- 1. Standard key lock (available on lockers and credenzas)** - The standard lock is a high-security double-bit lock. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations are available at no additional charge (this information must be included with order). Locks can be master keyed.

Please see the Accessories section of this price list for order information on master keys, extractor (core removal) keys, key blanks, cut keys, core sets and key sets. All standard locks have removable and interchangeable plugs. This feature allows for onsite custom keying. Units can be supplied with lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core removal) key and can be found in the Accessories section. Contact KI Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-number locks.

Example: 30 plugs = 3 keyed alike, 10 keyed alike, 17 keyed alike



TECHNICAL SPECIFICATIONS

General (cont.)

Locks (cont.)

2. Padlock (available on lockers only) - Robust zinc housing allows the end user to apply their own combination lock. Lock is backed with a stainless steel escutcheon plate to protect the paint finish.

3. Combination lock (available on lockers only) - 4-dial combination lock that allows user to access locker without the need of a key. All locks are shipped with a factory set code 3333, combination is set by the end user / facility manager. In the case of lost or forgotten codes, a master key override will unlock the unit and allow the lock to be recoded. Combination lock features solid zinc construction. and a 4-digit combination allows up to 10,000 unique codes.

4. Digital lock - Standalone battery operated lock allows user immediate and simple keypad access without the need of a key. All locks are shipped with a factory set code 2244, the new access code is set by the end user / facility manager. Users have the flexibility to set and change a personal entry code, while a preset master code ensures that supervisor access is always available, or in an emergency, the key code can be overridden.

Features:

- Up to 80,000 operating cycles battery life
- Low battery warning
- Battery failure key override
- 8-digit master code and 6-digit sub-master codes
- 4-digit user code (10000 unique codes)
- 6-digit technician code
- Code changeable
- Not suitable for chlorinated environments

Standard Finishes

Lockers are offered in all standard powder-coat colors. Powder-coat application is a hybrid epoxy. Paint is baked on to provide a scratch and stain resistant finish. Shells and doors/drawers may be specified in separate colors for no upcharge. Credenzas also feature separate specification of shell and drawers. Shells are offered in all standard powder-coat colors. Drawers are offered in a laminate construction (standard laminates) or in steel (standard powder-coat). Mechanical components are plated or finished with other protective coating.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available but subject to upcharge and the following conditions:

1. Two steel color chips (minimum 2 1/2" x 3 1/2") are required for color matching. Paper samples are acceptable; however a reasonable tolerance must be allowed when comparing the two samples.

2. All solid, single-pass non-standard colors are available with extended lead times. Colors that are deemed to be metallic, hi-chromatic, textured or require multiple passes are subject to further upcharges. Orders will not be processed until a color match is approved in writing.

Commercial Pack

This is the standard pack that KI offers on all files and storage products. Commercial pack consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.



Credenza/Lockers

Shell Color (Includes Legs)

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Earthen Clay | EY |
| Espresso Metallic | EX |
| Everglade Shade | EV |
| Flannel | FN |
| Glitz Metallic | GZ |
| Hazy Jade | HJ |
| Honey Bee | HY |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Purple Haze | PH |
| Rainforest | RQ |
| Raw Jasper | RJ |
| Rubber Ducky | RK |
| Sand | SA |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Tarragon | TQ |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

Credenza/Lockers

Steel Drawer/Door Color

| | |
|--------------------|-----|
| Black | FBL |
| Blue Grey | FGR |
| Bronze Metallic | FZM |
| Cayenne | FCY |
| Champagne Metallic | FCM |
| Cool Grey | FCG |
| Cottonwood | FCO |
| Earthen Clay | FEY |
| Espresso Metallic | FEX |
| Everglade Shade | FEV |
| Flannel | FFN |
| Glitz Metallic | FGZ |
| Hazy Jade | FHJ |
| Honey Bee | FHY |
| Light Tone | FLG |
| Mardi Gras | FMG |
| Misty Brown | FMY |
| Nemo | FNE |
| Nordic | FND |
| Purple Haze | FPH |

| | |
|---------------------------|-----|
| Rainforest | FRQ |
| Raw Jasper | FRJ |
| Rubber Ducky | FRK |
| Sand | FSA |
| Starlight Silver Metallic | FSX |
| Surf's Up | FSP |
| Tarragon | FTQ |
| Twilight Shadow | FTI |
| Ultra Blue | FUB |
| Warm Grey | FWG |
| Zesty Lime | FZL |

Credenza/Pedestals

Laminate Drawer/Credenza Top Edge Color

| | |
|--------------------|-----|
| Akira | EAK |
| Beigewood | EBZ |
| Belair | EBQ |
| Biltmore Cherry | EBT |
| Black | EBL |
| Black Hills Oak | EBH |
| Blue Grey | EGR |
| Brighton Walnut | EBW |
| Castle Oak | ECO |
| Cayenne | ECY |
| Cherry Storm | ECX |
| Cocobala | ECC |
| Cool Grey | ECG |
| Cumberland Walnut | ECJ |
| Dering Forest | EDF |
| Designer White | EDR |
| Everglade Shade | EEV |
| Fawn Cypress | EFQ |
| Flannel | EFN |
| Florence Walnut | EFC |
| Friston Ash | EFH |
| Frosty White | EFW |
| Hartley Walnut | EHW |
| Hazy Jade | EHJ |
| Italian Silver Ash | EIT |
| Kensington Maple | EKM |
| Light Tone | ELG |
| Mardi Gras | EMG |
| Misty Brown | EMY |
| Monticello Maple | EMT |
| Multiplex | EMB |
| Nemo | ENE |
| Nordic | END |
| Pinnacle Walnut | EPW |
| Poppy Red | EPR |
| Rainforest | ERQ |
| Raleigh Walnut | ERW |
| River Cherry | ERY |
| Rubber Ducky | ERK |
| Sand | ESA |
| Sky Blue | ESK |
| Solano Walnut | ESG |
| Sterling Ash | EAZ |

| | |
|--------------------|-----|
| Surf's Up | ESP |
| Tarragon | ETQ |
| Twilight Shadow | ETI |
| Ultra Blue | EUB |
| Valley Forge Elm | EVF |
| Warm Grey | EWG |
| White River Forest | EWR |
| Windsor Mahogany | EWY |
| Zesty Lime | EZL |

Credenza/Pedestals

Laminate Drawer/Credenza Top Edge Color

Surface Finish--Grade 1 Standard Laminate

| | |
|--------------------|-----|
| Beigewood | LBZ |
| Belair | LBQ |
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Castle Oak | LCO |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cocobala | LCC |
| Crisp Linen | LRI |
| Designer White | LDR |
| Dove Grey | LDG |
| Florence Walnut | LFC |
| Friston Ash | LFH |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Monticello Maple | LMT |
| North Sea | LNA |
| Ocean | LON |
| Pinnacle Walnut | LPW |
| River Cherry | LRV |
| Shadow Zephyr | LSR |
| Sterling Ash | LAZ |
| Titanium Evolv | LTV |
| White Nebula | LWL |
| White Sand | LWN |
| Windsor Mahogany | LWY |

Surface Finish--Grade 2 Standard Laminate

| | |
|-------------------|-----|
| Akira | LAK |
| Black Alicante | LBY |
| Black Hills Oak | LBH |
| Calcutta Marble | LCQ |
| Dering Forest | LDF |
| Fawn Cypress | LFQ |
| Ice Mist | LIM |
| Markerboard White | LMK |

| | |
|--|-----|
| Valley Forge Elm | LVF |
| White River Forest | LWR |
| Surface Finish--Grade 3 Standard Laminate | |
| Black Velvet | LBV |
| Cumberland Walnut | LCJ |
| Designer White Velvet | LDE |
| Hartley Walnut | LHW |
| Nile Velvet | LNL |
| Raleigh Walnut | LRW |
| Solano Walnut | LSG |
| Spruce Velvet | LSC |



Finish Cards

View color swatches for items listed within this document.

- [Paints](#)
- [Wood/Veneer](#)
- [Molded Edges](#)
- [Hard Plastics](#)
- [Plastics/Poly](#)
- [Laminates](#)
- [Edge Styles](#)
- [Glass](#)

Certain options referenced may not be available on GSA Schedule.



| Features | W x D x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing |
|--|--|-------------------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|
| | | Basic Model | Lock Option | Lock Color | Shell Color | Drawer Color | Pull Style | | |
|  CZSC Lateral File, Open <ul style="list-style-type: none"> • Features one 12" lateral file drawer and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Hanging file bars included for side-to-side filing • Optional pad specified separately | Lateral File Left, Open w/Adjustable Shelf Right | 60 x 18 x 17-3/4" | CZSCS60120FO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 143.0# \$ 1877 |
| | Lateral File Left, Open w/Adjustable Shelf Right | 72 x 18 x 17-3/4" | CZSCS72120FO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 163.0# 1936 |
| | Open w/Adjustable Shelf Left, Lateral File Right | 60 x 18 x 17-3/4" | CZSCS601200F | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 143.0# 1877 |
| | Open w/Adjustable Shelf Left, Lateral File Right | 72 x 18 x 17-3/4" | CZSCS721200F | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 163.0# 1936 |
|  CZSC Box/Box, Open <ul style="list-style-type: none"> • Features two 6" box drawers and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Optional pad specified separately • Non-locking | Box/Box Left, Open w/Adjustable Shelf Right | 60 x 18 x 17-3/4" | CZSCS60120BBO | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 158.0# \$ 2202 |
| | Box/Box Left, Open w/Adjustable Shelf Right | 72 x 18 x 17-3/4" | CZSCS72120BBO | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 181.0# 2288 |
| | Open w/Adjustable Shelf Left, Box/Box Right | 60 x 18 x 17-3/4" | CZSCS601200BB | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 158.0# 2202 |
| | Open w/Adjustable Shelf Left, Box/Box Right | 72 x 18 x 17-3/4" | CZSCS721200BB | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 181.0# 2288 |
| | | | A | B | C | D | E | F | |

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.

| | |
|------------|-------------------------|
| KS | - Key standard |
| NLC | - No lock core - 1 lock |
- C** Select lock color. Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat. Refer to the **Product Color Options** page in this price list.
- E** Select drawer powdercoat. Refer to the **Product Color Options** page in this price list.
- F** Select pull style.

| | |
|------------|---|
| CZP | - Nickel Rectangle (Connection Zone) pull |
| USP | - U-Series pull |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| Features | W x D x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing |
|---|-------------------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-------------------|
| | | Basic Model | Lock Option | Lock Color | Shell Color | Drawer Color | Pull Style | | |
| Pencil/Lateral File Left, Open w/Adjustable Shelf Right | 60 x 18 x 20-3/4" | CZSCS60150PFO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 171.00# | \$ 2180 |
| Pencil/Lateral File Left, Open w/Adjustable Shelf Right | 72 x 18 x 20-3/4" | CZSCS72150PFO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 193.00# | 2280 |
| Open w/Adjustable Shelf Left, Pencil/Lateral File Right | 60 x 18 x 20-3/4" | CZSCS60150OPF | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 171.00# | 2180 |
| Open w/Adjustable Shelf Left, Pencil/Lateral File Right | 72 x 18 x 20-3/4" | CZSCS72150OPF | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 193.00# | 2280 |



- CZSC
Pencil/Lateral File, Open
- Features upper 3" pencil drawer, lockable lower 12" lateral file and opposite open with adjustable shelf
 - Steel shell and drawers
 - Full extension slides
 - Hanging file bars included for side-to-side filing
 - Optional pad specified separately

A B C D E F

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.

| | |
|------------|-------------------------|
| KS | - Key standard |
| NLC | - No lock core - 1 lock |
- C** Select lock color. Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat. Refer to the **Product Color Options** page in this price list.
- E** Select drawer powdercoat. Refer to the **Product Color Options** page in this price list.
- F** Select pull style.

| | |
|------------|---|
| CZP | - Nickel Rectangle (Connection Zone) pull |
| USP | - U-Series pull |


SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| | Features | W x D x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing |
|---|--|-------------------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Lock Option | Lock Color | Shell Color | Drawer Color | Pull Style | | |
|  <p>CZSC Box/Lateral File, Open with Adjustable Shelf</p> <ul style="list-style-type: none"> Features upper 6" box drawer, lockable lower 12" lateral file and opposite open with adjustable shelf Steel shell and drawers Full extension slides Hanging file bars included for side-to-side filing Optional pad specified separately | Box/Lateral File Left, Open w/Adjustable Shelf Right | 60 x 18 x 23-7/8" | CZSCS60180BFO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 175.00# | \$ 2267 |
| | Box/Lateral File Left, Open w/Adjustable Shelf Right | 72 x 18 x 23-7/8" | CZSCS72180BFO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 199.00# | 2372 |
| | Open w/Adjustable Shelf Left, Box/Lateral File Right | 60 x 18 x 23-7/8" | CZSCS601800BF | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 175.00# | 2267 |
| | Open w/Adjustable Shelf Left, Box/Lateral File Right | 72 x 18 x 23-7/8" | CZSCS721800BF | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 199.00# | 2372 |
| | | | A | B | C | D | E | F | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.

| | |
|------------|-------------------------|
| KS | - Key standard |
| NLC | - No lock core - 1 lock |
- C** Select lock color. Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat. Refer to the **Product Color Options** page in this price list.
- E** Select drawer powdercoat. Refer to the **Product Color Options** page in this price list.
- F** Select pull style.

| | |
|------------|---|
| CZP | - Nickel Rectangle (Connection Zone) pull |
| USP | - U-Series pull |

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Credenzas

Steel Shell, Laminate Front 18" High



Credenzas

Steel Shell, Laminate Front 18" High

| Features | W x D x H | MODEL NUMBER | | | | | | | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | |
|--|--|-------------------|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|------------------------------------|------------------------------------|--------|
| | | Basic Model | Lock Option | Lock Color | Shell Color | Drawer Laminate | Edge Color | Pull Style | | | | | |
|  <p>Lateral File, Open</p> <ul style="list-style-type: none"> Features one 12" lateral file drawer and opposite open with adjustable shelf Steel shell; laminate drawer front Full extension slides Hanging file bars included for side-to-side filing Optional pad specified separately Laminate drawers feature pattern-matched poly edging | Lateral File Left, Open w/Adj. Shelf Right | 60 x 18 x 17-5/8" | CZSCL60120FO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 149.0# | \$ 2053 | \$ 19 | \$ 120 |
| | Lateral File Left, Open w/Adj. Shelf Right | 72 x 18 x 17-5/8" | CZSCL72120FO | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 172.0# | 2114 | 19 | 120 |
| | Open w/Adj. Shelf Left, Lateral File Right | 60 x 18 x 17-5/8" | CZSCL601200F | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 149.0# | 2053 | 19 | 120 |
| | Open w/Adj. Shelf Left, Lateral File Right | 72 x 18 x 17-5/8" | CZSCL721200F | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 172.0# | 2114 | 19 | 120 |
|  <p>Box/Box, Open</p> <ul style="list-style-type: none"> Features two 6" box drawers and opposite open with adjustable shelf Steel shell; laminate drawer front Full extension slides Optional pad specified separately Laminate drawers feature pattern-matched poly edging Non-locking | Box/Box Left, Open w/Adj. Shelf Right | 60 x 18 x 17-5/8" | CZSCL60120BB0 | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 165.0# | \$ 2514 | \$ 19 | \$ 120 |
| | Box/Box Left, Open w/Adj. Shelf Right | 72 x 18 x 17-5/8" | CZSCL72120BB0 | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 188.0# | 2599 | 19 | 120 |
| | Open w/Adj. Shelf Left, Box/Box Right | 60 x 18 x 17-5/8" | CZSCL601200BB | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 165.0# | 2514 | 19 | 120 |
| | Open w/Adj. Shelf Left, Box/Box Right | 72 x 18 x 17-5/8" | CZSCL721200BB | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 188.0# | 2599 | 19 | 120 |
| | | | A | B | C | D | E | F | G | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
 - KS** - Key standard
 - NLC** - No lock core - 1 lock
- C** Select lock color. Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat. Refer to the **Product Color Options** page in this price list.
- E** Select drawer laminate. Refer to the **Product Color Options** page in this price list.
- F** Select edge color. Refer to the **Product Color Options** page in this price list.
- G** Select pull style.

CZP - Nickel Rectangle (Connection Zone) pull
USP - U-Series pull

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price |
|--|---------------------------|------------------|--------------|--|---|-------------------------|-------------------|------------------------------------|------------------------------------|
| | | | Basic Model | Surface Finish | Edge Color | | | | |
|  CZCT Single Credenza Tops • 1/16" overhang • Intended for single tops only • 74P edge only • Top attaches with fasteners through drilled holes and pre-applied double-sided tape (fasteners and tape provided) | Single Credenza Top | 60 x 18 x 1-1/4" | CZSCT6018 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 39.0# | \$ 453 | \$ 19 | \$ 120 |
| | Single Credenza Top | 72 x 18 x 1-1/4" | CZSCT7218 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 46.0# | 524 | 19 | 120 |
|  CZCT Back to Back Credenza Top • 1/16" overhang • Intended for back-to-back credenza top • 74P edge only • Top attaches with fasteners through drilled holes and pre-applied double-sided tape (fasteners and tape provided) | Back-to-Back Credenza Top | 60 x 36 x 1-1/4" | CZSCT6036 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 77.0# | \$ 663 | \$ 53 | \$ 368 |
| | Back-to-Back Credenza Top | 72 x 36 x 1-1/4" | CZSCT7236 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 92.0# | 723 | 53 | 368 |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish. Refer to the **Product Color Options** page in this price list.
- C** Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | COM Yardage | W x D x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Pallas Fabric Group P0 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|-------------|------------------|--------------|---|-------------------------|---|----------------------------------|----------------------------------|--|--|--|--|--|
| | | | Basic Model | Upholstery Color | | | | | | | | | |
|  <p>Credenza Pads</p> <ul style="list-style-type: none"> Foam and medium density fiberboard construction Non-skid pads on underside | .75 yard | 30 x 18 x 1-1/8" | CZSCP3018 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 7.5# | \$ 159 | \$ 176 | \$ 180 | \$ 180 | \$ 195 | \$ 210 | \$ 210 | \$ 225 |
| | .75 yard | 36 x 18 x 1-1/8" | CZSCP3618 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 9.0# | 170 | 193 | 195 | 198 | 212 | 232 | 233 | 251 |

CZSP

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade and color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Lockers

Standard Size - All Doors



Lockers

Standard Size - All Doors

| Features | W x D x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Standard Lock | Padlock | Combination Lock | Digital Lock | |
|--|---------------------------------|--------------------|--------------|---|---|--------------------------|---|---|---------------|---------|------------------|--------------|---------|
| | | Basic Model | Lock Option | Lock Color | Shell Color | Door Color | Pull Style | | | | | | |
|  <p>CZLK 30" Wide</p> <ul style="list-style-type: none"> Steel construction with steel doors Shell and door finishes are specified independently Standard doors are 15" high Individual doors are 14" wide on 30" models 4 locking options are offered Individual lockers are randomly keyed Master keys must be ordered separately | Standard Personal Lockers 2 X 2 | 30 x 18 x 33-1/8" | CZSLKSTD3030 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 122.00# | \$ 1897 | \$ 2021 | \$ 2685 | \$ 3350 |
| | Standard Personal Lockers 2 X 3 | 30 x 18 x 48-7/16" | CZSLKSTD3045 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 163.00# | 2623 | 2808 | 3807 | 4803 |
| | Standard Personal Lockers 2 X 4 | 30 x 18 x 63-3/4" | CZSLKSTD3060 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 205.00# | 3388 | 3635 | 4966 | 6296 |
|  <p>CZLK 36" Wide</p> <ul style="list-style-type: none"> Steel construction with steel doors Shell and door finishes are specified independently Standard doors are 15" high Individual doors are 17" wide on 36" models 4 locking options are offered Individual lockers are randomly keyed Master keys must be ordered separately | Standard Personal Lockers 2 X 2 | 36 x 18 x 33-1/8" | CZSLKSTD3630 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 132.00# | \$ 1988 | \$ 2114 | \$ 2779 | \$ 3444 |
| | Standard Personal Lockers 2 X 3 | 36 x 18 x 48-7/16" | CZSLKSTD3645 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 178.00# | 2754 | 2938 | 3937 | 4936 |
| | Standard Personal Lockers 2 X 4 | 36 x 18 x 63-3/4" | CZSLKSTD3660 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | 223.00# | 3561 | 3807 | 5138 | 6467 |

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
 - SLCK** - Standard lock
 - PLCK** - Padlock
 - CLCK** - Combination lock
 - DLCK** - Digital lock
- C** Select lock color. Refer to the **Product Color Options** page in this price list. Lock color is only available when Standard Lock (SLCK) is selected.
- D** Select shell powdercoat. Refer to the **Product Color Options** page in this price list.
- E** Select door powdercoat. Refer to the **Product Color Options** page in this price list.
- F** Select pull style.

CZP - Connection Zone pull
USP - U-Series pull
 Pull Style pick is only available when standard lock has been selected.


SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | W x D x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|---|------------------------------------|--------------|--------------------------|-------------------------|-------------------|
| | | | Basic Model | Shelf Color | | |
|  | Large Locker Fixed Shelves • For use with large lockers only | 13-1/2 x 15-7/8 x 7/8" | CZLK30FS | <input type="checkbox"/> | 5.00# | \$ 99 |
| | | 16-1/2 x 15-7/8 x 7/8" | CZLK36FS | <input type="checkbox"/> | 6.00# | 111 |
| CZAC | | | | | | |
| AC905 | P-Series Keys • Double bit design • Range of 200 different core/key numbers available • Must specify lock number(s) requested when ordering cut key or lock core/key sets | Lock Core/2 Key Set - Satin Chrome | 2.KP20522.SC | | 0.40# | \$ 16 |
| | | Lock Core/2 Key Set - Black | 2.KP20522 | | 0.40# | 16 |
| | | Master Key | 2.KP20550 | | 0.20# | 12 |
| | | Extractor Key | 2.KP20551 | | 0.20# | 12 |
| | | Blank Key | 2.KP20552 | | 0.20# | 3 |
| AC905 | Locker Master Key for CLCK Lock • Master key for CLCK combination locks used on Connection Zone storage lockers ONLY • Not for use with any other locks except Connection Zone combination locks | Cut Key | 2.KP20557 | | 0.20# | 4 |
| | | | 2.KP61614 | | 0.20# | \$ 31 |
| AC905 | Locker Master Key for DLCK Lock • Master key for DLCK digital locks used on Connection Zone storage lockers ONLY • Not for use with any other locks except Connection Zone digital locks | | 2.KP61616 | | 0.20# | \$ 11 |

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select shelf color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x D x H | MODEL NUMBER | | | | | | | | Approx. Packaged Weight | Delivered Pricing | Laminate Grade 2 add to list price | Laminate Grade 3 add to list price | | |
|---|--|-----------------------|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------------------|------------------------------------|-------|--------|
| | | Basic Model | Shell Color | Drawer Color | Drawer Laminate | Edge Color | Lock Option | Lock Color | Pull Style | | | | | | |
|  <p>CZPD</p> | Steel Shell and Drawer • Locking upper box drawer, locking lower file • 5th wheel eliminates need for counter-balance weight • Steel shell and steel fronts • Optional dividers specified separately • Optional pad specified separately | 15 X 17-5/8 X 21-3/4" | CZPDS20MBF | <input type="checkbox"/> | <input type="checkbox"/> | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.00# | \$ 488 | N/A | N/A |
| | | 15 x 21-5/8 x 21-3/4" | CZPDS24MBF | <input type="checkbox"/> | <input type="checkbox"/> | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 54.00# | 520 | N/A | N/A |
| | | 15 x 27-5/8 x 21-3/4" | CZPDS30MBF | <input type="checkbox"/> | <input type="checkbox"/> | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 66.00# | 576 | N/A | N/A |
|  <p>CZPD</p> | Steel Shell, Laminate Front • Locking upper box drawer, locking lower file • 5th wheel eliminates need for counter-balance weight • Steel shell with laminate drawer fronts • Optional dividers specified separately • Optional pad specified separately | 15 x 17-5/8 x 21-3/4" | CZPDL20MBF | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 48.00# | \$ 729 | \$ 19 | \$ 120 |
| | | 15 x 21-5/8 x 21-3/4" | CZPDL24MBF | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 51.00# | 760 | 19 | 120 |
| | | 15 x 27-5/8 x 21-3/4" | CZPDL30MBF | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 63.00# | 817 | 19 | 120 |
| | | | A | B | C | D | E | F | G | H | | | | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How to Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select shell color. Refer to the **Product Color Options** page in this price list.
- C** Select drawer color. Refer to the **Product Color Options** page in this price list.
- D** Select drawer laminate. Refer to the **Product Color Options** page in this price list.
- E** Select edge color. Refer to the **Product Color Options** page in this price list.
- F** Select lock option.
 KS - Key standard
 NLC - No lock core - 1 lock
- G** Select lock color.

Refer to the **Product Color Options** page in this price list.

- H** Select pull style.
 CZP - Nickel Rectangle (Connection Zone) pull
 USP - U-Series pull

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | COM Yardage | W x D | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Pallas Fabric Group P0 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
|--|-------------|--------------|--------------|---|-------------------------|---|----------------------------------|----------------------------------|--|--|--|--|--|
| | | | Basic Model | Upholstery Color | | | | | | | | | |
|  <p>Pedestal Pads</p> <ul style="list-style-type: none"> Constructed of 3/4" thick foam and medium density fiberboard for a total thickness of 1-1/4" Non-slip pads on underside Fabric runs side-to-side | .75 yard | 15 x 17-5/8" | CZSPP1520 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 4.0# | \$ 117 | \$ 130 | \$ 131 | \$ 128 | \$ 142 | \$ 153 | \$ 153 | \$ 166 |
| | .85 yard | 15 x 21-5/8" | CZSPP1524 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 5.0# | 137 | 153 | 156 | 160 | 176 | 194 | 195 | 212 |
| | 1 yard | 15 x 27-5/8" | CZSPP1530 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 6.0# | 148 | 166 | 168 | 170 | 188 | 204 | 205 | 224 |

CZSP

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade and color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking





With specially marked information N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



| MODEL | Features | W x D x H | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|---------------------------------|-----------------|--------------|--|-------------------------|-------------------|
| | | | Basic Model | | | |
|  Pencil Tray • For 3" pencil and 6" box drawers • Black finish only • Priced individually | | 12-1/8 x 4 x 1" | S7P/PENTRAY | | 1.0# | \$ 11 |
| PDACU | | | | | | |
|  6" Partition • For 6" box drawers • Black finish only • Priced individually | | 12-1/8 x 4-5/8" | S7P/D6 | | 1.0# | \$ 6 |
| PDACU | | | | | | |
|  Hanging Folder Partition • For 12" file drawers • Black finish only • Priced individually | | 12-1/8 x 9-5/8" | S7P/D12 | | 1.0# | \$ 11 |
| PDACU | | | | | | |
|  Pedestal Hanging Folder Bar Channel • Clips over top edge of pedestal drawer body • Prevents files from moving freely but can be moved by hand • Can also be used to hang folders in file drawers side-to-side | 1 Bar: Fits 17-5/8"D Pedestals | | S7P/20FBP | | 0.1# | \$ 8 |
| | 2 Bars: Fits 21-5/8"D Pedestals | | S7P/24FBP | | 0.1# | 11 |
| | 3 Bars: Fits 27-5/8"D Pedestals | | S7P/30FBP | | 0.1# | 15 |
| PDACU | | | | | | |

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Acrylic Gradient Pattern
Printed Surface




Acrylic Grid Pattern
Printed Surface




Acrylic Solid White
Unprinted Surface



Acrylic Translucent Crystal
Unprinted Surface



Solid White
Magnetic Steel Surface



Fabric Surface
See ki.com/fabrics

Connection Zone® Screens, as part of the Connection Zone® Collection, offer freestanding mobile collaboration and space division. Mobile screens feature steel frames and acrylic inserts, either printed or unprinted, with dry-erase coating. All Connection Zone® Screen models meet or exceed relevant ANSI/BIFMA X5.6-2010/ BIFMA 5.9-2012 standards, available upon request.

CONSTRUCTION AND STANDARD FEATURES

Frame Construction

Mobile frames are constructed of steel tube supports. Tubes are shaped and joined to create a screen with interior storage compartments. Frame is fully coated with dry-erase powdercoat paint, allowing marker writability on all painted surfaces. Frames support the attachment of acrylic sheets for the creation of a two-sided complete screen, and frame design allows for physical connection of one screen to another. Frames feature 2 steel formed hooks for attachment of flip chart pads.

Screens available in heights of 72" and 80", and in

widths of 36" and 42". Screen floor space depth is 22-1/2".

Acrylic Inserts

One-quarter inch thick acrylic sheets are captured on either side of steel frame. Acrylic features dry-erase coating on user-facing side of each sheet for full surface writability.

Inserts may be specified in either unprinted or printed styles. See images above and pricelist for available options. Other print patterns, sizes, or individual requests can be submitted through Product Modification Requests, contact Customer Service for details.

Steel Inserts

Steel inserts feature a dry erase-writable surface attached to a hardboard core. Steel inserts are magnetic and accept optional tackable fabric bulletin boards and rails.

Fabric Inserts

Fabric inserts feature fiberglass cores. Inserts are tackable and are offered in a variety of colors.

Fabric inserts are neither writeable nor magnetic.

Casters

Casters feature 4" black swivel twin wheels, and are plate-mounted.

Ledge

An optional steel accessory shelf ledge is available allowing for placement of foam board or other presentation materials at the bottom of the unit.

Bulletin Boards and Rails

Optional tackable bulletin boards are intended for placement on the upper portion of steel insert tiles. Boards are magnetically attached and are fully repositionable.

Rails are intended for horizontal placement anywhere on a steel insert.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Mobile Screens

Frame Color

| | |
|------------------|------|
| Silver Dry-Erase | SLDE |
| White Dry-Erase | |
| WHDE | |

Printed Acrylic Insert Color

| | |
|------------------|------|
| Gradient Pattern | AGRA |
| Grid Pattern | |
| AGRD | |

Unprinted Acrylic Insert Color



| | |
|---------------------|------|
| Translucent crystal | CRYS |
| Solid white | |
| WHTE | |

Tackable Fabric Insert

| | |
|----------|-----|
| Spectrum | S1 |
| Popcorn | PV2 |

NOTE: Steel insert is white dry erase finish.



| MODEL | W x H x D | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------------|--------------|---|---|-------------------------|-------------------|
| | | Basic Model | Print Pattern | Frame Color | | |
|  <p>Printed Acrylic Screen</p> <ul style="list-style-type: none"> Acrylic insert with dry-erase coating Gradient and grid print patterns allow graduated translucency and permeation of light Includes storage tray and ganging hardware Black casters Acrylic surface is non-magnetic and will not accept magnetic attachments | 36 x 72 X 22-1/2" | CZMSAP3672 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 225.0# | \$ 6260 |
| | 42 x 72 X 22-1/2" | CZMSAP4272 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 232.0# | 6260 |
| | 42 x 80 X 22-1/2" | CZMSAP4280 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 238.0# | 6260 |
| | | | | | | |
| CZMS | | | | | | |
|  <p>Unprinted Acrylic Screen</p> <ul style="list-style-type: none"> Acrylic insert with dry-erase coating Acrylic does not feature any print pattern Includes storage tray and ganging hardware Black casters Acrylic surface is non-magnetic and will not accept magnetic attachments | 36 x 72 X 22-1/2" | CZMSAS3672 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 225.0# | \$ 5575 |
| | 42 x 72 X 22-1/2" | CZMSAS4272 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 232.0# | 5575 |
| | 42 x 80 X 22-1/2" | CZMSAS4280 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 238.0# | 5575 |
| | | | | | | |
| CZMS | | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select acrylic type.
- | | |
|-------------|-----------------------|
| AGRA | - Gradient Pattern |
| AGRD | - Grid Pattern |
| CRYS | - Translucent crystal |
| WHTE | - Solid white |
- C** Select frame color.
- | | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x H x D | MODEL NUMBER | | | Approx. Packaged Weight | Delivered Pricing | Delivered Pricing Fabric Grade 1 | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|--|-------------------|--------------|---|---|-------------------------|-------------------|----------------------------------|----------------------------------|--|
| | | Basic Model | Frame Color | Fabric Color | | | | | |
|  <p>Magnetic Dry Erase Steel Screen</p> <ul style="list-style-type: none"> • Dual-sided screen with white magnetic dry erase steel both sides • Includes storage tray and ganging hardware • Black casters | 36 x 72 x 22-1/2" | CZMSDS3672 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 254.0# | \$ 4094 | | | |
| | 42 x 72 x 22-1/2" | CZMSDS4272 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 263.0# | 4208 | | | |
| | 42 x 80 x 22-1/2" | CZMSDS4280 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 272.0# | 4368 | | | |
| | | | | | | | | | |
| CZMS | | | | | | | | | |
|  <p>Magnetic Tackable Fabric Bulletin Board</p> <ul style="list-style-type: none"> • Magnetic attachment to steel tiles only • Intended for use on topmost 24" of tile only • Not intended for use on curve • Tackable surface | 24 x 24 x 1/2" | CZMSBB2424 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 2.5# | N/A | \$ 571 | \$ 585 | \$ 618 |
| | 36 x 24 x 1/2" | CZMSBB3624 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 3.0# | N/A | 604 | 615 | 649 |
| | 42 x 24 x 1/2" | CZMSBB4224 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 3.5# | N/A | 608 | 623 | 656 |
| | | | | | | | | | |
| CZMSB | | | | | | | | | |
|  <p>Magnetic Tackable Fabric Bulletin Rail</p> <ul style="list-style-type: none"> • Magnetic attachment to steel tiles only • Intended for horizontal placement only • Not intended for use on curve • Tackable surface | 24 x 6 x 1/2" | CZMSBR246 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 1.0# | N/A | \$ 277 | \$ 285 | \$ 297 |
| | 36 x 6 x 1/2" | CZMSBR366 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 1.5# | N/A | 298 | 306 | 319 |
| | 42 x 6 x 1/2" | CZMSBR426 | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 2.0# | N/A | 312 | 319 | 331 |
| | | | | | | | | | |

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.

| | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |

 Refer to the **Product Color Options** page in this price list.
- C** Select fabric. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x H x D | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--------------|--------------------------|--------------------------|--------------------------|-------------------------|----------------------------------|----------------------------------|--|
| | | Basic Model | Frame Color | Fabric Side 1 | Fabric Side 2 | | | | |
|  <p>Fabric Tile</p> <ul style="list-style-type: none"> • Dual-sided screen with tackable fabric on both sides • Includes storage tray and ganging hardware • Black casters | 36 x 72 X 22-1/2" | CZMSTF3672 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 205.0# | \$ 4230 | \$ 4280 | \$ 4580 |
| | 42 x 72 X 22-1/2" | CZMSTF4272 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 209.0# | 4368 | 4418 | 4727 |
| | 42 x 80 X 22-1/2" | CZMSTF4280 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 212.0# | 4523 | 4579 | 4899 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

CZMSF

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.

| | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |

 Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1. Refer to ki.com/fabrics
- D** Select fabric side 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Mobile Screens

Magnetic Dry Erase Steel and Tackable Fabric



Mobile Screens

Magnetic Dry Erase Steel and Tackable Fabric

| MODEL | W x H x D | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing Fabric Grade 1 | Delivered Pricing Fabric Grade 2 | Delivered Pricing Pallas Vertical Fabric Grade PV2 |
|---|-------------------|--------------|---|---|---|-------------------------|----------------------------------|----------------------------------|--|
| | | Basic Model | Frame Color | Fabric Side 1 | Fabric Side 2 | | | | |
|  <p>Magnetic Dry Erase Steel Side One, Tackable Fabric Side Two</p> <ul style="list-style-type: none"> Latch mechanism is handed; latch is located at the top left of side 1 Dry erase steel on side 1 Tackable fabric on side 2 | 36 x 72 X 22-1/2" | CZMSSF3672 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 229.0# | \$ 4206 | \$ 4234 | \$ 4404 |
| | 42 x 72 X 22-1/2" | CZMSSF4272 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 236.0# | 4336 | 4359 | 4534 |
| | 42 x 80 X 22-1/2" | CZMSSF4280 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 242.0# | 4489 | 4518 | 4702 |
| CZMSF | | | | | | | | | |
|  <p>Tackable Fabric Side One, Magnetic Dry Erase Steel Side Two</p> <ul style="list-style-type: none"> Latch mechanism is handed; latch is located at the top left of side 1 Tackable fabric on side 1 Dry erase steel on side 2 | 36 x 72 X 22-1/2" | CZMSFS3672 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 229.0# | \$ 4206 | \$ 4234 | \$ 4404 |
| | 42 x 72 X 22-1/2" | CZMSFS4272 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 236.0# | 4336 | 4359 | 4534 |
| | 42 x 80 X 22-1/2" | CZMSFS4280 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | 242.0# | 4489 | 4518 | 4702 |
| CZMSF | | | | | | | | | |

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.

| | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |

 Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1. Refer to ki.com/fabrics
- D** Select fabric side 2. Refer to ki.com/fabrics

SPECIAL SERVICES


Special Carton Marking
 With specially marked information N/C

Shipping
 Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



| MODEL | W x H x D | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|--|-------------|--------------|---|-------------------------|-------------------|
| | | Basic Model | Paint Color | | |
| Attachable Ledge Tray • Provides support for ancillary presentation materials such as foam boards and easel pads • Approximately 1/2" deep by width of screen | 34 x 1 x 2" | CZMSL36 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 1.30# | \$ 52 |
| | 40 x 1 x 2" | CZMSL42 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 1.50# | 56 |
| | | | | | |
| | | | | | |



CZA06

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
- | | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.