



IMPRESS[®] ULTRA SEATING

PRICE LIST

EFFECTIVE SEPTEMBER 3, 2025
1800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Impress® Ultra		
General Information		4
Task Chairs and Stools		5



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	Panel Systems	Impress Ultra OM
Evoke..... MN	All Terrain..... KP	Intellect Wave GB
Genius MN	Balance MN	Jessa HN
Casegoods	Universal MN	Jubilee VQ
Aristotle..... MN	Wireworks MN	Katera..... GB
Likha..... MN	Unite..... MN	Kurv Benches..... HN
Classroom Furniture	Residence Hall Furniture	Learn2..... GB
Cogni GB	RoomScape MN	LimeLite..... GB
Intellect Wave GB	Screens	Lyra HN
Learn2..... GB	All Terrain..... KP	Medical & Laboratory Stools..... OM
Ruckus..... GB	Connection Zone..... BW	MyPlace HN
Desking	Tributaire..... BW	MyWay HN
700 Series KP	True/Volition KP	Oath GB
Balance MN	Genesis..... KP	Opt4 GB
Genesis MN	Tattoo..... MN	Pilot OM
True KP	Universal..... BW	Promenade BW
Universal MN	Seating	Ruckus..... GB
WorkZone MN	600 Series..... BW	Sela HN
Files & Storage	Affina HN	Sift GB
700 Series..... GB	Altus GB	Signia OM
Connection BW	Apply GB	Soltice Metal HN
U-Series GB	Calida HN	Soltice..... HN
Tattoo..... BW	Cascha VT	Sonrisa HN
Fixed Seating	Civara VT	Strive GB
Concerto..... BW	Clamber HN	Sway BW
Single Pedestal GB	Cogni GB	Tattoo..... HN
Jury Base GB	Diem OM	Torsion-on-the-Go! GB
Lancaster..... BW	Doni GB	Torsion Air..... GB
Sequence GB	Gladly VQ	Zeker HN
University GB	Grazie GB	Zentori VT
	Hub HN	Zoetry HN
	Impress OM	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>VT</u> KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081



4D T-Arm Task Chair (KI78/JR69)



Midback Adj Loop Arm Task Chair (KI74)



Guest Chair (KI71S)



Stool (KI75)

Features				
Free-floating back	•	•		•
Seat slide	•	•		•
Back height adjustable		•		•
3 position back lock	•	•		•
2-1/2" thick foam cushioned seat	•	•	•	•
General Dimensions				
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	18" - 19-1/2"	18" - 20-1/2"	19"	18" - 20-1/2"
Seat height	17-3/4" - 23"	17-3/4" - 23"	18"	23-1/4" - 31"
Back width	20"	20"	20"	20"
Back height (above seat)	19"	17-1/2" - 20-1/2"	22" - 24"	17-1/2" - 20-1/2"
Overall Dimensions				
Width	26"	26"	24"	26"
Height	35" - 43"	36-1/2" - 41-1/2"	42"	43" - 57"



4D T-Arm
(JR69)



Adjustable T-Arm
(JR39)



Fixed Loop Arm
(KR48)

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Impress®Ultra
Attn: C.O.M. Department
1110 S. Mildred Ave
Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder with infinite selection within the range. Standard seat height range adjusts from 17.75” to 22.25”. Low seat height range adjusts from 16.75” to 19.5”. Tall seat height range adjusts from 20.5” to 26.75” One lever locks the chair at 3-position or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8 degrees on seat and 16 degrees on back.

Backrest

Nylon with fiberglass reinforced frame

Back Height (mid-back chair only)

An easy to operate mechanism is installed on the back board for adjusting back height (3”).

Seat Slider

Double spring-loaded; Side-mounted easy-to-use control.

Seat

Constructed of a ½” thick, saddle-shaped plywood with 2.5” thick molded, high-resilient foam and upholstered with fabric. Back mesh material is PE elastomeric with polyester. The entire seat assembly is mounted to the mechanism by 4 screws.

Base

25” diameter, five blade reinforced nylon base. Black only.

Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Carpet or hard floor casters are available.

Adjustable 360° Pivot Arm (JR30)

Black molded urethane armcap pivots 360 degrees and locks in place. 3” of height adjustment and 3” of total width adjustment.

Adjustable “T” Arm (JR37)

Black molded urethane armcap. 3" of height adjustment and 3” of total width adjustment.

Fixed Loop Arm (KR48)

Black plastic arm.

Adjustable Loop Arm (KR72)

Black molded urethane armcap. 2.5" of height adjustment and 2” of total width adjustment.



			MODEL NUMBER																			
			Basic Model	Memory Foam	Seat Height	Seat Slide	Head-rest	Back Panel	Uph. Color	Base												
MODEL	Features										Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
	Impress® Ultra Task Chair - Mid Back • Back is black mesh • Seat slide • Back height adjustment	No Arm	KI74/NA	☐	☐	SLD		BL	☐	☐	46.00#	\$ 1105	\$ 1105	\$ 1173	\$ 1184	\$ 1184	\$ 1160	\$ 1230	\$ 1262	\$ 1297	\$ 1336	\$ 1411
		4D T-Arm	KI74/JR69	☐	☐	SLD		BL	☐	☐	54.00#	1427	1427	1491	1504	1504	1479	1546	1579	1616	1655	1731
		Adjustable T-Arm	KI74/JR39	☐	☐	SLD		BL	☐	☐	54.00#	1331	1331	1397	1405	1405	1377	1446	1485	1517	1557	1632
		Fixed Loop Arm	KI74/KR48	☐	☐	SLD		BL	☐	☐	54.00#	1314	1314	1383	1393	1393	1367	1436	1470	1506	1545	1622
IMPR																						
	Impress® Ultra Task Chair - High Back • Back is black mesh • Seat slide • Without back height adjustment • Headrest is black leather and adjustable	No Arm	KI78/NA	☐	☐	SLD	☐	BL	☐	☐	54.00#	\$ 1105	\$ 1105	\$ 1173	\$ 1184	\$ 1184	\$ 1160	\$ 1230	\$ 1262	\$ 1297	\$ 1336	\$ 1411
		4D T-Arm	KI78/JR69	☐	☐	SLD	☐	BL	☐	☐	62.00#	1427	1427	1491	1504	1504	1479	1546	1579	1616	1655	1731
		Adjustable T-Arm	KI78/JR39	☐	☐	SLD	☐	BL	☐	☐	62.00#	1331	1331	1397	1405	1405	1377	1446	1485	1517	1557	1632
		Fixed Loop Arm	KI78/KR48	☐	☐	SLD	☐	BL	☐	☐	62.00#	1314	1314	1383	1393	1393	1367	1436	1470	1506	1545	1622
IMPR																						
	Impress® Ultra Task Chair - Guest • Back is black mesh • Not for use on carpet	No Arm	KI71S/NA	☐				BL	☐		37.00#	\$ 648	\$ 648	\$ 714	\$ 725	\$ 725	\$ 700	\$ 767	\$ 804	\$ 840	\$ 879	\$ 950
		Fixed Loop Arm	KI71S/KR48	☐				BL	☐		45.00#	857	857	926	935	935	907	975	1013	1047	1089	1162
IMPR																						
	Impress® Ultra Stool • Back is black mesh • Seat slide • Back height adjustment • Chrome plated 20" footring	No Arm	KI75/NA	☐		SLD		BL	☐	☐	58.00#	\$ 1290	\$ 1290	\$ 1285	\$ 1361	\$ 1361	\$ 1340	\$ 1408	\$ 1410	\$ 1480	\$ 1514	\$ 1592
		4D T-Arm	KI75/JR69	☐		SLD		BL	☐	☐	66.00#	1605	1605	1673	1684	1684	1657	1730	1760	1795	1834	1909
		Adjustable T-Arm	KI75/JR39	☐		SLD		BL	☐	☐	66.00#	1507	1507	1577	1587	1587	1559	1629	1664	1700	1737	1813
		Fixed Loop Arm	KI75/KR48	☐		SLD		BL	☐	☐	66.00#	1495	1495	1563	1572	1572	1546	1616	1652	1687	1728	1800
IMPR																						
			A	B	C	D	E	F	G	H												

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select memory foam.
- NF** - No memory foam
- MF** - Memory foam (for seat only); add \$156
- Memory foam for seat only.
- C**Select seat height.
- NS** - Standard height (17 3/4"-22 1/4")
- IPCYL4HD** - Low height (16 3/4"-19 1/2")
- IPCYL6SHD** - Tall height (20 1/2"-26 3/4")
- D**Select seat option.
- SLD** - Sliding seat
- E**Select headrest.
- NH** - No headrest (standard)
- HR** - Headrest; add \$227
- F**Select back panel.
- BL** - Black

- G**Select upholstery grade/color. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- H**Select base option.
- C** - Carpet casters
- S** - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.