



GRAZIE[®] SEATING

PRICE LIST

EFFECTIVE APRIL 2, 2026
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Grazie® Stack Seating		
General Information		4
Color Options		7
Stack Chairs		8
Dolly		14
Cafe Stools		15
Grazie® Tandem Seating		
General Information		16
Color Options		17
Tandem Seating		18
Grazie® Task Seating		
General Information		23
Technical Specifications		24
Color Options		25
Task Chairs		26
Task Stools		27



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	Panel Systems	Impress Ultra OM
Evoke..... MN	All Terrain..... KP	Intellect Wave GB
Genius..... MN	Balance MN	Jessa HN
	Universal MN	Jubilee VQ
Casegoods	Wireworks MN	Katera..... GB
Aristotle..... MN	Unite..... MN	Kurv Benches..... HN
Likha..... MN		Learn2..... GB
	Residence Hall Furniture	LimeLite..... GB
	RoomScape..... MN	Lyra HN
Classroom Furniture		Medical & Laboratory Stools..... OM
Cogni GB	Screens	MyPlace HN
Intellect Wave GB	All Terrain..... KP	MyWay HN
Learn2..... GB	Connection Zone..... BW	Oath GB
Ruckus..... GB	Tributaire..... BW	Opt4 GB
	True/Volition KP	Pilot OM
Desking	Genesis..... KP	Promenade BW
700 Series KP	Tattoo..... MN	Ruckus..... GB
Balance MN	Universal..... BW	Sela HN
Genesis MN		Sift GB
True KP	Seating	Signia..... OM
Universal MN	600 Series..... BW	Soltice Metal HN
WorkZone MN	Affina HN	Soltice..... HN
	Altus GB	Sonrisa HN
Files & Storage	Apply GB	Strive..... GB
700 Series..... GB	Calida HN	Sway BW
Connection BW	Cascha VT	Tattoo..... HN
U-Series GB	Civara VT	Torsion-on-the-Go!..... GB
Tattoo..... BW	Clamber HN	Torsion Air..... GB
	Cogni GB	Zeker HN
Fixed Seating	Diem OM	Zentori VT
Concerto..... BW	Doni GB	Zoetry HN
Single Pedestal GB	Gladly VQ	
Jury Base GB	Grazie GB	
Lancaster..... BW	Hub HN	
Sequence GB	Impress OM	
University GB		



KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>VT</u> KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

Grazie® Stack Seating

General Information



Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	22-3/16"	25-7/8"	23-1/2"	23-1/2"	23-1/2"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Top of arm to floor		26-1/4"	26-3/4"	26-3/4"	26-3/4"
Stacking on Dolly					
Overall width	25"	25-7/8"			
Overall depth	36"	36"			
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)			
Stacking on Floor					
Width	22-3/16"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request. Inc. under license from Pro-Cord S.p.A

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manu-fac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

Whatever you imagine, whatever you require. KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating information can be found here.



Grazie® Stack Seating

General Information



Features						
Stackable	•	•				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•	
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•	
General Dimensions						
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"	
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"	
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"	
Overall Dimensions						
Width	22"	25-7/8"	23-1/2"	23-1/2"	23-1/2"	25"
Depth	21-1/4"	21-1/4"	27-3/8"	31"	26-3/4"	29"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"	15-3/4"
Arms to floor		26-1/4"				
Stacking on Dolly						
Overall width	25"	25-7/8"				
Overall depth	36"	36"				
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)				
Stacking on Floor						
Width	22-3/16"	25-7/8"				
Depth	28"	28"				
Quantity/height	5 Chairs/43" High	5 Chairs/43" High				

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Grazie® Stack Seating

General Information



Grazie® Stack Seating

General Information



Four-Leg Armless Chair with Casters (GLNAUC)



Four-Leg Cantilever Arm Chair with Casters (GLCAUC)



Four-Leg Flip-up Tablet Arm Chair with Casters (GLTAPCRH)



Four-Leg Flip-up Oversize Tablet Arm Chair with Casters



Four-Leg Flip-and-Store (G2) Tablet Arm Chair with Casters

Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	23"	25-7/8"	24"	24"	24"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Arms to floor		26-1/4"			
Stacking on Floor					
Width	23"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			



Four-Leg Armless Cafe Stool - 24" or 30" Seat Height (GLSNAP)



Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height

Features		
Stackable	•	•
Poly, upholstered seat, or upholstered seat/back	•	•
Ergonomic articulation (Perfect Pivot)	•	•
General Dimensions		
Seat width	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"
Seat height (upholstered add 1")	23-3/4" or 29-3/4"	23-3/4" or 29-3/4"
Overall Dimensions		
Width	22-3/16"	25-7/8"
Depth	21-5/16"	21-5/16"
Height	38-5/8" or 44-5/8"	38-5/8" or 44-5/8"
Arms to floor		32-1/4" or 38-1/4"
Stacking on Floor		
Width	22-3/16"	25-7/8"
Depth	28"	28"
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.
Inc. under license from Pro-Cord S.p.A

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manu-fac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

Whatever you imagine, whatever you require. KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Backrest, Seat, and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-leg and Caster Frames

Legs are made from 7/8" OD x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the crossmember. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frames

Sled side frames are made from 3/4" OD x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the crossmember. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Backrest Articulation Mechanism

Two outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest, and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg, finished to match the frame color. The armrests are injection-molded glass-reinforced nylon. Arm color matches the frame finish, (except chrome, hammertone, and metallic finishes; which match the poly color). Diamond translucent poly has Light Tone arms. Pewter translucent poly has Flannel arms. The steel frame tube is inserted into a socket molded into the armrest, and secured with a screw.

Glides

4-Leg Chairs

The bottom ends of the tubes are formed to be vertical where they meet the floor, and the glides are pressed into them. Three glide options are available; felt, plastic, and steel. Felt and plastic glides have a swivel base and have easy-on/easy-off replaceable caps, which makes field replacement simple and efficient (plastic & felt caps are interchangeable). Steel glides have a non-swivel base and do not have interchangeable caps. No color options are available for glides.

Sled Base Chairs

Four glide options are available; non-skid, plastic, steel, and felt. Glides are attached to the chair frame with one screw each. All glides have easy-on/easy-off replaceable caps, which makes field replacement simple and efficient. All caps are interchangeable. No color options are available for the glides. Sled base chairs may also be ordered without glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel high-impact thermoplastic, available with hard or soft wheel surface, in black only.

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of twelve poly chairs or six upholstered chairs.

Flip-up Tablet Arms


Tablet arm support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure, and secured with screws to the underside of the writing surface. Worksurface for standard tablet is 9 1/2" x 20 3/4" x 12 1/2" and optional oversized tablet is 15 1/2" x 22 1/2" x 14". Tablets have a plywood core of 5/8" thick, 1 1-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

Flip & Store Tablet Arms (G2)


The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right- and left-hand models. The tablet is 13 3/4" wide by 18 1/8" deep.

DIMENSIONS


Armless 4-Leg Chair



Armless 4-Leg Chair with Casters



Armless Sled Base Chair





Frame Color		Honey Bee	PHY	Titanium Evolv	LTV
Black	BL	Light Tone	PLG	White Nebula	LWL
Blue Grey	GR	Mardi Gras	PMG	White Sand	LWN
Bronze Metallic	ZM	Misty Brown	PMY	Windsor Mahogany	LWY
Cayenne	CY	Nemo	PNE		
Champagne Metallic	CM	Nordic	PND		
Chrome	CH	Pewter Translucent	PPT		
Cool Grey	CG	Poppy Red	PPR		
Cottonwood	CO	Purple Haze	PPH		
Earthen Clay	EY	Rainforest	PRQ		
Espresso Metallic	EX	Raw Jasper	PRJ		
Everglade Shade	EV	Rubber Ducky	PRK		
Flannel	FN	Sand	PSA		
Glitz Metallic	GZ	Sky Blue	PSK		
Hazy Jade	HJ	Surf's Up	PSP		
Honey Bee	HY	Tarragon	PTQ		
Light Tone	LG	Twilight Shadow	PTI		
Mardi Gras	MG	Ultra Blue	PUB		
Misty Brown	MY	Warm Grey	PWG		
Nemo	NE	Zesty Lime	PZL		
Nordic	ND	Nemo and Zesty Lime are only available as standard color options on armless models. If required on an arm model, a PRM can be submitted for approval, provided the client has visually approved the color variation.			
Poppy Red	PR				
Purple Haze	PH				
Rainforest	RQ				
Raw Jasper	RJ	Diamond Translucent and Pewter Translucent are only available on upholstered seat models.			
Rubber Ducky	RK				
Sand	SA	Tablet Arm Color - Laminate			
Sky Blue	SK				
Starlight Silver Metallic	SX	Beigewood	LBZ		
Surf's Up	SP	Belair	LBQ		
Tarragon	TQ	Biltmore Cherry	LBT		
Twilight Shadow	TI	Black	LBK		
Ultra Blue	UB	Brighton Walnut	LBW		
Warm Grey	WG	Castle Oak	LCO		
Zesty Lime	ZL	Cherry Storm	LCX		
Nemo and Zesty Lime are only available as standard color options on armless models. If required on an arm model, a PRM can be submitted for approval, provided the client has visually approved the color variation.		Classic Linen	LCI		
		Cocobala	LCC		
		Crisp Linen	LRI		
		Designer White	LDR		
		Dove Grey	LDG		
		Florence Walnut	LFC		
		Friston Ash	LFH		
		Frosty White	LFW		
		Graphite Nebula	LGN		
		Grey	LGE		
		High Rise	LHE		
		Hollyberry	LHY		
		Island	LID		
		Italian Silver Ash	LIT		
		Kensington Maple	LKM		
		Lapis Blue	LLB		
Poly Color - Seat and/or Back		Monticello Maple	LMT		
Black	PBL	North Sea	LNA		
Blue Grey	PGR	Ocean	LON		
Cayenne	PCY	Pinnacle Walnut	LPW		
Cool Grey	PCG	River Cherry	LRY		
Cottonwood	PCO	Shadow Zephyr	LSR		
Diamond Translucent	PDT	Sterling Ash	LAZ		
Earthen Clay	PEY				
Everglade Shade	PEV				
Flannel	PFN				
Hazy Jade	PHJ				

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER																
		Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Upholstery Color											
MODEL	Features							Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 GLP GLU GLUB	Four-Leg Armless Chair - Ergonomic articulation (Perfect Pivot) - Stacking	Polypropylene	GLNAP	☐ ☐	☐ ☐ ☐		☐	23.00#	\$ 434									
	Upholstered Seat	GLNAU	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	26.00#	N/A	590	601	621	621	631	682	702	728	764
	Upholstered Seat/Back	GLNAUB	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	28.00#	N/A	626	637	659	659	669	719	740	766	799
 GLP GLU GLUB	Four-Leg Armless Chair with Casters - Ergonomic articulation (Perfect Pivot) - Stacking. Caution should be exercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair - Stacking on dollies is NOT recommended	Polypropylene, Casters	GLNAPC	☐ ☐	☐ ☐ ☐	☐		24.00#	\$ 463									
	Uph. Seat, Casters	GLNAUC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	27.00#	N/A	617	629	650	650	660	710	733	757	792
	Uph. Seat/Back, Casters	GLNAUBC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	28.00#	N/A	655	665	686	686	697	747	768	793	831
			A	B	C	D	E	F										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select casters.

S

- Hard floor casters (black only)

C

- Carpet casters
- E**Select glide option.

F

- Felt Glides

P

- Plastic glides

S

- Steel glides
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																
			Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 GLP GLU GLUB	Four-Leg Cantilever Arm Chair - Ergonomic articulation (Perfect Pivot) - Stacking	Polypropylene	GLCAP	☐ ☐	☐ ☐ ☐		☐		26.00#	\$ 579									
		Upholstered Seat	GLCAU	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	29.00#	N/A	734	743	764	764	778	829	848	873	907
		Upholstered Seat/Back	GLCAUB	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	31.00#	N/A	769	782	801	801	812	863	885	907	943
 GLP GLU GLUB	Four-Leg Cantilever Arm Chair with Casters - Ergonomic articulation (Perfect Pivot) - Stacking. Caution should be exercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming “hung up” underneath the seat of the chair - Stacking on dollies is NOT recommended	Polypropylene, Casters	GLCAPC	☐ ☐	☐ ☐ ☐	☐			27.00#	\$ 608									
		Uph. Seat, Casters	GLCAUC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	30.00#	N/A	761	771	792	792	805	854	874	900	935
		Uph. Seat/Back, Casters	GLCAUBC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	31.00#	N/A	796	809	831	831	839	891	914	938	973
			A	B	C	D	E	F											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D** Select casters.
S _____ - Hard floor casters (black only)
C _____ - Carpet casters
- E** Select glide option.
F _____ - Felt Glides
P _____ - Plastic glides
S _____ - Steel glides
- F** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																			
			Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Uph. Color														
MODEL	Features									Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4		
	Four-Leg Flip-up Tablet Arm Chair - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GLTAPLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			29.00#	\$ 710											
		Polypropylene, Right Hand	GLTAPRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			29.00#	710											
		Uph. Seat, Left Hand	GLTAULH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		32.00#	N/A	864	875	894	894	906	957	978	1002	1038		
		Uph. Seat, Right Hand	GLTAURH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		32.00#	N/A	864	875	894	894	906	957	978	1002	1038		
		Uph. Seat/Back, Left Hand	GLTAUBLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		34.00#	N/A	901	913	933	933	942	992	1016	1038	1074		
		Uph. Seat/Back, Right Hand	GLTAUBRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		34.00#	N/A	901	913	933	933	942	992	1016	1038	1074		
GLP																						
GLU																						
GLUB																						
	Four-Leg Flip-up Oversize Tablet Arm Chair - Oversized tablet - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GLOVTAPLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			31.00#	\$ 783											
		Polypropylene, Right Hand	GLOVTAPRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			31.00#	783											
		Uph. Seat, Left Hand	GLOVTAULH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		34.00#	N/A	936	948	969	969	979	1028	1051	1074	1113		
		Uph. Seat, Right Hand	GLOVTAURH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		34.00#	N/A	936	948	969	969	979	1028	1051	1074	1113		
		Uph. Seat/Back, Left Hand	GLOVTAUBLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		35.00#	N/A	973	985	1005	1005	1016	1067	1087	1113	1147		
		Uph. Seat/Back, Right Hand	GLOVTAUBRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		35.00#	N/A	973	985	1005	1005	1016	1067	1087	1113	1147		
GLP																						
GLU																						
GLUB																						
	Four-Leg Flip-and-Store (G2) Tablet Arm Chair - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GLG2APLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			30.00#	\$ 750											
		Polypropylene, Right Hand	GLG2APRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐			30.00#	750											
		Uph. Seat, Left Hand	GLG2AULH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		33.00#	N/A	905	916	935	935	947	998	1019	1044	1080		
		Uph. Seat, Right Hand	GLG2AURH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		33.00#	N/A	905	916	935	935	947	998	1019	1044	1080		
		Uph. Seat/Back, Left Hand	GLG2AUBLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		35.00#	N/A	941	952	973	973	984	1034	1054	1080	1116		
		Uph. Seat/Back, Right Hand	GLG2AUBRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐		35.00#	N/A	941	952	973	973	984	1034	1054	1080	1116		
GLP																						
GLU																						
GLUB																						

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.
- | | |
|----------|------------------|
| F | - Felt Glides |
| P | - Plastic glides |
| S | - Steel glides |
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
			Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Uph. Color													
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4		
	Four-Leg Flip-up Tablet Arm Chair with Casters - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Poly, Left Hand, Casters	GLTAPCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		30.00#	\$ 738											
		Poly, Right Hand, Casters	GLTAPCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		30.00#	738											
		Uph. Seat, Left Hand, Cast.	GLTAUCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	33.00#	N/A	891	903	922	922	934	985	1007	1028	1067		
		Uph. Seat, Right Hand, Cast.	GLTAUCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	33.00#	N/A	891	903	922	922	934	985	1007	1028	1067		
		Uph. Seat/Back, Left Hand, Cast.	GLTAUBCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	929	940	960	960	972	1023	1044	1068	1102		
		Uph. Seat/Back, Right Hand, Cast.	GLTAUBCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	929	940	960	960	972	1023	1044	1068	1102		
GLP																					
GLU																					
GLUB																					
	Four-Leg Flip-up Oversize Tablet Arm Chair with Casters - Oversized tablet - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Poly, Left Hand, Casters	GLOVTAPCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		31.00#	\$ 810											
		Poly, Right Hand, Casters	GLOVTAPCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		31.00#	810											
		Uph. Seat, Left Hand, Cast.	GLOVTAUCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	965	975	995	995	1007	1057	1079	1102	1138		
		Uph. Seat, Right Hand, Cast.	GLOVTAUCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	965	975	995	995	1007	1057	1079	1102	1138		
		Uph. Seat/Back, Left Hand, Cast.	GLOVTAUBCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	36.00#	N/A	1001	1014	1033	1033	1046	1095	1116	1141	1174		
		Uph. Seat/Back, Right Hand, Cast.	GLOVTAUBCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	36.00#	N/A	1001	1014	1033	1033	1046	1095	1116	1141	1174		
GLP																					
GLU																					
GLUB																					
	Four-Leg Flip-and-Store (G2) Tablet Arm Chair with Casters - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Poly, Left Hand, Casters	GLG2APCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		31.00#	\$ 780											
		Poly, Right Hand, Casters	GLG2APCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐		31.00#	780											
		Uph. Seat, Left Hand, Cast.	GLG2AUCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	933	943	963	963	974	1025	1047	1070	1107		
		Uph. Seat, Right Hand, Cast.	GLG2AUCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	34.00#	N/A	933	943	963	963	974	1025	1047	1070	1107		
		Uph. Seat/Back, Left Hand, Cast.	GLG2AUBCLH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	35.00#	N/A	970	982	1001	1001	1014	1063	1079	1109	1144		
		Uph. Seat/Back, Right Hand, Cast.	GLG2AUBCRH	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐	☐ ☐	35.00#	N/A	970	982	1001	1001	1014	1063	1079	1109	1144		
GLP																					
GLU																					
GLUB																					

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D** Select casters.
S _____ - Hard floor casters (black only)
C _____ - Carpet casters
- E** Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- F** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																
		Basic Model	Frame Color	Seat & Back Color	Glide Option	Upholstery Color												
MODEL	Features						Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 GSP GSU GSUB	Sled Base Armless Chair - Ergonomic articulation (Perfect Pivot) - Stacking	Polypropylene	GSNAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	25.00#	\$ 450										
		Upholstered Seat	GSNAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	28.00#	N/A	603	616	634	634	644	697	717	741	780
		Upholstered Seat/Back	GSNAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	30.00#	N/A	639	652	671	671	684	736	755	781	815
 GSP GSU GSUB	Sled Base Cantilever Arm Chair - Ergonomic articulation (Perfect Pivot) - Stacking	Polypropylene	GSCAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	27.00#	\$ 594										
		Upholstered Seat	GSCAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	30.00#	N/A	747	760	780	780	792	840	863	888	922
		Upholstered Seat/Back	GSCAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	32.00#	N/A	784	795	817	817	826	876	899	922	958
			A	B	C	D	E											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

GFT

- Felt glides

NGL

- No glides

GNM

- Non-marring glides

GNS

- Non-skid glides

GSS

- Steel glide
- E**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
		Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Uph. Color												
	Sled Base Flip-up Tablet Arm Chair - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GSTAPLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐												
		Polypropylene, Right Hand	GSTAPRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐												
		Uph. Seat, Left Hand	GSTAULH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐											
		Uph. Seat, Right Hand	GSTAURH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Left Hand	GSTAUBLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Right Hand	GSTAUBRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐											
GSP																			
GSU																			
GSUB																			
	Sled Base Flip-up Oversize Tablet Arm Chair - Oversized tablet - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GSOVTAPLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐												
		Polypropylene, Right Hand	GSOVTAPRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐												
		Uph. Seat, Left Hand	GSOVTAULH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat, Right Hand	GSOVTAURH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Left Hand	GSOVTAUBLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Right Hand	GSOVTAUBRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
GSP																			
GSU																			
GSUB																			
	Sled Base Flip-and-Store (G2) Tablet Arm Chair - Ergonomic articulation (Perfect Pivot) - NONSTACKING	Polypropylene, Left Hand	GSG2APLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐												
		Polypropylene, Right Hand	GSG2APRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐												
		Uph. Seat, Left Hand	GSG2AULH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat, Right Hand	GSG2AURH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Left Hand	GSG2AUBLH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
		Uph. Seat/Back, Right Hand	GSG2AUBRH	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐											
GSP																			
GSU																			
GSUB																			

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

GFT

- Felt glides

NGL

- No glides

GNM

- Non-marring glides

GNS

- Non-skid glides

GSS

- Steel glide
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		
		Basic Model	Approx. Packaged Weight	Delivered Pricing
 GRA01	Transport Dolly • Easy maneuverability with 5" casters: two fixed, two swivel • Rugged weld tubular steel frame • Black powder-coat finish	GCD.BL	32.00#	\$ 553
 AC800	Universal Dolly Handle • Field installable • Provides convenient handle for relocating dolly when empty or loaded • Overall dolly height with handle is 37"	UDH.BL	9.00#	\$ 210

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																
			Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option												
MODEL	Features							Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 GLSP GLSU GLSUB	Four-Leg Armless Cafe Stool - Ergonomic articulation (Perfect Pivot) - Stacking - Two seat heights	Polypropylene	GLSNAP	☐ ☐	☐ ☐	☐ ☐ ☐	☐	32.00#	\$ 595										
	Upholstered Seat	GLSNAU	☐ ☐	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	749	761	781	781	792	840	863	888	924	
	Upholstered Seat/Back	GLSNAUB	☐ ☐	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	37.00#	N/A	785	796	818	818	831	880	901	926	960	
 GLSP GLSU GLSUB	Four-Leg Cantilever Arm Cafe Stool - Ergonomic articulation (Perfect Pivot) - Stacking - Two seat heights	Polypropylene	GLSCAP	☐ ☐	☐ ☐	☐ ☐ ☐	☐	35.00#	\$ 739										
	Upholstered Seat	GLSCAU	☐ ☐	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	38.00#	N/A	892	905	924	924	936	987	1008	1033	1068	
	Upholstered Seat/Back	GLSCAUB	☐ ☐	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	40.00#	N/A	931	941	961	961	972	1023	1044	1068	1103	
			A	B	C	D	E	F											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select seat height.

24

- 24” seat height

30

- 30” seat height
- C**Select frame color.

Refer to the **Product Color Options** page in this price list.
- D**Select poly seat and back color.

Refer to the **Product Color Options** page in this price list.
- E**Select glide option.

F

- Felt Glides

P

- Plastic glides

S

- Steel glides
- F**Select upholstery grade/color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Features				
Arms	•	•	•	•
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height	17"	17"	17"	17"
Unit width (with arms)	28"	50"	72"	94"
Unit width (no arms)	28"	50"	72"	88"
Unit height		33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"
Width between arms (inside arm)	18"	18"	18"	18"
Arm height from floor	25-3/4"	25-3/4"	25-3/4"	25-3/4"

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request. Inc. under license from Pro-Cord S.p.A

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

Whatever you imagine, whatever you require. KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating
information can be found here.

Backrest, Seat, and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is a die-drawn 12-gauge steel plate. Fixed backrest mechanism structures are made from 1/2" diameter steel wire and attached by welding. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coating.

Backrest Articulation Mechanism

Two outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest, and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Tandem Base

Cast aluminum alloy foot section. Leg upright is 14-gauge 1" x 2" seamless steel column. Upright and foot are painted monochromatic with beam and yoke. Leg upright column is welded to a plate which clamps onto the beam with a yoke.

Tandem Arm


Oval tubular steel arm support with self-skinning urethane armrests measuring 10 1/4" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30" x 30" x 7/8" with a vinyl bullnose edge.





Frame Color		Sky Blue	ESK	Dove Grey	LDG
Black	BL	Sterling Ash	EAZ	Florence Walnut	LFC
Blue Grey	GR	Surf's Up	ESP	Friston Ash	LFH
Bronze Metallic	ZM	Twilight Shadow	ETI	Frosty White	LFW
Cayenne	CY	Ultra Blue	EUB	Graphite Nebula	LGN
Champagne Metallic	CM	Warm Grey	EWG	Grey	LGE
Chrome	CH	Zesty Lime	EZL	High Rise	LHE
Cool Grey	CG	Seat and Back Color - Polypropylene		Hollyberry	LHY
Cottonwood	CO			Island	LID
Earthen Clay	EY		PBL	Italian Silver Ash	LIT
Espresso Metallic	EX		PGR	Kensington Maple	LKM
Everglade Shade	EV		PCY	Lapis Blue	LLB
Flannel	FN		PCG	Monticello Maple	LMT
Glitz Metallic	GZ		PCO	North Sea	LNA
Hazy Jade	HJ		PEY	Ocean	LON
Honey Bee	HY		PEV	Pinnacle Walnut	LPW
Light Tone	LG		PFN	River Cherry	LRY
Mardi Gras	MG	Hazy Jade	PHJ	Shadow Zephyr	LSR
Misty Brown	MY	Honey Bee	PHY	Sterling Ash	LAZ
Nemo	NE	Light Tone	PLG	Titanium Evolv	LTV
Nordic	ND	Mardi Gras	PMG	White Nebula	LWL
Poppy Red	PR	Misty Brown	PMY	White Sand	LWN
Purple Haze	PH	Nemo	PNE	Windsor Mahogany	LWY
Rainforest	RQ	Nordic	PND		
Raw Jasper	RJ	Poppy Red	PPR		
Rubber Ducky	RK	Purple Haze	PPH		
Sand	SA	Rainforest	PRQ		
Sky Blue	SK	Raw Jasper	PRJ		
Starlight Silver Metallic	SX	Rubber Ducky	PRK		
Surf's Up	SP	Sand	PSA		
Tarragon	TQ	Sky Blue	PSK		
Twilight Shadow	TI	Surf's Up	PSP		
Ultra Blue	UB	Tarragon	PTQ		
Warm Grey	WG	Twilight Shadow	PTI		
Zesty Lime	ZL	Ultra Blue	PUB		
		Warm Grey	PWG		
		Zesty Lime	PZL		
Nemo and Zesty Lime are only available as standard color options on armless models. If required on an arm model, a PRM can be submitted for approval, provided the client has visually approved the color variation.		Nemo and Zesty Lime are only available as standard color options on armless models. If required on an arm model, a PRM can be submitted for approval, provided the client has visually approved the color variation.			
Edge Color					
Black	EBL	Arm pad matches seat and back color for black, blue grey, sand and warm grey. Otherwise it is always black.			
Blue Grey	EGR				
Cayenne	ECY				
Cool Grey	ECG	TRANSLUCENT colors are available on the upholstered seat models only.			
Everglade Shade	EEV				
Flannel	EFN				
Friston Ash	EFH	Surface Finish - Laminate	LBZ		
Frosty White	EFW		LBQ		
Hazy Jade	EHJ		LBT		
Light Tone	ELG		LBK		
Mardi Gras	EMG		LBW		
Misty Brown	EMY		LCO		
Nemo	ENE		LCX		
Nordic	END		LCI		
Poppy Red	EPR		LCC		
Rubber Ducky	ERK		LRI		
Sand	ESA	Designer White	LDR		

Finish Cards

View color swatches for items listed within this document.

- | | | | |
|----------------------|--------------------|---------------------|----------------------|
| <u>Paints</u> | <u>Wood/Veneer</u> | <u>Molded Edges</u> | <u>Hard Plastics</u> |
| <u>Plastics/Poly</u> | <u>Laminates</u> | <u>Edge Styles</u> | <u>Glass</u> |

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER						
		Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color		
MODEL	Features						Approx. Packaged Weight	Delivered Pricing
 GT1P GT2P GT3P GT4P GT5P	Polypropylene - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1NAP/S1/IT0	☐	☐		30.00#	\$ 865
		1 Seat, 1 In-Line Table	GT2NAP/S1/IT1	☐	☐	☐	44.00#	1834
		2 Seat, 0 In-Line Table	GT2NAP/S2/IT0	☐	☐		50.00#	1728
		2 Seat, 1 In-Line Table	GT3NAP/S2/IT1	☐	☐	☐	64.00#	2696
		3 Seat, 0 In-Line Table	GT3NAP/S3/IT0	☐	☐		70.00#	2591
		3 Seat, 1 In-Line Table	GT4NAP/S3/IT1	☐	☐	☐	84.00#	3561
		4 Seat, 0 In-Line Table	GT4NAP/S4/IT0	☐	☐		94.00#	3461
		3 Seat, 2 In-Line Tables	GT5NAP/S3/IT2	☐	☐	☐	103.00#	4529
		4 Seat, 1 In-Line Table	GT5NAP/S4/IT1	☐	☐	☐	109.00#	4426
		5 Seat, 0 In-Line Table	GT5NAP/S5/IT0	☐	☐		115.00#	4325
 GT1P GT2P GT3P GT4P GT5P	Polypropylene - End Arms Only • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1EAP/S1/IT0	☐	☐		35.00#	\$ 1188
		1 Seat, 1 In-Line Table	GT2EAP/S1/IT1	☐	☐	☐	49.00#	1993
		2 Seat, 0 In-Line Table	GT2EAP/S2/IT0	☐	☐		52.00#	2050
		2 Seat, 1 In-Line Table	GT3EAP/S2/IT1	☐	☐	☐	60.00#	3015
		3 Seat, 0 In-Line Table	GT3EAP/S3/IT0	☐	☐		69.00#	2916
		3 Seat, 1 In-Line Table	GT4EAP/S3/IT1	☐	☐	☐	75.00#	3879
		4 Seat, 0 In-Line Table	GT4EAP/S4/IT0	☐	☐		86.00#	3778
		3 Seat, 2 In-Line Tables	GT5EAP/S3/IT2	☐	☐	☐	94.00#	4849
		4 Seat, 1 In-Line Table	GT5EAP/S4/IT1	☐	☐	☐	105.00#	4745
		5 Seat, 0 In-Line Table	GT5EAP/S5/IT0	☐	☐		110.00#	4649
 GT1P GT2P GT3P GT4P GT5P	Polypropylene - Arms • Optional in-line tables • In-line tables must be placed between seats with shared arm application • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1AAP/S1/IT0	☐	☐		35.00#	\$ 1188
		1 Seat, 1 In-Line Table	GT2AAP/S1/IT1	☐	☐	☐	49.00#	2154
		2 Seat, 0 In-Line Table	GT2AAP/S2/IT0	☐	☐		60.00#	2212
		2 Seat, 1 In-Line Table	GT3AAP/S2/IT1	☐	☐	☐	74.00#	3340
		3 Seat, 0 In-Line Table	GT3AAP/S3/IT0	☐	☐		85.00#	3238
		3 Seat, 1 In-Line Table	GT4AAP/S3/IT1	☐	☐	☐	99.00#	4365
		4 Seat, 0 In-Line Table	GT4AAP/S4/IT0	☐	☐		110.00#	4268
		3 Seat, 2 In-Line Tables	GT5AAP/S3/IT2	☐	☐	☐	118.00#	5491
		4 Seat, 1 In-Line Table	GT5AAP/S4/IT1	☐	☐	☐	129.00#	5394
		5 Seat, 0 In-Line Table	GT5AAP/S5/IT0	☐	☐		140.00#	5287

A **B** **C** **D** **E**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Grazie® Tandem Seating



Grazie® Tandem Seating

			MODEL NUMBER															
			Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color										
MODEL		Features							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
 GT1U GT2U GT3U GT4U GT5U	Upholstered Seat - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1NAU/S1/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	35.00#	\$ 1019	\$ 1029	\$ 1050	\$ 1050	\$ 1063	\$ 1112	\$ 1132	\$ 1158	
		1 Seat, 1 In-Line Table	GT2NAU/S1/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	46.00#	1988	1999	2019	2019	2033	2081	2102	2127	
		2 Seat, 0 In-Line Table	GT2NAU/S2/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	55.00#	2037	2057	2099	2099	2125	2222	2263	2315	
		2 Seat, 1 In-Line Table	GT3NAU/S2/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	69.00#	3005	3026	3067	3067	3094	3190	3232	3283	
		3 Seat, 0 In-Line Table	GT3NAU/S3/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	75.00#	3054	3085	3147	3147	3187	3333	3394	3472	
		3 Seat, 1 In-Line Table	GT4NAU/S3/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	89.00#	4025	4056	4117	4117	4158	4303	4365	4442	
		4 Seat, 0 In-Line Table	GT4NAU/S4/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	99.00#	4079	4120	4203	4203	4256	4450	4532	4635	
		3 Seat, 2 In-Line Tables	GT5NAU/S3/IT2	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	108.00#	4993	5024	5086	5086	5126	5271	5333	5410	
		4 Seat, 1 In-Line Table	GT5NAU/S4/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	114.00#	5044	5086	5168	5168	5222	5415	5498	5601	
		5 Seat, 0 In-Line Table	GT5NAU/S5/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	120.00#	5098	5149	5252	5252	5319	5561	5664	5793	
 GT1U GT2U GT3U GT4U GT5U	Upholstered Seat - End Arms Only • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1EAU/S1/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	40.00#	\$ 1343	\$ 1353	\$ 1373	\$ 1373	\$ 1387	\$ 1435	\$ 1456	\$ 1482	
		1 Seat, 1 In-Line Table	GT2EAU/S1/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	54.00#	2147	2157	2178	2178	2191	2240	2260	2286	
		2 Seat, 0 In-Line Table	GT2EAU/S2/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	57.00#	2359	2380	2421	2421	2448	2545	2586	2637	
		2 Seat, 1 In-Line Table	GT3EAU/S2/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	65.00#	3324	3345	3386	3386	3413	3510	3551	3602	
		3 Seat, 0 In-Line Table	GT3EAU/S3/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	74.00#	3380	3411	3473	3473	3513	3658	3720	3797	
		3 Seat, 1 In-Line Table	GT4EAU/S3/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	80.00#	4343	4374	4436	4436	4476	4621	4683	4760	
		4 Seat, 0 In-Line Table	GT4EAU/S4/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	91.00#	4396	4437	4519	4519	4573	4766	4849	4952	
		3 Seat, 2 In-Line Tables	GT5EAU/S3/IT2	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	99.00#	5312	5343	5405	5405	5445	5590	5652	5729	
		4 Seat, 1 In-Line Table	GT5EAU/S4/IT1	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	110.00#	5363	5404	5486	5486	5540	5733	5816	5919	
		5 Seat, 0 In-Line Table	GT5EAU/S5/IT0	☐ ☐	☐ ☐ ☐			☐ ☐ ☐ ☐ ☐ ☐	115.00#	5421	5473	5576	5576	5643	5885	5988	6117	
			A	B	C	D	E	F										

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																
MODEL		Features	Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Upholstery Color		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
 GT1U GT2U GT3U GT4U GT5U	Upholstered Seat - Arms • Optional in-line tables • In-line tables must be placed between seats with shared arm application • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1AAU/S1/IT0	☐	☐			☐		40.00#	\$ 1343	\$ 1353	\$ 1373	\$ 1373	\$ 1387	\$ 1435	\$ 1456	\$ 1482	
		1 Seat, 1 In-Line Table	GT2AAU/S1/IT1	☐	☐	☐	☐	☐	☐		54.00#	2309	2319	2340	2340	2353	2401	2422	2448
		2 Seat, 0 In-Line Table	GT2AAU/S2/IT0	☐	☐			☐			65.00#	2521	2542	2583	2583	2609	2706	2748	2799
		2 Seat, 1 In-Line Table	GT3AAU/S2/IT1	☐	☐	☐	☐	☐	☐		79.00#	3649	3669	3711	3711	3737	3834	3875	3927
		3 Seat, 0 In-Line Table	GT3AAU/S3/IT0	☐	☐			☐			90.00#	3701	3732	3794	3794	3834	3979	4041	4118
		3 Seat, 1 In-Line Table	GT4AAU/S3/IT1	☐	☐	☐	☐	☐	☐		104.00#	4828	4859	4921	4921	4961	5106	5168	5245
		4 Seat, 0 In-Line Table	GT4AAU/S4/IT0	☐	☐			☐			115.00#	4886	4927	5009	5009	5063	5257	5339	5442
		3 Seat, 2 In-Line Tables	GT5AAU/S3/IT2	☐	☐	☐	☐	☐	☐		123.00#	5955	5986	6048	6048	6088	6233	6295	6372
		4 Seat, 1 In-Line Table	GT5AAU/S4/IT1	☐	☐	☐	☐	☐	☐		134.00#	6012	6053	6135	6135	6189	6382	6465	6568
		5 Seat, 0 In-Line Table	GT5AAU/S5/IT0	☐	☐				☐		145.00#	6060	6111	6214	6214	6281	6523	6626	6755
 GT1UB GT2UB GT3UB GT4UB GT5UB	Upholstered Seat and Back - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	GT1NAUB/S1/IT0	☐	☐			☐		40.00#	\$ 1055	\$ 1066	\$ 1086	\$ 1086	\$ 1100	\$ 1148	\$ 1169	\$ 1194	
		1 Seat, 1 In-Line Table	GT2NAUB/S1/IT1	☐	☐	☐	☐	☐	☐		54.00#	2024	2035	2055	2055	2069	2117	2138	2163
		2 Seat, 0 In-Line Table	GT2NAUB/S2/IT0	☐	☐			☐			65.00#	2073	2093	2135	2135	2161	2258	2299	2351
		2 Seat, 1 In-Line Table	GT3NAUB/S2/IT1	☐	☐	☐	☐	☐	☐		79.00#	3041	3062	3103	3103	3130	3226	3268	3319
		3 Seat, 0 In-Line Table	GT3NAUB/S3/IT0	☐	☐			☐			90.00#	3090	3121	3183	3183	3223	3369	3430	3508
		3 Seat, 1 In-Line Table	GT4NAUB/S3/IT1	☐	☐	☐	☐	☐	☐		104.00#	4061	4092	4153	4153	4194	4339	4401	4478
		4 Seat, 0 In-Line Table	GT4NAUB/S4/IT0	☐	☐			☐			115.00#	4115	4157	4239	4239	4293	4486	4569	4672
		3 Seat, 2 In-Line Tables	GT5NAUB/S3/IT2	☐	☐	☐	☐	☐	☐		123.00#	5029	5060	5122	5122	5162	5307	5369	5446
		4 Seat, 1 In-Line Table	GT5NAUB/S4/IT1	☐	☐	☐	☐	☐	☐		134.00#	5080	5122	5204	5204	5258	5451	5534	5637
		5 Seat, 0 In-Line Table	GT5NAUB/S5/IT0	☐	☐				☐		145.00#	5134	5186	5289	5289	5355	5598	5701	5829
			A	B	C	D	E	F											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



GT1UB
GT2UB
GT3UB
GT4UB
GT5UB

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D** Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- E** Select table edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select upholstery grade/color.
Refer to **ki.com/fabrics**

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER					
	MODEL	Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing
MSCT 	Corner Table - Number of tables per arrangement - Plastic laminate with vinyl bullnose edge - For mounting modular units at a 90° angle - Two required for U-shaped configuration - One required for L-shaped configuration	Connects 2 units	TCT	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	14.00#	\$ 802
AC901	Back Ganging Bar - Connects 2 units back-to-back - Powder coated to match base - Sold in pairs		DOP.GANG	☐ ☐			8.00#	\$ 268

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select frame color.
Refer to the **Product Color Options** page in this price list.
- C

Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- D

Select table edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C


Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered - add 1") (stools with polished aluminum base - subtract 1-3/4")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	32-1/2" - 37-1/2"	37-1/2" - 47-3/4"	37-1/2" - 47-3/4"
Arms to floor		26" - 31"		31" - 41-3/4"

STATEMENT OF LINE - all models available in poly seat/back, upholstered seat/
poly back, or upholstered seat/back



INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

Whatever you imagine, whatever you require. KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



TECHNICAL SPECIFICATIONS

Backrest, Seat, and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal ½" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is a die-drawn 12-gauge steel plate. Fixed backrest mechanism structures are made from ½" diameter steel wire and attached by welding. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Backrest Articulation Mechanism

Two outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest, and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Arms

Optional cantilever arms are available. When equipped with arms, a support structure is 7/8" OD by 14-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest, and secured with a screw. Armrests are molded from glass-reinforced nylon. Arm color matches poly color. Diamond translucent poly has Light Tone arms. Pewter translucent poly has Flannel arms. Bronze translucent poly has Chocolate arms.

Base


26" injection-molded glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in black or warm grey. Standard stool base available in black or warm grey. Standard stool cylinder available in black only. An optional polished die-cast aluminum base is available on both chairs and stools.

Casters


Casters are double-wheel high-impact thermoplastic, available with hard (warm grey or black) or soft (black only) wheel surface.

Foot Ring

Task stools are equipped with a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, die-cast aluminum hub and spokes.



Task Chair



Task Stool



Base/Caster Color

Black	BL
Warm Grey	WG
Polished Aluminum	PA

Polished aluminum requires an upcharge.

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters. Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

Hard floor casters are black only.

Shell Color - Polypropylene

Black	PBL
Blue Grey	PGR
Cayenne	PCY
Cool Grey	PCG
Cottonwood	PCO
Diamond Translucent	PDT
Earthen Clay	PEY
Everglade Shade	PEV
Flannel	PFN
Hazy Jade	PHJ
Honey Bee	PHY
Light Tone	PLG
Mardi Gras	PMG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Pewter Translucent	PPT
Poppy Red	PPR
Purple Haze	PPH
Rainforest	PRQ
Raw Jasper	PRJ
Rubber Ducky	PRK
Sand	PSA
Sky Blue	PSK
Surf's Up	PSP
Tarragon	PTQ
Twilight Shadow	PTI
Ultra Blue	PUB
Warm Grey	PWG
Zesty Lime	PZL

Nemo and Zesty Lime are only available as standard color options on armless models. If required on an arm model, a PRM can be submitted for approval, provided the client has visually approved the color variation.

Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.

Grazie® Task Seating



Grazie® Task Seating

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base color.
Refer to the **Product Color Options** page in this price list.
*Add \$119 for polished aluminum base.
- C** Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D** Select caster option.

S	- Hard floor casters (black only)
C	- Carpet casters
- E** Select upholstery grade/color.
Refer to [**kl.com/fabrics**](http://kl.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 100.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																
		Basic Model	Base Color	Poly Seat/ Back Color	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 GPSP GPSU GPSUB	Task Armless Stool - Ergonomic articulation (Perfect Pivot) - Height-adjusting pneumatic cylinder	Polypropylene	GPSNAP	☐ ☐	☐ ☐ ☐	☐	38.00#	\$ 739										
		Upholstered Seat	GPSNAU	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	41.00#	N/A	888	901	929	929	932	983	1002	1026	1062
		Upholstered Seat/Back	GPSNAUB	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	43.00#	N/A	924	935	965	965	968	1018	1036	1062	1097
 GPSP GPSU GPSUB	Task Cantilever Arm Stool - Ergonomic articulation (Perfect Pivot) - Height-adjusting pneumatic cylinder	Polypropylene	GPSCAP	☐ ☐	☐ ☐ ☐	☐	41.00#	\$ 839										
		Upholstered Seat	GPSCAU	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	44.00#	N/A	987	1001	1029	1029	1029	1083	1102	1127	1164
		Upholstered Seat/Back	GPSCAUB	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	46.00#	N/A	1025	1036	1069	1069	1068	1119	1138	1164	1200
			A	B	C	D	E											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select base color.
Refer to the **Product Color Options** page in this price list.
*Add \$119 for polished aluminum base.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select caster option.

S

- Hard floor casters (black only)

C

- Carpet casters
- E**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.