



PIROUETTE[®] TABLES

PRICE LIST

EFFECTIVE MARCH 31, 2026
800.424.2432



Pirouette® Tables		
General Information-Pattern Electrical		3
General Information-Height Adjustable		5
Product Color Options		8
Pirouette® Tables - Fixed Height Base		
Fixed Top-Rectangular-29" High (Training)		9
Fixed Top-Rectangular-29" High (Collaborative)		13
Fixed Top-Rectangular-29" High (Conference)		15
Fixed Top-Rectangular-36" High (Counter Height)		21
Fixed Top-Rectangular-42" High (Cafe Height)		23
Fixed Top-Chevron-29" High (Standard Height)		25
Fixed Top-Chevron-36" High (Counter Height)		27
Fixed Top-Chevron-42" High (Cafe Height)		29
Fixed Top-Double Chevron-29" High (Standard Height)		31
Fixed Top-Double Chevron-29" High (Conference)		33
Fixed Top-Guitar Pick-29" High (Standard Height)		37
Fixed Top-Square-29" High (Standard Height)		38
Fixed Top-Square-36" High (Counter Height)		39
Fixed Top-Square-42" High (Cafe Height)		40
Fixed Top-Round-29" High (Standard Height)		41
Fixed Top-Round-36" High (Counter Height)		42
Fixed Top-Round-42" High (Cafe Height)		43
Fixed Top-Scale Up-29" High (Standard Height)		44
Fixed Top-Half Round-29" High (Standard Height)		45
Fixed Top-Trapezoid-29" High (Standard Height)		46
Nesting Top-Rectangular-29" High (Training)		47
Nesting Top-Rectangular-29" High (Collaborative)		49
Nesting Top-Rectangular-36" High (Counter Height)		51
Nesting Top-Rectangular-42" High (Cafe Height)		52
Nesting Top-Chevron-29" High (Standard Height)		53
Nesting Top-Chevron-36" High (Counter Height)		55
Nesting Top-Chevron-42" High (Cafe Height)		56
Nesting Top-Double Chevron-29" High (Standard Height)		57
Nesting Top-Round-29" High (Standard Height)		59
Nesting Top-Scale Up-29" High (Standard Height)		60
Nesting Top-Half Round-29" High (Standard Height)		61
Nesting Top-Trapezoid-29" High (Standard Height)		62
Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base		
Fixed Top-Rectangular-29" High (Training)		63
Fixed Top-Rectangular-36" High (Counter Height)		68
Fixed Top-Rectangular-42" High (Cafe Height)		72
Fixed Top-Chevron-29" High (Standard Height)		76
Fixed Top-Chevron-36" High (Counter Height)		78
Fixed Top-Chevron-42" High (Cafe Height)		80
Fixed Top-Scale Up-29" High (Standard Height)		82
Nesting Top-Rectangular-29" High (Training)		83
Nesting Top-Rectangular-36" High (Counter Height)		87
Nesting Top-Rectangular-42" High (Cafe Height)		91
Nesting Top-Chevron-29" High (Standard Height)		95
Nesting Top-Chevron-36" High (Counter Height)		97
Nesting Top-Chevron-42" High (Cafe Height)		99
Nesting Top-Scale Up-29" High (Standard Height)		101
Pirouette® HA Tables - Pneumatic Adjustable Height Base		
Fixed Top-Rectangular		102
Fixed Top-Chevron		103
Pirouette® HA Tables - Screw Adjustable Height Base		
Fixed Top-Rectangular		104
Fixed Top-Chevron		105
Pirouette® HA Tables - Pneumatic Adjustable Height Base		
Nesting Top-Rectangular		106
Nesting Top-Chevron		107
Pirouette® HA Tables - Screw Adjustable Height Base		
Nesting Top-Rectangular		108
Nesting Top-Chevron		109
Pirouette® Tables		
Accessories		110



PRODUCT SPECIFICATIONS

Pirouette® Tables

July 2025

TECHNICAL SPECIFICATIONS

Tabletops

Standard tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in standard tops is 45 lb/cu ft. particleboard. Pirouette table is available with the 2 mm (74P) edge.

Flipping/Nesting Table Frame

The framework for table support and flipping/nesting operation consists of 30 mm x 50 mm x 3 mm thick wall steel tubing, with 4 mm thick formed steel support hubs welded to the tubes for mounting the legs. A 3 mm formed steel table support bracket is attached to the beam and hub structure using a .10 mm diameter steel pivot pin. #12 x 1 3/4" Phillips wood screws attach the framework brackets to the tabletop. A 9.9 mm steel hex rod connects the latch mechanism and is connected to a nylon release paddle on either end of the table base. The table latch release handle is actuated by squeezing the paddle on either end to the underside of the tabletop. Pulling upward raises the tabletop for nesting storage.

To lower the table, grasp the top center of the tabletop edge and lower the surface to allow the latches to engage once the surface is down. All hinge pins for the flipping mechanism are zinc plated steel. Hinge pin spacers are molded nylon. The framework is shipped separately, ready to be assembled to the tabletop and legs.

Leg Assemblies

Flipping/Nesting Table

The leg assembly consists of one right-hand leg and one left-hand leg, with three leg depth options. One depth fits 18" deep tables; one fits 24" and 30" deep tables; the other fits 36" deep tables. Leg height is fixed to provide 29" high tabletop height. An ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Café height of 36" and standing height of 42" are also available. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 4 mm thick steel pivot plate welded to it. The feet consist of two 4 mm thick blades welded to the leg tube. The blade covers are aluminum die cast, attached with self-tapping metal screws. The leg assemblies are bolted to the table frame structure using two M12 x 25 mm flat head bolts. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly. A hardware kit is shipped with the base that consists of a cover that must be installed after the leg assembly to prevent access to the pivot mechanism.

Fixed T-Base Table

Three T-base leg depths are available. One depth fits 18" deep tables; one fits 24" and 30" deep tables; the other fits 36" deep tables. Leg height is fixed to provide 29" high tabletop height. An ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Café height of 36" and standing height of 42" are also available. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The feet consist of two 4 mm thick blades welded to the leg tube. The blade covers are aluminum die cast, attached with self-tapping metal screws. The leg assemblies are attached to the tabletops using #12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly.

Fixed TT-Base Table

Some larger fixed leg tables use a T or TT-base style leg. Available standard in one depth of 38" to fit 42" and 48" deep tables. Leg height is fixed to provide only 29" high tabletop height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The feet consist of two 4 mm thick blades welded to two leg tubes separated by a 1" x 2" welded steel cross tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using #12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly.



TECHNICAL SPECIFICATIONS

Fixed C-Base

Some shaped tables use three or four C-base style legs. Available standard in one length of 14". Leg height is fixed to provide only 29" high tabletop height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The foot consist of one 4 mm thick blade welded to the leg tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using #12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Fixed X-Base

Some round and square shaped tables use X-base style legs. Available in a standard 28" x 28" style foot configuration. 29", 36" and 42" tabletop height configurations are available on various sizes. Leg construction consists of 3" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The foot consist of one 4 mm thick blade welded to the leg tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using #12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Casters and Glides

Each table includes either glides or casters. Each table with casters will include two-wheel locking casters. Casters are made of molded nylon and are two-tone Starlight Silver and black. Glides are made of molded nylon and are two-tone black and white. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62 mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment that adjusts table height from 28 1/2" to 29 1/2". Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Ganging Mechanism

After installation of pegs, no tools are required to join tables together. Tabletops are pre-drilled for placement of ganging pegs. Two gangers and six pegs are included in each kit. If table is specified with power modules for Pattern™, two gangers, eight pegs and all mounting screws are included in the kit. One kit per table joint is required. All ganging accessories are included for tables with Pattern electrical. Field installed. Gangers are self-storing under the table when not in use. Ganging kits are ordered separately for all other table models.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg, managing cables and wires exiting power modules or through standard grommets installed on the tabletop. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Wire Trough

The wire trough is a cord management accessory that is provided with the Pirouette table if Pattern components are specified with the order. Wire troughs are not available on conference tables. If the Pirouette table is specified with any 3-prong plug module unit, then a wire trough must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish in all KI standard finishes. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides multiple access holes to feed wires, and includes cutouts for installation of additional Pattern snap-in RPT power modules.

Velcro® Wire Management

The Velcro wire manager is constructed of 2" x 4 1/2" Velcro hook and loop material. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire managers, but a wire manager may be applied in any convenient location. Two or five Velcro wire managers are included when Pattern power modules are ordered, and wire clips are provided when power modules with 3-prong plugs are ordered. Field installed.



TECHNICAL SPECIFICATIONS

Grommets

Flip-Top Grommets for Dean® & Nacre® Power Modules
Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean power modules listed below, which allows for retrofitting corresponding power modules at a later date. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is opened. Field installed.

Circular Grommet for Node® Power Module
The Node circular grommet is an open top, surface-mounted grommet constructed of aluminum. The overall diameter of 3.15" fits into a 3" diameter cutout in the surface. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. Not available in chrome. Field installed.

Power Modules

Dean In-Surface Power Module
Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern™ connector. A 40" cord option is available for larger conference tables with two power modules. Dean power module is rated at 15 amps/120 volts and is UL listed.

Dean Clamp-On Power Module
Dean clamp-on power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port. Dean clamp-on module is 5.50" long by 3.06" wide by 3.38" high. The module has a smooth molded plastic faceplate with an anodized aluminum housing. Clamp-on mounting style positions the module at a right angle to the worksurface and uses two thumb screws for attachment, without the need for table cutouts. Clamp is 3" wide, extends 1¾" onto edge of surface and can accommodate a maximum surface thickness of 1 1/2". Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dean power module is rated at 15 amps/120 volts and is UL listed.

Nacre Pop-Up In-Surface Module
Nacre Pop-Up In-Surface consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic. The module is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern connector. A 40" cord option is available for larger conference tables with two power modules. Nacre power module is rated at 15 amps/120 volts and is UL listed.

Dubbel™ Undersurface Power Module
Dubbel undersurface module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. Dubbel is 7.63" wide by 1.75" tall by 5.25" deep. The module is made of molded plastic and secures under the worksurface with two 5/16 x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dubbel power module is rated at 15 amps/120 volts and is UL listed.

TECHNICAL SPECIFICATIONS

Node® In-Surface Power Module
Node In-Surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port , and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall fits and securely into a 3" diameter cutout. The module housing is made of plastic with a powder-coat painted aluminum faceplate. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" or 40" cord with a Pattern connector. Node power module is rated at 15 amps/120 volts and is UL listed.

Snap-In RPT Power Module
Snap-In RPT module is only available for use with Pattern™ electrical system. Snap-in module consists of two simplex receptacle ports (rated at 15 amps/125 volts). Snap-in RPT fits securely in user facing cutouts located on the wire trough, mounted under the table. Modules comes standard with a 20" or 40" pattern connector, rated at 15 amps/120 volts and is UL listed.

Pattern Electrical System
Select Pirouette table models can be configured with Pattern electrical system. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). It allows for a maximum up to ten distribution blocks and up to 50' of power jumpers from the power infeed (in either direction), whichever comes first. Pattern allows up to eighteen power modules depending on table width, and connects to one 15-amp power supply cord (power infeed). Pattern is a non-sequential system and the infeed is compatible with ground fault interrupter (GFI/GFCI) outlets. Power modules for Pattern are specified as an option on Pirouette tables.

Pattern Power Distribution Blocks
Pattern power distributions blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits
Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits
The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run.

Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. Kit includes a vertical wire manager. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Polyester Felt Modesty Panel
Polyester felt modesty panels are constructed from a sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Modesty panels are 9¼" high on 29" (standard-height) tables and are 14¾" tall on 36" and 42" height tables. Modesty panel widths are 28½", 34½", 40½", 46½", 52½", 58½", 64½", and 70½" .

Mounting Hooks
The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels 28½", 34½", 40½" and 46½" wide use two hooks per panel. Panels 52½", 58½", 64½" and 70½" wide use three hooks per panel.



PRODUCT SPECIFICATIONS

Pirouette® HA Tables
Screw-Adjustable & Pneumatic-Adjustable Height

March 2023

TECHNICAL SPECIFICATIONS

Tabletops

Standard tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in standard tops is 45 lb/cu ft. particleboard. Pirouette table is available with the 2 mm (74P) edge.

Table Frames

Flipping & Nesting Base

The framework for table support and flipping/nesting mechanism consists of a set of steel hinge mechanisms which allow the top to be flipped vertical, allowing the table to be nested with a mating table. A 4 mm thick formed steel lower table support hinged using a 10 mm steel pin with a 3 mm thick worksurface mounting plate. A 9.9 mm steel hex rod joins the latch mechanisms and is connected to a nylon release paddle on each end of the table base. The tabletop lock paddle is actuated by pulling the paddle up on either end of the tabletop. Pulling upward rotates the tabletop for nesting storage. To lower the table, grasp the top center of the tabletop edge and rotate the surface down until the latches engage when the surface is horizontal. All hinge pins for the flipping mechanism are zinc plated steel. Hinge pin spacers are molded nylon. The framework is shipped separately, ready to be assembled to the tabletop and legs. # 12 x 1 1/2" Phillips wood screws attach the framework to the to the tabletop.

Fixed-Top Base

The table support framework for the fixed-top, non-nesting table consists of a pair of 7-gauge formed steel enclosures. The steel enclosures are welded directly to the 1 3/4" diameter, 14-gauge upper leg tube for both the pneumatic and screw adjustable-height versions. Each plate is attached to the tabletop using four # 12 x 1" screws.

Leg Assemblies

Pneumatic-Adjustable Height Leg (Nesting-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel vertical tube. The inner leg tube is supported in the lower leg tube by a set of Delrin glide bushings. Housed inside each leg tube is a pneumatic cylinder which includes a locking feature to prevent vertical movement when any force is applied to the worksurface and the cylinder is not actuated. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On Pneumatic-adjustable height tables, the tabletop adjusts up and down between 29" and 44" from the floor by activating a pneumatic cylinder using a lever located under the user side of the worksurface. The table's recommended weight load is 20 lb or less.

Pneumatic-Adjustable Height Leg (Fixed-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower leg tube by a set of Delrin glide bushings. Housed inside each leg tube is a pneumatic cylinder which includes a locking feature to prevent vertical movement when any force is applied to the worksurface and the cylinder is not actuated. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On Pneumatic-adjustable height tables, the tabletop adjusts up and down between 29" and 44" from the floor by activating a pneumatic cylinder using a lever located under the user side of the worksurface. The table's recommended weight load is 20 lb or less.



TECHNICAL SPECIFICATIONS

Leg Assemblies (cont.)

Screw-Adjustable Height Leg (Nesting-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower, outer leg tube by a set of Delrin glide bushings. The inner tube contains a set of threaded adjustment holes spaced 1" apart which mate up with two holes on the outer leg. By removing the 1/4-20 x 1/2" locking screws, the tabletop height may be adjusted in 1" increments. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On screw-adjustable height tables, the top of the tabletop adjusts up and down between 29" and 44" from the floor by manually removing the two locking set screws located on the inside of each leg below the lower cross-brace, and adjusting the top up or down in 1" increments, then replacing the locking set screws.

Screw-Adjustable Height Leg (Fixed-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower, outer leg tube by a set of Delrin glide bushings. The inner tube contains a set of threaded adjustment holes spaced 1" apart which mate up with two holes on the outer leg. By removing the 1/4-20 x 1/2" locking screws, the tabletop height may be adjusted in 1" increments. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On screw-adjustable height tables, the top of the tabletop adjusts up and down between 29" and 44" from the floor by manually removing the two locking set screws located on the inside of each leg below the lower cross-brace, and adjusting the top up or down in 1" increments, then replacing the locking set screws.

Casters and Glides

Each table includes either glides or casters. Tables with casters will include two-wheel locking casters, made of molded nylon and are two-tone Starlight Silver and black. Glides are made of molded nylon and are two-tone black and white. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62 mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment to level the table height. Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Wire Management

Cable Trough


The cable trough is a cable and cord management accessory that is provided on all versions of the table. Constructed of 18-gauge steel with a black powder-coated finish. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for cable trough locations. Provides multiple access holes to feed wires, and cables.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg, managing cables and wires exiting power modules or through standard grommets installed on the tabletop. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Velcro® Wire Management

The Velcro wire manager is constructed of 2" x 4 1/2" Velcro hook and loop material. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire managers, but a wire manager may be applied in any convenient location. Wire clips are provided when power modules with 3-prong plugs are ordered. Field installed.



TECHNICAL SPECIFICATIONS

Grommets

Flip-Top Grommets for Dean® & Nacre® Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean power modules listed below, which allows for retrofitting corresponding power modules at a later date. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is opened. Field installed.

Circular Grommet for Node® Power Module

The Node circular grommet is an open top, surface-mounted grommet constructed of aluminum. The overall diameter of 3.15” fits into a 3” diameter cutout in the surface. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. Not available in chrome. Field installed.

Power Modules

Dean In-Surface Power Module with 3-Prong Plug

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12” long by 2.31” wide by 2.5” high and fits securely into a 7.81” x 1.93” cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9’ or 15’ cord with a 3-prong plug. Dean power module is rated at 15 amps/120 volts, and is UL listed.

Dean Clamp-On Power Module with 3-Prong Plug

Dean clamp-on power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port. Dean clamp-on module ls 5.50” long by 3.06” wide by 3.38” high. The module has a smooth molded plastic faceplate with an anodized aluminum housing. Clamp-on mounting style positions the module at a right angle to the worksurface and uses two thumb screws for attachment, without the need for table cutouts. Clamp is 3” wide, extends 1¾” onto edge of surface and can accommodate a maximum surface thickness of 1 ½”. Modules come standard with either 3’, 9’ or 15’ cord with a 3-prong plug. Dean power module is rated at 15 amps/120 volts, and is UL listed.

Nacre Pop-Up In-Surface Module with 3-Prong Plug

Nacre Pop-Up In-Surface consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25” long by 3.31” wide by 2.92” high and fits securely into a 6.94” x 3” cutout with .38” radius corners. The module is made of molded plastic. The module is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9’ or 15’ cord with a 3-prong plug. Nacre power module is rated at 15 amps/120 volts, and is UL listed.

Dubbel™ Undersurface Power Module with 3-Prong Plug

Dubbel undersurface module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. Dubbel is 7.63” wide by 1.75” tall by 5.25” deep. The module is made of molded plastic and secures under the worksurface with two 5⁄16 x 2” Phillips round-head screws. Modules come standard with either 3’, 9’ or 15’ cord with a 3-prong plug. Dubbel power module is rated at 15 amps/120 volts, and is UL listed.

TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Node® In-Surface Power Module with 3-Prong Plug


Node In-Surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port , and one USB-C port, 2 amps per port. Node is 3.38” in diameter by 3.30” tall fits and securely into a 3” diameter cutout. The module housing is made of plastic with a powder-coat painted aluminum faceplate. Modules come standard with either 9’ or 15’ cord with a 3-prong plug. Node power module is rated at 15 amps/120 volts, and is UL listed.

Polyester Felt Modesty Panel

Polyester felt modesty panels are constructed from a sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft² and are sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A-Mount testing method) and an NRC rating of .81 with 2” air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9¼” high by 28½”, 34½”, 40½”, 46½”, 52½”, 58½”, 64½”, and 70½” wide.

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels 28½”, 34½”, 40½” and 46½” wide use two hooks per panel. Panels 52½”, 58½”, 64½” and 70½” wide use three hooks per panel.




STATEMENT OF LINE


Pirouette HA Tables - Fixed-Top Base




Rectangular Table
Pneumatic-Adjustable Height
PPFR



Chevron Table
Pneumatic-Adjustable Height
PPFCV



Rectangular Table
Screw-Adjustable Height
PSFR




Chevron Table
Screw-Adjustable Height
PSFCV

Pirouette HA Tables - Flipping & Nesting-Top Base



Rectangular Table
Pneumatic-Adjustable Height
PPNR



Chevron Table
Pneumatic-Adjustable Height
PPNCV



Rectangular Table
Screw-Adjustable Height
PSNR



Chevron Table
Screw-Adjustable Height
PSNCV

Finish Cards **Paints** **Wood/Veneer** **Molded Edges** **Hard Plastics**
 View color swatches for items listed within this document. **Plastics/Poly** **Laminates** **Edge Styles** **Glass** Certain options referenced may not be available on GSA Schedule.



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base											Cord (feet)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Features	D x W																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P - 74P edge

C Select power option.

NNN - No grommets, power, wire management/No cutouts

WMO - Wire management only-no cutouts; add \$68

MD1 - Module, Dean in-surface w/USB-A/C (1); add \$375

MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1 - Module, Node in-surface w/USB-A/C (1); add \$280

GA1 - Grommet, Nacre (1); add \$222

GD1 - Grommet, Dean (1); add \$222

GO1 - Grommet, Node (1); add \$153

D Select modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add \$192

E Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select surface finish.

Refer to the **Product Color Options** page in this price list.

G Select leg finish.

Refer to the **Product Color Options** page in this price list.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1 Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- 2 Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 3 Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 - 74P** - 74P edge
- C** Select power option.
 - NNN** - No grommets, power, wire management/No cutouts
 - WMO** - Wire management only-no cutouts; add \$68
 - MD1** - Module, Dean in-surface w/USB-A/C (1); add \$375
 - MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
 - MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
 - MO1** - Module, Node in-surface w/USB-A/C (1); add \$280
 - GA1** - Grommet, Nacre (1); add \$222
 - GD1** - Grommet, Dean (1); add \$222
 - GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- 2** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 3** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Three Bases	36 x 84"	PIFR3684T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	\$ 1716	\$ 74	\$ 473
	Three Bases	36 x 96"	PIFR3696T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	159.0#	1722	74	473
			A	B	C	D	E	F	G	H	I	J				

PIFT

Rectangular Tables - 36"D

- Training tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Fixed base at 29" high"
- 84" and 96" have third leg in center

PIFT

Rectangular Tables - 36”D

- Training tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Fixed base at 29” high”
- 84” and 96” have third leg in center

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$749

MO2- Modules, Node in-surface w/USB-A/C (2); add \$560

GA2- Grommets, Nacre (2); add \$432

GD2- Grommets, Dean (2); add \$432

G02- Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)

				MODEL NUMBER															
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base							Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PIFC	Rectangular Tables - 24”D - Collaborative tables are designed to provide leg spacing for all sides of the table - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table. 96” includes worksurface stiffener channel - Fixed base at 29” high	Features	D x W																
		T Base	24 x 60”	PIFR2460C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							\$ 27	\$ 178
		T Base	24 x 66”	PIFR2466C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							27	178
		T Base	24 x 72”	PIFR2472C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							27	178
		T Base	24 x 84”	PIFR2484C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							53	368
		T Base	24 x 96”	PIFR2496C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							53	368
PIFC	Rectangular Tables - 30”D - Collaborative tables are designed to provide leg spacing for all sides of the table - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table. 96” includes worksurface stiffener channel - Fixed base at 29” high	T Base	30 x 60”	PIFR3060C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							\$ 27	\$ 178
		T Base	30 x 66”	PIFR3066C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							27	178
		T Base	30 x 72”	PIFR3072C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							27	178
		T Base	30 x 84”	PIFR3084C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							53	368
		T Base	30 x 96”	PIFR3096C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐							53	368
				A	B	C	D	E	F	G	H								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

ME2

- 74P edge

- Urethane edge

* (Edge style ME2 has ME on long edges/74P on short edges)
- C**Select power option.

NNN

- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP

- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this

- price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select base.

4EC

locking

- 4 black casters w/silver hub (2)

4GB

- 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
60”	13.5	28.75
66”	13.5	34.75
72”	13.5	40.75
84”	13.5	52.75
96”	13.5	64.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)

			MODEL NUMBER																		
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base									Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
MODEL	Features	D x W																			
 PIFC Rectangular Tables - 36"D - Collaborative tables are designed to provide leg spacing for all sides of the table - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table. 96" includes worksurface stiffener channel - Fixed base at 29" high	T Base	36 x 60"	PIFR3660C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐									\$ 53	\$ 368	
	T Base	36 x 66"	PIFR3666C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐									53	368	
	T Base	36 x 72"	PIFR3672C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐									53	368	
	T Base	36 x 84"	PIFR3684C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐									74	473	
	T Base	36 x 96"	PIFR3696C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐									74	473	
			A	B	C	D	E	F	G	H											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.	G Select leg finish. Refer to the Product Color Options page in this price list.
B Select edge style. 74P ME2 - 74P edge - Urethane edge * (Edge style ME2 has ME on long edges/74P on short edges)	H Select base. 4EC 4GB - 4 black casters w/silver hub (2 locking) - 4 black glides
C Select power option. NNN - No grommets, power, wire management/No cutouts	
D Select modesty panel. NMP - No modesty panel	
E Select edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.	
F Select surface finish. Refer to the Product Color Options page in this	

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
60”	13.5	28.75
66”	13.5	34.75
72”	13.5	40.75
84”	13.5	52.75
96”	13.5	64.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	TT Base	42 x 60"	PIFR4260	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	112.0#	\$ 1921	\$ 53	\$ 368
	TT Base	42 x 72"	PIFR4272	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	130.0#	2036	53	368
	TT Base	42 x 84"	PIFR4284	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	148.0#	2206	74	473
			A	B	C	D	E	F	G	H	I	J				

- PIFT
- Rectangular Conference Tables - 42"D**
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Legs are inset 13.4" from edge to allow seating on all sides of table
 - 1 module/grommet for table lengths of 60" and 72"
 - 2 modules/grommets for table lengths of 84"
 - 84" includes worksurface stiffener channel
 - Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$889

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$749
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$560
GA2 - Grommets, Nacre (2); add \$432
GD2 - Grommets, Dean (2); add \$432
GO2 - Grommets, Node (2); add \$293
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base


Fixed Top-Rectangular-29" High (Conference)




Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



				MODEL NUMBER																									
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)																
Features D x W															Approx. Packaged Weight	74P Edge (74P)													
 PIFT Rectangular Conference Tables - 42"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Fixed base at 29" high • Center leg is single T Base to improve leg clearance	Three Bases	42 x 96"	PIFR4296	□□□	□□□	NMP	□□□	□□	□□	□□□	□□□	□□□	□□	179.0#	\$ 2457			Laminate Grade 2 add to list price		Laminate Grade 3 add to list price									
	Three Bases	42 x 120"	PIFR42120	□□□	□□□	NMP	□□□	□□	□□	□□□	□□□	□□□	□□	211.0#	2647														
				A	B	C	D	E	F	G	H	I	J																



Rectangular Conference Tables - 42" D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- Fixed base at 29" high
- Center leg is single T Base to improve leg clearance

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MA2** - Modules, Nacre pop-up w/USB-A/C (2); add \$889
- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
- MD2** - Modules, Dean in-surface w/USB-A/C (2); add \$749
- MO2** - Modules, Node in-surface w/USB-A/C (2); add \$560
- GA2** - Grommets, Nacre (2); add \$432
- GD2** - Grommets, Dean (2); add \$432
- GO2** - Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- 1** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 2** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Rectangular Conference Tables - 48"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • 1 module/grommet for table lengths of 60" and 72" • 2 modules/grommets for table lengths of 84" • 84" includes worksurface stiffener channel • Fixed base at 29" high	Features	D x W														
	TT Base	48 x 60"	PIFR4860	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	125.0#	\$ 1921	\$ 53	\$ 368
	TT Base	48 x 72"	PIFR4872	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	2036	53	368
	TT Base	48 x 84"	PIFR4884	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	165.0#	2206	74	473
			A	B	C	D	E	F	G	H	I	J				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$375

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$280

GA1- Grommet, Nacre (1); add \$222

GD1- Grommet, Dean (1); add \$222

GO1- Grommet, Node (1); add \$153

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

- MB2**- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
- MD2**- Modules, Dean in-surface w/USB-A/C (2) ; add \$749
- MO2**- Modules, Node in-surface w/USB-A/C (2); add \$560
- GA2**- Grommets, Nacre (2); add \$432
- GD2**- Grommets, Dean (2); add \$432
- GO2**- Grommets, Node (2); add \$293
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

- F**Select surface finish.

Refer to the Product Color Options page in this price list.
- G**Select leg finish.

Refer to the Product Color Options page in this price list.
- H**Select grommet/module color.

Refer to the Product Color Options page in this price list.
- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

		MODEL NUMBER															
Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
 PIFT Rectangular Conference Tables - 48"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Fixed base at 29" high • Center leg is single T Base to improve leg clearance	Three Bases	48 x 96"	PIFR4896	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	199.0#	\$ 2457	\$ 74	\$ 473		
	Three Bases	48 x 120"	PIFR48120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	236.0#	2647	105	709		
	Three TT Bases	48 x 144"	PIFR48144	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	276.0#	3072	105	709		
			A	B	C	D	E	F	G	H	I	J					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$749

MO2- Modules, Node in-surface w/USB-A/C (2); add \$560

GA2- Grommets, Nacre (2); add \$432

GD2- Grommets, Dean (2); add \$432

GO2- Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER															
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)		Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	TT Base	60 x 72"	PIFR6072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		175.0#	\$ 2816		\$ 105	\$ 709
	TT Base	60 x 84"	PIFR6084	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		199.0#	3072		105	709
	Three TT Bases	60 x 96"	PIFR6096	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		239.0#	\$ 3584		\$ 105	\$ 709
	Three TT Bases	60 x 120"	PIFR60120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		286.0#	4096		105	709
	Three TT Bases	60 x 132"	PIFR60132	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		310.0#	4480		105	709
	Three TT Bases	60 x 144"	PIFR60144	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		334.0#	4736		105	709
			A	B	C	D	E	F	G	H	I	J						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$889

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$749
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$560
GA2 - Grommets, Nacre (2); add \$432
GD2 - Grommets, Dean (2); add \$432
GO2 - Grommets, Node (2); add \$293
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.

- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select base.
4GB - 4 black glides

- J**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Rectangular Conference Tables - 60"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Tables with four or more TT bases have a two-piece top • Fixed base at 29" high	Four TT Bases	60 x 156"	PIFR60156	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐	4GB	☐ ☐	374.0#	\$ 5375	\$ 210	\$ 1418
	Four TT Bases	60 x 168"	PIFR60168	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐	4GB	☐ ☐	398.0#	5759	210	1418
	Four TT Bases	60 x 192"	PIFR60192	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐	4GB	☐ ☐	446.0#	6144	210	1418
 PIFT Rectangular Conference Tables - 60"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Tables with four or more TT bases have a two-piece top • Fixed base at 29" high	Six TT Bases	60 x 240"	PIFR60240	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐	4GB	☐ ☐	550.0#	\$ 7423	\$ 210	\$ 1418
			A	B	C	D	E	F	G	H	I	J				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$749

MO2- Modules, Node in-surface w/USB-A/C (2); add \$560

GA2- Grommets, Nacre (2); add \$432

GD2- Grommets, Dean (2); add \$432

G02- Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Pirouette® Tables - Fixed Height Base


Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base								
	T Base	30 x 36"	PIFR3036H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	64.0#	\$ 1139	\$ 27	\$ 178			
	T Base	30 x 42"	PIFR3042H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	70.0#	1211	27	178			
	T Base	30 x 48"	PIFR3048H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	76.0#	1211	27	178			
	T Base	30 x 54"	PIFR3054H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	82.0#	1345	27	178			
	T Base	30 x 60"	PIFR3060H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	88.0#	1345	27	178			
	T Base	30 x 66"	PIFR3066H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	94.0#	1404	27	178			
	T Base	30 x 72"	PIFR3072H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	104.0#	1426	27	178			
PIF3																				
Rectangular Tables - 30"D																				
• Tables are designed for maximum leg spacing for the length of the table																				
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)																				
• Gangers ordered separately																				
• Recommended chair height for 36"H table is 24" stool																				
• Fixed base at 36" high																				
			A	B	C	D	E	F	G	H	I	J	K							



PIF3

Rectangular Tables - 30" D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Fixed base at 36" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$280 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- 2** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 3** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base					Cord (feet)	
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	T Base	18 x 36"	PIFR1836H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	49.0#	\$ 999	\$ 19	\$ 120	
	T Base	18 x 42"	PIFR1842H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	53.0#	1035	19	120	
	T Base	18 x 48"	PIFR1848H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	57.0#	1035	19	120	
	T Base	18 x 54"	PIFR1854H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	60.0#	1058	19	120	
	T Base	18 x 60"	PIFR1860H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	64.0#	1058	19	120	
	T Base	18 x 66"	PIFR1866H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	67.0#	1079	19	120	
	T Base	18 x 72"	PIFR1872H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	75.0#	1079	19	120	
PIF4 Rectangular Tables - 18"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • Fixed base at 42" high																		
PIF4 Rectangular Tables - 24"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • Fixed base at 42" high	T Base	24 x 36"	PIFR2436H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	59.0#	\$ 1058	\$ 19	\$ 120	
	T Base	24 x 42"	PIFR2442H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	64.0#	1079	19	120	
	T Base	24 x 48"	PIFR2448H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	69.0#	1118	19	120	
	T Base	24 x 54"	PIFR2454H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	74.0#	1222	27	178	
	T Base	24 x 60"	PIFR2460H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	78.0#	1222	27	178	
	T Base	24 x 66"	PIFR2466H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	82.0#	1338	27	178	
	T Base	24 x 72"	PIFR2472H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	92.0#	1338	27	178	
			A	B	C	D	E	F	G	H	I	J	K					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P- 74P edge

CSelect power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$375

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$280

GA1- Grommet, Nacre (1); add \$222

GD1- Grommet, Dean (1); add \$222

G01- Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

DSelect modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add \$280

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

GSelect leg finish.

Refer to the **Product Color Options** page in this price list.

HSelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

ISelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

JSelect base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

KSelect cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 x 36"	PIFR3036H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	66.0#	\$ 1151	\$ 27	\$ 178
	T Base	30 x 42"	PIFR3042H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	72.0#	1224	27	178
	T Base	30 x 48"	PIFR3048H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	78.0#	1224	27	178
	T Base	30 x 54"	PIFR3054H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	84.0#	1356	27	178
	T Base	30 x 60"	PIFR3060H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	90.0#	1356	27	178
	T Base	30 x 66"	PIFR3066H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	96.0#	1415	27	178
	T Base	30 x 72"	PIFR3072H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	106.0#	1437	27	178
PIF4																	
Rectangular Tables - 30"D																	
• Tables are designed for maximum leg spacing for the length of the table																	
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)																	
• Gangers ordered separately																	
• Recommended chair height for 42"H table is 30" stool																	
• Fixed base at 42" high																	
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$280 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- 2** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 3** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base					Cord (feet)
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	18 x 60"	PIFCV1860	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	63.0#	\$ 888	\$ 19	\$ 120
	T Base	18 x 72"	PIFCV1872	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	75.0#	907	19	120
PIFT																	
Chevron Tables - 18"D																	
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 29" high																	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$192 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- 2** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- 3** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)					Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	Features	D x W																		
	T Base	18 x 60"	PIFCV1860H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐			65.0#	\$ 1222	\$ 19	\$ 120	
	T Base	18 x 72"	PIFCV1872H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐			77.0#	1324	19	120	
PIF3 Chevron Tables - 18"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 36" high	T Base	24 x 60"	PIFCV2460H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐			79.0#	\$ 1233	\$ 27	\$ 178	
	T Base	24 x 72"	PIFCV2472H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐			94.0#	1306	27	178	
			A	B	C	D	E	F	G	H	I	J	K							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER																			
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)						Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 x 60"	PIFCV3060H36	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐						91.0#	\$ 1404	\$ 27	\$ 178
	T Base	30 x 72"	PIFCV3072H36	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐						108.0#	1521	27	178

PIF3

Chevron Tables - 30”D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 36”H table is 24” stool
- 72” includes worksurface stiffener channel
- Midpoint is 3” wider than ends
- Fixed base at 36” high

A

B

C

D

E

F

G

H

I

J

K

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P - 74P edge

CSelect power option.

NNN - No grommets, power, wire management/No cutouts

WMO - Wire management only-no cutouts; add \$68

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375

MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280

GA1 - Grommet, Nacre (1); add \$222

GD1 - Grommet, Dean (1); add \$222

G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

DSelect modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add \$280

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

GSelect leg finish.

Refer to the **Product Color Options** page in this price list.

HSelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

ISelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

JSelect base.

4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

KSelect cord length (feet).

9 - 9' cord length

15 - 15' cord length

INFORMATION

Contact K1 Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER																					
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)											
	Features	D x W																						
	T Base	18 x 60"	PIFCV1860H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐											
	T Base	18 x 72"	PIFCV1872H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐											
PIF4																								
Chevron Tables - 18"D																								
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 42" high																								
PIF4																								
T Base	24 x 60"	PIFCV2460H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐												
T Base	24 x 72"	PIFCV2472H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐												
PIF4																								
Chevron Tables - 24"D																								
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 42" high																								
PIF4																								
			A	B	C	D	E	F	G	H	I	J	K											

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER																		
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)								
														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
 PIF4 Chevron Tables - 30"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 42" high	T Base	30 x 60"	PIFCV3060H42	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐					93.0#	\$ 1415	\$ 27	\$ 178
	T Base	30 x 72"	PIFCV3072H42	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐					110.0#	1532	27	178
				A	B	C	D	E	F	G	H	I	J	K							

- PIF4
- Chevron Tables - 30”D**
- Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - Recommended chair height for 42”H table is 30” stool
 - 72” includes worksurface stiffener channel
 - Midpoint is 3” wider than ends
 - Fixed base at 42” high

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153
- CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

- Refer to the **Product Color Options** page in this price list.
- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	T Base	30 x 60"	PIFDC3060T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price
	T Base	30 x 72"	PIFDC3072T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		92.0#	\$ 1484	\$ 27
														110.0#	1677	27
PIFT	T Base	36 x 60"	PIFDC3660T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		105.0#	\$ 1541	\$ 53
	T Base	36 x 72"	PIFDC3672T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		125.0#	1691	53
PIFT	T Base	36 x 60"	PIFDC3660T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		105.0#	\$ 1541	\$ 53
	T Base	36 x 72"	PIFDC3672T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		125.0#	1691	53

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER									Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base				
	TT Base	42 x 60"	PIFDC4260	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	118.0#	\$ 2065	\$ 53	\$ 368
	TT Base	42 x 72"	PIFDC4272	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	140.0#	2182	53	368
	TT Base	42 x 84"	PIFDC4284	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	157.0#	2354	74	473
			A	B	C	D	E	F	G	H	I	J			

PIFT
Double Chevron Conference Tables
- 42"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- 1 module/grommet for table lengths of 60" and 72"
- 2 modules/grommets for table lengths of 84"
- Midpoint is 6" wider than ends
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$889

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$749
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$560
GA2 - Grommets, Nacre (2); add \$432
GD2 - Grommets, Dean (2); add \$432
GO2 - Grommets, Node (2); add \$293
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER													
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
Features	D x W												Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PIFT Double Chevron Conference Tables - 42"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Center leg is single T Base to improve leg clearance • Midpoint is 6" wider than ends • Fixed base at 29" high	Three Bases	42 x 96"	PIFDC4296	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	189.0#	\$ 2604	\$ 74	\$ 473
	Three Bases	42 x 120"	PIFDC42120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	224.0#	2794	105	709
			A	B	C	D	E	F	G	H	I	J				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$749

MO2- Modules, Node in-surface w/USB-A/C (2); add \$560

GA2- Grommets, Nacre (2); add \$432

GD2- Grommets, Dean (2); add \$432

G02- Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	TT Base	48 x 60"	PIFDC4860	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	131.0#	\$ 2102	\$ 53	\$ 368
	TT Base	48 x 72"	PIFDC4872	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	155.0#	2220	53	368
	TT Base	48 x 84"	PIFDC4884	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	174.0#	2390	74	473
			A	B	C	D	E	F	G	H	I	J				

PIFT
Double Chevron Conference Tables
- 48"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- 1 module/grommet for table lengths of 60" and 72"
- 2 modules/grommets for table lengths of 84"
- Midpoint is 6" wider than ends
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$889

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$749
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$560
GA2 - Grommets, Nacre (2); add \$432
GD2 - Grommets, Dean (2); add \$432
GO2 - Grommets, Node (2); add \$293
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

		MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Double Chevron Conference Tables - 48”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4” from edge to allow seating on all sides of table • Center leg is single T Base to improve leg clearance • Midpoint is 6” wider than ends • Fixed base at 29” high	Features	D x W													
	Three Bases	48 x 96”	PIFDC4896	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	209.0#	\$ 2715	\$ 74	\$ 473
	Three Bases	48 x 120”	PIFDC48120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	249.0#	2832	105	709
			A	B	C	D	E	F	G	H	I	J			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$889

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$560

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$749

MO2- Modules, Node in-surface w/USB-A/C (2); add \$560

GA2- Grommets, Nacre (2); add \$432

GD2- Grommets, Dean (2); add \$432

GO2- Grommets, Node (2); add \$293

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

9- 9' cord length

15- 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Guitar Pick-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Guitar Pick-29" High (Standard Height)

				MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P)				Laminate Grade 2 add to list price Laminate Grade 3 add to list price	
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base						
	MODEL	Features	D x W	PIFG48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	99.0#	\$ 1484			\$ 37	\$ 235
PIFT	Guitar Pick Tables - 48" • Chrome bases will have polished aluminum foot covers • Fixed base at 29" high	C Base	48 x 48"	PIFG48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	99.0#	\$ 1484			\$ 37	\$ 235
PIFT	Guitar Pick Tables - 54" • Chrome bases will have polished aluminum foot covers • Fixed base at 29" high	C Base	54 x 54"	PIFG54	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	115.0#	\$ 1628			\$ 53	\$ 368
PIFT	Guitar Pick Tables - 60" • Chrome bases will have polished aluminum foot covers • Fixed base at 29" high	C Base	60 x 60"	PIFG60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	133.0#	\$ 1665			\$ 53	\$ 368
				A	B	C	D	E	F	G	H						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

PIFT

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-36" High (Counter Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-36" High (Counter Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price				
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base					
 PIF3	MODEL	Features	D x W												
	Square Tables - Fixed, 36" High • Chrome bases will have polished aluminum foot covers • Recommended chair height for 36"H table is 24" stool • Fixed base at 36" high	X Base	30 x 30"	PIFXSQ30H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	64.0#	\$ 919	\$ 27	\$ 178
		X Base	36 x 36"	PIFXSQ36H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	78.0#	1029	37	235
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-42” High (Cafe Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-42” High (Cafe Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIF4	MODEL	Features	D x W											
	Square Tables - Fixed, 42” High													
	• Chrome bases will have polished aluminum foot covers	X Base	30 x 30”	PIFXSQ30H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	67.0#	\$ 927	\$ 27
	• Recommended chair height for 42”H table is 30” stool	X Base	36 x 36”	PIFXSQ36H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	81.0#	1035	37
	• Fixed base at 42” high													235
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Round-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Round-29" High (Standard Height)

				MODEL NUMBER												
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base					
MODEL	Features	DIA										Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Round Tables - Fixed, 29" High • Chrome bases will have polished aluminum foot covers • Fixed base at 29" high	X Base 30" Dia	PIFXRD30	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		55.0#	\$ 973		\$ 27	\$ 178
		X Base 36" Dia	PIFXRD36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		65.0#	1079		37	235
		X Base 42" Dia	PIFXRD42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		78.0#	1235		37	235
PIFT																
	Round Tables - Fixed, 29" High • Chrome bases will have polished aluminum foot covers • Fixed base at 29" high	C Base 48" Dia	PIFCRD48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		93.0#	\$ 1570		\$ 53	\$ 368
		C Base 60" Dia	PIFCRD60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		128.0#	1721		53	368
PIFT																
				A	B	C	D	E	F	G	H					

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

PIF3

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Refer to the **Product Color Options** page in this price list.

- A** Select basic model.
74P - 74P edge
- B** Select edge style.
NNN - No grommets, power, wire management/No cutouts
- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.

- H** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

Special Carton Marking

With specially marked information N/C

Shipping

freight prepaid. Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Round-42” High (Cafe Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Round-42” High (Cafe Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIF4	MODEL	Features	DIA	PIFXRD30H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	61.0#	\$ 987	\$ 27	\$ 178
	Round Tables - Fixed, 42” High	X Base	30” Dia	PIFXRD36H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	71.0#	1094	37	235
	• Chrome bases will have polished aluminum foot covers	X Base	36” Dia	PIFXRD42H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	84.0#	1250	37	235
	• Recommended chair height for 42”H table is 30” stool													
	• Fixed base at 42” high													
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)

		MODEL NUMBER													
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	Features	D x W													
	T Base	30 x 72"	PIFS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐				
			A	B	C	D	E	F	G	H	I	J			

- PIFT
- Scale Up Tables - 30"D**
- 3 tables form an 84" dia pod design to seat up to 9 people
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - Fixed base at 29" high

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- C**Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MO1** - Module, Node in-surface w/USB-A/C (1) ; add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
- NMP** - No modesty panel
- E**Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
- Refer to the **Product Color Options** page in this price list.

- I**Select base finish.
- 4EC** - 4 black casters w/silver hub (2 locking)
- 4GB** - 4 black glides
- J**Select cord length (feet).
- 9** - 9' cord length
- 15** - 15' cord length

INFORMATION

LEG CLEARANCE

Table Length	From Table Edge	Inside Leg
72"	14.75	38.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Half Round-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Fixed Top-Half Round-29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
	MODEL	Features	D x W											
	Half Round Tables - 24"D	T Base	24 x 48"	PIFH48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price
	• Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29" high											53.0#	\$ 923	\$ 19
PIFT														
PIFT	Half Round Tables - 30"D	T Base	30 x 60"	PIFH60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	71.0#	\$ 1092	\$ 27
	• Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29" high													\$ 178
PIFT	Half Round Tables - 36"D	T Base	36 x 72"	PIFH72	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	91.0#	\$ 1207	\$ 53
	• Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29" high													\$ 368
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From	Table Edge Point / Inside Leg	
48"	7.0	28.75
60"	10.5	34.75
72"	12.5	42.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base


Fixed Top-Trapezoid-29" High (Standard Height)




Pirouette® Tables - Fixed Height Base

Fixed Top-Trapezoid-29" High (Standard Height)



			MODEL NUMBER											
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
MODEL	Features	D x W									Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PIFT	Trapezoid Tables - 26"D	T Base 30 x 60"	PIFT3060	□□□	NNN	NMP	□□□	□□	□□	□□□	64.00#	\$ 1055	\$ 27	\$ 178
	• Chrome bases will have polished aluminum foot covers													
	• Trapezoid tables have rounded corners on all sides													
	• Gangers ordered separately													
	• Fixed base at 29" high													
			A	B	C	D	E	F	G	H				



PIFT

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge

C Select power option.

NNN - No grommets, power, wire management/No cutouts

D Select modesty panel.

NMP - No modesty panel

E Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.

Refer to the **Product Color Options** page in this price list.

G Select leg finish.

Refer to the **Product Color Options** page in this price list.

H Select base.

4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg		
60"	13.5	28.25

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29" High (Collaborative)

Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29" High (Collaborative)

			MODEL NUMBER															
MODEL	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price			
												74P Edge (74P)	Urethane Edge (ME2)					
 PINC	Rectangular Tables - 24"D	T Base	24 x 60"	PINR2460C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	93.0#	\$ 1484	\$ 1861	\$ 27	\$ 178		
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base	24 x 66"	PINR2466C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	98.0#	1527	1961	27	178		
		T Base	24 x 72"	PINR2472C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	106.0#	1574	1992	27	178		
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	24 x 84"	PINR2484C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	119.0#	1741	2242	53	368		
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base	24 x 96"	PINR2496C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	132.0#	1788	2356	53	368		
	• Nesting base at 29" high																	
PINC	Rectangular Tables - 30"D	T Base	30 x 60"	PINR3060C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	105.0#	\$ 1546	\$ 1934	\$ 27	\$ 178		
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base	30 x 66"	PINR3066C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	111.0#	1589	2041	27	178		
		T Base	30 x 72"	PINR3072C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	120.0#	1661	2070	27	178		
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	30 x 84"	PINR3084C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	136.0#	1842	2334	53	368		
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base	30 x 96"	PINR3096C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	151.0#	1859	2455	53	368		
	• Nesting base at 29" high																	
			A	B	C	D	E	F	G	H								

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- ME2** - Urethane edge
- (Edge style ME2 has ME on long edges/74P on short edges)
- C**Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- D**Select modesty panel.
- NMP** - No modesty panel
- E**Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F**Select surface finish.
- Refer to the **Product Color Options** page in this

- price list.
- G**Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H**Select base.
- 4EC** - 4 black casters w/silver hub (2 locking)
- 4GB** - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
60"	6.75	42
66"	9.75	42
72"	12.75	42
84"	12.75	54
96"	12.75	66

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.




Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29” High (Collaborative)

Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29” High (Collaborative)

			MODEL NUMBER												
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight	 74P Edge (74P)	 Urethane Edge (ME2)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	Features	D x W													
 PINC	Rectangular Tables - 36"D	T Base 36 x 60"	PINR3660C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	\$ 1754	\$ 2243	\$ 53	\$ 368
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base 36 x 66"	PINR3666C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	1768	2281	53	368
		T Base 36 x 72"	PINR3672C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	1788	2305	53	368
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base 36 x 84"	PINR3684C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	1855	2415	74	473
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base 36 x 96"	PINR3696C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	1897	2483	74	473
	• Nesting base at 29" high														
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.	G Select leg finish. Refer to the Product Color Options page in this price list.
B Select edge style. 74P - 74P edge ME2 - Urethane edge (Edge style ME2 has ME on long edges/74P on short edges)	H Select base. 4EC - 4 black casters w/silver hub (2 locking) 4GB - 4 black glides
C Select power option. NNN - No grommets, power, wire management/No cutouts	
D Select modesty panel. NMP - No modesty panel	
E Select edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.	
F Select surface finish. Refer to the Product Color Options page in this	

INFORMATION

LEG CLEARANCE		
Table Length	From Table Edge	Inside Leg
60”	6.75	42
66”	9.75	42
72”	12.75	42
84”	12.75	54
96”	12.75	66


SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
--	--	--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. NNN - No grommets, power, wire management/No cutouts WMO - Wire management only-no cutouts; add \$68 MD1 - Module, Dean in-surface w/USB-A/C (1); add \$375 MB1 - Module, Dubble under-surface w/ dual USB-A/C (1); add \$280 MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445 MO1 - Module, Node in-surface w/USB-A/C (1); add \$280 GA1 - Grommet, Nacre (1); add \$222 GD1 - Grommet, Dean (1); add \$222 GO1 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

D Select modesty panel.

NMP	- No modesty panel
PMP	- Polyester felt modesty panel; add \$280

On 30"D tables, modesty panels only available if no power (NNN) is selected.

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

1 Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

J Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

K Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

		MODEL NUMBER											Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price				
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)					
	Features	D x W															
	T Base	18 x 60"	PINCV1860	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	89.0#	\$ 1379	\$ 19	\$ 120	
	T Base	18 x 72"	PINCV1872	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	100.0#	1501	19	120	
PINT Chevron Tables - 18”D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Midpoint is 3" wider than ends • Nesting base at 29" high	T Base	24 x 60"	PINCV2460	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	103.0#	\$ 1484	\$ 27	\$ 178	
	T Base	24 x 72"	PINCV2472	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	117.0#	1572	27	178	
PINT Chevron Tables - 24”D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Midpoint is 3" wider than ends • Nesting base at 29" high																	
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$68

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$375

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$280

GA1- Grommet, Nacre (1); add \$222

GD1- Grommet, Dean (1); add \$222

G01- Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.
- D**Select modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add \$192
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
- I**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- J**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- K**Select cord length (feet).

9- 9' cord length

15- 15' cord length

Refer to the **Product Color Options** page in this price list.

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Chevron Tables - 30"D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Midpoint is 3" wider than ends
- Nesting base at 29" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MD1** - Module, Node in-surface w/USB-A/C (1); add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
 On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E** Select edge color.
 Refer to the **Product Color Options** page in this price list.
 Edge color offerings are based on edge style selections.
- F** Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
 Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)

			MODEL NUMBER											  Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
PIN3 Chevron Tables - 24"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • Midpoint is 3" wider than ends • Nesting base at 36" high	T Base	24 x 60"	PINCV2460H36										105.0#	\$ 1546	\$ 27	\$ 178	
	T Base	24 x 72"	PINCV2472H36										119.0#	1639	27	178	
PIN3 Chevron Tables - 30"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • Midpoint is 3" wider than ends • Nesting base at 36" high	T Base	30 x 60"	PINCV3060H36										117.0#	\$ 1739	\$ 53	\$ 368	
	T Base	30 x 72"	PINCV3072H36										133.0#	1875	53	368	

A

B

C

D

E

F

G

H

I

J

K

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$280
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)

			MODEL NUMBER																							
Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price										
T Base	24 x 60"	PINCV2460H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	107.0#	\$ 1603	\$ 27	\$ 178										
T Base	24 x 72"	PINCV2472H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	121.0#	1693	27	178										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$280
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
	MODEL	Features	D x W											
	Double Chevron Tables - 24"D	T Base	24 x 60"	PINDC2460	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	106.0#	\$ 1664	\$ 27
		T Base	24 x 72"	PINDC2472	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	121.0#	1800	27
														178
PINT														
PINT	Double Chevron Tables - 30"D	T Base	30 x 60"	PINDC3060	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	118.0#	\$ 1877	\$ 53
		T Base	30 x 72"	PINDC3072	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	135.0#	2054	53
														368
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price				
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base					
 PINT	MODEL	Features	D x W												
	Double Chevron Tables - 36”D														
	• Tables are designed for maximum leg spacing for the length of the table	T Base	36 x 60”	PINDC3660	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	131.0#	\$ 1964	\$ 53	\$ 368
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	36 x 72”	PINDC3672	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	150.0#	2099	53	368
	• Gangers ordered separately														
	• Midpoint is 6” wider than ends														
	• Nesting base at 29” high														
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Round-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Round-29" High (Standard Height)

		MODEL NUMBER											
MODEL	DIA	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight	 74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Round Tables - 42"D • Chrome bases will have polished aluminum foot covers • Nesting base at 29" high	42" Dia	PINRD42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	97.0#	\$ 1505	\$ 37	\$ 235
PINT													
PINT	Round Tables - 48"D • Chrome bases will have polished aluminum foot covers • Nesting base at 29" high	48" Dia	PINRD48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	112.0#	\$ 1589	\$ 37	\$ 235
		A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)

		MODEL NUMBER													
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	Features	D x W													
	T Base	30 x 72"	PINS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐			86.0#	\$ 1683
			A	B	C	D	E	F	G	H	I	J			

- PINT
- Scale Up Tables - 30"D**
- 3 tables form an 84" dia pod design to seat up to 9 people
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- C**Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$68
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$375
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$445
- MO1** - Module, Node in-surface w/USB-A/C (1) ; add \$280
- GA1** - Grommet, Nacre (1); add \$222
- GD1** - Grommet, Dean (1); add \$222
- GO1** - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
- NMP** - No modesty panel
- E**Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
- Refer to the **Product Color Options** page in this price list.

- I**Select base.
- 4EC** - 4 black casters w/silver hub (2 locking)
- 4GB** - 4 black glides
- J**Select cord length (feet).
- 9** - 9' cord length
- 15** - 15' cord length

INFORMATION

LEG CLEARANCE

Table Length /	From Table Edge /	Inside Leg
72"	13.125	42

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Half Round-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Half Round-29" High (Standard Height)

				MODEL NUMBER											
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
	MODEL	Features	D x W												
	Half Round Tables - 24"D	T Base	24 x 48"	PINH48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐				
	• Chrome bases will have polished aluminum foot covers														
	• Gangers ordered separately														
	• Nesting base at 29" high														
PINT															
PINT	Half Round Tables - 30"D	T Base	30 x 60"	PINH60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐				
	• Chrome bases will have polished aluminum foot covers														
	• Gangers ordered separately														
	• Nesting base at 29" high														
PINT	Half Round Tables - 36"D	T Base	36 x 72"	PINH72	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐				
	• Chrome bases will have polished aluminum foot covers														
	• Gangers ordered separately														
	• Nesting base at 29" high														
				A	B	C	D	E	F	G	H				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From	Table Edge Point / Inside Leg	
48"	6.75	30
60"	12.75	30
72"	12.75	42

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Trapezoid-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Trapezoid-29" High (Standard Height)

				MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PINT	MODEL	Features	D x W	PINT3060	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	82.00#	\$ 1413	\$ 27	\$ 178
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length /	From Table Edge Point /	Inside Leg
60"	12.75	30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
	Features	D x W																	
	T Base	24 X 36"	PAFR2436T	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		55.0#	\$ 909	\$ 19	\$ 120	
	T Base	24 X 42"	PAFR2442T	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		60.0#	945	19	120	
PAFT																			
Rectangle Table w/Single Circuit-24"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Training tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 29" high																			
PAFT																			
	T Base	30 X 36"	PAFR3036T	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		62.0#	\$ 961	\$ 27	\$ 178	
	T Base	30 X 42"	PAFR3042T	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		68.0#	996	27	178	
Rectangle Table w/Single Circuit-30"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Training tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 29" high																			

A B C D E F G H I J K

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

		MODEL NUMBER															
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
	Features	D x W															
	T Base	36 X 36"	PAFR3636T	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	36 X 42"	PAFR3642T	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		72.0#	\$ 1086	\$ 37	\$ 235
														78.0#	1135	37	235
			A	B	C	D	E	F	G	H	I	J	K				

PAFT
Rectangle Table w/Single Circuit-36"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Training tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

\$192

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$737 PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470 PMD1 - Pattern module, Dean in-surface (1) ; add \$560 PMO1 - Pattern module, Node in-surface (1) ; add \$439 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$192

Select edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER									Approx. Packaged Weight			 74P Edge (74P)			Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Base										
	Features	D x W																			
	Three Bases	36 X 84"	PAFR3684T	☐	☐	NMP	☐	☐	☐	☐	☐		145.0#	\$ 1716	\$ 74	\$ 473					
	Three Bases	36 X 96"	PAFR3696T	☐	☐	NMP	☐	☐	☐	☐	☐		159.0#	1722	74	473					
PAFT																					
Rectangle Table w/Single Circuit-36"D																					
- Two grommets or modules per table - Two troughs, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included - Infeed kits and table-to-table jumpers ordered separately - Training tables are designed for maximum leg spacing for the length of the table - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) 84" and 96" table models have a third leg in the center - Fixed base at 29" high																					
			A	B	C	D	E	F	G	H	I										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- PMA2** - Pattern modules, Nacre pop-up
(2); add \$1336
- PMB2** - Pattern modules, Dubbel under-surface (2); add \$864
- PMDD2** - Pattern modules, Dean in-surface
(2); add \$1042
- PMO2** - Pattern modules, Node in-surface
(2); add \$814
- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

		MODEL NUMBER															
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 X 36"	PAFR2436H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		57.0#	\$ 1049	\$ 19	\$ 120
	T Base	24 X 42"	PAFR2442H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		62.0#	1070	19	120
PAF3																	
Rectangle Table w/Single Circuit-24"D																	

PAF3
Rectangle Table w/Single Circuit-24"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 36" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$280
- E**Select edge color.
3
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C
Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 36"	PAFR3036H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	64.0#	\$ 1139	\$ 27	\$ 178
	T Base	30 X 42"	PAFR3042H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	70.0#	1211	27	178
			A	B	C	D	E	F	G	H	I	J	K				

- PAF3
- Rectangle Table w/Single Circuit-30"D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 36"H table is 24" stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 36" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.
74P - 74P edge

CSelect power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724

DSelect modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add
- \$280

ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

FSelect surface finish.
Refer to the **Product Color Options** page in this price list.

GSelect leg finish.
Refer to the **Product Color Options** page in this price list.

HSelect module color.
Refer to the **Product Color Options** page in this price list.

ISelect grommet color.
Refer to the **Product Color Options** page in this price list.

JSelect modesty panel color (only if polyester

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

KSelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER											  Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price										
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base											
	T Base	24 X 48"	PAFR2448H36	□□	□□	□□	□□	□	□	□□□	□□	□□□	□	67.0#	\$ 1107	\$ 19	\$ 120							
	T Base	24 X 54"	PAFR2454H36	□□	□□	□□	□□	□	□	□□□	□□	□□□	□	72.0#	1210	27	178							
	T Base	24 X 60"	PAFR2460H36	□□	□□	□□	□□	□	□	□□□	□□	□□□	□	76.0#	1210	27	178							
	T Base	24 X 66"	PAFR2466H36	□□	□□	□□	□□	□	□	□□□	□□	□□□	□	81.0#	1329	27	178							
	T Base	24 X 72"	PAFR2472H36	□□	□□	□□	□□	□	□	□□□	□□	□□□	□	90.0#	1329	27	178							
PAF3																								
Rectangle Table w/Single Circuit-24"D																								
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 36" high																								
			A	B	C	D	E	F	G	H	I	J	K											

HOW TO ORDER

Indicate the following information on order forms:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

\$280

- | | |
|----------|--|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PM01 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



- PAF3**
- Rectangle Table w/Single Circuit-30"D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 36"H table is 24" stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 36" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$737 PMB1 - Pattern module, Dubbel under-surface (1); add \$470 PMD1 - Pattern module, Dean in-surface (1); add \$560 PMO1 - Pattern module, Node in-surface (1); add \$439 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

		MODEL NUMBER															
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 X 36”	PAFR2436H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	59.0#	\$ 1058	\$ 19	\$ 120
	T Base	24 X 42”	PAFR2442H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	64.0#	1079	19	120
			A	B	C	D	E	F	G	H	I	J	K				

- PAF4
- Rectangle Table w/Single Circuit-24”D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 42”H table is 30” stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester

- felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 36"	PAFR3036H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐	66.0#	\$ 1151	\$ 27	\$ 178
	T Base	30 X 42"	PAFR3042H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐	72.0#	1224	27	178
			A	B	C	D	E	F	G	H	I	J	K				

- PAF4
- Rectangle Table w/Single Circuit-30”D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 42”H table is 30” stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester

- felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)

			MODEL NUMBER															
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base		Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 X 48"	PAFR2448H42	□□	□□	□□	□□	□	□	□□□	□□	□□□	□		69.0#	\$ 1118	\$ 19	\$ 120
	T Base	24 X 54"	PAFR2454H42	□□	□□	□□	□□	□	□	□□□	□□	□□□	□		74.0#	1222	27	178
	T Base	24 X 60"	PAFR2460H42	□□	□□	□□	□□	□	□	□□□	□□	□□□	□		78.0#	1222	27	178
	T Base	24 X 66"	PAFR2466H42	□□	□□	□□	□□	□	□	□□□	□□	□□□	□		82.0#	1338	27	178
	T Base	24 X 72"	PAFR2472H42	□□	□□	□□	□□	□	□	□□□	□□	□□□	□		92.0#	1338	27	178
PAF4 Rectangle Table w/Single Circuit-24"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 42"H table is 30" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 42" high																		
			A	B	C	D	E	F	G	H	I	J	K					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$737 PMB1 - Pattern module, Dubbel under- surface (1); add \$470 PMD1 - Pattern module, Dean in-surface (1); add \$560 PM01 - Pattern module, Node in-surface (1); add \$439 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$280

Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester)

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

PAF4

Rectangle Table w/Single Circuit-30"H

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgms (when applicable)
- Fixed base at 42" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$737 PMB1 - Pattern module, Dubbel under-surface (1); add \$470 PMD1 - Pattern module, Dean in-surface (1); add \$560 PM01 - Pattern module, Node in-surface (1); add \$439 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

Contact KI Customer Service for specific models that are UL listed.

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	24 X 60"	PAFCV2460	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	77.0#	\$ 1027	\$ 27	\$ 178		
	T Base	24 X 72"	PAFCV2472	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	92.0#	1099	27	178		
	PAFT																		
Chevron Tables w/Single Circuit-24"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Midpoint is 3" wider than ends • Fixed base at 29" high																			
			A	B	C	D	E	F	G	H	I	J	K						

PAFT
Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 29” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 X 60"	PAFCV3060	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	89.0#	\$ 1222	\$ 27	\$ 178		
	T Base	30 X 72"	PAFCV3072	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	106.0#	1338	27	178		
	PAFT																		
Chevron Tables w/Single Circuit-30"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Midpoint is 3" wider than ends • Fixed base at 29" high																			
			A	B	C	D	E	F	G	H	I	J	K						

PAFT
Chevron Tables w/Single Circuit-30”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 29” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 X 60”	PAFCV2460H36	□□□	□□□	□□□	□□	□□	□□	□□□	□□□	□□□□	□□	79.0#	\$ 1233	\$ 27	\$ 178
	T Base	24 X 72”	PAFCV2472H36	□□□	□□□	□□□	□□	□□	□□	□□□	□□□	□□□□	□□	94.0#	1306	27	178
			A	B	C	D	E	F	G	H	I	J	K				

PAF3
Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36”H table is 24” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 36” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
BSelect edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$280
ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
KSelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C
Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
Features	D x W														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	T Base	30 X 60"	PAFCV3060H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		91.0#	\$ 1404	\$ 27	\$ 178	
	T Base	30 X 72"	PAFCV3072H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		108.0#	1521	27	178	
PAF3																			
Chevron Tables w/Single Circuit-30"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Midpoint is 3" wider than ends • Fixed base at 36" high																			
			A	B	C	D	E	F	G	H	I	J	K						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA1 - Pattern module, Nacre pop-up (1) ; add \$737

PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470

PMD1 - Pattern module, Dean in-surface (1) ; add \$560

PMO1 - Pattern module, Node in-surface (1) ; add \$439

PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470

PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add

- \$280
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select module color.

Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.

Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- K**Select base.

4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Features	D x W																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</

PAF4

Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42”H table is 30” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$280
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
Features	D x W														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
T Base	30 X 60"		PAFCV3060H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		93.0#	\$ 1402	\$ 27	\$ 178
T Base	30 X 72"		PAFCV3072H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		110.0#	1532	27	178
									</									

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select edge style.

74P- 74P edge
- C

Select power option.

PMA1- Pattern module, Nacre pop-up (1) ; add \$737

PMB1- Pattern module, Dubbel under-surface (1) ; add \$470

PMD1- Pattern module, Dean in-surface (1) ; add \$560

PMO1- Pattern module, Node in-surface (1) ; add \$439

PS2GA1- Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470

PS2MB1GA1- Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D

Select modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add

- \$280
- E

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F

Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G

Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H

Select module color.

Refer to the **Product Color Options** page in this price list.
- I

Select grommet color.

Refer to the **Product Color Options** page in this price list.
- J

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- K

Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 72"	PAFS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	64.0#	\$ 1309	\$ 27	\$ 178
			A	B	C	D	E	F	G	H	I	J				

- PAFT
- Scale Up Tables w/Single Circuit-30"D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - 3 tables form an 84" dia pod design to seat up to 9 people
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base finish.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

LEG CLEARANCE
Table Length / From Table Edge / Inside Leg
72" 14.75 38.75

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29" High (Training)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
	Features	D x W																	
	T Base	24 X 36"	PANR2436T												74.0#	\$ 1304	\$	19	\$ 120
	T Base	24 X 42"	PANR2442T												79.0#	1339		19	120
PANT																			
Rectangle Table w/Single Circuit-24"D																			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29" High (Training)

			MODEL NUMBER															
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base		Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	36 X 36"	PANR3636T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		89.0#	\$ 1491		\$ 37	\$ 235
	T Base	36 X 42"	PANR3642T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		96.0#	1546		37	235
			A	B	C	D	E	F	G	H	I	J						

PANT
Rectangle Table w/Single Circuit-36"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for length of table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4GB - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

INFORMATION
Contact KI Customer Service for specific models that are UL listed.



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.
74P - 74P edge

C Select power option.

PMA1 - Pattern module, Nacre pop-up (1)
; add \$737

PMB1 - Pattern module, Dubbel under-surface (1); add \$470

PMD1 - Pattern module, Dean in-surface (1); add \$560

PMO1 - Pattern module, Node in-surface (1); add \$439

PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470

PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814

D Select modesty panel.

NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

I Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36" High (Counter Height)



PAN3

Rectangle Table w/Single Circuit-24" D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgers (when applicable)
- Nesting base at 36" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMD1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

\$280

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36” High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36” High (Counter Height)

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Features	D x W		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

- PAN3
- Rectangle Table w/Single Circuit-30”D
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 36”H table is 24” stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Nesting base at 36” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMO1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724
- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4GB - 4 black casters w/silver hub (2 locking)

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-42" High (Cafe Height)



PAN4

Rectangle Table w/Single Circuit-24" D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 42" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$700
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$432
PMD1 - Pattern module, Dean in-surface (1) ; add \$520
PMD1 - Pattern module, Node in-surface (1) ; add \$407
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$293
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$724 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

\$280

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P - 74P edge

C Select power option.

PMA1 - Pattern module, Nacre pop-up (1)
+ add \$700

PMB1 - Pattern module, Dubbel under-surface (1); + add \$432

PMD1 - Pattern module, Dean in-surface (1); + add \$520

PMO1 - Pattern module, Node in-surface (1)
+ add \$407

PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); + add \$293

PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); + add \$724

D Select modesty panel.

NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

① Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

Contact KI Customer Service for specific models that are UL listed.


Special Carton Marking



With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base					
Features	D x W												Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 48"	PANR3048H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	101.0#	\$ 1587		\$ 27	\$ 178
	T Base	30 X 54"	PANR3054H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	107.0#	1720		27	178
	T Base	30 X 60"	PANR3060H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	116.0#	1739		27	178
	T Base	30 X 66"	PANR3066H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	122.0#	1800		27	178
	T Base	30 X 72"	PANR3072H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	131.0#	1840		27	178
PAN4 Rectangle Table w/Single Circuit-30"D																	
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 42"H table is 30" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 42" high																	

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.
74P - 74P edge

C Select power option.

PMA1 - Pattern module, Nacre pop-up (1)
add \$737

PMB1 - Pattern module, Dubbel under-surface (1); add \$470

PMD1 - Pattern module, Dean in-surface (1); add \$560

PMO1 - Pattern module, Node in-surface (1); add \$439

PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470

PS2MB1GA1 - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814

D Select modesty panel.

NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

① Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

		MODEL NUMBER																		
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base								
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price			
T Base	24 X 60"	PANCV2460	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		103.0#	\$ 1484	\$ 27	\$ 178			
T Base	24 X 72"	PANCV2472	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		117.0#	1572	27	178			
															</					

PANT
Chevron Tables w/Single Circuit-24"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

KI

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color					Base		
Features	D x W												Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 X 60"	PANCV3060	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	115.0#	\$ 1643	\$ 27	\$ 178		
	T Base	30 X 72"	PANCV3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	131.0#	1777	27	178		
PANT																		
Chevron Tables w/Single Circuit-30"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 29" high																		
			A	B	C	D	E	F	G	H	I	J						

PANT

Chevron Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)

			MODEL NUMBER													
Features	D x W		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base				
	T Base	30 X 60"	PANCV3060H36	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price
	T Base	30 X 72"	PANCV3072H36	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		117.0#	\$ 1739	\$ 27
														133.0#	1875	\$ 178
																27
			A	B	C	D	E	F	G	H	I	J				

PAN3
Chevron Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 36" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C
Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)



PAN4

Chevron Tables w/Single Circuit-24" D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 42" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- | | |
|----------|--|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PM01 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

\$280

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)

			MODEL NUMBER																			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base										
Features	D x W																					
T Base	30 X 60"		PANCV3060H42	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐										
T Base	30 X 72"		PANCV3072H42	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐										

PAN4
Chevron Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 42" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)

		MODEL NUMBER													
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base				
	Features	D x W													
	T Base	30 X 72"	PANS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	Approx. Packaged Weight	86.0#	74P Edge (74P)	\$ 1683
			A	B	C	D	E	F	G	H	I	J			

PANT

Scale Up Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 3 tables form an 84" dia pod design to seat up to 9 people
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$737
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$470
PMD1 - Pattern module, Dean in-surface (1) ; add \$560
PMO1 - Pattern module, Node in-surface (1) ; add \$439
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$470
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$814
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Rectangular



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Rectangular

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Adjustable T Base	24 x 48"	PPFR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	87.0#	\$ 2012	\$ 19	\$ 120
	Adjustable T Base	24 x 54"	PPFR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	91.0#	2068	27	178
	Adjustable T Base	24 x 60"	PPFR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	102.0#	2124	27	178
	Adjustable T Base	24 x 66"	PPFR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	104.0#	2168	27	178
	Adjustable T Base	24 x 72"	PPFR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	113.0#	2213	27	178
PPFR																	
Rectangular - 24"D																	
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle																	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
- CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K** Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Chevron



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Chevron

		MODEL NUMBER											Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
	Adjustable T Base	24 x 60"	PPFCV2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	104.0#	\$ 2124	\$ 27	\$ 178
	Adjustable T Base	24 x 72"	PPFCV2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	116.0#	2213	27	178
PPFCV Chevron - 24"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle • Midpoint is 3" wider than ends	Adjustable T Base	30 x 60"	PPFCV3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	115.0#	\$ 2180	\$ 27	\$ 178
	Adjustable T Base	30 x 72"	PPFCV3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	129.0#	2403	27	178
			A	B	C	D	E	F	G	H	I	J	K			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Rectangular

Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Rectangular

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)							
 PSFR Rectangular - 24”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29” - 44” • Leg height adjusts with screws in 1” increments	Adjustable T Base	24 x 48”	PSFR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	83.0#	\$ 1229	\$	19	\$	120	
	Adjustable T Base	24 x 54”	PSFR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	89.0#	1308		27		178	
	Adjustable T Base	24 x 60”	PSFR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	98.0#	1342		27		178	
	Adjustable T Base	24 x 66”	PSFR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	103.0#	1426		27		178	
	Adjustable T Base	24 x 72”	PSFR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	113.0#	1449		27		178	
PSFR Rectangular - 30”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29” - 44” • Leg height adjusts with screws in 1” increments	Adjustable T Base	30 x 48”	PSFR3048	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	92.0#	\$ 1330	\$	27	\$	178	
	Adjustable T Base	30 x 54”	PSFR3054	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	98.0#	1454		27		178	
	Adjustable T Base	30 x 60”	PSFR3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	108.0#	1476		27		178	
	Adjustable T Base	30 x 66”	PSFR3066	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	115.0#	1527		27		178	
	Adjustable T Base	30 x 72”	PSFR3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	125.0#	1549		27		178	
			A	B	C	D	E	F	G	H	I	J	K							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Chevron



Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Chevron

		MODEL NUMBER											Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
	Adjustable T Base	24 x 60"	PSFCV2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	100.0#	\$ 1364	\$ 27	\$ 178
	Adjustable T Base	24 x 72"	PSFCV2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	115.0#	1420	27	178
PSFCV		Chevron - 24"D														
		• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29" - 44" • Leg height adjusts with screws in 1" increments • Midpoint is 3" wider than ends														
	Adjustable T Base	30 x 60"	PSFCV3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	111.0#	\$ 1527	\$ 53	\$ 368
	Adjustable T Base	30 x 72"	PSFCV3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	128.0#	1644	53	368
PSFCV		Chevron - 30"D														
		• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29" - 44" • Leg height adjusts with screws in 1" increments • Midpoint is 3" wider than ends														
			A	B	C	D	E	F	G	H	I	J	K			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Rectangular



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Rectangular

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
	Adjustable T Base	24 x 48"	PPNR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	95.0#	\$ 2459	\$ 19	\$ 120
	Adjustable T Base	24 x 54"	PPNR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	101.0#	2515	27	178
	Adjustable T Base	24 x 60"	PPNR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	110.0#	2571	27	178
	Adjustable T Base	24 x 66"	PPNR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	116.0#	2615	27	178
	Adjustable T Base	24 x 72"	PPNR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	126.0#	2661	27	178
PPNR Rectangular - 24"D																	
• Offers inline nesting • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle																	

A B C D E F G H I J K

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Chevron



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Chevron

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)						
	Features	D x W												Approx. Packaged Weight		74P Edge (74P)	Laminate Grade 2 add to list price		Laminate Grade 3 add to list price
	Adjustable T Base	24 x 60"	PPNCV2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	113.0#		\$ 2571	\$	27	\$ 178
	Adjustable T Base	24 x 72"	PPNCV2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	129.0#		2661		27	178
PPNCV Chevron - 24"D • Offers inline nesting • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle • Midpoint is 3" wider than ends	Adjustable T Base	30 x 60"	PPNCV3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	124.0#	\$	2627	\$	27	\$ 178
	Adjustable T Base	30 x 72"	PPNCV3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	141.0#		2851		27	178
			A	B	C	D	E	F	G	H	I	J	K						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
GO1 - Grommet, Node (1); add \$153
CORD LENGTH: 9' or 15' is optional on all module options.

- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

- Refer to the **Product Color Options** page in this price list.
- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Screw Adjustable Height Base

Nesting Top-Rectangular



Pirouette® HA Tables - Screw Adjustable Height Base

Nesting Top-Rectangular

			MODEL NUMBER																		
Features	D x W		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)			Approx. Packaged Weight	74P Edge (74P)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Adjustable T Base	24 x 48"	PSNR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			91.0#	\$ 1566	\$	19	\$	120
	Adjustable T Base	24 x 54"	PSNR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			97.0#	1677		27		178
	Adjustable T Base	24 x 60"	PSNR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			106.0#	1700		27		178
	Adjustable T Base	24 x 66"	PSNR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			111.0#	1811		27		178
	Adjustable T Base	24 x 72"	PSNR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			121.0#	1834		27		178
PSNR Rectangular - 24"D - Offers inline nesting - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - Gangers limit ability to adjust height; order separately - Base adjusts from 29" - 44" - Leg height adjusts with screws in 1" increments	Adjustable T Base	30 x 48"	PSNR3048	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			100.0#	\$ 1700	\$	27	\$	178
	Adjustable T Base	30 x 54"	PSNR3054	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			106.0#	1834		27		178
	Adjustable T Base	30 x 60"	PSNR3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			117.0#	1845		27		178
	Adjustable T Base	30 x 66"	PSNR3066	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			123.0#	1901		27		178
	Adjustable T Base	30 x 72"	PSNR3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐			134.0#	1945		27		178
PSNR Rectangular - 30"D - Offers inline nesting - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - Gangers limit ability to adjust height; order separately - Base adjusts from 29" - 44" - Leg height adjusts with screws in 1" increments																					
			A	B	C	D	E	F	G	H	I	J	K								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$68
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$375
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$280
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$280
GA1 - Grommet, Nacre (1); add \$222
GD1 - Grommet, Dean (1); add \$222
G01 - Grommet, Node (1); add \$153
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$192
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



PSNCV

Chevron - 30"D

- Offers inline nesting
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers limit ability to adjust height order separately
- Base adjusts from 29" - 44"
- Leg height adjusts with screws in 1" increments
- Midpoint is 3" wider than ends

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.
74P - 74P edge

C Select power option.

NNN - No grommets, power, wire management/No cutouts

WMO - Wire management only-no cutouts; add \$68

MD1 - Module, Dean in-surface w/USB-A/C (1); add \$375

MB1 - Module, Dubble under-surface w/ dual USB-A/C (1); add \$280

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$445

MO1 - Module, Node in-surface w/USB-A/C (1); add \$280

GA1 - Grommet, Nacre (1); add \$222

GD1 - Grommet, Dean (1); add \$222

GO1 - Grommet, Node (1); add \$153

CORD Length: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

D Select modesty panel.

NMP	- No modesty panel
PMP	- Polyester felt modesty panel; add \$192

On 30"D tables, modesty panels only available if no power (NNN) is selected.

E Select edge color.
Refer to the **Product Color Options** page in this price list.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

❶ Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

J Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

K Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Contact KI Customer Service for specific models that are UL listed.

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

A

B

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select leg finish.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 AC435	MODEL Trough RPT Cover • Black • Covers snap into trough holes when not using RPT modules • Sold individually	46.5930.BL	0.00#	\$ 15

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL	L			Approx. Packaged Weight	Delivered Pricing
PRA04	Pattern Infeed	IFPAT.PI	☐ ☐	0.00#	\$ 358
	• 108” cord plugs into standard 15 amp outlet				
	• Kit includes Pattern infeed, grey power distribution block, 12” Pattern jumper and white power distribution block				
	• Can be installed anywhere in the run (middle or end)				
	• Jumper length cannot exceed 600” or 50’ per infeed				
	• 90 degree angled plug; plug dimensions 2”x1-1/2”x1-7/8”				
	• Includes one Pattern quick release tool				
	• Includes vertical wire management				
AC432	Pattern Jumper	101” JPPAT.101		1.00#	\$ 147
	• Each jumper kit includes jumper and grey power distribution block	53” JPPAT.53		1.00#	115
	• Review product Planning Guide for table-to-table jumper length guidance.	75” JPPAT.75		1.00#	121
	Pattern Quick Release Tool	BE04878.BL		0.00#	\$ 3
	• Snaps onto Pattern plugs to make disconnecting Pattern connections easier				
	• Can be moved to multiple connections				
	• Stores snapped onto one connection for easy access				
AC433					

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Paint Color		
MODEL			L		Approx. Packaged Weight	Delivered Pricing
 PRA01	Pattern Wire Trough - Designed to work on training style bases - Keeps wires enclosed and tidy - Allows Snap-in RPT modules to snap into user side of trough while still having access to cables - Wire pass throughs on non-user side - Electrical components to be ordered separately 22 gauge steel construction - Intended for installation into pre-drilled pilot holes - Mounting hardware included 4.4"W x 3.2"H x 18"L - One kit for 36" and 42" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	18"	TGH.PI.36	☐ ☐	0.00#	\$ 70
 PRA01	Pattern Wire Trough 4.4"W x 3.2"H x 30"L - One kit for 48" and 54" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	30"	TGH.PI.48	☐ ☐	0.00#	\$ 89
 PRA01	Pattern Wire Trough 4.4"W x 3.2"H x 42"L - One kit for 60" and 66" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	42"	TGH.PI.60	☐ ☐	0.00#	\$ 99
 PRA01	Pattern Wire Trough 4.4"W x 3.2"H x 54"L - One kit for 72" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	54"	TGH.PI.72	☐ ☐	0.00#	\$ 113

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL	Features			Approx. Packaged Weight	Delivered Pricing
 AC402	Velcro Wire Manager Kit • Attaches wires to underside of table • Kit includes 1 velcro manager, 2 mounting tabs, 4 mounting screws.	87.9323		0.00#	\$ 16
PRA02	Vertical Wire Manager • Keeps cables attached to leg of table for neat appearance • Easily snaps on to table leg without tools	46.5836	☐ ☐	0.00#	\$ 36

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER			
				Basic Model	Module Color		
MODEL		Features	L			Approx. Packaged Weight	Delivered Pricing
 AC422	Dean Clamp-on Power Module (Corded) • Toollessly clamps onto worksurfaces 3/4" to 1-1/2" thick • Not compatible with modesty panels • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Includes two strain-relief clips included for wire management • 15A approved • UL listed	108" Cord	MOD.MC1.108	☐ ☐	1.00#	\$ 328	
		180" Cord	MOD.MC1.180	☐ ☐	1.00#	340	
 AC423	Dean Clamp-on Power Module (Pattern) • Toollessly clamps onto worksurfaces 3/4" to 1-1/2" thick • Not compatible with modesty panels • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Pattern Infeed, jumpers, and gangers ordered separately • Wire management not included • 15A approved • UL listed	40" Pattern Cord	MOD.PMC1.40	☐ ☐	1.00#	\$ 386	
				A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.