



SERENADETM TABLES & STORAGE

PRICE LIST

EFFECTIVE MARCH 31, 2026
800.424.2432



Serenade™ Conference Tables		
Technical Specifications		3
Product Color Options		5
Maple-Half/Full Drum Leg		6
Maple-Panel Leg		8
Laminate-Half/Full Drum Leg		10
Laminate-Panel Leg		14
Serenade™ Conference Tables w/Single Circuit Electrical		
Maple-Half/Full Drum Leg		18
Maple-Panel Leg		20
Laminate-Half/Full Drum Leg		22
Laminate-Panel Leg		26
Serenade™ Credenzas		
Maple		30
Laminate - Wood Edge		31
Laminate - 74P Edge		32
Serenade™ Gathering Tables		
Technical Specifications		33
General Information		35
Product Color Options		36
29" High (Standard Height)		37
42" High (Cafe Height)		49
Serenade™ Gathering Tables w/Single Circuit Electrical		
29" High (Standard Height)		61
42" High (Standard Height)		71
Serenade™ Gathering Tables		
Accessories		81
Serenade™ Tables		
Accessories		82



PRODUCT SPECIFICATIONS ■
Serenade™ Conference Collection

July 2025

TECHNICAL SPECIFICATIONS

Conference Tabletop

Tabletops are constructed of 1 1/8" thick, 45 lb density particle board core, with a 1/32" veneer or 1/32" laminate finished top surface and 1/32" thick phenolic backing. Serenade is available in four top shapes - rectangle, racetrack, boat and sight line. The top shape can be specified with one of six different styles of wood edging or 74P edge with laminate tops. Edging is present on all sides, with several selected edge styles providing radius or square corners.

Tops specified at 144" or longer require two piece construction using steel joinery for vertical and lateral joint strength along the entire width of the top. The veneer pattern is reverse slip matched. All joinery is hidden on the underside of the top.

Conference Table Base

Bases are offered in two styles (base size is dependent upon the top size):

- Panel base - 4" wide (5/8" thick particle board with veneer surface. The veneer one-sided surface thickness is 41/64").
- Veneer half drum - 18", 20", 23" and 33" diameter.

All bases feature adjustable glides 1" in diameter, 5/16-18 threaded for level setup within 2" of adjustable height. Tables sized 168" or longer are configured with three bases; all other table sizes are configured with two bases. All enclosed bases are available with an access door for easy power source access.

Conference Table Modesty Panel - (panel bases only)

Modesty panel (base "stringer") is constructed of 5/8" thick particle board with veneer surface. The veneer one-sided surface thickness is 41/64". Modesty panel is 12" high by x 11 1/2" wide. Power/ data options and cables are routed and hidden within the modesty panel for an organized and clean appearance. The panel and column base models include silver perforated metal covers on the short sides of the base assembly.

Conference Credenza

Credenza is offered in two heights: conference height (29") and buffet height (36"). Both heights feature standard adjustable shelves. The buffet height credenza offers two adjustable shelves per cabinet; conference height offers one adjustable shelf per cabinet.

The credenza top is constructed of 1 1/8" thick particle board, with either a 1/32" veneer surface, solid or 74P edge wood front edge and veneer surface on three sides or 1/32" laminate finished, solid wood front edge and laminate surface on three sides. All credenza components are constructed of 5/8" thick particle board. The entire back of the credenza matches the tabletop surface, veneer or laminate. The veneer and laminate thickness is 21/32" for all two-sided surface sides, doors, shelves and trim.

Door hinges are constructed of steel, spring loaded for soft-close, fully adjustable for gap and flush closure, hidden and flush mounted. Door pulls are offered in three styles: square bar, curved and straight. Pulls are available in two colors: black and silver. Adjustable 1" diameter 5/16-18 threaded floor glides provide level setup within 1 1/2" total adjustability.



TECHNICAL SPECIFICATIONS

Power Modules

Dean In-Surface Power Module

Dean in-surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be adapted to fit various brands of data jacks using the data tree, which ships with Dean in-surface power module. Data connectors are not supplied with the module and are purchased by the customer. The Dean In-Surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. The power module is secured to the worksurface with screws from the underside of the table. The module has a molded plastic faceplate with steel trim and an aluminum housing. The Dean in-surface power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Dean in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Double Ellora B In-Surface Power Module

Double Ellora B in-surface power module is a two-sided, in-surface power module which consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port, on each side of the double power module. Module area is 10.19" long by 8.31" wide by 2.71" high when open. The pop-up module housing is of painted aluminum and steel, with smooth plastic faceplates for the ports. The surface trim and hinged soft-close covers are of painted aluminum. The covers allow for cable routing when closed. All metal surfaces of the module are powder-coat painted in four select colors. The Double Ellora B in-surface power module with 3-prong plug is rated at 15 amps/120 volts and is UL listed. The Double Ellora B in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Vault Power Module

Available on conference tabletops only. The optional Vault power module is a power and data module constructed of stained aluminum, flush with the surface of the tabletop. Surface cutout must be 14.5" x 4.0125", overall size of the module is 15.875" x 4.375" x 4.375".

Standard configuration includes one VGA and one HDMI connection as standard, as well as three power outlets and two RJ-45 cat5e data connections. The module is opened and closed by touching the red and green arrows on the surface of the module. The module also contains a photo-electronic eye that prevents closure when power, VGA or HDMI cords are plugged in. The power cord length is 12 feet.

Electrical


Pattern Single-Circuit Electrical System

Pattern electrical system is a single circuit system. Tables ordered with the Pattern electrical system include all the necessary components for the table, including the Pattern power infeed kit.

Pattern is a non-sequential system with a ground fault interrupter (GFI/GFCI) compatible infeed. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/ CSA-C22.2 No. 308 (Canada).

Pattern Power Infeed Kit

The Pattern power infeed kit is included with tables specified with the Pattern electrical system. Kit comes with the necessary amount of power distribution blocks and power jumpers for each table. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.



TECHNICAL SPECIFICATIONS

Electrical (cont.)

Pattern Single-Circuit Electrical System (cont.)

Pattern Power Distribution Blocks

Pattern power distribution blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Power Jumpers

If a Pattern electrical system is specified on a table, the table will include the necessary amount and appropriately sized power jumpers. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks.



Surface Finish--Grade 1 Standard Laminate		Stain Color		Sand	
Beigewood	LBZ	Cocoa on Maple	MCA	Sky Blue	ESA
Belair	LBQ	Cinnamon on Maple	MCN	Solano Walnut	ESK
Biltmore Cherry	LBT	Cherry Storm on Maple	MCX	Sterling Ash	ESG
Black	LBK	Florence Walnut on Maple	MFC	Surf's Up	EAZ
Brighton Walnut	LBW	Kensington Maple on Maple	MMA	Tarragon	ESP
Castle Oak	LCO	Monticello Maple on Maple	MMT	Twilight Shadow	ETQ
Cherry Storm	LCX	River Cherry on Maple	MRY	Ultra Blue	ETI
Classic Linen	LCI	Edge Color for Wood Edges		Valley Forge Elm	EUB
Cocobala	LCC			Warm Grey	EVF
Crisp Linen	LRI		MCA	White River Forest	EWG
Designer White	LDR		MCN	Windsor Mahogany	EWR
Dove Grey	LDG		MCX	Zesty Lime	EWY
Florence Walnut	LFC		MFC	Dean, Double Ellora B Power Module Color (Corded, Pattern)	EZL
Friston Ash	LFH		MMA		
Frosty White	LFW		MMT		
Graphite Nebula	LGN		MRY		
Grey	LGE				
High Rise	LHE	Edge Color for 74P Edge		Black	MBL
Hollyberry	LHY	Akira	EAK	Cool Grey	MCG
Island	LID	Beigewood	EBZ	Cottonwood	MCO
Italian Silver Ash	LIT	Belair	EBQ	Warm Grey	MWG
Kensington Maple	LKM	Biltmore Cherry	EBT	Base Finish	
Lapis Blue	LLB	Black	EBL		BL
Monticello Maple	LMT	Black Hills Oak	EBH		GR
North Sea	LNA	Blue Grey	EGR		ZM
Ocean	LON	Brighton Walnut	EBW		CY
Pinnacle Walnut	LPW	Castle Oak	ECO	Champagne Metallic	CM
River Cherry	LRY	Cayenne	ECY	Cool Grey	CG
Shadow Zephyr	LSR	Cherry Storm	ECX	Cottonwood	CO
Sterling Ash	LAZ	Cocobala	ECC	Earthen Clay	EY
Titanium Evolv	LTV	Cool Grey	ECG	Espresso Metallic	EX
White Nebula	LWL	Cumberland Walnut	ECJ	Everglade Shade	EV
White Sand	LWN	Dering Forest	EDF	Flannel	FN
Windsor Mahogany	LWY	Designer White	EDR	Glitz Metallic	GZ
Surface Finish--Grade 2 Standard Laminate		Everglade Shade	EEV	Hazy Jade	HJ
		Fawn Cypress	EEF	Honey Bee	HY
		Flannel	EFQ	Light Tone	LG
	LAK	Florence Walnut	EFN	Mardi Gras	MG
	LBY	Friston Ash	EFC	Misty Brown	MY
Black Alicante	LBH	Frosty White	EFH	Nemo	NE
Black Hills Oak	LCQ	Hartley Walnut	EFW	Nordic	ND
Calcutta Marble	LDF	Hazy Jade	EHW	Poppy Red	PR
Dering Forest	LFQ	Italian Silver Ash	EHJ	Purple Haze	PH
Fawn Cypress	LIM	Kensington Maple	EIT	Rainforest	RQ
Ice Mist	LMK	Light Tone	EKM	Raw Jasper	RJ
Markerboard White	LVF	Mardi Gras	ELG	Rubber Ducky	RK
Valley Forge Elm	LWR	Misty Brown	EMG	Sand	SA
White River Forest		Monticello Maple	EMY	Sky Blue	SK
Surface Finish--Grade 3 Standard Laminate		Multiplex	EMT	Starlight Silver Metallic	SX
	LBV	Nemo	EMB	Surf's Up	SP
	LCJ	Nordic	ENE	Tarragon	TQ
	LDE	Pinnacle Walnut	END	Twilight Shadow	TI
	LHW	Poppy Red	EPW	Ultra Blue	UB
	LNL	Rainforest	EPR	Warm Grey	WG
	LRW	River Cherry	ERQ	Zesty Lime	ZL
	LSG	Rubber Ducky	ERW		
	LSC		ERY		
			ERK		

Finish Cards

View color swatches for items listed within this document.

- | | | | |
|----------------------|--------------------|---------------------|----------------------|
| <u>Paints</u> | <u>Wood/Veneer</u> | <u>Molded Edges</u> | <u>Hard Plastics</u> |
| <u>Plastics/Poly</u> | <u>Laminates</u> | <u>Edge Styles</u> | <u>Glass</u> |

Certain options referenced may not be available on GSA Schedule.

SEHM

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select stain color Refer to the Product Color Options page in this price list.
C	Select edge style
14R corner	- 1-1/4" wood bullnose, radius
14S corner	- 1-1/4" wood bullnose, square
36R corner	- 1-3/4" square wood, radius corner
36S corner	- 1-3/4" square wood, square
24R corner	- 1-1/4" square wood, radius
24S corner	- 1-1/4" square wood, square
15W corner	- 1-3/4" wood bullnose
44R corner	- 1-1/4" beveled wood, radius
44S corner	- 1-1/4" beveled wood, square

U	Select power option.
NP	- No module
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$372
MT1	- Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
MT2	- Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
MD2	- Modules, Dean in-surface w/USB-A/C (2); add \$742
B	Select module color. Refer to the Product Color Options page in this price list.
F	Select cord length.
9	- 9' cord length
15	- 15' cord length
G	Select access panel.
NAP	- No access panel
WAP	- With access panel; add \$190

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Maple-Half/Full Drum Leg



Serenade™ Conference Tables

Maple-Half/Full Drum Leg

			MODEL NUMBER									
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel			
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing
 SEHM	Boat Shape Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168" and 192" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	170.0#	\$ 10228	
		48 x 96 x 36"	SEB4896HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	235.0#	11495	
		48 x 120 x 36"	SEB48120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	275.0#	12762	
		48 x 144 x 36"	SEB48144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	320.0#	16189	
		54 x 144 x 42"	SEB54144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	345.0#	18029	
		54 x 168 x 42"	SEB54168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	425.0#	18660	
		60 x 192 x 48"	SEB60192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	535.0#	20241	
 SEHM	Sightline Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	\$ 15698	
		60 x 144 x 36"	SES60144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	19724	
		60 x 168 x 36"	SES60168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	21405	
			A	B	C	D	E	F	G			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |

- CR** - Reed edge
- D**Select power option.
- | | |
|------------|---|
| NP | - No module |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$372 |
| MT1 | - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416 |
| MT2 | - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$742 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Maple-Panel Leg



Serenade™ Conference Tables

Maple-Panel Leg

		MODEL NUMBER										
		Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel				
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	
 SEPM	Racetrack Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	165.0#	\$ 8688	
		48 x 96"	SEO4896PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	225.0#	9892
		48 x 120"	SEO48120PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	11031
		48 x 144"	SEO48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	310.0#	13269
		48 x 168"	SEO48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	410.0#	16121
		48 x 192"	SEO48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	430.0#	17387
		60 x 144"	SEO60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	370.0#	15169
		60 x 168"	SEO60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	420.0#	18464
		60 x 192"	SEO60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	470.0#	21613
		60 x 240"	SEO60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	570.0#	28812
 SEPM	Rectangular Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	174.0#	\$ 8187	
		48 x 96"	SER4896PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	240.0#	9388
		48 x 120"	SER48120PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	280.0#	10719
		48 x 144"	SER48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	325.0#	12897
		48 x 168"	SER48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	403.0#	15682
		48 x 192"	SER48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	443.0#	16887
		60 x 144"	SER60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	385.0#	14701
		60 x 168"	SER60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	495.0#	17913
		60 x 192"	SER60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	510.0#	20755
		60 x 240"	SER60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	590.0#	28246
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$372

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$742
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.

9 - 9' cord length

15 - 15' cord length
- G**Select access panel.

NAP - No access panel

WAP - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

SEP-M

SEP-M

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select stain color Refer to the Product Color Options page in this price list.
C	Select edge style
14R corner	- 1-1/4" wood bullnose, radius
14S corner	- 1-1/4" wood bullnose, square
36R corner	- 1-3/4" square wood, radius corner
36S corner	- 1-3/4" square wood, square
24R corner	- 1-1/4" square wood, radius
24S corner	- 1-1/4" square wood, square
15W corner	- 1-3/4" wood bullnose
44R corner	- 1-1/4" beveled wood, radius
44S corner	- 1-1/4" beveled wood, square

CR	- Reed edge
elect power option.	
NP	- No module
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$372
MT1	- Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
MT2	- Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
MD2	- Modules, Dean in-surface w/USB-A/C (2); add \$742
elect module color.	
Refer to the Product Color Options page in this price list.	
elect cord length.	
9	- 9' cord length
15	- 15' cord length
elect access panel.	
NAP	- No access panel
WAP	- With access panel; add \$190

Special Carton Marking



With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER												
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL		A x B									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEHL	Racetrack Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		165.0#	\$ 6488	\$ 179	\$ 1208
		48 x 96"	SEO4896HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		225.0#	8921	200	1313
		48 x 120"	SEO48120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	10262	252	1654
		48 x 144"	SEO48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		310.0#	13089	284	1916
		48 x 168"	SEO48168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		410.0#	14506	347	2389
		48 x 192"	SEO48192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		430.0#	14944	347	2389
		60 x 144"	SEO60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		370.0#	16024	315	2179
		60 x 168"	SEO60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		420.0#	16658	473	3255
		60 x 192"	SEO60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		470.0#	17605	473	3255
		60 x 240"	SEO60240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		570.0#	21355	578	3959
 SEHL	Racetrack Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		165.0#	\$ 5018	\$ 179	\$ 1208
		48 x 96"	SEO4896HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		225.0#	7346	200	1313
		48 x 120"	SEO48120HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	8582	252	1654
		48 x 144"	SEO48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		310.0#	11283	284	1916
		48 x 168"	SEO48168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		410.0#	12616	347	2389
		48 x 192"	SEO48192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		430.0#	12949	347	2389
		60 x 144"	SEO60144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		370.0#	13399	315	2179
		60 x 168"	SEO60168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		420.0#	13508	473	3255
		60 x 192"	SEO60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		470.0#	13930	473	3255
		60 x 240"	SEO60240HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		570.0#	17155	578	3959
					A	B	C	D	E	F	G	H		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect wood edge style.

14R

- 1-1/4" wood bullnose, radius corner

36R

- 1-3/4" square wood, radius corner

24R

- 1-1/4" square wood , radius corner

15W

- 1-3/4" wood bullnose

44R

- 1-1/4" beveled wood, radius corner

CR

- Reed edge

CSelect edge color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NP

- No module

MD1

- Module, Dean in-surface w/USB-A/C (1) ; add \$372

MT1

- Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416

MT2

- Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781

MD2

- Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length.

9

- 9' cord length

15

- 15' cord length

GSelect surface finish.

Refer to the **Product Color Options** page in this price list.

HSelect access panel.

NAP

- No access panel

WAP

- With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

		MODEL NUMBER												
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEHL	Rectangular Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	174.0#	\$ 5600	\$ 179	\$ 1208	
		48 x 96"	SER4896HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	240.0#	7010	200	1313
		48 x 120"	SER48120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	280.0#	8016	252	1654
		48 x 144"	SER48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	325.0#	10345	284	1916
		48 x 168"	SER48168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	403.0#	12435	347	2389
		48 x 192"	SER48192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	443.0#	12435	347	2389
		60 x 144"	SER60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	385.0#	12543	315	2179
		60 x 168"	SER60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	495.0#	14305	473	3255
		60 x 192"	SER60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	510.0#	14305	473	3255
		60 x 240"	SER60240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	590.0#	16154	578	3959
 SEHL	Rectangular Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	174.0#	\$ 4655	\$ 179	\$ 1208	
		48 x 96"	SER4896HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	240.0#	5750	200	1313
		48 x 120"	SER48120HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	280.0#	6336	252	1654
		48 x 144"	SER48144HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	325.0#	8297	284	1916
		48 x 168"	SER48168HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	403.0#	9915	347	2389
		48 x 192"	SER48192HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	443.0#	9915	347	2389
		60 x 144"	SER60144HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	385.0#	9918	315	2179
		60 x 168"	SER60168HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	495.0#	11260	473	3255
		60 x 192"	SER60192HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	510.0#	10840	473	3255
		60 x 240"	SER60240HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	590.0#	12479	578	3959
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

			MODEL NUMBER												
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL			A x B x C									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEHL	Boat Shape Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 6488	\$ 179	\$ 1208	
		48 x 96 x 36"	SEB4896HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	8535	200	1313		
		48 x 120 x 36"	SEB48120HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	9726	252	1654		
		48 x 144 x 36"	SEB48144HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	12833	284	1916		
		54 x 144 x 42"	SEB54144HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	15263	315	2179		
		54 x 168 x 42"	SEB54168HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15897	473	3255		
		60 x 192 x 48"	SEB60192HL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	16843	473	3255		
 SEHL	Boat Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 4703	\$ 179	\$ 1208	
		48 x 96 x 36"	SEB4896HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	6960	200	1313		
		48 x 120 x 36"	SEB48120HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	8046	252	1654		
		48 x 144 x 36"	SEB48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	11048	284	1916		
		54 x 144 x 42"	SEB54144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	13163	315	2179		
		54 x 168 x 42"	SEB54168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	13272	473	3255		
		60 x 192 x 48"	SEB60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	13693	473	3255		
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge
- C**Select edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$742
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length
- G**Select surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

			MODEL NUMBER												
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing			
 SEHL	Sightline Tables, Half/Full Drum Leg - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144" and 168" have a two piece top - One power module available on 120" centered - Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	\$ 11624	\$ 315	\$ 2179	
		60 x 144 x 36"	SES60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	15402	315	2179
		60 x 168 x 36"	SES60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	16039	473	3255
 SEHL	Sightline Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144" and 168" have a two piece top - One power module available on 120" centered - Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	\$ 9314	\$ 315	\$ 2179	
		60 x 144 x 36"	SES60144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	12987	315	2179
		60 x 168 x 36"	SES60168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	13414	473	3255
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

C Select edge color.
Refer to the **Product Color Options** page in this

price list.

- D** Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$742

E Select module color.
Refer to the **Product Color Options** page in this price list.

- F** Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

G Select surface finish.
Refer to the **Product Color Options** page in this price list.

- H** Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

		MODEL NUMBER												
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL		A x B									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Racetrack Tables, Panel Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SE03672PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	165.0#	\$ 7323	\$ 179	\$ 1208
		48 x 96"	SE04896PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	225.0#	9847	200	1313	
		48 x 120"	SE048120PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	265.0#	10702	252	1654	
		48 x 144"	SE048144PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	310.0#	12750	284	1916	
		48 x 168"	SE048168PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	410.0#	16406	347	2389	
		48 x 192"	SE048192PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	430.0#	17066	347	2389	
		60 x 144"	SE060144PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	370.0#	15059	315	2179	
		60 x 168"	SE060168PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	420.0#	18125	473	3255	
		60 x 192"	SE060192PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	470.0#	19788	473	3255	
		60 x 240"	SE060240PL	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	570.0#	25738	578	3959	
 SEPL	Racetrack Tables, Panel Leg - 74P Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SE03672PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐	☐ ☐ ☐	165.0#	\$ 5853	\$ 179	\$ 1208
		48 x 96"	SE04896PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	225.0#	8272	200	1313	
		48 x 120"	SE048120PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	265.0#	9022	252	1654	
		48 x 144"	SE048144PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	310.0#	10965	284	1916	
		48 x 168"	SE048168PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	410.0#	14516	347	2389	
		48 x 192"	SE048192PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	430.0#	15071	347	2389	
		60 x 144"	SE060144PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	370.0#	12434	315	2179	
		60 x 168"	SE060168PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	420.0#	14975	473	3255	
		60 x 192"	SE060192PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	470.0#	16113	473	3255	
		60 x 240"	SE060240PL74P	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐	570.0#	21538	578	3959	
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect wood edge style.

14R - 1-1/4” wood bullnose, radius corner

36R - 1-3/4” square wood, radius corner

24R - 1-1/4” square wood , radius corner

15W - 1-3/4” wood bullnose

44R - 1-1/4” beveled wood, radius corner

CR - Reed edge

CSelect edge color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$372

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length.

9 - 9’ cord length

15 - 15’ cord length

GSelect surface finish.

Refer to the **Product Color Options** page in this price list.

HSelect access panel.

NAP - No access panel

WAP - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

		MODEL NUMBER													
MODEL		A x B	Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel		Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Rectangular Tables, Panel Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		174.0#	\$ 6434	\$ 179	\$ 1208
		48 x 96"	SER4896PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		240.0#	7939	200	1313
		48 x 120"	SER48120PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		280.0#	8456	252	1654
		48 x 144"	SER48144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		325.0#	10004	284	1916
		48 x 168"	SER48168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		403.0#	14337	347	2389
		48 x 192"	SER48192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		443.0#	14561	347	2389
		60 x 144"	SER60144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		385.0#	11580	315	2179
		60 x 168"	SER60168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		495.0#	15773	473	3255
		60 x 192"	SER60192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		510.0#	16101	473	3255
		60 x 240"	SER60240PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		590.0#	20537	578	3959
 SEPL	Rectangular Tables, Panel Leg - 74P • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐ ☐		174.0#	\$ 5489	\$ 179	\$ 1208
		48 x 96"	SER4896PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		240.0#	6679	200	1313
		48 x 120"	SER48120PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		280.0#	6776	252	1654
		48 x 144"	SER48144PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		325.0#	7957	284	1916
		48 x 168"	SER48168PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		403.0#	11817	347	2389
		48 x 192"	SER48192PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		443.0#	12041	347	2389
		60 x 144"	SER60144PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		385.0#	8955	315	2179
		60 x 168"	SER60168PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		495.0#	12728	473	3255
		60 x 192"	SER60192PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		510.0#	12636	473	3255
		60 x 240"	SER60240PL74P		☐ ☐ ☐	☐ ☐	☐	☐	☐	☐ ☐ ☐		590.0#	16862	578	3959
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel				
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Boat Shape Tables, Panel Leg - Wood Edge	- High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 7323	\$ 179	\$ 1208
			48 x 96 x 36"	SEB4896PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	9518	200	1313
			48 x 120 x 36"	SEB48120PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	10826	252	1654
			48 x 144 x 36"	SEB48144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	12696	284	1916
			54 x 144 x 42"	SEB54144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	14674	315	2179
			54 x 168 x 42"	SEB54168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	17551	473	3255
			60 x 192 x 48"	SEB60192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	19296	473	3255
 SEPL	Boat Shape Tables, Panel Leg - 74P Edge	- High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 5853	\$ 179	\$ 1208
			48 x 96 x 36"	SEB4896PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	7943	200	1313
			48 x 120 x 36"	SEB48120PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	9146	252	1654
			48 x 144 x 36"	SEB48144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	10911	284	1916
			54 x 144 x 42"	SEB54144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	12574	315	2179
			54 x 168 x 42"	SEB54168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	14926	473	3255
			60 x 192 x 48"	SEB60192PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	16146	473	3255
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

			MODEL NUMBER												
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL			A x B x C									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Sightline Tables, Panel Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	\$ 13163	\$ 315	\$ 2179
		60 x 144 x 36"	SES60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	15266	315	2179
		60 x 168 x 36"	SES60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	18178	473	3255
 SEPL	Sightline Tables, Panel Leg - 74P Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	\$ 10853	\$ 315	\$ 2179
		60 x 144 x 36"	SES60144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	12851	315	2179
		60 x 168 x 36"	SES60168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	15553	473	3255
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R

- 1-1/4” wood bullnose, radius corner
- 14S

- 1-1/4” wood bullnose, square corner
- 36R

- 1-3/4” square wood, radius corner
- 36S

- 1-3/4” square wood, square corner
- 24R

- 1-1/4” square wood , radius corner
- 24S

- 1-1/4” square wood, square corner
- 15W

- 1-3/4” wood bullnose
- 44R

- 1-1/4” beveled wood, radius corner
- 44S

- 1-1/4” beveled wood, square corner
- CR

- Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP

- No module
- MD1

- Module, Dean in-surface w/USB-A/C (1) ; add \$372
- MT1

- Module, Double Ellora B in-surface w/USB-A/C (1); add \$1416
- MT2

- Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2781
- MD2

- Modules, Dean in-surface w/USB-A/C (2) ; add \$742

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9

- 9’ cord length
- 15

- 15’ cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP

- No access panel
- WAP

- With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg

			MODEL NUMBER								
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel			
MODEL			A x B							Approx. Packaged Weight	Delivered Pricing
 SEPHM	Racetrack Tables, Half/Full Drum Leg	48 x 144"	SEPO48144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	310.0#	\$ 16311	
	• Maple veneer is plain sliced (flat cut)	48 x 168"	SEPO48168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	410.0#	17579	
	• Veneer is run cross grain	48 x 192"	SEPO48192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	430.0#	18845	
	• Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer)	60 x 144"	SEPO60144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	370.0#	20381	
	• 144", 168", 192" and 240" have a two piece top	60 x 168"	SEPO60168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	420.0#	21965	
	• Two power modules, one on each half	60 x 192"	SEPO60192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	470.0#	23837	
	• All electrical components (including infeed kits and jumpers) are included	60 x 240"	SEPO60240HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	570.0#	28246	
 SEPHM	Rectangular Tables, Half/Full Drum Leg	48 x 144"	SEPR48144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	325.0#	\$ 15837	
	• Maple veneer is plain sliced (flat cut)	48 x 168"	SEPR48168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	403.0#	17026	
	• Veneer is run cross grain	48 x 192"	SEPR48192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	443.0#	18212	
	• Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer)	60 x 144"	SEPR60144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	385.0#	19787	
	• 144", 168", 192" and 240" have a two piece top	60 x 168"	SEPR60168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	495.0#	21266	
	• Two power modules, one on each half	60 x 192"	SEPR60192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	510.0#	23975	
	• All electrical components (including infeed kits and jumpers) are included	60 x 240"	SEPR60240HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	590.0#	27694	
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

PMD2 - Pattern modules, Dean in-surface (2) ; add \$1458

PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3359
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.

NAP - No access panel

WAP - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Conference Tables w/Single Circuit Electrical
Maple-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

			MODEL NUMBER							
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel	Approx. Packaged Weight	Delivered Pricing
 SEPHM	Boat Shape Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168" and 192" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HM	□□□□	□□□	□□	□□	□□□	320.0#	\$ 14037
		54 x 144 x 42"	SEPB54144HM	□□□□	□□□	□□	□□	□□□	345.0#	15589
		54 x 168 x 42"	SEPB54168HM	□□□□	□□□	□□	□□	□□□	425.0#	19136
		60 x 192 x 48"	SEPB60192HM	□□□□	□□□	□□	□□	□□□	535.0#	22111
 SEPHM	Sightline Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144" and 168" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144HM	□□□□	□□□	□□	□□	□□□	265.0#	\$ 17139
		60 x 168 x 36"	SEPS60168HM	□□□□	□□□	□□	□□	□□□	265.0#	21733

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select stain color
Refer to the **Product Color Options** page in this price list.
- C** Select edge style
- | | |
|----------------------|-------------------------------------|
| 14R
corner | - 1-1/4" wood bullnose, radius |
| 14S
corner | - 1-1/4" wood bullnose, square |
| 36R
corner | - 1-3/4" square wood, radius corner |
| 36S
corner | - 1-3/4" square wood, square |
| 24R
corner | - 1-1/4" square wood, radius |
| 24S
corner | - 1-1/4" square wood, square |
| 15W | - 1-3/4" wood bullnose |
| 44R
corner | - 1-1/4" beveled wood, radius |
| 44S
corner | - 1-1/4" beveled wood, square |

CR - Reed edge

- D** Select power option.
- PMD2** - Pattern modules, Dean in-surface (2); add \$1458
- PMT2** - Pattern modules, Double Ellora B in-surface (2); add \$3359
- E** Select module color.
- Refer to the **Product Color Options** page in this price list.
- F** Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg

			MODEL NUMBER							
MODEL		A x B	Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel	Approx. Packaged Weight	Delivered Pricing
 SEPPM	Racetrack Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPO48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 13269
		48 x 168"	SEPO48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	16121
		48 x 192"	SEPO48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	17387
		60 x 144"	SEPO60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	15169
		60 x 168"	SEPO60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	18464
		60 x 192"	SEPO60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	21613
		60 x 240"	SEPO60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	28812
 SEPPM	Rectangular Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 12897
		48 x 168"	SEPR48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	15682
		48 x 192"	SEPR48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	16887
		60 x 144"	SEPR60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	385.0#	14701
		60 x 168"	SEPR60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	495.0#	17913
		60 x 192"	SEPR60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	510.0#	20755
		60 x 240"	SEPR60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	590.0#	28246
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

PMD2 - Pattern modules, Dean in-surface (2) ; add \$1458

PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3359
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.

NAP - No access panel

WAP - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg

			MODEL NUMBER							
MODEL			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel	Approx. Packaged Weight	Delivered Pricing
 SEPPM	Boat Shape Tables, Panel Leg	48 x 144 x 36"	SEPB48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 13275
	• Maple veneer is plain sliced (flat cut)	54 x 144 x 42"	SEPB54144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	14481
	• Veneer is run cross grain	54 x 168 x 42"	SEPB54168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	16633
	• 4" panel leg with a connecting stringer	60 x 192 x 48"	SEPB60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	18724
	• Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly									
	• 144", 168" and 192" have a two piece top									
	• Two power modules, one on each half									
 SEPPM	Sightline Tables, Panel Leg	60 x 144 x 36"	SEPS60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 14701
	• Maple veneer is plain sliced (flat cut)	60 x 168 x 36"	SEPS60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	17913
	• Veneer is run cross grain									
	• 4" panel leg with a connecting stringer									
	• Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly									
	• 144" and 168" have a two piece top									
	• Two power modules, one on each half									
	• All electrical components (including infeed kits and jumpers) are included									
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

PMD2 - Pattern modules, Dean in-surface (2) ; add \$1458

PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3359
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.

NAP - No access panel

WAP - With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER										
			Basic Model	Edge Style	Edge Color	Power Option	Surface Finish	Access Panel					
MODEL	A x B								Approx. Packaged Weight	Delivered Pricing		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Racetrack Tables, Half/Full Drum Leg - Wood Edge	48 x 144"	SEP048144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 13089		\$ 284	\$ 1916
	- High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 168"	SEP048168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	14506		347	2389
		48 x 192"	SEP048192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	14944		347	2389
		60 x 144"	SEP060144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	16024		315	2179
		60 x 168"	SEP060168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	16658		473	3255
		60 x 192"	SEP060192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	17605		473	3255
		60 x 240"	SEP060240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	21355		578	3959
 SEPHL	Racetrack Tables, Half/Full Drum Leg - 74P Edge	48 x 144"	SEP048144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 11283		\$ 284	\$ 1916
	- High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 168"	SEP048168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	12616		347	2389
		48 x 192"	SEP048192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	12949		347	2389
		60 x 144"	SEP060144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	13399		315	2179
		60 x 168"	SEP060168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	13508		473	3255
		60 x 192"	SEP060192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	13930		473	3255
		60 x 240"	SEP060240HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	17155		578	3959
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.

14R

- 1-1/4" wood bullnose, radius corner

36R

- 1-3/4" square wood, radius corner

24R

- 1-1/4" square wood , radius corner

15W

- 1-3/4" wood bullnose

44R

- 1-1/4" beveled wood, radius corner

CR

- Reed edge
- C**Select edge color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD2

- Pattern modules, Dean in-surface (2) ; add \$1458

PMT2

- Pattern modules, Double Ellora B in-surface (2); add \$3359
- E**Select module color.

Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select access panel.

NAP

- No access panel

WAP

- With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

		MODEL NUMBER											
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Rectangular Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 10345	\$ 284	\$ 1916
		48 x 168"	SEPR48168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	12435	347	2389
		48 x 192"	SEPR48192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	12435	347	2389
		60 x 144"	SEPR60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	385.0#	12543	315	2179
		60 x 168"	SEPR60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	495.0#	14305	473	3255
		60 x 192"	SEPR60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	510.0#	14305	473	3255
		60 x 240"	SEPR60240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	590.0#	16154	578	3959
 SEPHL	Rectangular Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 8297	\$ 284	\$ 1916
		48 x 168"	SEPR48168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	9915	347	2389
		48 x 192"	SEPR48192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	443.0#	9915	347	2389
		60 x 144"	SEPR60144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	385.0#	9918	315	2179
		60 x 168"	SEPR60168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	495.0#	11260	473	3255
		60 x 192"	SEPR60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	510.0#	10840	473	3255
		60 x 240"	SEPR60240HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	590.0#	12479	578	3959
			A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER										
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel				
MODEL			A x B x C							Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Boat Shape Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 12833	\$ 284	\$ 1916
		54 x 144 x 42"	SEPB54144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	15263	315	2179
		54 x 168 x 42"	SEPB54168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15897	473	3255
		60 x 192 x 48"	SEPB60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	16843	473	3255
 SEPHL	Boat Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 11048	\$ 284	\$ 1916
		54 x 144 x 42"	SEPB54144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	13163	315	2179
		54 x 168 x 42"	SEPB54168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	13272	473	3255
		60 x 192 x 48"	SEPB60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	13693	473	3255
			A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B x C							Approx. Packaged Weight	Delivered Pricing		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Sightline Tables, Half/Full Drum Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144” and longer) • 144” and 168” have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36”	SEPS60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 15402		\$ 315	\$ 2179
		60 x 168 x 36”	SEPS60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	16039		473	3255
 SEPHL	Sightline Shape Tables, Half/Full Drum Leg - 74P Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144” and longer) • 144” and 168” have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36”	SEPS60144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 12987		\$ 315	\$ 2179
		60 x 168 x 36”	SEPS60168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	13414		473	3255
					A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4” wood bullnose, radius corner |
| 14S | - 1-1/4” wood bullnose, square corner |
| 36R | - 1-3/4” square wood, radius corner |
| 36S | - 1-3/4” square wood, square corner |
| 24R | - 1-1/4” square wood , radius corner |
| 24S | - 1-1/4” square wood, square corner |
| 15W | - 1-3/4” wood bullnose |
| 44R | - 1-1/4” beveled wood, radius corner |
| 44S | - 1-1/4” beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPPL	Racetrack Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 12750	\$ 284	\$ 1916	
		48 x 168"	SEP048168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	16406	347	2389	
		48 x 192"	SEP048192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	17066	347	2389	
		60 x 144"	SEP060144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	15059	315	2179	
		60 x 168"	SEP060168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	18125	473	3255	
		60 x 192"	SEP060192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	19788	473	3255	
		60 x 240"	SEP060240PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	25801	578	3959	
 SEPPL	Racetrack Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 10965	\$ 284	\$ 1916	
		48 x 168"	SEP048168PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	14516	347	2389	
		48 x 192"	SEP048192PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐ ☐	430.0#	15071	347	2389		
		60 x 144"	SEP060144PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐ ☐	370.0#	12434	315	2179		
		60 x 168"	SEP060168PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐ ☐	420.0#	14975	473	3255		
		60 x 192"	SEP060192PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐ ☐	470.0#	16113	473	3255		
		60 x 240"	SEP060240PL74P		☐ ☐ ☐	☐	☐ ☐	☐ ☐ ☐	570.0#	21538	578	3959		
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.

14R

- 1-1/4" wood bullnose, radius corner

36R

- 1-3/4" square wood, radius corner

24R

- 1-1/4" square wood , radius corner

15W

- 1-3/4" wood bullnose

44R

- 1-1/4" beveled wood, radius corner

CR

- Reed edge
- C** Select edge color.

Refer to the **Product Color Options** page in this price list.
- D** Select power option.

PMD2

- Pattern modules, Dean in-surface (2) ; add \$1458

PMT2

- Pattern modules, Double Ellora B in-surface (2); add \$3359
- E** Select module color.

Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G** Select access panel.

NAP

- No access panel

WAP

- With access panel; add \$190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPPL	Rectangular Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 10004	\$ 284	\$ 1916	
		48 x 168"	SEPR48168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	14337	347	2389	
		48 x 192"	SEPR48192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	14561	347	2389	
		60 x 144"	SEPR60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	385.0#	11580	315	2179	
		60 x 168"	SEPR60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	495.0#	15773	473	3255	
		60 x 192"	SEPR60192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	510.0#	16101	473	3255	
		60 x 240"	SEPR60240PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	590.0#	20537	578	3959	
		 SEPPL	Rectangular Tables, Panel Leg - 74P - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 7957	\$ 284
48 x 168"	SEPR48168PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	11817	347	2389		
48 x 192"	SEPR48192PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	12041	347	2389		
60 x 144"	SEPR60144PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	385.0#	8955	315	2179		
60 x 168"	SEPR60168PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	495.0#	12728	473	3255		
60 x 192"	SEPR60192PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	510.0#	12636	473	3255		
60 x 240"	SEPR60240PL74P				☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	590.0#	16862	578	3959		
				A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER																
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel										
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price		Laminate Grade 3 add to list price				
 SEPPL	Boat Shape Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		320.0#	\$ 12696	\$	284	\$ 1916				
		54 x 144 x 42"	SEPB54144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		345.0#	14674		315	2179				
		54 x 168 x 42"	SEPB54168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		425.0#	17551		473	3255				
		60 x 192 x 48"	SEPB60192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		535.0#	19296		473	3255				
 SEPPL	Boat Shape Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		320.0#	\$ 10911	\$	284	\$ 1916				
		54 x 144 x 42"	SEPB54144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		345.0#	12574		315	2179				
		54 x 168 x 42"	SEPB54168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		425.0#	14926		473	3255				
		60 x 192 x 48"	SEPB60192PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		535.0#	19296		473	3255				
			A	B	C	D	E	F	G										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPPL	Sightline Tables, Panel Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4” panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144” and 168” have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36”	SEPS60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 15266	\$ 315	\$ 2179	
		60 x 168 x 36”	SEPS60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	18178	473	3255	
 SEPPL	Sightline Tables, Panel Leg - 74P Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4” panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144” and 168” have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36”	SEPS60144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 12851	\$ 315	\$ 2179	
		60 x 168 x 36”	SEPS60168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	15553	473	3255	
				A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4” wood bullnose, radius corner |
| 14S | - 1-1/4” wood bullnose, square corner |
| 36R | - 1-3/4” square wood, radius corner |
| 36S | - 1-3/4” square wood, square corner |
| 24R | - 1-1/4” square wood , radius corner |
| 24S | - 1-1/4” square wood, square corner |
| 15W | - 1-3/4” wood bullnose |
| 44R | - 1-1/4” beveled wood, radius corner |
| 44S | - 1-1/4” beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1458 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3359 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$190 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.





Serenade™ Credenzas

Maple



Serenade™ Credenzas

Maple

				MODEL NUMBER					
				Basic Model	Edge Style	Pull Option	Stain Color		
MODEL		Features	A x B x C						
	Conference Height-2 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 1 adjustable shelf	2 Door	22 x 36 x 29"	SE2D3629CM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	118.0#	\$ 5665
SCRZM									
	Conference Height-3 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 1 adjustable shelf	3 Door	22 x 54 x 29"	SE3D5429CM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	170.0#	\$ 7185
SCRZM									
	Buffet Height-2 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 2 adjustable shelves	2 Door	22 x 36 x 36"	SE2D3636BM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	145.0#	\$ 6080
SCRZM									
	Buffet Height-3 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 2 adjustable shelves	3 Door	22 x 54 x 36"	SE3D5436BM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	210.0#	\$ 7737
SCRZM									
				A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|------------|---------------------------------------|
| 14S | - 1-1/4" Wood bullnose, square corner |
| 24S | - 1-1/4" Square wood, square corner |
| 44S | - 1-1/4" Beveled wood, square corner |
| CR | - Reed edge |
- C** Select pull style.
- | | |
|------------|-------------------|
| BCR | - Black curved |
| SCR | - Silver curved |
| SSQ | - Silver square |
| SST | - Silver straight |
- D** Select stain color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER								Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
				Basic Model	Edge Color	Pull Option	Surface Finish						
 SCRZL	MODEL	Features	A x B x C										
	Conference Height-2 Door - 74P Edge	2 Door	22 x 36 x 29"	SE2D3629CL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	118.0#		\$ 4935		\$ 128	\$ 840
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 1 adjustable shelf												
 SCRZL	MODEL	Features	A x B x C										
	Conference Height-3 Door - 74P Edge	3 Door	22 x 54 x 29"	SE3D5429CL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	170.0#		\$ 6298		\$ 167	\$ 1155
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 1 adjustable shelf												
 SCRZL	MODEL	Features	A x B x C										
	Buffet Height-2 Door - 74P Edge	2 Door	22 x 36 x 36"	SE2D3636BL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	145.0#		\$ 5350		\$ 130	\$ 845
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 2 adjustable shelves												
 SCRZL	MODEL	Features	A x B x C										
	Buffet Height-3 Door - 74P Edge	3 Door	22 x 54 x 36"	SE3D5436BL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	210.0#		\$ 6851		\$ 169	\$ 1176
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 2 adjustable shelves												

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select edge color.
Refer to the **Product Color Options** page in this price list.
- C

Select pull style.

BCR

- Black curved

SCR

- Silver curved

SSQ

- Silver square

SST

- Silver straight

D

Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS ■
Serenade™ Gathering Table

August 2025

TECHNICAL SPECIFICATIONS

Tabletop

Tabletops are constructed of 2" thick, 45 lb density particle board core with 1/32" laminate finished top surface and 1/32" thick phenolic backing.

Panel Legs

End panel legs are constructed of 2" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. The ends are finished with 1/32" Self Edge or matching laminate. The bottom is finished with black laminate. Tables 108"-144" wide come with an inset support leg constructed of 2" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. 24" deep tables contain a 12" wide inset leg which is centered at the rear of the table to allow more leg clearance on the user side of the table. 30"-48" deep tables contain an 18" wide leg that is placed directly in the middle of the table construction to allow user clearance on both sides of the table. Adjustable glides are 1" diameter, 5/16"-18 threaded floor glides and offer 1 1/2" of adjustability. These panel structures are secured to the tabletop with hardware and 9-gauge steel mounting plates.

Stringers & Modesty Panels

Tables are fitted with either 7 3/4" tall (on 29"H models) or 11 3/4" tall (on 42"H models) stringers or full-height modesty panels. These stringers and modesty panels are constructed of 1" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. Power and data options and cables are routed and hidden within the stringers when specified. These panel structures are secured to the tabletop with hardware and 9-gauge steel mounting plates. On 18"-24" deep tables, the stringer or modesty panel is located to the rear of the tabletop allowing user seating or standing access from only one side of the table. On 30"-48" deep tables, the stringer or modesty panel is located along the center line of the tabletop, allowing user seating or standing access from both sides of the table.

Power Modules

4-Port Power Module

The USB/AC power module houses two AC simplex receptacles (rated at 15 amps/125 volts), two USB-A ports and two USB-C ports (rated at 2.1-amps/5-volts per port) (2.0 & 3.0 compatible, no data). All circuitry is contained in an extruded aluminum housing and the entire electrical power module assembly is UL listed, having a UL spill test rating for protection against liquids. Modules come with a 15' power cord with a three prong grounded plug, specified 14AWG, 15-amp NEMA rated three conductor SJT. The power cord is strain relief mounted to the rear of the housing. The power module is available in three powder-coat colors (Black, White, Silver).

Dean In-Surface Power Module

Dean in-surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be adapted to fit various brands of data jacks using the data tree, which ships with Dean in-surface power module. Data connectors are not supplied with the module and are purchased by the customer. The Dean In-Surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. The power module is secured to the worksurface with screws from the underside of the table. The module has a molded plastic faceplate with steel trim and an aluminum housing. The Dean in-surface power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Dean in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.



Furnishing Knowledge®

TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Nacre In-Surface Pop-Up Power Module

Nacre in-surface pop-up power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand data jacks. Data tree ships with Nacre power modules, providing different data face plates to accompany different data connectors. Data connectors are not supplied with the module and are purchased separately by the customer. The Nacre power module is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout. The power module is press fit into the worksurface cutout and secured with spring loaded metal tabs. The module has a molded plastic face that can rotate via a dampened spring-loaded mechanism inside a molded plastic sleeve. The Nacre in-surface pop-up power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Nacre in-surface pop-up power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Node® In-Surface Power Module

Node in-surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port, and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall and fits securely into a 3" diameter cutout. The module is secured from underneath the table with a twist-on clamping collar. The module housing is made of plastic with a powder-coat painted aluminum faceplate. The Node power module with 3-prong plug is rated at 15 amps/120 volts and is UL listed. The Node power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Electrical

Tables 60"-96" wide receive one power module, or grommet centered along the length of the tabletop. Tables 108"-144" wide receive two power modules, or grommets each centered between the center and end legs. Tables 18"-24" deep have the power module or modules positioned at 6" from the rear edge of the tabletop to the center of the module cutout. Tables 30"-48" deep have the power module or modules to be centered from the front edge to back on the tabletop.

Pattern Single-Circuit Electrical System

Pattern electrical system is a single circuit system that allows up to eighteen power modules or 50' of power jumpers to be powered from a single 15-amp power supply cord (in either direction). Tables in a single run that are using the same infeed must be ganged together while using proper wire management between them. Tables ordered with the Pattern Electrical System include associated Pattern power modules, gangers, and wire management. Pattern infeeds and table-to-table jumper quantities must be ordered separate from the tables and depend on how many total tables and configuration.

Pattern is a non-sequential system with a ground fault interrupter (GFI/GFCI) compatible infeed. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada).

Pattern Power Distribution Blocks

Pattern power distribution blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.



TECHNICAL SPECIFICATIONS

Electrical (cont.)

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere and comes with one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Integrated Leg Wireway

When power is specified, each end panel and middle leg comes standard with a vertical integrated wireway cavity that measures 1 3⁄8" x 3 1⁄4". This is designed for passing cords and cables through the leg. Access is through a 2 1⁄2" hole near the top, at the inside of the leg and a 2 1⁄2" hole near the bottom of the leg. Chrome finished covers are provided to cover the bottom access holes. Where center table legs are needed with power specifications the grommet access is on both sides of the leg at the top and bottom.

Velcro® Wire Management

The Velcro® wire manager is constructed of 2" x 4 1⁄2" Velcro® hook and loop material. Wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are not pre-drilled for locating wire manager, so the manager may be applied in any convenient location. One wire manager is included for each power module ordered. Field installed.

Accessories

Bag Hook

The hook is constructed of 1⁄4" steel rod with a Chrome finish. It is attached to the underside of the top with two screws (provided). On 18"-24" deep tabletops, coat hooks may only be used on the front, user side of the table. On 30"-48" deep tabletops, coat hooks may be used on both sides of the table. 60" & 72" wide tables may use up to two hooks per side. 84" & 96" wide tables may use up to three hooks per side. 108", 120" & 144" wide tables may use up to four hooks per side.

Footrest


The optional footrest is constructed of a 1 1⁄2" diameter, 12-gauge DOM steel tube, milled at each end, containing welded-in inserts with a tapered slot. # 12 x 1" Phillips screws, installed into end leg panels at 6" from the edge of the leg panel and 6 1⁄2" up from the bottom of the panel capture the tapered slot in the insert at the outside ends of the footrest tubes and hold the footrest in place. In specific width conference tables (see below), a two-piece footrest design is required, utilizing a center foot support which connects the two outer footrest halves together using # 10-24 x 1⁄2" Torque thread cutting screws. The foot support also mounts to the conference table's middle leg panel using a # 12 x 1" Phillips screw with tapered insert design. The center foot support is of milled and welded construction and contains a 1" diameter, 3⁄16"-18 threaded floor glide offering 1 1⁄2" of adjustability. 60"-90" wide tables use the one-piece footrest. 108"-144" wide tables use the two-piece footrest construction, with the center foot support. On 18"-24" deep tabletops, the footrest may only be used on the front, user side of the table. On 30"-48" deep tables, footrests may be used on both sides of the table. The footrest and center foot support may be specified as bright nickel-chrome plated, or finished in either Starlight Silver, Black or Flannel powder-coat paint.

Ganging Kit

Ganging kits consist of two 12-gauge steel plates. Ganging plates are secured between the glide stems of two adjacent table legs to join the two tables together. Ganging kits are shipped standard with tables with Pattern single-circuit electrical system, and are required to be used on such tables. Ganging kits can be ordered separately for all other tables without Pattern single-circuit electrical system.


STATEMENT OF LINE

Serenade Gathering Tables - Standard Height




Single-Sided
(2-legs)

SEGS1860L SEGS2460L
SEGS1872L SEGS2472L
SEGS1884L SEGS2484L
SEGS1896L SEGS2496L




Single-Sided
(3-legs)

SEGS24108L
SEGS24120L
SEGS24144L



Dual-Sided
(2-legs)


SEGS3060L SEGS3660L SEGS4260L SEGS4860L
SEGS3072L SEGS3672L SEGS4272L SEGS4872L
SEGS3084L SEGS3684L SEGS4284L SEGS4884L
SEGS3096L SEGS3696L SEGS4296L SEGS4896L



Dual-Sided
(3-legs)


SEGS30108L SEGS36108L SEGS42108L SEGS48108L
SEGS30120L SEGS36120L SEGS42120L SEGS48120L
SEGS30144L SEGS36144L SEGS42144L SEGS48144L

Serenade Gathering Tables - Café Height




Single-Sided
(2-legs)

SEGH1860L SEGH2460L
SEGH1872L SEGH2472L
SEGH1884L SEGH2484L
SEGH1896L SEGH2496L




Single-Sided
(3-legs)

SEGH24108L
SEGH24120L
SEGH24144L




Dual-Sided
(2-legs)

SEGH3060L SEGH3660L SEGH4260L SEGH4860L
SEGH3072L SEGH3672L SEGH4272L SEGH4872L
SEGH3084L SEGH3684L SEGH4284L SEGH4884L
SEGH3096L SEGH3696L SEGH4296L SEGH4896L




Dual-Sided
(3-legs)

SEGH30108L SEGH36108L SEGH42108L SEGH48108L
SEGH30120L SEGH36120L SEGH42120L SEGH48120L
SEGH30144L SEGH36144L SEGH42144L SEGH48144L




STATEMENT OF LINE


Serenade Gathering Tables with Single Circuit Electrical - Standard Height



Single-Sided
(2-legs)
SEPG2472S
SEPG2496S




Single-Sided
(3-legs)
SEPG24120S
SEPG24144S




Dual-Sided
(2-legs)

SEPG3072S SEPG3672S SEPG4272S SEPG4872S SEPG30120S SEPG36120S SEPG42120S SEPG48120S
SEPG3096S SEPG3696S SEPG4296S SEPG4896S SEPG30144S SEPG36144S SEPG42144S SEPG48144S




Dual-Sided
(3-legs)


Serenade Gathering Tables with Single Circuit Electrical - Café Height



Single-Sided
(2-legs)
SEPG2472H
SEPG2496H




Single-Sided
(3-legs)
SEPG24120H
SEPG24144H



Dual-Sided
(2-legs)

SEPG3072H SEPG3672H SEPG4272H SEPG4872H SEPG30120H SEPG36120H SEPG42120H SEPG48120H
SEPG3096H SEPG3696H SEPG4296H SEPG4896H SEPG30144H SEPG36144H SEPG42144H SEPG48144H



Dual-Sided
(3-legs)



Grade 1 Standard Laminate / Top Laminate - Contrast 1		Leg Laminate - Contrast 2		Italian Silver Ash	SLIT
Beigewood	LBZ	Beigewood	LLBZ	Kensington Maple	SLKM
Belair	LBQ	Belair	LLBQ	Lapis Blue	SLLB
Biltmore Cherry	LBT	Biltmore Cherry	LLBT	Markerboard White	SLMK
Black	LBK	Black	LLBK	Monticello Maple	SLMT
Brighton Walnut	LBW	Brighton Walnut	LLBW	North Sea	SLNA
Castle Oak	LCO	Castle Oak	LLCO	Ocean	SLON
Cherry Storm	LCX	Cherry Storm	LLCX	Pinnacle Walnut	SLPW
Classic Linen	LCI	Classic Linen	LLCI	River Cherry	SLRY
Cocobala	LCC	Cocobala	LLCC	Shadow Zephyr	SLSR
Crisp Linen	LRI	Crisp Linen	LLRI	Sterling Ash	SLAZ
Designer White	LDR	Designer White	LLDR	Titanium Evolv	SLTV
Dove Grey	LDG	Dove Grey	LLDG	White Nebula	SLWL
Florence Walnut	LFC	Florence Walnut	LLFC	White Sand	SLWN
Friston Ash	LFH	Friston Ash	LLFH	Windsor Mahogany	SLWY
Frosty White	LFW	Frosty White	LLFW	Dean, Double Ellora B, Nacre, Node Power Module Color (Corded, Pattern)	
Graphite Nebula	LGN	Graphite Nebula	LLGN	Black	MBL
Grey	LGE	Grey	LLGE	Cool Grey	MCG
High Rise	LHE	High Rise	LLHE	Cottonwood	MCO
Hollyberry	LHY	Hollyberry	LLHY	Warm Grey	MWG
Island	LID	Island	LLID	Dean, Nacre, Node Grommet Color	
Italian Silver Ash	LIT	Italian Silver Ash	LLIT	Black grommet	GBL
Kensington Maple	LKM	Kensington Maple	LLKM	Blue Grey grommet	GGR
Lapis Blue	LLB	Lapis Blue	LLLB	Bronze Metallic grommet	GZM
Monticello Maple	LMT	Monticello Maple	LLMT	Champagne Metallic grommet	GCM
North Sea	LNA	North Sea	LLNA	Cool Grey grommet	GCG
Ocean	LON	Ocean	LLON	Cottonwood grommet	GCO
Pinnacle Walnut	LPW	Pinnacle Walnut	LLPW	Flannel grommet	GFN
River Cherry	LRY	River Cherry	LLRY	Misty Brown grommet	GMY
Shadow Zephyr	LSR	Shadow Zephyr	LLSR	Starlight Silver grommet	GSX
Sterling Ash	LAZ	Sterling Ash	LLAZ	Warm Grey grommet	GWG
Titanium Evolv	LTV	Titanium Evolv	LLTV	Footrest Finish	
White Nebula	LWL	White Nebula	LLWL	Black	FTBL
White Sand	LWN	White Sand	LLWN	Chrome	FTCH
Windsor Mahogany	LWY	Windsor Mahogany	LLWY	Flannel	FTFN
Grade 2 Standard Laminate		Stringer/Modesty Panel Laminate - Contrast 3		Starlight Silver Metallic	FTSX
Akira	LAK	Beigewood	SLBZ		
Black Alicante	LBY	Belair	SLBQ		
Black Hills Oak	LBH	Biltmore Cherry	SLBT		
Calcutta Marble	LCQ	Black	SLBK		
Dering Forest	LDF	Brighton Walnut	SLBW		
Fawn Cypress	LFQ	Castle Oak	SLCO		
Ice Mist	LIM	Cherry Storm	SLCX		
Markerboard White	LMK	Classic Linen	SLCI		
Valley Forge Elm	LVF	Cocobala	SLCC		
White River Forest	LWR	Crisp Linen	SLRI		
Grade 3 Standard Laminate		Designer White	SLDR		
Black Velvet	LBV	Dove Grey	SLDG		
Cumberland Walnut	LCJ	Florence Walnut	SLFC		
Designer White Velvet	LDE	Friston Ash	SLFH		
Hartley Walnut	LHW	Frosty White	SLFW		
Nile Velvet	LNL	Graphite Nebula	SLGN		
Raleigh Walnut	LRW	Grey	SLGE		
Solano Walnut	LSG	High Rise	SLHE		
Spruce Velvet	LSC	Hollyberry	SLHY		
		Island	SLID		

Finish Cards

View color swatches for items listed within this document.

- Paints
Plastics/Poly
- Wood/Veneer
Laminates
- Molded Edges
Edge Styles
- Hard Plastics
Glass

Certain options referenced may not be available on GSA Schedule.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

				MODEL NUMBER															
				Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)										
MODEL				Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price			
 SEGSLS	Rectangle Tables-18"D • One-sided table • 2" thick panel construction • Laminate self edge • Fixed base at 29" high • One grommet/module available on 60", 72", 84" and 96" centered • 8" high stringer or full modesty panel • All top sizes are one-piece construction	Non-contrast Laminate	18 x 60"	SEGS1860L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		151.0#	\$ 2900		\$ 347	\$ 100	\$ 667			
		Non-contrast Laminate	18 x 72"	SEGS1872L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		173.0#	3177		449	100	667			
		Non-contrast Laminate	18 x 84"	SEGS1884L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		195.0#	3592		553	137	887			
		Non-contrast Laminate	18 x 96"	SEGS1896L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		217.0#	3730		587	137	887			
				A	B	C	D	E	F										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP

- Full modesty panel

ST

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN

- No grommets or power

MD1

- Module, Dean in-surface w/USB-A/C (1) ; add \$889

MA1

- Module, Nacre pop-up w/USB-A/C (1); add \$1149

MO1

- Module, Node in-surface w/USB-A/C (1) ; add \$849

GA1

- Grommet, Nacre (1); add \$749

GD1

- Grommet, Dean (1); add \$749

G01

- Grommet, Node (1); add \$699

E Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).

9

- 9' cord length

15

- 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram illustrating the components of the Rectangle Table-18"D:

- 1: Top panel
- 2: Leg
- 3: Stringer/modesty panel

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29” High (Standard Height)



Serenade™ Gathering Tables

29” High (Standard Height)

				MODEL NUMBER												
				Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)							
MODEL	Features	A x B									Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSL	Rectangle Tables-24”D	Non-contrast Laminate	24 x 60”	SEGS2460L/NC	☐	☐	☐	☐	☐		189.0#	\$ 3040		\$ 347	\$ 131	\$ 914
	• One-sided table	Non-contrast Laminate	24 x 72”	SEGS2472L/NC	☐	☐	☐	☐	☐		215.0#	3316		449	131	914
	• 2” thick panel construction	Non-contrast Laminate	24 x 84”	SEGS2484L/NC	☐	☐	☐	☐	☐		240.0#	3730		553	200	1313
	• Laminate self edge	Non-contrast Laminate	24 x 96”	SEGS2496L/NC	☐	☐	☐	☐	☐		267.0#	3869		587	200	1313
	• Fixed base at 29” high	Non-contrast Laminate	24 x 108”	SEGS24108L/NC	☐	☐	☐	☐	☐		309.0#	5388		691	231	1549
	• Middle inset leg on 108”, 120”, and 144” tables	Non-contrast Laminate	24 x 120”	SEGS24120L/NC	☐	☐	☐	☐	☐		335.0#	5527		691	263	1785
	• One grommet/module available on 60”, 72”, 84” and 96” centered	Non-contrast Laminate	24 x 144”	SEGS24144L/NC	☐	☐	☐	☐	☐		385.0#	5941		830	263	1785
	• Two grommets/modules available on 108”, 120” and 144”, one centered on each half															
	• 8” high stringer or full modesty panel															
	• All top sizes are one-piece construction															
				A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

CSelect laminate color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

ESelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9	- 9’ cord length
15	- 15’ cord length

MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099 || **MD2** | - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689 |
MO2	- Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2	- Grommets, Nacre (2); add \$1399
GD2	- Grommets, Dean (2); add \$1399
GO2	- Grommets, Node (2); add \$1249

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram illustrating the components of the 24 x 108 inch bench:

- 1: Bench top
- 2: Bench seat
- 3: Bench leg

24 x 108 shown

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full laminate panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

A/C (1) ; add \$889
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1 - Grommet, Nacre (1); add \$749
GD1 - Grommet, Dean (1); add \$749
G01 - Grommet, Node (1); add \$699
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2 - Grommets, Nacre (2); add \$1399
GD2 - Grommets, Dean (2); add \$1399
G02 - Grommets, Node (2); add \$1249

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)						
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEGSL	Rectangle Tables-30"D	Non-contrast Laminate	30 x 60"	SEGS3060L/NC	☐	☐	☐	☐	224.0#	\$ 3177	\$ 347	\$ 131	\$ 914	
	• Two-sided table	Non-contrast Laminate	30 x 72"	SEGS3072L/NC	☐	☐	☐	☐	254.0#	3453	449	131	914	
	• 2" thick panel construction	Non-contrast Laminate	30 x 84"	SEGS3084L/NC	☐	☐	☐	☐	283.0#	4007	553	231	1549	
	• Laminate self edge	Non-contrast Laminate	30 x 96"	SEGS3096L/NC	☐	☐	☐	☐	313.0#	4144	587	231	1549	
	• Fixed base at 29" high	Non-contrast Laminate	30 x 108"	SEGS30108L/NC	☐	☐	☐	☐	368.0#	5665	691	284	1911	
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	30 x 120"	SEGS30120L/NC	☐	☐	☐	☐	398.0#	5803	691	315	2147	
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	30 x 144"	SEGS30144L/NC	☐	☐	☐	☐	455.0#	6357	830	315	2147	
	• Two grommets/modules available on 108", 120" and 144", one centered on each half													
	• 8" high stringer or full modesty panel													
	• All top sizes are one-piece construction													
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

CSelect laminate color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

ESelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9	- 9' cord length
15	- 15' cord length

MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689

MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589

GA2 - Grommets, Nacre (2); add \$1399

GD2 - Grommets, Dean (2); add \$1399

GO2 - Grommets, Node (2); add \$1249

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram illustrating the components of the 30 x 108 inch bench:

- 1: Bench top
- 2: Bench end cap
- 3: Bench support leg

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

- D** Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

- F** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

- A/C (1) ; add \$889

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149

- M01 - Mod

A/C (1) ; add \$849

- | | |
|------------|---------------------------------|
| GA1 | - Grommet, Nacre (1); add \$749 |
|------------|---------------------------------|

- | | |
|------------|--------------------------------|
| GD1 | - Grommet, Dean (1); add \$749 |
|------------|--------------------------------|

- | | |
|------------|--------------------------------|
| G01 | - Grommet, Node (1); add \$699 |
| M02 | Modules, Neoregon up w/UCS |

- MAZ** - Modules, Nacre pop-up w/USB-A/C (2); add \$2099

- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689

- M02** - Modules, Node in-surface w/USB-A/C (2); add \$1589

- GA2** - Grommets, Nacre (2); add \$1399

- | | |
|------------|----------------------------------|
| GD2 | - Grommets, Dean (2); add \$1399 |
| G02 | - Grommets, Node (2); add \$1249 |

- G** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)					
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSLS	Rectangle Tables-36"D	Non-contrast Laminate	36 x 60"	SEGS3660L/NC	☐	☐	☐	☐	264.0#	\$ 4007	\$ 347	\$ 210	\$ 1444
	• Two-sided table	Non-contrast Laminate	36 x 72"	SEGS3672L/NC	☐	☐	☐	☐	297.0#	4421	449	210	1444
	• 2" thick panel construction	Non-contrast Laminate	36 x 84"	SEGS3684L/NC	☐	☐	☐	☐	331.0#	5112	553	252	1654
	• Laminate self edge	Non-contrast Laminate	36 x 96"	SEGS3696L/NC	☐	☐	☐	☐	365.0#	5250	587	252	1654
	• Fixed base at 29" high	Non-contrast Laminate	36 x 108"	SEGS36108L/NC	☐	☐	☐	☐	422.0#	7324	691	336	2279
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	36 x 120"	SEGS36120L/NC	☐	☐	☐	☐	456.0#	7461	691	368	2515
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	36 x 144"	SEGS36144L/NC	☐	☐	☐	☐	521.0#	8015	830	368	2515
	• Two grommets/modules available on 108", 120" and 144", one centered on each half												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

CSelect laminate color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NNN

MD1

MA1

MO1

GA1

GD1

G01

- No grommets or power

- Module, Dean in-surface w/USB-A/C (1) ; add \$889

- Module, Nacre pop-up w/USB-A/C (1); add \$1149

- Module, Node in-surface w/USB-A/C (1) ; add \$849

- Grommet, Nacre (1); add \$749

- Grommet, Dean (1); add \$749

- Grommet, Node (1); add \$699

MA2

- Modules, Nacre pop-up w/USB-A/C (2); add \$2099

MD2

- Modules, Dean in-surface w/USB-A/C (2) ; add \$1689

MO2

- Modules, Node in-surface w/USB-A/C (2); add \$1589

GA2

- Grommets, Nacre (2); add \$1399

GD2

- Grommets, Dean (2); add \$1399

G02

- Grommets, Node (2); add \$1249

ESelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9

15

- 9' cord length

- 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)						
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSL	Rectangle Tables-42"D	Non-contrast Laminate	42 x 60"	SEGS4260L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	302.0#	\$ 4283	\$ 347	\$ 210	\$ 1444
	• Two-sided table	Non-contrast Laminate	42 x 72"	SEGS4272L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	339.0#	4698	449	210	1444
	• 2" thick panel construction	Non-contrast Laminate	42 x 84"	SEGS4284L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	376.0#	5527	553	252	1654
	• Laminate self edge	Non-contrast Laminate	42 x 96"	SEGS4296L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	414.0#	5665	587	252	1654
	• Fixed base at 29" high	Non-contrast Laminate	42 x 108"	SEGS42108L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	475.0#	7737	691	336	2252
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	42 x 120"	SEGS42120L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	512.0#	8015	691	368	2515
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	42 x 144"	SEGS42144L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	585.0#	8567	830	368	2515
	• Two grommets/modules available on 108", 120" and 144", one centered on each half													
	• 8" high stringer or full modesty panel													
	• All top sizes are one-piece construction													
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect modesty panel.

MP- Full modesty panel
ST- Stringer/half modesty panel
See pricing column for full modesty panel upcharge.

CSelect laminate color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NNN- No grommets or power
MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1- Grommet, Nacre (1); add \$749
GD1- Grommet, Dean (1); add \$749
GO1- Grommet, Node (1); add \$699

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$1689
MO2- Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2- Grommets, Nacre (2); add \$1399
GD2- Grommets, Dean (2); add \$1399
GO2- Grommets, Node (2); add \$1249

ESelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9- 9' cord length
15- 15' cord length


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

A/C (1) ; add \$889
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1 - Grommet, Nacre (1); add \$749
GD1 - Grommet, Dean (1); add \$749
G01 - Grommet, Node (1); add \$699
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2 - Grommets, Nacre (2); add \$1399
GD2 - Grommets, Dean (2); add \$1399
G02 - Grommets, Node (2); add \$1249

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)					
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSL	Rectangle Tables-48"D	Non-contrast Laminate	48 x 60"	SEGS4860L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	339.0#	\$ 4421	\$ 347	\$ 210	\$ 1444
	• Two-sided table	Non-contrast Laminate	48 x 72"	SEGS4872L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	380.0#	4836	449	210	1444
	• 2" thick panel construction	Non-contrast Laminate	48 x 84"	SEGS4884L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	421.0#	5803	553	252	1654
	• Laminate self edge	Non-contrast Laminate	48 x 96"	SEGS4896L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	463.0#	5941	587	252	1654
	• Fixed base at 29" high	Non-contrast Laminate	48 x 108"	SEGS48108L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	528.0#	7876	691	336	2252
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	48 x 120"	SEGS48120L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	569.0#	8015	691	368	2515
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	48 x 144"	SEGS48144L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	650.0#	8705	830	368	2515
	• Two grommets/modules available on 108", 120" and 144", one centered on each half												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C**Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D**Select power option.
- | | |
|------------|---|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$889 |
| MA1 | - Module, Nacre pop-up w/USB-A/C (1); add \$1149 |
| MO1 | - Module, Node in-surface w/USB-A/C (1) ; add \$849 |
| GA1 | - Grommet, Nacre (1); add \$749 |
| GD1 | - Grommet, Dean (1); add \$749 |
| GO1 | - Grommet, Node (1); add \$699 |

- | | |
|------------|---|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$2099 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$1589 |
| GA2 | - Grommets, Nacre (2); add \$1399 |
| GD2 | - Grommets, Dean (2); add \$1399 |
| GO2 | - Grommets, Node (2); add \$1249 |

- E**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram of a rectangular table with dimensions 48 x 108 shown.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

- C** Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

- D** Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

- E** Select stringer/modesty panel laminate color 3.

Refer to the **Product Color Options** page in this price list.

- F** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

- | |
|---|
| A/C (1); add \$889 |
| MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149 |
| MO1 - Module, Node in-surface w/USB-A/C (1); add \$849 |
| GA1 - Grommet, Nacre (1); add \$749 |
| GD1 - Grommet, Dean (1); add \$749 |
| G01 - Grommet, Node (1); add \$699 |
| MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099 |
| MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$1689 |
| MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589 |
| GA2 - Grommets, Nacre (2); add \$1399 |
| GD2 - Grommets, Dean (2); add \$1399 |
| G02 - Grommets, Node (2); add \$1249 |

- G** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



SEGLH

Rectangle Tables-18" D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- One grommet/module available on 60", 72", 84" and 96" centered
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.
Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

F Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

H Select footrest finish
Refer to the **Product Color Options** page in this price list.

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables

42" High (Cafe Height)



Serenade™ Gathering Tables

42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

AVC (1)	; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1); add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

9	- 9' cord length
15	- 15' cord length

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.



SEGLH

Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1); add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699


H Select footrest finish
Refer to the **Product Color Options** page in this

price list.

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



30 x 60 shown

SEGH

Rectangle Tables-30"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.
Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

E Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

G Select footrest option
FTR - Footrest
NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish
Refer to the **Product Color Options** page in this


price list.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.

Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB

A/C (1); add \$889
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1 - Module, Node in-surface w/USB-A/C (1); add \$849
GA1 - Grommet, Nacre (1); add \$749
GD1 - Grommet, Dean (1); add \$749
G01 - Grommet, Node (1); add \$699
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$1689
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2 - Grommets, Nacre (2); add \$1399
GD2 - Grommets, Dean (2); add \$1399
G02 - Grommets, Node (2); add \$1249

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

1 Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

J Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A perspective line drawing of a rectangular table. The table has a simple, clean design with a flat top and straight legs. A dashed line indicates an inset leg on the side, with a label '36 x 60 shown' pointing to it.

36 x 60 shown

SEGH

Rectangle Tables-36"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.
Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

E Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

G Select footrest option
FTR - Footrest
NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish
Refer to the **Product Color Options** page in this

price list.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



Rectangle Tables-42"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP - Full modesty panel

ST - Stringer/half modesty panel

See pricing column for full modesty pane upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN - No grommets or power

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$889

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149

M01 - Module, Node in-surface w/USB-A/C (1) ; add \$849

GA1 - Grommet, Nacre (1); add \$749

GD1	- Grommet, Dean (1); add \$749
G01	- Grommet, Node (1); add \$699

MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689

M02 - Modules, Node in-surface w/USB-A/C (2); add \$1589

GA2	- Grommets, Nacre (2); add \$1399
GD2	- Grommets, Dean (2); add \$1399

G02 - Grommets, Node (2); add \$1249

E Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).

9 - 9' cord length

15 - 15' cord length

G Select footrest option

FTR - Footrest

NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish

Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

- E** Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

- F** Select power option.
- | | |
|------------|----------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB- |

- A/C (1); add \$889
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1 - Module, Node in-surface w/USB-A/C (1); add \$849
GA1 - Grommet, Nacre (1); add \$749
GD1 - Grommet, Dean (1); add \$749
GO1 - Grommet, Node (1); add \$699
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$1689
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2 - Grommets, Nacre (2); add \$1399
GD2 - Grommets, Dean (2); add \$1399
GO2 - Grommets, Node (2); add \$1249

- Ⓔ Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

- 1** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- J** Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

- C** Select laminate color.

Refer to the **Product Color Options** page in this price list.

- D** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$889
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1); add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
GO1	- Grommet, Node (1); add \$699

- | | |
|------------|---|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$2099 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$1689 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$1589 |
| GA2 | - Grommets, Nacre (2); add \$1399 |
| GD2 | - Grommets, Dean (2); add \$1399 |
| GO2 | - Grommets, Node (2); add \$1249 |

- E** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- F** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

- G** Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

- H** Select footrest finish

Refer to the **Product Color Options** page in this

price list.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upgrade.
- C** Select top laminate color 1.
- Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
- Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
- Refer to the **Product Color Options** page in this price list.
- F** Select power option.
- | | |
|------------|---------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB |

A/C (1); add \$889	
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$1149
MO1	- Module, Node in-surface w/USB-A/C (1); add \$849
GA1	- Grommet, Nacre (1); add \$749
GD1	- Grommet, Dean (1); add \$749
G01	- Grommet, Node (1); add \$699
MA2	- Modules, Nacre pop-up w/USB-A/C (2); add \$2099
MD2	- Modules, Dean in-surface w/USB-A/C (2); add \$1689
MO2	- Modules, Node in-surface w/USB-A/C (2); add \$1589
GA2	- Grommets, Nacre (2); add \$1399
GD2	- Grommets, Dean (2); add \$1399
G02	- Grommets, Node (2); add \$1249

- G** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

- 1 Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.
- 2 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

				MODEL NUMBER															
MODEL		Features	A x B	Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color			Approx. Packaged Weight	Delivered Pricing			Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
 SEPGS	Rectangle Tables-24"D			SEPG2472S/NC	□□	□□□	□□	□□□		215.0#	\$ 3526		\$ 449	\$ 131	\$ 914				
	• One-sided table			SEPG2496S/NC	□□	□□□	□□	□□□		267.0#	4079		587	200	1313				
	• 2" thick panel construction			SEPG24120S/NC	□□	□□□	□□	□□□		335.0#	5737		691	263	1785				
	• Laminate self edge			SEPG24144S/NC	□□	□□□	□□	□□□		385.0#	6151		830	263	1785				
	• Fixed base at 29" high																		
	• Middle inset leg on 120" and 144" tables																		
	• One module available on 72" and 96" centered																		
	• Two modules available on 120" and 144"; one centered on each half																		
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included																		
	• Infeed kits and table-to-table jumpers ordered separately																		
	• 8" high stringer or full modesty panel																		
	• All top sizes are one-piece construction																		
				A	B	C	D	E											

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP - Full modesty panel

ST - Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

PMD1 - Pattern module, Dean in-surface

(1); add \$1079

PMA1 - Pattern module, Nacre pop-up (1)

; add \$1441

PM01 - Pattern module, Node in-surface

(1); add \$1009

PMD2 - Pattern modules, Dean in-surface

(2) ; add \$2129

PMA2 - Pattern modules, Nacre pop-up

PM02 - Pattern modules, Node in-surface
(2) ; add \$1999

E Select module color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
-------------	-----------------------------------

(1) : add \$1079

PMA1	- Pattern module, Nacre pop-up (1)
(1) ; add \$1441	
PMO1	- Pattern module, Node in-surface
(1) ; add \$1009	
PMO2	- Pattern modules, Dean in-surface
(2) ; add \$2129	
PMA2	- Pattern modules, Nacre pop-up
(2) ; add \$2799	
PMO2	- Pattern modules, Node in-surface
(2) ; add \$1999	

G Select module color.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$1079

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color						
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-30"D	Non-contrast Laminate	30 x 72"	SEPG3072S/NC	☐	☐	☐	☐	254.0#	\$ 3663	\$ 449	\$ 131	\$ 914
	• Two-sided table	Non-contrast Laminate	30 x 96"	SEPG3096S/NC	☐	☐	☐	☐	313.0#	4354	587	231	1549
	• 2" thick panel construction	Non-contrast Laminate	30 x 120"	SEPG30120S/NC	☐	☐	☐	☐	398.0#	6013	691	315	2147
	• Laminate self edge	Non-contrast Laminate	30 x 144"	SEPG30144S/NC	☐	☐	☐	☐	455.0#	6567	830	315	2147
	• Fixed base at 29" high												
	• Middle inset leg on 120" and 144" tables												
	• One module available on 72" and 96" centered												
	• Two modules available on 120" and 144"; one centered on each half												
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included												
	• Infeed kits and table-to-table jumpers ordered separately												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMD1

PMD2

PMA2

PM02 - Pattern modules, Node in-surface (2) ; add \$1999

ESelect module color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/Modesty Panel Lam. Color 3	Power Option	Module Color					
Features	A x B									Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Contrast Laminate	30 x 72"	SEPG3072S/CL	□□	□□□	□□□	□□□	□□	□□□	254.0#	\$ 3663	\$ 449	\$ 27	\$ 178
	Contrast Laminate	30 x 96"	SEPGS3096S/CL	□□	□□□	□□□	□□□	□□	□□□	313.0#	4354	587	53	368
	Contrast Laminate	30 x 120"	SEPG30120S/CL	□□	□□□	□□□	□□□	□□	□□□	398.0#	6013	691	53	368
	Contrast Laminate	30 x 144"	SEPG30144S/CL	□□	□□□	□□□	□□□	□□	□□□	455.0#	6567	830	53	368
SEPGS														
Rectangle Tables-30"D														
• Two-sided table														
• 2" thick panel construction														
• Laminate self edge														
• Middle inset leg on 120" and 144" tables														
• One module available on 72" and 96" centered														
• Two modules available on 120" and 144"; one centered on each half														
• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included														
• Infeed kits and table-to-table jumpers ordered separately														
• 8" high stringer or full modesty panel														
• Up to 3 contrasting laminates available: top, legs, stringer/modesty														
• All top sizes are one-piece construction														
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$1079
PMD2	- Pattern modules, Dean in-surface
(2)	; add \$2129
PMA2	- Pattern modules, Nacre pop-up
(2)	; add \$2799
PMD2	- Pattern modules, Node in-surface
(2)	; add \$1999

G Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color						
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-36"D	Non-contrast Laminate	36 x 72"	SEPG3672S/NC	☐	☐	☐	☐	297.0#	\$ 4631	\$ 449	\$ 210	\$ 1444
	• Two-sided table	Non-contrast Laminate	36 x 96"	SEPG3696S/NC	☐	☐	☐	☐	365.0#	5460	587	252	1654
	• 2" thick panel construction	Non-contrast Laminate	36 x 120"	SEPG36120S/NC	☐	☐	☐	☐	456.0#	7671	691	368	2515
	• Laminate self edge	Non-contrast Laminate	36 x 144"	SEPG36144S/NC	☐	☐	☐	☐	521.0#	8225	830	368	2515
	• Fixed base at 29" high												
	• Middle inset leg on 120" and 144" tables												
	• One module available on 72" and 96" centered												
	• Two modules available on 120" and 144"; one centered on each half												
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included												
	• Infeed kits and table-to-table jumpers ordered separately												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$1079

- Pattern module, Nacre pop-up (1) ; add \$1441

- Pattern module, Node in-surface (1) ; add \$1009

- Pattern modules, Dean in-surface (2) ; add \$2129

- Pattern modules, Nacre pop-up (2) ; add \$2799

- PMO2** - Pattern modules, Node in-surface (2) ; add \$1999
- E**Select module color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



SEPGS

Rectangle Tables-36"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$1079

PMA1	- Pattern module, Nacre pop-up (1)
(1) ; add \$1441	
PMO1	- Pattern module, Node in-surface
(1) ; add \$1009	
PMO2	- Pattern modules, Dean in-surface
(2) ; add \$2129	
PMA2	- Pattern modules, Nacre pop-up
(2) ; add \$2799	
PMO2	- Pattern modules, Node in-surface
(2) ; add \$1999	

G Select module color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, 100 Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

				MODEL NUMBER														
				Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color										
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
 SEPGS	Rectangle Tables-42"D	Non-contrast Laminate	42 x 72"	SEPG4272S/NC	☐	☐	☐	☐	339.0#	\$ 4908		\$ 449	\$ 210	\$ 1444				
	• Two-sided table	Non-contrast Laminate	42 x 96"	SEPG4296S/NC	☐	☐	☐	☐	414.0#	5875		587	252	1654				
	• 2" thick panel construction	Non-contrast Laminate	42 x 120"	SEPG42120S/NC	☐	☐	☐	☐	512.0#	8225		691	368	2515				
	• Laminate self edge	Non-contrast Laminate	42 x 144"	SEPG42144S/NC	☐	☐	☐	☐	585.0#	8777		830	368	2515				
	• Fixed base at 29" high																	
	• Middle inset leg on 120" and 144" tables																	
	• One module available on 72" and 96" centered																	
	• Two modules available on 120" and 144"; one centered on each half																	
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included																	
	• Infeed kits and table-to-table jumpers ordered separately																	
	• 8" high stringer or full modesty panel																	
	• All top sizes are one-piece construction																	
				A	B	C	D	E										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$1079

- Pattern module, Nacre pop-up (1) ; add \$1441

- Pattern module, Node in-surface (1) ; add \$1009

- Pattern modules, Dean in-surface (2) ; add \$2129

- Pattern modules, Nacre pop-up (2) ; add \$2799

PMO2 - Pattern modules, Node in-surface (2) ; add \$1999

ESelect module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C


Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
29" High (Standard Height)

			MODEL NUMBER												
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/ Modesty Panel Lam. Color 3	Power Option	Module Color						
Features	A x B									Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	Contrast Laminate	42 x 72"	SEPG4272S/CL	□□	□□□	□□□	□□□	□□	□□□	339.0#	\$ 4908	\$ 449	\$ 53	\$ 368	
	Contrast Laminate	42 x 96"	SEPG4296S/CL	□□	□□□	□□□	□□□	□□	□□□	414.0#	5875	587	74	473	
	Contrast Laminate	42 x 120"	SEPG42120S/CL	□□	□□□	□□□	□□□	□□	□□□	512.0#	8225	691	105	735	
	Contrast Laminate	42 x 144"	SEPG42144S/CL	□□	□□□	□□□	□□□	□□	□□□	585.0#	8777	830	105	735	
SEPGS															
Rectangle Tables-42"D															
• Two-sided table • 2" thick panel construction • Laminate self edge • Fixed base at 29" high • Middle inset leg on 120" and 144" tables • One module available on 72" and 96" centered • Two modules available on 120" and 144"; one centered on each half • All electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • 8" high stringer or full modesty panel • Up to 3 contrasting laminates available: top, legs, stringer/modesty • All top sizes are one-piece construction															
			A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$1079

PM01	- Pattern module, Node in-surface
(1)	; add \$1009
PMD2	- Pattern modules, Dean in-surface
(2)	; add \$2129
PMA2	- Pattern modules, Nacre pop-up
(2)	; add \$2799
PMO2	- Pattern modules, Node in-surface
(2)	; add \$1999

G Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER									
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color					
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-48"D	Non-contrast Laminate	48 x 72"	SEPG4872S/NC	☐	☐	☐	380.0#	\$ 5046	\$ 449	\$ 210	\$ 1444
	• Two-sided table	Non-contrast Laminate	48 x 96"	SEPG4896S/NC	☐	☐	☐	463.0#	6151	587	252	1654
	• 2" thick panel construction	Non-contrast Laminate	48 x 120"	SEPG48120S/NC	☐	☐	☐	569.0#	8225	691	368	2515
	• Laminate self edge	Non-contrast Laminate	48 x 144"	SEPG48144S/NC	☐	☐	☐	650.0#	8915	830	368	2515
	• Fixed base at 29" high											
	• Middle inset leg on 120" and 144" tables											
	• One module available on 72" and 96" centered											
	• Two modules available on 120" and 144"; one centered on each half											
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included											
	• Infeed kits and table-to-table jumpers ordered separately											
	• 8" high stringer or full modesty panel											
	• All top sizes are one-piece construction											
			A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$1079

- Pattern module, Nacre pop-up (1) ; add \$1441

- Pattern module, Node in-surface (1) ; add \$1009

- Pattern modules, Dean in-surface (2) ; add \$2129

- Pattern modules, Nacre pop-up (2) ; add \$2799

- PMO2** - Pattern modules, Node in-surface (2) ; add \$1999
- E**Select module color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C


Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
29" High (Standard Height)

			MODEL NUMBER												
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/ Modesty Panel Lam. Color 3	Power Option	Module Color						
Features	A x B									Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	Contrast Laminate	48 x 72"	SEPG4872S/CL	□□	□□□	□□□	□□□	□□	□□□	380.0#	\$ 5046	\$ 449	\$ 53	\$ 368	
	Contrast Laminate	48 x 96"	SEPG4896S/CL	□□	□□□	□□□	□□□	□□	□□□	463.0#	6151	587	74	473	
	Contrast Laminate	48 x 120"	SEPG48120S/CL	□□	□□□	□□□	□□□	□□	□□□	569.0#	8225	691	105	735	
	Contrast Laminate	48 x 144"	SEPG48144S/CL	□□	□□□	□□□	□□□	□□	□□□	650.0#	8915	830	105	735	
SEP GS Rectangle Tables-48"D • Two-sided table • 2" thick panel construction • Laminate self edge • Fixed base at 29" high • Middle inset leg on 120" and 144" tables • One module available on 72" and 96" centered • Two modules available on 120" and 144"; one centered on each half • All electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • 8" high stringer or full modesty panel • Up to 3 contrasting laminates available: top, legs, stringer/modesty • All top sizes are one-piece construction															
			A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upgrade.

B Select modesty panel.

PMD1	- Pattern module, Dean in-surface (1) ; add \$1009
PMD2	- Pattern modules, Dean in-surface (2) ; add \$2129
PMA2	- Pattern modules, Nacre pop-up (2) ; add \$2799
PMO2	- Pattern modules, Node in-surface (2) ; add \$1999

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface (1) ; add \$1079
-------------	--

G Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



SEPGH
Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select laminate color.

Refer to the **Product Color Options** page in this price list.

- D** Select power option.

PMD1 - Pattern module, Dean in-surface
(1) ; add \$1079

PMA1 - Pattern module, Nacre pop-up (1)
; add \$1441

PM01 - Pattern module, Node in-surface
(1) ; add \$1009

PMD2 - Pattern modules, Dean in-surface
(2) ; add \$2129

PMA2 - Pattern modules, Nacre pop-up
(2) ; add \$2799

PM02 - Pattern modules, Node in-surface
(2) ; add \$1999

- E** Select module color.

Refer to the **Product Color Options** page in this price list.

- F** Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

- G** Select footrest finish

Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$1079

- | | |
|-------------|--|
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$1441 |
| PMO1 | - Pattern module, Node in-surface
(1) ; add \$1009 |
| PMO2 | - Pattern modules, Dean in-surface
(2) ; add \$2129 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$2799 |
| PMO2 | - Pattern modules, Node in-surface
(2) ; add \$1999 |

G Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

1 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|--|
| PMD1 | - Pattern module, Dean in-surface
(1) ; add \$1079 |
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$1441 |
| PMD1 | - Pattern module, Node in-surface
(1) ; add \$1009 |
| PMD2 | - Pattern modules, Dean in-surface
(2) ; add \$2129 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$2799 |

- PM02** - Pattern modules, Node in-surface
(2) ; add \$1999
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- G** Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$1079

PM01	- Pattern module, Node in-surface
(1)	; add \$1009

PMD2	- Pattern modules, Dean in-surface
(2)	; add \$2129

PM02	- Pattern modules, Nacre pop-up
(2)	; add \$2799

PMD2	- Pattern modules, Node in-surface
(2)	; add \$1999

G Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

I Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, 1 OD Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|--|
| PMD1 | - Pattern module, Dean in-surface
(1) ; add \$1079 |
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$1441 |
| PMD1 | - Pattern module, Node in-surface
(1) ; add \$1009 |
| PMD2 | - Pattern modules, Dean in-surface
(2) ; add \$2129 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$2799 |

- PM02** - Pattern modules, Node in-surface
(2) ; add \$1999
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- G** Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A diagram of a three-door cabinet. The top surface is labeled '1' with an arrow pointing to it. The left door is labeled '2'. The middle door is labeled '3'. The right door is unlabeled.

Rectangle Tables-36"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$1079

PMA1	- Pattern module, Nacre pop-up (1) (1) ; add \$1441
PM01	- Pattern module, Node in-surface (1) ; add \$1009
PM02	- Pattern modules, Dean in-surface (2) ; add \$2129
PMA2	- Pattern modules, Nacre pop-up (2) ; add \$2799
PM02	- Pattern modules, Node in-surface (2) ; add \$1999

G Select module color.
Refer to the **Product Color Options** page in this price list.

H	Select footrest option
FTR	- Footrest
NFT	- No footrest
See pricing column for footrest upcharge.	

1 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A line drawing of a rectangular desk. On the right side, there is a vertical panel with a lock mechanism. A horizontal line with a dot at the end is shown below the desk, indicating a cable or wire connected to the lock.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

PMD1	- Pattern module, Dean in-surface
(1) ; add	\$1079
PMA1	- Pattern module, Nacre pop-up (1)
; add	\$1441
PMD1	- Pattern module, Node in-surface
(1) ; add	\$1009
PMD2	- Pattern modules, Dean in-surface
(2) ; add	\$2129
PMA2	- Pattern modules, Nacre pop-up
(2) ; add	\$2799

PM02 - Pattern modules, Node in-surface
(2) ; add \$1999

E Select module color.
Refer to the **Product Color Options** page in this price list.

F Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

G Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.



A perspective diagram of a three-door cabinet. The top surface is labeled with the number '1' and a small rectangular handle. The left door is labeled with the number '2'. The central door is labeled with the number '3'. The right door is unlabeled. The cabinet is shown from a three-quarter view, highlighting its depth and the arrangement of the doors.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

- F** Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$1079

- | | |
|-------------|---|
| PMA1 | - Pattern module, Nacre pop-up (1)
(1); add \$1441 |
| PM01 | - Pattern module, Node in-surface
(1); add \$1009 |
| PM02 | - Pattern modules, Dean in-surface
(2); add \$2129 |
| PMA2 | - Pattern modules, Nacre pop-up
(2); add \$2799 |
| PM02 | - Pattern modules, Node in-surface
(2); add \$1999 |

- G** Select module color.
Refer to the **Product Color Options** page in this price list.
- H** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- 1** Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A line drawing of a rectangular desk. On the right side, there is a vertical panel with a lock mechanism. A horizontal line with a dot at the end is shown below the desk, indicating a cable or wire connected to the lock.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumper ordered separately
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

D Select power option.

PMD1 - Pattern module, Dean in-surface
(1); add \$1079

PMA1 - Pattern module, Nacre pop-up (1)
; add \$1441

PMO1 - Pattern module, Node in-surface
(1); add \$1009

PMD2 - Pattern modules, Dean in-surface
(2); add \$2129

PMA2 - Pattern modules, Nacre pop-up
(2); add \$2799

G Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$1079

PM01	- Pattern module, Node in-surface
(1)	; add \$1009
PMD2	- Pattern modules, Dean in-surface
(2)	; add \$2129
PM02	- Pattern modules, Nacre pop-up
(2)	; add \$2799
PM02	- Pattern modules, Node in-surface
(2)	; add \$1999

G Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

I Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, 100 Green Bay, WI 54302, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	Basic Model			
 SRA01	MODEL			
	Bag Hook • 1.75"W x 2.75"L • Includes 2 attachment screws • Chrome finish • Installs on underside of worksurface in front of user • 1/4" solid wire design holds up to 22 lbs • Recommend one hook per seat position	46.6029	0.00#	\$ 22
		A		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
			Basic Model	Approx. Packaged Weight	Delivered Pricing
MODEL	Features				
AC431	Pattern Infeed		IFPAT	0.00#	\$ 322
	• 108” cord plugs into standard 15 amp outlet				
	• Kit includes Pattern infeed, grey power distribution block, 12” Pattern jumper and white power distribution block				
	• Can be installed anywhere in the run (middle or end)				
	• Jumper length cannot exceed 600” or 50’ per infeed				
	• 90 degree angled plug; plug dimensions 2”x1-1/2”x1-7/8”				
	• Includes one Pattern quick release tool				
	• Does not include vertical wire management				
	• ETL listed				
AC432	Pattern Jumper	101”	JPPAT.101	1.00#	\$ 147
	• Each jumper kit includes jumper and grey power distribution block	53”	JPPAT.53	1.00#	115
	• Review product Planning Guide for table-to-table jumper length guidance.	75”	JPPAT.75	1.00#	121
	Pattern Quick Release Tool		BE04878.BL	0.00#	\$ 3
	• Snaps onto Pattern plugs to make disconnecting Pattern connections easier				
	• Can be moved to multiple connections				
	• Stores snapped onto one connection for easy access				
AC433					

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.