



SIFT[®] SEATING

PRICE LIST

EFFECTIVE FEBRUARY 25, 2026
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Sift®		
General Information		4
Technical Specifications		5
Product Color Options		6
Task and Guest Chairs		7



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems	Impress UltraOM
Evoke..... MN	All Terrain..... KP	Intellect WaveGB
Genius..... MN	Balance MN	JessaHN
	Universal MN	JubileeVQ
Casegoods	Wireworks MN	Katera..... GB
Aristotle.....MN	Unite..... MN	Kurv Benches.....HN
Likha.....MN		Learn2.....GB
	Residence Hall Furniture	LimeLite.....GB
	RoomScape MN	LyraHN
Classroom Furniture		Medical & Laboratory Stools.....OM
Cogni GB	Screens	MyPlaceHN
Intellect Wave GB	All Terrain..... KP	MyWayHN
Learn2.....GB	Connection Zone.....BW	OathGB
Ruckus..... GB	Tributaire.....BW	Opt4GB
	True/Volition KP	PilotOM
Desking	Genesis..... KP	Promenade.....BW
700 Series KP	Tattoo..... MN	Ruckus.....GB
Balance MN	Universal.....BW	SelaHN
Genesis MN		SiftGB
True KP	Seating	Signia.....OM
Universal MN	600 Series.....BW	Soltice MetalHN
WorkZone MN	Affina HN	Soltice.....HN
	Altus GB	SonrisaHN
Files & Storage	Apply GB	Strive.....GB
700 Series..... GB	Calida HN	SwayBW
ConnectionBW	Cascha VT	Tattoo.....HN
U-Series GB	Civara VT	Torsion-on-the-Gol GB
Tattoo.....BW	Clamber HN	Torsion AirGB
	Cogni GB	ZekerHN
Fixed Seating	Diem OM	ZentoriVT
Concerto.....BW	Doni GB	ZoetryHN
Single Pedestal GB	GladlyVQ	
Jury Base GB	Grazie GB	
LancasterBW	HubHN	
Sequence GB	Impress OM	
University GB		

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>VT</u> KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081



Armless Task Chair
(SIFTNA)



4D Adjustable T-Arm
Task Chair
(SIFTAA)



Armless Task Stool
(SIFTNA)



4D Adjustable T-Arm
Task Stool
(SIFTAA)



Cantilever Arm Guest Chair
(SIFTGCA)

Features				
Synchrotilt	•	•	•	•
Seat slide	•	•	•	•
Back lock	•	•	•	•
Mesh seat and back	•	•	•	•
Upholstered Seat	•	•	•	•
Adjustable lumbar	•	•	•	•
4D adjustable T-arm		•	•	
Fixed cantilever arm				•
Black nylon or brushed aluminum base	•	•	•	•
300 lb. tested	•	•	•	•
General Dimensions				
Seat width	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"
Back width	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"	18-1/2" - 19-1/2"	19"
Arm height (from floor)				26-1/8"
Overall Dimensions				
Width	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"

STATEMENT OF LINE - task chairs and task stools available with mesh seat and mesh back or with upholstered seat and mesh back - with adjustable T-arm or armless (Sift guest chair also available)

Sift Task Chairs



Mesh Seat
Armless Chair
SIFTNA



Mesh Seat
Armchair
SIFTAA



Upholstered Seat
Armless Chair
SIFUNA



Upholstered Seat
Armchair
SIFUAA

Sift Task Stools



Mesh Seat
Armless Stool
SIFTSNA



Mesh Seat
Armstool
SIFTSAA



Upholstered Seat
Armless Stool
SIFTSUNA



Upholstered Seat
Armstool
SIFTSUAA

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Backrest and Mesh Seat

Reinforced nylon frame with mesh material. **SoSoft** mesh material is 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3" range.

Optional Upholstered Seat

Nylon seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Mechanism

Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat - seat height adjusts from 18½" to 23". Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide mechanism controls seat-depth adjustment in five positions through a distance of 1.5" and is side-mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on the seat and 16 degrees on the back.

Arms

Adjustable T-arms have black urethane arm caps. Arm caps move forward/backward in five positions through 1.5". Arm cap width adjusts in five positions through 1". Arm support width can be set between 18.5" and 19.5" at assembly. Arm rest height adjusts in eleven positions through 2.75". Arm caps rotate in three positions (+/- 20 degrees).

Base

Standard 26" diameter, five-blade, reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

Casters

Double 65 mm diameter black wheels are molded of reinforced plastic. Hard floor or carpet casters are available.


Weight Capacity

Passes BIFMA x5.1-2011 and KI's internal standard testing for 300-pound capacity.


Task Stool

In addition to the standard-height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from 25⅛" to 35⅜". Task stools receive a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, diecast aluminum hub and spokes. Stools are available with black or polished aluminum base. Spring-loaded seat slide mechanism controls seat-depth adjustment in 4 positions through a distance of 1.25" and is side-mounted for easy use.

Sift Task Chair - Armchair - (model SIFUAA shown)




(front view)




(side view)

Sift Task Stool - Armstool - (model SIFTSUAA shown)



(front view)



(side view)



Base Color

- Aluminum baseA
- Black plastic baseP

Aluminum base requires an upcharge.

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER															
		Basic Model	Base	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 Mesh Seat SIFT SIFTU	Task Armless Chair • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTNA	☐	☐		43.00#	\$ 1006									
		Upholstered Seat	SIFTUNA	☐	☐	□□□□□	43.00#	N/A	904	921	929	929	968	1022	1056	1087	1119
 Uph. Seat SIFT SIFTU	Task 4D Adjustable T-Arm Chair • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTAA	☐	☐		49.00#	\$ 1199									
		Upholstered Seat	SIFTUAA	☐	☐	□□□□□	49.00#	N/A	1100	1116	1124	1124	1163	1220	1250	1281	1319
			A	B	C	D											

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select base option.
- | | |
|----------|----------------------------|
| P | - Black plastic base |
| A | - Aluminum base; add \$126 |
- C**Select casters.
- | | |
|----------|--------------------------------|
| C | - Carpet casters |
| S | - Hard floor casters; add \$71 |
- D**Select upholstery grade/color.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
		Basic Model	Base	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 SIFTS SIFSU	Task Armless Stool • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTSNA	☐	☐		43.00# \$ 1161									
		Upholstered Seat	SIFTSUNA	☐	☐	□□□□□	43.00# N/A	1060	1078	1087	1087	1126	1182	1213	1245	1279
 SIFTS SIFSU	Task 4D Adjustable T-Arm Stool • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTSAA	☐	☐		49.00# \$ 1360									
		Upholstered Seat	SIFTSUAA	☐	☐	□□□□□	49.00# N/A	1259	1274	1281	1281	1322	1377	1410	1440	1476
			A	B	C	D										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select base option.
- | | |
|----------|----------------------------|
| P | - Black plastic base |
| A | - Aluminum base; add \$126 |
- C**Select casters.
- | | |
|----------|--------------------------------|
| C | - Carpet casters |
| S | - Hard floor casters; add \$71 |
- D**Select upholstery grade/color.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER															
MODEL	Features	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4			
 SIFTG SIFGU	Guest Cantilever Armchair • “Suffo” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTGCA		38.00# \$ 790												
		Upholstered Seat	SIFTUCA	□□□□□	38.00# N/A		735	753	760	760	801	856	888	920	952		
			A	B													

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery
C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.