



UNITE[®] SYSTEM

PRICE LIST

EFFECTIVE MARCH 31, 2026
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit [ki.com](https://www.ki.com).



Contents

Refer to KI Terms & Conditions document or visit [ki.com](https://www.ki.com).

Ordering Customer's Own Material (C.O.M.) Upholstery	
Information	3
Unite® System	
Technical Specifications	5
Product Color Options	11
Preconfigured Monolithic Fabric Panel	
Standard Base Raceway	13
Elevated Base	15
Tile-to-Floor One Side; Standard Base Raceway One Side	17
Preconfigured Monolithic Fabric Panel (Beltway Power)	
Standard Base Raceway	19
Elevated Base	21
Tile-to-Floor One Side; Standard Base Raceway One Side	23
Preconfigured Monolithic Steel Panels	
Standard Base Raceway	25
Elevated Base	26
Tile-to-Floor One Side; Standard Base Raceway One Side	27
Preconfigured Monolithic Steel Panels (Beltway Power)	
Standard Base Raceway	28
Elevated Base	29
Tile-to-Floor One Side; Standard Base Raceway One Side	30
Preconfigured Monolithic Open Panels	
Standard Base Raceway	31
Elevated Base	32
Preconfigured Segmented Fabric Panel	
Standard Base Raceway	33
Elevated Base	35
Tile-to-Floor One Side; Standard Base Raceway One Side	37
Preconfigured Segmented Fabric Panel w/Beltway Power	
Standard Base Raceway	39
Elevated Base	41
Tile-to-Floor One Side; Standard Base Raceway One Side	43
Preconfigured Segmented Steel Panels w/Fabric Top Tiles	
Standard Base Raceway	45
Elevated Base	47
Tile-to-Floor One Side; Standard Base Raceway One Side	49
Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power	
Standard Base Raceway	51
Elevated Base	53
Tile-to-Floor One Side; Standard Base Raceway One Side	55
Preconfigured Segmented Open Panels w/Fabric Top Tiles	
Standard Base Raceway	57
Elevated Base	59
Preconfigured Segmented Fabric Panel w/Glass Top	
Standard Base Raceway	61
Elevated Base	63
Tile-to-Floor One Side; Standard Base Raceway One Side	65
Preconfigured Segmented Fabric Panel w/Markerboard on One Side	
Standard Base Raceway	67
Elevated Base	68
Tile-to-Floor One Side; Standard Base Raceway One Side	69
Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides	
Standard Base Raceway	70
Elevated Base	71
Preconfigured Segmented Fabric Panel w/Perforated Steel Top	
Standard Base Raceway	72
Elevated Base	74
Tile-to-Floor One Side; Standard Base Raceway One Side	76

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side	
Standard Base Raceway	78
Elevated Base	80
Tile-to-Floor One Side; Standard Base Raceway One Side	82
Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides	
Standard Base Raceway	84
Elevated Base	86
Stacking Panel	
Fabric	88
Solid Steel	89
Glass	90
Perforated Steel	91
Markerboard on One Side	92
Markerboard on Both Sides	93
Slat Wall on One Side	94
Slat Wall on Two Sides	95
Preconfigured Intersections	
2-Way 90° "L" Corner	96
2-Way 180°	97
3-Way 90°	98
4-Way 90°	101
2-Way 120°	105
3-Way 120°	106
End-of-Run Trim	
	108
Preconfigured Intersections	
Adjustable Wall Mount Start	109
Perpendicular Start for Genius® Wall	110
Universal Start for Genius® Wall	111
Wall Track	112
Preconfigured Stackable Intersections	
90° 1-Way, 2-Way, 3-Way and 4-Way	113
2-Way 180° In-Line Spacer	114
120° 1-Way, 2-Way, 3-Way and 4-Way	115
Stacking End-of-Run Trim	
	116
High-Pressure Laminate Gallery Panels	
End of Run Dual-Sided	117
End of Run Dual-Sided, Two-piece Construction	118
End of Run Single-Sided-Left	120
End of Run Single-Sided-Right	122
Divider	124
Thermally-Fused Laminate Gallery Panels	
End of Run Dual-Sided, Single-piece Construction	126
End of Run Dual-Sided, Two-piece Construction	127
End of Run Single-Sided	128
Divider	129
Gallery Panel Intersection Post and Cap	
Divider and Worksurface Support Bracket	130
Gallery Panel Trim	
In-line Change-of-Height for Divider Panel	131
Dead-End Change-of-Height for Divider	132
End of Run Change-of-Height	133
Unite® Rolling Door	
General Information	134
135	
Thresholds	139
Electrical	
10-Wire System 6 Circuit "810"	141
10-Wire System 6 Circuit "810"/with Bezel for Raceway Use	144
10-Wire System 6 Circuit "810"/for Beltway Use	145
10-Wire System 6 Circuit "810"	146
10-Wire System 4 Circuit "810"	148

10-Wire System 4 Circuit "810"/with Bezel for Raceway Use	150
10-Wire System 4 Circuit "810"/for Beltway Use	151
10-Wire System 4 Circuit "810"	152
New York Power - 10-Wire System 6 or 4 Circuit "810"	154
Worksurfaces	
Rectangular	155
Diagonal 90° Corner	157
Extended Corner	158
Extended Corner Reductions	160
Conference End	162
Tapered	163
Peninsula	164
120° End Corner	166
120° End Corner/60° End Corner	167
U-Series® Underhead	168
Transaction Countertops	169
Freestanding Tables	171
Worksurface Support	
Post Leg	172
Support Leg	
Non-Panel Mounted, Open	175
Non-Panel Mounted, Insert	176
Panel Mounted, Open	177
Panel Mounted, Insert	178
Panel Mounted, Center	179
Universal Storage and Accessories	
Overhead Storage	180
Overhead Accessories	185
LED Task Lights	187
Balance® Storage and Accessories	
Overhead Storage	189
Overhead Accessories	192
U-Series™ Pedestals	
Mobile	194
Freestanding	195
Worksurface Supporting	196
U-Series™ Double Pedestals	
Worksurface Supporting	197
U-Series™ Wardrobe Towers	
48" High Cabinet	198
64" High Cabinet	199
48" High Side Access Bookcase	200
64" High Side Access Bookcase	201
U-Series™ Overheads	
	202
U-Series™ Underhead Storage	
	203
U-Series™ Storage and Accessories	
Overhead Accessories	204
U-Series™ Accessories	
Pedestal Accessories	206
Pedestal Pad	207
Pedestal Accessories	208

Accessories	
Acoustic Septum Kits	210
Glass Divider Screen	211
Frameless Modesty Panel with Acrylic Insert	212
Continuous Top Cap/Carpet Gripper/Alum Grommet/Hooks	213
Power Modules	214
Bracket Assembly Kit/Receptacle Kit	215
Markerboards	216
Tackboard	217
Brackets	218
Paper Management	219

Desktop Accessories	220
---------------------	-----

C.O.M. SHIPPING LOCATION

Architectural Walls		Panel Systems		Impress Ultra		OM
Evoke	MN	All Terrain	KP	Intellect Wave		GB
Genius	MN	Balance	MN	Jessa		HN
		Universal	MN	Jubilee		VQ
Casegoods		Wireworks	MN	Katera		GB
Aristotle	MN	Unite	MN	Kurv Benches		HN
Likha	MN			Learn2		GB
		Residence Hall Furniture		LimeLite		GB
Classroom Furniture		RoomScape	MN	Lyra		HN
Cogni	GB	Screens		Medical & Laboratory Stools		OM
Intellect Wave	GB	All Terrain	KP	MyPlace		HN
Learn2	GB	Connection Zone	BW	MyWay		HN
Ruckus	GB	Tributaire	BW	Oath		GB
		True/Volition	KP	Opt4		GB
Desking		Genesis	KP	Pilot		OM
700 Series	KP	Tattoo	MN	Promenade		BW
Balance	MN	Universal	BW	Ruckus		GB
Genesis	MN			Sela		HN
True	KP	Seating		Sift		GB
Universal	MN	600 Series	BW	Signia		OM
WorkZone	MN	Affina	HN	Soltice Metal		HN
		Altus	GB	Soltice		HN
Files & Storage		Apply	GB	Sonrisa		HN
700 Series	GB	Calida	HN	Strive		GB
Connection	BW	Cascha	VT	Sway		BW
U-Series	GB	Civara	VT	Tattoo		HN
Tattoo	BW	Clamber	HN	Torsion-on-the-Go!		GB
		Cogni	GB	Torsion Air		GB
Fixed Seating		Diem	OM	Zeker		HN
Concerto	BW	Doni	GB	Zentori		VT
Single Pedestal	GB	Gladly	VQ	Zoetry		HN
Jury Base	GB	Grazie	GB			
Lancaster	BW	Hub	HN			
Sequence	GB	Impress	OM			
University	GB					

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
1400 South 41st Street
Manitowoc, WI 54220
Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 50 yards — Add 5 yards
50 + yards — Add 10% over requirements

C.O.M. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

In all instances, send this form to the C.O.M. Specialist.

☐ **A** Selvage Top to Bottom

☐ **B** Selvage Side to Side

Purchasing Agent (Dealer or buying organization)

Attention

Address

City State Zip

Project Name

Type and number of units of each type

Please see information at right and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number KI Acknowledgement Number

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>VT</u> KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

Ordering COM, COL and COV

Information



Ordering COM, COL and COV

Information

Tile Width	Tile Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Tile Width	Tile Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional				
24	8	28 x 13	0.36	0.36	0.18	0.18	48	8	52 x 13	0.36	0.36	0.36	0.36	Tackboards (TB) or Overhead Hanging Tackborads (PTBO)										Fabric Overhead Cabinets					
24	16	28 x 21	0.58	0.58	0.29	0.29	48	16	52 x 21	0.58	0.58	0.58	0.58	2412	30 x 18	0.50	0.50	0.25	0.25	PRDF24	30 x 22	0.61	0.61	0.31	0.31				
24	24	28 x 29	0.81	0.81	0.40	0.40	48	24	52 x 29	0.81	0.86	0.81	0.81	3012	36 x 18	0.50	0.50	0.50	0.50	PRDF30	36 x 22	0.61	0.61	0.61	0.61				
24	26	28 x 31	0.86	0.86	0.43	0.43	48	26	52 x 31	0.86	0.86	0.86	0.86	3612	42 x 18	0.50	0.50	0.50	0.50	PRDF36	42 x 22	0.61	0.61	0.61	0.61				
24	32	28 x 37	1.03	1.03	0.51	0.51	48	32	52 x 37	1.03	1.03	1.03	1.03	4212	48 x 18	0.50	0.50	0.50	0.50	PRDF42	48 x 22	0.61	0.61	0.61	0.61				
24	34	28 x 39	1.08	1.08	0.54	0.54	48	34	52 x 39	1.08	1.08	1.08	1.08	4812	54 x 18	0.50	0.50	0.50	0.50	PRDF48	54 x 22	0.61	0.61	0.61	0.61				
24	40	28 x 45	1.25	1.25	0.63	0.63	48	40	52 x 45	1.25	1.25	1.25	1.25	5412	60 x 18			0.50	0.50	PRDF54	60 x 22			0.61	0.61				
24	42	28 x 47	1.31	1.31	0.65	0.65	48	42	52 x 47	1.31	1.31	1.31	1.31	6012	66 x 18			0.50	0.50	PRDF60	66 x 22			0.61	0.61				
24	48	28 x 53	1.47	1.47	0.74	0.74	48	48	52 x 53	1.47	1.47	1.47	1.47	Balance Fabric Overhead Cabinets															
24	50	28 x 55	1.53	1.53	0.76	0.76	48	50	52 x 55	1.53	1.53	1.53	1.53	2416	30 x 22	0.61	0.61	0.31	0.31	BLCF24	20 x 30	0.88	0.63	0.88	0.63				
24	56	28 x 61	1.69	1.69	0.85	0.85	48	56	52 x 61	1.69	1.69	1.69	1.69	3016	36 x 22	0.61	0.61	0.61	0.61	BLCF30	20 x 36	1.00	0.63	1.00	0.63				
24	58	28 x 63	1.75	1.75	0.88	0.88	48	58	52 x 63	1.75	1.75	1.75	1.75	3616	42 x 22	0.61	0.61	0.61	0.61	BLCF36	20 x 42	1.25	0.63	1.25	0.63				
24	64	28 x 69	1.92	1.92	0.96	0.96	48	64	52 x 69	1.92	1.92	1.92	1.92	4216	48 x 22	0.61	0.61	0.61	0.61	BLCF42	20 x 48	1.38	0.63	1.38	0.63				
30	8	34 x 13	0.36	0.36	0.36	0.36	54	8	58 x 13	1.61		0.36	0.36	4816	54 x 22	0.61	0.61	0.61	0.61	BLCF48	20 x 54	1.50	0.63	1.50	0.63				
30	16	34 x 21	0.58	0.58	0.58	0.58	54	16	58 x 21	1.61		0.58	0.58	5416	60 x 22			0.61	0.61	BLCF54	20 x 60	1.75		1.75	0.63				
30	24	34 x 29	0.81	0.81	0.81	0.81	54	24	58 x 29	1.61		0.81	0.81	6016	66 x 22			0.61	0.61	BLCF60	20 x 66	1.88		1.88	0.63				
30	26	34 x 31	0.86	0.86	0.86	0.86	54	26	58 x 31	1.61		0.86	0.86							BLCF66	20 x 78	2.25	0.63	2.25	0.63				
30	32	34 x 37	1.03	1.03	1.03	1.03	54	32	58 x 37	1.61		1.03	1.03	2420	30 x 26	0.72	0.72	0.36	0.36	BLCF72	20 x 84	2.50	0.63	2.50	0.63				
30	34	34 x 39	1.08	1.08	1.08	1.08	54	34	58 x 39	1.61		1.08	1.08	3620	36 x 26	0.72	0.72	0.72	0.72										
30	40	34 x 45	1.25	1.25	1.25	1.25	54	40	58 x 45	1.61		1.25	1.25	3020	42 x 26	0.72	0.72	0.72	0.72										
30	42	34 x 47	1.31	1.31	1.31	1.31	54	42	58 x 47	1.61		1.31	1.31	4220	48 x 26	0.72	0.72	0.72	0.72										
30	48	34 x 53	1.47	1.47	1.47	1.47	54	48	58 x 53	1.61		1.47	1.47	4820	54 x 26	0.72	0.72	0.72	0.72										
30	50	34 x 55	1.53	1.53	1.53	1.53	54	50	58 x 55	1.61		1.53	1.53	5420	60 x 26			0.72	0.72										
30	56	34 x 61	1.69	1.69	1.69	1.69	54	56	58 x 61	1.61		1.69	1.69	6020	66 x 26			0.72	0.72										
30	58	34 x 63	1.75	1.75	1.75	1.75	54	58	58 x 63	1.61		1.75	1.75																
30	64	34 x 69	1.92	1.92	1.92	1.92	54	64	58 x 69	1.61		1.92	1.92	2430	30 x 36	1.00	1.00	0.50	0.50										
36	8	40 x 13	0.36	0.36	0.36	0.36	60	8	64 x 13	1.78		0.36	0.36	3030	36 x 36	1.00	1.00	1.00	1.00										
36	16	40 x 21	0.58	0.58	0.58	0.58	60	16	64 x 21	1.78		0.58	0.58	3630	42 x 36	1.00	1.00	1.00	1.00										
36	24	40 x 29	0.81	0.81	0.81	0.81	60	24	64 x 29	1.78		0.81	0.81	4230	48 x 36	1.00	1.00	1.00	1.00										
36	26	40 x 31	0.86	0.86	0.86	0.86	60	26	64 x 31	1.78		0.86	0.86	4830	54 x 36	1.00	1.00	1.00	1.00										
36	32	40 x 37	1.03	1.03	1.03	1.03	60	32	64 x 37	1.78		1.03	1.03	5430	60 x 36			1.00	1.00										
36	34	40 x 39	1.08	1.08	1.08	1.08	60	34	64 x 39	1.78		1.08	1.08	6030	66 x 36			1.00	1.00										
36	40	40 x 45	1.25	1.25	1.25	1.25	60	40	64 x 45	1.78		1.25	1.25																
36	42	40 x 47	1.31	1.31	1.31	1.31	60	42	64 x 47	1.78		1.31	1.31	2448	30 x 54	0.83	1.50	0.83	0.75										
36	48	40 x 53	1.47	1.47	1.47	1.47	60	48	64 x 53	1.78		1.47	1.47	3048	36 x 54	1.00	1.50	1.20	1.50										
36	50	40 x 55	1.53	1.53	1.53	1.53	60	50	64 x 55	1.78		1.53	1.53	3648	42 x 54	1.16	1.50	1.16	1.50										
36	56	40 x 61	1.69	1.69	1.69	1.69	60	56	64 x 61	1.78		1.69	1.69	4248	48 x 54	1.33	1.50	1.33	1.50										
36	58	40 x 63	1.75	1.75	1.75	1.75	60	58	64 x 63	1.78		1.75	1.75	4848	54 x 54	1.50	1.50	1.50	1.50										
36	64	40 x 69	1.92	1.92	1.92	1.92	60	64	64 x 69	1.78		1.92	1.92	5448	60 x 54			1.50	1.50										
42	8	46 x 13	0.36	0.36	0.36	0.36								6048	66 x 54			1.50	1.50										
42	16	46 x 21	0.58	0.58	0.58	0.58																							
42	26	46 x 31	0.86	0.86	0.86	0.86																							
42	32	46 x 37	1.03	1.03	1.03	1.03																							
42	40	46 x 45	1.25	1.25	1.25	1.25																							
42	48	46 x 53	1.47	1.47	1.47	1.47																							
42	56	46 x 61	1.69	1.69	1.69	1.69																							
42	64	46 x 69	1.92	1.92	1.92	1.92																							

Yardage requirements are "per tile" (multiply by the number of tiles per panel for total yardage per panel).
8" Height is for slat rail (tool rail) or some segmented tiles.
Subtract 6" from panel size for the base raceway, unless specifying "tile to floor," segmented tile, or stacker.
72" wide panels consist of qty. 2 - 36" wide tile on each side (qty 4 tiles total).



TECHNICAL SPECIFICATIONS

Panels

Unite panels are offered in monolithic and segmented styles. All panels ship knockdown with panel frame, tiles, base components, top caps, adjustable glides, and panel-to-panel connection hardware. Panels may be specified without top caps to allow for attachment of spanning top caps or divider screens. All Unite panels meet the flammability requirements as defined in the ANSI/UL 1286 safety standard for Office Furnishings. Class A rated standard finishes are available.

- Preconfigured panels are 3 1/2" thick to facilitate integration with KI Genius walls, and are available in the following dimensions:
- Panel Widths: 24", 30", 36", 42", 48", 54", 60", 72" (72" features split tiles).
 - Panel Heights: 32", 40", 48", 56", 64".

- Three base styles are available:
- Standard base raceway
 - Elevated base
 - Tile-to-floor one side/standard base raceway other side

Insert tiles are interchangeable among standard, elevated, and the tile-to-floor one side/standard base raceway other side panels. Tile height of the tile-to-floor tile is unique, and can only be interchanged with a similar sized tile-to-floor tile. All tiles are hand-placed, requiring no tools for attachment to frames. All base styles support reconfiguration.

Standard base raceway panel frames allow distribution of power and data at the base of the panel, on both sides. Tile-to-floor one side/standard base raceway panel frames feature a base raceway on the user side only. Above worksurface beltline power is available on all base styles.

Frame Construction

- Frames are welded, and consist of the following:
- Top & bottom horizontal rail – formed of 16-gauge galvanized steel by 1 7/8" tubing.
 - Vertical Post – roll-formed 16-gauge steel with powder-coat finish (black), measuring 1 3/4" x 2 1/16", featuring slots at 1" increments to allow for tile and component hanging.
 - Top cap mounting clip – formed of 20-gauge spring steel by 1 1/4" x 1 7/8" x 2" with channel to route data cables. Fastened with #12 x 3/4" screw to all top horizontal rails.
 - Glide housing – Molded plastic rated HB minimum. Overall dimensions are 1 1/8" x 24" x 1 1/2" height. Glides provide a 3" range of adjustment.
 - Glide – 1" diameter plastic.
 - Glide stem – 3/8-16 thread, 3.5" long.
 - Wireway mounting bracket – used on bottom and beltway height raceway in powered assemblies. Formed of 16-gauge steel. Overall dimensions are 1 3/8" x 1 13/16" x 2 1/2" with mounting holes for attaching 10-wire rigid wireways.

Stacking Sections

- Stacking sections are constructed in one of two styles:
- Three-sided steel-construction stacking sections (steel frame) utilize exterior-mounted tiles of either fabric, markerboard, or slat wall. Steel frame stacking sections are attached with 1/4" x 1" x 7 1/2" steel post "forks."
 - Four-sided stacking sections are constructed of an extruded aluminum frame and contain either glass, steel or perforated steel, inserts. Frames measure 1 11/32" x 3 3/32", consistent with panel size. Frames capture a single 3/8" tempered glass panel or perforated steel insert, and are attached with 1/4" x 1" x 7 1/2" steel posts with "forks."

Light Shield

90° – Formed of a 1/16" thick extruded black plastic rated HB minimum. Angle is 90° for 90° panel intersections. Lengths range for 48", 64" and 80". Other lengths must be field cut from the three listed. Plastic light shields snap to connector blocks at 90° intersection and serve only to block light. Dimensions: 2 7/16" x 2 7/16"

120° – Formed of 18-gauge, pre-painted black steel. Length ranges from 8" to 80" x 8" increments. Angle is 60° for 120° panel intersections. Steel light shields hang on connector block bolts at 120° intersections. 120° light blocks block light and serve as a spacer for proper floor planning. Dimensions: 2 11/16" x 2 11/16".

Base Raceway Hinge Clip

Base raceway hinge clip is molded plastic, rated HB minimum
Dimensions: 1 13/16" x 2 1/8" x 3 1/4".

Connector Block

90° – Formed by an extruded aluminum square block 1/8" minimum wall thickness includes one threaded steel insert on each face. Block contains two "U" shaped, 18-gauge galvanized steel spacer plates fastened to the block with one 1/4-20 bolt.
Dimensions: 2 1/2" x 3 3/8" wide

120° – Formed of extruded aluminum triangular block 1/8" minimum wall thickness. Includes three threaded inserts and no spacer plates.
Dimensions: 2 1/2" x 2 15/16" wide

Tile/Inserts

Monolithic

Preconfigured monolithic panels feature either fabric or steel tiles.

Segmented

- Preconfigured segmented panels are available in a variety of substrates and surface finish options. Segmented panels universally feature a 32" segmentation height, with specified bottom and upper, and front and back tiles. Glass, perforated steel or solid steel on preconfigured segmented panels are only available as stacking sections on the upper locations of the panel frame. Preconfigured substrates vary by configuration and may include:
- Fabric – bottom and upper tile
 - Powder-coated Solid Steel – bottom and upper tile
 - Steel Laminate Markerboard – upper tile
 - Single Pane Tempered Glass (1/4" thick) – stacking section
 - clear or satin etch one side
 - Laminated Safety Glass (1/4" thick) – stacking section
 - white interlayer (.030" thick) between two 1/8" thick clear panels
 - Powder-coated Perforated Steel – stacking section
 - High-Pressure Laminate – bottom and upper tile
 - Slat Wall – upper tile (upper slat wall tiles feature extruded slat wall on the lowest 8" of the tile, with fabric covering any area above the extrusion)

Fabric Tiles

- Fabric tiles feature:
- Fiberglass – 1/2" thick multi-layer fiberglass board in dimensions from 24" - 60" wide and 8" - 64" tall; may feature up to two electrical receptacle cutouts with overall dimensions 2 1/16" x 7 5/8" for receptacles.

Fabric tiles feature 2" stiffener rails of 1/16" formed steel. Rails are secured to the core with adhesive, and are located on left and right vertical edge of tile. Similar rails are adhered horizontally as required for additional rigidity. Fabric is secured to tile edges and back of tile with adhesive. Panels with fabric, fiberglass core and raceway have a .70 NRC rating. Panels with fabric, fiberglass core and a lifted base have a .65 NRC rating. Fabric tiles are fully tackable and available in monolithic, segmented, and stacking sections.



Solid Steel Tiles/Inserts

Steel tiles are constructed of 22-gauge formed steel with two rubber dampener pads adhered to the back of the tile to dampen sound. Two 1/16" x 1/4" x 1" rare earth magnets are adhered with double-sided tape to the back of the tile to aid in assembly without tools. Magnets are nickel coated Neodymium (NdFeB), Grade N52 with a 4.45 lb pull force each.

Steel Markerboard Tiles

Steel markerboard tiles are constructed of 22-gauge formed steel with honeycomb corrugated board adhered to the back of the tile to dampen sounds. Two 1/16" x 1/4" x 1" rare earth magnets are adhered with double-sided to the back of the tile to aid in assembly without tools. Magnets are nickel coated Neodymium (NdFeB), Grade N52 with a 4.45 lb pull force each. A magnetic tray, markers and eraser can be specified separately. Steel markerboards are available as segmented tiles and stacking sections.

Slat Wall Stacking Section Tiles

Slat wall stacking section tiles are constructed of powder-coated extruded aluminum on the lower 8" portion, which functions as a tool rail, with fabric tiles on the remaining upper portion of the segment. Tile includes integral mounting hardware. Slat walls are available in segmented tiles and stacking sections.

Glass Stacking Section Inserts

Glass inserts are captured in an aluminum extruded frame. Glass is 1/4" thick tempered, and is available clear or satin etch. Satin etch is non-transparent and is on one side of the glass while the other side is shiny. Glass stacking sections are available on the upper location of a panel.

Solid Steel Stacking Section Inserts

Solid steel inserts are constructed of 18-gauge, powder-coat painted steel. Solid steel stacking sections are available on the upper location of a panel.

Perforated Steel Stacking Section Inserts

Perforated steel inserts are constructed of 18-gauge, powder-coat painted steel with 3/32" diameter holes on 1/4" staggered centers (NO. RS041). Perforated steel stacking sections are available on the upper location of a panel.

Acoustic Septum Kits – UNRC.size

Acoustic septa are rigid 2" thick composite fiberglass sheets designed to be inserted into standard Unite panel frames. When installed, the septum increases the NRC of the Unite raceway fabric panel from .70 NRC to .75 NRC per ASTM C423-09a. Septa fit inside and fill the interior of the Unite metal frame without the use of tools. When 10-wire rigid wireways are installed at beltway height, or when Unite glass dividers are installed, a field cut to the septum will be needed to clear the hardware.

- Acoustic septa are 2" thick and are available in seven widths and five heights designed to fit into all standard Unite frame sizes.
- Acoustic septa are constructed of three cured (ie. molded) fiberglass layers that are bonded together. The two outer layers are 3 lb (pcf) x 3/4" thick fiberglass. The center core is 12 lb (pcf) x 1/2" fiberglass.
- The fibrous glass wool (fiberglass) is manufactured using a minimum of 30% post-consumer recovered materials and a minimum of 5% post-industrial (pre-consumer) recovered materials. Fiberglass bats are subsequently cured using heat to compress the fiberglass into desired densities. The ingredients of the fiberglass are listed:
 - Fibrous glass
 - Urea extended phenol-formaldehyde resin
 - Formaldehyde
 - Non-woven facings

Panel Trim

Base Raceway Trim

Base raceway trim consists of 22-gauge roll-form steel with a powder-coat finish. Base raceway trim is hinged to an injection-molded clip and snap onto brackets attached to the bottom horizontal rail when closed. All base raceways accept rigid wireways and data cables. Base raceways are specified with or without 2 1/16" x 7 5/8" knockouts, which are easily removed to accommodate electrical receptacles and/or data jacks. No tools are required for installation. 24" panels feature one knockout per side; all other sizes feature two. Dimensions: 5 5/16" high by width of panel.

Panel-to-Panel Connectors

Panel-to-panel connectors are universal. Full welded panel frames attach in-line using 3/8"-1 6 hex head bolts with washers and star lock nuts. Frames attach at intersections using aluminum extruded connection blocks. Intersections can be reconfigured without disturbing the existing workstation. Components for each intersection condition, including change of height conditions, are available in kit form. Each kit includes all hardware and associated trim to complete the intersection condition. 9/16" socket drivers are required to complete all panel connections.

Intersection kits include all necessary light blocks. Light blocks for 90° intersections are black plastic and serve only to block light. Light blocks for 120° intersections are pre-painted black steel that block light and serve as a spacer for proper floor planning.

Split Tile Light Shield

"C" shaped split tile light shield is formed of 1/16" black pre-painted steel. Dimensions: 1 1/4" x 3 7/16" by height of panel.

Top Cap

All pre-configured Unite panel frames include a top cap of appropriate size. Top caps are formed of 1/16" thick extruded aluminum, with powder-coat finish. Top caps used with top power infeed feature a cutout for the infeed. Installation of top cap is a snap fit and requires no tools. Top cap snaps to spring steel clips which are fastened to the top of all panel frames. Dimensions: 3/8" x 3 1/2" by width of panel.

End-of-Run Trim

All exposed ends of a panel run are covered with an end-of-run trim, formed from 18-gauge steel with powder-coat finish. Installation of end of run trim is a snap fit and requires no tools. Panel end trim lengths correspond to panel heights.

Intersection caps are formed of machined aluminum, cast aluminum, or cast zinc. Dimensions: 3/8" x 3 1/2" by height of panel.

End-of-run trim clips are formed of 1/16" black spring steel. Dimensions: 9/16" x 2" x 3 5/16".

3-way, change-of-height, or "C" shaped trim is formed of 1/16" powder-coated steel. Dimensions: 3 1/2" x 3 1/2" by height of tallest panel.

90° dead-end trim features 18-gauge welded steel plate. Dimensions: 1/2" x 3 3/16".

120° dead-end trim is formed to a 60° angle of 1/16" powder-coated steel. Dimensions: 3 1/2" x 3 1/2" by height of panel.

Corner Trim and Change-of-Height Trim

All exposed corners of a panel run must be covered with either corner trim or change-of-height trim. Corner condition "L" shaped trim is formed of 1/16" thick powder-coated steel. Installation utilizes a snap fit and requires no tools. Dimensions: 3 1/2" x 3 1/2" by height of highest panel.



Segmented Trim Channel

“H” shaped segmented trim channel is formed of 1/16” extruded powder-coated extruded aluminum. Channel connects two segmented tiles along the horizontal connection. No tools are required for installation.
Dimensions: 11/16" x 1 1/4" by width of panel.

Bottom Trim Channel

Standard base raceway and elevated base require a bottom trim channel to locate and hold tiles horizontally. Channel is roll-formed of 1/16” steel with a powder-coat finish.
Dimensions: 1" x 2 1/4" by width of panel.

Tile-to-floor trim channel is extruded aluminum with a powder-coat finish.
Dimensions: 3/4" x 1 1/2" by width of panel.

Vertical Trim Clips

Stamped spring steel clips allow attachment of vertical trim at the end-of-run and change-of-height trim. Clips attach to the vertical posts with 3/8-16 hex head bolts.

Intersection Caps

All top cap intersection conditions are joined with separate intersection caps. Caps are injection-molded zinc with a powder-coat finish, and are required for all end-of-run, 2-way, 3-way, and 4-way connections, regardless of intersection angle.

Elevated Panel Foot Shroud

Foot shroud is formed of 16-gauge formed steel with powder-coat finish, and is used in elevated base conditions only.
Dimensions: 1 1/8" x 3 1/2" x 5 7/16".

Attachment Conditions

Wall Track

Wall track is available to allow for hanging of components onto an existing structural wall in the identical method as if the components were hung on Unite panels. The wall track consists of slotted 16-gauge steel with powder-coat finish in panel trim colors.

Adjustable Wall Mount

Adjustable wall mounts consist of a formed steel channel and 7/8" thick cork/rubber washers enclosed in a steel "U" channel to allow panels to be attached to existing building walls. Each unit features an adjustable depth of 1" to 1 11/16" in 1/16" increments (steel washer shims). Method of attachment to the existing building is dependent upon the existing wall construction.

Universal Connector, Unite to Genius Wall

The universal Unite to Genius wall connector enables a Unite panel connection at Genius wall corners, 3-way and end conditions. Unite panels attach to Genius trim with self-drilling screws.

Perpendicular Connector, Unite to Genius Wall

The perpendicular Unite to Genius wall connector enables a Unite panel connection at a Genius in-line connection seam. The Unite panel attaches perpendicular to the Genius wall at the seam using 3/8" pem studs and nuts. The perpendicular connector is an aluminum extrusion and is fully hidden.

Gallery Panels

Laminate Gallery Panel

Unite gallery panels are offered in high-pressure laminate (HPL) and thermally-fused laminate (TFL) surface options. HPL has a vertical grain pattern and TFL has a horizontal grain.

Laminate surfaces are applied to both sides of the 1 1/8" thick particle board core for a balanced construction. Gallery panels ship partially assembled with glides pre-installed at both bottom ends. The two-piece glide model includes steel ganger cleat sets. All four edges of the gallery panel receive 1 1/8" wide by 2.0 mm thick polypropylene edge banding.

HPL and TFL gallery panels are part of the Unite Panel System, which is a UL Listed Office Furnishing evaluated to ANSI/UL 1286. When tested to UL 723, the gallery panels have a flame-spread index of 200 or less and smoke-developed index of 450 or less which equates to Class C, per the International Building Code® for Interior wall finishes.

Gallery panels support a standard Unite panel run, and are installed at either the end of a panel run, or perpendicular along a run. Four gallery panel styles are offered.

End-of-Run Dual-Sided Gallery Panel

A single gallery panel that attaches to a Unite panel end-of-run and extends equally on both sides of the Unite panel run.

- High-Pressure Laminate
- Heights: 32", 40", 48", 56" & 64"
 - Widths (includes 3 1/2" overlap): 52"

- Thermally-Fused Laminate
- Heights: 29 1/4" & 48"
 - Widths (includes 3 1/2" overlap): 52", 64" & 76"

End-of-Run Single-Sided Gallery Panel

A single gallery panel that attaches to the end of a run and extends to one side of the Unite panel run. Right- and left-hand models are offered.

- High-Pressure Laminate
- Heights: 32", 40", 48", 56" & 64"
 - Widths (includes 3 1/2" overlap): 27 3/4", 33 3/4", 39 3/4", 45 3/4", 51 3/4" & 57 3/4"

- Thermally-Fused Laminate
- Heights: 29 1/4" & 48"
 - Widths (includes 3 1/2" overlap): 51 3/4", 63 3/4" & 75 3/4"

End-of-Run Dual-Sided Two-Piece Gallery Panels

Two separate gallery panels that butt together at the end of a Unite panel run. Each panel extends equally on both sides of the panel run.

- High-Pressure Laminate
- Heights: 32", 40", 48", 56" & 64"
 - Widths (includes 3 1/2" overlap): 60 1/2", 72 1/2", 84 1/2", 96 1/2" & 108 1/2"

- Thermally-Fused Laminate
- Heights: 29 1/4" & 48"
 - Widths (includes 3 1/2" overlap): 96 1/2", 120 1/2" & 144 1/2"

Divider Panel

A single Gallery panel that attaches perpendicular along a Unite panel run at any intersection.

- High-Pressure Laminate
- Heights: 32", 40", 48", 56" & 64"
 - Widths (includes 1" for attachment): 25 1/4", 31 1/4", 36 1/4", 42 1/4", 49 1/4" & 55 1/4"

- Thermally-Fused Laminate
- Heights: 29 1/4" & 48"
 - Widths (includes 1" for attachment): 49 1/4", 61 1/4" & 73 1/4"

Attachment Plate

Required for all end-of-run gallery panels. Attaches the gallery panel to the vertical post of a Unite panel frame. Plate is 11-gauge (.120" thick) steel with a powder-coat finish. Plate size is 3 1/2" wide and heights match all end-of-run gallery panel heights. Plates fasten to the gallery panel with #12 flat head screws, and to the Unite panel frame vertical post with 3/8-16 x 1" G5 short neck carriage bolts with steel washers and 3/8-16 KEPs nuts.



Gallery Panels Intersections & Trim

Divider Intersection Post

Required for installation of divider gallery panels. “H” shaped is formed of extruded aluminum, with a powder-coat finish. The post dimension is 1.4” x 3.36” with 1.20” wide channels to accept the divider gallery panel. Divider intersection post contains 3.0” x .90” milled passages at beltway and base heights to allow 15½” 10-wire jumpers to pass from panel to panel. Attaches using ¾-16 x 2¾” hex head bolts, 1¼” O.D. steel washers and ¾-16 KEPS locknuts. The divider intersection post connects two adjacent Unite panel frames and adds 1.4” space between the two frames.

- Heights: 32”, 40”, 48”, 56”, 64”, 72” & 80”

In-Line Divider Intersection Cap

Used at a divider gallery panel intersection. The cap is milled aluminum with a powder-coat finish. Divider intersection cap contains tabs which insert into the aluminum top caps to join in-line, adjacent Unite panels.

End-of-Run Change-of-Height Trim

Required at a height change between the end-of-run gallery panel and the Unite panel run end. Covers the exposed side of Unite panel. Formed from 18-gauge steel with powder-coat finish. Trim includes a milled, aluminum cap which is powder-coat painted, and includes spring steel clips which are installed at the end of a panel frame. Clips are common to what is used with standard Unite trim and attach to the vertical post with ¾-16 hex head bolts and KEPs nuts. Trim is a snap-fit to the clips and requires no tools.

- Heights: 8”, 16” 24”, 32” & 40”
- Heights for 29¼” High Gallery Panels: 3”, 11”, 19” 27”, 35”, 43” & 51”

Dead-End Change-of-Height Trim

Required at a change-of-height along the Unite panel run, and where a divider gallery panel is included at the same intersection. Formed from 18-gauge steel with powder-coat finish. Trim includes a milled, aluminum cap which is powder-coat painted, and includes spring steel clips which are installed at the end of a panel frame. Clips are common to what is used with standard Unite trim and attach to the vertical post with ¾-16 hex head bolts and KEPs nuts. Trim is a snap-fit to the clips and requires no tools.

- Heights: 8”, 16”, 24”, 32”, 40” & 48”

In-Line Change-of-Height Trim

Required when a divider gallery panel is used along a Unite panel run with a change-of-height between the panel run and the gallery panel. A “U” shape aluminum extrusion with powder-coat finish. The trim snaps into the divider intersection post with no tools required.

- Heights: 8”, 16”, 24”, 32”, 40” & 48”
- Heights for 29¼” High Gallery Panels: 3”, 11”, 19”, 27”, 35”, 43” & 51”

Electrical

Power Options

The US standard electrical system supplied for Unite is an 810 electrical system. 10-wire rigid wireway can be mounted to any panel frame. Power is available at the following heights:

- Base Height Power – found in the 6” base raceway of the panel.
- Beltway (worksurface) Height Power – The powered tiles allow for installation of worksurface height receptacles. Two duplex receptacles can be mounted in a tile (one in a 24” tile). Receptacles are approximately 32” high.

Power is supplied through one of two available means:

6-2-2

- (6) hot wires
- (2) shared oversized neutral wires
- (2) ground wires – 1 isolated ground and 1 building ground

4-4-2

- (4) hot wires
- (4) independent neutral wires
- (2) ground wires – 1 isolated ground and 1 building ground

10-Wire Rigid Wireways

Each powered panel requires the use of 10-wire rigid wireways to pass power to receptacles. Wireways may be mounted at the base of panels or at beltway height. Wireways are specified by panel width. The wireway design allows for snap connection of one panel's rigid wireway to another panel's wireway through the use of 10-wire panel-to-panel jumpers. All panels 24” and wider accept electrical components.

There are four port locations on each end of every rigid wireway 30” and larger. 24” wireways feature two ports on one end only.

Wireways mount by screws to attached brackets on the underside of the lower frame for base power. For beltway power, rigid wireways attach with screws to brackets that are hooked into the vertical posts at each end.

10-Wire Base Power Infeeds

The electrical system permits power 10-wire infeed at the base raceway of the panel. Base infeeds are constructed of a 6’ long, ½” liquid-tight flexible metal conduit containing ten wires with a receptacle type design allowing for quick installation and removal. Infeeds rotate 180° to allow for left or right configuration.

10-Wire Top Power Infeeds (Data and/or Power)

Power and data may be brought into a Unite panel through the use of a 10-wire top infeed power pole. Top infeed assembly consists of a 7’ or 10’ extruded aluminum data and/or power pole, top infeed panel trim cap and ceiling trim cap. The interior of the power pole features a septum to separate power and data cable management. Power infeed wiring consists of ten wires in flexible conduit, exposed at the ceiling end to connect to the building's source power. At the opposite end, the infeed conduit contains a modular connector end to snap into the panel's rigid wireway. Infeed cable must be specified separately.

10-Wire Power Pass-Through Jumpers

The electrical system provides a method of passing power from one powered panel through a non-powered panel to the powered 10-wire rigid wireway of the next panel. The pass-through consists of a standard rigid wireway without receptacles using in-line 10-wire panel-to-panel jumpers. Panel-to-panel jumpers are required to connect adjacent wireways.

10-Wire Panel-to-Panel Jumpers

In-line 10-wire panel-to-panel jumpers are 12” in length and connect between panel rigid wireways at in-line panel intersections. Intersection 10-wire panel-to-panel jumpers are 15½” in length and connect between rigid wireways at various panel intersection conditions. Jumpers feature modular connector ends and nylon mesh casing.



System Jumpers
Designed for interconnection of Manufactured Wiring Systems (such as Genius Wall) to Office Furnishings (such as Unite). Two lengths are available for in-line and 90° connections. Jumpers are constructed with steel corrugated sheathing and steel shielded connectors. KI products are listed below, along with OEI and UNICOR name correlations.

10-Wire Vertical Jumpers
Vertical jumpers are 30” in length and jump power from a rigid wireway at the base raceway, up to the rigid wireway at the beltway height. Jumpers feature modular connector ends and steel corrugated casing.

10-Wire Duplex Receptacles
The duplex receptacles for the modular electrical system feature injection molded components which snap fit into the 10-wire rigid wireways of the panels. The rated capacity of the duplex receptacles is 15 or 20 amps in either 4-4-2 or 6-2-2 circuit configurations. Beltway receptacles come with bezel plate.

Bezels/Filler Plates
Bezels and filler plates are molded in nylon molded in a variety of colors.

Raceway Cable Trough
A formed 22-gauge black steel trough manages cables in raceway. The optional trough installs with a snap fit into raceway clips at each end of a panel without the use of tools.

Electrical System Test Requirements
The Unite Panel System, including the modular US electrical components, meets applicable UL standards and requirements as identified by Underwriters Laboratories, Inc.

Unite Freestanding Table

Tabletops
Tabletops feature balanced construction of 45-pound density particleboard core, with a 1/16” high-pressure laminate face sheet and a 1/16” phenolic backer. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support legs. Rectangular shapes are available in 24” and 30” depths and 48”, 60” and 72” lengths.

Table Supports
Supports are welded and consist of the following:

- Bottom, vertical and horizontal tubes – 14-gauge measuring 1 1/2” x 3/4”.
- Top mounting bracket – formed 14-gauge steel.
- Glide – 3/8”-16 x 1” diameter.
- Leg insert (optional) – 18-gauge perforated steel.

Worksurfaces and Accessories

Worksurfaces
Worksurfaces feature balanced construction of 45-pound density particleboard core, with a 1/16” high-pressure laminate face sheet and a 1/16” phenolic backer. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support brackets and support legs. Worksurface widths of 60” or greater feature integrated steel reinforcement for added strength. Grommet locations are specified.

Rectangular Worksurfaces
The standard rectangular worksurface are available in widths of 6” increments from 24” - 96”, and in depths of 18”, 22”, 24” and 30”. Rectangular conference ends are also available.

90° Corner Worksurfaces
90° symmetrical corner worksurfaces are available in 36”, 42”, and 48” widths, and in 18”, 20”, and 22” depths.

Shaped Worksurfaces
Peninsula, extended corner (shoe), extended corner reduction (shoe), tapered, 120°, and 60° shaped surfaces are available in a variety of widths and depths. Grommet locations are specified.

Transaction Countertops
Transaction countertops are available from 24” - 84” wide in 6” increments, with a countertop depth of 16”. Countertops are also available for 90° corners. Support brackets feature steel locking clips to prevent dislodgment. Optional brackets are available for use on a 32” high panel, appropriate for ADA applications. Transaction countertop add 1 1/4" to finished panel heights. Countertops overhang 2 3/4" on the outside of the cubicle and 9 3/4" on the inside of the cubicle. Countertops accommodate task lighting.

Underhead Worksurfaces
Surfaces are available to hang underhead U-Series storage units. A 15” deep surface sits flush with underhead unit, with 22”, 24”, and 30” depths also available.

Worksurface Grommets
Worksurface grommets are available to fit a 3” hole in most work surfaces. Grommet is aluminum injection-molded with powder-coat finish.

Worksurface Wire Manager
Wire manager is constructed of black hook-and-loop ribbon, 7 1/2” long by 2” wide. The harness is fastened to the underside of the worksurface with pressure-sensitive adhesive. This wire manager supports cords and communication cables under the worksurface.

Modesty Panel
Modesty panel is constructed with a frameless 1/4” thick sheet of extruded acrylic in cloud or white color. Panels range from 24” to 72” wide in 6” increments. All panels are 10” high. The panel is fastened to a 14-gauge steel rail with a series of 14-gauge “L” shaped steel clips. The rail and clip feature a powder-coat finish available in colors to match the panel trim. Steel screws fasten the acrylic panel to the rail and underside of the worksurface.

Worksurface Support

Worksurface Support Legs
Support legs can provide both worksurface support and panel support in certain configurations. Brackets on the support leg prevent dislodgment from the vertical post of the panel. Worksurface support legs are specified by worksurface depth or width, depending upon configuration. See "Unite Panel System Planning Guide (KI-62226)" for additional planning rules.

Worksurface End Support Legs
End support legs are available for use at the ends of perpendicular, or peninsula worksurfaces. These legs do not have brackets. See "Unite Panel System Planning Guide (KI-62226)" for additional planning rules.

Worksurface Support Brackets
Two types of worksurface support brackets are available for Unite:

- Standard cantilever brackets.
- Design brackets.

Worksurface Vertical Fillers
3” worksurface vertical filler spans the gap when one worksurface drops from the standard 29” down to an adjacent 26” worksurface. Worksurface vertical fillers are available in 24” and 30” widths to match worksurface depths and are attached to worksurfaces with wood screws. Filler is constructed of 15-gauge powder-coated steel.



Storage and Accessories

U-Series Underhead Storage

Underhead dimensions and specifications match those of overhead units. Underhead may be mounted on any approved panel run (provided one end of the underhead is adjacent to a return). Underhead accommodates standard binders. Storage units include holes in top and bottom for cord drop in conjunction with grommets. Brackets are included for attachment. Legs may be specified separately if desired.

Overhead Cabinet Task Lights

Task lights are available which suspend from the shelf and overhead cabinet. Task light mounts on the underside of the shelf and overhead cabinet, and feature a 9’ cord. Cords can be concealed by tucking between the reveal along tiles.

Countertop Task Lights

Task lights are available which suspend from the underside of the countertop. Task lights are offered in standard panel trim colors. The task lights feature an 8’ cord which can be concealed by tucking between the reveal along tiles.

Shelf Dividers

Shelf dividers are compatible with Universal and Balance overheads, cabinets, and shelves only. Shelf dividers are powder-coated steel, and may be installed or removed with no tools.

Frameless Markerboards

Frameless steel markerboards are constructed of 22-gauge steel with an erasable white coating and a honeycomb backer to dampen sound. Markerboard surfaces are magnetic and include a 16” x 11½” magnetic removable tray with markers and eraser. Markerboards mount in vertical post rail slots of a panel or wall track. Frameless markerboards mount on module only.

Framed Markerboards

Framed markerboards are constructed of white powder-coated aluminum frame with a white porcelain erasable surface. Markerboard surfaces are magnetic and include a 16” by 21½” magnetic removable tray with markers and eraser. Markerboards mount in vertical post rail slots of a panel or wall track. Framed markerboards mount on module only.

Glass Divider Screens

Glass divider screens are constructed of ¾” tempered glass mounted in two injection-molded plastic clamps. Glass divider available in clear and satin etch (one side). Three visible edges are polished with two corner radii. Aluminum split top caps trim each side of the glass.

Glass dimensions: 12” above top cap (13” actual) by panel width.

Wall Track

Wall track allows for hanging of components onto an existing structural wall in the identical method as if the components were hung on Unite panels. Wall track is constructed of slotted 16-gauge steel with powder-coat finish.

Tackboards

Tackboards are constructed of ¾” wood fiber board covered with fabric. The mounting brackets are steel powder-coated and attached to the core with T-nuts and machine screws. Fabric is attached to the core with staples. Tackboards mount in the vertical post rail slots of a panel or wall track. Tackboards mount on module only.

Paper Management Accessories

Tool Rail

Tool rails are fabricated of a powder-coated aluminum extrusion. Tool rails are attached to the panel through the use of steel brackets, and support most paper management accessories. Available for standard panel sizes. Tool rails mount in vertical post rail slots of panel of wall track. Tool rails mount on module only.

Paper Tray Unit

Legal and letter sized paper trays are constructed of injection molded plastic. Trays are supported by the tool rail.

Dimensions: 2” high by 9½” wide by 14” deep.

Dimensions: 2½” high by 7” wide by 12½” deep.

Dimensions: 9” high by 5” wide by 10½” deep.

Diagonal Storage Unit

Diagonal storage units are constructed of injection molded plastic. Three ABS dividers may be used in left or right positions. Units are supported by the tool rail.

Dimensions: 2½” high by 7” wide by 12½” deep.

Accessory Tray

Plastic accessory trays include three hooks for mounting. Trays feature compartments to hold pencils, paper clips and miscellaneous items, and are suspended from tool rail or used freestanding on worksurfaces and shelves.

Dimensions: 2” high by 9½” wide by 10” deep.

Pencil Cup

Injection molded plastic cups provide for storage of pens, pencils and highlighters. One hook is provided for mounting on tool rail.

Dimensions: 4” high by 4” wide by 3½” deep.



Panel, Gallery Panel & Rolling Door - Trim/Paint Color		Nordic	NDS1			Everglade Shade grommet	EV	Pinnacle Walnut	EPW
Black	BL	Purple Haze	PHS1	Rolling Door - Core Color		Flannel grommet	FN	Poppy Red	EPR
Blue Grey	GR	Rainforest	RQS1	Fluted clear plastic core	CP	Glitz Metallic grommet	GZ	Rainforest	ERQ
Bronze Metallic	ZM	Raw Jasper	RJS1	Fluted opal plastic core	OP	Hazy Jade grommet	HJ	Raleigh Walnut	ERW
Cayenne	CY	Rubber Ducky	RKS1	Rolling Door - Threshold Finish/Anodized Color		Honey Bee grommet	HY	River Cherry	ERY
Champagne Metallic	CM	Sand	SAS1	Black	BL	Light Tone grommet	LG	Rubber Ducky	ERK
Cool Grey	CG	Starlight Silver Metallic	SXS1	Clear	CL	Mardi Gras grommet	MG	Sand	ESA
Cottonwood	CO	Surf's Up	SPS1	Surface Finish--Grade 1 Standard Laminate - Worksur-		Misty Brown grommet	MY	Sky Blue	ESK
Earthen Clay	EY	Tarragon	TQS1	faces including U-Series Under head Worksurfaces, Uni-		Nemo grommet	NE	Solano Walnut	ESG
Espresso Metallic	EX	Twilight Shadow	TIS1	versal Overhead, Balance Overhead, U-Series Overhead		Nordic grommet	ND	Sterling Ash	EAZ
Everglade Shade	EV	Ultra Blue	UBS1	and High Pressure Laminate for Gallery Panel		Purple Haze grommet	PH	Surf's Up	ESP
Flannel	FN	Warm Grey	WGS1	Beigewood	LBZ	Rainforest grommet	RQ	Tarragon	ETQ
Glitz Metallic	GZ	Zesty Lime	ZLS1	Belair	LBQ	Raw Jasper grommet	RJ	Twilight Shadow	ETI
Hazy Jade	HJ	Paint Color includes Steel Segments/Steel Inserts.		Biltmore Cherry	LBT	Rubber Duck grommet	RK	Ultra Blue	EUB
Honey Bee	HY			Black	LBK	Sand grommet	SA	Valley Forge Elm	EVF
Light Tone	LG			Brighton Walnut	LBW	Starlight Silver grommet	SX	Warm Grey	EWG
Mardi Gras	MG			Castle Oak	LCO	Surf's Up grommet	SP	White River Forest	EWR
Misty Brown	MY			Cherry Storm	LCO	Tarragon grommet	TQ	Windsor Mahogany	EWY
Nemo	NE			Classic Linen	LCI	Twilight Shadow grommet	TI	Zesty Lime	EZL
Nordic	ND			Cocobala	LCC	Ultra Blue grommet	UB		
Purple Haze	PH			Crisp Linen	LRI	Warm Grey grommet	WG	Multiplex available on 74P edge ONLY.	
Rainforest	RQ			Designer White	LDR	Zesty Lime grommet	ZL	Worksurface - Bracket Color (Countertops)	
Raw Jasper	RJ			Dove Grey	LDG			Black	BL
Rubber Ducky	RK			Florence Walnut	LFC	Worksurface - Edge Color for 74P, KN Edge Style and Gallery Panel Edge Color		Blue Grey	GR
Sand	SA			Friston Ash	LFH	Akira	EAK	Bronze Metallic	ZM
Starlight Silver Metallic	SX			Frosty White	LFW	Beigewood	EBZ	Cayenne	CY
Surf's Up	SP			Graphite Nebula	LGN	Belair	EBQ	Champagne Metallic	CM
Tarragon	TQ			Grey	LGE	Black	EBT	Cool Grey	CG
Twilight Shadow	TI			High Rise	LHE	Black Hills Oak	EBL	Cottonwood	CO
Ultra Blue	UB			Hollyberry	LHY	Blue Grey	EBH	Earthen Clay	EY
Warm Grey	WG			Island	LID	Brighton Walnut	EGR	Espresso Metallic	EX
Zesty Lime	ZL			Italian Silver Ash	LIT	Castle Oak	EBW	Everglade Shade	EV
				Kensington Maple	LKM	Cayenne	ECO	Flannel	FN
				Lapis Blue	LLB	Cherry Storm	ECY	Glitz Metallic	GZ
				Monticello Maple	LMT	Cocobala	ECX	Hazy Jade	HJ
				North Sea	LNA	Cool Grey	ECC	Honey Bee	HY
				Ocean	LON	Light Tone	ECG	Light Tone	LG
				Pinnacle Walnut	LPW	Misty Brown	ECJ	Mardi Gras	MG
				River Cherry	LRY	Sand	EDF	Misty Brown	MY
				Shadow Zephyr	LSR	Warm Grey	EDR	Nemo	NE
				Sterling Ash	LAZ		EEV	Nordic	ND
				Titanium Evolv	LTV		EFQ	Purple Haze	PH
				White Nebula	LWL		EFN	Rainforest	RQ
				White Sand	LWN		EFC	Raw Jasper	RJ
				Windsor Mahogany	LWY		EFH	Rubber Ducky	RK
							EFW	Sand	SA
				Surface Finish--Grade 2 Standard Laminate			EHW	Starlight Silver Metallic	SX
				Akira	LAK		EHJ	Surf's Up	SP
				Black Alicante	LBY		EIT	Tarragon	TQ
				Black Hills Oak	LBH		EKM	Twilight Shadow	TI
				Calcutta Marble	LCQ		ELG	Ultra Blue	UB
				Dering Forest	LDF		EMG	Warm Grey	WG
				Fawn Cypress	LFQ		EMY	Zesty Lime	ZL
				Ice Mist	LIM		EMT		
				Markerboard White	LMK		EMB	Universal Overhead - Paint Color	
				Valley Forge Elm	LVF		ENE	Black	BL
				White River Forest	LWR		END	Blue Grey	GR

Finish Cards

View color swatches for items listed within this document.

Paints	Wood/Veneer	Molded Edges	Hard Plastics
Plastics/Poly	Laminates	Edge Styles	Glass

Certain options referenced may not be available on GSA Schedule.

Finish Cards

View color swatches for items listed within this document.


Preconfigured Monolithic Fabric Panel

Standard Base Raceway



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

			MODEL NUMBER											
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFR	Monolithic Fabric Panel - 32" H • Standard base raceway on both sides accepts power and data cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • 30-72" wide panels feature two power knockouts per side • 24" wide panels feature one power knockout per side • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 32	UMFR2432	☐	☐	☐	☐	☐	34.6#	\$ 438	\$ 459	\$ 474	\$ 486	\$ 520
		30 x 32	UMFR3032	☐	☐	☐	☐	☐	39.4#	497	521	538	552	590
		36 x 32	UMFR3632	☐	☐	☐	☐	☐	44.3#	542	566	587	600	641
		42 x 32	UMFR4232	☐	☐	☐	☐	☐	49.2#	579	605	627	644	683
		48 x 32	UMFR4832	☐	☐	☐	☐	☐	54.1#	609	638	658	675	719
		54 x 32	UMFR5432	☐	☐	☐	☐	☐	58.9#	665	694	718	735	784
		60 x 32	UMFR6032	☐	☐	☐	☐	☐	63.8#	757	790	821	839	895
		72 x 32	UMFR7232	☐	☐	☐	☐	☐	77.4#	965	1009	1044	1071	1143
UMFR	Monolithic Fabric Panel - 40" H	24 x 40	UMFR2440	☐	☐	☐	☐	☐	39.4#	\$ 472	\$ 495	\$ 512	\$ 523	\$ 560
		30 x 40	UMFR3040	☐	☐	☐	☐	☐	44.7#	534	560	578	593	632
		36 x 40	UMFR3640	☐	☐	☐	☐	☐	50.1#	603	631	655	671	714
		42 x 40	UMFR4240	☐	☐	☐	☐	☐	55.6#	661	688	716	732	782
		48 x 40	UMFR4840	☐	☐	☐	☐	☐	61.0#	683	717	742	759	810
		54 x 40	UMFR5440	☐	☐	☐	☐	☐	66.4#	728	761	787	808	864
		60 x 40	UMFR6040	☐	☐	☐	☐	☐	71.8#	814	852	881	906	965
		72 x 40	UMFR7240	☐	☐	☐	☐	☐	87.6#	1075	1125	1165	1194	1272
UMFR	Monolithic Fabric Panel - 48" H	24 x 48	UMFR2448	☐	☐	☐	☐	☐	44.3#	\$ 518	\$ 538	\$ 560	\$ 575	\$ 610
		30 x 48	UMFR3048	☐	☐	☐	☐	☐	50.2#	587	614	634	650	692
		36 x 48	UMFR3648	☐	☐	☐	☐	☐	56.1#	671	704	726	743	794
		42 x 48	UMFR4248	☐	☐	☐	☐	☐	62.1#	774	808	836	856	912
		48 x 48	UMFR4848	☐	☐	☐	☐	☐	68.0#	798	834	864	884	945
		54 x 48	UMFR5448	☐	☐	☐	☐	☐	73.9#	842	882	912	936	999
		60 x 48	UMFR6048	☐	☐	☐	☐	☐	79.8#	941	981	1018	1043	1111
		72 x 48	UMFR7248	☐	☐	☐	☐	☐	90.0#	1206	1263	1308	1340	1429
			A	B	C	D	E	F						

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Standard Base Raceway



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
 UMFR	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 56” H	24 x 56	UMFR2456	☐	☐	☐	☐	49.2#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 56	UMFR3056	☐	☐	☐	☐	55.6#	672	704	726	745	794
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFR3656	☐	☐	☐	☐	62.1#	730	762	788	810	865
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFR4256	☐	☐	☐	☐	68.6#	802	838	867	889	950
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	48 x 56	UMFR4856	☐	☐	☐	☐	75.0#	865	905	935	959	1022
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFR5456	☐	☐	☐	☐	81.4#	936	978	1013	1041	1110
	• 30-72” wide panels feature two power knockouts per side	60 x 56	UMFR6056	☐	☐	☐	☐	87.9#	1064	1113	1152	1184	1260
	• 24” wide panels feature one power knockout per side	72 x 56	UMFR7256	☐	☐	☐	☐	108.4#	1322	1384	1432	1467	1565
	• 72” wide panels feature split tiles												
	• Electrical components are specified separately												
UMFR	Monolithic Fabric Panel - 64” H	24 x 64	UMFR2464	☐	☐	☐	☐	53.6#	\$ 590	\$ 616	\$ 639	\$ 655	\$ 702
		30 x 64	UMFR3064	☐	☐	☐	☐	60.5#	688	722	748	769	816
		36 x 64	UMFR3664	☐	☐	☐	☐	67.5#	752	786	815	836	891
		42 x 64	UMFR4264	☐	☐	☐	☐	74.5#	826	865	894	916	976
		48 x 64	UMFR4864	☐	☐	☐	☐	81.5#	886	928	962	986	1048
		54 x 64	UMFR5464	☐	☐	☐	☐	88.4#	961	1004	1041	1066	1136
		60 x 64	UMFR6064	☐	☐	☐	☐	95.4#	1089	1138	1181	1207	1290
		72 x 64	UMFR7264	☐	☐	☐	☐	118.2#	1375	1438	1486	1524	1624

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C**Select electrical code.
- | | |
|-----------|------------------------------|
| CP | - Chicago - with cutouts |
| DN | - Domestic, no cutouts |
| DP | - Domestic - with cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| D1 | - Domestic, 1 side w/cutouts |
- D**Select trim color.
Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Elevated Base



Preconfigured Monolithic Fabric Panel

Elevated Base

		MODEL NUMBER										
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
Side 1Side 2	MODEL	W x H										
	Monolithic Fabric Panel - 32” H	24 x 32	UMFL2432	☐	☐	☐ ☐ ☐ ☐	32.4#	\$ 438	\$ 459	\$ 474	\$ 486	\$ 520
	• Elevated base does not accept cable distribution	30 x 32	UMFL3032	☐	☐	☐ ☐ ☐ ☐	36.5#	497	521	538	552	590
	• Includes monolithic fabric tiles for both sides	36 x 32	UMFL3632	☐	☐	☐ ☐ ☐ ☐	40.5#	542	566	587	600	641
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMFL4232	☐	☐	☐ ☐ ☐ ☐	44.6#	579	605	627	644	683
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMFL4832	☐	☐	☐ ☐ ☐ ☐	48.7#	609	638	658	675	719
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMFL5432	☐	☐	☐ ☐ ☐ ☐	52.7#	665	694	718	735	784
	• 72” wide panels feature split tiles	60 x 32	UMFL6032	☐	☐	☐ ☐ ☐ ☐	56.8#	757	790	821	839	895
		72 x 32	UMFL7232	☐	☐	☐ ☐ ☐ ☐	68.8#	965	1009	1044	1071	1143
UMFL												
UMFL	Monolithic Fabric Panel - 40” H	24 x 40	UMFL2440	☐	☐	☐ ☐ ☐ ☐	37.2#	\$ 472	\$ 495	\$ 512	\$ 523	\$ 560
		30 x 40	UMFL3040	☐	☐	☐ ☐ ☐ ☐	41.8#	534	560	578	593	632
		36 x 40	UMFL3640	☐	☐	☐ ☐ ☐ ☐	46.4#	603	631	655	671	714
		42 x 40	UMFL4240	☐	☐	☐ ☐ ☐ ☐	51.0#	661	688	716	732	782
		48 x 40	UMFL4840	☐	☐	☐ ☐ ☐ ☐	55.6#	683	717	742	759	810
		54 x 40	UMFL5440	☐	☐	☐ ☐ ☐ ☐	60.2#	728	761	787	808	864
		60 x 40	UMFL6040	☐	☐	☐ ☐ ☐ ☐	64.8#	814	852	881	906	965
		72 x 40	UMFL7240	☐	☐	☐ ☐ ☐ ☐	79.0#	1075	1125	1165	1194	1272
UMFL	Monolithic Fabric Panel - 48” H	24 x 48	UMFL2448	☐	☐	☐ ☐ ☐ ☐	42.1#	\$ 518	\$ 538	\$ 560	\$ 575	\$ 610
		30 x 48	UMFL3048	☐	☐	☐ ☐ ☐ ☐	47.2#	587	614	634	650	692
		36 x 48	UMFL3648	☐	☐	☐ ☐ ☐ ☐	52.3#	671	704	726	743	794
		42 x 48	UMFL4248	☐	☐	☐ ☐ ☐ ☐	57.5#	774	808	836	856	912
		48 x 48	UMFL4848	☐	☐	☐ ☐ ☐ ☐	62.6#	798	834	864	884	945
		54 x 48	UMFL5448	☐	☐	☐ ☐ ☐ ☐	67.7#	842	882	912	936	999
		60 x 48	UMFL6048	☐	☐	☐ ☐ ☐ ☐	72.9#	941	981	1018	1043	1111
		72 x 48	UMFL7248	☐	☐	☐ ☐ ☐ ☐	89.4#	1206	1263	1308	1340	1429
			A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

☐ - Flat trim (std)
☐ - No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- E**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Elevated Base



Preconfigured Monolithic Fabric Panel

Elevated Base

		MODEL NUMBER											
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2							
MODEL	W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Monolithic Fabric Panel - 56" H	24 x 56	UMFL2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	47.0#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
	• Elevated base does not accept cable distribution	30 x 56	UMFL3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.7#	672	704	726	745	794
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFL3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.3#	730	762	788	810	865
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFL4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#	802	838	867	889	950
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 56	UMFL4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.7#	865	905	935	959	1022
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFL5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.3#	936	978	1013	1041	1110
	• 72" wide panels feature split tiles	60 x 56	UMFL6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	81.0#	1064	1113	1152	1184	1260
		72 x 56	UMFL7256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	99.8#	1322	1384	1432	1467	1565
UMFL													
UMFL	Monolithic Fabric Panel - 64" H	24 x 64	UMFL2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.4#	\$ 590	\$ 616	\$ 639	\$ 655	\$ 702
		30 x 64	UMFL3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	57.5#	688	722	748	769	816
		36 x 64	UMFL3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.7#	752	786	815	836	891
		42 x 64	UMFL4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.9#	826	865	894	916	976
		48 x 64	UMFL4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	76.1#	886	928	962	986	1048
		54 x 64	UMFL5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	82.3#	961	1004	1041	1066	1136
		60 x 64	UMFL6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	88.5#	1089	1138	1181	1207	1290
		72 x 64	UMFL7264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.6#	1375	1438	1486	1524	1624
		A	B	C	D	E							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to **ki.com/fabrics**
- E**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL			W x H											
 UMFT	Monolithic Fabric Panel - 32" H • Side 1: tile-to-floor base does not accept cable distribution • Side 2: standard base raceway accepts power and data cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • 30-72" wide tiles feature two power knockouts on side 2 • 24" wide tiles feature one power knock-out on side 2 • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 32	UMFT2432	☐	☐	☐	☐	☐	33.6#	\$ 438	\$ 459	\$ 474	\$ 486	\$ 520
		30 x 32	UMFT3032	☐	☐	☐	☐	☐	38.1#	497	521	538	552	590
		36 x 32	UMFT3632	☐	☐	☐	☐	☐	42.7#	542	566	587	600	641
		42 x 32	UMFT4232	☐	☐	☐	☐	☐	47.3#	579	605	627	644	683
		48 x 32	UMFT4832	☐	☐	☐	☐	☐	51.9#	609	638	658	675	719
		54 x 32	UMFT5432	☐	☐	☐	☐	☐	56.4#	665	694	718	735	784
		60 x 32	UMFT6032	☐	☐	☐	☐	☐	61.0#	757	790	821	839	895
		72 x 32	UMFT7232	☐	☐	☐	☐	☐	74.0#	965	1009	1044	1071	1143
UMFT	Monolithic Fabric Panel - 40" H	24 x 40	UMFT2440	☐	☐	☐	☐	☐	38.4#	\$ 472	\$ 495	\$ 512	\$ 523	\$ 560
		30 x 40	UMFT3040	☐	☐	☐	☐	☐	43.4#	534	560	578	593	632
		36 x 40	UMFT3640	☐	☐	☐	☐	☐	48.5#	603	631	655	671	714
		42 x 40	UMFT4240	☐	☐	☐	☐	☐	53.7#	661	688	716	732	782
		48 x 40	UMFT4840	☐	☐	☐	☐	☐	58.8#	683	717	742	759	810
		54 x 40	UMFT5440	☐	☐	☐	☐	☐	63.9#	728	761	787	808	864
		60 x 40	UMFT6040	☐	☐	☐	☐	☐	69.0#	814	852	881	906	965
		72 x 40	UMFT7240	☐	☐	☐	☐	☐	84.2#	1075	1125	1165	1194	1272
UMFT	Monolithic Fabric Panel - 48" H	24 x 48	UMFT2448	☐	☐	☐	☐	☐	43.3#	\$ 518	\$ 538	\$ 560	\$ 575	\$ 610
		30 x 48	UMFT3048	☐	☐	☐	☐	☐	48.9#	587	614	634	650	692
		36 x 48	UMFT3648	☐	☐	☐	☐	☐	54.5#	671	704	726	743	794
		42 x 48	UMFT4248	☐	☐	☐	☐	☐	60.2#	774	808	836	856	912
		48 x 48	UMFT4848	☐	☐	☐	☐	☐	65.8#	798	834	864	884	945
		54 x 48	UMFT5448	☐	☐	☐	☐	☐	71.4#	842	882	912	936	1006
		60 x 48	UMFT6048	☐	☐	☐	☐	☐	77.1#	941	981	1018	1043	1111
		72 x 48	UMFT7248	☐	☐	☐	☐	☐	94.6#	1206	1263	1308	1340	1429
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select top cap style.

F

- Flat trim (std)

N

- No topcap

C

Select electrical code.

CP

- Chicago - with cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

D

Select trim color.

Refer to the **Product Color Options** page in this price list.

E

Select fabric side 1.

Refer to [ki.com/fabrics](#)

F

Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFT	Monolithic Fabric Panel - 56” H	24 x 56	UMFT2456	☐	☐	☐	☐	48.2#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 56	UMFT3056	☐	☐	☐	☐	54.3#	672	704	726	745	794
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 56	UMFT3656	☐	☐	☐	☐	60.5#	730	762	788	810	865
	• Includes monolithic fabric tiles for both sides	42 x 56	UMFT4256	☐	☐	☐	☐	66.7#	802	838	867	889	950
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 56	UMFT4856	☐	☐	☐	☐	72.8#	865	905	935	959	1022
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 56	UMFT5456	☐	☐	☐	☐	79.0#	936	978	1013	1041	1110
	• Side 1 and side 2 finishes are specified separately	60 x 56	UMFT6056	☐	☐	☐	☐	85.2#	1064	1113	1152	1184	1260
	• 30-72” wide tiles feature two power knockouts on side 2	72 x 56	UMFT7256	☐	☐	☐	☐	105.0#	1322	1384	1432	1467	1565
	• 24” wide tiles feature one power knock-out on side 2												
	• 72” wide panels feature split tiles												
	• Electrical components are specified separately												
UMFT	Monolithic Fabric Panel - 64” H	24 x 64	UMFT2464	☐	☐	☐	☐	52.5#	\$ 590	\$ 616	\$ 639	\$ 655	\$ 702
		30 x 64	UMFT3064	☐	☐	☐	☐	59.2#	688	722	748	769	816
		36 x 64	UMFT3664	☐	☐	☐	☐	65.9#	752	786	815	836	891
		42 x 64	UMFT4264	☐	☐	☐	☐	72.6#	826	865	894	916	976
		48 x 64	UMFT4864	☐	☐	☐	☐	79.3#	886	928	962	986	1048
		54 x 64	UMFT5464	☐	☐	☐	☐	86.0#	961	1004	1041	1066	1136
		60 x 64	UMFT6064	☐	☐	☐	☐	92.7#	1089	1138	1181	1207	1290
		72 x 64	UMFT7264	☐	☐	☐	☐	114.8#	1375	1438	1486	1524	1624
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts
DN- Domestic, no cutouts
DP- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway



Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 UMFR	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 40” H	24 x 40	UMFRBW2440	☐	☐	☐	☐	☐	39.4#	\$ 526	\$ 552	\$ 570	\$ 587	\$ 623
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 40	UMFRBW3040	☐	☐	☐	☐	☐	44.7#	612	641	663	678	722
	• Above worksurface beltway accepts power and data cable distribution	36 x 40	UMFRBW3640	☐	☐	☐	☐	☐	50.1#	673	706	729	747	798
	• Includes monolithic fabric tiles for both sides	42 x 40	UMFRBW4240	☐	☐	☐	☐	☐	55.6#	735	771	798	816	870
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMFRBW4840	☐	☐	☐	☐	☐	61.0#	759	797	824	843	902
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMFRBW5440	☐	☐	☐	☐	☐	66.4#	811	850	879	904	962
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	60 x 40	UMFRBW6040	☐	☐	☐	☐	☐	71.8#	911	955	988	1013	1083
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMFRBW7240	☐	☐	☐	☐	☐	87.6#	1211	1265	1310	1344	1434
	• 30-72” wide panels feature two power knockouts at base and two knockouts with bezels at beltway per side													
	• 24” wide panels each feature one power knockout and one at beltway per side													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
UMFR	Monolithic Fabric Panel - 48” H	24 x 48	UMFRBW2448	☐	☐	☐	☐	☐	44.3#	\$ 567	\$ 593	\$ 615	\$ 631	\$ 672
		30 x 48	UMFRBW3048	☐	☐	☐	☐	☐	50.2#	658	688	714	732	780
		36 x 48	UMFRBW3648	☐	☐	☐	☐	☐	56.1#	747	780	808	828	883
		42 x 48	UMFRBW4248	☐	☐	☐	☐	☐	62.1#	850	886	916	916	1006
		48 x 48	UMFRBW4848	☐	☐	☐	☐	☐	68.0#	868	908	942	965	1029
		54 x 48	UMFRBW5448	☐	☐	☐	☐	☐	73.9#	917	959	993	1019	1086
		60 x 48	UMFRBW6048	☐	☐	☐	☐	☐	79.8#	1021	1069	1105	1134	1206
		72 x 48	UMFRBW7248	☐	☐	☐	☐	☐	98.0#	1353	1416	1464	1502	1602
UMFR	Monolithic Fabric Panel - 56” H	24 x 56	UMFRBW2456	☐	☐	☐	☐	☐	49.2#	\$ 628	\$ 656	\$ 678	\$ 696	\$ 742
		30 x 56	UMFRBW3056	☐	☐	☐	☐	☐	55.6#	742	776	803	824	878
		36 x 56	UMFRBW3656	☐	☐	☐	☐	☐	62.1#	814	852	881	905	963
		42 x 56	UMFRBW4256	☐	☐	☐	☐	☐	68.6#	908	950	981	1008	1074
		48 x 56	UMFRBW4856	☐	☐	☐	☐	☐	75.0#	962	1008	1042	1069	1138
		54 x 56	UMFRBW5456	☐	☐	☐	☐	☐	81.4#	1030	1056	1115	1143	1217
		60 x 56	UMFRBW6056	☐	☐	☐	☐	☐	87.9#	1158	1211	1252	1283	1373
		72 x 56	UMFRBW7256	☐	☐	☐	☐	☐	108.4#	1485	1553	1608	1646	1759
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts

D1- Domestic, 1 side w/cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Side 1

Side 2

UMFR

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base



Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 UMFL	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 40” H	24 x 40	UMFLBW2440	☐	☐	☐	☐	☐	37.2#	\$ 526	\$ 552	\$ 570	\$ 587	\$ 623
	• 30-72” wide tiles each feature two power knockouts with bezels at above-worksurface beltway	30 x 40	UMFLBW3040	☐	☐	☐	☐	☐	41.8#	612	641	663	678	722
	• 24” wide tiles each feature one power knockout with bezel at above-worksurface beltway	36 x 40	UMFLBW3640	☐	☐	☐	☐	☐	46.4#	673	706	729	747	798
	• Raised base does not accept cable distribution	42 x 40	UMFLBW4240	☐	☐	☐	☐	☐	51.0#	735	771	798	816	870
	• Includes monolithic fabric tiles for both sides	48 x 40	UMFLBW4840	☐	☐	☐	☐	☐	55.6#	759	797	824	843	902
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	UMFLBW5440	☐	☐	☐	☐	☐	60.2#	811	850	879	904	962
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 40	UMFLBW6040	☐	☐	☐	☐	☐	64.8#	911	955	988	1013	1083
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMFLBW7240	☐	☐	☐	☐	☐	79.0#	1211	1265	1310	1344	1434
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
UMFL	Monolithic Fabric Panel - 48” H	24 x 48	UMFLBW2448	☐	☐	☐	☐	☐	42.1#	\$ 567	\$ 593	\$ 615	\$ 631	\$ 672
		30 x 48	UMFLBW3048	☐	☐	☐	☐	☐	47.2#	658	688	714	732	780
		36 x 48	UMFLBW3648	☐	☐	☐	☐	☐	52.3#	747	780	808	828	883
		42 x 48	UMFLBW4248	☐	☐	☐	☐	☐	57.5#	850	886	916	942	1006
		48 x 48	UMFLBW4848	☐	☐	☐	☐	☐	62.6#	868	908	942	965	1029
		54 x 48	UMFLBW5448	☐	☐	☐	☐	☐	67.7#	917	959	993	1019	1086
		60 x 48	UMFLBW6048	☐	☐	☐	☐	☐	72.9#	1021	1069	1105	1134	1206
		72 x 48	UMFLBW7248	☐	☐	☐	☐	☐	89.4#	1353	1416	1464	1502	1602
UMFL	Monolithic Fabric Panel - 56” H	24 x 56	UMFLBW2456	☐	☐	☐	☐	☐	47.0#	\$ 628	\$ 656	\$ 678	\$ 696	\$ 742
		30 x 56	UMFLBW3056	☐	☐	☐	☐	☐	52.7#	742	776	803	824	878
		36 x 56	UMFLBW3656	☐	☐	☐	☐	☐	58.3#	814	852	881	905	963
		42 x 56	UMFLBW4256	☐	☐	☐	☐	☐	64.0#	908	950	981	1008	1074
		48 x 56	UMFLBW4856	☐	☐	☐	☐	☐	69.7#	962	1008	1042	1069	1138
		54 x 56	UMFLBW5456	☐	☐	☐	☐	☐	75.3#	1030	1056	1115	1143	1217
		60 x 56	UMFLBW6056	☐	☐	☐	☐	☐	81.0#	1158	1211	1252	1283	1373
		72 x 56	UMFLBW7256	☐	☐	☐	☐	☐	99.8#	1485	1553	1608	1646	1759
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to **ki.com/fabrics**
- G**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base



Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

			MODEL NUMBER												
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H														
 UMFL	Monolithic Fabric Panel - 64" H	24 x 64	UMFLBW2464	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	51.4#	\$ 669	\$ 702	\$ 720	\$ 739	\$ 787
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	30 x 64	UMFLBW3064	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	57.5#	786	824	852	873	932
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	36 x 64	UMFLBW3664	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	63.7#	859	899	930	953	1015
	• Raised base does not accept cable distribution	42 x 64	UMFLBW4264	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	69.9#	938	977	1013	1041	1106
	• Includes monolithic fabric tiles for both sides	48 x 64	UMFLBW4864	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	76.1#	1004	1047	1087	1113	1188
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	UMFLBW5464	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	82.3#	1058	1127	1169	1196	1277
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 64	UMFLBW6064	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	88.5#	1219	1276	1320	1352	1444
	• Side 1 and side 2 finishes are specified separately	72 x 64	UMFLBW7264	☐	☐☐	☐☐☐	☐☐	☐☐☐☐	☐☐☐☐	109.6#	1565	1636	1692	1736	1852
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
			A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|---------------------------|
| DP | - Domestic - with cutouts |
|-----------|---------------------------|
- D** Select bezel color.
Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)
- G** Select fabric side 2.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 UMFT	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 40” H	24 x 40	UMFTBW2440	☐	☐	☐	☐	☐	38.4#	\$ 526	\$ 552	\$ 570	\$ 587	\$ 623
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 40	UMFTBW3040	☐	☐	☐	☐	☐	43.4#	612	641	663	678	722
	• Side 2: standard base raceway and above-worksurface beltway accept cable distribution	36 x 40	UMFTBW3640	☐	☐	☐	☐	☐	48.5#	673	706	729	747	798
		42 x 40	UMFTBW4240	☐	☐	☐	☐	☐	53.7#	735	771	798	816	870
	• Includes monolithic fabric tiles for both sides	48 x 40	UMFTBW4840	☐	☐	☐	☐	☐	58.8#	759	797	824	843	902
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	UMFTBW5440	☐	☐	☐	☐	☐	63.9#	811	850	879	904	962
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	60 x 40	UMFTBW6040	☐	☐	☐	☐	☐	69.0#	911	955	988	1013	1083
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMFTBW7240	☐	☐	☐	☐	☐	84.2#	1211	1265	1310	1344	1434
	• Side 2: 30-72” wide tiles feature two base and two beltway power knockouts													
	• Side 2: 24” wide tiles feature one base and one beltway power knockout													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
UMFT	Monolithic Fabric Panel - 48” H	24 x 48	UMFTBW2448	☐	☐	☐	☐	☐	43.3#	\$ 567	\$ 593	\$ 615	\$ 631	\$ 672
		30 x 48	UMFTBW3048	☐	☐	☐	☐	☐	48.9#	658	688	714	732	780
		36 x 48	UMFTBW3648	☐	☐	☐	☐	☐	54.5#	747	780	808	828	883
		42 x 48	UMFTBW4248	☐	☐	☐	☐	☐	60.2#	850	886	916	942	1006
		48 x 48	UMFTBW4848	☐	☐	☐	☐	☐	65.8#	868	908	942	965	1029
		54 x 48	UMFTBW5448	☐	☐	☐	☐	☐	71.4#	917	959	993	1019	1086
		60 x 48	UMFTBW6048	☐	☐	☐	☐	☐	77.1#	1021	1069	1105	1134	1206
		72 x 48	UMFTBW7248	☐	☐	☐	☐	☐	94.6#	1353	1416	1464	1502	1602
UMFT	Monolithic Fabric Panel - 56” H	24 x 56	UMFTBW2456	☐	☐	☐	☐	☐	48.2#	\$ 628	\$ 656	\$ 678	\$ 696	\$ 742
		30 x 56	UMFTBW3056	☐	☐	☐	☐	☐	54.3#	742	776	803	824	878
		36 x 56	UMFTBW3656	☐	☐	☐	☐	☐	60.5#	814	852	881	905	963
		42 x 56	UMFTBW4256	☐	☐	☐	☐	☐	66.7#	908	950	981	1008	1074
		48 x 56	UMFTBW4856	☐	☐	☐	☐	☐	72.8#	962	1008	1042	1069	1138
		54 x 56	UMFTBW5456	☐	☐	☐	☐	☐	79.0#	1030	1056	1115	1143	1217
		60 x 56	UMFTBW6056	☐	☐	☐	☐	☐	85.2#	1158	1211	1252	1283	1373
		72 x 56	UMFTBW7256	☐	☐	☐	☐	☐	105.0#	1485	1553	1608	1646	1759

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

F - Flat trim (std)

N - No topcap
- C**Select electrical code.

DP - Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFT • Monolithic Fabric Panel - 64” H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • Side 2: 30-72” wide tiles feature two base and two beltway power knockouts • Side 2: 24” wide tiles feature one base and one beltway power knockout • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 64	UMFTBW2464	☐	☐	☐	☐	☐	☐	52.5#	\$ 669	\$ 702	\$ 720	\$ 739	\$ 787
	30 x 64	UMFTBW3064	☐	☐	☐	☐	☐	☐	59.2#	786	824	852	873	932
	36 x 64	UMFTBW3664	☐	☐	☐	☐	☐	☐	65.9#	859	899	930	953	1015
	42 x 64	UMFTBW4264	☐	☐	☐	☐	☐	☐	72.6#	938	977	1013	1041	1106
	48 x 64	UMFTBW4864	☐	☐	☐	☐	☐	☐	79.3#	1004	1047	1087	1113	1188
	54 x 64	UMFTBW5464	☐	☐	☐	☐	☐	☐	86.0#	1058	1127	1169	1196	1277
	60 x 64	UMFTBW6064	☐	☐	☐	☐	☐	☐	92.7#	1219	1276	1320	1352	1444
	72 x 64	UMFTBW7264	☐	☐	☐	☐	☐	☐	114.8#	1565	1636	1692	1736	1852
		A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels

Standard Base Raceway



Preconfigured Monolithic Steel Panels

Standard Base Raceway

		MODEL NUMBER							
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMSR	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 32”H	24 x 32	UMSR2432	☐	☐	☐	☐	39.7#	\$ 593
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 32	UMSR3032	☐	☐	☐	☐	45.7#	638
	• Includes monolithic steel tiles with mounting bars for both sides	36 x 32	UMSR3632	☐	☐	☐	☐	51.8#	675
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMSR4232	☐	☐	☐	☐	57.9#	692
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	48 x 32	UMSR4832	☐	☐	☐	☐	64.0#	774
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMSR5432	☐	☐	☐	☐	70.1#	878
	• 30-72” wide panels feature two power knockouts per side	60 x 32	UMSR6032	☐	☐	☐	☐	76.2#	1035
	• 24” wide panels feature one power knockout per side	72 x 32	UMSR7232	☐	☐	☐	☐	94.5#	1243
	• 72” wide panels feature split tiles								
	• Electrical components are specified separately								
UMSR	Monolithic Steel Panel - 40”H	24 x 40	UMSR2440	☐	☐	☐	☐	44.8#	\$ 605
		30 x 40	UMSR3040	☐	☐	☐	☐	51.6#	663
		36 x 40	UMSR3640	☐	☐	☐	☐	58.5#	716
		42 x 40	UMSR4240	☐	☐	☐	☐	65.4#	743
		48 x 40	UMSR4840	☐	☐	☐	☐	72.3#	822
		54 x 40	UMSR5440	☐	☐	☐	☐	79.2#	925
		60 x 40	UMSR6040	☐	☐	☐	☐	86.1#	1086
		72 x 40	UMSR7240	☐	☐	☐	☐	107.5#	1307
UMSR	Monolithic Steel Panel - 48”H	24 x 48	UMSR2448	☐	☐	☐	☐	49.9#	\$ 677
		30 x 48	UMSR3048	☐	☐	☐	☐	57.5#	716
		36 x 48	UMSR3648	☐	☐	☐	☐	65.2#	775
UMSR	Monolithic Steel Panel - 56”H	24 x 56	UMSR2456	☐	☐	☐	☐	55.1#	\$ 708
		30 x 56	UMSR3056	☐	☐	☐	☐	63.5#	776
		36 x 56	UMSR3656	☐	☐	☐	☐	72.0#	832
UMSR	Monolithic Steel Panel - 64”H	24 x 64	UMSR2464	☐	☐	☐	☐	60.2#	\$ 843
		30 x 64	UMSR3064	☐	☐	☐	☐	69.5#	908
		36 x 64	UMSR3664	☐	☐	☐	☐	78.8#	972

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- F**Select paint color side 2.
- Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels

Elevated Base



Preconfigured Monolithic Steel Panels

Elevated Base

		MODEL NUMBER						
		Basic Model	Top Cap Style	Trim Color	Paint Color Side 1	Paint Color Side 2		
	MODEL	W x H					Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 32"H	24 x 32	UMSL2432	☐	☐	☐ ☐ ☐ ☐	37.1#	\$ 593
	• Raised base does not accept cable distribution	30 x 32	UMSL3032	☐	☐	☐ ☐ ☐ ☐	42.4#	638
	• Includes monolithic steel tiles with mounting bars for both sides	36 x 32	UMSL3632	☐	☐	☐ ☐ ☐ ☐	47.6#	675
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMSL4232	☐	☐	☐ ☐ ☐ ☐	53.0#	692
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMSL4832	☐	☐	☐ ☐ ☐ ☐	58.2#	774
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMSL5432	☐	☐	☐ ☐ ☐ ☐	63.5#	878
	• 72" wide panels feature split tiles	60 x 32	UMSL6032	☐	☐	☐ ☐ ☐ ☐	68.8#	1035
		72 x 32	UMSL7232	☐	☐	☐ ☐ ☐ ☐	85.5#	1243
UMSL								
UMSL	Monolithic Steel Panel - 40"H	24 x 40	UMSL2440	☐	☐	☐ ☐ ☐ ☐	42.1#	\$ 605
		30 x 40	UMSL3040	☐	☐	☐ ☐ ☐ ☐	48.2#	663
		36 x 40	UMSL3640	☐	☐	☐ ☐ ☐ ☐	54.3#	716
		42 x 40	UMSL4240	☐	☐	☐ ☐ ☐ ☐	60.5#	743
		48 x 40	UMSL4840	☐	☐	☐ ☐ ☐ ☐	66.6#	822
		54 x 40	UMSL5440	☐	☐	☐ ☐ ☐ ☐	72.6#	925
		60 x 40	UMSL6040	☐	☐	☐ ☐ ☐ ☐	78.7#	1086
		72 x 40	UMSL7240	☐	☐	☐ ☐ ☐ ☐	98.5#	1307
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSL2448	☐	☐	☐ ☐ ☐ ☐	47.3#	\$ 677
		30 x 48	UMSL3048	☐	☐	☐ ☐ ☐ ☐	54.2#	716
		36 x 48	UMSL3648	☐	☐	☐ ☐ ☐ ☐	61.1#	775
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSL2456	☐	☐	☐ ☐ ☐ ☐	52.4#	\$ 708
		30 x 56	UMSL3056	☐	☐	☐ ☐ ☐ ☐	60.2#	776
		36 x 56	UMSL3656	☐	☐	☐ ☐ ☐ ☐	67.9#	832
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSL2464	☐	☐	☐ ☐ ☐ ☐	57.6#	\$ 843
		30 x 64	UMSL3064	☐	☐	☐ ☐ ☐ ☐	66.1#	908
		36 x 64	UMSL3664	☐	☐	☐ ☐ ☐ ☐	74.6#	972

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C**Select trim color.
Refer to the **Product Color Options** page in this price list.
- D**Select paint color side 1.
Refer to the **Product Color Options** page in this price list.
- E**Select paint color side 2.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER							
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMST	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 32”H	24 x 32	UMST2432	☐	☐	☐	☐	38.9#	\$ 593
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 32	UMST3032	☐	☐	☐	☐	44.7#	638
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 32	UMST3632	☐	☐	☐	☐	50.5#	675
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 32	UMST4232	☐	☐	☐	☐	56.4#	692
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 32	UMST4832	☐	☐	☐	☐	62.2#	774
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 32	UMST5432	☐	☐	☐	☐	68.0#	878
	• Side 1 and side 2 finishes are specified separately	60 x 32	UMST6032	☐	☐	☐	☐	73.9#	1035
	• Side 2: 30-72” wide panels feature two power knockouts	72 x 32	UMST7232	☐	☐	☐	☐	91.8#	1243
	• Side 2: 24” wide panels feature one power knockout								
	• Electrical components are specified separately								
	• 72” wide panels feature split tiles								
UMST	Monolithic Steel Panel - 40”H	24 x 40	UMST2440	☐	☐	☐	☐	44.0#	\$ 605
		30 x 40	UMST3040	☐	☐	☐	☐	50.6#	663
		36 x 40	UMST3640	☐	☐	☐	☐	57.2#	716
		42 x 40	UMST4240	☐	☐	☐	☐	63.9#	743
		48 x 40	UMST4840	☐	☐	☐	☐	70.6#	822
		54 x 40	UMST5440	☐	☐	☐	☐	77.2#	925
		60 x 40	UMST6040	☐	☐	☐	☐	83.9#	1086
		72 x 40	UMST7240	☐	☐	☐	☐	104.8#	1307
UMST	Monolithic Steel Panel - 48”H	24 x 48	UMST2448	☐	☐	☐	☐	49.1#	\$ 677
		30 x 48	UMST3048	☐	☐	☐	☐	56.5#	716
		36 x 48	UMST3648	☐	☐	☐	☐	64.0#	775
UMST	Monolithic Steel Panel - 56”H	24 x 56	UMST2456	☐	☐	☐	☐	54.3#	\$ 708
		30 x 56	UMST3056	☐	☐	☐	☐	62.5#	776
		36 x 56	UMST3656	☐	☐	☐	☐	70.8#	832
UMST	Monolithic Steel Panel - 64”H	24 x 64	UMST2464	☐	☐	☐	☐	59.4#	\$ 843
		30 x 64	UMST3064	☐	☐	☐	☐	68.5#	908
		36 x 64	UMST3664	☐	☐	☐	☐	77.6#	972
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts
DN- Domestic, no cutouts
DP- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint color side 1.

Refer to the **Product Color Options** page in this price list.
- F**Select paint color side 2.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels (Beltway Power)

Standard Base Raceway



Preconfigured Monolithic Steel Panels (Beltway Power)

Standard Base Raceway

		MODEL NUMBER								
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMSR	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 40”H	24 x 40	UMSRBW2440	☐	☐	☐	☐	☐	44.8#	\$ 622
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 40	UMSRBW3040	☐	☐	☐	☐	☐	51.6#	690
	• Above worksurface beltway accepts power and data cable distribution	36 x 40	UMSRBW3640	☐	☐	☐	☐	☐	58.5#	745
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 40	UMSRBW4240	☐	☐	☐	☐	☐	65.4#	775
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMSRBW4840	☐	☐	☐	☐	☐	72.3#	852
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMSRBW5440	☐	☐	☐	☐	☐	79.2#	955
	• Side 1 and side 2 finishes are specified separately	60 x 40	UMSRBW6040	☐	☐	☐	☐	☐	86.1#	1114
	• 30-72” wide panels each feature two power knockouts at base and two knock-outs with bezels at beltway per side	72 x 40	UMSRBW7240	☐	☐	☐	☐	☐	107.5#	1365
	• 24” wide panels each feature one power knockout and one at beltway per side									
	• 72” wide panels feature split tiles									
	• Electrical components are specified separately									
UMSR	Monolithic Steel Panel - 48”H	24 x 48	UMSRBW2448	☐	☐	☐	☐	☐	49.9#	\$ 694
		30 x 48	UMSRBW3048	☐	☐	☐	☐	☐	57.5#	745
		36 x 48	UMSRBW3648	☐	☐	☐	☐	☐	65.2#	806
UMSR	Monolithic Steel Panel - 56”H	24 x 56	UMSRBW2456	☐	☐	☐	☐	☐	55.1#	\$ 724
		30 x 56	UMSRBW3056	☐	☐	☐	☐	☐	63.5#	807
		36 x 56	UMSRBW3656	☐	☐	☐	☐	☐	72.0#	865
UMSR	Monolithic Steel Panel - 64”H	24 x 64	UMSRBW2464	☐	☐	☐	☐	☐	60.2#	\$ 859
		30 x 64	UMSRBW3064	☐	☐	☐	☐	☐	69.5#	941
		36 x 64	UMSRBW3664	☐	☐	☐	☐	☐	78.8#	1004
			A	B	C	D	E	F	G	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
F - Flat trim (std)
N - No topcap
- C**Select electrical code.
DP - Domestic - with cutouts
D1 - Domestic, 1 side w/cutouts
- D**Select bezel color.
Refer to the **Product Color Options** page in this price list.
- E**Select trim color.
Refer to the **Product Color Options** page in this price list.
- F**Select paint color side 1.
Refer to the **Product Color Options** page in this price list.
- G**Select paint color side 2.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base



Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base

		MODEL NUMBER								
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMSL	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 40"H	24 x 40	UMSLBW2440	☐	☐	☐	☐	☐	42.1#	\$ 622
	• Includes monolithic steel tiles with mounting bars for both sides	30 x 40	UMSLBW3040	☐	☐	☐	☐	☐	48.2#	690
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	36 x 40	UMSLBW3640	☐	☐	☐	☐	☐	54.3#	745
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	42 x 40	UMSLBW4240	☐	☐	☐	☐	☐	60.5#	775
	• Raised base does not accept cable distribution	48 x 40	UMSLBW4840	☐	☐	☐	☐	☐	66.6#	852
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	UMSLBW5440	☐	☐	☐	☐	☐	72.6#	955
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 40	UMSLBW6040	☐	☐	☐	☐	☐	78.7#	1114
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMSLBW7240	☐	☐	☐	☐	☐	98.5#	1365
	• 72" wide panels feature split tiles									
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSLBW2448	☐	☐	☐	☐	☐	47.3#	\$ 694
		30 x 48	UMSLBW3048	☐	☐	☐	☐	☐	54.2#	745
		36 x 48	UMSLBW3648	☐	☐	☐	☐	☐	61.1#	806
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSLBW2456	☐	☐	☐	☐	☐	52.4#	\$ 724
		30 x 56	UMSLBW3056	☐	☐	☐	☐	☐	60.2#	807
		36 x 56	UMSLBW3656	☐	☐	☐	☐	☐	67.9#	865
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSLBW2464	☐	☐	☐	☐	☐	57.6#	\$ 859
		30 x 64	UMSLBW3064	☐	☐	☐	☐	☐	66.1#	941
		36 x 64	UMSLBW3664	☐	☐	☐	☐	☐	74.6#	1004
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select paint color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select paint color side 2.

Refer to the **Product Color Options** page in this
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- ### Shipping
- Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.
- Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Steel Panels (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER								
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMST	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 40”H	24 x 40	UMSTBW2440	☐	☐	☐	☐	☐	44.0#	\$ 622
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 40	UMSTBW3040	☐	☐	☐	☐	☐	50.6#	690
	• Side 2: standard base raceway and above-worksurface beltway power accept cable distribution	36 x 40	UMSTBW3640	☐	☐	☐	☐	☐	57.2#	745
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 40	UMSTBW4240	☐	☐	☐	☐	☐	63.9#	775
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMSTBW4840	☐	☐	☐	☐	☐	70.6#	852
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMSTBW5440	☐	☐	☐	☐	☐	77.2#	955
	• Side 1 and side 2 finishes are specified separately	60 x 40	UMSTBW6040	☐	☐	☐	☐	☐	83.9#	1114
	• Side 2: 30-72” wide tiles feature two base knockouts and two beltway power knockouts with bezels	72 x 40	UMSTBW7240	☐	☐	☐	☐	☐	104.8#	1365
	• Side 2: 24” wide tiles feature one base power knockout and one beltway knock-out with bezel									
	• 72” wide panels feature split tiles									
	• Electrical components are specified separately									
UMST	Monolithic Steel Panel - 48”H	24 x 48	UMSTBW2448	☐	☐	☐	☐	☐	49.1#	\$ 694
		30 x 48	UMSTBW3048	☐	☐	☐	☐	☐	56.5#	745
		36 x 48	UMSTBW3648	☐	☐	☐	☐	☐	64.0#	806
UMST	Monolithic Steel Panel - 56”H	24 x 56	UMSTBW2456	☐	☐	☐	☐	☐	54.3#	\$ 724
		30 x 56	UMSTBW3056	☐	☐	☐	☐	☐	62.5#	807
		36 x 56	UMSTBW3656	☐	☐	☐	☐	☐	70.8#	865
UMST	Monolithic Steel Panel - 64”H	24 x 64	UMSTBW2464	☐	☐	☐	☐	☐	59.4#	\$ 859
		30 x 64	UMSTBW3064	☐	☐	☐	☐	☐	68.5#	941
		36 x 64	UMSTBW3664	☐	☐	☐	☐	☐	77.6#	1004
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)

N - No topcap
- C**Select electrical code.

DP - Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select paint color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select paint color side 2.

Refer to the **Product Color Options** page in this
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- ### Shipping
- Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.
- Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Open Panels

Standard Base Raceway



Preconfigured Monolithic Open Panels

Standard Base Raceway

		MODEL NUMBER					
		Basic Model	Top Cap Style	Electrical Code	Trim Color		
MODEL	W x H					Approx. Packaged Weight	Delivered Pricing
 UMOR - Standard base raceway on both sides accepts power and data cable distribution - Aluminum powder coated open frame allows pass-through accessibility range of 8” to 29” from floor - Panel assembly includes frame, trim, and panel-to-panel connecting hardware - Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame 30-60” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side - Electrical components are specified separately	24 x 32	UMOR2432	☐	☐	☐	39.0#	\$ 761
	30 x 32	UMOR3032	☐	☐	☐	45.0#	825
	36 x 32	UMOR3632	☐	☐	☐	51.0#	855
	42 x 32	UMOR4232	☐	☐	☐	57.0#	947
	48 x 32	UMOR4832	☐	☐	☐	64.0#	978
	54 x 32	UMOR5432	☐	☐	☐	68.0#	1058
	60 x 32	UMOR6032	☐	☐	☐	76.0#	1199
		A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|------------------------------|
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| DP | - Domestic - with cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| D1 | - Domestic, 1 side w/cutouts |
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Open Panels

Elevated Base



Preconfigured Monolithic Open Panels

Elevated Base

		MODEL NUMBER					
		Basic Model	Top Cap Style	Trim Color			
MODEL		W x H			Approx. Packaged Weight	Delivered Pricing	
 UMOL	Monolithic Open Panel - 32"H	24 x 32	UMOL2432	☐	☐	37.0#	\$ 735
	• Elevated base is non-powered and does not accept cable distribution	30 x 32	UMOL3032	☐	☐	42.0#	797
	• Features powder coated aluminum frame	36 x 32	UMOL3632	☐	☐	47.0#	822
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 32	UMOL4232	☐	☐	53.0#	907
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 32	UMOL4832	☐	☐	58.0#	933
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	54 x 32	UMOL5432	☐	☐	70.0#	996
	• Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame	60 x 32	UMOL6032	☐	☐	68.0#	1120
		A	B	C			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Standard Base Raceway



Preconfigured Segmented Fabric Panel

Standard Base Raceway

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL			W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H - Includes upper and lower segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 40	USFR2440	□	□□	□□	□□□□	□□□□	39.0#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
		30 x 40	USFR3040	□	□□	□□	□□□□	□□□□	44.4#	641	671	692	712	757
		36 x 40	USFR3640	□	□□	□□	□□□□	□□□□	50.0#	694	726	751	771	822
		42 x 40	USFR4240	□	□□	□□	□□□□	□□□□	55.6#	758	797	822	843	899
		48 x 40	USFR4840	□	□□	□□	□□□□	□□□□	61.2#	783	817	850	868	927
		54 x 40	USFR5440	□	□□	□□	□□□□	□□□□	66.7#	839	877	909	930	993
		60 x 40	USFR6040	□	□□	□□	□□□□	□□□□	72.3#	945	988	1022	1046	1118
		72 x 40	USFR7240	□	□□	□□	□□□□	□□□□	88.5#	1264	1324	1373	1405	1497
USFR	Segmented Fabric Panel - 48”H	24 x 48	USFR2448	□	□□	□□	□□□□	□□□□	44.3#	\$ 612	\$ 641	\$ 663	\$ 678	\$ 722
		30 x 48	USFR3048	□	□□	□□	□□□□	□□□□	50.3#	686	719	745	762	814
		36 x 48	USFR3648	□	□□	□□	□□□□	□□□□	56.4#	751	785	811	832	889
		42 x 48	USFR4248	□	□□	□□	□□□□	□□□□	62.5#	838	877	908	930	991
		48 x 48	USFR4848	□	□□	□□	□□□□	□□□□	68.6#	859	899	930	953	1018
		54 x 48	USFR5448	□	□□	□□	□□□□	□□□□	74.7#	913	956	989	1013	1083
		60 x 48	USFR6048	□	□□	□□	□□□□	□□□□	80.8#	1022	1070	1106	1136	1211
		72 x 48	USFR7248	□	□□	□□	□□□□	□□□□	99.3#	1374	1435	1485	1523	1624
USFR	Segmented Fabric Panel - 56”H	24 x 56	USFR2456	□	□□	□□	□□□□	□□□□	48.6#	\$ 643	\$ 672	\$ 694	\$ 713	\$ 758
		30 x 56	USFR3056	□	□□	□□	□□□□	□□□□	55.2#	734	770	797	815	868
		36 x 56	USFR3656	□	□□	□□	□□□□	□□□□	61.8#	808	843	873	895	955
		42 x 56	USFR4256	□	□□	□□	□□□□	□□□□	68.5#	906	946	977	1006	1071
		48 x 56	USFR4856	□	□□	□□	□□□□	□□□□	75.1#	927	968	1006	1029	1095
		54 x 56	USFR5456	□	□□	□□	□□□□	□□□□	81.7#	959	1004	1040	1066	1136
		60 x 56	USFR6056	□	□□	□□	□□□□	□□□□	88.3#	1047	1097	1136	1165	1243
		72 x 56	USFR7256	□	□□	□□	□□□□	□□□□	109.1#	1475	1542	1595	1636	1746

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C

Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D

Select trim color.

Refer to the **Product Color Options** page in this price list.
- E

Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F

Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Standard Base Raceway



Preconfigured Segmented Fabric Panel

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Fabric Panel - 64”H - Includes upper and lower segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFR2464	☐	☐	☐	☐	☐	53.0#	\$ 690	\$ 724	\$ 749	\$ 770	\$ 817
	30 x 64	USFR3064	☐	☐	☐	☐	☐	60.0#	816	854	884	907	967
	36 x 64	USFR3664	☐	☐	☐	☐	☐	67.2#	910	952	983	1010	1076
	42x 64	USFR4264	☐	☐	☐	☐	☐	74.4#	968	1013	1047	1075	1147
	48 x 64	USFR4864	☐	☐	☐	☐	☐	81.5#	1003	1045	1086	1110	1185
	54 x 64	USFR5464	☐	☐	☐	☐	☐	88.6#	1055	1101	1139	1169	1247
	60 x 64	USFR6064	☐	☐	☐	☐	☐	95.8#	1168	1222	1263	1296	1382
	72 x 64	USFR7264	☐	☐	☐	☐	☐	118.9#	1688	1764	1827	1872	1997
		A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts
DN- Domestic, no cutouts
DP- Domestic - with cutouts
C1- Chicago, 1 side w/cutouts
D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Elevated Base



Preconfigured Segmented Fabric Panel

Elevated Base

			MODEL NUMBER										
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40”H	24 x 40	USFL2440	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	36.7#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
	• Includes segmented fabric tiles for both sides	30 x 40	USFL3040	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	41.5#	641	671	692	712	757
	• Upper and lower segments must be identically specified	36 x 40	USFL3640	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.4#	694	726	751	771	822
	• Elevated base does not accept cable distribution	42 x 40	USFL4240	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.1#	758	797	822	843	899
	• Elevated base does not accept cable distribution	48 x 40	USFL4840	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.3#	783	817	850	868	927
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFL5440	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.3#	839	877	909	930	993
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 40	USFL6040	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	65.3#	945	988	1022	1046	1118
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFL7240	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	79.7#	1264	1324	1373	1405	1497
	• 72" wide panels feature split tiles												
USFL													
USFL	Segmented Fabric Panel - 48”H	24 x 48	USFL2448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	42.1#	\$ 612	\$ 641	\$ 663	\$ 678	\$ 722
		30 x 48	USFL3048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	47.3#	686	719	745	762	814
		36 x 48	USFL3648	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.8#	751	785	811	832	889
		42 x 48	USFL4248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	838	877	908	930	991
		48 x 48	USFL4848	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.3#	859	899	930	953	1018
		54 x 48	USFL5448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	68.5#	913	956	989	1013	1083
		60 x 48	USFL6048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	73.8#	1022	1070	1106	1136	1211
		72 x 48	USFL7248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	90.7#	1374	1435	1485	1523	1624
USFL	Segmented Fabric Panel - 56”H	24 x 56	USFL2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.4#	\$ 643	\$ 672	\$ 694	\$ 713	\$ 758
		30 x 56	USFL3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.2#	734	770	797	815	868
		36 x 56	USFL3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	808	843	873	895	955
		42 x 56	USFL4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.9#	906	946	977	1006	1071
		48 x 56	USFL4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.7#	927	968	1006	1029	1095
		54 x 56	USFL5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.5#	959	1004	1040	1066	1136
		60 x 56	USFL6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	81.3#	1047	1097	1136	1165	1243
		72 x 56	USFL7256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	100.5#	1475	1542	1595	1636	1746
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

☐ - Flat trim (std)
☐ - No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- E**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Elevated Base



Preconfigured Segmented Fabric Panel

Elevated Base

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to ki.com/fabrics
- E** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 40”H	24 x 40	USFT2440	☐	☐	☐	☐	37.9#	\$ 565	\$ 590	\$ 610	\$ 627	\$ 670
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFT3040	☐	☐	☐	☐	43.1#	641	671	692	712	757
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USFT3640	☐	☐	☐	☐	48.4#	694	726	751	771	822
	• Includes segmented fabric tiles for both sides	42 x 40	USFT4240	☐	☐	☐	☐	53.7#	758	797	822	843	899
	• Upper and lower segments must be identically specified	48 x 40	USFT4840	☐	☐	☐	☐	59.0#	783	817	850	868	927
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFT5440	☐	☐	☐	☐	64.2#	839	877	909	930	993
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFT6040	☐	☐	☐	☐	69.5#	945	988	1022	1046	1118
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFT7240	☐	☐	☐	☐	85.1#	1264	1324	1373	1405	1497
	• Side 2: 30-72” wide tiles feature two base power knockouts												
	• Side 2: 24” wide tiles feature one power knockout												
	• 72” wide panels feature split tiles												
	• Electrical components are specified separately												
USFT	Segmented Fabric Panel - 48”H	24 x 48	USFT2448	☐	☐	☐	☐	43.2#	\$ 612	\$ 641	\$ 663	\$ 678	\$ 722
		30 x 48	USFT3048	☐	☐	☐	☐	49.0#	686	719	745	762	814
		36 x 48	USFT3648	☐	☐	☐	☐	54.8#	751	785	811	832	889
		42 x 48	USFT4248	☐	☐	☐	☐	60.6#	838	877	908	930	991
		48 x 48	USFT4848	☐	☐	☐	☐	66.4#	859	899	930	953	1018
		54 x 48	USFT5448	☐	☐	☐	☐	72.2#	913	956	989	1013	1083
		60 x 48	USFT6048	☐	☐	☐	☐	78.0#	1022	1070	1106	1136	1211
		72 x 48	USFT7248	☐	☐	☐	☐	95.9#	1374	1435	1485	1523	1624
USFT	Segmented Fabric Panel - 56”H	24 x 56	USFT2456	☐	☐	☐	☐	47.6#	\$ 643	\$ 672	\$ 694	\$ 713	\$ 758
		30 x 56	USFT3056	☐	☐	☐	☐	53.9#	734	770	797	815	868
		36 x 56	USFT3656	☐	☐	☐	☐	60.2#	808	843	873	895	955
		42 x 56	USFT4256	☐	☐	☐	☐	66.6#	906	946	977	1006	1071
		48 x 56	USFT4856	☐	☐	☐	☐	72.9#	927	968	1006	1029	1095
		54 x 56	USFT5456	☐	☐	☐	☐	79.2#	959	1004	1040	1066	1136
		60 x 56	USFT6056	☐	☐	☐	☐	85.5#	1047	1097	1136	1165	1243
		72 x 56	USFT7256	☐	☐	☐	☐	105.7#	1475	1542	1595	1636	1746
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

CP - Chicago - with cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER											
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT - Segmented Fabric Panel - 64”H - Side 1: tile-to-floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Includes segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately - Side 2: 30-72” wide tiles feature two base power knockouts - Side 2: 24” wide tiles feature one power knockout 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFT2464	☐	☐	☐	☐	☐	51.9#	\$ 690	\$ 724	\$ 749	\$ 770	\$ 817
	30 x 64	USFT3064	☐	☐	☐	☐	☐	58.7#	816	854	884	907	967
	36 x 64	USFT3664	☐	☐	☐	☐	☐	65.6#	910	952	983	1010	1076
	42x 64	USFT4264	☐	☐	☐	☐	☐	72.5#	968	1013	1047	1075	1147
	48 x 64	USFT4864	☐	☐	☐	☐	☐	79.3#	1003	1045	1086	1110	1185
	54 x 64	USFT5464	☐	☐	☐	☐	☐	86.1#	1055	1101	1139	1169	1247
	60 x 64	USFT6064	☐	☐	☐	☐	☐	93.0#	1168	1222	1263	1296	1382
	72 x 64	USFT7264	☐	☐	☐	☐	☐	115.5#	1688	1764	1827	1872	1997
		A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts
DN- Domestic, no cutouts
DP- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H	24 x 40	USFRBW2440	☐	☐	☐	☐	☐	39.0#	\$ 588	\$ 614	\$ 635	\$ 651	\$ 694
	• Includes fabric tiles for both sides	30 x 40	USFRBW3040	☐	☐	☐	☐	☐	44.4#	680	714	738	757	808
	• Upper and lower segments must be identically specified	36 x 40	USFRBW3640	☐	☐	☐	☐	☐	50.0#	736	771	798	816	872
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 40	USFRBW4240	☐	☐	☐	☐	☐	55.6#	802	838	868	891	950
	• Above worksurface beltway accepts power and data cable distribution	48 x 40	USFRBW4840	☐	☐	☐	☐	☐	61.2#	825	864	894	913	976
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFRBW5440	☐	☐	☐	☐	☐	66.7#	879	919	953	976	1041
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFRBW6040	☐	☐	☐	☐	☐	72.3#	986	1031	1069	1093	1166
	• Side 1/side 2 finishes specified separately	72 x 40	USFRBW7240	☐	☐	☐	☐	☐	88.5#	1348	1409	1457	1497	1595
	• 30-72” wide panels each feature two power knockouts at base and two knock-outs with bezels at beltway per side													
	• 24” wide panels each feature one power knockout and one knockout with bezel at beltway per side													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
USFR	Segmented Fabric Panel - 48”H	24 x 48	USFRBW2448	☐	☐	☐	☐	☐	44.3#	\$ 629	\$ 658	\$ 679	\$ 702	\$ 745
		30 x 48	USFRBW3048	☐	☐	☐	☐	☐	50.3#	729	762	788	810	865
		36 x 48	USFRBW3648	☐	☐	☐	☐	☐	56.4#	794	830	856	879	939
		42 x 48	USFRBW4248	☐	☐	☐	☐	☐	62.5#	879	919	953	976	1042
		48 x 48	USFRBW4848	☐	☐	☐	☐	☐	68.6#	904	944	976	1003	1069
		54 x 48	USFRBW5448	☐	☐	☐	☐	☐	74.7#	956	1000	1035	1061	1129
		60 x 48	USFRBW6048	☐	☐	☐	☐	☐	80.8#	1069	1116	1155	1185	1262
		72 x 48	USFRBW7248	☐	☐	☐	☐	☐	99.3#	1454	1523	1575	1614	1722
USFR	Segmented Fabric Panel - 56”H	24 x 56	USFRBW2456	☐	☐	☐	☐	☐	48.6#	\$ 666	\$ 696	\$ 719	\$ 738	\$ 786
		30 x 56	USFRBW3056	☐	☐	☐	☐	☐	55.2#	776	811	839	864	917
		36 x 56	USFRBW3656	☐	☐	☐	☐	☐	61.8#	850	886	917	944	1007
		42 x 56	USFRBW4256	☐	☐	☐	☐	☐	68.5#	947	989	1023	1048	1120
		48 x 56	USFRBW4856	☐	☐	☐	☐	☐	75.1#	968	1013	1047	1075	1147
		54 x 56	USFRBW5456	☐	☐	☐	☐	☐	81.7#	1002	1046	1084	1113	1185
		60 x 56	USFRBW6056	☐	☐	☐	☐	☐	88.3#	1092	1145	1185	1214	1293
		72 x 56	USFRBW7256	☐	☐	☐	☐	☐	109.1#	1556	1629	1685	1730	1844
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
D1- Domestic, 1 side w/cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

MODEL		MODEL NUMBER							Delivered Pricing					
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 USFR	Segmented Fabric Panel - 64”H	24 x 64	USFRBW2464	☐	☐	☐	☐	☐	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	• Includes segmented fabric tiles for both sides	30 x 64	USFRBW3064	☐	☐	☐	☐	☐	53.0#	\$ 717	\$ 749	\$ 776	\$ 797	\$ 850
	• Upper and lower segments must be identically specified	36 x 64	USFRBW3664	☐	☐	☐	☐	☐	60.0#	859	899	930	953	1015
	• Standard base raceway on both sides accepts power and data cable distribution	42x 64	USFRBW4264	☐	☐	☐	☐	☐	67.2#	952	996	1031	1057	1126
	• Above worksurface beltway accepts power and data cable distribution	48 x 64	USFRBW4864	☐	☐	☐	☐	☐	74.4#	1012	1057	1093	1123	1196
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFRBW5464	☐	☐	☐	☐	☐	81.5#	1044	1092	1129	1159	1238
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 64	USFRBW5464	☐	☐	☐	☐	☐	88.6#	1095	1147	1188	1216	1297
	• Side 1 and side 2 finishes are specified separately	60 x 64	USFRBW6064	☐	☐	☐	☐	☐	95.8#	1214	1269	1316	1347	1438
	• 30-72” wide panels each feature two power knockouts at base and two knock-outs with bezels at beltway per side	72 x 64	USFRBW7264	☐	☐	☐	☐	☐	118.9#	1769	1852	1917	1966	2093
	• 24” wide panels each feature one power knockout and one knockout with bezel at beltway per side													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
D1- Domestic, 1 side w/cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power
Elevated Base



Preconfigured Segmented Fabric Panel w/Beltway Power
Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 USFL	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40”H	24 x 40	USFLBW2440	☐	☐	☐	☐	☐	36.7#	\$ 588	\$ 614	\$ 635	\$ 651	\$ 694
	• Includes segmented fabric tiles for both sides	30 x 40	USFLBW3040	☐	☐	☐	☐	☐	41.5#	680	714	738	757	808
	• Upper and lower segments must be identically specified	36 x 40	USFLBW3640	☐	☐	☐	☐	☐	46.3#	736	771	798	816	872
	• 30-72” wide tiles each feature two power knockouts with bezels at above-worksurface beltway	42 x 40	USFLBW4240	☐	☐	☐	☐	☐	51.1#	802	838	868	891	950
	• 24” wide tiles each feature one power knockout with bezel at above-worksurface beltway	48 x 40	USFLBW4840	☐	☐	☐	☐	☐	55.8#	825	864	894	913	976
	• Elevated base does not accept cable distribution	54 x 40	USFLBW5440	☐	☐	☐	☐	☐	60.5#	879	919	953	976	1041
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFLBW6040	☐	☐	☐	☐	☐	65.3#	986	1031	1069	1093	1166
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USFLBW7240	☐	☐	☐	☐	☐	79.7#	1348	1409	1457	1497	1595
	• Side 1 and side 2 finishes are specified separately													
USFL	Segmented Fabric Panel - 48”H	24 x 48	USFLBW2448	☐	☐	☐	☐	☐	42.1#	\$ 629	\$ 658	\$ 679	\$ 702	\$ 745
		30 x 48	USFLBW3048	☐	☐	☐	☐	☐	47.3#	729	762	788	810	865
		36 x 48	USFLBW3648	☐	☐	☐	☐	☐	52.6#	794	830	856	879	939
		42 x 48	USFLBW4248	☐	☐	☐	☐	☐	58.0#	879	919	953	976	1042
		48 x 48	USFLBW4848	☐	☐	☐	☐	☐	63.3#	904	944	976	1003	1069
		54 x 48	USFLBW5448	☐	☐	☐	☐	☐	68.5#	956	1000	1035	1061	1129
		60 x 48	USFLBW6048	☐	☐	☐	☐	☐	73.8#	1069	1116	1155	1185	1262
		72 x 48	USFLBW7248	☐	☐	☐	☐	☐	90.7#	1454	1523	1575	1614	1722
USFL	Segmented Fabric Panel - 56”H	24 x 56	USFLBW2456	☐	☐	☐	☐	☐	46.4#	\$ 666	\$ 696	\$ 719	\$ 738	\$ 786
		30 x 56	USFLBW3056	☐	☐	☐	☐	☐	52.2#	776	811	839	864	917
		36 x 56	USFLBW3656	☐	☐	☐	☐	☐	58.0#	850	886	917	944	1007
		42 x 56	USFLBW4256	☐	☐	☐	☐	☐	63.9#	947	989	1023	1048	1120
		48 x 56	USFLBW4856	☐	☐	☐	☐	☐	69.7#	968	1013	1047	1075	1147
		54 x 56	USFLBW5456	☐	☐	☐	☐	☐	75.5#	1002	1046	1084	1113	1185
		60 x 56	USFLBW6056	☐	☐	☐	☐	☐	81.3#	1092	1145	1185	1214	1293
		72 x 56	USFLBW7256	☐	☐	☐	☐	☐	100.5#	1556	1629	1685	1730	1844
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER													
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2							
MODEL			W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Fabric Panel - 40”H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway accept cable distribution • Includes fabric tiles for both sides • Upper and lower segments must be identically specified • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 1 and side 2 finishes are specified separately • Side 2: 30-72” wide tiles feature two base power knockouts and two beltway power knockouts with bezels • Side 2: 24” wide tiles feature one base and one beltway power knockout with bezel • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USFTBW2440	☐	☐	☐	☐	☐	☐	37.9#	\$ 588	\$ 614	\$ 635	\$ 651	\$ 694	
		30 x 40	USFTBW3040	☐	☐	☐	☐	☐	☐	☐	43.1#	680	714	738	757	808
		36 x 40	USFTBW3640	☐	☐	☐	☐	☐	☐	☐	48.4#	736	771	798	816	872
		42 x 40	USFTBW4240	☐	☐	☐	☐	☐	☐	☐	53.7#	802	838	868	891	950
		48 x 40	USFTBW4840	☐	☐	☐	☐	☐	☐	☐	59.0#	825	864	894	913	976
		54 x 40	USFTBW5440	☐	☐	☐	☐	☐	☐	☐	64.2#	879	919	953	976	1041
		60 x 40	USFTBW6040	☐	☐	☐	☐	☐	☐	☐	69.5#	986	1031	1069	1093	1166
		72 x 40	USFTBW7240	☐	☐	☐	☐	☐	☐	☐	85.1#	1348	1409	1457	1497	1595
USFT	Segmented Fabric Panel - 48”H	24 x 48	USFTBW2448	☐	☐	☐	☐	☐	☐	43.2#	\$ 629	\$ 658	\$ 679	\$ 702	\$ 745	
		30 x 48	USFTBW3048	☐	☐	☐	☐	☐	☐	49.0#	729	762	788	810	865	
		36 x 48	USFTBW3648	☐	☐	☐	☐	☐	☐	54.8#	794	830	856	879	939	
		42 x 48	USFTBW4248	☐	☐	☐	☐	☐	☐	60.6#	879	919	953	976	1042	
		48 x 48	USFTBW4848	☐	☐	☐	☐	☐	☐	66.4#	904	944	976	1003	1069	
		54 x 48	USFTBW5448	☐	☐	☐	☐	☐	☐	72.2#	956	1000	1035	1061	1129	
		60 x 48	USFTBW6048	☐	☐	☐	☐	☐	☐	78.0#	1069	1116	1155	1185	1262	
		72 x 48	USFTBW7248	☐	☐	☐	☐	☐	☐	95.9#	1454	1523	1575	1614	1722	
USFT	Segmented Fabric Panel - 56”H	24 x 56	USFTBW2456	☐	☐	☐	☐	☐	☐	47.6#	\$ 666	\$ 696	\$ 719	\$ 738	\$ 786	
		30 x 56	USFTBW3056	☐	☐	☐	☐	☐	☐	53.9#	776	811	839	864	917	
		36 x 56	USFTBW3656	☐	☐	☐	☐	☐	☐	60.2#	850	886	917	944	1007	
		42 x 56	USFTBW4256	☐	☐	☐	☐	☐	☐	66.6#	947	989	1023	1048	1120	
		48 x 56	USFTBW4856	☐	☐	☐	☐	☐	☐	72.9#	968	1013	1047	1075	1147	
		54 x 56	USFTBW5456	☐	☐	☐	☐	☐	☐	79.2#	1002	1046	1084	1113	1185	
		60 x 56	USFTBW6056	☐	☐	☐	☐	☐	☐	85.5#	1092	1145	1185	1214	1293	
		72 x 56	USFTBW7256	☐	☐	☐	☐	☐	☐	105.7#	1556	1629	1685	1730	1844	
			A	B	C	D	E	F	G							

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- DP** - Domestic - with cutouts
- D**Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT - Segmented Fabric Panel - 64”H - Side 1: tile-to-floor base does not accept cable distribution at base or beltway - Side 2: standard base raceway and above-worksurface beltway accept cable distribution - Includes segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately - Side 2: 30-72” wide tiles feature two base power knockouts and two beltway power knockouts with bezels - Side 2: 24” wide tiles feature one base and one beltway power knockout with bezel 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFTBW2464	☐	☐	☐	☐	☐	☐	51.9#	\$ 717	\$ 749	\$ 776	\$ 797	\$ 850
	30 x 64	USFTBW3064	☐	☐	☐	☐	☐	☐	58.7#	859	899	930	953	1015
	36 x 64	USFTBW3664	☐	☐	☐	☐	☐	☐	65.6#	952	996	1031	1057	1126
	42x 64	USFTBW4264	☐	☐	☐	☐	☐	☐	72.5#	1012	1057	1093	1123	1196
	48 x 64	USFTBW4864	☐	☐	☐	☐	☐	☐	79.3#	1044	1092	1129	1159	1238
	54 x 64	USFTBW5464	☐	☐	☐	☐	☐	☐	86.2#	1095	1147	1188	1216	1297
	60 x 64	USFTBW6064	☐	☐	☐	☐	☐	☐	93.0#	1214	1269	1316	1347	1438
	72 x 64	USFTBW7264	☐	☐	☐	☐	☐	☐	115.5#	1769	1852	1917	1966	2093
		A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

			MODEL NUMBER																
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2		
 USFR	MODEL	W x H																	
	Segmented Steel Panel - 40”H		24 x 40	USSFR2440	☐	☐	☐	☐	☐	☐	☐		43.7#	\$ 706	\$ 724	\$ 736	\$ 762	\$ 790	
	- Includes segmented tiles with steel lower and fabric upper segments for both sides - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately		30 x 40	USSFR3040	☐	☐	☐	☐	☐	☐	☐		50.4#	761	784	799	828	855	
			36 x 40	USSFR3640	☐	☐	☐	☐	☐	☐	☐	☐		57.1#	815	837	853	884	913
			42 x 40	USSFR4240	☐	☐	☐	☐	☐	☐	☐	☐		64.0#	853	878	894	927	959
			48 x 40	USSFR4840	☐	☐	☐	☐	☐	☐	☐	☐		70.7#	928	955	972	1009	1044
			54 x 40	USSFR5440	☐	☐	☐	☐	☐	☐	☐	☐		77.5#	1026	1056	1075	1115	1154
			60 x 40	USSFR6040	☐	☐	☐	☐	☐	☐	☐	☐		84.3#	1186	1217	1243	1288	1330
			72 x 40	USSFR7240	☐	☐	☐	☐	☐	☐	☐	☐		105.3#	1501	1544	1570	1632	1688
USFR	Segmented Steel Panel - 48”H		24 x 48	USSFR2448	☐	☐	☐	☐	☐	☐	☐		49.0#	\$ 752	\$ 775	\$ 787	\$ 817	\$ 849	
	30 x 48	USSFR3048	☐	☐	☐	☐	☐	☐	☐	☐		56.2#	811	836	852	881	911		
	36 x 48	USSFR3648	☐	☐	☐	☐	☐	☐	☐	☐		63.5#	868	894	910	945	976		
	42 x 48	USSFR4248	☐	☐	☐	☐	☐	☐	☐	☐		70.8#	930	955	973	1009	1044		
	48 x 48	USSFR4848	☐	☐	☐	☐	☐	☐	☐	☐		78.1#	1004	1031	1048	1089	1125		
	54 x 48	USSFR5448	☐	☐	☐	☐	☐	☐	☐	☐		85.4#	1103	1136	1155	1197	1239		
	60 x 48	USSFR6048	☐	☐	☐	☐	☐	☐	☐	☐		92.8#	1267	1306	1329	1378	1426		
	72 x 48	USSFR7248	☐	☐	☐	☐	☐	☐	☐	☐		116.1#	1609	1651	1685	1747	1807		
USFR	Segmented Steel Panel - 56”H		24 x 56	USSFR2456	☐	☐	☐	☐	☐	☐	☐		53.3#	\$ 784	\$ 807	\$ 822	\$ 852	\$ 881	
	30 x 56	USSFR3056	☐	☐	☐	☐	☐	☐	☐	☐		61.1#	855	881	898	898	963		
	36 x 56	USSFR3656	☐	☐	☐	☐	☐	☐	☐	☐		68.9#	924	951	967	1004	1037		
	42 x 56	USSFR4256	☐	☐	☐	☐	☐	☐	☐	☐		76.8#	1003	1029	1047	1088	1124		
	48 x 56	USSFR4856	☐	☐	☐	☐	☐	☐	☐	☐		84.6#	1071	1101	1121	1161	1202		
	54 x 56	USSFR5456	☐	☐	☐	☐	☐	☐	☐	☐		92.4#	1148	1181	1202	1247	1290		
	60 x 56	USSFR6056	☐	☐	☐	☐	☐	☐	☐	☐		100.3#	1293	1330	1353	1405	1453		
	72 x 56	USSFR7256	☐	☐	☐	☐	☐	☐	☐	☐		126.0#	1715	1763	1796	1861	1926		
			A	B	C	D	E	F	G	H									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

CSelect electrical code.

DSelect trim color.

ESelect steel bottom color side 1.

FSelect fabric side 1.
- G**Select steel bottom color side 2.

HSelect fabric side 2.
- F** - Flat trim (std)

N - No topcap

CP - Chicago, 2 sides w/cutouts

DN - Domestic, no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

Refer to the **Product Color Options** page in this price list.

Refer to **ki.com/fabrics**

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

		MODEL NUMBER													
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H														
 USFR Segmented Steel Panel - 64”H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USSFR2464	☐	☐	☐	☐	☐	☐	☐						
	30 x 64	USSFR3064	☐	☐	☐	☐	☐	☐	☐						
	36 x 64	USSFR3664	☐	☐	☐	☐	☐	☐	☐						
	42 x 64	USSFR4264	☐	☐	☐	☐	☐	☐	☐						
	48 x 64	USSFR4864	☐	☐	☐	☐	☐	☐	☐						
	54 x 64	USSFR5464	☐	☐	☐	☐	☐	☐	☐						
	60 x 64	USSFR6064	☐	☐	☐	☐	☐	☐	☐						
	72 x 64	USSFR7264	☐	☐	☐	☐	☐	☐	☐						
		A	B	C	D	E	F	G	H						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.

ESelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

FSelect fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

HSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 40”H	24 x 40	USSFL2440	☐	☐	☐	☐	☐	41.4#	\$ 706	\$ 724	\$ 736	\$ 762	\$ 790
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFL3040	☐	☐	☐	☐	☐	47.4#	761	784	799	828	855
	• Elevated base does not accept cable distribution	36 x 40	USSFL3640	☐	☐	☐	☐	☐	53.4#	815	837	853	884	913
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 40	USSFL4240	☐	☐	☐	☐	☐	59.4#	853	878	894	927	959
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	48 x 40	USSFL4840	☐	☐	☐	☐	☐	65.3#	928	955	972	1009	1044
	• Side 1 and side 2 finishes are specified separately	54 x 40	USSFL5440	☐	☐	☐	☐	☐	71.3#	1026	1056	1075	1115	1154
	• 72” wide panels feature split tiles	60 x 40	USSFL6040	☐	☐	☐	☐	☐	77.3#	1186	1217	1243	1288	1330
		72 x 40	USSFL7240	☐	☐	☐	☐	☐	96.7#	1501	1544	1570	1632	1688
USFL														
USFL	Segmented Steel Panel - 48”H	24 x 48	USSFL2448	☐	☐	☐	☐	☐	46.7#	\$ 752	\$ 775	\$ 787	\$ 817	\$ 849
		30 x 48	USSFL3048	☐	☐	☐	☐	☐	53.2#	811	836	852	881	911
		36 x 48	USSFL3648	☐	☐	☐	☐	☐	59.7#	868	894	910	945	976
		42 x 48	USSFL4248	☐	☐	☐	☐	☐	66.3#	930	955	973	1009	1044
		48 x 48	USSFL4848	☐	☐	☐	☐	☐	72.8#	1004	1031	1048	1089	1125
		54 x 48	USSFL5448	☐	☐	☐	☐	☐	79.3#	1103	1136	1155	1197	1239
		60 x 48	USSFL6048	☐	☐	☐	☐	☐	85.8#	1267	1306	1329	1378	1426
		72 x 48	USSFL7248	☐	☐	☐	☐	☐	107.6#	1609	1651	1685	1747	1807
USFL	Segmented Steel Panel - 56”H	24 x 56	USSFL2456	☐	☐	☐	☐	☐	51.1#	\$ 784	\$ 807	\$ 822	\$ 852	\$ 881
		30 x 56	USSFL3056	☐	☐	☐	☐	☐	58.1#	855	881	898	930	963
		36 x 56	USSFL3656	☐	☐	☐	☐	☐	65.1#	924	951	967	1004	1037
		42 x 56	USSFL4256	☐	☐	☐	☐	☐	72.2#	1003	1029	1047	1102	1124
		48 x 56	USSFL4856	☐	☐	☐	☐	☐	79.2#	1071	1101	1121	1161	1202
		54 x 56	USSFL5456	☐	☐	☐	☐	☐	86.2#	1148	1181	1202	1247	1290
		60 x 56	USSFL6056	☐	☐	☐	☐	☐	93.3#	1293	1330	1353	1405	1453
		72 x 56	USSFL7256	☐	☐	☐	☐	☐	117.4#	1715	1763	1796	1861	1926
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to ki.com/fabrics
- F**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 2.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
USFL Side 1 Side 2 Segmented Steel Panel - 64”H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud - Side 1 and side 2 finishes are specified separately 72” wide panels feature split tiles	24 x 64	USSFL2464	☐	☐	☐	☐	☐	☐	55.4#	\$ 836	\$ 862	\$ 877	\$ 908	\$ 942
	30 x 64	USSFL3064	☐	☐	☐	☐	☐	☐	63.0#	945	972	989	1024	1061
	36 x 64	USSFL3664	☐	☐	☐	☐	☐	☐	70.5#	1030	1059	1083	1120	1159
	42 x 64	USSFL4264	☐	☐	☐	☐	☐	☐	78.1#	1068	1097	1118	1159	1199
	48 x 64	USSFL4864	☐	☐	☐	☐	☐	☐	85.7#	1147	1181	1201	1245	1288
	54 x 64	USSFL5464	☐	☐	☐	☐	☐	☐	93.2#	1264	1291	1297	1348	1393
	60 x 64	USSFL6064	☐	☐	☐	☐	☐	☐	100.8#	1264	1449	1476	1529	1582
	72 x 64	USSFL7264	☐	☐	☐	☐	☐	☐	127.2#	1927	1984	2021	2091	2165
		A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER														
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2							
MODEL			W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USFT	Segmented Steel Panel - 40”H • Side 1: tile-to-floor base does not accept cable distribution • Side 2: standard base raceway accepts power and data cable distribution • Includes segmented tiles with steel lower and fabric upper segments for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 1 and side 2 finishes are specified separately • Side 2: 30-72” wide tiles feature two base and two beltway power knockouts • Side 2: 24” wide tiles feature one base and one beltway power knockout • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USSFT2440	☐	☐	☐	☐	☐	☐	☐	42.9#	\$ 706	\$ 724	\$ 736	\$ 762	\$ 790	
		30 x 40	USSFT3040	☐	☐	☐	☐	☐	☐	☐	☐	49.4#	761	784	799	828	855
		36 x 40	USSFT3640	☐	☐	☐	☐	☐	☐	☐	☐	55.9#	815	837	853	884	913
		42 x 40	USSFT4240	☐	☐	☐	☐	☐	☐	☐	☐	62.5#	853	878	894	927	959
		48 x 40	USSFT4840	☐	☐	☐	☐	☐	☐	☐	☐	69.0#	928	955	972	1009	1044
		54 x 40	USSFT5440	☐	☐	☐	☐	☐	☐	☐	☐	75.5#	1026	1056	1075	1115	1154
		60 x 40	USSFT6040	☐	☐	☐	☐	☐	☐	☐	☐	82.1#	1186	1217	1243	1288	1330
		72 x 40	USSFT7240	☐	☐	☐	☐	☐	☐	☐	☐	102.7#	1501	1544	1570	1632	1688
USFT	Segmented Steel Panel - 48”H	24 x 48	USSFT2448	☐	☐	☐	☐	☐	☐	☐	48.2#	\$ 752	\$ 775	\$ 787	\$ 817	\$ 849	
		30 x 48	USSFT3048	☐	☐	☐	☐	☐	☐	☐	55.2#	811	836	852	881	911	
		36 x 48	USSFT3648	☐	☐	☐	☐	☐	☐	☐	62.3#	868	894	910	945	976	
		42 x 48	USSFT4248	☐	☐	☐	☐	☐	☐	☐	69.4#	930	955	973	1009	1044	
		48 x 48	USSFT4848	☐	☐	☐	☐	☐	☐	☐	76.4#	1004	1031	1048	1089	1125	
		54 x 48	USSFT5448	☐	☐	☐	☐	☐	☐	☐	83.5#	1103	1136	1155	1197	1239	
		60 x 48	USSFT6048	☐	☐	☐	☐	☐	☐	☐	90.6#	1267	1306	1329	1378	1426	
		72 x 48	USSFT7248	☐	☐	☐	☐	☐	☐	☐	113.5#	1609	1651	1685	1747	1807	
USFT	Segmented Steel Panel - 56”H	24 x 56	USSFT2456	☐	☐	☐	☐	☐	☐	☐	52.5#	\$ 784	\$ 807	\$ 822	\$ 852	\$ 881	
		30 x 56	USSFT3056	☐	☐	☐	☐	☐	☐	☐	60.1#	855	881	898	930	963	
		36 x 56	USSFT3656	☐	☐	☐	☐	☐	☐	☐	67.7#	924	951	967	1004	1037	
		42 x 56	USSFT4256	☐	☐	☐	☐	☐	☐	☐	75.3#	1003	1029	1047	1088	1124	
		48 x 56	USSFT4856	☐	☐	☐	☐	☐	☐	☐	82.9#	1071	1101	1121	1161	1202	
		54 x 56	USSFT5456	☐	☐	☐	☐	☐	☐	☐	90.5#	1148	1181	1202	1247	1290	
		60 x 56	USSFT6056	☐	☐	☐	☐	☐	☐	☐	98.1#	1293	1330	1353	1405	1453	
		72 x 56	USSFT7256	☐	☐	☐	☐	☐	☐	☐	123.4#	1715	1763	1796	1861	1926	
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

- H**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
MODEL	W x H															
 USFT - Segmented Steel Panel - 64”H - Side 1: tile-to-floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Includes segmented tiles with steel lower and fabric upper segments for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately - Side 2: 30-72” wide tiles feature two base and two beltway power knockouts - Side 2: 24” wide tiles feature one base and one beltway power knockout 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USSFT2464	☐	☐	☐	☐	☐	☐	☐	56.9#	\$ 836	\$ 862	\$ 877	\$ 908	\$ 942	
	30 x 64	USSFT3064	☐	☐	☐	☐	☐	☐	☐	65.0#	945	972	989	1024	1061	
	36 x 64	USSFT3664	☐	☐	☐	☐	☐	☐	☐	73.1#	1030	1059	1083	1120	1159	
	42 x 64	USSFT4264	☐	☐	☐	☐	☐	☐	☐	81.2#	1068	1097	1118	1159	1199	
	48 x 64	USSFT4864	☐	☐	☐	☐	☐	☐	☐	89.3#	1147	1181	1201	1245	1288	
	54 x 64	USSFT5464	☐	☐	☐	☐	☐	☐	☐	97.4#	1264	1291	1297	1348	1393	
	60 x 64	USSFT6064	☐	☐	☐	☐	☐	☐	☐	105.6#	1264	1449	1476	1529	1582	
	72 x 64	USSFT7264	☐	☐	☐	☐	☐	☐	☐	133.2#	1927	1984	2021	2091	2165	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C

Select electrical code.

CP

- Chicago - with cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts
- D

Select trim color.

Refer to the **Product Color Options** page in this price list.
- E

Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- F

Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G

Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

- H

Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER																
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2			Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Steel Panel - 40”H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Standard base raceway on both sides accepts power and data cable distribution - Above worksurface beltway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side 24” wide panels each feature one power knockout and one knockout with bezel at beltway per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSFRBW2440	☐	☐	☐	☐	☐	☐	☐	☐			43.7#	\$ 734	\$ 754	\$ 770	\$ 798	\$ 825
	30 x 40	USSFRBW3040	☐	☐	☐	☐	☐	☐	☐	☐			50.4#	822	848	862	893	924
	36 x 40	USSFRBW3640	☐	☐	☐	☐	☐	☐	☐	☐			57.1#	870	895	910	945	976
	42 x 40	USSFRBW4240	☐	☐	☐	☐	☐	☐	☐	☐			64.0#	908	935	952	986	1021
	48 x 40	USSFRBW4840	☐	☐	☐	☐	☐	☐	☐	☐			70.7#	978	1009	1026	1064	1101
	54 x 40	USSFRBW5440	☐	☐	☐	☐	☐	☐	☐	☐			77.5#	1082	1113	1129	1171	1214
	60 x 40	USSFRBW6040	☐	☐	☐	☐	☐	☐	☐	☐			84.3#	1247	1280	1305	1350	1399
	72 x 40	USSFRBW7240	☐	☐	☐	☐	☐	☐	☐	☐			105.3#	1615	1663	1692	1757	1816

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

DP

- Domestic - with cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

- Refer to ki.com/fabrics
- H**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.

Refer to ki.com/fabrics
- ## UPHOLSTERY INFORMATION
- Fabric Mixing**
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the
- direction the fabric is to be applied.
- ## SPECIAL SERVICES
- Special Carton Marking**
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 48”H	24 x 48	USSFRBW2448	☐	☐	☐	☐	☐	☐	☐	49.0#	\$ 775	\$ 798	\$ 811	\$ 839	\$ 870
		30 x 48	USSFRBW3048	☐	☐	☐	☐	☐	☐	☐	56.2#	867	893	908	944	974
		36 x 48	USSFRBW3648	☐	☐	☐	☐	☐	☐	☐	63.5#	924	951	967	1006	1037
		42 x 48	USSFRBW4248	☐	☐	☐	☐	☐	☐	☐	70.8#	988	1015	1035	1072	1110
		48 x 48	USSFRBW4848	☐	☐	☐	☐	☐	☐	☐	78.1#	1057	1089	1109	1148	1189
		54 x 48	USSFRBW5448	☐	☐	☐	☐	☐	☐	☐	85.4#	1158	1192	1213	1256	1301
		60 x 48	USSFRBW6048	☐	☐	☐	☐	☐	☐	☐	92.8#	1326	1363	1388	1441	1488
		72 x 48	USSFRBW7248	☐	☐	☐	☐	☐	☐	☐	116.1#	1719	1767	1798	1866	1929
USFR																
USFR	Segmented Steel Panel - 56”H	24 x 56	USSFRBW2456	☐	☐	☐	☐	☐	☐	☐	53.3#	\$ 814	\$ 837	\$ 853	\$ 883	\$ 912
		30 x 56	USSFRBW3056	☐	☐	☐	☐	☐	☐	☐	61.1#	911	939	955	990	1024
		36 x 56	USSFRBW3656	☐	☐	☐	☐	☐	☐	☐	68.9#	980	1010	1029	1068	1103
		42 x 56	USSFRBW4256	☐	☐	☐	☐	☐	☐	☐	76.8#	1056	1088	1105	1147	1188
		48 x 56	USSFRBW4856	☐	☐	☐	☐	☐	☐	☐	84.6#	1129	1161	1185	1226	1269
		54 x 56	USSFRBW5456	☐	☐	☐	☐	☐	☐	☐	92.4#	1203	1239	1262	1307	1353
		60 x 56	USSFRBW6056	☐	☐	☐	☐	☐	☐	☐	100.3#	1350	1388	1413	1464	1518
		72 x 56	USSFRBW7256	☐	☐	☐	☐	☐	☐	☐	126.0#	1826	1877	1913	1983	2051
USFR	Segmented Steel Panel - 64”H	24 x 64	USSFRBW2464	☐	☐	☐	☐	☐	☐	☐	57.7#	\$ 867	\$ 891	\$ 908	\$ 942	\$ 973
		30 x 64	USSFRBW3064	☐	☐	☐	☐	☐	☐	☐	66.0#	1003	1029	1046	1087	1123
		36 x 64	USSFRBW3664	☐	☐	☐	☐	☐	☐	☐	74.3#	1088	1116	1137	1181	1219
		42 x 64	USSFRBW4264	☐	☐	☐	☐	☐	☐	☐	82.7#	1123	1154	1174	1217	1260
		48 x 64	USSFRBW4864	☐	☐	☐	☐	☐	☐	☐	91.1#	1202	1239	1260	1307	1350
		54 x 64	USSFRBW5464	☐	☐	☐	☐	☐	☐	☐	99.4#	1296	1337	1360	1411	1456
		60 x 64	USSFRBW6064	☐	☐	☐	☐	☐	☐	☐	107.8#	1473	1514	1542	1598	1651
		72 x 64	USSFRBW7264	☐	☐	☐	☐	☐	☐	☐	135.8#	2037	2096	2133	2211	2290
			A	B	C	D	E	F	G	H	I					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- DP** - Domestic - with cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.
- Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

Refer to ki.com/fabrics

- H**Select steel bottom color side 2.
- Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL Segmented Steel Panel - 40”H - Includes segmented tiles with steel lower and fabric upper segments for both sides 30-72” wide tiles each feature two power knockouts with bezels at above-worksurface beltway 24” wide tiles each feature one power knockout with bezel at above-worksurface beltway - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel and foot shroud - Side 1 and side 2 finishes are specified separately 72” wide panels feature split tiles	24 x 40	USSFLBW2440	☐	☐	☐	☐	☐	☐	☐	☐	41.4#	\$ 734	\$ 754	\$ 770	\$ 798	\$ 825
	30 x 40	USSFLBW3040	☐	☐	☐	☐	☐	☐	☐	☐	47.4#	822	848	862	893	924
	36 x 40	USSFLBW3640	☐	☐	☐	☐	☐	☐	☐	☐	53.4#	870	895	910	945	976
	42 x 40	USSFLBW4240	☐	☐	☐	☐	☐	☐	☐	☐	59.4#	908	935	952	986	1021
	48 x 40	USSFLBW4840	☐	☐	☐	☐	☐	☐	☐	☐	65.4#	978	1009	1026	1064	1101
	54 x 40	USSFLBW5440	☐	☐	☐	☐	☐	☐	☐	☐	71.3#	1082	1113	1129	1171	1214
	60 x 40	USSFLBW6040	☐	☐	☐	☐	☐	☐	☐	☐	77.3#	1247	1280	1305	1350	1399
	72 x 40	USSFLBW7240	☐	☐	☐	☐	☐	☐	☐	☐	96.7#	1615	1663	1692	1757	1816
		A	B	C	D	E	F	G	H	I						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F - Flat trim (std)

N - No topcap

CSelect electrical code.

DP - Domestic - with cutouts

DSelect bezel color.

Refer to the **Product Color Options** page in this price list.

ESelect trim color.

Refer to the **Product Color Options** page in this price list.

FSelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 48”H	24 x 48	USSFLBW2448	☐	☐	☐	☐	☐	☐	☐	46.7#	\$ 775	\$ 798	\$ 811	\$ 839	\$ 870
		30 x 48	USSFLBW3048	☐	☐	☐	☐	☐	☐	☐	53.3#	867	893	908	944	974
		36 x 48	USSFLBW3648	☐	☐	☐	☐	☐	☐	☐	59.7#	924	951	967	1006	1037
		42 x 48	USSFLBW4248	☐	☐	☐	☐	☐	☐	☐	66.3#	988	1015	1035	1072	1110
		48 x 48	USSFLBW4848	☐	☐	☐	☐	☐	☐	☐	72.8#	1057	1089	1109	1148	1189
		54 x 48	USSFLBW5448	☐	☐	☐	☐	☐	☐	☐	79.3#	1158	1192	1213	1256	1301
		60 x 48	USSFLBW6048	☐	☐	☐	☐	☐	☐	☐	85.8#	1326	1363	1388	1441	1488
		72 x 48	USSFLBW7248	☐	☐	☐	☐	☐	☐	☐	107.6#	1719	1767	1798	1866	1929
USFL																
USFL	Segmented Steel Panel - 56”H	24 x 56	USSFLBW2456	☐	☐	☐	☐	☐	☐	☐	51.1#	\$ 814	\$ 837	\$ 853	\$ 883	\$ 912
		30 x 56	USSFLBW3056	☐	☐	☐	☐	☐	☐	☐	58.1#	911	939	955	990	1024
		36 x 56	USSFLBW3656	☐	☐	☐	☐	☐	☐	☐	65.1#	980	1010	1029	1068	1103
		42 x 56	USSFLBW4256	☐	☐	☐	☐	☐	☐	☐	72.2#	1056	1088	1105	1147	1188
		48 x 56	USSFLBW4856	☐	☐	☐	☐	☐	☐	☐	79.2#	1129	1161	1185	1226	1269
		54 x 56	USSFLBW5456	☐	☐	☐	☐	☐	☐	☐	86.2#	1203	1239	1262	1307	1353
		60 x 56	USSFLBW6056	☐	☐	☐	☐	☐	☐	☐	93.3#	1350	1388	1413	1464	1518
		72 x 56	USSFLBW7256	☐	☐	☐	☐	☐	☐	☐	117.4#	1826	1877	1913	1983	2051
USFL	Segmented Steel Panel - 64”H	24 x 64	USSFLBW2464	☐	☐	☐	☐	☐	☐	☐	55.4#	\$ 867	\$ 891	\$ 908	\$ 942	\$ 973
		30 x 64	USSFLBW3064	☐	☐	☐	☐	☐	☐	☐	63.0#	1003	1029	1046	1087	1123
		36 x 64	USSFLBW3664	☐	☐	☐	☐	☐	☐	☐	70.5#	1088	1116	1137	1181	1219
		42 x 64	USSFLBW4264	☐	☐	☐	☐	☐	☐	☐	78.1#	1123	1154	1174	1217	1260
		48 x 64	USSFLBW4864	☐	☐	☐	☐	☐	☐	☐	85.7#	1202	1239	1260	1307	1350
		54 x 64	USSFLBW5464	☐	☐	☐	☐	☐	☐	☐	93.2#	1296	1337	1360	1411	1456
		60 x 64	USSFLBW6064	☐	☐	☐	☐	☐	☐	☐	100.8#	1473	1514	1542	1598	1651
		72 x 64	USSFLBW7264	☐	☐	☐	☐	☐	☐	☐	127.2#	2037	2096	2133	2211	2290
			A	B	C	D	E	F	G	H	I					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

DP - Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- H**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER																
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2			Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H																	
 USFT - Segmented Steel Panel - 40"H - Side 1: tile-to-floor base does not accept cable distribution at base or beltway - Side 2: standard base raceway and above-worksurface beltway power accept cable distribution - Includes segmented tiles with steel lower and fabric upper segments for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately - Side 2: 30-72" wide tiles feature two base and two beltway power knockouts - Side 2: 24" wide tiles feature one base and one beltway power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSFTBW2440	☐	☐	☐	☐	☐	☐	☐	☐		42.9#	\$ 734	\$ 754	\$ 770	\$ 798	\$ 825	
	30 x 40	USSFTBW3040	☐	☐	☐	☐	☐	☐	☐	☐		49.4#	822	848	862	893	924	
	36 x 40	USSFTBW3640	☐	☐	☐	☐	☐	☐	☐	☐		55.9#	870	895	910	945	976	
	42 x 40	USSFTBW4240	☐	☐	☐	☐	☐	☐	☐	☐		62.5#	908	935	952	986	1021	
	48 x 40	USSFTBW4840	☐	☐	☐	☐	☐	☐	☐	☐		69.0#	978	1009	1026	1064	1101	
	54 x 40	USSFTBW5440	☐	☐	☐	☐	☐	☐	☐	☐		75.5#	1082	1113	1129	1171	1214	
	60 x 40	USSFTBW6040	☐	☐	☐	☐	☐	☐	☐	☐		82.1#	1247	1280	1305	1350	1399	
	72 x 40	USSFTBW7240	☐	☐	☐	☐	☐	☐	☐	☐		102.7#	1615	1663	1692	1757	1816	
		A	B	C	D	E	F	G	H	I								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap

CSelect electrical code.

DP

- Domestic - with cutouts

DSelect bezel color.

Refer to the **Product Color Options** page in this price list.

ESelect trim color.

Refer to the **Product Color Options** page in this price list.

FSelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

direction the fabric is to be applied.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	MODEL	W x H												
	Segmented Open Panel - 40"H	24 x 40	USOR2440	☐	☐	☐	☐	☐	43.0#	\$ 848	\$ 866	\$ 879	\$ 906	\$ 933
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOR3040	☐	☐	☐	☐	☐	50.0#	920	945	958	958	1015
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USOR3640	☐	☐	☐	☐	☐	57.0#	967	989	1007	1037	1069
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 40	USOR4240	☐	☐	☐	☐	☐	64.0#	1076	1101	1117	1151	1184
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOR4840	☐	☐	☐	☐	☐	70.0#	1102	1126	1147	1184	1217
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 40	USOR5440	☐	☐	☐	☐	☐	77.0#	1169	1196	1219	1256	1295
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOR6040	☐	☐	☐	☐	☐	84.0#	1307	1338	1362	1407	1451
	• 30-60" wide panels feature two power knockouts per side													
	• 24" wide panels feature one power knockout per side													
	• Electrical components are specified separately													
USFR	Segmented Open Panel - 48"H	24 x 48	USOR2448	☐	☐	☐	☐	☐	49.0#	\$ 894	\$ 916	\$ 930	\$ 961	\$ 989
		30 x 48	USOR3048	☐	☐	☐	☐	☐	56.0#	972	996	1012	1041	1072
		36 x 48	USOR3648	☐	☐	☐	☐	☐	63.0#	1021	1045	1063	1095	1127
		42 x 48	USOR4248	☐	☐	☐	☐	☐	70.0#	1154	1179	1196	1230	1267
		48 x 48	USOR4848	☐	☐	☐	☐	☐	78.0#	1174	1203	1224	1262	1301
		54 x 48	USOR5448	☐	☐	☐	☐	☐	85.0#	1247	1277	1297	1340	1382
		60 x 48	USOR6048	☐	☐	☐	☐	☐	92.0#	1388	1426	1450	1498	1545
USFR	Segmented Open Panel - 56"H	24 x 56	USOR2456	☐	☐	☐	☐	☐	53.0#	\$ 925	\$ 950	\$ 963	\$ 993	\$ 1022
		30 x 56	USOR3056	☐	☐	☐	☐	☐	61.0#	1015	1041	1057	1057	1123
		36 x 56	USOR3656	☐	☐	☐	☐	☐	68.0#	1076	1102	1120	1155	1190
		42 x 56	USOR4256	☐	☐	☐	☐	☐	76.0#	1224	1251	1272	1310	1348
		48 x 56	USOR4856	☐	☐	☐	☐	☐	84.0#	1245	1274	1294	1333	1377
		54 x 56	USOR5456	☐	☐	☐	☐	☐	92.0#	1291	1322	1347	1388	1432
		60 x 56	USOR6056	☐	☐	☐	☐	☐	100.0#	1412	1451	1476	1526	1574
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
 - N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
 - DN** - Domestic, no cutouts
 - DP** - Domestic - with cutouts
 - C1** - Chicago, 1 side w/cutouts
 - D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

USFR

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

			MODEL NUMBER										
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	MODEL	W x H											
	Segmented Open Panel - 40"H	24 x 40	USOL2440	☐	☐	☐	☐	41.0#	\$ 848	\$ 866	\$ 879	\$ 906	\$ 933
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOL3040	☐	☐	☐	☐	47.0#	920	945	958	958	1015
	• Elevated base is non-powered and does not accept cable distribution	36 x 40	USOL3640	☐	☐	☐	☐	53.0#	967	989	1007	1037	1069
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 40	USOL4240	☐	☐	☐	☐	59.0#	1076	1101	1117	1151	1184
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOL4840	☐	☐	☐	☐	65.0#	1102	1126	1147	1184	1217
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 40	USOL5440	☐	☐	☐	☐	71.0#	1169	1196	1219	1256	1295
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOL6040	☐	☐	☐	☐	77.0#	1307	1338	1362	1407	1451
USFL	Segmented Open Panel - 48"H	24 x 48	USOL2448	☐	☐	☐	☐	46.0#	\$ 894	\$ 916	\$ 930	\$ 961	\$ 989
		30 x 48	USOL3048	☐	☐	☐	☐	53.0#	972	996	1012	1041	1072
		36 x 48	USOL3648	☐	☐	☐	☐	59.0#	1021	1045	1063	1095	1127
		42 x 48	USOL4248	☐	☐	☐	☐	66.0#	1154	1179	1196	1230	1267
		48 x 48	USOL4848	☐	☐	☐	☐	72.0#	1174	1203	1224	1262	1301
		54 x 48	USOL5448	☐	☐	☐	☐	78.5#	1247	1277	1297	1340	1382
		60 x 48	USOL6048	☐	☐	☐	☐	85.0#	1388	1426	1450	1498	1545
USFL	Segmented Open Panel - 56"H	24 x 56	USOL2456	☐	☐	☐	☐	51.0#	\$ 925	\$ 950	\$ 963	\$ 993	\$ 1022
		30 x 56	USOL3056	☐	☐	☐	☐	58.0#	1015	1041	1057	1057	1123
		36 x 56	USOL3656	☐	☐	☐	☐	65.0#	1076	1102	1120	1155	1190
		42 x 56	USOL4256	☐	☐	☐	☐	72.0#	1224	1251	1272	1310	1348
		48 x 56	USOL4856	☐	☐	☐	☐	79.0#	1245	1274	1294	1333	1377
		54 x 56	USOL5456	☐	☐	☐	☐	86.0#	1291	1322	1347	1388	1432
		60 x 56	USOL6056	☐	☐	☐	☐	93.0#	1412	1451	1476	1526	1574
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- E**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER										
MODEL	W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Open Panel - 64”H	24 x 64	USOL2464	☐	☐	☐ ☐ ☐ ☐	55.0#	\$ 976	\$ 1004	\$ 1018	\$ 1047	\$ 1084
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOL3064	☐	☐	☐ ☐ ☐ ☐	63.0#	1103	1132	1150	1186	1222
	• Elevated base is non-powered and does not accept cable distribution	36 x 64	USOL3664	☐	☐	☐ ☐ ☐ ☐	70.0#	1184	1212	1233	1272	1311
	• Open frame allows pass-through accessibility range of 8” to 29” from floor	42 x 64	USOL4264	☐	☐	☐ ☐ ☐ ☐	78.0#	1290	1320	1343	1384	1424
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOL4864	☐	☐	☐ ☐ ☐ ☐	85.0#	1331	1351	1376	1416	1460
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 64	USOL5464	☐	☐	☐ ☐ ☐ ☐	92.5#	1388	1432	1445	1487	1535
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOL6064	☐	☐	☐ ☐ ☐ ☐	100.0#	1529	1598	1598	1647	1701

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to **ki.com/fabrics**
- E**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2								
 USFR	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
	Segmented Fabric Panel - 40”H	24 x 40	USGR2440	☐	☐	☐	☐	☐	46.5#	\$ 859	\$ 912	\$ 968	\$ 1023	\$ 1063	\$ 65	\$ 127
	• Lower segment includes fabric tiles for both sides,specified separately	30 x 40	USGR3040	☐	☐	☐	☐	☐	53.2#	941	1003	1059	1121	1163	65	127
	• Upper segment features single piece of glass captured in frame	36 x 40	USGR3640	☐	☐	☐	☐	☐	60.0#	1013	1079	1145	1207	1254	65	127
	• Upper frame finish matches trim	42 x 40	USGR4240	☐	☐	☐	☐	☐	66.8#	1087	1154	1224	1293	1344	65	127
	• Standard base raceway on both sides accepts power and data cable distribution	48 x 40	USGR4840	☐	☐	☐	☐	☐	73.6#	1154	1227	1304	1377	1428	80	161
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGR5440	☐	☐	☐	☐	☐	80.4#	1203	1280	1358	1434	1488	80	161
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USGR6040	☐	☐	☐	☐	☐	87.2#	1325	1408	1491	1578	1638	80	161
	• 30-72” wide panels feature two power knockouts per side	72 x 40	USGR7240	☐	☐	☐	☐	☐	105.8#	1735	1847	1957	2069	2150	80	161
	• 24” wide panels feature one power knockout per side															
	• 72” wide panels feature split tiles															
	• Electrical components are specified separately															
USFR	Segmented Fabric Panel - 48”H	24 x 48	USGR2448	☐	☐	☐	☐	☐	54.7#	\$ 894	\$ 952	\$ 1010	\$ 1068	\$ 1106	\$ 65	\$ 127
		30 x 48	USGR3048	☐	☐	☐	☐	☐	62.6#	974	1037	1101	1163	1206	65	127
		36 x 48	USGR3648	☐	☐	☐	☐	☐	70.5#	1048	1118	1186	1252	1304	65	127
		42 x 48	USGR4248	☐	☐	☐	☐	☐	78.5#	1129	1202	1276	1348	1400	76	151
		48 x 48	USGR4848	☐	☐	☐	☐	☐	86.4#	1201	1279	1353	1434	1487	88	190
		54 x 48	USGR5448	☐	☐	☐	☐	☐	94.3#	1253	1333	1415	1497	1554	99	204
		60 x 48	USGR6048	☐	☐	☐	☐	☐	102.2#	1384	1474	1559	1647	1712	112	231
		72 x 48	USGR7248	☐	☐	☐	☐	☐	124.3#	1803	1920	2035	2151	2233	133	271
USFR	Segmented Fabric Panel - 56”H	24 x 56	USGR2456	☐	☐	☐	☐	☐	62.9#	\$ 935	\$ 993	\$ 1052	\$ 1114	\$ 1158	\$ 88	\$ 190
		30 x 56	USGR3056	☐	☐	☐	☐	☐	71.9#	1019	1086	1150	1215	1262	88	190
		36 x 56	USGR3656	☐	☐	☐	☐	☐	81.0#	1102	1171	1245	1316	1363	88	190
		42 x 56	USGR4256	☐	☐	☐	☐	☐	90.1#	1192	1265	1344	1421	1476	88	190
		48 x 56	USGR4856	☐	☐	☐	☐	☐	99.1#	1263	1345	1427	1506	1565	133	271
		54 x 56	USGR5456	☐	☐	☐	☐	☐	108.1#	1310	1397	1483	1566	1627	149	308
		60 x 56	USGR6056	☐	☐	☐	☐	☐	117.2#	1442	1533	1628	1720	1787	175	359
		72 x 56	USGR7256	☐	☐	☐	☐	☐	142.9#	1872	1992	2114	2233	2319	212	434
			A	B	C	D	E	F	G							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts

C1- Chicago, 1 side w/cutouts

D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select glass color.

GLA- Clear (std)

GLC- White laminate

GLV- Satin etch one side

See pricing column for glass upcharge.

- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER														
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
 USFR - Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USGR2464	☐	☐	☐	☐	☐	☐	71.1#	\$ 986	\$ 1047	\$ 1111	\$ 1174	\$ 1222	\$ 88	\$ 190
	30 x 64	USGR3064	☐	☐	☐	☐	☐	☐	81.2#	1091	1161	1230	1304	1350	88	190
	36 x 64	USGR3664	☐	☐	☐	☐	☐	☐	91.4#	1161	1238	1310	1385	1440	133	271
	42 x 64	USGR4264	☐	☐	☐	☐	☐	☐	101.7#	1254	1337	1416	1497	1555	175	359
	48 x 64	USGR4864	☐	☐	☐	☐	☐	☐	111.9#	1330	1413	1501	1586	1646	212	434
	54 x 64	USGR5464	☐	☐	☐	☐	☐	☐	122.1#	1382	1468	1558	1646	1710	232	454
	60 x 64	USGR6064	☐	☐	☐	☐	☐	☐	132.3#	1514	1611	1708	1804	1872	238	503
	72 x 64	USGR7264	☐	☐	☐	☐	☐	☐	161.5#	1955	2080	2205	2331	2422	283	590
		A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts

C1- Chicago, 1 side w/cutouts

D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select glass color.

GLA- Clear (std)

GLC- White laminate

GLV- Satin etch one side

See pricing column for glass upcharge.

FSelect fabric side 1.

Refer to [ki.com/fabrics](#)

GSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base



Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

		MODEL NUMBER													
		Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
	MODEL	W x H													
	Segmented Fabric Panel - 40”H	24 x 40	USGL2440	☐	☐	☐	☐	44.3#	\$ 859	\$ 912	\$ 968	\$ 1023	\$ 1063	\$ 65	\$ 127
	• Lower segment includes fabric tiles for both sides,specified separately	30 x 40	USGL3040	☐	☐	☐	☐	50.3#	941	1003	1059	1121	1163	65	127
	• Upper segment features single piece of glass captured in frame	36 x 40	USGL3640	☐	☐	☐	☐	56.3#	1013	1079	1145	1207	1254	65	127
	• Upper frame finish matches trim	42 x 40	USGL4240	☐	☐	☐	☐	62.3#	1087	1154	1224	1293	1344	65	127
	• Elevated base does not accept cable distribution	48 x 40	USGL4840	☐	☐	☐	☐	68.3#	1154	1227	1304	1377	1428	80	161
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGL5440	☐	☐	☐	☐	74.2#	1203	1280	1358	1434	1488	80	161
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 40	USGL6040	☐	☐	☐	☐	80.2#	1325	1408	1491	1578	1638	80	161
	• 72” wide panels feature split tiles	72 x 40	USGL7240	☐	☐	☐	☐	97.2#	1735	1847	1957	2069	2150	80	161
USFL															
USFL	Segmented Fabric Panel - 48”H	24 x 48	USGL2448	☐	☐	☐	☐	52.5#	\$ 894	\$ 952	\$ 1010	\$ 1068	\$ 1106	\$ 65	\$ 127
		30 x 48	USGL3048	☐	☐	☐	☐	59.6#	974	1037	1101	1163	1206	65	127
		36 x 48	USGL3648	☐	☐	☐	☐	66.7#	1048	1118	1186	1252	1304	65	127
		42 x 48	USGL4248	☐	☐	☐	☐	73.9#	1129	1202	1276	1348	1400	76	151
		48 x 48	USGL4848	☐	☐	☐	☐	81.0#	1201	1279	1353	1434	1487	88	190
		54 x 48	USGL5448	☐	☐	☐	☐	88.1#	1253	1333	1415	1497	1554	99	204
		60 x 48	USGL6048	☐	☐	☐	☐	95.2#	1384	1474	1559	1647	1712	112	231
		72 x 48	USGL7248	☐	☐	☐	☐	115.7#	1803	1920	2035	2151	2233	133	271
USFL	Segmented Fabric Panel - 56”H	24 x 56	USGL2456	☐	☐	☐	☐	60.7#	\$ 935	\$ 993	\$ 1052	\$ 1114	\$ 1158	\$ 88	\$ 190
		30 x 56	USGL3056	☐	☐	☐	☐	68.9#	1019	1086	1150	1215	1262	88	190
		36 x 56	USGL3656	☐	☐	☐	☐	77.2#	1102	1171	1245	1316	1363	88	190
		42 x 56	USGL4256	☐	☐	☐	☐	85.5#	1192	1265	1344	1421	1476	88	190
		48 x 56	USGL4856	☐	☐	☐	☐	93.8#	1263	1345	1427	1506	1565	133	271
		54 x 56	USGL5456	☐	☐	☐	☐	102.0#	1310	1397	1483	1566	1627	149	308
		60 x 56	USGL6056	☐	☐	☐	☐	110.3#	1442	1533	1628	1720	1787	175	359
		72 x 56	USGL7256	☐	☐	☐	☐	134.3#	1872	1992	2114	2233	2319	212	434
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select glass color.

GLA- Clear (std)
GLC- White laminate
GLV- Satin etch one side
See pricing column for glass upcharge.
- E**Select fabric side 1.

Refer to **ki.com/fabrics**
- F**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



The diagram shows two panels, labeled 'Side 1' and 'Side 2', illustrating the correct placement of the hand on the handle. On Side 1, the hand is shown gripping the handle from the side, with the thumb and index finger positioned to operate the release mechanism. On Side 2, the hand is shown gripping the handle from the front, with the thumb and index finger positioned to operate the release mechanism.

A B C D E F

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select trim color.

Refer to the **Product Color Options** page in this price list.

D Select glass color.

GLA	- Clear (std)
GLC	- White laminate
GLV	- Satin etch one side

See pricing column for glass upcharge.

E Select fabric side 1.

Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

F Select fabric side 2.

Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER															
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
	Segmented Fabric Panel - 40”H	24 x 40	USGT2440	☐	☐	☐	☐	☐	☐	☐	45.5#	\$ 859	\$ 912	\$ 968	\$ 1023	\$ 1063	\$ 65	\$ 127
	• Side 1: tile to floor base does not accept cable distribution	30 x 40	USGT3040	☐	☐	☐	☐	☐	☐	☐	51.9#	941	1003	1059	1121	1163	65	127
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USGT3640	☐	☐	☐	☐	☐	☐	☐	58.4#	1013	1079	1145	1207	1254	65	127
	• Lower segment includes fabric tiles for both sides,specified separately	42 x 40	USGT4240	☐	☐	☐	☐	☐	☐	☐	64.9#	1087	1154	1224	1293	1344	65	127
	• Upper segment features single piece of glass captured in frame	48 x 40	USGT4840	☐	☐	☐	☐	☐	☐	☐	71.4#	1154	1227	1304	1377	1428	80	161
	• Upper frame finish matches trim	54 x 40	USGT5440	☐	☐	☐	☐	☐	☐	☐	77.9#	1203	1280	1358	1434	1488	80	161
	• Upper frame finish matches trim includes segmented fabric tiles for both sides	60 x 40	USGT6040	☐	☐	☐	☐	☐	☐	☐	84.4#	1325	1408	1491	1578	1638	80	161
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 40	USGT7240	☐	☐	☐	☐	☐	☐	☐	102.4#	1735	1847	1957	2069	2150	80	161
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel																	
	• Side 2: 30-72” wide panels feature two power knockouts																	
• Side 2: 24” wide tiles feature one base power knockout																		
• 72” wide panels feature split tiles																		
• Electrical components are specified separately																		

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select glass color.
- GLA** - Clear (std)
- GLC** - White laminate
- GLV** - Satin etch one side
- See pricing column for glass upcharge.

FSelect fabric side 1.
Refer to [ki.com/fabrics](#)

GSelect fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER															
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge	
MODEL	W x H																
 USFT - Segmented Fabric Panel - 64”H - Side 1: tile to floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim includes segmented fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72” wide panels feature two power knockouts - Side 2: 24” wide tiles feature one base power knockout 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USGT2464	☐	☐	☐	☐	☐	☐	70.1#	\$ 986	\$ 1047	\$ 1111	\$ 1174	\$ 1222	\$ 88	\$ 190	
	30 x 64	USGT3064	☐	☐	☐	☐	☐	☐	79.9#	1091	1161	1230	1304	1350	88	190	
	36 x 64	USGT3664	☐	☐	☐	☐	☐	☐	89.8#	1161	1238	1310	1385	1440	133	271	
	42 x 64	USGT4264	☐	☐	☐	☐	☐	☐	99.8#	1254	1337	1416	1497	1555	175	359	
	48 x 64	USGT4864	☐	☐	☐	☐	☐	☐	109.7#	1330	1413	1501	1586	1646	212	434	
	54 x 64	USGT5464	☐	☐	☐	☐	☐	☐	117.9#	1382	1468	1558	1646	1710	232	454	
	60 x 64	USGT6064	☐	☐	☐	☐	☐	☐	129.5#	1514	1611	1708	1804	1872	238	503	
	72 x 64	USGT7264	☐	☐	☐	☐	☐	☐	158.1#	1955	2080	2205	2331	2422	283	590	
		A	B	C	D	E	F	G									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap

CSelect electrical code.

CP

- Chicago - with cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

DSelect trim color.

Refer to the **Product Color Options** page in this price list.

ESelect glass color.

GLA

- Clear (std)

GLC

- White laminate

GLV

- Satin etch one side

See pricing column for glass upcharge.

FSelect fabric side 1.

Refer to [ki.com/fabrics](#)

GSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB1R2448	☐	☐	☐	☐	46.2#	\$ 717	\$ 761	\$ 808	\$ 854	\$ 886
	• Side 1: includes segmented tiles with identically specified fabric lower and upper segments	30 x 48	USMB1R3048	☐	☐	☐	☐	52.7#	811	866	916	968	1008
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment	36 x 48	USMB1R3648	☐	☐	☐	☐	59.1#	872	927	981	1041	1079
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB1R4248	☐	☐	☐	☐	68.7#	965	1026	1089	1151	1194
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB1R4848	☐	☐	☐	☐	72.2#	1013	1079	1145	1207	1253
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB1R5448	☐	☐	☐	☐	80.0#	1134	1206	1280	1351	1402
	• Side 1 and side 2 finishes are specified separately	60 x 48	USMB1R6048	☐	☐	☐	☐	85.2#	1320	1406	1489	1575	1635
	• Upper and lower fabric finishes on side 1 must be identically specified	72 x 48	USMB1R7248	☐	☐	☐	☐	106.3#	1609	1712	1816	1920	1992
	• 30-72" wide panels feature two power knockouts per side												
	• 24" wide panels feature one power knockout per side												
	• 72" wide panels feature split tiles												
	• Electrical components are specified separately												
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB1R2456	☐	☐	☐	☐	51.0#	\$ 803	\$ 853	\$ 906	\$ 956	\$ 993
		30 x 56	USMB1R3056	☐	☐	☐	☐	58.1#	884	942	999	1056	1095
		36 x 56	USMB1R3656	☐	☐	☐	☐	65.2#	951	1012	1072	1134	1179
		42 x 56	USMB1R4256	☐	☐	☐	☐	73.4#	1031	1098	1165	1229	1280
		48 x 56	USMB1R4856	☐	☐	☐	☐	79.6#	1182	1254	1330	1407	1460
		54 x 56	USMB1R5456	☐	☐	☐	☐	86.8#	1349	1503	1518	1608	1667
		60 x 56	USMB1R6056	☐	☐	☐	☐	94.0#	1594	1694	1797	1903	1973
		72 x 56	USMB1R7256	☐	☐	☐	☐	118.1#	1758	1869	1983	2093	2173
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB1R2464	☐	☐	☐	☐	55.7#	\$ 836	\$ 891	\$ 945	\$ 999	\$ 1036
		30 x 64	USMB1R3064	☐	☐	☐	☐	63.5#	974	1037	1101	1163	1207
		36 x 64	USMB1R3664	☐	☐	☐	☐	71.4#	1048	1118	1186	1252	1304
		42 x 64	USMB1R4264	☐	☐	☐	☐	80.1#	1109	1182	1251	1324	1375
		48 x 64	USMB1R4864	☐	☐	☐	☐	87.1#	1223	1304	1381	1457	1515
		54 x 64	USMB1R5464	☐	☐	☐	☐	94.9#	1399	1487	1578	1668	1733
		60 x 64	USMB1R6064	☐	☐	☐	☐	102.7#	1656	1763	1870	1976	2053
		72 x 64	USMB1R7264	☐	☐	☐	☐	129.1#	1957	2082	2210	2337	2424
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts

C1- Chicago, 1 side w/cutouts

D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2								
MODEL		W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USFL	Segmented Fabric Panel - 48”H - Side 1: includes segmented tiles with identically specified fabric lower and upper segments - Side 2: includes segmented tiles with fabric lower segments and steel marker-board upper segments - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud - Side 1 and side 2 finishes are specified separately 72” wide panels feature split tiles	24 x 48	USMB1L2448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	44.0#	\$ 717	\$ 761	\$ 808	\$ 854	\$ 886	
		30 x 48	USMB1L3048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	49.7#	811	866	916	968	1008	
		36 x 48	USMB1L3648	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.4#	872	927	981	1041	1079	
		42 x 48	USMB1L4248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.1#	965	1026	1089	1151	1194	
		48 x 48	USMB1L4848	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	66.8#	1013	1079	1145	1207	1253	
		54 x 48	USMB1L5448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.5#	1134	1206	1280	1351	1402	
		60 x 48	USMB1L6048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.2#	1320	1406	1489	1575	1635	
		72 x 48	USMB1L7248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.8#	1609	1712	1816	1920	1992	
USFL	Segmented Fabric Panel - 56”H	24 x 56	USMB1L2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	48.8#	\$ 803	\$ 853	\$ 906	\$ 956	\$ 993	
		30 x 56	USMB1L3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.1#	884	942	999	1056	1095	
		36 x 56	USMB1L3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	61.5#	951	1012	1072	1134	1179	
		42 x 56	USMB1L4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	68.8#	1031	1098	1165	1229	1280	
		48 x 56	USMB1L4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	74.3#	1182	1254	1330	1407	1460	
		54 x 56	USMB1L5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	80.6#	1349	1503	1518	1608	1667	
		60 x 56	USMB1L6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	87.0#	1594	1694	1797	1903	1973	
		72 x 56	USMB1L7256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.5#	1758	1869	1983	2093	2173	
USFL	Segmented Fabric Panel - 64”H	24 x 64	USMB1L2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	53.5#	\$ 836	\$ 891	\$ 945	\$ 999	\$ 1036	
		30 x 64	USMB1L3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	60.5#	974	1037	1101	1163	1207	
		36 x 64	USMB1L3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	67.6#	1048	1118	1186	1252	1304	
		42 x 64	USMB1L4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.6#	1109	1182	1251	1324	1375	
		48 x 64	USMB1L4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	81.7#	1223	1304	1381	1457	1515	
		54 x 64	USMB1L5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	88.7#	1399	1487	1578	1668	1733	
		60 x 64	USMB1L6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	95.8#	1656	1763	1870	1976	2053	
		72 x 64	USMB1L7264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	121.3#	1957	2082	2210	2337	2424	

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.
- Refer to **ki.com/fabrics**
- E**Select fabric side 2.
- Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 48”H	24 x 48	USMB1T2448	☐	☐	☐	☐	45.2#	\$ 717	\$ 761	\$ 808	\$ 854	\$ 886
	• Side 1: includes tile-to-floor segmented tile with identically specified fabric upper and lower segments	30 x 48	USMB1T3048	☐	☐	☐	☐	51.3#	811	866	916	968	1008
		36 x 48	USMB1T3648	☐	☐	☐	☐	57.6#	872	927	981	1041	1079
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment; standard base raceway accepts power and data cable distribution	42 x 48	USMB1T4248	☐	☐	☐	☐	66.8#	965	1026	1089	1151	1194
		48 x 48	USMB1T4848	☐	☐	☐	☐	70.0#	1013	1079	1145	1207	1253
		54 x 48	USMB1T5448	☐	☐	☐	☐	76.2#	1134	1206	1280	1351	1402
		60 x 48	USMB1T6048	☐	☐	☐	☐	82.4#	1320	1406	1489	1575	1635
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 48	USMB1T7248	☐	☐	☐	☐	103.0#	1609	1712	1816	1920	1992
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel												
	• Side 1 and side 2 finishes are specified separately												
	• Upper and lower fabric finishes on side 1 must be identically specified												
	• Side 2: 30-72” wide tiles feature two power knockouts												
	• Side 2: 24” wide tiles feature one power knockout												
	• All 72” wide panels feature split tiles												
	• Electrical components are specified separately												
USFT	Segmented Fabric Panel - 56”H	24 x 56	USMB1T2456	☐	☐	☐	☐	49.9#	\$ 803	\$ 853	\$ 906	\$ 956	\$ 993
		30 x 56	USMB1T3056	☐	☐	☐	☐	56.8#	884	942	999	1056	1095
		36 x 56	USMB1T3656	☐	☐	☐	☐	63.6#	951	1012	1072	1134	1179
		42 x 56	USMB1T4256	☐	☐	☐	☐	71.5#	1031	1098	1165	1229	1280
		48 x 56	USMB1T4856	☐	☐	☐	☐	77.4#	1182	1254	1330	1407	1460
		54 x 56	USMB1T5456	☐	☐	☐	☐	85.3#	1349	1503	1518	1608	1667
		60 x 56	USMB1T6056	☐	☐	☐	☐	91.2#	1594	1694	1797	1903	1973
		72 x 56	USMB1T7256	☐	☐	☐	☐	114.7#	1758	1869	1983	2093	2173
USFT	Segmented Fabric Panel - 64”H	24 x 64	USMB1T2464	☐	☐	☐	☐	54.7#	\$ 836	\$ 891	\$ 945	\$ 999	\$ 1036
		30 x 64	USMB1T3064	☐	☐	☐	☐	62.2#	974	1037	1101	1163	1207
		36 x 64	USMB1T3664	☐	☐	☐	☐	69.7#	1048	1118	1186	1252	1304
		42 x 64	USMB1T4264	☐	☐	☐	☐	78.2#	1109	1182	1251	1324	1375
		48 x 64	USMB1T4864	☐	☐	☐	☐	84.9#	1223	1304	1381	1457	1515
		54 x 64	USMB1T5464	☐	☐	☐	☐	92.4#	1399	1487	1578	1668	1733
		60 x 64	USMB1T6064	☐	☐	☐	☐	100.0#	1656	1763	1870	1976	2053
		72 x 64	USMB1T7264	☐	☐	☐	☐	126.5#	1957	2082	2210	2337	2424

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C**Select electrical code.
- | | |
|-----------|---------------------------|
| CP | - Chicago - with cutouts |
| DN | - Domestic, no cutouts |
| DP | - Domestic - with cutouts |
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
 USFR	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 48”H	24 x 48	USMB2R2448	☐	☐	☐	☐ ☐ ☐ ☐	48.2#	\$ 798	\$ 850	\$ 902	\$ 951	\$ 988
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2R3048	☐	☐	☐	☐ ☐ ☐ ☐	55.0#	908	966	1024	1086	1124
	• Upper segments both feature steel markerboard	36 x 48	USMB2R3648	☐	☐	☐	☐ ☐ ☐ ☐	61.9#	963	1023	1088	1148	1192
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB2R4248	☐	☐	☐	☐ ☐ ☐ ☐	68.9#	1052	1121	1189	1254	1306
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2R4848	☐	☐	☐	☐ ☐ ☐ ☐	75.8#	1127	1201	1272	1347	1399
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB2R5448	☐	☐	☐	☐ ☐ ☐ ☐	82.7#	1310	1397	1478	1564	1624
	• 30-72” wide panels feature two power knockouts per side	60 x 48	USMB2R6048	☐	☐	☐	☐ ☐ ☐ ☐	89.6#	1570	1676	1772	1874	1949
	• 24” wide panels feature one power knockout per side	72 x 48	USMB2R7248	☐	☐	☐	☐ ☐ ☐ ☐	111.9#	1784	1895	2009	2124	2206
	• 72” wide panels feature split tiles												
	• Electrical components are specified separately												
USFR	Segmented Fabric Panel - 56”H	24 x 56	USMB2R2456	☐	☐	☐	☐ ☐ ☐ ☐	53.4#	\$ 939	\$ 999	\$ 1058	\$ 1118	\$ 1161
		30 x 56	USMB2R3056	☐	☐	☐	☐ ☐ ☐ ☐	61.0#	1003	1064	1127	1193	1242
		36 x 56	USMB2R3656	☐	☐	☐	☐ ☐ ☐ ☐	68.7#	1059	1127	1196	1263	1311
		42 x 56	USMB2R4256	☐	☐	☐	☐ ☐ ☐ ☐	76.5#	1118	1190	1262	1332	1386
		48 x 56	USMB2R4856	☐	☐	☐	☐ ☐ ☐ ☐	84.2#	1397	1486	1575	1666	1730
		54 x 56	USMB2R5456	☐	☐	☐	☐ ☐ ☐ ☐	91.9#	1632	1734	1838	1943	2021
		60 x 56	USMB2R6056	☐	☐	☐	☐ ☐ ☐ ☐	99.6#	1960	2083	2210	2337	2430
		72 x 56	USMB2R7256	☐	☐	☐	☐ ☐ ☐ ☐	125.0#	1974	2104	2229	2356	2445
USFR	Segmented Fabric Panel - 64”H	24 x 64	USMB2R2464	☐	☐	☐	☐ ☐ ☐ ☐	58.5#	\$ 944	\$ 1006	\$ 1063	\$ 1124	\$ 1168
		30 x 64	USMB2R3064	☐	☐	☐	☐ ☐ ☐ ☐	66.9#	1092	1163	1230	1305	1352
		36 x 64	USMB2R3664	☐	☐	☐	☐ ☐ ☐ ☐	75.5#	1150	1223	1296	1373	1424
		42x 64	USMB2R4264	☐	☐	☐	☐ ☐ ☐ ☐	84.0#	1206	1284	1362	1441	1495
		48 x 64	USMB2R4864	☐	☐	☐	☐ ☐ ☐ ☐	92.6#	1405	1491	1585	1676	1739
		54 x 64	USMB2R5464	☐	☐	☐	☐ ☐ ☐ ☐	101.1#	1704	1813	1921	2031	2108
		60 x 64	USMB2R6064	☐	☐	☐	☐ ☐ ☐ ☐	109.6#	2104	2237	2370	2506	2601
		72 x 64	USMB2R7264	☐	☐	☐	☐ ☐ ☐ ☐	138.1#	2151	2287	2426	2564	2662

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base

			MODEL NUMBER										
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 48”H	24 x 48	USMB2L2448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#	\$ 798	\$ 850	\$ 902	\$ 951	\$ 988
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2L3048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.1#	908	966	1024	1086	1124
	• Upper segments both feature steel markerboard	36 x 48	USMB2L3648	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.2#	963	1023	1088	1148	1192
	• Elevated base does not accept cable distribution	42 x 48	USMB2L4248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.3#	1052	1121	1189	1254	1306
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2L4848	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.4#	1127	1201	1272	1347	1399
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	54 x 48	USMB2L5448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	76.5#	1310	1397	1478	1564	1624
	• 72” wide panels feature split tiles	60 x 48	USMB2L6048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	82.6#	1570	1676	1772	1874	1949
		72 x 48	USMB2L7248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	103.3#	1784	1895	2009	2124	2206
USFL													
USFL	Segmented Fabric Panel - 56”H	24 x 56	USMB2L2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.1#	\$ 939	\$ 999	\$ 1058	\$ 1118	\$ 1161
		30 x 56	USMB2L3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	1003	1064	1127	1193	1242
		36 x 56	USMB2L3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.9#	1059	1127	1196	1263	1311
		42 x 56	USMB2L4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.9#	1118	1190	1262	1332	1386
		48 x 56	USMB2L4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.8#	1397	1486	1575	1666	1730
		54 x 56	USMB2L5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	85.7#	1632	1734	1838	1943	2021
		60 x 56	USMB2L6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	92.6#	1960	2083	2210	2337	2430
		72 x 56	USMB2L7256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	116.4#	1974	2104	2229	2356	2445
USFL	Segmented Fabric Panel - 64”H	24 x 64	USMB2L2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	56.3#	\$ 944	\$ 1006	\$ 1063	\$ 1124	\$ 1168
		30 x 64	USMB2L3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#	1092	1163	1230	1305	1352
		36 x 64	USMB2L3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.7#	1150	1223	1296	1373	1424
		42x 64	USMB2L4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	79.5#	1206	1284	1362	1441	1495
		48 x 64	USMB2L4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	87.2#	1405	1491	1585	1676	1739
		54 x 64	USMB2L5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	94.9#	1704	1813	1921	2031	2108
		60 x 64	USMB2L6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	102.7#	2104	2237	2370	2506	2601
		72 x 64	USMB2L7264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	129.6#	2151	2287	2426	2564	2662
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E**Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

			MODEL NUMBER													
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H • Lower segment includes fabric tiles for both sides, specified separately • Upper segment features single piece of perforated steel captured in frame • Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical • Upper frame finish matches trim • Standard base raceway on both sides accepts power and data cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • 30-72” wide panels feature two power knockouts per side • 24” wide panels feature one power knockout per side • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USFPR2440	☐	☐	☐	☐		☐	☐	46.5#	\$ 899	\$ 956	\$ 1014	\$ 1072	\$ 1113
		30 x 40	USFPR3040	☐	☐	☐	☐		☐	☐	53.2#	986	1048	1113	1174	1222
		36 x 40	USFPR3640	☐	☐	☐	☐		☐	☐	60.0#	1110	1182	1252	1324	1376
		42 x 40	USFPR4240	☐	☐	☐	☐		☐	☐	66.8#	1184	1257	1332	1408	1463
		48 x 40	USFPR4840	☐	☐	☐	☐		☐	☐	73.6#	1260	1340	1422	1502	1560
		54 x 40	USFPR5440	☐	☐	☐	☐		☐	☐	80.4#	1320	1406	1488	1575	1636
		60 x 40	USFPR6040	☐	☐	☐	☐		☐	☐	87.2#	1457	1554	1646	1742	1807
		72 x 40	USFPR7240	☐	☐	☐	☐		☐	☐	105.8#	1913	2035	2157	2279	2365
USFR	Segmented Fabric Panel - 48”H	24 x 48	USFPR2448	☐	☐	☐	☐		☐	☐	54.7#	\$ 967	\$ 1030	\$ 1091	\$ 1154	\$ 1197
		30 x 48	USFPR3048	☐	☐	☐	☐		☐	☐	62.6#	1063	1129	1199	1265	1317
		36 x 48	USFPR3648	☐	☐	☐	☐		☐	☐	70.5#	1182	1254	1331	1407	1461
		42 x 48	USFPR4248	☐	☐	☐	☐		☐	☐	78.5#	1254	1333	1413	1497	1554
		48 x 48	USFPR4848	☐	☐	☐	☐		☐	☐	86.4#	1381	1468	1556	1645	1710
		54 x 48	USFPR5448	☐	☐	☐	☐		☐	☐	94.3#	1447	1541	1634	1725	1793
		60 x 48	USFPR6048	☐	☐	☐	☐		☐	☐	102.2#	1601	1702	1807	1912	1984
		72 x 48	USFPR7248	☐	☐	☐	☐		☐	☐	124.3#	2049	2182	2310	2443	2539
USFR	Segmented Fabric Panel - 56”H	24 x 56	USFPR2456	☐	☐	☐	☐		☐	☐	62.9#	\$ 1041	\$ 1105	\$ 1171	\$ 1241	\$ 1288
		30 x 56	USFPR3056	☐	☐	☐	☐		☐	☐	71.9#	1142	1214	1288	1360	1411
		36 x 56	USFPR3656	☐	☐	☐	☐		☐	☐	81.0#	1276	1356	1440	1519	1578
		42 x 56	USFPR4256	☐	☐	☐	☐		☐	☐	90.1#	1361	1449	1533	1623	1685
		48 x 56	USFPR4856	☐	☐	☐	☐		☐	☐	99.1#	1440	1530	1623	1715	1783
		54 x 56	USFPR5456	☐	☐	☐	☐		☐	☐	108.1#	1544	1642	1742	1839	1912
		60 x 56	USFPR6056	☐	☐	☐	☐		☐	☐	117.2#	1739	1853	1965	2075	2156
		72 x 56	USFPR7256	☐	☐	☐	☐		☐	☐	142.9#	2199	2340	2478	2623	2721

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E**Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to [ki.com/fabrics](#)

- G**Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFPR2464	☐	☐	☐	☐	☐	☐	71.1#	\$ 1154	\$ 1228	\$ 1305	\$ 1377	\$ 1429
	30 x 64	USFPR3064	☐	☐	☐	☐	☐	☐	81.2#	1306	1387	1473	1555	1614
	36 x 64	USFPR3664	☐	☐	☐	☐	☐	☐	91.4#	1456	1553	1645	1739	1805
	42 x 64	USFPR4264	☐	☐	☐	☐	☐	☐	101.7#	1545	1643	1744	1844	1916
	48 x 64	USFPR4864	☐	☐	☐	☐	☐	☐	111.9#	1633	1735	1840	1945	2023
	54 x 64	USFPR5464	☐	☐	☐	☐	☐	☐	122.1#	1797	1915	2030	2143	2228
	60 x 64	USFPR6064	☐	☐	☐	☐	☐	☐	132.3#	2070	2204	2338	2468	2564
	72 x 64	USFPR7264	☐	☐	☐	☐	☐	☐	161.5#	2523	2688	2848	3011	3125

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E**Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to [ki.com/fabrics](#)

- G**Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

		MODEL NUMBER											
		Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
 USFL	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40”H	24 x 40	USFPL2440	☐	☐	☐	☐	44.3#	\$ 899	\$ 956	\$ 1014	\$ 1072	\$ 1113
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPL3040	☐	☐	☐	☐	50.3#	986	1048	1113	1174	1222
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPL3640	☐	☐	☐	☐	56.3#	1110	1182	1252	1324	1376
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPL4240	☐	☐	☐	☐	62.3#	1184	1257	1332	1408	1463
	• Upper frame finish matches trim	48 x 40	USFPL4840	☐	☐	☐	☐	68.3#	1260	1340	1422	1502	1560
	• Elevated base does not accept cable distribution	54 x 40	USFPL5440	☐	☐	☐	☐	74.2#	1320	1406	1488	1575	1636
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPL6040	☐	☐	☐	☐	80.2#	1457	1554	1646	1742	1807
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USFPL7240	☐	☐	☐	☐	97.2#	1913	2035	2157	2279	2365
	• 72” wide panels feature split tiles												
USFL	Segmented Fabric Panel - 48”H	24 x 48	USFPL2448	☐	☐	☐	☐	52.5#	\$ 967	\$ 1030	\$ 1091	\$ 1154	\$ 1197
		30 x 48	USFPL3048	☐	☐	☐	☐	59.6#	1063	1129	1199	1265	1317
		36 x 48	USFPL3648	☐	☐	☐	☐	66.7#	1182	1254	1331	1407	1461
		42 x 48	USFPL4248	☐	☐	☐	☐	73.9#	1254	1333	1413	1497	1554
		48 x 48	USFPL4848	☐	☐	☐	☐	81.0#	1381	1468	1556	1645	1710
		54 x 48	USFPL5448	☐	☐	☐	☐	88.1#	1447	1541	1634	1725	1793
		60 x 48	USFPL6048	☐	☐	☐	☐	95.2#	1601	1702	1807	1912	1984
		72 x 48	USFPL7248	☐	☐	☐	☐	115.7#	2049	2182	2310	2443	2539
USFL	Segmented Fabric Panel - 56”H	24 x 56	USFPL2456	☐	☐	☐	☐	60.7#	\$ 1041	\$ 1105	\$ 1171	\$ 1241	\$ 1288
		30 x 56	USFPL3056	☐	☐	☐	☐	68.9#	1142	1214	1288	1360	1411
		36 x 56	USFPL3656	☐	☐	☐	☐	77.2#	1276	1356	1440	1519	1578
		42 x 56	USFPL4256	☐	☐	☐	☐	85.5#	1361	1449	1533	1623	1685
		48 x 56	USFPL4856	☐	☐	☐	☐	93.8#	1440	1530	1623	1715	1783
		54 x 56	USFPL5456	☐	☐	☐	☐	102.0#	1544	1642	1742	1839	1912
		60 x 56	USFPL6056	☐	☐	☐	☐	110.3#	1739	1853	1965	2075	2156
		72 x 56	USFPL7256	☐	☐	☐	☐	134.3#	2199	2340	2478	2623	2721

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C**Select trim and frame color.
Refer to the **Product Color Options** page in this price list.
- D**Select perforated steel paint color.
Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



USFL

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select trim and frame color.
Refer to the **Product Color Options** page in this price list.

D Select perforated steel paint color.
Refer to the **Product Color Options** page in this price list.

E Select fabric side 1.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

F Select fabric side 2.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 40”H	24 x 40	USFPT2440	☐	☐	☐	☐	☐	45.5#	\$ 899	\$ 956	\$ 1014	\$ 1072	\$ 1113
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFPT3040	☐	☐	☐	☐	☐	51.9#	986	1048	1113	1174	1222
	• Side 2: standard base raceway accepts power and cable distribution	36 x 40	USFPT3640	☐	☐	☐	☐	☐	58.4#	1110	1182	1252	1324	1376
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 40	USFPT4240	☐	☐	☐	☐	☐	64.9#	1184	1257	1332	1408	1463
	• Upper segment features single piece of perforated steel captured in frame	48 x 40	USFPT4840	☐	☐	☐	☐	☐	71.4#	1260	1340	1422	1502	1560
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	54 x 40	USFPT5440	☐	☐	☐	☐	☐	77.9#	1320	1406	1488	1575	1636
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPT6040	☐	☐	☐	☐	☐	84.4#	1457	1554	1646	1742	1807
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USFPT7240	☐	☐	☐	☐	☐	102.4#	1913	2035	2157	2279	2365
	• Side 2: 30-72” wide tiles feature two power knockouts													
	• Side 2: 24” wide tiles feature one base power knockout													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
USFT	Segmented Fabric Panel - 48”H	24 x 48	USFPT2448	☐	☐	☐	☐	☐	53.7#	\$ 967	\$ 1030	\$ 1091	\$ 1154	\$ 1197
		30 x 48	USFPT3048	☐	☐	☐	☐	☐	61.3#	1063	1129	1199	1265	1317
		36 x 48	USFPT3648	☐	☐	☐	☐	☐	68.9#	1182	1254	1331	1407	1461
		42 x 48	USFPT4248	☐	☐	☐	☐	☐	76.6#	1254	1333	1413	1497	1554
		48 x 48	USFPT4848	☐	☐	☐	☐	☐	84.2#	1381	1468	1556	1645	1710
		54 x 48	USFPT5448	☐	☐	☐	☐	☐	91.8#	1447	1541	1634	1725	1793
		60 x 48	USFPT6048	☐	☐	☐	☐	☐	99.4#	1601	1702	1807	1912	1984
		72 x 48	USFPT7248	☐	☐	☐	☐	☐	121.0#	2049	2182	2310	2443	2539
USFT	Segmented Fabric Panel - 56”H	24 x 56	USFPT2456	☐	☐	☐	☐	☐	61.9#	\$ 1041	\$ 1105	\$ 1171	\$ 1241	\$ 1288
		30 x 56	USFPT3056	☐	☐	☐	☐	☐	70.6#	1142	1214	1288	1360	1411
		36 x 56	USFPT3656	☐	☐	☐	☐	☐	79.4#	1276	1356	1440	1519	1578
		42 x 56	USFPT4256	☐	☐	☐	☐	☐	88.2#	1361	1449	1533	1623	1685
		48 x 56	USFPT4856	☐	☐	☐	☐	☐	96.9#	1440	1530	1623	1715	1783
		54 x 56	USFPT5456	☐	☐	☐	☐	☐	105.7#	1544	1642	1742	1839	1912
		60 x 56	USFPT6056	☐	☐	☐	☐	☐	114.5#	1739	1853	1965	2075	2156
		72 x 56	USFPT7256	☐	☐	☐	☐	☐	139.5#	2199	2340	2478	2623	2721

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts
- D**Select trim and frame color.

Refer to the **Product Color Options** page in this price list.
- E**Select perforated steel paint color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT - Segmented Fabric Panel - 64"H - Side 1: tile-to-floor base does not accept cable distribution - Side 2: standard base raceway accepts power and cable distribution - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72" wide tiles feature two power knockouts - Side 2: 24" wide tiles feature one base power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFPT2464	☐	☐	☐	☐	☐	☐	70.1#	\$ 1154	\$ 1228	\$ 1305	\$ 1377	\$ 1429
	30 x 64	USFPT3064	☐	☐	☐	☐	☐	☐	79.9#	1306	1387	1473	1555	1614
	36 x 64	USFPT3664	☐	☐	☐	☐	☐	☐	89.8#	1456	1553	1645	1739	1805
	42 x 64	USFPT4264	☐	☐	☐	☐	☐	☐	99.8#	1545	1643	1744	1844	1916
	48 x 64	USFPT4864	☐	☐	☐	☐	☐	☐	109.7#	1633	1735	1840	1945	2023
	54 x 64	USFPT5464	☐	☐	☐	☐	☐	☐	119.6#	1797	1915	2030	2143	2228
	60 x 64	USFPT6064	☐	☐	☐	☐	☐	☐	129.5#	2070	2204	2338	2468	2564
	72 x 64	USFPT7264	☐	☐	☐	☐	☐	☐	158.1#	2523	2688	2848	3011	3125

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E** Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL		W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H	24 x 40	USSW1R2440	☐	☐	☐	☐	☐	42.8#	\$ 714	\$ 758	\$ 806	\$ 852	\$ 883
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW1R3040	☐	☐	☐	☐	☐	49.0#	800	852	905	953	990
	• Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height	36 x 40	USSW1R3640	☐	☐	☐	☐	☐	55.3#	868	924	978	1036	1076
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW1R4240	☐	☐	☐	☐	☐	61.7#	958	1019	1083	1143	1186
	• Slatwall paint finish is specified	48 x 40	USSW1R4840	☐	☐	☐	☐	☐	68.0#	999	1061	1125	1190	1238
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USSW1R5440	☐	☐	☐	☐	☐	74.3#	1055	1123	1190	1257	1308
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1R6040	☐	☐	☐	☐	☐	80.6#	1172	1250	1325	1401	1454
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USSW1R7240	☐	☐	☐	☐	☐	99.1#	1601	1702	1805	1912	1984
	• 30-72” wide panels feature two power knockouts per side													
	• 24” wide panels feature one power knockout per side													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
USFR	Segmented Fabric Panel - 48”H	24 x 48	USSW1R2448	☐	☐	☐	☐	☐	47.4#	\$ 807	\$ 856	\$ 909	\$ 962	\$ 1000
		30 x 48	USSW1R3048	☐	☐	☐	☐	☐	54.1#	906	963	1021	1079	1118
		36 x 48	USSW1R3648	☐	☐	☐	☐	☐	60.9#	983	1046	1110	1171	1217
		42 x 48	USSW1R4248	☐	☐	☐	☐	☐	67.8#	1097	1166	1241	1308	1358
		48 x 48	USSW1R4848	☐	☐	☐	☐	☐	74.7#	1134	1205	1279	1350	1402
		54 x 48	USSW1R5448	☐	☐	☐	☐	☐	81.5#	1190	1265	1344	1416	1474
		60 x 48	USSW1R6048	☐	☐	☐	☐	☐	88.4#	1318	1401	1486	1568	1632
		72 x 48	USSW1R7248	☐	☐	☐	☐	☐	109.9#	1820	1932	2053	2169	2252
USFR	Segmented Fabric Panel - 56”H	24 x 56	USSW1R2456	☐	☐	☐	☐	☐	52.2#	\$ 855	\$ 910	\$ 966	\$ 1021	\$ 1059
		30 x 56	USSW1R3056	☐	☐	☐	☐	☐	59.5#	959	1021	1084	1146	1189
		36 x 56	USSW1R3656	☐	☐	☐	☐	☐	66.8#	1045	1111	1181	1248	1294
		42 x 56	USSW1R4256	☐	☐	☐	☐	☐	74.2#	1174	1251	1327	1402	1456
		48 x 56	USSW1R4856	☐	☐	☐	☐	☐	81.6#	1216	1294	1375	1450	1506
		54 x 56	USSW1R5456	☐	☐	☐	☐	☐	89.0#	1257	1338	1421	1501	1558
		60 x 56	USSW1R6056	☐	☐	☐	☐	☐	96.4#	1376	1461	1552	1638	1702
		72 x 56	USSW1R7256	☐	☐	☐	☐	☐	121.3#	1941	2065	2190	2313	2403

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)

GSelect fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 64”H	24 x 64	USSW1R2464	☐	☐	☐	☐	☐	56.5#	\$ 895	\$ 952	\$ 1010	\$ 1070	\$ 1109
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW1R3064	☐	☐	☐	☐	☐	64.3#	1026	1091	1159	1224	1270
	• Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height	36 x 64	USSW1R3664	☐	☐	☐	☐	☐	72.2#	1132	1205	1279	1349	1402
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW1R4264	☐	☐	☐	☐	☐	80.2#	1249	1329	1408	1488	1548
	• Slatwall paint finish is specified	48 x 64	USSW1R4864	☐	☐	☐	☐	☐	88.1#	1293	1377	1456	1542	1601
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 64	USSW1R5464	☐	☐	☐	☐	☐	96.0#	1332	1419	1506	1592	1654
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1R6064	☐	☐	☐	☐	☐	103.9#	1454	1548	1640	1735	1802
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1R7264	☐	☐	☐	☐	☐	131.7#	2114	2246	2386	2520	2616
	• 30-72” wide panels feature two power knockouts per side													
	• 24” wide panels feature one power knockout per side													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

			MODEL NUMBER												
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2							
MODEL			W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 40”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud 72” wide panels feature split tiles	24 x 40	USSW1L2440	☐	☐	☐	☐	☐	40.6#	\$ 714	\$ 758	\$ 806	\$ 852	\$ 883	
		30 x 40	USSW1L3040	☐	☐	☐	☐	☐	46.1#	800	852	905	953	990	
		36 x 40	USSW1L3640	☐	☐	☐	☐	☐	51.6#	868	924	978	1036	1076	
		42 x 40	USSW1L4240	☐	☐	☐	☐	☐	57.1#	958	1019	1083	1143	1186	
		48 x 40	USSW1L4840	☐	☐	☐	☐	☐	62.7#	999	1061	1125	1190	1238	
		54 x 40	USSW1L5440	☐	☐	☐	☐	☐	68.2#	1055	1123	1190	1257	1308	
		60 x 40	USSW1L6040	☐	☐	☐	☐	☐	73.7#	1172	1250	1325	1401	1454	
		72 x 40	USSW1L7240	☐	☐	☐	☐	☐	90.5#	1601	1702	1805	1912	1984	
USFL	Segmented Fabric Panel - 48”H	24 x 48	USSW1L2448	☐	☐	☐	☐	☐	45.1#	\$ 807	\$ 856	\$ 909	\$ 962	\$ 1000	
		30 x 48	USSW1L3048	☐	☐	☐	☐	☐	51.2#	906	963	1021	1079	1118	
		36 x 48	USSW1L3648	☐	☐	☐	☐	☐	57.2#	983	1046	1110	1171	1217	
		42 x 48	USSW1L4248	☐	☐	☐	☐	☐	63.3#	1097	1166	1241	1308	1358	
		48 x 48	USSW1L4848	☐	☐	☐	☐	☐	69.3#	1134	1205	1279	1350	1402	
		54 x 48	USSW1L5448	☐	☐	☐	☐	☐	75.3#	1190	1265	1344	1416	1474	
		60 x 48	USSW1L6048	☐	☐	☐	☐	☐	81.4#	1318	1401	1486	1568	1632	
		72 x 48	USSW1L7248	☐	☐	☐	☐	☐	101.4#	1820	1932	2053	2169	2252	
USFL	Segmented Fabric Panel - 56”H	24 x 56	USSW1L2456	☐	☐	☐	☐	☐	50.0#	\$ 855	\$ 910	\$ 966	\$ 1021	\$ 1059	
		30 x 56	USSW1L3056	☐	☐	☐	☐	☐	56.5#	959	1021	1084	1146	1189	
		36 x 56	USSW1L3656	☐	☐	☐	☐	☐	63.1#	1045	1111	1181	1248	1294	
		42 x 56	USSW1L4256	☐	☐	☐	☐	☐	69.7#	1174	1251	1327	1402	1456	
		48 x 56	USSW1L4856	☐	☐	☐	☐	☐	76.3#	1216	1294	1375	1450	1506	
		54 x 56	USSW1L5456	☐	☐	☐	☐	☐	82.8#	1257	1338	1421	1501	1558	
		60 x 56	USSW1L6056	☐	☐	☐	☐	☐	89.4#	1376	1461	1552	1638	1702	
		72 x 56	USSW1L7256	☐	☐	☐	☐	☐	112.7#	1941	2065	2190	2313	2403	

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D**Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



USFL

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER													
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
MODEL			W x H													
 USFT	Segmented Fabric Panel - 40”H • Side 1: tile to floor base does not accept cable distribution • Side 2: standard base raceway accepts power and data cable distribution • Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height • Upper and lower fabric segments on each side must be identically specified • Slatwall paint finish is specified • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 2: 30-72” wide panels feature two power knockouts • Side 2: 24” wide tiles feature one power knockout • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USSW1T2440	☐	☐	☐	☐	☐	☐	41.8#	\$ 714	\$ 758	\$ 806	\$ 852	\$ 883	
		30 x 40	USSW1T3040	☐	☐	☐	☐	☐	☐	☐	47.7#	800	852	905	953	990
		36 x 40	USSW1T3640	☐	☐	☐	☐	☐	☐	☐	53.7#	868	924	978	1036	1076
		42 x 40	USSW1T4240	☐	☐	☐	☐	☐	☐	☐	59.8#	958	1019	1083	1143	1186
		48 x 40	USSW1T4840	☐	☐	☐	☐	☐	☐	☐	65.8#	999	1061	1125	1190	1238
		54 x 40	USSW1T5440	☐	☐	☐	☐	☐	☐	☐	71.8#	1055	1123	1190	1257	1308
		60 x 40	USSW1T6040	☐	☐	☐	☐	☐	☐	☐	77.9#	1172	1250	1325	1401	1454
		72 x 40	USSW1T7240	☐	☐	☐	☐	☐	☐	☐	95.7#	1601	1702	1805	1912	1984
USFT	Segmented Fabric Panel - 48”H	24 x 48	USSW1T2448	☐	☐	☐	☐	☐	☐	46.3#	\$ 807	\$ 856	\$ 909	\$ 962	\$ 1000	
		30 x 48	USSW1T3048	☐	☐	☐	☐	☐	☐	52.8#	906	963	1021	1079	1118	
		36 x 48	USSW1T3648	☐	☐	☐	☐	☐	☐	59.3#	983	1046	1110	1171	1217	
		42 x 48	USSW1T4248	☐	☐	☐	☐	☐	☐	65.9#	1097	1166	1241	1308	1358	
		48 x 48	USSW1T4848	☐	☐	☐	☐	☐	☐	72.5#	1134	1205	1279	1350	1402	
		54 x 48	USSW1T5448	☐	☐	☐	☐	☐	☐	79.0#	1190	1265	1344	1416	1474	
		60 x 48	USSW1T6048	☐	☐	☐	☐	☐	☐	85.6#	1318	1401	1486	1568	1632	
		72 x 48	USSW1T7248	☐	☐	☐	☐	☐	☐	106.6#	1820	1932	2053	2169	2252	
USFT	Segmented Fabric Panel - 56”H	24 x 56	USSW1T2456	☐	☐	☐	☐	☐	☐	51.1#	\$ 855	\$ 910	\$ 966	\$ 1021	\$ 1059	
		30 x 56	USSW1T3056	☐	☐	☐	☐	☐	☐	58.2#	959	1021	1084	1146	1189	
		36 x 56	USSW1T3656	☐	☐	☐	☐	☐	☐	65.2#	1045	1111	1181	1248	1294	
		42 x 56	USSW1T4256	☐	☐	☐	☐	☐	☐	72.3#	1174	1251	1327	1402	1456	
		48 x 56	USSW1T4856	☐	☐	☐	☐	☐	☐	79.4#	1216	1294	1375	1450	1506	
		54 x 56	USSW1T5456	☐	☐	☐	☐	☐	☐	86.5#	1257	1338	1421	1501	1558	
		60 x 56	USSW1T6056	☐	☐	☐	☐	☐	☐	93.6#	1376	1461	1552	1638	1702	
		72 x 56	USSW1T7256	☐	☐	☐	☐	☐	☐	117.9#	1941	2065	2190	2313	2403	
			A	B	C	D	E	F	G							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64”H	24 x 64	USSW1T2464	☐	☐	☐	☐	☐	55.5#	\$ 895	\$ 952	\$ 1010	\$ 1070	\$ 1109
	• Side 1: tile to floor base does not accept cable distribution	30 x 64	USSW1T3064	☐	☐	☐	☐	☐	63.0#	1026	1091	1159	1224	1270
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USSW1T3664	☐	☐	☐	☐	☐	70.6#	1132	1205	1279	1349	1402
	• Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height	42 x 64	USSW1T4264	☐	☐	☐	☐	☐	78.3#	1249	1329	1408	1488	1548
	• Upper and lower fabric segments on each side must be identically specified	48 x 64	USSW1T4864	☐	☐	☐	☐	☐	85.9#	1293	1377	1456	1542	1601
	• Slatwall paint finish is specified	54 x 64	USSW1T5464	☐	☐	☐	☐	☐	93.5#	1332	1419	1506	1592	1654
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1T6064	☐	☐	☐	☐	☐	101.1#	1454	1548	1640	1735	1802
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1T7264	☐	☐	☐	☐	☐	128.3#	2114	2246	2386	2520	2616
	• Side 2: 30-72” wide panels feature two power knockouts													
	• Side 2: 24” wide tiles feature one power knockout													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to ki.com/fabrics
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway

			MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSW2R2440	□	□□	□□	□□□□	□□□□	□□□□	□□□□	44.4#	\$ 839	\$ 895	\$ 950	\$ 1004	\$ 1042
		30 x 40	USSW2R3040	□	□□	□□	□□□□	□□□□	□□□□	□□□□	50.7#	933	991	1052	1111	1155
		36 x 40	USSW2R3640	□	□□	□□	□□□□	□□□□	□□□□	□□□□	56.9#	1014	1083	1146	1212	1257
		42 x 40	USSW2R4240	□	□□	□□	□□□□	□□□□	□□□□	□□□□	63.2#	1134	1205	1279	1349	1402
		48 x 40	USSW2R4840	□	□□	□□	□□□□	□□□□	□□□□	□□□□	69.5#	1185	1257	1332	1409	1464
		54 x 40	USSW2R5440	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.7#	1269	1351	1432	1513	1569
		60 x 40	USSW2R6040	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.0#	1429	1523	1614	1708	1770
		72 x 40	USSW2R7240	□	□□	□□	□□□□	□□□□	□□□□	□□□□	101.2#	1884	2004	2124	2245	2336
USFR	Segmented Fabric Panel - 48”H	24 x 48	USSW2R2448	□	□□	□□	□□□□	□□□□	□□□□	□□□□	48.2#	\$ 981	\$ 1045	\$ 1109	\$ 1170	\$ 1216
		30 x 48	USSW2R3048	□	□□	□□	□□□□	□□□□	□□□□	□□□□	55.0#	1092	1161	1230	1304	1350
		36 x 48	USSW2R3648	□	□□	□□	□□□□	□□□□	□□□□	□□□□	61.8#	1193	1269	1347	1424	1478
		42 x 48	USSW2R4248	□	□□	□□	□□□□	□□□□	□□□□	□□□□	68.5#	1325	1408	1491	1579	1640
		48 x 48	USSW2R4848	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.4#	1377	1464	1554	1642	1705
		54 x 48	USSW2R5448	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.1#	1433	1526	1615	1710	1773
		60 x 48	USSW2R6048	□	□□	□□	□□□□	□□□□	□□□□	□□□□	88.9#	1575	1678	1773	1879	1951
		72 x 48	USSW2R7248	□	□□	□□	□□□□	□□□□	□□□□	□□□□	110.5#	2229	2370	2514	2656	2759
USFR	Segmented Fabric Panel - 56”H	24 x 56	USSW2R2456	□	□□	□□	□□□□	□□□□	□□□□	□□□□	53.5#	\$ 1044	\$ 1110	\$ 1179	\$ 1247	\$ 1293
		30 x 56	USSW2R3056	□	□□	□□	□□□□	□□□□	□□□□	□□□□	60.8#	1152	1227	1305	1376	1427
		36 x 56	USSW2R3656	□	□□	□□	□□□□	□□□□	□□□□	□□□□	68.1#	1260	1340	1422	1501	1560
		42 x 56	USSW2R4256	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.4#	1419	1509	1601	1691	1758
		48 x 56	USSW2R4856	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.8#	1475	1567	1665	1759	1826
		54 x 56	USSW2R5456	□	□□	□□	□□□□	□□□□	□□□□	□□□□	90.1#	1526	1623	1722	1820	1889
		60 x 56	USSW2R6056	□	□□	□□	□□□□	□□□□	□□□□	□□□□	97.4#	1669	1772	1883	1991	2068
		72 x 56	USSW2R7256	□	□□	□□	□□□□	□□□□	□□□□	□□□□	122.8#	2359	2512	2660	2813	2920
			A	B	C	D	E	F	G	H						

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

F - Flat trim (std)

N - No topcap
- C**Select electrical code.

CP - Chicago, 2 sides w/cutouts

DN - Domestic, no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section side 1.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select paint finish for slat wall section side 2.

Refer to the **Product Color Options** page in this price list.
- H**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway

		MODEL NUMBER															
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2			Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR Segmented Fabric Panel - 64”H • Lower segment includes fabric tiles for both sides, specified separately • Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height • Upper and lower fabric segments on each side must be identically specified • Slatwall paint finish is specified • Standard base raceway on both sides accepts power and data cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • 30-72” wide panels feature two power knockouts per side • 24” wide panels feature one power knockout per side • 72” wide panels feature split tiles • Electrical components are specified separately	MODEL	W x H															
	24 x 64	USSW2R2464	□	□□	□□	□□□□	□□□□	□□□□	□□□□		57.9#	\$ 1074	\$ 1145	\$ 1214	\$ 1281	\$ 1330	
	30 x 64	USSW2R3064	□	□□	□□	□□□□	□□□□	□□□□	□□□□		65.7#	1201	1280	1356	1434	1487	
	36 x 64	USSW2R3664	□	□□	□□	□□□□	□□□□	□□□□	□□□□		73.5#	1316	1399	1484	1567	1628	
	42 x 64	USSW2R4264	□	□□	□□	□□□□	□□□□	□□□□	□□□□		81.4#	1490	1588	1683	1783	1849	
	48 x 64	USSW2R4864	□	□□	□□	□□□□	□□□□	□□□□	□□□□		89.3#	1552	1647	1750	1848	1920	
	54 x 64	USSW2R5464	□	□□	□□	□□□□	□□□□	□□□□	□□□□		97.1#	1577	1676	1778	1881	1952	
	60 x 64	USSW2R6064	□	□□	□□	□□□□	□□□□	□□□□	□□□□		105.0#	1693	1803	1915	2023	2102	
	72 x 64	USSW2R7264	□	□□	□□	□□□□	□□□□	□□□□	□□□□		133.2#	2473	2632	2792	2949	3066	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section side 1.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select paint finish for slat wall section side 2.

Refer to the **Product Color Options** page in this price list.
- H**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 40”H	24 x 40	USSW2L2440	☐	☐	☐	☐	☐	44.4#	\$ 839	\$ 895	\$ 950	\$ 1004	\$ 1042
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW2L3040	☐	☐	☐	☐	☐	50.7#	933	991	1052	1111	1155
	• Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height	36 x 40	USSW2L3640	☐	☐	☐	☐	☐	56.9#	1014	1083	1146	1212	1257
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW2L4240	☐	☐	☐	☐	☐	63.2#	1134	1205	1279	1349	1402
	• Slatwall paint finish is specified	48 x 40	USSW2L4840	☐	☐	☐	☐	☐	69.5#	1185	1257	1332	1409	1464
	• Elevated base does not accept cable distribution	54 x 40	USSW2L5440	☐	☐	☐	☐	☐	73.7#	1269	1351	1432	1513	1569
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW2L6040	☐	☐	☐	☐	☐	82.0#	1429	1523	1614	1708	1770
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USSW2L7240	☐	☐	☐	☐	☐	101.2#	1884	2004	2124	2245	2336
	• 72” wide panels feature split tiles													
USFL	Segmented Fabric Panel - 48”H	24 x 48	USSW2L2448	☐	☐	☐	☐	☐	48.2#	\$ 981	\$ 1045	\$ 1109	\$ 1170	\$ 1216
		30 x 48	USSW2L3048	☐	☐	☐	☐	☐	55.0#	1092	1161	1230	1304	1350
		36 x 48	USSW2L3648	☐	☐	☐	☐	☐	61.8#	1193	1269	1347	1424	1478
		42 x 48	USSW2L4248	☐	☐	☐	☐	☐	68.5#	1325	1408	1491	1579	1640
		48 x 48	USSW2L4848	☐	☐	☐	☐	☐	75.4#	1377	1464	1554	1642	1705
		54 x 48	USSW2L5448	☐	☐	☐	☐	☐	80.1#	1433	1526	1615	1710	1773
		60 x 48	USSW2L6048	☐	☐	☐	☐	☐	88.9#	1575	1678	1773	1879	1951
		72 x 48	USSW2L7248	☐	☐	☐	☐	☐	110.5#	2229	2370	2514	2656	2759
USFL	Segmented Fabric Panel - 56”H	24 x 56	USSW2L2456	☐	☐	☐	☐	☐	53.5#	\$ 1044	\$ 1110	\$ 1179	\$ 1247	\$ 1293
		30 x 56	USSW2L3056	☐	☐	☐	☐	☐	60.8#	1152	1227	1301	1376	1427
		36 x 56	USSW2L3656	☐	☐	☐	☐	☐	68.1#	1260	1340	1422	1501	1560
		42 x 56	USSW2L4256	☐	☐	☐	☐	☐	75.4#	1419	1509	1601	1691	1758
		48 x 56	USSW2L4856	☐	☐	☐	☐	☐	82.8#	1475	1567	1665	1759	1826
		54 x 56	USSW2L5456	☐	☐	☐	☐	☐	88.1#	1526	1623	1722	1820	1889
		60 x 56	USSW2L6056	☐	☐	☐	☐	☐	97.4#	1669	1772	1883	1991	2068
		72 x 56	USSW2L7256	☐	☐	☐	☐	☐	122.8#	2359	2512	2660	2813	2920

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F

- Flat trim (std)
- N

- No topcap
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D**Select paint finish for slat wall section side 1.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to ki.com/fabrics
- F**Select paint finish for slat wall section side 2.
- Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud 72” wide panels feature split tiles	24 x 64	USSW2L2464	☐	☐	☐	☐	☐	☐	57.9#	\$ 1074	\$ 1145	\$ 1214	\$ 1281	\$ 1330
	30 x 64	USSW2L3064	☐	☐	☐	☐	☐	☐	65.7#	1201	1280	1356	1434	1487
	36 x 64	USSW2L3664	☐	☐	☐	☐	☐	☐	73.5#	1316	1399	1484	1567	1628
	42 x 64	USSW2L4264	☐	☐	☐	☐	☐	☐	81.4#	1490	1588	1683	1783	1849
	48 x 64	USSW2L4864	☐	☐	☐	☐	☐	☐	89.3#	1552	1647	1750	1848	1920
	54 x 64	USSW2L5464	☐	☐	☐	☐	☐	☐	95.1#	1577	1676	1778	1881	1952
	60 x 64	USSW2L6064	☐	☐	☐	☐	☐	☐	105.0#	1693	1803	1915	2023	2102
	72 x 64	USSW2L7264	☐	☐	☐	☐	☐	☐	133.2#	2473	2632	2792	2949	3066
		A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select paint finish for slat wall section side 1.

Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.

Refer to ki.com/fabrics
- F**Select paint finish for slat wall section side 2.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 2.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Fabric



Stacking Panel

Fabric

		MODEL NUMBER										
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2							
MODEL		W x H					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF	Fabric Stacking Panel - 16” H	24 x 16”	USTF2416				13.2#	\$ 425	\$ 441	\$ 459	\$ 469	\$ 499
	• Side 1 and side 2 fabrics are specified separately	30 x 16”	USTF3016				14.8#	454	474	493	506	537
	• All sizes stack above panels of equal widths	36 x 16”	USTF3616				16.9#	495	519	535	548	587
	• 48”-72” sizes may span multiple panels	42 x 16”	USTF4216				18.5#	545	569	590	603	645
	• Only one stacking section may be added to a frame	48 x 16”	USTF4816				20.1#	554	579	598	615	656
	• No power is available on stacking sections	54 x 16	USTF5416				21.9#	593	622	643	657	704
	• No storage or accessories may be hung from stacking sections	60 x 16”	USTF6016				23.7#	621	650	673	688	735
	• Panel Assembly includes stacking frame, segment channel, tiles and panel-to-panel connectors	72 x 16”	USTF7216				29.5#	826	866	895	917	977
	• Trim is metal and includes segment channel											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
- C**Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D**Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Solid Steel



Stacking Panel

Solid Steel

		MODEL NUMBER				
MODEL		Basic Model	Trim Color	Insert Color	Approx. Packaged Weight	Delivered Pricing
 USTS	Solid Steel Stacking Panel - 16" H	24 x 16"	USTS2416	☐ ☐ ☐	15.5#	\$ 536
	• Single steel section captured within aluminum frame	30 x 16"	USTS3016	☐ ☐ ☐	17.7#	564
	• All sizes stack above panels of equal widths	36 x 16"	USTS3616	☐ ☐ ☐	20.5#	609
	• 48"-72" sizes may span multiple panels	42 x 16"	USTS4216	☐ ☐ ☐	22.7#	639
	• Only one stacking section may be added to a frame	48 x 16"	USTS4816	☐ ☐ ☐	25.0#	712
	• No power is available on stacking sections	54 x 16"	USTS5416	☐ ☐ ☐	27.4#	728
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTS6016	☐ ☐ ☐	29.8#	729
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTS7216	☐ ☐ ☐	34.3#	1006
	• Frame matches trim finish					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Glass



Stacking Panel

Glass

		MODEL NUMBER						
		Basic Model	Trim Color	Glass Color	Approx. Packaged Weight	Clear (GLA)	White Laminate (GLC)	Satin Etch One Side (GLV)
MODEL	W x H							
 USTS	Glass Stacking Panel - 16" H	24 x 16"	USTG2416	☐ ☐	18.4#	\$ 488	\$ 552	\$ 616
	• Single glass pane captured within aluminum frame	30 x 16"	USTG3016	☐ ☐	21.5#	508	569	634
	• All sizes stack above panels of equal widths	36 x 16"	USTG3616	☐ ☐	25.0#	537	600	666
	• 48"-72" sizes may span multiple panels	42 x 16"	USTG4216	☐ ☐	28.1#	569	645	719
	• Only one stacking section may be added to a frame	48 x 16"	USTG4816	☐ ☐	31.1#	622	713	810
	• No power is available on stacking sections	54 x 16	USTG5416	☐ ☐	34.4#	643	743	851
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTG6016	☐ ☐	37.7#	646	757	876
	• Frame matches trim finish	72 x 16"	USTG7216	☐ ☐	43.8#	856	989	1126
		A	B	C				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear |
| GLC | - White laminate |
| GLV | - Satin etch one side |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Perforated Steel



Stacking Panel

Perforated Steel

		MODEL NUMBER				
		Basic Model	Trim Color	Insert Color	Approx. Packaged Weight	Delivered Pricing
MODEL	W x H					
 USTS	Perforated Steel Stacking Panel - 16" H	24 x 16"	USTP2416	☐ ☐	13.5#	\$ 569
	• Single perforated steel section captured within aluminum frame	30 x 16"	USTP3016	☐ ☐	15.1#	609
	• All sizes stack above panels of equal widths	36 x 16"	USTP3616	☐ ☐	17.2#	678
	• 48"-72" sizes may span multiple panels	42 x 16"	USTP4216	☐ ☐	19.0#	711
	• Only one stacking section may be added to a frame	48 x 16"	USTP4816	☐ ☐	20.6#	815
	• No power is available on stacking sections	54 x 16"	USTP5416	☐ ☐	22.5#	855
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTP6016	☐ ☐	24.4#	881
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTP7216	☐ ☐	27.7#	1123
	• Frame matches trim finish					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Markerboard on One Side



Stacking Panel

Markerboard on One Side

		MODEL NUMBER									
		Basic Model	Trim Color	Fabric Side 2							
MODEL	W x H				Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USTF	Markerboard on One-Side Stacking Panel - 16" H	24 x 16"	USTM12416	☐ ☐	☐ ☐ ☐ ☐	16.4#	\$ 511	\$ 534	\$ 552	\$ 566	\$ 603
	• Side 1 is marker board; side 2 is fabric	30 x 16"	USTM13016	☐ ☐	☐ ☐ ☐ ☐	18.7#	556	583	603	617	661
	• All sizes stack above panels of equal widths	36 x 16"	USTM13616	☐ ☐	☐ ☐ ☐ ☐	21.5#	591	617	641	656	703
	• 48"-72" sizes may span multiple panels	42 x 16"	USTM14216	☐ ☐	☐ ☐ ☐ ☐	23.8#	644	673	696	714	759
	• Only one stacking section may be added to a frame	48 x 16"	USTM14816	☐ ☐	☐ ☐ ☐ ☐	26.1#	680	714	738	757	808
	• No power is available on stacking sections	54 x 16	USTM15416	☐ ☐	☐ ☐ ☐ ☐	28.7#	797	836	883	862	944
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTM16016	☐ ☐	☐ ☐ ☐ ☐	31.2#	895	938	968	993	1059
		72 x 16"	USTM17216	☐ ☐	☐ ☐ ☐ ☐	38.7#	1021	1068	1103	1132	1206
			A	B	C						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 2. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Markerboard on Both Sides



Stacking Panel

Markerboard on Both Sides

		MODEL NUMBER			
		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
MODEL	W x H				
 USTS	Markerboard on Both-Sides Stacking Panel - 16" H	24 x 16"	USTM22416	☐ ☐	\$ 576
	• Steel marker board on both sides	30 x 16"	USTM23016	☐ ☐	635
	• All sizes stack above panels of equal widths	36 x 16"	USTM23616	☐ ☐	663
	• 48"-72" sizes may span multiple panels	42 x 16"	USTM24216	☐ ☐	714
	• Only one stacking section may be added to a frame	48 x 16"	USTM24816	☐ ☐	780
	• No power is available on stacking sections	54 x 16	USTM25416	☐ ☐	963
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTM26016	☐ ☐	1126
		72 x 16"	USTM27216	☐ ☐	1168
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Slat Wall on One Side



Stacking Panel

Slat Wall on One Side



USTF

		MODEL NUMBER										
MODEL	W x H	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
Slat Wall on One-Side Stacking Panel - 16" H - Side 1 features lower 8" section of slat wall and fabric on upper 8"; side 2 is fabric only - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections	24 x 16"	USTSW12416	☐	☐	☐	☐	15.1#	\$ 645	\$ 674	\$ 703	\$ 717	\$ 761
	30 x 16"	USTSW13016	☐	☐	☐	☐	17.5#	690	724	748	771	821
	36 x 16"	USTSW13616	☐	☐	☐	☐	19.9#	754	787	815	837	893
	42 x 16"	USTSW14216	☐	☐	☐	☐	22.3#	830	867	899	919	980
	48 x 16"	USTSW14816	☐	☐	☐	☐	24.7#	855	895	927	951	1014
	54 x 16"	USTSW15416	☐	☐	☐	☐	27.1#	872	910	944	966	1031
	60 x 16"	USTSW16016	☐	☐	☐	☐	29.5#	938	978	1014	1041	1106
	72 x 16"	USTSW17216	☐	☐	☐	☐	36.9#	1320	1381	1428	1463	1560
		A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D** Select fabric side 2.
Refer to [ki.com/fabrics](#)
- E** Select tile color side 1.
Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Slat Wall on Two Sides



Stacking Panel

Slat Wall on Two Sides

		MODEL NUMBER											
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Tile Color Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF Slat Wall on Two-Sides Stacking Panel - 16" H - Both sides feature lower 8" section of slat wall and fabric on upper 8" - Fabric on sides 1 and 2 is specified separately - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections	24 x 16"	USTSW22416	☐	☐	☐	☐	☐	20.6#	\$ 853	\$ 893	\$ 924	\$ 947	\$ 1010
	30 x 16"	USTSW23016	☐	☐	☐	☐	☐	24.0#	913	958	990	1015	1084
	36 x 16"	USTSW23616	☐	☐	☐	☐	☐	28.0#	993	1041	1076	1103	1179
	42 x 16"	USTSW24216	☐	☐	☐	☐	☐	31.3#	1097	1148	1189	1217	1297
	48 x 16"	USTSW24816	☐	☐	☐	☐	☐	34.7#	1145	1194	1239	1265	1350
	54 x 16	USTSW25416	☐	☐	☐	☐	☐	38.4#	1197	1251	1295	1327	1415
	60 x 16"	USTSW26016	☐	☐	☐	☐	☐	42.0#	1228	1284	1330	1363	1454
	72 x 16"	USTSW27216	☐	☐	☐	☐	☐	51.5#	1791	1872	1935	1987	2117

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
- C

Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D

Select fabric side 2.
Refer to [ki.com/fabrics](#)
- E

Select tile color side 1.
Refer to the **Product Color Options** page in this price list.
- F

Select tile color side 2.
Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersections

2-Way 90° "L" Corner



Preconfigured Intersections

2-Way 90° "L" Corner

			MODEL NUMBER			
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	2-Way 90°, “L” Corner, No Height Change • Select for 90° corner intersections of two same-height panels • Includes full height corner trim, 90° top cap, connecting blocks, light block and connecting hardware	32”	U2W9032	☐ ☐	7.3#	\$ 160
		40”	U2W9040	☐ ☐	9.2#	188
		48”	U2W9048	☐ ☐	10.3#	193
		56”	U2W9056	☐ ☐	11.3#	202
		64”	U2W9064	☐ ☐	12.4#	227
		72”	U2W9072	☐ ☐	14.3#	250
		80”	U2W9080	☐ ☐	15.4#	266
		UTN				
	2-Way 90°, “L” Corner, with Height Change • Select for 90° corner intersections of one taller and one lower panel • Includes corner and change-of-height trim, top cap, connecting blocks, light blocks and connecting hardware	32” 40” 8”	U2W901W3240	☐ ☐	9.0#	\$ 271
		32” 48” 16”	U2W901W3248	☐ ☐	10.4#	280
		32” 56” 24”	U2W901W3256	☐ ☐	11.6#	287
		32” 64” 32”	U2W901W3264	☐ ☐	12.7#	298
		32” 72” 40”	U2W901W3272	☐ ☐	14.1#	311
		32” 80” 48”	U2W901W3280	☐ ☐	15.3#	316
		40” 48” 8”	U2W901W4048	☐ ☐	10.8#	300
		40” 56” 16”	U2W901W4056	☐ ☐	12.2#	310
		40” 64” 24”	U2W901W4064	☐ ☐	13.4#	317
		40” 72” 32”	U2W901W4072	☐ ☐	14.6#	328
		40” 80” 40”	U2W901W4080	☐ ☐	16.0#	344
		48” 56” 8”	U2W901W4856	☐ ☐	11.9#	306
		48” 64” 16”	U2W901W4864	☐ ☐	13.3#	316
		48” 72” 24”	U2W901W4872	☐ ☐	14.3#	319
		48” 80” 32”	U2W901W4880	☐ ☐	15.5#	330
		56” 64” 8”	U2W901W5664	☐ ☐	13.0#	311
		56” 72” 16”	U2W901W5672	☐ ☐	14.2#	322
		56” 80” 24”	U2W901W5680	☐ ☐	15.4#	329
		64” 72” 8”	U2W901W6472	☐ ☐	14.1#	341
		64” 80” 16”	U2W901W6480	☐ ☐	15.3#	349
		72” 80” 8”	U2W901W7280	☐ ☐	15.9#	364

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

2-Way 180°



Preconfigured Intersections

2-Way 180°

			MODEL NUMBER				
			Basic Model	Trim Color			
MODEL			A	B	B-A	Approx. Packaged Weight	Delivered Pricing
	2-Way 180°, In-Line Spacer Trim, No Height Change • Select for inline intersections of two same-height panels, with panel-width spacing between • Includes two full height flat trim pieces, 90° top cap, connecting blocks, and connecting hardware	32"	U2W180IL32	☐ ☐	8.4#	\$ 196	
		40"	U2W180IL40	☐ ☐	9.4#	203	
		48"	U2W180IL48	☐ ☐	10.4#	204	
		56"	U2W180IL56	☐ ☐	11.3#	227	
		64"	U2W180IL64	☐ ☐	12.3#	250	
		72"	U2W180IL72	☐ ☐	14.3#	311	
		80"	U2W180IL80	☐ ☐	15.2#	319	
UTN							
	2-Way 180°, Trim One Side, with Height Change • Select for inline intersections of one taller and one lower panel, with panel-width spacing between • Includes two flat trim pieces, change-of-height 3-sided trim, top cap, connecting blocks, and connecting hardware	32" 40" 8"	U2W1801W3240	☐ ☐	9.0#	\$ 300	
		32" 48" 16"	U2W1801W3248	☐ ☐	10.4#	310	
		32" 56" 24"	U2W1801W3256	☐ ☐	11.6#	316	
		32" 64" 32"	U2W1801W3264	☐ ☐	12.7#	328	
		32" 72" 40"	U2W1801W3272	☐ ☐	14.1#	344	
		32" 80" 48"	U2W1801W3280	☐ ☐	15.3#	348	
		40" 48" 8"	U2W1801W4048	☐ ☐	10.9#	342	
		40" 56" 16"	U2W1801W4056	☐ ☐	12.3#	353	
		40" 64" 24"	U2W1801W4064	☐ ☐	13.5#	360	
		40" 72" 32"	U2W1801W4072	☐ ☐	14.7#	370	
		40" 80" 40"	U2W1801W4080	☐ ☐	16.1#	385	
		48" 56" 8"	U2W1801W4856	☐ ☐	11.9#	344	
		48" 64" 16"	U2W1801W4864	☐ ☐	13.3#	355	
		48" 72" 24"	U2W1801W4872	☐ ☐	14.5#	362	
		48" 80" 32"	U2W1801W4880	☐ ☐	15.7#	371	
		56" 64" 8"	U2W1801W5664	☐ ☐	12.9#	360	
		56" 72" 16"	U2W1801W5672	☐ ☐	14.3#	366	
		56" 80" 24"	U2W1801W5680	☐ ☐	15.5#	373	
		64" 72" 8"	U2W1801W6472	☐ ☐	13.9#	385	
		64" 80" 16"	U2W1801W6480	☐ ☐	15.3#	396	
		72" 80" 8"	U2W1801W7280	☐ ☐	15.8#	446	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

			MODEL NUMBER			
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
MODEL	A B B-A					
	3-Way 90°, “T” Corner, No Height Change	32”	U3W9032	□□	6.5#	\$ 161
	• Select for 90° intersections of three same-height panels • Includes one full height trim piece, 90° top cap, connecting blocks, light blocks and connecting hardware	40”	U3W9040	□□	8.3#	193
		48”	U3W9048	□□	9.2#	200
		56”	U3W9056	□□	10.0#	207
		64”	U3W9064	□□	11.0#	227
		72”	U3W9072	□□	12.9#	268
		80”	U3W9080	□□	13.8#	276
	UTN					
	3-Way 90°, Trim One Side “T” Corner, with Height Change	32” 40” 8”	U3W901W3240	□□	7.9#	\$ 277
	• Select for 90° three-way intersections of one taller and two lower panels • Includes one flat trim piece, three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 48” 16”	U3W901W3248	□□	9.4#	287
		32” 56” 24”	U3W901W3256	□□	10.5#	295
		32” 64” 32”	U3W901W3264	□□	11.7#	305
		32” 72” 40”	U3W901W3272	□□	13.0#	319
		32” 80” 48”	U3W901W3280	□□	14.3#	320
		40” 48” 8”	U3W901W4048	□□	9.8#	307
		40” 56” 16”	U3W901W4056	□□	11.2#	317
		40” 64” 24”	U3W901W4064	□□	12.3#	320
		40” 72” 32”	U3W901W4072	□□	13.5#	333
		40” 80” 40”	U3W901W4080	□□	14.9#	353
		48” 56” 8”	U3W901W4856	□□	10.7#	310
		48” 64” 16”	U3W901W4864	□□	12.1#	320
		48” 72” 24”	U3W901W4872	□□	13.2#	328
		48” 80” 32”	U3W901W4880	□□	14.6#	341
		56” 64” 8”	U3W901W5664	□□	11.6#	320
		56” 72” 16”	U3W901W5672	□□	13.0#	330
		56” 80” 24”	U3W901W5680	□□	14.2#	341
		64” 72” 8”	U3W901W6472	□□	12.5#	342
		64” 80” 16”	U3W901W6480	□□	13.9#	353
		72” 80” 8”	U3W901W7280	□□	14.7#	384

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

			MODEL NUMBER			
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTN	MODEL	A B B-A				
	3-Way 90°, In-Line “T” Corner, with Height Change - Select for 90° three-way intersections of two taller inline panels and one lower perpendicular panel - Includes one full height flat trim piece, one change-of-height flat trim piece, 90° top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”	U3W90IL3240	☐ ☐	8.9#	\$ 208
		32” 48” 16”	U3W90IL3248	☐ ☐	10.8#	243
		32” 56” 24”	U3W90IL3256	☐ ☐	11.8#	250
		32” 64” 32”	U3W90IL3264	☐ ☐	12.8#	271
		32” 72” 40”	U3W90IL3272	☐ ☐	14.7#	320
		32” 80” 48”	U3W90IL3280	☐ ☐	15.7#	329
		40” 48” 8”	U3W90IL4048	☐ ☐	10.7#	235
		40” 56” 16”	U3W90IL4056	☐ ☐	11.7#	277
		40” 64” 24”	U3W90IL4064	☐ ☐	13.6#	289
		40” 72” 32”	U3W90IL4072	☐ ☐	14.6#	311
		40” 80” 40”	U3W90IL4080	☐ ☐	16.5#	353
		48” 56” 8”	U3W90IL4856	☐ ☐	11.6#	243
		48” 64” 16”	U3W90IL4864	☐ ☐	13.5#	291
		48” 72” 24”	U3W90IL4872	☐ ☐	15.5#	310
		48” 80” 32”	U3W90IL4880	☐ ☐	15.5#	319
		56” 64” 8”	U3W90IL5664	☐ ☐	12.5#	264
		56” 72” 16”	U3W90IL5672	☐ ☐	15.3#	310
		56” 80” 24”	U3W90IL5680	☐ ☐	16.4#	317
		64” 72” 8”	U3W90IL6472	☐ ☐	13.4#	284
		64” 80” 16”	U3W90IL6480	☐ ☐	15.4#	319
		72” 80” 8”	U3W90IL7280	☐ ☐	15.2#	310
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

			MODEL NUMBER			
MODEL			A	B	B-A	
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTN	3-Way 90°, Trim Two Sides “T” Corner, with Height Change • Select for 90° three-way intersections of one taller and one lower inline panels and one perpendicular taller panel • Includes one flat trim piece, two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”	U3W902W3240	☐ ☐	8.7#	\$ 227
		32” 48” 16”	U3W902W3248	☐ ☐	10.6#	246
		32” 56” 24”	U3W902W3256	☐ ☐	11.6#	257
		32” 64” 32”	U3W902W3264	☐ ☐	12.7#	268
		32” 72” 40”	U3W902W3272	☐ ☐	14.6#	293
		32” 80” 48”	U3W902W3280	☐ ☐	15.6#	300
		40” 48” 8”	U3W902W4048	☐ ☐	10.5#	257
		40” 56” 16”	U3W902W4056	☐ ☐	12.4#	280
		40” 64” 24”	U3W902W4064	☐ ☐	13.4#	287
		40” 72” 32”	U3W902W4072	☐ ☐	14.5#	297
		40” 80” 40”	U3W902W4080	☐ ☐	16.4#	307
		48” 56” 8”	U3W902W4856	☐ ☐	11.4#	260
		48” 64” 16”	U3W902W4864	☐ ☐	13.3#	283
		48” 72” 24”	U3W902W4872	☐ ☐	14.3#	291
		48” 80” 32”	U3W902W4880	☐ ☐	15.4#	303
		56” 64” 8”	U3W902W5664	☐ ☐	12.3#	271
		56” 72” 16”	U3W902W5672	☐ ☐	14.2#	293
		56” 80” 24”	U3W902W5680	☐ ☐	15.3#	303
		64” 72” 8”	U3W902W6472	☐ ☐	13.2#	289
		64” 80” 16”	U3W902W6480	☐ ☐	16.0#	311
		72” 80” 8”	U3W902W7280	☐ ☐	15.0#	347
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Trim Color			
MODEL	A B B-A			Approx. Packaged Weight	Delivered Pricing	
	4-Way 90°, “X”, No Height Change	32”	U4W9032	☐ ☐	6.3#	\$ 157
	• Select for 90° intersections of four same-height panels	40”	U4W9040	☐ ☐	8.1#	184
	• Includes 90° top cap, connecting blocks, light blocks, and connecting hardware	48”	U4W9048	☐ ☐	9.0#	194
		56”	U4W9056	☐ ☐	9.9#	202
		64”	U4W9064	☐ ☐	10.7#	208
		72”	U4W9072	☐ ☐	12.6#	237
		80”	U4W9080	☐ ☐	13.4#	245
	UTN					
	4-Way 90°, “X” Trim One Side, with Height Change	32” 40” 8”	U4W901W3240	☐ ☐	7.8#	\$ 274
	• Select for 90° four-way intersections of one taller and three lower panels	32” 48” 16”	U4W901W3248	☐ ☐	9.2#	285
	• Includes three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 56” 24”	U4W901W3256	☐ ☐	10.4#	289
		32” 64” 32”	U4W901W3264	☐ ☐	11.6#	300
		32” 72” 40”	U4W901W3272	☐ ☐	12.9#	317
		32” 80” 48”	U4W901W3280	☐ ☐	14.1#	319
		40” 48” 8”	U4W901W4048	☐ ☐	8.7#	306
		40” 56” 16”	U4W901W4056	☐ ☐	10.1#	316
		40” 64” 24”	U4W901W4064	☐ ☐	11.2#	319
		40” 72” 32”	U4W901W4072	☐ ☐	13.6#	329
		40” 80” 40”	U4W901W4080	☐ ☐	13.6#	349
		48” 56” 8”	U4W901W4856	☐ ☐	10.5#	308
		48” 64” 16”	U4W901W4864	☐ ☐	11.9#	319
		48” 72” 24”	U4W901W4872	☐ ☐	13.1#	328
		48” 80” 32”	U4W901W4880	☐ ☐	14.2#	336
		56” 64” 8”	U4W901W5664	☐ ☐	11.4#	317
		56” 72” 16”	U4W901W5672	☐ ☐	12.8#	329
		56” 80” 24”	U4W901W5680	☐ ☐	13.9#	333
		64” 72” 8”	U4W901W6472	☐ ☐	12.2#	328
		64” 80” 16”	U4W901W6480	☐ ☐	14.8#	337
		72” 80” 8”	U4W901W7280	☐ ☐	14.0#	353

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

			MODEL NUMBER				
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
MODEL	A	B	B-A				
 UTN	4-Way 90°, “X” In-Line Intersection, with Height Change						
	• Select for 90° four-way intersections of two taller inline panels and two lower perpendicular panels • Includes two change-of-height flat trim pieces, 90° top cap, connecting blocks, light blocks and connecting hardware						
	32” 40” 8”	U4W90IL3240	☐ ☐	8.7#	\$	239	
	32” 48” 16”	U4W90IL3248	☐ ☐	10.7#		281	
	32” 56” 24”	U4W90IL3256	☐ ☐	11.6#		292	
	32” 64” 32”	U4W90IL3264	☐ ☐	12.6#		314	
	32” 72” 40”	U4W90IL3272	☐ ☐	14.6#		360	
	32” 80” 48”	U4W90IL3280	☐ ☐	15.5#		397	
	40” 48” 8”	U4W90IL4048	☐ ☐	10.6#		268	
	40” 56” 16”	U4W90IL4056	☐ ☐	12.5#		310	
	40” 64” 24”	U4W90IL4064	☐ ☐	13.5#		327	
	40” 72” 32”	U4W90IL4072	☐ ☐	14.5#		348	
	40” 80” 40”	U4W90IL4080	☐ ☐	16.4#		371	
	48” 56” 8”	U4W90IL4856	☐ ☐	11.4#		276	
	48” 64” 16”	U4W90IL4864	☐ ☐	13.4#		319	
	48” 72” 24”	U4W90IL4872	☐ ☐	14.3#		330	
	48” 80” 32”	U4W90IL4880	☐ ☐	16.3#		354	
	56” 64” 8”	U4W90IL5664	☐ ☐	12.3#		281	
	56” 72” 16”	U4W90IL5672	☐ ☐	15.2#		323	
	56” 80” 24”	U4W90IL5680	☐ ☐	15.2#		342	
	64” 72” 8”	U4W90IL6472	☐ ☐	13.1#		293	
64” 80” 16”	U4W90IL6480	☐ ☐	15.1#		336		
72” 80” 8”	U4W90IL7280	☐ ☐	15.0#		319		
			A	B			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

			MODEL NUMBER			
MODEL			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTN	4-Way 90°, “X” Trim Two Sides, with Height Change • Select for 90° three-way intersections of two perpendicular taller panels and two perpendicular lower panels • Includes two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”	U4W902W3240	☐ ☐	8.2#	\$ 226
		32” 48” 16”	U4W902W3248	☐ ☐	10.0#	245
		32” 56” 24”	U4W902W3256	☐ ☐	11.2#	248
		32” 64” 32”	U4W902W3264	☐ ☐	12.2#	262
		32” 72” 40”	U4W902W3272	☐ ☐	14.0#	292
		32” 80” 48”	U4W902W3280	☐ ☐	15.2#	298
		40” 48” 8”	U4W902W4048	☐ ☐	10.1#	248
		40” 56” 16”	U4W902W4056	☐ ☐	11.9#	279
		40” 64” 24”	U4W902W4064	☐ ☐	13.0#	281
		40” 72” 32”	U4W902W4072	☐ ☐	14.1#	292
		40” 80” 40”	U4W902W4080	☐ ☐	15.9#	320
		48” 56” 8”	U4W902W4856	☐ ☐	10.9#	259
		48” 64” 16”	U4W902W4864	☐ ☐	12.8#	283
		48” 72” 24”	U4W902W4872	☐ ☐	13.9#	289
		48” 80” 32”	U4W902W4880	☐ ☐	14.9#	300
		56” 64” 8”	U4W902W5664	☐ ☐	11.8#	268
		56” 72” 16”	U4W902W5672	☐ ☐	13.6#	292
		56” 80” 24”	U4W902W5680	☐ ☐	14.7#	298
		64” 72” 8”	U4W902W6472	☐ ☐	13.4#	277
		64” 80” 24”	U4W902W6480	☐ ☐	14.5#	300
		72” 80” 8”	U4W902W7280	☐ ☐	14.5#	307
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

			MODEL NUMBER				
			Basic Model	Trim Color			
MODEL	A	B	B-A		Approx. Packaged Weight	Delivered Pricing	
 UTN 4-Way 90°, “X” Trim Three Sides, with Height Change • Select for 90° X four-way intersections of three taller panels and one lower panel • Includes one change-of-height flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32”	40”	8”	U4W903W3240	☐ ☐	8.0#	\$ 212
	32”	48”	16”	U4W903W3248	☐ ☐	9.9#	262
	32”	56”	24”	U4W903W3256	☐ ☐	10.9#	270
	32”	64”	32”	U4W903W3264	☐ ☐	11.8#	279
	32”	72”	40”	U4W903W3272	☐ ☐	13.6#	287
	32”	80”	48”	U4W903W3280	☐ ☐	14.5#	291
	40”	48”	8”	U4W903W4048	☐ ☐	10.0#	242
	40”	56”	16”	U4W903W4056	☐ ☐	11.8#	266
	40”	64”	24”	U4W903W4064	☐ ☐	12.7#	277
	40”	72”	32”	U4W903W4072	☐ ☐	13.6#	287
	40”	80”	40”	U4W903W4080	☐ ☐	15.4#	317
	48”	56”	8”	U4W903W4856	☐ ☐	10.8#	246
	48”	64”	16”	U4W903W4864	☐ ☐	12.6#	279
	48”	72”	24”	U4W903W4872	☐ ☐	13.6#	281
	48”	80”	32”	U4W903W4880	☐ ☐	14.5#	292
	56”	64”	8”	U4W903W5664	☐ ☐	11.7#	259
	56”	72”	16”	U4W903W5672	☐ ☐	14.5#	287
	56”	80”	24”	U4W903W5680	☐ ☐	14.4#	295
	64”	72”	8”	U4W903W6472	☐ ☐	12.6#	268
	64”	80”	16”	U4W903W6480	☐ ☐	14.4#	292
	72”	80”	8”	U4W903W7280	☐ ☐	14.4#	293
			A	B			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

2-Way 120°



Preconfigured Intersections

2-Way 120°

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	A B B-A			Approx. Packaged Weight	Delivered Pricing
	2-Way 120°, “V” Corner, No Height Change	32”	U2W12032	☐ ☐	4.7# \$ 417
		40”	U2W12040	☐ ☐	518
	• Select for 120° angled intersections of two same-height panels	48”	U2W12048	☐ ☐	522
	• Includes 2-sided angle trim, 120° top cap, connecting blocks, light block and connecting hardware	56”	U2W12056	☐ ☐	535
		64”	U2W12064	☐ ☐	555
		72”	U2W12072	☐ ☐	651
		80”	U2W12080	☐ ☐	663
UTN					
	2-Way 120°, “V” Corner, with Height Change	32” 40” 8”	U2W1201W3240	☐ ☐	\$ 438
		32” 48” 16”	U2W1201W3248	☐ ☐	444
	• Select for 120° angled intersections of one taller and one lower panel	32” 56” 24”	U2W1201W3256	☐ ☐	446
	• Includes corner and change-of-height trim, 120° top cap, connecting blocks, light block, and connecting hardware	32” 64” 32”	U2W1201W3264	☐ ☐	459
		32” 72” 40”	U2W1201W3272	☐ ☐	469
		32” 80” 48”	U2W1201W3280	☐ ☐	470
		40” 48” 8”	U2W1201W4048	☐ ☐	543
		40” 56” 16”	U2W1201W4056	☐ ☐	549
		40” 64” 24”	U2W1201W4064	☐ ☐	554
		40” 72” 32”	U2W1201W4072	☐ ☐	563
		40” 80” 40”	U2W1201W4080	☐ ☐	671
		48” 56” 8”	U2W1201W4856	☐ ☐	546
		48” 64” 16”	U2W1201W4864	☐ ☐	554
		48” 72” 24”	U2W1201W4872	☐ ☐	555
		48” 80” 32”	U2W1201W4880	☐ ☐	565
		56” 64” 8”	U2W1201W5664	☐ ☐	563
		56” 72” 16”	U2W1201W5672	☐ ☐	567
		56” 80” 24”	U2W1201W5680	☐ ☐	575
		64” 72” 8”	U2W1201W6472	☐ ☐	582
		64” 80” 16”	U2W1201W6480	☐ ☐	588
		72” 80” 8”	U2W1201W7280	☐ ☐	675
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 120°



Preconfigured Intersections

3-Way 120°

		MODEL NUMBER		Approx. Packaged Weight		Delivered Pricing	
		Basic Model	Trim Color				
MODEL	A B B-A						
	3-Way 120° Corner, No Height Change	32"	U3W12032	☐	4.6#	\$	401
	• Select for 120° intersections of three same-height panels	40"	U3W12040	☐	5.8#		510
	• Includes 120° top cap, connecting blocks, light blocks and connecting hardware	48"	U3W12048	☐	6.4#		512
		56"	U3W12056	☐	7.0#		514
		64"	U3W12064	☐	7.7#		522
		72"	U3W12072	☐	8.9#		622
		80"	U3W12080	☐	9.5#		631
UTN							
	3-Way 120° Corner, Trim One Side, with Height Change	32" 40" 8"	U3W1201W3240	☐	4.4#	\$	421
	• Select for 120° three-way intersections of one taller and two lower panels	32" 48" 16"	U3W1201W3248	☐	4.4#		430
	• Includes one flat trim piece, angled change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32" 56" 24"	U3W1201W3256	☐	4.4#		434
		32" 64" 32"	U3W1201W3264	☐	4.4#		439
		32" 72" 40"	U3W1201W3272	☐	4.4#		447
		32" 80" 48"	U3W1201W3280	☐	4.4#		454
		40" 48" 8"	U3W1201W4048	☐	5.6#		523
		40" 56" 16"	U3W1201W4056	☐	5.6#		532
		40" 64" 24"	U3W1201W4064	☐	5.6#		534
		40" 72" 32"	U3W1201W4072	☐	5.6#		543
		40" 80" 40"	U3W1201W4080	☐	5.6#		643
		48" 56" 8"	U3W1201W4856	☐	6.2#		526
		48" 64" 16"	U3W1201W4864	☐	6.2#		535
		48" 72" 24"	U3W1201W4872	☐	6.2#		542
		48" 80" 32"	U3W1201W4880	☐	6.2#		548
		56" 64" 8"	U3W1201W5664	☐	6.9#		534
		56" 72" 16"	U3W1201W5672	☐	6.9#		542
		56" 80" 24"	U3W1201W5680	☐	6.9#		545
		64" 72" 8"	U3W1201W6472	☐	7.5#		543
		64" 80" 16"	U3W1201W6480	☐	7.5#		547
		72" 80" 8"	U3W1201W7280	☐	8.7#		555
		A	B				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

3-Way 120°



Preconfigured Intersections

3-Way 120°

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	A B B-A			Approx. Packaged Weight	Delivered Pricing
 UTN 3-Way 120° Corner, Trim Two Sides, with Height Change • Select for 120° three-way intersections of two taller panels and one lower panel • Includes one flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32" 40" 8"	U3W1202W3240	☐ ☐	5.5#	\$ 535
	32" 48" 16"	U3W1202W3248	☐ ☐	6.6#	634
	32" 56" 24"	U3W1202W3256	☐ ☐	7.3#	644
	32" 64" 32"	U3W1202W3264	☐ ☐	8.0#	651
	32" 72" 40"	U3W1202W3272	☐ ☐	9.1#	751
	32" 80" 48"	U3W1202W3280	☐ ☐	9.9#	758
	40" 48" 8"	U3W1202W4048	☐ ☐	6.7#	639
	40" 56" 16"	U3W1202W4056	☐ ☐	7.8#	738
	40" 64" 24"	U3W1202W4064	☐ ☐	8.5#	747
	40" 72" 32"	U3W1202W4072	☐ ☐	9.2#	756
	40" 80" 40"	U3W1202W4080	☐ ☐	10.3#	855
	48" 56" 8"	U3W1202W4856	☐ ☐	7.3#	736
	48" 64" 16"	U3W1202W4864	☐ ☐	8.4#	745
	48" 72" 24"	U3W1202W4872	☐ ☐	9.1#	754
	48" 80" 32"	U3W1202W4880	☐ ☐	9.8#	758
	56" 64" 8"	U3W1202W5664	☐ ☐	8.0#	661
	56" 72" 16"	U3W1202W5672	☐ ☐	9.1#	748
	56" 80" 24"	U3W1202W5680	☐ ☐	9.8#	757
	64" 72" 8"	U3W1202W6472	☐ ☐	8.6#	655
	64" 80" 16"	U3W1202W6480	☐ ☐	9.7#	757
	72" 80" 8"	U3W1202W7280	☐ ☐	10.2#	848
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

End-of-Run Trim



End-of-Run Trim

			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL			H		Approx. Packaged Weight	Delivered Pricing
	End-of-Run Trim for Full Panel Height Conditions	32"	UEOR32	☐ ☐	3.6#	\$ 69
	• Select by height for single panel • For seamless end trim when stacking sections are used, specify by combined height of panel and stacker • Includes trim endcap and hardware	40"	UEOR40	☐ ☐	4.2#	76
		48"	UEOR48	☐ ☐	4.7#	78
		56"	UEOR56	☐ ☐	5.5#	82
		64"	UEOR64	☐ ☐	6.0#	98
		72"	UEOR72	☐ ☐	7.0#	121
		80"	UEOR80	☐ ☐	7.4#	124
	UTN					
UTN UST	End-of-Run Trim for Change of Height Conditions	8"	UEORV08	☐ ☐	1.8#	\$ 47
	• Height listed is the 'height differential' • Specify the distance between the upper panel height and the lower panel height • Includes trim endcap and hardware	16"	UEORV16	☐ ☐	2.5#	54
		24"	UEORV24	☐ ☐	3.0#	55
		32"	UEORV32	☐ ☐	3.5#	63
		40"	UEORV40	☐ ☐	4.2#	70
		48"	UEORV48	☐ ☐	4.7#	71
		A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

Adjustable Wall Mount Start



Preconfigured Intersections

Adjustable Wall Mount Start

	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
 UNS	Adjustable Wall Mount Start • Attaches panel to a wall at the start of a run • Includes mounting plate • Steel construction with painted finish • Adjustable for up to 3/4" of wall deflection • Appropriate wall anchor to drywall must be provided by contractor	UNWM16		6.0#	\$ 157
		UNWM32		11.0#	189
		UNWM40		14.0#	198
		UNWM48		17.0#	207
		UNWM56		20.0#	218
		UNWM64		22.0#	242
		UNWM72		25.0#	310
		UNWM80		28.0#	357

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersections

Perpendicular Start for Genius® Wall



Preconfigured Intersections

Perpendicular Start for Genius® Wall

		MODEL NUMBER			
MODEL		H	Basic Model	Approx. Packaged Weight	Delivered Pricing
 UNS	Perpendicular Start - 32" H	32"	UNGPS32	1.4#	\$ 93
	• Attaches Unite® perpendicularly between two Genius® Wall sections				
	• Includes aluminum mounting track				
	• Hardware for attachment is included				
	• Specify UNGPS32 for all heights of segmented panels with glass, steel or perforated steel (with Aluminum frame) upper segments				
	• Specify all other panel models by finished height (without Aluminum frame)				
	• Stacking sections are allowed and do not require wall attachment				
 UNS	Perpendicular Start - 40", 48", 56", 64" H	40"	UNGPS40	1.6#	\$ 100
	• Attaches Unite® perpendicularly between two Genius® Wall sections	48"	UNGPS48	1.7#	112
	• Includes aluminum mounting track	56"	UNGPS56	1.9#	112
	• Hardware for attachment is included	64"	UNGPS64	2.1#	112
	• Specify by finished monolithic or segmented panel height for all fabric, markerboard or slat wall (unframed) upper segments				
	• Stacking sections are allowed and do not require wall attachment				

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Universal Start for Genius® Wall



Preconfigured Intersections

Universal Start for Genius® Wall

	MODEL NUMBER			
	Basic Model		Approx. Packaged Weight	Delivered Pricing
 UNA13	MODEL			
	Universal Start	UNGUS	1.00#	\$ 26
	• Attaches Unite® at a corner, inline, or 3-Way condition of a GeniusI® Wall section			
	• Includes all hardware necessary for attachment			
	• Universal Start is drilled directly into, and permanently alters, Genius® trim			
	• Wall start does not impact or require any additional Genius® specification			
	• Retrofittable to most standard Genius® trim sections			
	• For use with unloaded panels only			

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Wall Track



Preconfigured Intersections

Wall Track

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	W x H x D			Approx. Packaged Weight	Delivered Pricing
	Wall Track • Double slotted track accommodates wall mounting of overhead components and worksurfaces • Steel construction with painted finish • Appropriate wall anchor to drywall must be provided by contractor	1-1/4 x 30 x 1"	UNWT30	☐ ☐	3.00#
		1-1/4 x 64 x 1"	UNWT64	☐ ☐	5.00#

UNA12

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.





Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way

		MODEL NUMBER				
		Basic Model	Top Cap Style	Trim Color		
 UST	MODEL	H			Approx. Packaged Weight	Delivered Pricing
	90° 1-Way End - Includes top cap and connecting hardware and light block - Only used in 90° intersections when stacking one panel	16	U1W90S16	F	☐ ☐	4.6# \$ 116
 UST	90° 2-Way Corner Includes top cap and connecting hardware and light block	16	U2W90S16	F	☐ ☐	5.0# \$ 124
 UST	90° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W90S16	F	☐ ☐	4.8# \$ 107
 UST	90° 4-Way Intersection Includes top cap and connecting hardware and light blocks	16	U4W90S16	F	☐ ☐	4.9# \$ 81
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer



Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer

MODEL	H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Top Cap Style	Trim Color		
 UST	16	U2W180S16	☐	☐ ☐	5.5#	\$ 139
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way

		MODEL NUMBER				
		Basic Model	Top Cap Style	Trim Color		
MODEL	H				Approx. Packaged Weight	Delivered Pricing
 UST	16	U1W120S16	☐	☐	3.3#	\$ 434
 UST	16	U2W120S16	☐	☐	3.4#	\$ 466
 UST	16	U3W120S16	☐	☐	3.5#	\$ 301
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	H			Approx. Packaged Weight	Delivered Pricing
 UST	End-of-Run Trim - Stacking Section • Additive vertical trim portion for placement directly above a lower section of end of run trim • Includes end cap	16"	UEORS16	☐ ☐	2.5#
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

High-Pressure Laminate Gallery Panels

End of Run Dual-Sided



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided

[illegible]

HOW TO ORDER

Indicate the following information on order forms:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.




High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction

			MODEL NUMBER									
			Basic Model	Trim Color	Surface Finish	Edge Color						
MODEL			Exposed Width/Side	W x H					Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 UGPH	Dual-Sided Two Piece 32" High - For installation at end of run "T" conditions only - Balanced two-piece high-pressure laminate and particleboard construction with continuous polypropylene edge band - Overall width spans nominal exposed panel widths from both sides, and panel thickness - Includes adjustable glides and all attachment hardware - Vertical grain direction; grain pattern is not matched		30-1/4	64x32"	UGHEDV26032	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.8#	\$ 1048	\$ 105	\$ 709
			36-1/4	76x32"	UGHEDV27232	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	69.0#	1242	105	709
			42-1/4	88x32"	UGHEDV28432	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	79.1#	1276	105	709
			48-1/4	100x32"	UGHEDV29632	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	89.2#	1424	105	709
			54-1/4	112x32"	UGHEDV210832	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	99.3#	1457	105	709
 UGPH	Dual-Sided Two Piece 40" High		30-1/4	64x40"	UGHEDV26040	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	73.1#	\$ 1268	\$ 105	\$ 709
			36-1/4	76x40"	UGHEDV27240	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	85.7#	1454	105	709
			42-1/4	88x40"	UGHEDV28440	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	98.3#	1487	105	709
			48-1/4	100x40"	UGHEDV29640	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	110.9#	1762	105	709
			54-1/4	112x40"	UGHEDV210840	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	123.5#	1794	105	709
 UGPH	Dual-Sided Two Piece 48" High		30-1/4	64x48"	UGHEDV26048	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	87.3#	\$ 1435	\$ 105	\$ 709
			36-1/4	76x48"	UGHEDV27248	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	102.4#	1749	105	709
			42-1/4	88x48"	UGHEDV28448	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	117.5#	1783	105	709
			48-1/4	100x48"	UGHEDV29648	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	132.6#	2008	105	709
			54-1/4	112x48"	UGHEDV210848	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	147.7#	2040	105	709

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- D** Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction

				MODEL NUMBER								Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL		Exposed Width/Side	W x H	Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing				
 UGPH	Dual-Sided Two Piece 56" High - For installation at end of run "T" conditions only - Balanced two-piece high-pressure laminate and particleboard construction with continuous polypropylene edge band - Overall width spans nominal exposed panel widths from both sides, and panel thickness - Includes adjustable glides and all attachment hardware - Vertical grain direction; grain pattern is not matched	30-1/4	64x56"	UGHEDV26056	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	101.8#	\$ 1510	\$	105	\$	709
		36-1/4	76x56"	UGHEDV27256	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	119.2#	1821		105	709	
		42-1/4	88x56"	UGHEDV28456	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	136.8#	1855		105	709	
		48-1/4	100x56"	UGHEDV29656	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	154.6#	2081		105	709	
		54-1/4	112x56"	UGHEDV210856	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	172.0#	2114		105	709	
 UGPH	Dual-Sided Two Piece 64" High	30-1/4	64x64"	UGHEDV26064	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	115.8#	\$ 1683	\$	105	\$	709
		36-1/4	76x64"	UGHEDV27264	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	135.9#	2035		105	709	
		42-1/4	88x64"	UGHEDV28464	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	156.0#	2063		105	709	
		48-1/4	100x64"	UGHEDV29664	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	176.1#	2328		105	709	
		54-1/4	112x64"	UGHEDV210864	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	196.2#	2361		105	709	

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- D** Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left

				MODEL NUMBER								
MODEL		Exposed Width/Side	W x H	Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	End of Run-Left 32" High	24-1/4	27-3/4x32"	UGHESVL2432	□□□	□□□	□□□	31.6#	\$ 452	\$ 27	\$ 178	
	• For installation on left side of workstation, perpendicular to panel run • Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band • Exposed width is size-matched to nominal panel width • Includes adjustable glides and all attachment hardware • Vertical grain direction	30-1/4	33-3/4x32"	UGHESVL3032	□□□	□□□	□□□	37.5#	496	37	235	
		36-1/4	39-3/4x32"	UGHESVL3632	□□□	□□□	□□□	43.5#	592	37	235	
		42-1/4	45-3/4x32"	UGHESVL4232	□□□	□□□	□□□	49.4#	609	37	235	
		48-1/4	51-3/4x32"	UGHESVL4832	□□□	□□□	□□□	55.4#	674	53	368	
		54-1/4	57-3/4x32"	UGHESVL5432	□□□	□□□	□□□	61.4#	690	53	368	
	UGPH											
	End of Run-Left 40" High	24-1/4	27-3/4x40"	UGHESVL2440	□□□	□□□	□□□	39.3#	\$ 553	\$ 27	\$ 178	
		30-1/4	33-3/4x40"	UGHESVL3040	□□□	□□□	□□□	46.7#	607	37	235	
		36-1/4	39-3/4x40"	UGHESVL3640	□□□	□□□	□□□	54.2#	702	37	235	
		42-1/4	45-3/4x40"	UGHESVL4240	□□□	□□□	□□□	61.6#	718	53	368	
		48-1/4	51-3/4x40"	UGHESVL4840	□□□	□□□	□□□	69.0#	839	53	368	
		54-1/4	57-3/4x40"	UGHESVL5440	□□□	□□□	□□□	76.5#	855	53	368	
	UGPH											
	End of Run-Left 48" High	24-1/4	27-3/4x48"	UGHESVL2448	□□□	□□□	□□□	47.0#	\$ 632	\$ 27	\$ 178	
		30-1/4	33-3/4x48"	UGHESVL3048	□□□	□□□	□□□	55.9#	697	37	235	
		36-1/4	39-3/4x48"	UGHESVL3648	□□□	□□□	□□□	64.8#	853	53	368	
		42-1/4	45-3/4x48"	UGHESVL4248	□□□	□□□	□□□	73.7#	870	53	368	
		48-1/4	51-3/4x48"	UGHESVL4848	□□□	□□□	□□□	82.6#	875	53	368	
		54-1/4	57-3/4x48"	UGHESVL5448	□□□	□□□	□□□	91.6#	891	53	368	
	UGPH											

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left

			MODEL NUMBER											
			Basic Model	Trim Color	Surface Finish	Edge Color								
MODEL			Exposed Width/Side	W x H					Approx. Packaged Weight	Delivered Pricing				
	End of Run-Left 56" High		24-1/4	27-3/4x56"	UGHESVL2456	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	54.7#	\$ 659	\$ 27	\$ 178		
	- For installation on left side of workstation, perpendicular to panel run - Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band - Exposed width is size-matched to nominal panel width - Includes adjustable glides and all attachment hardware - Vertical grain direction		30-1/4	33-3/4x56"	UGHESVL3056	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	65.1#	725	53	368		
			36-1/4	39-3/4x56"	UGHESVL3656	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	75.5#	881	53	368		
			42-1/4	45-3/4x56"	UGHESVL4256	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	85.9#	898	53	368		
			48-1/4	51-3/4x56"	UGHESVL4856	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	96.3#	995	53	368		
			54-1/4	57-3/4x56"	UGHESVL5456	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	106.7#	1012	53	368		
UGPH														
	End of Run-Left 64" High		24-1/4	27-3/4x64"	UGHESVL2464	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.4#	\$ 745	\$ 27	\$ 178		
			30-1/4	33-3/4x64"	UGHESVL3064	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	74.3#	820	53	368		
			36-1/4	39-3/4x64"	UGHESVL3664	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.2#	993	53	368		
			42-1/4	45-3/4x64"	UGHESVL4264	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	98.0#	1010	53	368		
			48-1/4	51-3/4x64"	UGHESVL4864	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	109.9#	1143	53	368		
			54-1/4	57-3/4x64"	UGHESVL5464	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	121.8#	1160	74	473		
UGPH														

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D**Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right

				MODEL NUMBER								
				Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight				
MODEL				Exposed Width/Side	W x H				Delivered Pricing			
	End of Run-Right 32" High - For installation on right side of workstation, perpendicular to panel run - Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band - Exposed width is size-matched to nominal panel width - Includes adjustable glides and all attachment hardware - Vertical grain direction	24-1/4	27-3/4x32"	UGHESVR2432	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	31.6#	\$ 452	\$ 27	\$ 178	
		30-1/4	33-3/4x32"	UGHESVR3032	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	37.5#	496	37	235	
		36-1/4	39-3/4x32"	UGHESVR3632	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	43.5#	592	37	235	
		42-1/4	45-3/4x32"	UGHESVR4232	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	49.4#	609	37	235	
		48-1/4	51-3/4x32"	UGHESVR4832	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.4#	674	53	368	
		54-1/4	57-3/4x32"	UGHESVR5432	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	61.4#	690	53	368	
UGPH												
	End of Run-Right 40" High	24-1/4	27-3/4x40"	UGHESVR2440	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	39.3#	\$ 553	\$ 27	\$ 178	
		30-1/4	33-3/4x40"	UGHESVR3040	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.7#	607	37	235	
		36-1/4	39-3/4x40"	UGHESVR3640	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	54.2#	702	37	235	
		42-1/4	45-3/4x40"	UGHESVR4240	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	61.6#	718	53	368	
		48-1/4	51-3/4x40"	UGHESVR4840	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	69.0#	839	53	368	
		54-1/4	57-3/4x40"	UGHESVR5440	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	76.5#	855	53	368	
UGPH												
	End of Run-Right 48" High	24-1/4	27-3/4x48"	UGHESVR2448	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	47.0#	\$ 632	\$ 27	\$ 178	
		30-1/4	33-3/4x48"	UGHESVR3048	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.9#	697	37	235	
		36-1/4	39-3/4x48"	UGHESVR3648	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.8#	853	53	368	
		42-1/4	45-3/4x48"	UGHESVR4248	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	73.7#	870	53	368	
		48-1/4	51-3/4x48"	UGHESVR4848	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	82.6#	875	53	368	
		54-1/4	57-3/4x48"	UGHESVR5448	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	91.6#	891	53	368	
UGPH												

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right

				MODEL NUMBER								
				Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	MODEL	Exposed Width/Side	W x H									
	End of Run-Right 56" High	24-1/4	27-3/4x56"	UGHESVR2456	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	54.7#	\$ 659	\$ 27	\$ 178	
	• For installation on right side of workstation, perpendicular to panel run	30-1/4	33-3/4x56"	UGHESVR3056	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	65.1#	725	53	368	
	• Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band	36-1/4	39-3/4x56"	UGHESVR3656	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	75.5#	881	53	368	
	• Exposed width is size-matched to nominal panel width	42-1/4	45-3/4x56"	UGHESVR4256	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	85.9#	898	53	368	
	• Includes adjustable glides and all attachment hardware	48-1/4	51-3/4x56"	UGHESVR4856	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	96.3#	995	53	368	
	• Vertical grain direction	54-1/4	57-3/4x56"	UGHESVR5456	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	106.7#	1012	53	368	
UGPH												
	End of Run-Right 64" High	24-1/4	27-3/4x64"	UGHESVR2464	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.4#	\$ 745	\$ 27	\$ 178	
		30-1/4	33-3/4x64"	UGHESVR3064	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	74.3#	820	53	368	
		36-1/4	39-3/4x64"	UGHESVR3664	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.2#	993	53	368	
		42-1/4	45-3/4x64"	UGHESVR4264	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	98.0#	1010	53	368	
		48-1/4	51-3/4x64"	UGHESVR4864	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	109.9#	1143	53	368	
		54-1/4	57-3/4x64"	UGHESVR5464	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	121.8#	1160	74	473	
UGPH												

A

B

C

D

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- D** Select edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




High-Pressure Laminate Gallery Panels

Divider



High-Pressure Laminate Gallery Panels

Divider

				MODEL NUMBER								Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
				Basic Model	Surface Finish	Edge Color							
 UGPH	MODEL	Exposed Width/Side	W x H				Approx. Packaged Weight		Delivered Pricing				
	- Divider 32” High - For perpendicular installation at UGPDP intersection post conditions only, specified separately; may be installed on either or both sides of panel run - Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band - Exposed width is size-matched to nominal panel width - Includes adjustable glides and all attachment hardware - Vertical grain direction	24-1/4	25-1/4x32”	UGHDSV2432	☐ ☐ ☐	☐ ☐ ☐	24.6#		\$ 410	\$	19	\$	120
		30-1/4	31-1/4x32”	UGHDSV3032	☐ ☐ ☐	☐ ☐ ☐	30.5#		456		27		178
		36-1/4	37-1/4x32”	UGHDSV3632	☐ ☐ ☐	☐ ☐ ☐	36.4#		552		37		235
		42-1/4	43-1/4x32”	UGHDSV4232	☐ ☐ ☐	☐ ☐ ☐	42.3#		568		37		235
		48-1/4	49-1/4x32”	UGHDSV4832	☐ ☐ ☐	☐ ☐ ☐	48.1#		644		37		235
		54-1/4	55-1/4x32”	UGHDSV5432	☐ ☐ ☐	☐ ☐ ☐	54.0#		658		74		473
 UGPH	Divider 40” High	24-1/4	25-1/4x40”	UGHDSV2440	☐ ☐ ☐	☐ ☐ ☐	30.8#		\$ 499	\$	19	\$	120
		30-1/4	31-1/4x40”	UGHDSV3040	☐ ☐ ☐	☐ ☐ ☐	38.2#		555		27		178
		36-1/4	37-1/4x40”	UGHDSV3640	☐ ☐ ☐	☐ ☐ ☐	45.5#		649		37		235
		42-1/4	43-1/4x40”	UGHDSV4240	☐ ☐ ☐	☐ ☐ ☐	52.9#		666		37		235
		48-1/4	49-1/4x40”	UGHDSV4840	☐ ☐ ☐	☐ ☐ ☐	60.2#		803		53		368
		54-1/4	55-1/4x40”	UGHDSV5440	☐ ☐ ☐	☐ ☐ ☐	67.6#		820		74		473
 UGPH	Divider 48” High	24-1/4	25-1/4x48”	UGHDSV2448	☐ ☐ ☐	☐ ☐ ☐	37.0#		\$ 525	\$	19	\$	120
		30-1/4	31-1/4x48”	UGHDSV3048	☐ ☐ ☐	☐ ☐ ☐	45.8#		580		27		178
		36-1/4	37-1/4x48”	UGHDSV3648	☐ ☐ ☐	☐ ☐ ☐	54.6#		674		37		235
		42-1/4	43-1/4x48”	UGHDSV4248	☐ ☐ ☐	☐ ☐ ☐	63.4#		691		53		368
		48-1/4	49-1/4x48”	UGHDSV4848	☐ ☐ ☐	☐ ☐ ☐	72.3#		828		53		368
		54-1/4	55-1/4x48”	UGHDSV5448	☐ ☐ ☐	☐ ☐ ☐	81.1#		843		74		473

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- C**Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

Divider



High-Pressure Laminate Gallery Panels

Divider

				MODEL NUMBER									
MODEL		Exposed Width/Side	W x H	Basic Model	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing		Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
 UGPH	Divider 56" High - For perpendicular installation at UGPDP intersection post conditions only, specified separately; may be installed on either or both sides of panel run - Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band - Exposed width is size-matched to nominal panel width - Includes adjustable glides and all attachment hardware - Vertical grain direction	24-1/4	25-1/4x56"	UGHDSV2456	☐ ☐ ☐	☐ ☐ ☐	43.1#	\$	594	\$	27	\$	178
		30-1/4	31-1/4x56"	UGHDSV3056	☐ ☐ ☐	☐ ☐ ☐	53.4#		658		27		178
		36-1/4	37-1/4x56"	UGHDSV3656	☐ ☐ ☐	☐ ☐ ☐	63.7#		815		53		368
		42-1/4	43-1/4x56"	UGHDSV4256	☐ ☐ ☐	☐ ☐ ☐	74.0#		831		53		368
		48-1/4	49-1/4x56"	UGHDSV4856	☐ ☐ ☐	☐ ☐ ☐	84.3#		944		53		368
		54-1/4	55-1/4x56"	UGHDSV5456	☐ ☐ ☐	☐ ☐ ☐	94.6#		962		74		473
 UGPH	Divider 64" High	24-1/4	25-1/4x64"	UGHDSV2464	☐ ☐ ☐	☐ ☐ ☐	49.3#	\$	663	\$	27	\$	178
		30-1/4	31-1/4x64"	UGHDSV3064	☐ ☐ ☐	☐ ☐ ☐	61.1#		738		27		178
		36-1/4	37-1/4x64"	UGHDSV3664	☐ ☐ ☐	☐ ☐ ☐	72.8#		912		53		368
		42-1/4	43-1/4x64"	UGHDSV4264	☐ ☐ ☐	☐ ☐ ☐	84.6#		930		53		368
		48-1/4	49-1/4x64"	UGHDSV4864	☐ ☐ ☐	☐ ☐ ☐	96.4#		1061		53		368
		54-1/4	55-1/4x64"	UGHDSV5464	☐ ☐ ☐	☐ ☐ ☐	108.2#		1077		74		473
				A	B	C							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- C** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Single-piece Construction



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Single-piece Construction

				MODEL NUMBER						
MODEL				Exposed Width/Side	W x H	Basic Model	Trim Color	Surface Finish	Approx. Packaged Weight	Delivered Pricing
 UGPT	End of Run Dual-Sided 29" High			24-1/4	52x29-1/4"	UGTEDH4829	☐ ☐	☐ ☐	47.7#	\$ 573
	• For installation at end of run "T" conditions only • Balanced single-piece thermally-fused laminate and particleboard construction with continuous matching polypropylene edge band • Overall width spans nominal exposed panel widths from both sides and panel thickness • Includes adjustable glides and all attachment hardware • Horizontal grain direction • Edge will match TFL surface finish			30-1/4	64x29-1/4"	UGTEDH6029	☐ ☐	☐ ☐	57.9#	649
				36-1/4	76x29-1/4"	UGTEDH7229	☐ ☐	☐ ☐	68.1#	758
 UGPT	End of Run Dual-Sided 48" High			24-1/4	52x48"	UGTEDH4848	☐ ☐	☐ ☐	79.1#	\$ 774
				30-1/4	64x48"	UGTEDH6048	☐ ☐	☐ ☐	96.1#	881
				36-1/4	76x48"	UGTEDH7248	☐ ☐	☐ ☐	113.1#	1029

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select surface finish. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction

				MODEL NUMBER				
MODEL		Exposed Width/Side	W x H	Basic Model	Trim Color	Surface Finish	Approx. Packaged Weight	Delivered Pricing
 UGPT	End of Run Dual-Sided Two Piece 29” High - For installation at end of run “T” conditions only - Balanced two-piece thermally-fused laminate and particleboard construction, with continuous polypropylene edge band - Overall width spans nominal exposed panel widths from both sides, and panel thickness - Includes adjustable glides and all attachment hardware - Horizontal grain direction; grain pattern is not matched - Edge will match TFL surface finish	48-1/4	100x29-1/4”	UGTEDH29629	☐ ☐ ☐	☐ ☐ ☐	88.8#	\$ 1203
		60-1/4	124x29-1/4”	UGTEDH212029	☐ ☐ ☐	☐ ☐ ☐	109.0#	1358
		72-1/4	148x29-1/4”	UGTEDH214429	☐ ☐ ☐	☐ ☐ ☐	129.3#	1578
 UGPT	End of Run Dual-Sided Two Piece 48” High	48-1/4	100x48”	UGTEDH29648	☐ ☐ ☐	☐ ☐ ☐	147.8#	\$ 1597
		60-1/4	124x48”	UGTEDH212048	☐ ☐ ☐	☐ ☐ ☐	181.7#	1808
		72-1/4	148x48”	UGTEDH214448	☐ ☐ ☐	☐ ☐ ☐	215.7#	2104
				A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Thermally-Fused Laminate Gallery Panels

End of Run Single-Sided



Thermally-Fused Laminate Gallery Panels

End of Run Single-Sided

				MODEL NUMBER				
				Basic Model	Trim Color	Surface Finish		
MODEL				Exposed Width/Side	W x H		Approx. Packaged Weight	Delivered Pricing
 UGPT	End of Run Single-Sided-Left	48-1/4	51-3/4x29-1/4"	UGTESHL4829	☐ ☐ ☐	☐ ☐ ☐	47.6#	\$ 573
	• For installation on left side of workstation, perpendicular to panel run	60-1/4	63-3/4x29-1/4"	UGTESHL6029	☐ ☐ ☐	☐ ☐ ☐	57.8#	649
	• 29" nominal height extends extends 1/4" above worksurface	72-1/4	75-3/4x29-1/4"	UGTESHL7229	☐ ☐ ☐	☐ ☐ ☐	67.9#	759
	• Balanced thermally-fused laminate and particleboard construction, with matching continuous polypropylene edge band	48-1/4	51-3/4x48"	UGTESHL4848	☐ ☐ ☐	☐ ☐ ☐	79.0#	781
	• Exposed width is size-matched to nominal panel width	60-1/4	63-3/4x48"	UGTESHL6048	☐ ☐ ☐	☐ ☐ ☐	96.0#	886
	• Includes adjustable glides and all attachment hardware	72-1/4	75-3/4x48"	UGTESHL7248	☐ ☐ ☐	☐ ☐ ☐	113.0#	1035
	• Horizontal grain direction							
	• Edge will match TFL surface finish							
 UGPT	End of Run Single-Sided-Right	48-1/4	51-3/4x29-1/4"	UGTESHR4829	☐ ☐ ☐	☐ ☐ ☐	47.6#	\$ 573
	• For installation on right side of workstation, perpendicular to panel run	60-1/4	63-3/4x29-1/4"	UGTESHR6029	☐ ☐ ☐	☐ ☐ ☐	57.8#	649
	• 29" nominal height extends extends 1/4" above worksurface	72-1/4	75-3/4x29-1/4"	UGTESHR7229	☐ ☐ ☐	☐ ☐ ☐	67.9#	759
	• Balanced thermally-fused laminate and particleboard construction, with matching continuous polypropylene edge band	48-1/4	51-3/4x48"	UGTESHR4848	☐ ☐ ☐	☐ ☐ ☐	79.0#	781
	• Exposed width is size-matched to nominal panel width	60-1/4	63-3/4x48"	UGTESHR6048	☐ ☐ ☐	☐ ☐ ☐	96.0#	886
	• Includes adjustable glides and all attachment hardware	72-1/4	75-3/4x48"	UGTESHR7248	☐ ☐ ☐	☐ ☐ ☐	113.0#	1035
	• Horizontal grain direction							
	• Edge will match TFL surface finish							
				A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Thermally-Fused Laminate Gallery Panels

Dividen



Thermally-Fused Laminate Gallery Panels

Divider

				MODEL NUMBER			
MODEL		Exposed Width/Side	W x H	Basic Model	Surface Finish	Approx. Packaged Weight	Delivered Pricing
	Gallery Panel Divider	48-1/4	49-1/4x29-1/4"	UGTDSH4829	□□□	47.7#	\$ 524
	- For perpendicular installation at UGDPD intersection post conditions only, specified separately; may be installed on right or left of a workstation, on either or both sides of a Unite panel run - Balanced thermally-fused laminate and particleboard construction, with continuous polypropylene edge band - Includes adjustable glides and all attachment hardware - Horizontal grain direction - Edge will match TFL surface finish	60-1/4	61-1/4x29-1/4"	UGTDSH6029	□□□	57.9#	606
		72-1/4	73-1/4x29-1/4"	UGTDSH7229	□□□	68.1#	716
		48-1/4	49-1/4x48-1/4"	UGTDSH4848	□□□	79.1#	722
		60-1/4	61-1/4x48-1/4"	UGTDSH6048	□□□	96.1#	828
		72-1/4	73-1/4x48-1/4"	UGTDSH7248	□□□	113.1#	976

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the $\square$ indicates that no choice is required.
- Alpha-numeric characters in place of $\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Intersection Post and Cap

Divider and Worksurface Support Bracket



Gallery Panel Intersection Post and Cap

Divider and Worksurface Support Bracket

		MODEL NUMBER			
		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	MODEL	W x H			
	Divider Intersection Post	1-2/5x32"	UGPDP32	☐ ☐ ☐	3.1# \$ 124
	• For installation of Unite gallery divider panels along a Unite panel run	1-2/5x40"	UGPDP40	☐ ☐ ☐	155
	• Specify by Unite panel run height; one post per intersection accommodates one or two opposing divider panels	1-2/5x48"	UGPDP48	☐ ☐ ☐	167
	• 1-2/5" installed intersection width	1-2/5x56"	UGPDP56	☐ ☐ ☐	213
	• Top cap specified separately	1-2/5x64"	UGPDP64	☐ ☐ ☐	239
		1-2/5x72"	UGPDP72	☐ ☐ ☐	245
		1-2/5x80"	UGPDP80	☐ ☐ ☐	250
UGT					
	Stacking Divider Intersection Post	1-2/5x08"	UGPDPS8	☐ ☐ ☐	\$ 89
	• Retrofit Installation Only	1-2/5x16"	UGPDPS16	☐ ☐ ☐	105
	• Used between a pair of stacking sections that are later added to an existing panel configuration with existing Gallery Panel divider(s)	1-2/5x24"	UGPDPS24	☐ ☐ ☐	120
	• Does not require disassembly of existing panel configuration	1-2/5x32"	UGPDPS32	☐ ☐ ☐	151
	• No power pass through				
	• Recalculate In-line COH trim (UGDILT) needed and order new				
	• Re-use existing in-line divider intersection cap (UGDILC)				
UGT					
	In-line Divider Intersection Cap		UGDILC	☐ ☐ ☐	0.2# \$ 69
	• For use along a constant height Unite panel run that contains a divider gallery panel at an intersection. The in-line cap and required trim are 1-2/5" wide.				
UGT					
	Worksurface Edge Support Bracket		UGWESB	☐ ☐ ☐	0.5# \$ 20
	• Attaches a worksurface to a gallery panel to provide additional worksurface support				
	• Attachment hardware included				
	• See planning guide for specification rules				
UGT					

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim

In-line Change-of-Height for Divider Panel



Gallery Panel Trim

In-line Change-of-Height for Divider Panel

			MODEL NUMBER			
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
MODEL			W x H			
	Change-of-Height Trim for 29” Divider Panels - For use with divider gallery panels when there is a change of height between a 29”H gallery panel and the Unite panel run panel height - Trim inserts into the gallery panel divider post (UGPDP), specified separately - See planning guide for specification rules 1-2/5” installed width	3”	UGDILT03	☐ ☐ ☐	0.1#	\$ 30
		11”	UGDILT11	☐ ☐ ☐	0.2#	34
		19”	UGDILT19	☐ ☐ ☐	0.3#	37
		27”	UGDILT27	☐ ☐ ☐	0.4#	42
		35”	UGDILT35	☐ ☐ ☐	0.5#	47
		43”	UGDILT43	☐ ☐ ☐	0.6#	54
		51”	UGDILT51	☐ ☐ ☐	0.6#	72
	Change-of-Height Trim for Non-29” Divider Panels - For use with divider gallery panels when there is a change of height between all but 29” gallery panel heights and the Unite panel run - Not for use with 29” gallery panels - Trim inserts into the gallery panel divider post (UGPDP), specified separately - See planning guide for specification rules	8”	UGDILT08	☐ ☐ ☐	0.1#	\$ 33
		16”	UGDILT16	☐ ☐ ☐	0.2#	37
		24”	UGDILT24	☐ ☐ ☐	0.3#	42
	Change-of-Height or Full-Height Trim for Non-29” Divider Panels - For use with divider gallery panels when there is a change of height between all but 29” gallery panel heights and the Unite panel run, or for full height trim - Not for use with 29” gallery panels - Trim inserts into the gallery panel divider post (UGPDP), specified separately - See planning guide for specification rules	32”	UGDILT32	☐ ☐ ☐	0.4#	\$ 47
		40”	UGDILT40	☐ ☐ ☐	0.5#	54
		48”	UGDILT48	☐ ☐ ☐	0.6#	71
		56”	UGDILT56	☐ ☐ ☐	0.6#	72
		64”	UGDILT64	☐ ☐ ☐	0.7#	72
		72”	UGDILT72	☐ ☐ ☐	0.8#	72
		80”	UGDILT80	☐ ☐ ☐	0.9#	72

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim

Dead-End Change-of-Height for Divider



Gallery Panel Trim

Dead-End Change-of-Height for Divider

		MODEL NUMBER				
		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
MODEL	W x H					
	Dead End Divider Panel Change-of-Height Trim	8"	UGDDET08	 	1.2#	\$ 110
	For installation along a Unite panel run with a change of panel height and divider gallery panel at the same intersection	16"	UGDDET16	 	2.1#	115
		24"	UGDDET24	 	2.8#	120
		32"	UGDDET32	 	3.7#	129
		40"	UGDDET40	 	4.5#	135
		48"	UGDDET48	 	5.1#	137
	1-2/5" installed width - See planning guide for specification rules					

UGT

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim

End of Run Change-of-Height



Gallery Panel Trim

End of Run Change-of-Height

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	W x H			Approx. Packaged Weight	Delivered Pricing
	End of Run Trim for 29”H Gallery Panels For use at the end of a Unite panel run with a change of height between a 29”H gallery panel and Unite panel run panel height	2-17/20”	UGEORT03	☐ ☐ ☐	0.4# \$ 49
		10-17/20”	UGEORT11	☐ ☐ ☐	1.0# 55
		18-17/20”	UGEORT19	☐ ☐ ☐	1.7# 58
		26-17/20”	UGEORT27	☐ ☐ ☐	2.2# 60
		34-17/20”	UGEORT35	☐ ☐ ☐	2.8# 63
		42-17/20”	UGEORT43	☐ ☐ ☐	3.3# 72
		50-17/20”	UGEORT51	☐ ☐ ☐	3.8# 75
UGT					
	End of Run Trim for Non-29”H Gallery Panels For use with divider gallery panels when there is a change of height between all but 29” gallery panel heights and the Unite panel run	7-1/2”	UGEORT08	☐ ☐ ☐	0.8# \$ 53
		15-1/2”	UGEORT16	☐ ☐ ☐	1.5# 57
		23-1/2”	UGEORT24	☐ ☐ ☐	2.0# 59
		31-1/2”	UGEORT32	☐ ☐ ☐	2.6# 63
		39-1/2”	UGEORT40	☐ ☐ ☐	3.1# 72
		47-1/2”	UGEORT48	☐ ☐ ☐	3.6# 73
UGT					

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.



Plan View of Rolling Door Applications



No Jamb Condition (URDNJ)



180° Inline Condition (URD180)




90° Intersection Condition (URD90)


Plan View of Rolling Door Applications



Dead End Condition (URDDE)



Double Dead End Condition (URDDDE)



Building Wall Condition (URDBW)

GENERAL INFORMATION

Unite Rolling Doors allow for simple privacy in workstation, and are offered with or without a jamb closure. Doors without a closing jamb simply over-lap the external corner of the closing panel intersection condition. Doors with jambs are shipped with a jamb post and a jamb rail (a receiver where the door can nest there by providing additional privacy).

Sizes

Rolling Doors are offered in the following sizes:
36" w X 64" h (monolithic door core)
36" w X 80" h (segmented door core)
42" w X 64" h (monolithic door core)
42" w X 80" h (segmented door core)
The width dimension provided indicates the nominal opening width that the door will span, and the actual door is oversized to allow for panel overlap. 64" high doors are constructed with a single aluminum frame. 80" high doors have a 16" high segmented top section to correspond to a 16" high Unite® stacking section.

Panel Attachment and Specification

The panel to which a Rolling Door is attached must be specified the same width or wider than the nominal Rolling Door model (i.e. 36" w door with 36" or wider attach panel). The "No Jamb" model (URDNJ) must be specified with a 6" or wider attaching panel (i.e. 36" w model with 42" w or wider attaching panel). This prevents the door from extending open into an adjacent walkway. This rule is not required if the attaching panel is a member of a panel run.

Door Height Options

80" high Rolling Doors feature a 16" segmented top frame. The top segment of the door is consistent with a 16" panel stacking section on the Unite® panel. 64" Rolling Door models are monolithic and do not feature any segmentation.

Cores

Rolling doors are available with two optional core inserts that are designated as "clear" and "opal". The insert material is the same and complements KI All Terrain® screens. The insert material is a horizontally fluted Polycarbonate sheet. Both cores are semi-trans-

parent and provide basic privacy while allowing light to penetrate into the office space. The opal core is less transparent than the clear.

Handedness of Models

All Rolling Door models are "non-handed". Wheel assemblies are packaged separately from the door for unilateral application. Jamb post assemblies are reversible for right or left side assembly.

Planning Options

Rolling doors can be ordered after a job site has been installed (reconfiguration) or space planned in advance of job site installation. If planned in advance, standard Unite® intersections will be replaced with jamb post intersections. If a job site is reconfigured after installation, standard intersections must be removed and replaced with the appropriate jamb post assembly. The exception is with the "no-jamb" condition which does not require a closing jamb intersection.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



			MODEL NUMBER					
			Basic Model	Core Insert	Trim Color			
MODEL			W x H				Approx. Packaged Weight	Delivered Pricing
 URD	Rolling Door-No Jamb Condition - Includes door and attachment post - Door extends beyond opening and overlaps Unite® panel edge without jamb closure - Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" - Polycarbonate core inserts feature horizontal fluting pattern - Non-locking - Actual door dimension extends 8" beyond its nominal door opening width - Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more details - See General Information preceding these pages for all conditions in plan view	44-3/8 x 63-15/16"	URDNJ3664	☐ ☐	☐ ☐	20.0#	\$ 1890	
		44-3/8 x 79-15/16"	URDNJ3680	☐ ☐	☐ ☐	26.0#	2240	
		50-3/8 x 63-15/16"	URDNJ4264	☐ ☐	☐ ☐	22.0#	1960	
		50-3/8 x 79-15/16"	URDNJ4280	☐ ☐	☐ ☐	27.0#	2344	
			A	B	C			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$224 |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Core Insert	Trim Color		
MODEL		W x H			Approx. Packaged Weight	Delivered Pricing
 URD	Rolling Door-180° Inline Condition	44-3/8 x 63-15/16"	URD1803664	☐ ☐	☐ ☐	34.0# \$ 2450
	• Includes door, attachment post, and inline door jamb	44-3/8 x 79-15/16"	URD1803680	☐ ☐	☐ ☐	44.0# 2906
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD1804264	☐ ☐	☐ ☐	36.0# 2520
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD1804280	☐ ☐	☐ ☐	45.0# 3011
	• Polycarbonate core inserts feature horizontal fluting pattern					
	• Non-locking					
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width					
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details					
	• See General Information preceding these pages for all conditions in plan view					
 URD	Rolling Door-90° Intersection Condition	44-3/8 x 63-15/16"	URD903664	☐ ☐	☐ ☐	42.0# \$ 2627
	• Includes door, attachment post, and 90° intersection trim with jamb	44-3/8 x 79-15/16"	URD903680	☐ ☐	☐ ☐	54.0# 3079
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD904264	☐ ☐	☐ ☐	44.0# 2695
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD904280	☐ ☐	☐ ☐	55.0# 3187
	• Polycarbonate core inserts feature horizontal fluting pattern					
	• Non-locking					
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width					
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details					
	• See General Information preceding these pages for all conditions in plan view					

A

B

C

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$224 |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER				
			Basic Model	Core Insert	Trim Color		
MODEL			W x H			Approx. Packaged Weight	Delivered Pricing
 URD	Rolling Door-Dead End Condition	44-3/8 x 63-15/16"	URDDE3664	☐	☐	43.0#	\$ 2591
	• Includes door, attachment post and 90° dead end jamb	44-3/8 x 79-15/16"	URDDE3680	☐	☐	53.0#	3043
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URDDE4264	☐	☐	45.0#	2660
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URDDE4280	☐	☐	54.0#	3151
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
 URD	Rolling Door-Double Dead End Condition	44-3/8 x 63-15/16"	URDDDE3664	☐	☐	65.0#	\$ 4655
	• Includes two doors, two attachment posts and double-sided center jamb post	44-3/8 x 79-15/16"	URDDDE3680	☐	☐	83.0#	5494
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 63-15/16"	URDDDE4264	☐	☐	69.0#	4760
	• Polycarbonate core inserts feature horizontal fluting pattern	50-3/8 x 79-15/16"	URDDDE4280	☐	☐	86.0#	5636
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$224 |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
MODEL	W x H	Basic Model	Core Insert	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 URD	Rolling Door-Building Wall Condition	44-3/8 x 63-15/16"	URDBW3664	☐ ☐	☐ ☐	24.0#	\$ 2065
	• Includes door, attachment post and jamb rail	44-3/8 x 79-15/16"	URDBW3680	☐ ☐	☐ ☐	31.0#	2487
	• Jamb rail attaches to building wall	50-3/8 x 63-15/16"	URDBW4264	☐ ☐	☐ ☐	26.0#	2134
	• Door is non-handed and may be used in either right or left position	50-3/8 x 79-15/16"	URDBW4280	☐ ☐	☐ ☐	32.0#	2556
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"						
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
		A	B	C			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$224 |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		Basic Model	Finish	Approx. Packaged Weight	Delivered Pricing
 UNA10	Rolling Door-Threshold for use with Jamb Conditions	77-1/4"	URDT36	☐ ☐	5.00# \$ 283
		89-1/4"	URDT42	☐ ☐	5.00# 283
	• Thresholds are an accessory, designed as an option to assist door tracking				
	• Non-handed threshold model are specified by nominal door opening				
	• Thresholds extend across the door opening and in front of the attachment panel				
	• Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening				
	• Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet				
	• Includes two aluminum end caps				
	• Thresholds are extruded aluminum with either black or clear silver anodize color option				
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
		Basic Model	Finish				
MODEL		L		Approx. Packaged Weight	Delivered Pricing		
 UNA10	Rolling Door-Threshold for use with No-Jamb Conditions	83-1/4"	URDTNJ36	☐ ☐	5.00#	\$ 283	
		95-1/4"	URDTNJ42	☐ ☐	5.00#	283	
	• Thresholds are an accessory, designed as an option to assist door tracking						
	• Non-handed threshold model are specified by nominal door opening for rolling door in “no jamb” conditions that require wider doors and longer thresholds						
	• Thresholds extend across the door opening and in front of the attachment panel						
	• Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening						
	• Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet						
	• Includes two aluminum end caps						
	• Thresholds are extruded aluminum with either black or clear silver anodize color option						
 UNA10	Rolling Door-Continuous Threshold	96-1/4"	URDTC	☐ ☐	5.00#	\$ 190	
	• Thresholds are an accessory, designed as an option to assist door tracking						
	• Continuous Threshold models are designed to be installed end to end						
	• Consult space plan for the required linear feet						
	• Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet						
	• Includes one threshold and one aluminum end cap. End caps are not required at joints so only one end cap is included per model						
	• Threshold is extruded aluminum with either black or clear silver anodize color option						

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 UNA06	Rigid Wireway - 6 Circuit	24”	UET6WW.24	2.00#	\$	134
	• Distributes 10-wire power and allows receptacle mounting	30”	UET6WW.30	2.00#		138
	• Non-directional	36”	UET6WW.36	3.00#		144
	• Wireway can be mounted inside the base raceway or at beltway behind tile	42”	UET6WW.42	3.00#		149
	• Accomodates two duplex receptacles per side; maximum of four per wireway	48”	UET6WW.48	3.00#		156
	• Receptacles are purchased separately	54”	UET6WW.54	4.00#		170
	• Beltway power requires UETBWM for mounting	60”	UET6WW.60	4.00#		170
		72”	UET6WW.72	4.00#		170
 UNA07	Raceway Cable Trough - 6 Circuit	24”	UETRT.24	0.90#	\$	15
	• Steel trough manages cords at raceway	30”	UETRT.30	1.10#		16
		36”	UETRT.36	1.30#		20
		42”	UETRT.42	1.40#		23
		48”	UETRT.48	1.60#		24
		54”	UETRT.54	1.80#		26
		60”	UETRT.60	2.00#		29
		72”	UETRT.72	2.30#		34
 UNA07	Beltway-Height Harness Mounting Kit - 6 Circuit		UETBWM	1.30#	\$	50
	• Allows harness to mount at beltway height					
	• Includes mounting brackets and hardware					
 UNA07	Beltway Cable Trough - 6 Circuit	24”	UETBT.24	0.60#	\$	15
	• Steel trough manages cords at beltway	30”	UETBT.30	0.80#		16
	• Requires UETBWM for mounting	36”	UETBT.36	0.90#		20
		42”	UETBT.42	1.10#		23
		48”	UETBT.48	1.30#		24
		54”	UETBT.54	1.50#		26
		60”	UETBT.60	1.60#		29
		72”	UETBT.72	1.90#		34

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER		
			Basic Model	Approx. Packaged Weight	Delivered Pricing
 UNA05	Harness/Power Pass Through - 6 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent rigid wireway or another harness/pass through • Receptacle access is not provided • Length is same as corresponding rigid wireway • Pass through requires panel-to-panel jumpers (ordered separately)	PANEL WIDTH			
		24"	UET6PP.24	1.00#	\$ 155
		30"	UET6PP.30	2.00#	163
		36"	UET6PP.36	2.00#	163
		42"	UET6PP.42	2.00#	163
		48"	UET6PP.48	2.00#	170
		54"	UET6PP.54	3.00#	170
		60"	UET6PP.60	3.00#	170
		72"	UET6PP.72	3.00#	170
 UNA05	In-Line Panel Jumper - 6 Circuit • Used for in-line intersections • Non-directional	12" Length	UET6PJINL	1.00#	\$ 69
 UNA05	Intersection Panel Jumper - 6 Circuit • Used for intersections • Non-directional	15-1/2" Length	UET6PJINT	1.00#	\$ 76

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		L	Basic Model	Approx. Packaged Weight	Delivered Pricing
 UNA05	Genius In-Line Panel Jumper - 6 Circuit - Used to connect Genius® (UL 183) to Unite (UL 1286) at in-line conditions - Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite® panel - Electrical system cannot alternate between Genius® and Unite® - Steel corrugated sheathing and steel shielded connectors	18-1/2” Length	SET6PJINL	1.00#	\$ 113
 UNA05	Genius Intersection Panel Jumper - 6 Circuit - Used to connect Genius® (UL 183) to Unite (UL 1286) at 90 degree intersection conditions - Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite panel - Electrical system cannot alternate between Genius® and Unite - Steel corrugated sheathing and steel shielded connectors	17-1/2” Length	SET6PJINT	1.00#	\$ 113
 UNA05	Vertical Jumper - 6 Circuit - Jumps power from base raceway to beltway - Non-directional	38-1/2” Length	UET6VJ	2.00#	\$ 118

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
MODEL			Features			
 UNA03	15 Amp Duplex Receptacle with Bezel for Raceway Use - 6 Circuit • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1,2 and 3 • 4l, 5l and 6l circuit receptacles are stamped with orange triangle	Circuit 1	UET6RRC.1	□□	1.00#	\$ 41
		Circuit 2	UET6RRC.2	□□	1.00#	41
		Circuit 3	UET6RRC.3	□□	1.00#	41
		Circuit 4	UET6RRC.4l	□□	1.00#	41
		Circuit 5	UET6RRC.5l	□□	1.00#	41
		Circuit 6	UET6RRC.6l	□□	1.00#	41
 UNA14	15 Amp Duplex Controlled Receptacle with Bezel for Raceway Use - 6 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color	Circuit 1	UET6RRC.1C	□□	1.00#	\$ 41
		Circuit 2	UET6RRC.2C	□□	1.00#	41
		Circuit 3	UET6RRC.3C	□□	1.00#	41
 UNA03	20 Amp Receptacle with Bezel for Raceway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1,2 and 3 • 4l, 5l and 6l circuit receptacles are stamped with orange triangle	Circuit 1	UET6R20R.1	□□	1.00#	\$ 57
		Circuit 2	UET6R20R.2	□□	1.00#	57
		Circuit 3	UET6R20R.3	□□	1.00#	57
		Circuit 4	UET6R20R.4l	□□	1.00#	57
		Circuit 5	UET6R20R.5l	□□	1.00#	57
		Circuit 6	UET6R20R.6l	□□	1.00#	57

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Trim Color			
MODEL		Features			Approx. Packaged Weight	Delivered Pricing
 UNA03	15 Amp Duplex Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1,2 and 3 • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET6BRC.1	☐	1.00#	\$ 34
		Circuit 2	UET6BRC.2	☐	1.00#	34
		Circuit 3	UET6BRC.3	☐	1.00#	34
		Circuit 4	UET6BRC.4I	☐	1.00#	34
		Circuit 5	UET6BRC.5I	☐	1.00#	34
		Circuit 6	UET6BRC.6I	☐	1.00#	34
 UNA14	15 Amp Duplex Controlled Receptacle for Beltway Use - 6 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET6BRC.1C	☐	1.00#	\$ 34
		Circuit 2	UET6BRC.2C	☐	1.00#	34
		Circuit 3	UET6BRC.3C	☐	1.00#	34
 UNA03	20 Amp Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET6B20R.1	☐	1.00#	\$ 54
		Circuit 2	UET6B20R.2	☐	1.00#	54
		Circuit 3	UET6B20R.3	☐	1.00#	54
		Circuit 4	UET6B20R.4I	☐	1.00#	54
		Circuit 5	UET6B20R.5I	☐	1.00#	54
		Circuit 6	UET6B20R.6I	☐	1.00#	54
		A	B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
 UNA04	MODEL			Approx. Packaged Weight	Delivered Pricing
	L				
	Base Infeed with Bezel for Raceway Base - 6 Circuit	UET6RBFU	☐ ☐	7.00#	\$ 211
	- Infeed is non-handed - Includes bezel with filler plate which can be removed to accept “modular furniture knockouts” for data plates - For use with standard or tile to floor bases only				
 UNA04	Base Infeed for Elevated Base - 6 Circuit	UET6LBFU	☐ ☐	7.00#	\$ 211
	- Infeed is non-handed - For use with elevated base only - Infeed connects to rigid wireway at beltway				
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Power Option	Trim Color		
 UETF	MODEL	PANEL WIDTH				
	Top Infeed with 7-Foot Pole and Top Cap - 6 Circuit	XX”	UETF0706	☐	☐	6.70# \$ 198
		24”	UETF0724	☐	☐	7.30# 411
	• Top infeed must be specified by length of top cap	30”	UETF0730	☐	☐	7.40# 430
	• For use at top of panel only	36”	UETF0736	☐	☐	7.60# 432
	• When powered, top infeed connects to either end of rigid wireway at base or beltway	42”	UETF0742	☐	☐	7.80# 441
		48”	UETF0748	☐	☐	8.00# 443
	• Does not occupy space for duplex receptacles	54”	UETF0754	☐	☐	8.20# 444
	• Includes aluminum top infeed power pole, ceiling trim, top cap, and top infeed when powered	60”	UETF0760	☐	☐	8.40# 447
		72”	UETF0772	☐	☐	8.80# 473
	• Top infeed length 144” adds 14lbs to ship weight					
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6” undersized of nominal base panel.					
 UETF	Top infeed with 10-foot Pole and Top Cap - 6 Circuit	XX”	UETF1006	☐	☐	9.00# \$ 248
		24”	UETF1024	☐	☐	9.60# 525
	• Top infeed must be specified by length of top cap	30”	UETF1030	☐	☐	9.80# 543
	• For use at top of panel only	36”	UETF1036	☐	☐	10.00# 547
	• When powered, top infeed connects to either end of rigid wireway at base or beltway	42”	UETF1042	☐	☐	10.20# 560
		48”	UETF1048	☐	☐	10.40# 561
	• Does not occupy space for duplex receptacles	54”	UETF1054	☐	☐	10.60# 564
	• Includes aluminum top infeed power pole, ceiling trim, top cap, and top infeed when powered	60”	UETF1060	☐	☐	10.80# 565
		72”	UETF1072	☐	☐	11.20# 590
	• Top infeed length 216” adds 19lbs to ship weight					
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6” undersized of nominal base panel.					
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power.
- | | |
|----------|--|
| N | - No power; for hardwire (Chicago) installations |
| 4 | - 442 power infeed; add \$211 |
| 6 | - 622 power infeed; add \$211 |
- Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		PANEL WIDTH	Basic Model	Approx. Packaged Weight	Delivered Pricing
 UNA06	Rigid Wireway - 4 Circuit	24”	UET4WW.24	2.00#	\$ 134
	• Distributes 10-wire power and allows receptacle mounting	30”	UET4WW.30	2.00#	138
	• Non-directional	36”	UET4WW.36	3.00#	144
	• Wireway can be mounted inside the base raceway or at beltway behind tile	42”	UET4WW.42	3.00#	149
	• Accomodates two duplex receptacles per side. Maximum of four per wireway	48”	UET4WW.48	3.00#	156
	• Receptacles purchased separately	54”	UET4WW.54	3.00#	162
	• Beltway power requires UETBWM for mounting	60”	UET4WW.60	4.00#	164
		72”	UET4WW.72	4.00#	170
 UNA07	Raceway Cable Trough - 4 Circuit	24”	UETRT.24	0.90#	\$ 15
	• Steel trough manages cords at raceway	30”	UETRT.30	1.10#	16
		36”	UETRT.36	1.30#	20
		42”	UETRT.42	1.40#	23
		48”	UETRT.48	1.60#	24
		54”	UETRT.54	1.80#	26
		60”	UETRT.60	2.00#	29
		72”	UETRT.72	2.30#	34
 UNA07	Beltway-Height Harness Mounting Kit - 4 Circuit		UETBWM	1.30#	\$ 50
	• Allows harness to mount at beltway height				
	• Includes mounting brackets and hardware				
 UNA07	Beltway Cable Trough - 4 Circuit	24”	UETBT.24	0.60#	\$ 15
	• Steel trough manages cords at beltway	30”	UETBT.30	0.80#	16
	• Requires UETBWM for mounting	36”	UETBT.36	0.90#	20
		42”	UETBT.42	1.10#	23
		48”	UETBT.48	1.30#	24
		54”	UETBT.54	1.50#	26
		60”	UETBT.60	1.60#	29
		72”	UETBT.72	1.90#	34

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight		Delivered Pricing
 UNA05	Harness/Power Pass Through - 4 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or or another Harness/Pass Through • Receptacle access is not provided • Length is same as corresponding Rigid Wireway • Pass through requires panel-to-panel jumpers (ordered separately)	24”	UET4PP.24	1.00#		\$ 155
		30”	UET4PP.30	2.00#		163
		36”	UET4PP.36	2.00#		163
		42”	UET4PP.42	2.00#		163
		48”	UET4PP.48	2.00#		170
		54”	UET4PP.54	3.00#		170
		60”	UET4PP.60	3.00#		170
		72”	UET4PP.72	3.00#		170
 UNA05	In-Line Panel Jumper - 4 Circuit • Used for in-line intersections • Non-directional	12” Length	UET4PJINL	1.00#		\$ 69
 UNA05	Intersection Panel Jumper - 4 Circuit • Used for intersections • Non-directional	15-1/2” Length	UET4PJINT	1.00#		\$ 76
 UNA05	Vertical Jumper - 4 Circuit • Jumps power from base raceway to beltway • Non-directional	38-1/2” Length	UET4VJ	2.00#		\$ 118

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
MODEL	Features	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 UNA03	15-Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard “modular furniture knockouts” or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 3I and 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4RRC.1	☐	1.00#	\$ 41
		Circuit 2	UET4RRC.2	☐	1.00#	41
		Circuit 3	UET4RRC.3I	☐	1.00#	41
		Circuit 4	UET4RRC.4I	☐	1.00#	41
 UNA14	15-Amp Duplex Controlled Receptacle with Bezel for Raceway Use - 4 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard “modular furniture knockouts” or data plates • Receptacle color matches bezel color	Circuit 1	UET4RRC.1C	☐	1.00#	\$ 41
		Circuit 2	UET4RRC.2C	☐	1.00#	41
 UNA03	20-Amp Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • Includes bezel with filler plate which can be removed to accept standard “modular furniture knockouts” or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4R20R.1	☐	1.00#	\$ 57
		Circuit 2	UET4R20R.2	☐	1.00#	57
		Circuit 4	UET4R20R.4I	☐	1.00#	57
		A	B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL			Features		Approx. Packaged Weight	Delivered Pricing
 UNA03	15-Amp Duplex Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1, and 2 • 3I and 4I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET4BRC.1	☐	1.00#	\$ 34
		Circuit 2	UET4BRC.2	☐	1.00#	34
		Circuit 3	UET4BRC.3I	☐	1.00#	34
		Circuit 4	UET4BRC.4I	☐	1.00#	34
 UNA14	15-Amp Duplex Controlled Receptacle for Beltway Use - 4 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET4BRC.1C	☐	1.00#	\$ 34
		Circuit 2	UET4BRC.2C	☐	1.00#	34
 UNA03	20-Amp Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4I circuit receptacle is stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET4B20R.1	☐	1.00#	\$ 54
		Circuit 2	UET4B20R.2	☐	1.00#	54
		Circuit 4	UET4B20R.4I	☐	1.00#	54

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	MODEL				
	Base Infeed with Bezel for Raceway Base - 4 Circuit	72"	UET4RBFU	☐ ☐	7.00#
	- Infeed is non-handed - Includes bezel with filler plate which can be removed to accept “modular furniture knockouts” for data plates - For use with standard or tile to floor bases only				
UNA04					
	Base Infeed for Elevated Base - 4 Circuit	72"	UET4LBFU	☐ ☐	7.00#
	- Infeed is non-handed - For use with elevated base only - Infeed connects to rigid wireway at beltway				
UNA04					
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Power Option	Trim Color		
 UETF	MODEL	PANEL WIDTH				
	Top Feed with 7-Foot Pole and Top Cap - 4 Circuit	XX”	UETF0706	☐	☐	6.7# \$ 198
		24”	UETF0724	☐	☐	411
	• Topfeed must be specified by length of top cap	30”	UETF0730	☐	☐	430
	• For use at top of panel only	36”	UETF0736	☐	☐	432
	• When powered,infeed connects to either end of rigid wireway at base or beltway	42”	UETF0742	☐	☐	441
	• Does not occupy space for duplex receptacles	48”	UETF0748	☐	☐	443
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	54”	UETF0754	☐	☐	444
	• Infeed length 144” adds 14lbs to ship weight	60”	UETF0760	☐	☐	447
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6” undersized of nominal base panel.	72”	UETF0772	☐	☐	473
 UETF	Top Feed with 10-foot Pole and Top Cap - 4 Circuit	XX”	UETF1006	☐	☐	\$ 248
		24”	UETF1024	☐	☐	525
	• Topfeed must be specified by length of top cap	30”	UETF1030	☐	☐	543
	• For use at top of panel only	36”	UETF1036	☐	☐	547
	• When powered, infeed connnects to either end of rigid wireway at base or beltway	42”	UETF1042	☐	☐	560
	• Does not occupy space for duplex receptacles	48”	UETF1048	☐	☐	561
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	54”	UETF1054	☐	☐	564
	• Infeed length 216” adds 19lbs to ship weight	60”	UETF1060	☐	☐	565
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6” undersized of nominal base panel.	72”	UETF1072	☐	☐	590
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select power.
- | | |
|----------|--|
| N | - No power; for hardwire (Chicago) installations |
| 4 | - 442 power infeed; add \$211 |
| 6 | - 622 power infeed; add \$211 |
- Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
		Basic Model	Power Option	Trim Color	Whip Color		
MODEL						Approx. Packaged Weight	Delivered Pricing
 UENY	New York Base Infeed with Race Way Cover • City of New York approved power entry box with panel to panel jumper • Infeed must be specified by width of panel • Infeed comes with painted steel raceway cover with entry hole and grommet for inlet • Can be used at base level only • 72" whip is color matched to trim • Entry box is mounted to bottom horizontal and inlet whip enters one side of the panel • Panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel • Infeed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYBF24	☐	☐ ☐	☐ ☐ ☐	12.3#	\$ 603
		UETNYBF30	☐	☐ ☐	☐ ☐ ☐	12.6#	606
		UETNYBF36	☐	☐ ☐	☐ ☐ ☐	12.8#	610
		UETNYBF42	☐	☐ ☐	☐ ☐ ☐	13.6#	614
		UETNYBF48	☐	☐ ☐	☐ ☐ ☐	13.8#	616
		UETNYBF54	☐	☐ ☐	☐ ☐ ☐	14.1#	634
		UETNYBF60	☐	☐ ☐	☐ ☐ ☐	14.5#	621
		UETNYBF72	☐	☐ ☐	☐ ☐ ☐	15.0#	627
 UENY	New York Power Top Feed with 7-foot Pole and Top Cap • Topfeed must be specified by length of top cap • For use at top of panel only • Infeed connects at base raceway • Includes aluminum topfeed power pole, ceiling trim and infeed • 216" of conduit provided • Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF0730	☐	☐ ☐		31.4#	\$ 816
		UETNYTF0736	☐	☐ ☐		31.6#	822
		UETNYTF0742	☐	☐ ☐		32.3#	832
		UETNYTF0748	☐	☐ ☐		32.5#	834
		UETNYTF0754	☐	☐ ☐		32.8#	859
		UETNYTF0760	☐	☐ ☐		33.1#	836
		UETNYTF0772	☐	☐ ☐		33.5#	856
 UENY	New York Power Top Feed with 10-foot Pole and Top Cap • Topfeed must be specified by length of top cap • For use at top of panel only • Infeed connects at base raceway • Includes aluminum topfeed power pole, ceiling trim and infeed • 216" of conduit provided • Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF1030	☐	☐ ☐		33.8#	\$ 855
		UETNYTF1036	☐	☐ ☐		34.0#	859
		UETNYTF1042	☐	☐ ☐		34.7#	864
		UETNYTF1048	☐	☐ ☐		34.9#	876
		UETNYTF1054	☐	☐ ☐		35.2#	901
		UETNYTF1060	☐	☐ ☐		35.5#	878
		UETNYTF1072	☐	☐ ☐		35.9#	904

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select power.
- | | |
|---|-------------|
| 4 | - 4 Circuit |
| 6 | - 6 Circuit |
- C**Select trim color.
Refer to the **Product Color Options** page in this price list.
- D**Select whip color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurfaces
Rectangular



Worksurfaces
Rectangular

		MODEL NUMBER							Approx. Packaged Weight				Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color							
MODEL		A x B												
 UWR	Rectangular Worksurfaces - 18" D • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 24"	UWR1824	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	17.0#	\$ 246	\$ 284	\$ 19	\$ 120		
		18 x 30"	UWR1830	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	20.0#	275	310	19	120		
		18 x 36"	UWR1836	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	24.0#	295	337	19	120		
		18 x 42"	UWR1842	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	27.0#	345	394	19	120		
		18 x 48"	UWR1848	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	30.0#	371	425	19	120		
		18 x 54"	UWR1854	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	33.0#	388	442	19	120		
		18 x 60"	UWR1860	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	38.0#	401	463	19	120		
		18 x 66"	UWR1866	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	41.0#	418	474	19	120		
		18 x 72"	UWR1872	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	44.0#	425	484	19	120		
UWR	Rectangular Worksurfaces - 22" D • 22" deep worksurfaces optimize alignment with U Series 22" storage elements • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 24	UWR2224	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	20.0#	\$ 250	\$ 289	\$ 19	\$ 120		
		22 x 30	UWR2230	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	24.0#	280	317	19	120		
		22 x 36	UWR2236	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	28.0#	305	347	19	120		
		22 x 42	UWR2242	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	32.0#	360	410	19	120		
		22 x 48	UWR2248	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	36.0#	388	442	19	120		
		22 x 54	UWR2254	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	39.0#	410	468	19	120		
		22 x 60	UWR2260	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	45.0#	427	485	19	120		
		22 x 66	UWR2266	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	49.0#	439	499	19	120		
		22 x 72	UWR2272	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	53.0#	444	511	27	178		
		22 x 84	UWR2284	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	60.0#	476	545	27	178		
UWR	Rectangular Worksurfaces - 24" D • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 96	UWR2296	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	68.0#	495	564	27	178		
		24 x 24	UWR2424	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	21.0#	\$ 250	\$ 289	\$ 19	\$ 120		
		24 x 30	UWR2430	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	26.0#	280	317	19	120		
		24 x 36	UWR2436	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	30.0#	305	347	19	120		
		24 x 42	UWR2442	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	34.0#	360	410	19	120		
		24 x 48	UWR2448	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	38.0#	388	442	19	120		
		24 x 54	UWR2454	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	43.0#	410	468	27	178		
		24 x 60	UWR2460	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	48.0#	427	485	27	178		
		24 x 66	UWR2466	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	53.0#	439	499	27	178		
		24 x 72	UWR2472	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	57.0#	444	511	27	178		
		24 x 84	UWR2484	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	65.0#	476	545	53	368		
		24 x 96	UWR2496	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	74.0#	495	564	53	368		

A

B

C

D

E

F

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - Grommet : No grommet
- L** - Grommet : Left; add \$33
- C** - Grommet : Center; add \$33
- R** - Grommet : Right; add \$33
- LR** - Grommet : Left/right; add \$66
- LC** - Grommet : Left /center; add \$66
- CR** - Grommet : Center/right; add \$66
- LCR** - Grommet : Left/center/right; add \$97

- D** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- Surface finish offerings are based on edge style selections.

- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.

- F** Select grommet color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Worksurfaces

Rectangular



Worksurfaces

Rectangular

		MODEL NUMBER										Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color								
MODEL		A x B						Approx. Packaged Weight							
 UWR	Rectangular Worksurfaces - 30" D	30 x 24	UWR3024	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	26.0#	\$ 280	\$ 317	\$ 19	\$ 120			
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	30 x 30	UWR3030	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	31.0#	305	347	27	178			
	• 60" and larger worksurfaces are reinforced	30 x 36	UWR3036	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	36.0#	333	379	27	178			
	• Grommet locations are shown	30 x 42	UWR3042	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	41.0#	383	435	27	178			
		30 x 48	UWR3048	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	47.0#	418	474	27	178			
		30 x 54	UWR3054	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#	432	493	27	178			
		30 x 60	UWR3060	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	59.0#	446	512	27	178			
		30 x 66	UWR3066	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#	468	534	27	178			
		30 x 72	UWR3072	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.0#	474	542	27	178			
		30 x 84	UWR3084	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	80.0#	542	616	53	368			
		30 x 96	UWR3096	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	90.0#	565	644	53	368			
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

74P

- 74P edge

KN

- Knife edge
- C** Select grommet location.

N

- Grommet : No grommet

L

- Grommet : Left; add \$33

C

- Grommet : Center; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66

LC

- Grommet : Left /center; add \$66

CR

- Grommet : Center/right; add \$66

LCR

- Grommet : Left/center/right; add \$97
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.




Worksurfaces

Diagonal 90° Corner



Worksurfaces

Diagonal 90° Corner

			MODEL NUMBER											
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color					Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	A x B x C x D								Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)			
	Diagonal 90° Corner - 18" D	18 x 36 x 36 x 18	UWDC18363618	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	34.0#	\$ 458	\$ 525		\$ 53	\$ 368
	• Brackets and/or supports are specified separately, three required	18 x 42 x 42 x 18	UWDC18424218	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	47.0#	492	565		53	368
	• Grommet options are limited to center (corner) or no grommet	18 x 48 x 48 x 18	UWDC18484818	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#	641	734		53	368
UWC														
UWC	Diagonal 90° Corner - 22" D	22 x 36 x 36 x 22	UWDC22363622	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	37.0#	\$ 458	\$ 525		\$ 53	\$ 368
	• Brackets and/or supports are specified separately, three required	22 x 42 x 42 x 22	UWDC22424222	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	50.0#	492	565		53	368
	• Grommet options are limited to center (corner) or no grommet	22 x 48 x 48 x 22	UWDC22484822	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	65.0#	641	734		53	368
UWC	Diagonal 90° Corner - 24" D	24 x 36 x 36 x 24	UWDC24363624	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	39.0#	\$ 458	\$ 525		\$ 53	\$ 368
	• Brackets and/or supports are specified separately, three required	24 x 42 x 42 x 24	UWDC24424224	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	52.0#	492	565		53	368
	• Grommet options are limited to center (corner) or no grommet	24 x 48 x 48 x 24	UWDC24484824	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	67.0#	641	734		53	368
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C**Select grommet location.
- | | |
|----------|------------------------------|
| N | - Grommet : No grommet |
| C | - Grommet : Center; add \$33 |
- D**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- Surface finish offerings are based on edge style selections.
- E**Select edge color.
- Refer to the **Product Color Options** page in this price list.
- F**Select grommet color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER						Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)		
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color				Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	MODEL	A x B x C x D										
	Extended Corner - 22"	22 x 60 x 36 x 22	UWEC22603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	\$ 831	\$ 947	\$ 53	\$ 368
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 72 x 36 x 22	UWEC22723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	956	1090	53	368
UWC												
UWC	Extended Corner - 24"	24 x 60 x 36 x 24	UWEC24603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	\$ 831	\$ 947	\$ 53	\$ 368
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 72 x 36 x 24	UWEC24723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	956	1090	53	368
			A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - Grommet : No grommet
- L** - Grommet : Left; add \$33
- C** - Grommet : Center; add \$33
- R** - Grommet : Right; add \$33
- LR** - Grommet : Left/right; add \$66
- LC** - Grommet : Left /center; add \$66
- CR** - Grommet : Center/right; add \$66
- LCR** - Grommet : Left/center/right; add \$97

- D** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- Surface finish offerings are based on edge style selections.

- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.

- F** Select grommet color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER											
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Extended Corner - 22"	22 x 36 x 60 x 22	UWEC22366022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	\$ 831	\$ 947		\$ 53	\$ 368
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	22 x 36 x 72 x 22	UWEC22367222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	956	1090		53	368
	• 60" and larger worksurfaces are reinforced												
	• Grommet locations are shown												
UWC													
UWC	Extended Corner - 24"	24 x 36 x 60 x 24	UWEC24366024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	\$ 831	\$ 947		\$ 53	\$ 368
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 36 x 72 x 24	UWEC24367224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	956	1090		53	368
	• 60" and larger worksurfaces are reinforced												
	• Grommet locations are shown												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select grommet location.

N

- Grommet : No grommet

L

- Grommet : Left; add \$33

C

- Grommet : Center; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66

LC

- Grommet : Left /center; add \$66

CR

- Grommet : Center/right; add \$66

LCR

- Grommet : Left/center/right; add \$97

- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

- F**Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER										Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color									
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 36 x 60 x 22	UWEC18366022						51.0#	\$ 831	\$ 947	\$ 53	\$ 368				
		18 x 36 x 60 x 24	UWEC18366024						53.0#	831	947	53	368				
		18 x 36 x 72 x 22	UWEC18367222						58.0#	956	1090	53	368				
		18 x 36 x 72 x 24	UWEC18367224						60.0#	956	1090	53	368				
UWC																	
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 36 x 60 x 18	UWEC22366018						51.0#	\$ 831	\$ 947	\$ 53	\$ 368				
		22 x 36 x 60 x 24	UWEC22366024						51.0#	831	947	53	368				
		22 x 36 x 72 x 18	UWEC22367218						58.0#	956	1090	53	368				
		22 x 36 x 72 x 24	UWEC22367224						53.0#	956	1090	53	368				
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 36 x 60 x 18	UWEC24366018						53.0#	\$ 831	\$ 947	\$ 53	\$ 368				
		24 x 36 x 60 x 22	UWEC24366022						55.0#	831	947	53	368				
		24 x 36 x 72 x 18	UWEC24367218						60.0#	956	1090	53	368				
		24 x 36 x 72 x 22	UWEC24367222						62.0#	956	1090	53	368				
			A	B	C	D	E	F									

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select grommet location.

N

- Grommet : No grommet

L

- Grommet : Left; add \$33

C

- Grommet : Center; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66

LC

- Grommet : Left /center; add \$66

CR

- Grommet : Center/right; add \$66

LCR

- Grommet : Left/center/right; add \$97

- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.


- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

FSelect grommet color.

Refer to the **Product Color Options** page in this price list.
- SPECIAL SERVICES
- Special Carton Marking
- With specially marked information N/C
- Shipping
- Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.
- Specifications and prices are subject to change without prior notice.



			MODEL NUMBER						74P Edge (74P) Knife Edge (KN)				Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color								
MODEL	A x B x C x D							Approx. Packaged Weight								
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 60 x 36 x 22	UWEC18603622						51.0#	\$ 831	\$ 947	\$ 53	\$ 368			
		18 x 60 x 36 x 24	UWEC18603624						53.0#	831	947	53	368			
		18 x 72 x 36 x 22	UWEC18723622						58.0#	956	1090	53	368			
		18 x 72 x 36 x 24	UWEC18723624						60.0#	956	1090	53	368			
UWC																
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 60 x 36 x 18	UWEC22603618						51.0#	\$ 831	\$ 947	\$ 53	\$ 368			
		22 x 60 x 36 x 24	UWEC22603624						58.0#	831	947	53	368			
		22 x 72 x 36 x 18	UWEC22723618						58.0#	956	1090	53	368			
		22 x 72 x 36 x 24	UWEC22723624						60.0#	956	1090	53	368			
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 60 x 36 x 18	UWEC24603618						53.0#	\$ 831	\$ 947	\$ 53	\$ 368			
		24 x 60 x 36 x 22	UWEC24603622						55.0#	831	947	53	368			
		24 x 72 x 36 x 18	UWEC24723618						60.0#	956	1090	53	368			
		24 x 72 x 36 x 22	UWEC24723622						62.0#	956	1090	53	368			
			A	B	C	D	E	F								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P

- 74P edge

KN

- Knife edge
- C** Select grommet location.

N

- Grommet : No grommet

L

- Grommet : Left; add \$33

C

- Grommet : Center; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66

LC

- Grommet : Left /center; add \$66

CR

- Grommet : Center/right; add \$66

LCR

- Grommet : Left/center/right; add \$97

- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- E** Select edge color.

Refer to the **Product Color Options** page in this price list.

F Select grommet color.

Refer to the **Product Color Options** page in this price list.
- SPECIAL SERVICES
- Special Carton Marking
- With specially marked information N/C
- Shipping**
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.
- Specifications and prices are subject to change without prior notice.



		MODEL NUMBER											
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight				Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	A x B								74P Edge (74P)	Knife Edge (KN)			
 UWP	Conference End	24 x 51	UWCE2451						45.0#	\$ 410	\$ 468	\$ 19	\$ 120
	• Brackets and/or supports are specified separately; requires two brackets and two post legs or two worksurface support legs	30 x 63	UWCE3063						70.0#	468	534	27	178
	• Grommet location is shown												

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge

C Select grommet location.

N	- Grommet : No grommet
C	- Grommet : Center; add \$33

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

E Select edge color.

Refer to the **Product Color Options** page in this price list.

F Select grommet color.

Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.




Worksurfaces

Tapered



Worksurfaces

Tapered

			MODEL NUMBER												
	MODEL	A x B x C	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 UWT	Tapered - 22"	22 x 48 x 30	UWT224830	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	39.0#	\$ 671	\$ 770			\$ 27	\$ 178
	• Tapered worksurfaces allow user to face out of the workstation	22 x 60 x 30	UWT226030	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	49.0#	732	839			27	178
	• 22" tapered worksurfaces align with U-Series tower depths	22 x 72 x 30	UWT227230	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	58.0#	797	910			27	178
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	30 x 48 x 22	UWT304822	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	39.0#	671	770			27	178
	• 60" and larger worksurfaces are reinforced	30 x 60 x 22	UWT306022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	49.0#	732	839			27	178
	• Grommet locations are shown	30 x 72 x 22	UWT307222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	58.0#	797	910			27	178
UWT	Tapered - 24"	24 x 48 x 30	UWT244830	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	41.0#	\$ 671	\$ 770			\$ 27	\$ 178
	• Tapered worksurfaces allow user to face out of the workstation	24 x 60 x 30	UWT246030	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	51.0#	732	839			27	178
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 72 x 30	UWT247230	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	60.0#	797	910			27	178
	• 60" and larger worksurfaces are reinforced	30 x 48 x 24	UWT304824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	41.0#	671	770			27	178
	• Grommet locations are shown	30 x 60 x 24	UWT306024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	51.0#	732	839			27	178
		30 x 72 x 24	UWT307224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	61.0#	797	910			27	178
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - Grommet : No grommet
- L** - Grommet : Left; add \$33
- C** - Grommet : Center; add \$33
- R** - Grommet : Right; add \$33
- LR** - Grommet : Left/right; add \$66
- LC** - Grommet : Left /center; add \$66
- CR** - Grommet : Center/right; add \$66
- LCR** - Grommet : Left/center/right; add \$97

- D** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- Surface finish offerings are based on edge style selections.

- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.

- F** Select grommet color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

A diagram of a stepped cantilever beam fixed at the left end. The beam has three segments with lengths A, B, and C, and a total length D. A coordinate system is shown with the x-axis along the beam's length, the y-axis pointing downwards, and the z-axis pointing out of the page. The beam is subjected to a uniformly distributed load w acting downwards along its entire length. The beam is supported by a fixed support at the left end.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge

C Select grommet location.

N	- Grommet : No grommet
L	- Grommet : Left; add \$33
C	- Grommet : Center; add \$33
R	- Grommet : Right; add \$33
LR	- Grommet : Left/right; add \$66
LC	- Grommet : Left /center; add \$66
CR	- Grommet : Center/right; add \$66
LCR	- Grommet : Left/center/right; add \$97

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select edge color.
Refer to the **Product Color Options** page in this price list.

F Select grommet color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.




Worksurfaces

Peninsula

KI

Worksurfaces

Peninsula

			MODEL NUMBER											
MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
									74P Edge (74P)	Knife Edge (KN)				
 UWP	Peninsula - 22" D	22 x 72 x 48 x 16	UWP22724816	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	71.0#	\$ 839	\$ 911	\$ 53	\$ 368		
	• Peninsula worksurfaces allow user to face out of the workstation	22 x 72 x 54 x 16	UWP22725416	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	74.0#	898	1042	53	368		
	• 22" worksurfaces align with U-Series tower depths	22 x 72 x 60 x 16	UWP22726016	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	927	1074	53	368		
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"													
	• 60" and larger worksurfaces are reinforced													
	• Grommet locations are shown													
UWP	Peninsula - 24" D	24 x 72 x 48 x 16	UWP24724816	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	75.0#	\$ 839	\$ 911	\$ 53	\$ 368		
	• Peninsula worksurfaces allow user to face out of the workstation	24 x 72 x 54 x 16	UWP24725416	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	898	1042	53	368		
	• 22" worksurfaces align with U-Series tower depths	24 x 72 x 60 x 16	UWP24726016	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	82.0#	927	1074	53	368		
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"													
	• 60" and larger worksurfaces are reinforced													
	• Grommet locations are shown													
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select grommet location.

N

- Grommet : No grommet

L

- Grommet : Left; add \$33

C

- Grommet : Center; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66

LC

- Grommet : Left /center; add \$66

CR

- Grommet : Center/right; add \$66

LCR

- Grommet : Left/center/right; add \$97

- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

- F**Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Worksurfaces

120° End Corner



Worksurfaces

120° End Corner





			MODEL NUMBER											
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color						
MODEL			A x B x C x D							Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 UWC	120° End Corner/60° User Edge - 22" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	22 x 36 x 36 x 22	UW12022363622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	43.0#	\$ 952	\$ 1103	\$ 53	\$ 368	
		22 x 42 x 42 x 22	UW12022424222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	50.0#	1170	1360	53	368	
		22 x 48 x 48 x 22	UW12022484822	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	58.0#	1251	1451	74	473	
UWC	120° End Corner/60° User Edge - 24" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	24 x 36 x 36 x 24	UW12024363624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	45.0#	\$ 952	\$ 1103	\$ 53	\$ 368	
		24 x 42 x 42 x 24	UW12024424224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	54.0#	1170	1360	53	368	
		24 x 48 x 48 x 24	UW12024484824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#	1251	1451	74	473	
			A	B	C	D	E	F						

Worksurfaces

120° End Corner/60° End Corner

Worksurfaces

120° End Corner/60° End Corner

		MODEL NUMBER											
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	120° End Corner/90° User Edge - 22° • Brackets and/or supports are specified separately, two required • Grommet locations are shown	22 x 36 x 36 x 22	UWIC12022363622	□□□	□□□	□□□	□□□	□□	43.0#	\$ 952	\$ 1103	\$ 53	\$ 368
		22 x 42 x 42 x 22	UWIC12022424222	□□□	□□□	□□□	□□□	□□	50.0#	1170	1360	53	368
		22 x 48 x 48 x 22	UWIC12022484822	□□□	□□□	□□□	□□□	□□	58.0#	1251	1451	74	473
UWC													
UWC	120° End Corner/90° User Edge - 24° • Brackets and/or supports are specified separately, two required • Grommet locations are shown	24 x 36 x 36 x 24	UWIC12024363624	□□□	□□□	□□□	□□□	□□	45.0#	\$ 1000	\$ 1159	\$ 53	\$ 368
		24 x 42 x 42 x 24	UWIC12024424224	□□□	□□□	□□□	□□□	□□	54.0#	1170	1360	53	368
		24 x 48 x 48 x 24	UWIC12024484824	□□□	□□□	□□□	□□□	□□	62.0#	1251	1451	74	473
	60° End Corner - 22 and 24° • Attaches to adjacent worksurface with splice plates (ordered separately) • Does not feature grommets	22 x 22	UW1202260	□□□		□□□	□□□		17.0#	\$ 236	\$ 275	\$ 19	\$ 120
		24 x 24	UW1202460	□□□		□□□	□□□		17.0#	236	275	27	178
UWC													
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.

74P- 74P edge

KN- Knife edge

CSelect grommet location.

N- Grommet : No grommet

L- Grommet : Left; add \$33

C- Grommet : Center; add \$33

R- Grommet : Right; add \$33

LR- Grommet : Left/right; add \$66

LC- Grommet : Left /center; add \$66

CR- Grommet : Center/right; add \$66

LCR- Grommet : Left/center/right; add \$97

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.




Surface finish offerings are based on edge style selections.

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

FSelect grommet color.

Refer to the **Product Color Options** page in this price list.
- SPECIAL SERVICES
- Special Carton Marking
- With specially marked informationN/C
- Shipping
- Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.
- Specifications and prices are subject to change without prior notice.

		MODEL NUMBER											
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 UHWR	MODEL												
	D x W												
	U-Series® Underhead Worksurface	UHWR1536	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	18.0#	\$ 285	N/A		\$ 19	\$ 120
	• Specify by width of underhead	UHWR1542	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	21.0#	335	N/A		19	120
	• Left and/or right grommets are offered	UHWR1548	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	24.0#	363	N/A		19	120
	• 15" is flush to edge of storage; other sizes are recessed to rear of worksurface	UHWR1560	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	30.0#	380	N/A		19	120
	• KN edge not offered on 15" deep tops	UHWR1572	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	35.0#	394	N/A		19	120
		UHWR1836	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	24.0#	300	343		19	120
		UHWR1842	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	27.0#	352	401		19	120
		UHWR1848	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	30.0#	378	433		19	120
		UHWR1860	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	38.0#	408	472		19	120
		UHWR1872	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	44.0#	433	493		19	120
		UHWR2236	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	28.0#	310	354		19	120
		UHWR2242	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	32.0#	366	418		19	120
		UHWR2248	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	36.0#	395	450		19	120
		UHWR2260	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	45.0#	435	494		19	120
		UHWR2272	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	53.0#	453	520		27	178
		UHWR2436	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	30.0#	310	354		19	120
		UHWR2442	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	34.0#	366	418		19	120
		UHWR2448	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	38.0#	395	450		19	120
		UHWR2460	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	48.0#	435	494		27	178
		UHWR2472	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	57.0#	453	520		27	178
		A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select grommet location.

N

- No grommet

L

- Grommet : Left; add \$33

R

- Grommet : Right; add \$33

LR

- Grommet : Left/right; add \$66
- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
- F**Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking





With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER						Approx. Packaged Weight					Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
		Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish		74P Edge (74P)	Knife Edge (KN)						
MODEL	D x W															
 Notch locations shown	Straight Countertops, Standard Height	16 x 24	UWTR1624	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	15.7#	\$ 411	\$ 468	\$ 19	\$ 120				
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTR1630	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	19.0#	440	508	19	120				
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTR1636	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	22.3#	484	561	19	120				
	• Countertops accept task lights	16 x 42	UWTR1642	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	25.7#	525	614	19	120				
	• Transaction counters add 1-1/4" to finished panel heights	16 x 48	UWTR1648	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	29.0#	552	646	19	120				
		16 x 54	UWTR1654	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	32.3#	575	672	19	120				
		16 x 60	UWTR1660	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	35.7#	663	758	19	120				
		16 x 66	UWTR1666	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	39.0#	736	854	19	120				
		16 x 72	UWTR1672	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	42.3#	838	956	19	120				
		16 x 78	UWTR1678	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	45.7#	955	1121	27	178				
	16 x 84	UWTR1684	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	50.2#	1024	1192	27	178					
UWTR																
 Notch locations shown	Corner Countertops, Standard Height	16 x 24	UWTRC1624	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	21.1#	\$ 963	\$ 1111	\$ 37	\$ 235				
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTRC1630	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	27.8#	1044	1215	37	235				
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTRC1636	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	34.4#	1095	1281	37	235				
	• Countertops accept task lights															
	• Transaction counters add 1-1/4" to finished panel heights															
UWTR																
			A	B	C	D	E	F								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select notch location.

NN

LN

RN

LRN

- Standard

- Left; add \$54

- Right; add \$54

- Both; add \$107
- C**Select edge style.

74P

KN

- 74P edge

- Knife edge
- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
- F**Select bracket finish.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER														
MODEL			D x W	Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price			Laminate Grade 3 add to list price	
  Notch locations shown UWTR	Straight Countertops, 32" Height		16 x 24	UWTR321624	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	15.3#	\$	373	\$	19	\$	120	
	• Includes cantilever support brackets and locking clips to prevent dislodgement		16 x 30	UWTR321630	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	18.6#		401		19		120	
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions		16 x 36	UWTR321636	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	21.9#		444		19		120	
	• Countertops accept task lights		16 x 42	UWTR321642	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	25.3#		487		19		120	
	• Transaction counters add 1-1/4" to finished panel heights		16 x 48	UWTR321648	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	28.6#		515		19		120	
	• Due to bracket constraints, only 74P edge is available on these models		16 x 54	UWTR321654	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	31.9#		535		19		120	
	• Per the 2010 ADA and ICC A117.1, KI countertops do not extend more than 4 inches into a circulation path and meet the requirements for a clear floor space positioned for a parallel approach adjacent to the accessible counter.		16 x 60	UWTR321660	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	35.2#		623		19		120	
			16 x 66	UWTR321666	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	38.6#		639		19		120	
			16 x 72	UWTR321672	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	41.9#		703		19		120	
			16 x 78	UWTR321678	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	45.3#		916		27		178	
			16 x 84	UWTR321684	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	49.6#		969		27		178	
  Notch locations shown UWTR	Corner Countertops, 32" Height		16 x 24	UWTRC321624	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	20.7#	\$	933	\$	37	\$	235	
	• Includes cantilever support brackets and locking clips to prevent dislodgement		16 x 30	UWTRC321630	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	27.4#		1014		37		235	
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions		16 x 36	UWTRC321636	☐ ☐ ☐	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	34.0#		1068		37		235	
	• Countertops accept task lights																
	• Transaction counters add 1-1/4" to finished panel heights																
	• Due to bracket constraints, only 74P edge is available on these models																
	• Per the 2010 ADA and ICC A117.1, KI countertops do not extend more than 4 inches into a circulation path and meet the requirements for a clear floor space positioned for a parallel approach adjacent to the accessible counter.																

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select notch location.
- NN

- Standard
- LN

- Left; add \$54
- RN

- Right; add \$54
- LRN

- Both; add \$107
- C** Select edge style.
- 74P

- 74P edge
- D** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- Surface finish offerings are based on edge style selections.
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- F** Select bracket finish.
- Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER							74P Edge (74P) Knife Edge (KN)					Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Surface Finish	Edge Color							
UTBL	MODEL	D x W							Approx. Packaged Weight						
	Freestanding Tables - Open Leg	24 x 48"	UTBL02448	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	51.0#	\$ 893	\$ 950			\$ 19	\$ 120
	• Table includes base support and work-surface	24 x 60"	UTBL02460	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	62.0#	1033	1184			27	178
	• Knife edge is featured on all four sides when specified	24 x 72"	UTBL02472	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	74.0#	1046	1256			27	178
	• Support gusset extends 1-1/2" below work-surface on all sides	30 x 48"	UTBL03048	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	71.0#	1006	1069			27	178
	• 29" high table provides 26-1/4" clear-ance under gusset	30 x 60"	UTBL03060	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	73.0#	1147	1264			27	178
		30 x 72"	UTBL03072	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	83.0#	1142	1421			27	178
UTBL	Freestanding Tables - With Insert	24 x 48"	UTBLI2448	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	86.0#	\$ 1387	\$ 1264			\$ 19	\$ 120
	• Table includes base support and work-surface	24 x 60"	UTBLI2460	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.0#	1467	1556			27	178
	• Knife edge is featured on all four sides when specified	24 x 72"	UTBLI2472	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.0#	1548	1553			27	178
	• Support gusset extends 1-1/2" below work-surface on all sides	30 x 48"	UTBLI3048	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.0#	1468	1422			27	178
	• 29" high table provides 26-1/4" clear-ance under gusset	30 x 60"	UTBLI3060	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	108.0#	1583	1691			27	178
		30 x 72"	UTBLI3072	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	118.0#	1666	1731			27	178
			A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P

- 74P edge

KN

- Knife edge

C Select frame color.

Refer to the **Product Color Options** page in this price list.

D Select insert type.

PS

- Perforated steel

E Select insert color.

Refer to the **Product Color Options** page in this price list.

F Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

G Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL				Approx. Packaged Weight	Delivered Pricing
 Left UNA11	Standard Cantilever Bracket • Either left or right handed	UCANTST.R	☐ ☐	2.50#	\$ 39
		UCANTST.L	☐ ☐	2.50#	39
 Left UNA11	Design Bracket - Worksurface Support Bracket • For 18" deep worksurface support only; may not be used in conjunction with overheads	UCANTD12.R	☐ ☐	2.00#	\$ 76
		UCANTD12.L	☐ ☐	2.00#	76
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER				
			Basic Model	Edge Style	Trim Color		
MODEL			H	Approx. Packaged Weight			Delivered Pricing
 Right Orientation UNA11	Worksurface Edge Support with Lock Optional support tying worksurface edge in to adjacent panel frame		UWSES.R	☐	1.00#	\$ 42	
			UWSES.L	☐	1.00#	42	
 UNA18	Splice Plate For use with 24" and 30" deep worksurfaces		USPLPL		0.50#	\$ 10	
 UNA18	Splice Plate - 22" Worksurface For use with 22" deep worksurfaces		USPLPL.22		2.40#	\$ 31	
 UNA18	Add-on Peninsula Attachment Plate For use only with 74P worksurfaces		UPENPL24		3.80#	\$ 27	
			UPENPL30		4.60#	31	
 UCFP	Height Change Filler Plate for In-Line - Use when adapting heights of in-line worksurface conditions - Specify by worksurface depth - Edge style refers to worksurface that support is being attached to - Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"	18"	UCFPI18	☐	2.60#	\$ 49	
		22"	UCFPI22	☐	3.10#	53	
		24"	UCFPI24	☐	3.40#	53	
		30"	UCFPI30	☐	4.30#	56	
 UCFP	Height Change Filler Plate for Corner - Use when adapting heights of corner worksurface conditions - Specify by worksurface depth - Edge style refers to worksurface that support is being attached to - Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"	18"	UCFPC18	☐	2.70#	\$ 49	
		22"	UCFPC22	☐	3.30#	53	
		24"	UCFPC24	☐	3.50#	53	
		30"	UCFPC30	☐	4.30#	56	
			A	B	C		

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Worksurface Support

Post Leg



Worksurface Support

Post Leg

		MODEL NUMBER			
		Basic Model	Frame Color		
MODEL		H		Approx. Packaged Weight	Delivered Pricing
	Post Leg Assembly - 27-3/4" Height • Supports standard 29" height worksur- faces	27-3/4"	UPL29	☐ ☐	5.50#
					\$ 76
UNA11					
	Post Leg Assembly - 24-3/4" Height • Supports 26" height worksurfaces	24-3/4"	UPL26	☐ ☐	5.00#
					\$ 76
UNA11					
		A	B		

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-
able.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping



Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Support Leg
Non-Panel Mounted, Open

KI

Support Leg
Non-Panel Mounted, Open

		MODEL NUMBER					
		Basic Model	Edge Style	Frame Color			
MODEL		W x H				Approx. Packaged Weight	Delivered Pricing
	Open Leg - 27-3/4" Height	18 x 27-3/4"	UPNLO1829	☐ ☐ ☐	☐ ☐	12.5#	\$ 243
	• Does not allow for panel attachment	22 x 27-3/4"	UPNLO2229	☐ ☐ ☐	☐ ☐	13.8#	248
	• Supports standard 29" perpendicular worksurface	24 x 27-3/4"	UPNLO2429	☐ ☐ ☐	☐ ☐	14.4#	257
	• Specify width by worksurface depth	30 x 27-3/4"	UPNLO3029	☐ ☐ ☐	☐ ☐	16.2#	280
	• Edge style refers to worksurface that support is being attached to						
USL							
	Open Leg - 24-3/4" Height	18 x 24-3/4"	UPNLO1826	☐ ☐ ☐	☐ ☐	12.0#	\$ 240
	• Does not allow for panel attachment	22 x 24-3/4"	UPNLO2226	☐ ☐ ☐	☐ ☐	13.2#	245
	• Supports standard 26" perpendicular worksurface	24 x 24-3/4"	UPNLO2426	☐ ☐ ☐	☐ ☐	13.9#	249
	• Specify width by worksurface depth	30 x 24-3/4"	UPNLO3026	☐ ☐ ☐	☐ ☐	15.7#	276
	• Edge style refers to worksurface that support is being attached to						
USL							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

74P - 74P edge

KN - Knife edge
- C** Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER							
			Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Approx. Packaged Weight	Delivered Pricing
MODEL		W x H							
 USL	Insert Leg - 27-3/4" Height - Does not allow for panel attachment - Supports standard 29" perpendicular worksurface - Features perforated steel insert - Specify width by worksurface depth - Steel insert paint color is specified separately from frame color - Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPNLI1829	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	16.1#	\$ 379
		22 x 27-3/4"	UPNLI2229	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.3#	397
		24 x 27-3/4"	UPNLI2429	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	19.4#	416
		30 x 27-3/4"	UPNLI3029	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	22.4#	459
 USL	Insert Leg - 24-3/4" Height - Does not allow for panel attachment - Supports 26" perpendicular worksurface - Features perforated steel insert - Specify width by worksurface depth - Steel insert paint color is specified separately from frame color - Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPNLI1826	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	15.3#	\$ 374
		22 x 24-3/4"	UPNLI2226	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	17.4#	395
		24 x 24-3/4"	UPNLI2426	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.4#	410
		30 x 24-3/4"	UPNLI3026	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	21.3#	453
			A	B	C	D	E		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge

KN - Knife edge
- C**Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.
- D**Select insert type.

PS - Perforated steel
- E**Select insert color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Support Leg

Panel Mounted, Open



Support Leg

Panel Mounted, Open

		MODEL NUMBER					
		Basic Model	Left or Right Side	Edge Style	Frame Color		
MODEL		W x H				Approx. Packaged Weight	Delivered Pricing
 USL	Open Leg - 27-3/4" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPSL01829	☐	☐ ☐ ☐	13.1#	\$ 248
		22 x 27-3/4"	UPSL02229	☐	☐ ☐ ☐	14.4#	257
		24 x 27-3/4"	UPSL02429	☐	☐ ☐ ☐	15.0#	262
		30 x 27-3/4"	UPSL03029	☐	☐ ☐ ☐	16.9#	284
		48 x 27-3/4"	UPSL04829	☐	☐ ☐ ☐	25.2#	424
		54 x 27-3/4"	UPSL05429	☐	☐ ☐ ☐	27.1#	425
		60 x 27-3/4"	UPSL06029	☐	☐ ☐ ☐	29.0#	435
		72 x 27-3/4"	UPSL07229	☐	☐ ☐ ☐	32.9#	472
 USL	Open Leg - 24-3/4" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPSL01826	☐	☐ ☐ ☐	12.5#	\$ 245
		22 x 24-3/4"	UPSL02226	☐	☐ ☐ ☐	13.8#	249
		24 x 24-3/4"	UPSL02426	☐	☐ ☐ ☐	14.4#	259
		30 x 24-3/4"	UPSL03026	☐	☐ ☐ ☐	16.3#	281
		48 x 24-3/4"	UPSL04826	☐	☐ ☐ ☐	24.6#	421
		54 x 24-3/4"	UPSL05426	☐	☐ ☐ ☐	25.2#	422
		60 x 24-3/4"	UPSL06026	☐	☐ ☐ ☐	28.4#	432
		72 x 24-3/4"	UPSL07226	☐	☐ ☐ ☐	32.3#	469
		A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation.

☐ L- Left

☐ R- Right
- C**Select edge style.

☐ 74P- 74P edge

☐ KN- Knife edge
- D**Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Support Leg

Panel Mounted, Insert



Support Leg

Panel Mounted, Insert

			MODEL NUMBER							
			Basic Model	Left or Right Side	Edge Style	Frame Color	Insert Type	Insert Color		
MODEL			W x H						Approx. Packaged Weight	Delivered Pricing
	Insert Leg - 27-3/4\" Height • Features bracketry to attach to panel frame • Specify width by worksurface depth • Left orientation shown in image • Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPSLI1829	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	16.8#	\$ 385
		22 x 27-3/4"	UPSLI2229	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	18.9#	401
		24 x 27-3/4"	UPSLI2429	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	20.0#	421
		30 x 27-3/4"	UPSLI3029	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	23.0#	465
		48 x 27-3/4"	UPSLI4829	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	35.3#	786
		54 x 27-3/4"	UPSLI5429	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	38.6#	803
		60 x 27-3/4"	UPSLI6029	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	41.8#	826
		72 x 27-3/4"	UPSLI7229	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	48.3#	904
	Insert Leg - 24-3/4\" Height • Features bracketry to attach to panel frame • Specify width by worksurface depth • Left orientation shown in image • Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPSLI1826	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	15.8#	\$ 379
		22 x 24-3/4"	UPSLI2226	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	17.9#	398
		24 x 24-3/4"	UPSLI2426	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	19.0#	416
		30 x 24-3/4"	UPSLI3026	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	21.9#	459
		48 x 24-3/4"	UPSLI4826	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	33.8#	783
		54 x 24-3/4"	UPSLI5426	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	35.6#	798
		60 x 24-3/4"	UPSLI6026	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	40.0#	821
		72 x 24-3/4"	UPSLI7226	☐	☐ ☐ ☐	☐	☐	☐ ☐ ☐	46.2#	898
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation.

☐ L - Left

☐ R - Right
- C**Select edge style.

☐ 74P - 74P edge

☐ KN - Knife edge
- D**Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.
- E**Select insert type.

☐ PS - Perforated steel
- F**Select insert color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Support Leg

Panel Mounted, Center



Support Leg

Panel Mounted, Center

		MODEL NUMBER					
		Basic Model	Left or Right Side	Edge Style	Frame Color		
MODEL	W x H					Approx. Packaged Weight	Delivered Pricing
 USL	Center Leg (Open) - 27-3/4" Height	18 x 27-3/4"	UPSLC1829	☐	☐ ☐ ☐	16.5#	\$ 291
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 27-3/4"	UPSLC2229	☐	☐ ☐ ☐	18.5#	297
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the lockng bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 27-3/4"	UPSLC2429	☐	☐ ☐ ☐	19.4#	305
	• Attaches to panel frame to join two worksurfaces	30 x 27-3/4"	UPSLC3029	☐	☐ ☐ ☐	22.2#	328
	• Specify width by worksurface depth						
	• Leg is non-handed, leg is centered between joining worksurfaces and connects to left hand panel slotting and also covers adjacent right hand slotting						
	• Edge style refers to worksurface that support is being attached to						
 USL	Center Leg (Open) - 24-3/4" Height	18 x 24-3/4"	UPSLC1826	☐	☐ ☐ ☐	15.9#	\$ 285
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 24-3/4"	UPSLC2226	☐	☐ ☐ ☐	17.9#	293
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the lockng bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 24-3/4"	UPSLC2426	☐	☐ ☐ ☐	18.8#	298
	• Attaches to panel frame to join two worksurfaces	30 x 24-3/4"	UPSLC3026	☐	☐ ☐ ☐	21.6#	323
	• Specify width by worksurface depth						
	• Edge style refers to worksurface that support is being attached to						
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation.

L

- Left

R

- Right
- C**Select edge style.

74P

- 74P edge

KN

- Knife edge
- D**Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL		W x H x D	MODEL NUMBER					Approx. Packaged Weight		Delivered Pricing		Metallic Paint add to list price
			Basic Model	Assembly	Paint Color	Lock Option	Lock Color					
 PRDS	Steel Door Overhead Cabinet-On-Module - On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to - Allows for vertical adjustment in 1" increments - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/PM	☐	☐	☐	☐	32.0#	\$ 618	\$ 108		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/PM	☐	☐	☐	☐	36.0#	682	118		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/PM	☐	☐	☐	☐	40.0#	691	119		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/PM	☐	☐	☐	☐	44.0#	738	130		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/PM	☐	☐	☐	☐	49.0#	781	138		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/PM	☐	☐	☐	☐	54.0#	879	143		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/PM	☐	☐	☐	☐	57.0#	953	167		
 PRDS	Steel Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/LB	☐	☐	☐	☐	32.0#	\$ 733	\$ 108		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/LB	☐	☐	☐	☐	36.0#	788	118		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/LB	☐	☐	☐	☐	40.0#	798	119		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/LB	☐	☐	☐	☐	44.0#	848	130		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/LB	☐	☐	☐	☐	49.0#	893	138		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/LB	☐	☐	☐	☐	54.0#	988	143		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/LB	☐	☐	☐	☐	57.0#	1067	167		
 PRDS	Steel Door Overhead Cabinet-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/UM	☐	☐	☐	☐	32.0#	\$ 788	\$ 108		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/UM	☐	☐	☐	☐	36.0#	849	118		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/UM	☐	☐	☐	☐	40.0#	860	119		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/UM	☐	☐	☐	☐	44.0#	905	130		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/UM	☐	☐	☐	☐	49.0#	950	138		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/UM	☐	☐	☐	☐	54.0#	1072	143		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/UM	☐	☐	☐	☐	57.0#	1128	167		

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | |
|---------------------------------------|
| B Select assembly. |
| U - Unassembled |
| F - Fully Assembled; add \$189 |
- C**Select paint color.
Refer to the **Product Color Options** page in this price list.
- | |
|------------------------------------|
| D Select lock option. |
| KS - Key standard - 1 lock |
| NLC - No lock core - 1 lock |
- E**Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER														
			Basic Model	Assembly	Paint Color	Fabric Color	Lock Option	Lock Color									
MODEL			W x H x D							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price	
 PRDF	Fabric Door Overhead Cabinet-On-Module - On-Module overheads (PM) mount into slots in vertical posts and must be the same width as panel mounted to - Allows for vertical adjustment in 1” increments - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4”	24 x 16-1/2 x 14-1/2”	PRDF24/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	32.0#	\$ 651	\$ 661	\$ 672	\$ 672	\$ 679	\$ 108		
		30 x 16-1/2 x 14-1/2”	PRDF30/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	36.0#	710	723	733	733	740	118		
		36 x 16-1/2 x 14-1/2”	PRDF36/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	40.0#	728	739	749	749	759	119		
		42 x 16-1/2 x 14-1/2”	PRDF42/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	44.0#	772	783	794	794	807	130		
		48 x 16-1/2 x 14-1/2”	PRDF48/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	49.0#	820	837	846	846	855	138		
		54 x 16-1/2 x 14-1/2”	PRDF54/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	53.0#	808	828	834	834	849	143		
		60 x 16-1/2 x 14-1/2”	PRDF60/UN/PM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	57.0#	1001	1020	1028	1028	1044	167		
 PRDF	Fabric Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4”	24 x 16-1/2 x 14-1/2”	PRDF24/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	32.0#	\$ 762	\$ 772	\$ 780	\$ 780	\$ 786	\$ 108		
		30 x 16-1/2 x 14-1/2”	PRDF30/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	36.0#	820	833	842	842	851	118		
		36 x 16-1/2 x 14-1/2”	PRDF36/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	40.0#	837	847	859	859	865	119		
		42 x 16-1/2 x 14-1/2”	PRDF42/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	44.0#	885	894	906	906	915	130		
		48 x 16-1/2 x 14-1/2”	PRDF48/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	49.0#	932	946	960	960	967	138		
		54 x 16-1/2 x 14-1/2”	PRDF54/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	53.0#	1050	1058	1068	1068	1075	143		
		60 x 16-1/2 x 14-1/2”	PRDF60/UN/LB	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	57.0#	1113	1133	1142	1142	1153	167		
 PRDF	Fabric Door Overhead Cabinet-Upmount - On a 48” panel, clearance between the Universal overhead and 29” high worksurface is 18.85” - On a 56” panel, clearance between the Universal overhead and 29” high worksurface is 26.85” - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4”	24 x 16-1/2 x 14-1/2”	PRDF24/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	32.0#	\$ 820	\$ 832	\$ 840	\$ 840	\$ 846	\$ 108		
		30 x 16-1/2 x 14-1/2”	PRDF30/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	36.0#	883	891	899	899	911	118		
		36 x 16-1/2 x 14-1/2”	PRDF36/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	40.0#	895	907	919	919	928	119		
		42 x 16-1/2 x 14-1/2”	PRDF42/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	44.0#	941	952	967	967	976	130		
		48 x 16-1/2 x 14-1/2”	PRDF48/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	49.0#	991	1004	1014	1014	1022	138		
		54 x 16-1/2 x 14-1/2”	PRDF54/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	53.0#	1095	1117	1125	1125	1122	143		
		60 x 16-1/2 x 14-1/2”	PRDF60/UN/UM	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	57.0#	1169	1191	1199	1199	1210	167		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select assembly.
- | | |
|----------|------------------------------|
| U | - Unassembled |
| F | - Fully Assembled; add \$189 |
- C**Select paint color.
Refer to the **Product Color Options** page in this price list.
- D**Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E**Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- F**Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
			Basic Model	Assembly	Paint Color	Laminate Color	Lock Option	Lock Color					
 PRDL	Laminate Door Overhead Cabinet-On-Module (PM) - On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/PM	☐	☐	☐	☐	☐	32.0#	\$ 834	\$ 108	\$ 19	\$ 120
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/PM	☐	☐	☐	☐	☐	36.0#	915	118	19	120
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/PM	☐	☐	☐	☐	☐	40.0#	932	119	19	120
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/PM	☐	☐	☐	☐	☐	44.0#	992	130	19	120
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/PM	☐	☐	☐	☐	☐	48.0#	1054	138	19	120
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/PM	☐	☐	☐	☐	☐	53.0#	1109	143	19	120
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/PM	☐	☐	☐	☐	☐	57.0#	1291	167	19	120
 PRDL	Laminate Door Overhead Cabinet-Load Bar Mount (LB) - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/LB	☐	☐	☐	☐	☐	32.0#	\$ 944	\$ 108	\$ 19	\$ 120
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/LB	☐	☐	☐	☐	☐	36.0#	1023	118	19	120
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/LB	☐	☐	☐	☐	☐	40.0#	1045	119	19	120
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/LB	☐	☐	☐	☐	☐	44.0#	1102	130	19	120
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/LB	☐	☐	☐	☐	☐	48.0#	1164	138	19	120
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/LB	☐	☐	☐	☐	☐	53.0#	1300	143	19	120
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/LB	☐	☐	☐	☐	☐	57.0#	1397	167	19	120
 PRDL	Laminate Door Overhead Cabinet-Up-mount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/UM	☐	☐	☐	☐	☐	32.0#	\$ 1003	\$ 108	\$ 19	\$ 120
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/UM	☐	☐	☐	☐	☐	36.0#	1084	118	19	120
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/UM	☐	☐	☐	☐	☐	40.0#	1099	119	19	120
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/UM	☐	☐	☐	☐	☐	44.0#	1163	130	19	120
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/UM	☐	☐	☐	☐	☐	48.0#	1222	138	19	120
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/UM	☐	☐	☐	☐	☐	53.0#	1357	143	19	120
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/UM	☐	☐	☐	☐	☐	57.0#	1458	167	19	120

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select assembly.
- | | |
|----------|------------------------------|
| U | - Unassembled |
| F | - Fully Assembled; add \$189 |
- C**Select paint color.
- Refer to the **Product Color Options** page in this price list.
- D**Select laminate color.
- Refer to the **Product Color Options** page in this price list.
- E**Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- F**Select lock color.
- Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

		MODEL NUMBER					
		Basic Model	Paint Color				
MODEL		W x H x D			Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
 ULSR	Low Shelf-On-Module On-Module shelves (PM) mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 10-1/2 x 13-1/4"	ULSR24/UN/PM	☐	14.0#	\$ 269	\$ 108
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/PM	☐	16.0#	279	118
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/PM	☐	17.0#	294	119
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/PM	☐	19.0#	305	130
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/PM	☐	20.0#	310	138
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/PM	☐	22.0#	331	143
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/PM	☐	24.0#	340	167
 ULSR	Low Shelf-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 10-1/2 x 13-1/4"	ULSR24/UN/LB	☐	14.0#	\$ 377	\$ 108
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/LB	☐	16.0#	390	118
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/LB	☐	17.0#	402	119
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/LB	☐	19.0#	416	130
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/LB	☐	20.0#	420	138
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/LB	☐	22.0#	448	143
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/LB	☐	24.0#	450	167
 ULSR	Low Shelf-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"	24 x 10-1/2 x 13-1/4"	ULSR24/UN/UM	☐	14.0#	\$ 438	\$ 108
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/UM	☐	16.0#	447	118
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/UM	☐	17.0#	462	119
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/UM	☐	19.0#	476	130
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/UM	☐	20.0#	481	138
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/UM	☐	22.0#	505	143
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/UM	☐	24.0#	514	167
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes 10-1/2" high back
Accepts shelf dividers
Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

		MODEL NUMBER					
		Basic Model	Paint Color				
MODEL	W x H x D			Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price	
 URSR	Regular Shelf-On-Module • On-Module shelves mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 13-1/4"	URSR24/UN/PM	☐ ☐	19.0#	\$ 290	\$ 108
		30 x 16-1/2 x 13-1/4"	URSR30/UN/PM	☐ ☐	20.0#	301	118
		36 x 16-1/2 x 13-1/4"	URSR36/UN/PM	☐ ☐	22.0#	310	119
		42 x 16-1/2 x 13-1/4"	URSR42/UN/PM	☐ ☐	23.0#	320	130
		48 x 16-1/2 x 13-1/4"	URSR48/UN/PM	☐ ☐	25.0#	334	138
		54 x 16-1/2 x 13-1/4"	URSR54/UN/PM	☐ ☐	27.0#	351	143
		60 x 16-1/2 x 13-1/4"	URSR60/UN/PM	☐ ☐	28.0#	362	167
 URSR	Regular Shelf-Load Bar Mount • Load Bar mount overheads (LB) hang from an externally mounted load bar • Load Bar purchased separately	24 x 16-1/2 x 13-1/4"	URSR24/UN/LB	☐ ☐	19.0#	\$ 399	\$ 108
		30 x 16-1/2 x 13-1/4"	URSR30/UN/LB	☐ ☐	20.0#	411	118
		36 x 16-1/2 x 13-1/4"	URSR36/UN/LB	☐ ☐	22.0#	420	119
		42 x 16-1/2 x 13-1/4"	URSR42/UN/LB	☐ ☐	23.0#	434	130
		48 x 16-1/2 x 13-1/4"	URSR48/UN/LB	☐ ☐	25.0#	442	138
		54 x 16-1/2 x 13-1/4"	URSR54/UN/LB	☐ ☐	27.0#	459	143
		60 x 16-1/2 x 13-1/4"	URSR60/UN/LB	☐ ☐	28.0#	473	167
 URSR	Regular Shelf-Upmount • On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" • On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"	24 x 16-1/2 x 13-1/4"	URSR24/UN/UM	☐ ☐	19.0#	\$ 457	\$ 108
		30 x 16-1/2 x 13-1/4"	URSR30/UN/UM	☐ ☐	20.0#	472	118
		36 x 16-1/2 x 13-1/4"	URSR36/UN/UM	☐ ☐	22.0#	481	119
		42 x 16-1/2 x 13-1/4"	URSR42/UN/UM	☐ ☐	23.0#	489	130
		48 x 16-1/2 x 13-1/4"	URSR48/UN/UM	☐ ☐	25.0#	501	138
		54 x 16-1/2 x 13-1/4"	URSR54/UN/UM	☐ ☐	27.0#	522	143
		60 x 16-1/2 x 13-1/4"	URSR60/UN/UM	☐ ☐	28.0#	530	167
		A	B				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes full back
Accepts shelf dividers
Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Universal Storage and Accessories

Overhead Accessories



Universal Storage and Accessories

Overhead Accessories

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	Features			Approx. Packaged Weight	Delivered Pricing
 UNA01	Universal Overhead On-Module Mounting Bracket	48.0261.SET		1.00#	\$ 54
	• Sold in pairs / Black only				
	• Mounts into slots in vertical posts				
	• Allows for vertical adjustments in 1" increments				
	• Only necessary to order if changing mounting style				
 AC912	Load Bar Brackets	46.2103	☐ ☐	1.00#	\$ 164
	• Load Bar mount overheads hang from an externally mounted load bar				
	• Load Bar purchased separately, Sold in pairs				
 AC912	Upmount Brackets	46.2299	☐ ☐	1.00#	\$ 204
	• On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85"				
	• On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"				
	• Sold in pairs				
AC905	P-Series Keys				
	• Double bit design	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC	0.40#	\$ 16
	• Range of 200 different core/key numbers available	Lock Core/2 Key Set - Black	2.KP20522	0.40#	16
		Master Key	2.KP20550	0.20#	12
	• Must specify lock number(s) requested when ordering cut key or lock core/key sets	Extractor Key	2.KP20551	0.20#	12
		Blank Key	2.KP20552	0.20#	3
		Cut Key	2.KP20557	0.20#	4
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER											
		Basic Model	Trim Color	Mounting	Fabric Color								
MODEL	W x H					Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Universal Shelf Dividers	7-1/4 x 11-1/2"	NSD	☐ ☐		1.00#	\$ 37						
	• Steel shelf dividers with powder-coated finish												
	• Fits on all shelves and cabinets												
AC907													
	Wall Mounted Load Bar	24"	SWLB.24	☐ ☐		5.00#	\$ 162						
	• Supports overhead storage on drywall or other non-panel applications	30"	SWLB.30	☐ ☐		6.00#	173						
		36"	SWLB.36	☐ ☐		7.00#	176						
		42"	SWLB.42	☐ ☐		8.00#	195						
		48"	SWLB.48	☐ ☐		10.00#	201						
		54"	SWLB.54	☐ ☐		13.00#	238						
		60"	SWLB.60	☐ ☐		12.00#	239						
		66"	SWLB.66	☐ ☐		13.00#	242						
		72"	SWLB.72	☐ ☐		14.00#	251						
		84"	SWLB.84	☐ ☐		17.00#	388						
		96"	SWLB.96	☐ ☐		19.00#	408						
	Overhead Tackboard	24 x 12"	PTB02412	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	3.00#	N/A	\$ 197	\$ 203	\$ 206	\$ 216	\$ 227
	• Hangs from bottom of overhead cabinet or shelf	30 x 12"	PTB03012	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	3.00#	N/A	217	220	223	237	248
	• Includes mounting brackets in black only	36 x 12"	PTB03612	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	3.00#	N/A	239	244	247	253	268
		42 x 12"	PTB04212	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	4.00#	N/A	246	250	253	261	280
		48 x 12"	PTB04812	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	4.00#	N/A	249	253	256	268	284
		54 x 12"	PTB05412	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	4.00#	N/A	284	292	298	307	323
		60 x 12"	PTB06012	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	4.00#	N/A	296	303	305	318	333
PTBO													
		A	B	C	D								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.
- C

Select mounting.

NLBM

- Not load bar mounted

YLBM

- Load bar mounted
- D

Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		W	Basic Model	Approx. Packaged Weight	Delivered Pricing
 AC300	Single Unit - Overhead LED Task Light	12"	LEDTK.12.SGL.GN	1.20#	\$ 152
	• Attaches to the bottom of overhead storage cabinets or shelving • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart. • Slim profile mounts effortlessly via magnets or screw-in bracket • Attachment hardware included • Touch and hold dimmability with last-state memory • Silver anodized aluminum body/black plastic end caps • 9' power supply • Includes 2 cord managers	17"	LEDTK.17.SGL.GN	1.60#	195
		31"	LEDTK.31.SGL.GN	2.10#	238
		44"	LEDTK.44.SGL.GN	2.30#	273
	 AC300	Starter Unit - Overhead LED Task Light	12"	LEDTK.12.DCP.GN	1.20#
• Attaches to the bottom of overhead storage cabinets or shelving • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart. • Slim profile mounts effortlessly via magnets or screw-in bracket • Attachment hardware included • Touch and hold dimmability with last-state memory • Silver anodized aluminum body/black plastic end caps • Daisy chain with Adder units • 11' power supply • Includes 2 cord managers • Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures		17"	LEDTK.17.DCP.GN	1.60#	248
		31"	LEDTK.31.DCP.GN	2.10#	293
		44"	LEDTK.44.DCP.GN	2.30#	332



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH

Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.)

(DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 AC300	Adder Unit - Overhead LED Task Light	12"	LEDTK.12.DCA.GN		1.20#	\$ 99
	• Attaches to the bottom of overhead storage cabinets or shelving	17"	LEDTK.17.DCA.GN		1.60#	113
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.	31"	LEDTK.31.DCA.GN		2.10#	157
	• Slim profile mounts effortlessly via magnets or screw-in bracket	44"	LEDTK.44.DCA.GN		2.30#	195
	• Attachment hardware included					
	• Touch and hold dimmability with last-state memory					
	• Silver anodized aluminum body/black plastic end caps					
	• Daisy chain with Starter units					
	• 18' jumper cord and connect to starter unit					
	• Includes 2 cord managers					
	• Does not include power supply; must purchase starter unit with power supply					
	• Controlled by the on/off/dimmer of the starter unit					
	• Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures					

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER								
			Basic Model	Cabinet Paint Color	Upper Door Solid Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing		
	MODEL	W x H x D	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM)	30 x 17 x 19-1/4"	BLCS30/UN/PM	□□□	□□□	□□□	□□□	46.0#	\$ 1312
				36 x 17 x 19-1/4"	BLCS36/UN/PM	□□□	□□□	□□□	□□□	52.0#	1396
			• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/PM	□□□	□□□	□□□	□□□	58.0#	1470
			• On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	48 x 17 x 19-1/4"	BLCS48/UN/PM	□□□	□□□	□□□	□□□	64.0#	1521
				54 x 17 x 19-1/4"	BLCS54/UN/PM	□□□	□□□	□□□	□□□	72.0#	1607
				60 x 17 x 19-1/4"	BLCS60/UN/PM	□□□	□□□	□□□	□□□	78.0#	1695
	MODEL	W x H x D	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCS30/UN/LB	□□□	□□□	□□□	□□□	46.0#	\$ 1517
				36 x 17 x 19-1/4"	BLCS36/UN/LB	□□□	□□□	□□□	□□□	52.0#	1603
			• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/LB	□□□	□□□	□□□	□□□	58.0#	1671
			• Load Bar Mount overheads hang from an externally mounted load bar	48 x 17 x 19-1/4"	BLCS48/UN/LB	□□□	□□□	□□□	□□□	64.0#	1722
				54 x 17 x 19-1/4"	BLCS54/UN/LB	□□□	□□□	□□□	□□□	72.0#	1809
			• Load Bar purchased separately	60 x 17 x 19-1/4"	BLCS60/UN/LB	□□□	□□□	□□□	□□□	78.0#	1897
	MODEL	W x H x D	Balance® Overhead Cabinet-Solid Color Upper Door-Upmount	30 x 17 x 19-1/4"	BLCS30/UN/UM	□□□	□□□	□□□	□□□	46.0#	\$ 1418
				36 x 17 x 19-1/4"	BLCS36/UN/UM	□□□	□□□	□□□	□□□	52.0#	1503
			• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/UM	□□□	□□□	□□□	□□□	58.0#	1576
			• Upmount brackets raise the storage 12"	48 x 17 x 19-1/4"	BLCS48/UN/UM	□□□	□□□	□□□	□□□	64.0#	1626
			• On a 48" panel, clearance between the Balance overhead and 29" high work surface is 18.85"	54 x 17 x 19-1/4"	BLCS54/UN/UM	□□□	□□□	□□□	□□□	72.0#	1704
				60 x 17 x 19-1/4"	BLCS60/UN/UM	□□□	□□□	□□□	□□□	78.0#	1805
			• On a 56" panel, clearance between the Balance overhead and 29" high work surface is 26.85"								
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select upper door color.
Refer to the **Product Color Options** page in this price list.
- D** Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships assembled, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 77.5.**

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.

C

Select upper door color.
Refer to ki.com/fabrics

D

Select lock option.

KS	- Key standard - 1 lock
NLC	- No lock core - 1 lock

E

Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 77.5.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER										
			Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Lock Color					
MODEL	W x H x D								Approx. Packaged Weight	Delivered Pricing		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-On-Module	30 x 17 x 19-1/4"	BLCL30/UN/PM	□□□	□□□	□□□	□□□	□□□	46.0#	\$ 1615		\$ 19	\$ 120
		36 x 17 x 19-1/4"	BLCL36/UN/PM	□□□	□□□	□□□	□□□	□□□	52.0#	1664		19	120
	• On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to	42 x 17 x 19-1/4"	BLCL42/UN/PM	□□□	□□□	□□□	□□□	□□□	58.0#	1774		19	120
	• Allows for vertical adjustment in 1" increments.	48 x 17 x 19-1/4"	BLCL48/UN/PM	□□□	□□□	□□□	□□□	□□□	64.0#	1897		19	120
		54 x 17 x 19-1/4"	BLCL54/UN/PM	□□□	□□□	□□□	□□□	□□□	71.0#	2017		19	120
		60 x 17 x 19-1/4"	BLCL60/UN/PM	□□□	□□□	□□□	□□□	□□□	78.0#	2136		19	120
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCL30/UN/LB	□□□	□□□	□□□	□□□	□□□	46.0#	\$ 1819		\$ 19	\$ 120
		36 x 17 x 19-1/4"	BLCL36/UN/LB	□□□	□□□	□□□	□□□	□□□	52.0#	1862		19	120
	• Load Bar Mount overheads (LB) hang from an externally mounted load bar	42 x 17 x 19-1/4"	BLCL42/UN/LB	□□□	□□□	□□□	□□□	□□□	58.0#	1977		19	120
	• Load Bar purchased separately	48 x 17 x 19-1/4"	BLCL48/UN/LB	□□□	□□□	□□□	□□□	□□□	64.0#	2100		19	120
		54 x 17 x 19-1/4"	BLCL54/UN/LB	□□□	□□□	□□□	□□□	□□□	71.0#	2229		19	120
		60 x 17 x 19-1/4"	BLCL60/UN/LB	□□□	□□□	□□□	□□□	□□□	78.0#	2342		19	120
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Upmount	30 x 17 x 19-1/4"	BLCL30/UN/UM	□□□	□□□	□□□	□□□	□□□	46.0#	\$ 1726		\$ 19	\$ 120
		36 x 17 x 19-1/4"	BLCL36/UN/UM	□□□	□□□	□□□	□□□	□□□	52.0#	1772		19	120
	• Upmount brackets raise the storage component 12"	42 x 17 x 19-1/4"	BLCL42/UN/UM	□□□	□□□	□□□	□□□	□□□	58.0#	1884		19	120
	• On a 48" panel, clearance between the Balance overhead and 29" high worksur-	48 x 17 x 19-1/4"	BLCL48/UN/UM	□□□	□□□	□□□	□□□	□□□	64.0#	2003		19	120
	face is 18.85"	54 x 17 x 19-1/4"	BLCL54/UN/UM	□□□	□□□	□□□	□□□	□□□	71.0#	2168		19	120
	• On a 56" panel, clearance between the Balance overhead and 29" high worksur-	60 x 17 x 19-1/4"	BLCL60/UN/UM	□□□	□□□	□□□	□□□	□□□	78.0#	2245		19	120
	face is 26.85"												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.
- C**Select upper door laminate color.
Refer to the **Product Color Options** page in this price list.
- D**Select laminate door edge color.
Refer to the **Product Color Options** page in this price list.
- E**Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- F**Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering
KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES






Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 77.5.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing
 BOA	Balance® Overhead On-Module Mounting Bracket - Sold in pairs - Mounts into slots in vertical posts - Black only		BOA/UN/PM		5.00#	\$ 223
 BOA	Load Bar Brackets - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Sold in pairs		BOA/UN/LB	☐ ☐	5.00#	\$ 280
 BOA	Upmount Brackets - On a 48" panel, clearance between the Balance® overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Balance® overhead and 29" high work-surface is 26.85" - Sold in pairs		BOA/UN/UM	☐ ☐	5.00#	\$ 345
 AC907	Shelf Dividers - Steel shelf dividers with powder coat finish - Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐ ☐	1.00#	\$ 37
 AC904	Wall Mounted Load Bar	24"	SWLB.24	☐ ☐	5.00#	\$ 162
		30"	SWLB.30	☐ ☐	6.00#	173
		36"	SWLB.36	☐ ☐	7.00#	176
		42"	SWLB.42	☐ ☐	8.00#	195
		48"	SWLB.48	☐ ☐	10.00#	201
		54"	SWLB.54	☐ ☐	13.00#	238
		60"	SWLB.60	☐ ☐	12.00#	239
		66"	SWLB.66	☐ ☐	13.00#	242
		72"	SWLB.72	☐ ☐	14.00#	251
		84"	SWLB.84	☐ ☐	17.00#	388
		96"	SWLB.96	☐ ☐	19.00#	408

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select paint color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER													
MODEL			Features	W x H	Basic Model	Trim Color	Mounting	Fabric Color		Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 PTBO	Overhead Tackboard		24 x 12"	PTB02412	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		3.00#	N/A	\$ 197	\$ 203	\$ 206	\$ 216	\$ 227	
	• Hangs from bottom of flipper door cabinet or shelf		30 x 12"	PTB03012	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		3.00#	N/A	217	220	223	237	248	
	• When hanging from Balance® overhead or U-Series™ sliding overhead, specify attachment bar BMB (purchase separately) and a /YLBM mounting option		36 x 12"	PTB03612	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		3.00#	N/A	239	244	247	253	268	
	• Includes mounting brackets in black only		42 x 12"	PTB04212	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	246	250	253	261	280	
			48 x 12"	PTB04812	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	249	253	256	268	284	
			54 x 12"	PTB05412	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	284	292	298	307	323	
			60 x 12"	PTB06012	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	296	303	305	318	333	
			24 x 16"	PTB02416	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		3.00#	N/A	283	290	296	304	323	
			30 x 16"	PTB03016	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	292	300	305	314	338	
			36 x 16"	PTB03616	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		4.00#	N/A	299	305	312	321	345	
			42 x 16"	PTB04216	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		5.00#	N/A	304	312	318	328	348	
			48 x 16"	PTB04816	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		5.00#	N/A	318	328	333	345	369	
			54 x 16"	PTB05416	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		6.00#	N/A	331	344	348	359	382	
			60 x 16"	PTB06016	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		6.00#	N/A	347	355	364	375	403	
 BOA	Tackboard/Tool Rail Attachment Bar		30"	BMB30	☐ ☐				3.00#	\$ 55						
	• Attachment bracket that attaches to the bottom of a Balance® overhead or U-Series™ sliding overhead to accept overhead tackboard		36"	BMB36	☐ ☐				3.00#	55						
			42"	BMB42	☐ ☐				3.00#	56						
			48"	BMB48	☐ ☐				4.00#	66						
	• Order same size as overhead cabinet		54"	BMB54	☐ ☐				4.00#	67						
	• 18-gauge steel		60"	BMB60	☐ ☐				4.00#	71						
	• Black only															
AC905	P-Series Keys		Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC					0.40#	\$ 16						
	• Double bit design		Lock Core/2 Key Set - Black	2.KP20522					0.40#	16						
	• Range of 200 different core/key numbers available		Master Key	2.KP20550					0.20#	12						
	• Must specify lock number(s) requested when ordering cut key or lock core/key sets		Extractor Key	2.KP20551					0.20#	12						
			Blank Key	2.KP20552					0.20#	3						
			Cut Key	2.KP20557					0.20#	4						

A

B

C

D

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.
- C**Select mounting.
NLBM - Not load bar mounted
YLBM - Load bar mounted
- D**Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




U-Series™ Pedestals

Mobile



U-Series™ Pedestals

Mobile

				MODEL NUMBER									
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style					
MODEL				Features	W x D x H					Approx. Packaged Weight	Delivered Pricing		Whites & All Metallics Upcharge
	Pedestal - MBF • One 6" box drawer • One 12" file drawer • 5th wheel eliminates need for counter-balance weight • Optional dividers sold separately	Mobile	15 x 17-5/8" x 21-3/4"	ULP20MBF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	38.0#	\$ 450		\$ 84	
		Mobile	15 x 21-5/8" x 21-3/4"	ULP24MBF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	42.0#	477		84	
USLP													
	Pedestal - BBF • Two 6" box drawers • One 12" file drawer • 5th wheel eliminates need for counter-balance weight • Optional dividers sold separately	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MBBF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	49.0#	\$ 539		\$ 84	
		Mobile	15 x 21-5/8" x 27-5/8"	ULP24MBBF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.0#	564		84	
USLP													
	Pedestal - FF • Two 12" file drawers • Counterbalance weight included • Optional dividers sold separately	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MFF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	79.0#	\$ 645		\$ 84	
		Mobile	15 x 21-5/8" x 27-5/8"	ULP24MFF	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.0#	650		84	
USLP													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.
- C**Select lock option.

KS

- Key standard - 1 lock

NLC

- No lock core - 1 lock
- D**Select lock color.
Refer to the **Product Color Options** page in this price list.
- E**Select pull style.

CZP

- Nickel Rectangle (Connection Zone) pull

USP

- U-Series pull

INFORMATION

Height
Mobile pedestal include 2-5/16" allowance for casters.

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


U-Series™ Pedestals

Freestanding



U-Series™ Pedestals

Freestanding

				MODEL NUMBER									
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style					
MODEL				Features	W x D x H						Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Pedestal - BBF • Features 2-5/8" non-adjustable glides • Two 6" box drawers • One 12" file drawer • Center caster eliminates need for counterbalance weight • Optional dividers sold separately	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FBBF	☐	☐	☐	☐	49.0#	\$ 574	\$ 84		
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FBBF	☐	☐	☐	☐	51.0#	609	84		
USLP													
	Pedestal - FF • Features 2-5/8" non-adjustable glides • Two 12" file drawers • Counterbalance is included • Optional dividers sold separately	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FFF	☐	☐	☐	☐	79.0#	\$ 674	\$ 84		
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FFF	☐	☐	☐	☐	71.0#	683	84		
USLP													
				A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.
- C**Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- D**Select lock color.
Refer to the **Product Color Options** page in this price list.
- E**Select pull style.
- | | |
|------------|---|
| CZP | - Nickel Rectangle (Connection Zone) pull |
| USP | - U-Series pull |

INFORMATION

Height
All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



U-Series™ Pedestals

Worksurface Supporting



U-Series™ Pedestals

Worksurface Supporting

			MODEL NUMBER									
			Basic Model	Unit Color	Bracket	Lock Option	Lock Color	Pull Style	Approx. Packaged Weight	Delivered Pricing	Counter-balance Weight add to list price	Whites & All Metallics Upcharge
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WBBF	☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	47.0#	\$ 559	N/A	\$ 84
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WBBF	☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	592	N/A	84
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WFF	☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	43.0#	\$ 501	\$ 109	\$ 84
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WFF	☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	48.0#	523	109	84
			A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.

CSelect bracket.

NB	- No bracket
3K24	- 24" worksurface; add \$109
3K30	- 30" worksurface; add \$109
SW24	- 24" worksurface; add \$109
SW30	- 30" worksurface; add \$109
UN22	- 22" Unite worksurface; add \$109
UN24	- 24" worksurface; add \$109
UN24KN	- 24" Unite worksurface w/knife edge; add \$109
UN30	- 30" Unite worksurface; add \$109
UN30KN	- 30" Unite worksurface w/knife edge; add \$109
WW24	- 24" worksurface; add \$109
WW30	- 30" worksurface; add \$109

When ordering:
3K for System 3000
SW for Studio Works
UN for Unite
WW for WireWorks
If ped is not replacing return, no bracket is required.

DSelect lock option.

KS	- Key standard - 1 lock
NLC	- No lock core - 1 lock

ESelect lock color.
Refer to the **Product Color Options** page in this price list.

FSelect pull style.

CZP	- Nickel Rectangle (Connection Zone) pull
USP	- U-Series pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


U-Series™ Double Pedestals

Worksurface Supporting



U-Series™ Double Pedestals

Worksurface Supporting

		MODEL NUMBER							
		Basic Model	Unit Color	Bracket	Lock Option	Lock Color	Pull Style		
	MODEL							Approx. Packaged Weight	Whites & All Metallics Upcharge
	30" Wide, 2 High	UDP302D	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	88.0#	\$ 84
	• Two 12" drawers with side-to-side hanging folder bars								
	• For use within panel systems' planning only, may not be planned free standing								
PUSP									
		A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an upcharge. Please see upcharge column.
- C** Select bracket.
- | | |
|---------------|---|
| NB | - No bracket |
| 3K24 | - 24" worksurface; add \$106 |
| 3K30 | - 30" worksurface; add \$115 |
| SW24 | - 24" worksurface; add \$137 |
| SW30 | - 30" worksurface; add \$142 |
| UN22 | - 22" Unite worksurface; add \$106 |
| UN24 | - 24" worksurface; add \$106 |
| UN24KN | - 24" Unite worksurface w/knife edge; add \$106 |
| UN30 | - 30" Unite worksurface; add \$106 |
| UN30KN | - 30" Unite worksurface w/knife edge; add \$106 |
| WW24 | - 24" worksurface; add \$99 |
| WW30 | - 30" worksurface; add \$104 |

- When ordering:
- 3K** for System 3000
 - SW** for Studio Works
 - UN** for Unite
 - WW** for WireWorks
- If ped is not replacing return, no bracket is required.
- D** Select lock option.
- | | |
|------------|-------------------------|
| KS | - Key standard - 1 lock |
| NLC | - No lock core - 1 lock |
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.
- F** Select pull style.
- | | |
|------------|---|
| CZP | - Nickel Rectangle (Connection Zone) pull |
| USP | - U-Series pull |

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Height
Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

Folder Bars
Files are configured for side-to-side media storage.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



U-Series™ Wardrobe Towers

48” High Cabinet



U-Series™ Wardrobe Towers

48” High Cabinet

					MODEL NUMBER									
MODEL				Features	W x D x H	Basic Model	Unit Color	Lock Option	Lock Color	Pull Style	Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge	
 left shown	Wardrobe/Cabinet - File/File • Wardrobe and cabinet lock independently • Pedestal features two 12" drawers and locks independently of wardrobe • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled				Left	24 x 22 x 48"	UWFFC48L	☐	☐	☐	☐	122.0#	\$ 2000	\$ 135
					Right	24 x 22 x 48"	UWFFC48R	☐	☐	☐	☐	122.0#	2000	135
PUSW														
 left shown	Wardrobe/Cabinet - Box/Box/File • Wardrobe and cabinet lock independently • Pedestal features two 6" box drawers and one 12" file drawer • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled				Left	24 x 22 x 48"	UWBBFC48L	☐	☐	☐	☐	127.0#	\$ 2083	\$ 135
					Right	24 x 22 x 48"	UWBBFC48R	☐	☐	☐	☐	127.0#	2083	135
PUSW														



U-Series™ Wardrobe Towers

64” High Cabinet



U-Series™ Wardrobe Towers

64” High Cabinet

				MODEL NUMBER							
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 left shown	MODEL	Features	W x D x H						Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64”	UWFFC64L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	152.0#	\$ 2098	\$ 201
	• Wardrobe and cabinet lock independently	Right	24 x 22 x 64”	UWFFC64R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	152.0#	2098	201
	• Pedestal features two 12” drawers and locks independently of wardrobe										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
 left shown	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 64”	UWBBFC64L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	157.0#	\$ 2149	\$ 201
	• Wardrobe and cabinet lock independently	Right	24 x 22 x 64”	UWBBFC64R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	157.0#	2149	201
	• Pedestal features two 6” box drawers and one 12” file drawer										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an upcharge. Please see upcharge column.
- C** Select lock option.
KS - Key standard - 3 locks
NLC - No lock core - 3 locks
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style.
CZP - Nickel Rectangle (Connection Zone) pull
USP - U-Series pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



U-Series™ Wardrobe Towers

48” High Side Access Bookcase



U-Series™ Wardrobe Towers

48” High Side Access Bookcase

					MODEL NUMBER									
					Basic Model	Unit Color	Lock Option	Lock Color	Pull Style					
MODEL					Features	W x D x H						Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
 left shown	Wardrobe/Side Access Bookcase - File/File • Pedestal features two 12" drawers and locks independently of wardrobe • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled • 48" Tower does not include adjustable shelf				Left	24 x 22 x 48"	UWFFB48L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	120.0#	\$ 1948	\$ 135	
					Right	24 x 22 x 48"	UWFFB48R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	120.0#	1948	135	
PUSW														
 left shown	Wardrobe/Side Access Bookcase - Box/Box/File • Pedestal features two 6" box drawers and one 12" file drawer • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled • 48" Tower does not include adjustable shelf				Left	24 x 22 x 48"	UWBBFB48L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	125.0#	\$ 1971	\$ 135	
					Right	24 x 22 x 48"	UWBBFB48R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	125.0#	1971	135	
PUSW														
					A	B	C	D	E					



U-Series™ Wardrobe Towers

64” High Side Access Bookcase



U-Series™ Wardrobe Towers

64” High Side Access Bookcase

				MODEL NUMBER							
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 left shown	MODEL	Features	W x D x H						Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Wardrobe/Side Access Bookcase - File/File	Left	24 x 22 x 64”	UWFFB64L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	155.0#	\$ 2149	\$ 201
		Right	24 x 22 x 64”	UWFFB64R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	155.0#	2149	201
	• Pedestal features two 12” drawers and locks independently of wardrobe										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
 left shown	Wardrobe/Side Access Bookcase - Box/Box/File	Left	24 x 22 x 64”	UWBBFB64L	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	160.0#	\$ 2181	\$ 201
		Right	24 x 22 x 64”	UWBBFB64R	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	160.0#	2181	201
	• Pedestal features two 6” box drawers and one 12” file drawer										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.
- C**Select lock option.

KS

- Key standard - 2 locks

NLC

- No lock core - 2 locks
- D**Select lock color.
Refer to the **Product Color Options** page in this price list.
- E**Select pull style.

CZP

- Nickel Rectangle (Connection Zone) pull

USP

- U-Series pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Overheads



U-Series™ Overheads

			MODEL NUMBER								
MODEL			W x D x H	Basic Model	Bracket	Unit Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Sliding Door Overhead		35-3/4 x 14-3/8 x 14-7/16	USSDH36	□□□□□	□□	□□□	□□□	38.0#	\$ 719	\$ 84
	• Lockable sliding door extends slightly beyond the center of overhead		41-3/4 x 14-3/8 x 14-7/16	USSDH42	□□□□□	□□	□□□	□□□	42.0#	768	84
	• Overhead accommodates standard binders		47-3/4 x 14-3/8 x 14-7/16	USSDH48	□□□□□	□□	□□□	□□□	47.0#	816	84
			53-3/4 x 14-3/8 x 14-7/16	USSDH54	□□□□□	□□	□□□	□□□	52.0#	934	84
			59-3/4 x 14-3/8 x 14-7/16	USSDH60	□□□□□	□□	□□□	□□□	57.0#	999	84
			71-3/4 x 14-3/8 x 14-7/16	USSDH72	□□□□□	□□	□□□	□□□	67.0#	1179	84
				A	B	C	D	E			

USSDO

USSDO

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select bracket type.
- LB** - Mounted on load bar
 - 3K** - System 3000 mounted
 - UN** - Unite mounted
 - UN/UM** - Unite upmount
 - WW/OM12** - WireWorks off module mount w/12” high top tile
 - WW/OM18** - WireWorks off module mount w/18” high top tile
 - WW/PM** - WireWorks standard panel mounted in full-post
 - WW/UM** - WireWorks up-mount brackets

C Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.

D Select lock option.

- KS** - Key standard - 1 lock

NLC - No lock core - 1 lock

E Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Underhead Storage



U-Series™ Underhead Storage

			MODEL NUMBER							
			Basic Model	Direction	Unit Color	Lock Option	Lock Color			
MODEL			D x W x H					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
 UHS	Underhead Storage - Underhead storage units mount below worksurface - Underhead accommodates standard binders - Storage units include holes in top and bottom for cord drop in conjunction with grommets - Includes brackets for attachment; legs may be specified separately if desired - Lockable sliding door extends slightly beyond the center divider of storage unit	35-3/4 x 14-3/8 x 14-7/8	UHS36		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	38.0#	\$ 719	\$ 84
		41-3/4 x 14-3/8 x 14-7/8	UHS42		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	42.0#	768	84
		47-3/4 x 14-3/8 x 14-7/8	UHS48		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	47.0#	816	84
		53-3/4 x14-3/8 x 14-7/8"	UHS54		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	50.0#	894	84
		59-3/4 x 14-3/8 x 14-7/8	UHS60		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	934	84
		71-3/4 x 14-3/8 x 14-7/8	UHS72		☐ ☐	☐ ☐ ☐	☐ ☐ ☐	57.0#	999	84
 UHSL	Underhead Storage Support Leg - May be used in place of return - Size noted does not reflect attachment brackets	1-1/2 x 13-7/8 x 13-5/16"	UHSL	☐	☐ ☐			8.6#	\$ 181	\$ 15
			A	B	C	D	E			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select placement of leg.
☐ - Left
☐ - Right
- C**Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.
- D**Select lock option.
☐ - Key standard - 1 lock
☐ - No lock core - 1 lock
- E**Select lock color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.





U-Series™ Storage and Accessories

Overhead Accessories



U-Series™ Storage and Accessories

Overhead Accessories

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	U-Series® Overhead On-Module Mounting Bracket for Unite - Sold in pairs - Mounts into slots in frame - Black only - Allows for vertical adjustment in 1” increment		48.0222.SET		5.00#	\$ 217
UNA01						
	U-Series® Overhead On-Module Single Mounting Bracket for Unite - Single bracket must be specified with overhead bracket set 48.022.SET - Sor use supporting a U-Series overhead that spans two Unite panels		48.0222.R.BL		2.50#	\$ 111
UNA01						
	U-Series® Overhead Upmount Brackets for Unite - Sold in pairs - Mounts into slots in frame - Uses 8” of slot space at top of panel - Overhead extends 15” above top cap - Fasteners and allen wrench included		48.0236.12.S	☐ ☐	7.00#	\$ 374
USA02						
	U-Series® Overhead Load Bar Brackets for Unite - Sold in pairs - Load Bar Brackets attach to an externally mounted load bar - Load Bar purchased separately		46.8186.SET	☐ ☐	5.00#	\$ 278
USA02						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


U-Series™ Storage and Accessories

Overhead Accessories



U-Series™ Storage and Accessories

Overhead Accessories

		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	L			Approx. Packaged Weight	Delivered Pricing
 AC904		Wall Mounted Load Bar for Unite			
	24"	SWLB.24	☐ ☐	5.00#	\$ 162
	30"	SWLB.30	☐ ☐	6.00#	173
	36"	SWLB.36	☐ ☐	7.00#	176
	42"	SWLB.42	☐ ☐	8.00#	195
	48"	SWLB.48	☐ ☐	10.00#	201
	54"	SWLB.54	☐ ☐	13.00#	238
	60"	SWLB.60	☐ ☐	12.00#	239
	66"	SWLB.66	☐ ☐	13.00#	242
	72"	SWLB.72	☐ ☐	14.00#	251
	84"	SWLB.84	☐ ☐	17.00#	388
	96"	SWLB.96	☐ ☐	19.00#	408
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL	Features			Approx. Packaged Weight	Delivered Pricing
 USPA	Pedestal Bracket	System 3000® 24" deep worksurface	☐ ☐	6.0#	\$ 109
	• Graphic represents bracket used with a 24" deep pedestal on a 24" deep worksurface	System 3000® 30" deep worksurface	☐ ☐	10.0#	109
	• Bracket is intended to fill the space between back of pedestal and panel	StudioWorks® 24" deep worksurface	☐ ☐	6.0#	109
	• Bracket provides support for extended runs and screws with trim to outside back of pedestal for added support on extended panel runs	StudioWorks® 30" deep worksurface	☐ ☐	10.0#	109
	• Bracket depth varies by pedestal model	Unite® 22" deep worksurface	☐ ☐	6.0#	109
	24" worksurface	Unite® 24" deep worksurface	☐ ☐	6.0#	109
	- 20" pedestal = approx. 6-1/4"	Unite® 24" deep knife edge worksurface	☐ ☐	10.0#	109
	- 24" pedestal = approx. 2-1/4"	Unite® 30" deep worksurface	☐ ☐	6.0#	109
		Unite® 30" deep knife edge worksurface	☐ ☐	10.0#	109
		WireWorks® 24" deep worksurface	☐ ☐	6.0#	109
		WireWorks® 30" deep worksurface	☐ ☐	10.0#	109

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


U-Series™ Accessories

Pedestal Pad



U-Series™ Accessories

Pedestal Pad

				MODEL NUMBER											
				Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
MODEL				COM Yardage	W x D										
 CZSP	Pedestal Pads			.6 yards	15 x 17-5/8"	CZSPP1520	□□□□	4.0# \$ 117	\$ 130	\$ 131	\$ 128	\$ 142	\$ 153	\$ 153 \$ 166	
	• Constructed of 3/4" thick foam and medium density fiberboard for a total thickness of 1-1/4"			.75 yards	15 x 21-5/8"	CZSPP1524	□□□□	5.0# 137	153	156	160	176	194	195 212	
	• Non-slip pads on underside			1 yard	15 x 27-5/8"	CZSPP1530	□□□□	6.0# 148	166	168	170	188	204	205 224	
	• Fabric runs side-to-side														
				A	B										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade and color. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

U-Series™ Accessories

Pedestal Accessories



U-Series™ Accessories

Pedestal Accessories

				MODEL NUMBER		
				Basic Model	Approx. Packaged Weight	Delivered Pricing
 USPA	Counterbalance Weight Required for conversion for 24” deep mobile and freestanding to file/file units.	24”D Units	12-1/2 x 2 x 18”	USPCBW25	25.00#	\$ 124
 USPA	Counterbalance Weight - Required for conversion for 20” deep mobile and freestanding to file/file units. - Two required, sold in pairs	For 20” D Units	7-1/2 x 3/4 x 16”	USPCBW36	36.00#	\$ 244
AC905	P-Series Keys - Double bit design - Range of 200 different core/key numbers available - Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC	0.40#	\$ 16
		Lock Core/2 Key Set - Black		2.KP20522	0.40#	16
		Master Key		2.KP20550	0.20#	12
		Extractor Key		2.KP20551	0.20#	12
		Blank Key		2.KP20552	0.20#	3
		Cut Key		2.KP20557	0.20#	4
 USPA	Caster Kit - Converts freestanding pedestals to mobile units - Finished height consistent with free-standing pedestal - File/file units require counterbalance weights 4 casters and a 5th wheel per kit	2-5/8”		USPCK	1.00#	\$ 97
 USPA	Glide Kit - Converts mobile pedestal to freestanding - File/file units require counterbalance weights - Finished height consistent with mobile pedestal 4 glides and a center wheel per kit	2-5/8”		USPGK	1.00#	\$ 97

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
MODEL		W x D x H	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 PDACU	Pencil Tray • For 6" box drawers • Black finish only	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	\$	11
 PDACU	6" Partition • For 6" box drawers • Black finish only • Priced each	12-1/8 x 4-5/8"	S7P/D6	1.0#	\$	6
 PDACU	Hanging Folder Partition • For 12" file drawers • Black finish only • Priced each	12-1/8 x 9-5/8"	S7P/D12	1.0#	\$	11

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Pembroke, ON K8A 0E1**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model			
MODEL	W x H		Approx. Packaged Weight		Delivered Pricing
 UNA08 Acoustic Septum Kit • 2" thick fiberglass sheet is field installed inside frame structure • When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a • Acoustic septum kit may be specified with any Unite® base style • Specify by panel size (72" panels include 2-36" kits) • Septums may be field-trimmed to allow clearance for beltway power	24 x 32"	UNRC.2432	5.10#	\$	69
	30 x 32"	UNRC.3032	6.00#		114
	36 x 32"	UNRC.3632	6.90#		87
	42 x 32"	UNRC.4232	7.80#		134
	48 x 32"	UNRC.4832	8.80#		134
	60 x 32"	UNRC.6032	10.60#		80
	72 x 32"	UNRC.7232	11.60#		115
	24 x 40"	UNRC.2440	6.10#		134
	30 x 40"	UNRC.3040	7.40#		170
	36 x 40"	UNRC.3640	8.70#		198
	42 x 40"	UNRC.4240	10.00#		115
	48 x 40"	UNRC.4840	11.20#		227
	60 x 40"	UNRC.6040	13.80#		227
	72 x 40"	UNRC.7240	15.20#		227
	24 x 48"	UNRC.2448	7.20#		227
	30 x 48"	UNRC.3048	8.80#		134
	36 x 48"	UNRC.3648	10.50#		227
	42 x 48"	UNRC.4248	12.10#		263
	48 x 48"	UNRC.4848	13.70#		263
	60 x 48"	UNRC.6048	17.00#		263
	72 x 48"	UNRC.7248	18.70#		160
	24 x 56"	UNRC.2456	8.30#		227
	30 x 56"	UNRC.3056	10.30#		263
	36 x 56"	UNRC.3656	12.20#		336
	42 x 56"	UNRC.4256	14.20#		336
	48 x 56"	UNRC.4856	16.20#		160
	60 x 56"	UNRC.6056	20.20#		227
	72 x 56"	UNRC.7256	22.30#		263
	24 x 64"	UNRC.2464	9.30#		336
	30 x 64"	UNRC.3064	11.70#		388
	36 x 64"	UNRC.3664	14.00#		232
	42 x 64"	UNRC.4264	16.30#		442
	48 x 64"	UNRC.4864	18.70#		442
	60 x 64"	UNRC.6064	25.50#		446
	72 x 64"	UNRC.7264	25.80#		446

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear |
| GLV | - Satin etch one side |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Accessories

Frameless Modesty Panel with Acrylic Insert



Accessories

Frameless Modesty Panel with Acrylic Insert

			MODEL NUMBER			
			Basic Model	Acrylic		
MODEL			W x H		Approx. Packaged Weight	Delivered Pricing
 UMOD	Frameless Modesty Panel		24 x 10	UMODA24	☐ ☐ ☐	7.0# \$ 147
	• Metal attachment to worksurface under-side acrylic panel		30 x 10	UMODA30	☐ ☐ ☐	8.0# 182
	• Dimension listed refers to the worksurface width; actual width is approximately 6" undersized		36 x 10	UMODA36	☐ ☐ ☐	9.0# 231
			42 x 10	UMODA42	☐ ☐ ☐	11.0# 262
			48 x 10	UMODA48	☐ ☐ ☐	13.0# 317
			54 x 10	UMODA54	☐ ☐ ☐	14.0# 329
			60 x 10	UMODA60	☐ ☐ ☐	16.0# 561
			66 x 10	UMODA66	☐ ☐ ☐	18.0# 567
			72 x 10	UMODA72	☐ ☐ ☐	19.0# 583
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select acrylic color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Accessories

Continuous Top Cap/Carpet Gripper/Alum Grommet/Hooks



Accessories

Continuous Top Cap/Carpet Gripper/Alum Grommet/Hooks

	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
 UNA02	Continuous Top Cap - Used in place of standard top cap for un-interrupted spans between intersections - To specify, add together nominal panel widths - Maximum span is 6 feet	48.0717.48	☐ ☐	2.70#	\$ 53
		48.0717.54	☐ ☐	3.40#	53
		48.0717.60	☐ ☐	3.60#	57
		48.0717.66	☐ ☐	3.80#	98
		48.0717.72	☐ ☐	3.80#	98
UNA13	Carpet Gripper - Grippers snap into leveling glides to prevent panels from shifting on carpet - Glide rotation is unaffected - Black finish only - Package of 10	UNCG10		0.50#	\$ 9
 UNA11	Aluminum Grommet Molded grommet is specified in all powdercoat colors	48.0399	☐ ☐	0.50#	\$ 12
 UNA17	In-Line Coat Hook - Attaches along the side edge of the tile - Cannot be at End-of-run - Can only be used with fabric tiles for a good fit - If used at any intersection, a clothes hanger cannot be used - Cannot be used on glass stackers	48.0035	☐ ☐	0.50#	\$ 31
 UNA17	Top Cap Picture/Coat Hook - Hooks over the top cap - Cannot be used on glass stackers - Can be used on other stackers	10.434453.01	☐ ☐	0.50#	\$ 30

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER		
MODEL		Basic Model	Approx. Packaged Weight	Delivered Pricing
 UNA16	Round Power Module-Dual Receptacles • Round module with sleeves fits into Unite® grommet cutout • Provides two receptacles • Cord length is 6 feet • Black	UNPWUP	2.00#	\$ 375
 UNA16	Round Power Module-Receptacle and Data • Round module with sleeves fits into Unite® grommet cutout • Provides one receptacle and one data port • Black	UNPWUD	2.00#	\$ 375

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the $\square$ indicates that no choice is required.
- Alpha-numeric characters in place of $\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Accessories

Bracket Assembly Kit/Receptacle Kit



Accessories

Bracket Assembly Kit/Receptacle Kit

		MODEL NUMBER			
		Basic Model	Bezel Color		
MODEL				Approx. Packaged Weight	Delivered Pricing
 UNA01	Chicago Mounting Bracket Assembly Kit • Steel construction • Accepts Chicago Code Receptacle Kit (see below) • Specify one assembly per panel, for use on base raceway only • Associated panels must be specified with Chicago power option in order to accept assembly • Includes mounting hardware • Assembly is not size-specific or handed	UCEM		1.50#	\$ 103
 UNA03	Chicago Code Receptacle Kit • Includes all components required to mount one hardwired receptacle to a mounting bracket assembly (see below) • Receptacle is provided by customer • Up to two receptacles may be specified on a 24" panel, one per side; up to four receptacles may be mounted on all other panels, two per side	URK.HW	☐ ☐	1.40#	\$ 102
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select bezel color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER			
MODEL				Basic Model	Approx. Packaged Weight	Delivered Pricing	
	Markerboards - No Frame • White “dry erase” painted steel • “No frame” construction of 22 gauge steel with honeycomb core adhered to back of tile to dampen sound • Includes magnetic removable 16” x 2-1/2” tray with markers and eraser • Includes black mounting brackets	On-Module	36 x 30”	UNDEMB.PM3630	25.00#	\$	379
		On-Module	42 x 30”	UNDEMB.PM4230	21.00#		394
		On-Module	48 x 30”	UNDEMB.PM4830	23.00#		408
		On-Module	54 X 30”	UNDEMB.PM5430	27.00#		498
		On-Module	60 x 30”	UNDEMB.PM6030	30.00#		554
UNA09							
	Markerboards • White porcelain painted steel surface with matching white trim • Includes magnetic removable 16” x 2-1/2” tray with markers and eraser • Includes black mounting brackets	On-Module	30 x 32”	UNMB.PM.3032	11.00#	\$	679
		On-Module	36 x 32”	UNMB.PM.3632	13.00#		712
		On-Module	42 x 32”	UNMB.PM.4232	15.00#		790
		On-Module	48 x 32”	UNMB.PM.4832	17.00#		809
		On-Module	54 X 32”	UNMB.PM.5432	20.00#		883
		On-Module	60 x 32”	UNMB.PM.6032	22.00#		925
UNA09							
	Magnetic Tray		16 x 2-1/2”	MB.TRAY	1.00#	\$	54
AC100							
AC100	Tray/Eraser/4 Markers			MB.MARKERKIT	1.00#	\$	130

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER							
			Basic Model	Fabric Color						
MODEL	Features	W x H			Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UTB Tackboard - Tackboards are constructed of 3/4" tackable core and covered with fabric - Includes black mounting brackets - Not available with countertops	On-Module	24 x 12"	UNTB2412/PM	☐ ☐ ☐ ☐	3.0#	\$ 179	\$ 184	\$ 189	\$ 193	\$ 206
	On-Module	30 x 12"	UNTB3012/PM	☐ ☐ ☐ ☐	3.0#	198	203	205	211	227
	On-Module	36 x 12"	UNTB3612/PM	☐ ☐ ☐ ☐	4.0#	212	224	226	232	243
	On-Module	42 x 12"	UNTB4212/PM	☐ ☐ ☐ ☐	4.0#	225	230	232	238	251
	On-Module	48 x 12"	UNTB4812/PM	☐ ☐ ☐ ☐	5.0#	229	232	235	242	260
	On-Module	54 x 12	UNTB5412/PM	☐ ☐ ☐ ☐	0.0#	259	267	270	279	293
	On-Module	60 x 12"	UNTB6012/PM	☐ ☐ ☐ ☐	6.0#	270	276	279	289	305
	On-Module	24 x 16"	UNTB2416/PM	☐ ☐ ☐ ☐	4.0#	184	189	193	198	211
	On-Module	30 x 16"	UNTB3016/PM	☐ ☐ ☐ ☐	4.0#	198	203	205	211	227
	On-Module	36 x 16"	UNTB3616/PM	☐ ☐ ☐ ☐	5.0#	202	205	207	213	230
	On-Module	42 x 16"	UNTB4216/PM	☐ ☐ ☐ ☐	5.0#	226	231	234	242	257
	On-Module	48 x 16"	UNTB4816/PM	☐ ☐ ☐ ☐	6.0#	234	237	242	250	266
	On-Module	54 x 16	UNTB5416/PM	☐ ☐ ☐ ☐	0.0#	273	281	284	294	306
	On-Module	60 x 16"	UNTB6016/PM	☐ ☐ ☐ ☐	7.0#	284	291	295	308	322
	On-Module	24 x 20"	UNTB2420/PM	☐ ☐ ☐ ☐	4.0#	271	280	283	291	308
	On-Module	30 x 20"	UNTB3020/PM	☐ ☐ ☐ ☐	5.0#	291	300	305	315	330
	On-Module	36 x 20"	UNTB3620/PM	☐ ☐ ☐ ☐	6.0#	310	317	323	336	354
	On-Module	42 x 20"	UNTB4220/PM	☐ ☐ ☐ ☐	7.0#	319	328	336	345	364
	On-Module	48 x 20"	UNTB4820/PM	☐ ☐ ☐ ☐	8.0#	383	394	399	411	435
	On-Module	54 x 20	UNTB5420/PM	☐ ☐ ☐ ☐	0.0#	395	410	419	429	453
	On-Module	60 x 20"	UNTB6020/PM	☐ ☐ ☐ ☐	10.0#	390	405	411	425	443
	On-Module	24 x 30"	UNTB2430/PM	☐ ☐ ☐ ☐	6.0#	293	304	310	317	339
	On-Module	30 x 30"	UNTB3030/PM	☐ ☐ ☐ ☐	7.0#	364	373	383	394	416
	On-Module	36 x 30"	UNTB3630/PM	☐ ☐ ☐ ☐	8.0#	385	395	405	418	439
	On-Module	42 x 30"	UNTB4230/PM	☐ ☐ ☐ ☐	10.0#	408	421	431	440	466
	On-Module	48 x 30"	UNTB4830/PM	☐ ☐ ☐ ☐	11.0#	431	439	447	465	487
	On-Module	54 x 30	UNTB5430/PM	☐ ☐ ☐ ☐	0.0#	459	478	484	496	519
	On-Module	60 x 30"	UNTB6030/PM	☐ ☐ ☐ ☐	14.0#	467	482	488	503	532
	On-Module	24 x 48"	UNTB2448/PM	☐ ☐ ☐ ☐	9.0#	374	385	395	407	430
	On-Module	30 x 48"	UNTB3048/PM	☐ ☐ ☐ ☐	11.0#	434	441	453	467	493
	On-Module	36 x 48"	UNTB3648/PM	☐ ☐ ☐ ☐	13.0#	493	508	520	532	561
	On-Module	42 x 48"	UNTB4248/PM	☐ ☐ ☐ ☐	15.0#	508	522	536	547	578
	On-Module	48 x 48"	UNTB4848/PM	☐ ☐ ☐ ☐	17.0#	538	556	567	583	615

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model			
 UNA15	Tackboard On-Module Bracket • Order one kit for 12” and 16” high tackboards • Order two kits for 20” and 30” high tackboards • Order three kits for 48” high tackboards • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	48.0262.TB.KIT		1.00#	\$ 38
 UNA15	Markerboard On-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	48.0262.MB.KIT		1.00#	\$ 65

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL	H x W x D				Approx. Packaged Weight	Delivered Pricing
 UTR	On-Module Tool Rail - Accommodates paper management components - Attaches to panels “on” module - Field installable - Painted aluminum construction - Consists of four slots to accept components	24 x 4-1/2”	UPMTR24	☐ ☐	3.00#	\$ 148
		30 x 4-1/2”	UPMTR30	☐ ☐	4.00#	156
		36 x 4-1/2”	UPMTR36	☐ ☐	5.00#	163
		42 x 4-1/2”	UPMTR42	☐ ☐	6.00#	171
		48 x 4-1/2”	UPMTR48	☐ ☐	6.00#	181
		54 X 4-1/2”	UPMTR54	☐ ☐	7.00#	215
		60 x 4-1/2”	UPMTR60	☐ ☐	7.00#	231
		72 x 4-1/2”	UPMTR72	☐ ☐	8.00#	251
 AC908	Plastic Paper Tray Unit - Plastic construction - Accepts letter and legal-size paper - Suspends from Tool Rail	2 x 9-1/2 x 14”	PPLL	☐ ☐	1.00#	\$ 56
 AC908	Plastic Diagonal Storage Unit - Plastic construction - Three slanted partitions per unit with dividers - Suspends from Tool Rail	2-1/2 x 7 x 12-1/2”	PPDS	☐ ☐	4.00#	\$ 56
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
MODEL		H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Accessory Tray	2 x 9 1/2 x 10"	PPAT	☐ ☐	6.00#	\$ 47
	• Injection-molded plastic • Stores stamps, tape dispenser, post-it pads and paper clips • Suspends from Tool Rail					
AC908						
	Pencil Cup	4 x 4 x 3 1/2"	PPPC	☐ ☐	0.30#	\$ 47
	• Injection-molded plastic • Suspends from Tool Rail					
AC908						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.