



WORKUP[®] HEIGHT-ADJUSTABLE TABLE

PRICE LIST

EFFECTIVE SEPTEMBER 3, 2025
800.424.2432



WorkUp® Tables		
General Information		3
Product Color Options		4
Fixed Height		5
Crank Adjustable Height (Sit - Stand)		7
Counter Balance Adjustable Height		9
Accessories		11



CRANK TABLE

General
The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11” and 44.83” from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A ¾” diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

Base
The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4” square 14-gauge steel tubing with a ¼” steel plate welded on the bottom end. The inner member shall be 2-1/2” square 14 gauge steel tubing with a ¼” steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support
The worksurface support shall be formed 11-gauge steel support members with ¼” steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface
Worksurfaces shall be constructed with 1-1/8” thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1” tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

FIXED TABLE

General
The table shall consist of two T bases (centered column on a horizontal foot) supporting a work-surface. The top of the worksurface shall be 29” from the floor. See back page for top sizes.

Base
The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be ¼” thick steel. The column shall be 2-3/4” square 14-gauge steel tubing with ¼” steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface
Worksurfaces shall be constructed with 1-1/8” thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1” tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

Worksurface
Worksurfaces shall be constructed with 1-1/8” thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1” tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

Wire Trough
The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of the table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Wire troughs are avail-able on all models.

Polyester Felt Modesty Panel
Modesty panels are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The panel is 1/2” thick with a density of .05 lb/ft. Panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9.25” high by 34.5”, 40.5”, 46.5”, 52.5”, 58.5”, 64.5”, and 70.5” wide. The mounting brackets are 18-gauge steel and attached to the work surface by 2 steel screws. Panels 34.5”, 40.5” and 46.5” wide all use 2 brackets per panel. Panels 52.5”, 58.5”, 64.5”, and 70.5” wide all use 3 brackets per panel.




Surface Finish--Grade 1 Standard Laminate		Base and Trough Paint Color		Multiplex		Rainforest		ERQ	
Beigewood	LBZ	Black	BL	Nemo	EMB	Rainforest	ERQ		
Belair	LBQ	Blue Grey	GR	Nordic	ENE	Raleigh Walnut	ERW		
Biltmore Cherry	LBT	Bronze Metallic	ZM	Pinnacle Walnut	END	River Cherry	ERY		
Black	LBK	Champagne Metallic	CM	Poppy Red	EPW	Rubber Ducky	ERK		
Brighton Walnut	LBW	Cool Grey	CG	Rainforest	EPR	Sand	ESA		
Castle Oak	LCO	Cottonwood	CO	Rainforest	ERQ	Sky Blue	ESK		
Cherry Storm	LCX	Earthen Clay	EY	Raleigh Walnut	ERW	Solano Walnut	ESG		
Classic Linen	LCI	Everglade Shade	EV	River Cherry	ERY	Sterling Ash	EAZ		
Cocobala	LCC	Glitz Metallic	GZ	Rubber Ducky	ERK	Surf's Up	ESP		
Crisp Linen	LRI	Hazy Jade	HJ	Sand	ESA	Tarragon	ETQ		
Designer White	LDR	Honey Bee	HY	Sky Blue	ESK	Twilight Shadow	ETI		
Dove Grey	LDG	Mardi Gras	MG	Solano Walnut	ESG	Ultra Blue	EUB		
Florence Walnut	LFC	Misty Brown	MY	Sterling Ash	EAZ	Valley Forge Elm	EVF		
Friston Ash	LFH	Nemo	NE	Surf's Up	ESP	Warm Grey	EWG		
Frosty White	LFW	Purple Haze	PH	Tarragon	ETQ	White River Forest	EWR		
Graphite Nebula	LGN	Rainforest	RQ	Twilight Shadow	ETI	Windsor Mahogany	EWY		
Grey	LGE	Rainforest	RQ	Ultra Blue	EUB	Zesty Lime	EZL		
High Rise	LHE	Raw Jasper	RJ	Valley Forge Elm	EVF				
Hollyberry	LHY	Rubber Ducky	RK	Warm Grey	EWG	Inner Column Color			
Island	LID	Starlight Silver Metallic	SX	White River Forest	EWR	Black		IBL	
Italian Silver Ash	LIT	Surf's Up	SP	Windsor Mahogany	EWY	Silver		ISV	
Kensington Maple	LKM	Tarragon	TQ	Zesty Lime	EZL	White		IWH	
Lapis Blue	LLB	Twilight Shadow	TI						
Monticello Maple	LMT	Ultra Blue	UB	Edge Color for KN Edge		Polyester Felt Modesty Panel			
North Sea	LNA	Warm Grey	WG	Akira	EAK	Dandelion		FTDD	
Ocean	LON	Zesty Lime	ZL	Beigewood	EBZ	Fawn		FTFW	
Pinnacle Walnut	LPW			Belair	EBQ	Flannel		FTFN	
River Cherry	LRY	Edge Color for 74P Edge		Biltmore Cherry	EBT	Heather		FTHR	
Shadow Zephyr	LSR	Akira	EAK	Black	EBL	Lava		FTLV	
Sterling Ash	LAZ	Beigewood	EBZ	Black Hills Oak	EBH	Mallard		FTML	
Titanium Evolv	LTV	Belair	EBQ	Blue Grey	EGR	Midnight Blue		FTMB	
White Nebula	LWL	Biltmore Cherry	EBT	Brighton Walnut	EBW	Pepper		FTPR	
White Sand	LWN	Black	EBL	Castle Oak	ECO	Spring		FTSG	
Windsor Mahogany	LWY	Black Hills Oak	EBH	Cayenne	ECY	Tidal Wave		FTTW	
		Blue Grey	EGR	Cherry Storm	ECX				
		Brighton Walnut	EBW	Cocobala	ECC				
		Castle Oak	ECO	Cool Grey	ECG				
		Cayenne	ECY	Cumberland Walnut	ECJ				
		Cherry Storm	ECX	Dering Forest	EDF				
		Cocobala	ECC	Designer White	EDR				
		Cool Grey	ECG	Everglade Shade	EEV				
		Cumberland Walnut	ECJ	Fawn Cypress	EFQ				
		Dering Forest	EDF	Flannel	EFN				
		Designer White	EDR	Florence Walnut	EFC				
		Everglade Shade	EEV	Friston Ash	EFH				
		Fawn Cypress	EFQ	Frosty White	EFW				
		Flannel	EFN	Hartley Walnut	EHW				
		Florence Walnut	EFC	Hazy Jade	EHJ				
		Friston Ash	EFH	Italian Silver Ash	EIT				
		Frosty White	EFW	Kensington Maple	EKM				
		Hartley Walnut	EHW	Light Tone	ELG				
		Hazy Jade	EHJ	Mardi Gras	EMG				
		Italian Silver Ash	EIT	Misty Brown	EMY				
		Kensington Maple	EKM	Monticello Maple	EMT				
		Light Tone	ELG	Nemo	ENE				
		Mardi Gras	EMG	Nordic	END				
		Misty Brown	EMY	Pinnacle Walnut	EPW				
		Monticello Maple	EMT	Poppy Red	EPR				
Surface Finish--Grade 2 Standard Laminate									
Akira	LAK								
Black Alicante	LBY								
Black Hills Oak	LBH								
Calcutta Marble	LCQ								
Dering Forest	LDF								
Fawn Cypress	LFQ								
Ice Mist	LIM								
Markerboard White	LMK								
Valley Forge Elm	LVF								
White River Forest	LWR								
Surface Finish--Grade 3 Standard Laminate									
Black Velvet	LBV								
Cumberland Walnut	LCJ								
Designer White Velvet	LDE								
Hartley Walnut	LHW								
Nile Velvet	LNL								
Raleigh Walnut	LRW								
Solano Walnut	LSG								
Spruce Velvet	LSC								

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.

			MODEL NUMBER														
			Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Base Finish	Polyester Modesty Panel Color		Approx. Packaged Weight	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	A x B x C																
 WUFX	Rectangular Tables - 22”D • 29” height • Adjustable glides	21-1/2 x 34-1/2”	WU2236FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		69.0#	\$ 863	\$ 896	\$ 927	\$ 19	\$ 120
		21-1/2 x 40-1/2”	WU2242FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		66.0#	915	953	985	19	120
		21-1/2 x 46-1/2”	WU2248FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		70.0#	926	961	990	19	120
		21-1/2 x 52-1/2”	WU2254FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		75.0#	981	1021	1071	27	178
		21-1/2 x 58-1/2”	WU2260FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		79.0#	985	1025	1074	27	178
		21-1/2 x 64-1/2”	WU2266FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		91.0#	1056	1098	1189	27	178
		21-1/2 x 70-1/2”	WU2272FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		95.0#	1060	1101	1193	27	178
WUFX	Rectangular Tables - 24”D • 29” height • Adjustable glides	23-1/2 x 34-1/2”	WU2436FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		64.0#	\$ 863	\$ 896	\$ 930	\$ 19	\$ 120
		23-1/2 x 40-1/2”	WU2442FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		69.0#	915	953	985	19	120
		23-1/2 x 46-1/2”	WU2448FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		73.0#	925	961	992	19	120
		23-1/2 x 52-1/2”	WU2454FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		78.0#	983	1021	1071	27	178
		23-1/2 x 58-1/2”	WU2460FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		83.0#	986	1025	1074	27	178
		23-1/2 x 64-1/2”	WU2466FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		95.0#	1058	1098	1189	27	178
		23-1/2 x 70-1/2”	WU2472FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		100.0#	1060	1105	1193	27	178
WUFX	Rectangular Tables - 30”D • 29” height • Adjustable glides	29-1/2 x 34-1/2”	WU3036FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		75.0#	\$ 910	\$ 943	\$ 1024	\$ 27	\$ 178
		29-1/2 x 40-1/2”	WU3042FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		81.0#	973	1012	1056	27	178
		29-1/2 x 46-1/2”	WU3048FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		87.0#	1025	1060	1065	27	178
		29-1/2 x 52-1/2”	WU3054FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		93.0#	1133	1180	1242	27	178
		29-1/2 x 58-1/2”	WU3060FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		99.0#	1136	1184	1247	27	178
		29-1/2 x 64-1/2”	WU3066FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		112.0#	1213	1261	1375	27	178
		29-1/2 x 70-1/2”	WU3072FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		118.0#	1218	1267	1382	27	178
WUFX	Rectangular Tables - 36”D • 29” height • Adjustable glides	35-1/2 x 34-1/2”	WU3636FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		82.0#	\$ 986	\$ 1026	\$ 1098	\$ 37	\$ 235
		35-1/2 x 40-1/2”	WU3642FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		89.0#	1065	1109	1196	37	235
		35-1/2 x 46-1/2”	WU3648FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		96.0#	1074	1116	1204	37	235
		35-1/2 x 52-1/2”	WU3654FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		103.0#	1190	1238	1449	53	368
		35-1/2 x 58-1/2”	WU3660FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		110.0#	1194	1241	1356	53	368
		35-1/2 x 64-1/2”	WU3666FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		125.0#	1230	1278	1775	53	368
		35-1/2 x 70-1/2”	WU3672FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐		132.0#	1238	1287	1783	53	368
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P

- 74P edge

PL

- Postformed edge

KN

- Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

CSelect modesty panel.

NMP

- No modesty panel

PMP

- Polyester felt modesty panel; add \$203

DSelect base option.

G

- Glides

R

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

GSelect base finish.

Refer to the **Product Color Options** page in this price list.

HSelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.




SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									 		Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
		Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Base Finish								
 WUFX Rectangular 120° Corner Tables • 29" height • 120° angle • Adjustable glides • WUC2436FX includes one 42" modesty panel when specified • WUC3048FX includes one 54" modesty panel when specified	A x B x C															
	23-1/2 x 34-1/2 x 37-5/8"	WUC2436FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐		☐ ☐	☐ ☐ ☐	80.0#	\$ 1183	\$ 1343	\$ 53	\$ 368		
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048FX	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐		☐ ☐	☐ ☐ ☐	123.0#	1340	1601	74	473		
		A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge

Knife edge (KN) on user side only
- C**Select modesty panel.

NMP

- No modesty panel

PMP

- Polyester felt modesty panel; add \$203
- D**Select base option.

G

- Glides

R

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- G**Select base finish.

Refer to the **Product Color Options** page in this price list.
- H**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

74P	- 74P edge
PL	- Postformed edge
KN	- Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

C

Select modesty panel.

NMP	- No modesty panel
PMP	- Polyester felt modesty panel; add \$203

D

Select base option.

G	- Glides
R	- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60

E

Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

F

Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

G

Select base finish.

Refer to the **Product Color Options** page in this price list.

H

Select inner column finish.

Refer to the **Product Color Options** page in this price list.

I

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

selections.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER																				
		Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Base Finish	Column Finish	Polyester Modesty Panel Color												
A x B x C											Approx. Packaged Weight		 74P Edge (74P)		 Knife Edge (KN)				Laminate Grade 2 add to list price		Laminate Grade 3 add to list price	
	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CR	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	93.0#		\$ 1983		\$ 2145				\$ 53		\$ 368	
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048CR	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	134.0#		2198		2456				74		473	
		A	B	C	D	E	F	G	H	I												

WUCR

Rectangular 120° Corner Tables

- 27-44" adjustable heights
- 120° angle
- Adjustable glides
- Adjusts at a rate of 6-1/3 turns per inch
- WUC2436CR includes one 42" modesty panel when specified
- WUC3048CR includes one 54" modesty panel when specified

WUCR

Rectangular 120° Corner Tables

- 27-44” adjustable heights
- 120° angle
- Adjustable glides
- Adjusts at a rate of 6-1/3 turns per inch
- WUC2436CR includes one 42” modesty panel when specified
- WUC3048CR includes one 54” modesty panel when specified

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P

- 74P edge

KN

- Knife edge

Knife edge (KN) on user side only
- C** Select modesty panel.

NMP

- No modesty panel

PMP

- Polyester felt modesty panel; add \$203
- D** Select base option.

G

- Glides

R

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- G** Select base finish.

Refer to the **Product Color Options** page in this price list.
- H** Select inner column finish.

Refer to the **Product Color Options** page in this price list.
- I** Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									74P Edge (74P) Postformed Edge (PL) Knife Edge (KN) Laminate Grade 2 add to list price Laminate Grade 3 add to list price					
		Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Foot Finish	Frame/ Inner Column Finish	Polyester Modesty Panel Color						
A x B x C											Approx. Packaged Weight					
 WUCB Rectangular Tables - 22"D - Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product Modification Request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	21-1/2 x 46-1/2"	WU2248CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	93.0#	\$ 3022	\$ 3029	\$ 3091	\$ 19	\$ 120
	21-1/2 x 52-1/2"	WU2254CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	98.0#	3096	3122	3185	27	178
	21-1/2 x 58-1/2"	WU2260CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	102.0#	3118	3143	3203	27	178
	21-1/2 x 64-1/2"	WU2266CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	107.0#	3194	3204	3325	27	178
	21-1/2 x 70-1/2"	WU2272CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	112.0#	3209	3225	3340	27	178
WUCB Rectangular Tables - 24"D - Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product Modification Request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	23-1/2 x 46-1/2"	WU2448CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	96.0#	\$ 3022	\$ 3027	\$ 3091	\$ 19	\$ 120
	23-1/2 x 52-1/2"	WU2454CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	101.0#	3096	3121	3185	27	178
	23-1/2 x 58-1/2"	WU2460CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	106.0#	3118	3141	3203	27	178
	23-1/2 x 64-1/2"	WU2466CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	111.0#	3194	3203	3325	27	178
	23-1/2 x 70-1/2"	WU2472CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	116.0#	3209	3224	3340	27	178
WUCB Rectangular Tables - 30"D - Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product Modification Request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	29-1/2 x 46-1/2"	WU3048CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	109.0#	\$ 3090	\$ 3052	\$ 3175	\$ 27	\$ 178
	29-1/2 x 52-1/2"	WU3054CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	115.0#	3172	3103	3281	27	178
	29-1/2 x 58-1/2"	WU3060CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	122.0#	3189	3122	3297	27	178
	29-1/2 x 64-1/2"	WU3066CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	128.0#	3255	3189	3421	27	178
	29-1/2 x 70-1/2"	WU3072CB	□□□	□□□	□	□□□	□□□	□□	□□□	□□□□	134.0#	3270	3204	3434	27	178
		A	B	C	D	E	F	G	H	I						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P	- 74P edge
PL	- Postformed edge
KN	- Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

C Select modesty panel.

NMP	- No modesty panel
PMP	- Polyester felt modesty panel; add \$203

D Select base option.

G	- Glides
R	- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60

selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select foot finish.
Refer to the **Product Color Options** page in this price list.

Select frame/inner column finish.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester panel is chosen).
Refer to the **Product Color Options** page in this price list.




Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, 1 CB Bundle, WI 54107,
freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									Approx. Packaged Weight	 74P Edge (74P)	 Postformed Edge (PL)	 Knife Edge (KN)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Foot Finish	Frame/ Inner Column Finish	Polyester Modesty Panel Color						
WUCB Rectangular Tables - 36”D - Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product Modification Request) 28-47” adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	A x B x C															
	35-1/2 x 46-1/2”	WU3648CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	119.0#	\$ 3154	\$ 3164	\$ 3286	\$ 37	\$ 235
	35-1/2 x 52-1/2”	WU3654CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	126.0#	3241	3214	3502	53	368
	35-1/2 x 58-1/2”	WU3660CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	134.0#	3262	3232	3425	53	368
	35-1/2 x 64-1/2”	WU3666CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	141.0#	3316	3366	3860	53	368
	35-1/2 x 70-1/2”	WU3672CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	149.0#	3330	3383	3879	53	368
 WUCB Rectangular 120° Corner Tables - Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product Modification Request) 28-47” adjustable heights 120° angle - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns - WUC2436CB includes one 42” modesty panel when specified - WUC3048CB includes one 54” modesty panel when specified	23-1/2 x 34-1/2 x 37-5/8”	WUC2436CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	103.0#	\$ 3269	N/A	\$ 3433	\$ 53	\$ 368
	29-1/2 x 46-1/2 x 48-7/8”	WUC3048CB	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	139.0#	3496	N/A	3754	74	473
		A	B	C	D	E	F	G	H	I						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.

74P

- 74P edge

PL

- Postformed edge

KN

- Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

CSelect modesty panel.

NMP

- No modesty panel

PMP

- Polyester felt modesty panel; add \$203

DSelect base option.

G

- Glides

R

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$60

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

GSelect foot finish.

Refer to the **Product Color Options** page in this price list.

HSelect frame/inner column finish.

Refer to the **Product Color Options** page in this price list.

ISelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Approx. Packaged Weight	Delivered Pricing	
MODEL	Features				
 AC434	Undermount R8 Module • Silver in color • Includes 8-15A, 120 VAC receptacles, 2 outer most rotated 90 degrees to accommodate large plugs • 144" power cord • Under table mount attaches with 4 screws (included) • Module hangs down from surface 1" to allow easier access to plug in/unplug • Includes 4 wire management clips • ETL listed for US and Canada • Dimensions are 16.3" x 2.3" x 2.8"	14.1450.SLVR	3.00#	\$	319
 AC403	Vertical Cable Manager • Silver in color • Multi-directional manager holds wires in static and adjustable tables • Weighted base keeps manager in positon • Includes magnetic link to easily attach to table leg • Attaches to underside of table with or without wire management trough • Includes 63 links, 1-3 link magnetic piece, 1 top connector, 2 screws, 1 base plate	47.2320.SLVR	1.00#	\$	118

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Paint Color			
MODEL		L			Approx. Packaged Weight	Delivered Pricing
 WUA01	Wire Trough	24"	WU.TROUGH.48	☐ ☐	5.00#	\$ 81
	• Keeps wires enclosed and tidy					
	• Open design makes it easy to feed cables through trough					
	• Steel construction					
	• Intended for installation into pre-drilled pilot holes					
	• Mounting hardware included					
	• 9.5" wide x 4.2" high x 24" long					
• One kit for 48" rectangle and 24x36 corner table						
 WUA01	Wire Trough	36"	WU.TROUGH.60	☐ ☐	7.00#	\$ 98
	• Keeps wires enclosed and tidy					
	• Open design makes it easy to feed cables through trough					
	• Steel construction					
	• Intended for installation into pre-drilled pilot holes					
	• Mounting hardware included					
	• 9.5" wide x 4.2" high x 36" long					
• One kit for 54" and 60" rectangle and 30x48 corner tables						
 WUA01	Wire Trough	48"	WU.TROUGH.72	☐ ☐	10.00#	\$ 115
	• Keeps wires enclosed and tidy					
	• Open design makes it easy to feed cables through trough					
	• Steel construction					
	• Intended for installation into pre-drilled pilot holes					
	• Mounting hardware included					
	• 9.5" wide x 4.2" high x 48" long					
• One kit for 66" and 72" rectangle tables						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2025 Krueger International, Inc. All Rights Reserved.