



MEDICAL & LABORATORY STOOLS

PRICE LIST

EFFECTIVE MARCH 17, 2026
800.424.2432



Ordering Customer's Own Material (C.O.M.) Upholstery	
Information	3


Medical and Laboratory	
General Information	5
Stools	6



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls
Evoke..... MN
Genius..... MN

Casegoods
Aristotle..... MN
Likha..... MN

Classroom Furniture
Cogni GB
Intellect Wave GB
Learn2..... GB
Ruckus..... GB

Desking
700 Series KP
Balance MN
Genesis MN
True KP
Universal MN
WorkZone MN

Files & Storage
700 Series..... GB
Connection..... BW
U-Series..... GB
Tattoo..... BW

Fixed Seating
Concerto..... BW
Single Pedestal GB
Jury Base GB
Lancaster..... BW
Sequence GB
University GB

Panel Systems
All Terrain..... KP
Balance MN
Universal MN
Wireworks MN
Unite..... MN

Residence Hall Furniture
RoomScape MN

Screens
All Terrain..... KP
Connection Zone..... BW
Tributaire..... BW
True/Volition KP
Genesis..... KP
Tattoo..... MN
Universal..... BW

Seating
600 Series..... BW
Affina HN
Altus GB
Apply GB
Calida HN
Cascha VT
Civara VT
Clamber HN
Cogni GB
Diem OM
Doni GB
Gladly VQ
Grazie GB
Hub HN
Impress OM

Impress Ultra OM
Intellect Wave GB
Jessa HN
Jubilee VQ
Katera..... GB
Kurv Benches..... HN
Learn2..... GB
LimeLite..... GB
Lyra HN
Medical & Laboratory Stools..... OM
MyPlace HN
MyWay HN
Oath GB
Opt4 GB
Pilot OM
Promenade..... BW
Ruckus..... GB
Sela HN
Sift GB
Signia..... OM
Soltice Metal HN
Soltice..... HN
Sonrisa HN
Strive GB
Sway BW
Tattoo..... HN
Torsion-on-the-Go! GB
Torsion Air GB
Zeker HN
Zentori VT
Zoetry HN

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

VT
KI
Attn: COM Storage
2803 South Taylor Drive
Sheboygan, WI 53081



KICL12



KICL13



KICL14



KICL15

Features				
Upholstered seat	•	•	•	•
Casters	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat height	16" - 21"	22" - 32"	16" - 21"	16" - 21"
Overall height	16" - 21"	22" - 32"	16" - 21"	28" - 36"
Seat diameter	16"	16"	16"	16"
Back size				13"W x 9"H
Overall width	19"	19"	19"	25"

SPECIFICATIONS

Medical & Laboratory Stools are shipped unassembled.

Upholstered Seat

The seat has a unibody molded 2-1/2" HR foam on plywood.

Pneumatic Ring

The KICL12 and KICL13 stools offer height adjustment with a pneumatic 360-degree, hand-activated ring. The KICL14 and KICL15 stools offer height adjustment with a pneumatic 360-degree, foot-activated ring.

Pneumatic Cylinder

Cylinders have a 5" range, except the KICL13 stool which has a 10" range.

Base

The KICL12, KICL13, and KICL14 have a 20" base. The KICL15 has a 24" base. All bases are die-cast aluminum with a chrome finish.

Casters

All stools have safety soft casters, which minimizes movement when chair is not in use.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KICL
Attn: C.O.M. Department
1110 S. Mildred Ave.
Ontario, CA 91761

Fabric Disclaimer





Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Product Modification Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Basic Model	Upholstery Color										
 KICL12 Stool • 5" Seat height range • 360-degree, hand activation pneumatic EXAM	KICL12	□□□□□	28.00#	\$ 415	\$ 486	\$ 494	\$ 494	\$ 473	\$ 525	\$ 553	\$ 585	\$ 609
 KICL13 Stool • 10" Seat height range • 360-degree, hand activation pneumatic • 18" chrome footring EXAM	KICL13	□□□□□	28.00#	\$ 574	\$ 646	\$ 654	\$ 654	\$ 632	\$ 684	\$ 715	\$ 745	\$ 772
 KICL14 Stool • 5" Seat height range • 360-degree, foot activation pneumatic EXAM	KICL14	□□□□□	28.00#	\$ 593	\$ 664	\$ 673	\$ 673	\$ 652	\$ 706	\$ 732	\$ 760	\$ 786
 KICL15 Stool • 5" Seat height range • 360-degree, foot activation pneumatic EXAM	KICL15	□□□□□	33.00#	\$ 799	\$ 884	\$ 906	\$ 906	\$ 889	\$ 944	\$ 982	\$ 1024	\$ 1053

A **B**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

C.O.M. Upholstery
 C.O.M. requirement for KICL12, KICL13, and KICL14 is 3/4 yards per chair of 54" wide nondirectional fabric. C.O.M. requirement for KICL15 is 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering Customer's Own Material (C.O.M.) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2026 Krueger International, Inc. All Rights Reserved.